

ASIS.PSP.v2026-02-02.q185

□□□□:	PSP
□□□□:	ASIS Physical Security Professional Exam
□□□:	ASIS
□□ □□ □□□:	185
□□:	v2026-02-02
# □□ □:	113
# □□ □□□:	1850
https://www.krdump.com/ASIS.PSP.v2026-02-02.q185.html	

NEW QUESTION: 1

_____ □□ □□□□□ □□ □□□ □□ □□□ □ □□□ □□□□, □□□ □□ □□□
□ □□□□ □□ □□ □□ □□□□ □□□□□.

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

"□□" □□□ □□□ □, □□ 10002□ □□ □□ □□□ □ □□ □□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000

The diagram shows a project network on a 31-day timeline. Activities are represented by horizontal bars: A (1-7), B (10-17), C (diamond at 8), D (10-13), E (13-17), F (10-13), G (24-27), and H (27-31). Arrows indicate dependencies: A to B, A to C, C to D, D to E, D to F, F to G, and G to H. A circle with 'Y' is at day 13, and a circle with 'X' is at day 31.

	Original Duration
Activity A	5
Activity B	5
Activity C	0
Activity D	5
Activity E	4
Activity F	3
Activity G	4

- Answer: A (LEAVE A REPLY)**

[illegible]

* □□□ □□□ □□□□□ □□ □□(□: □□□□ □□ □□)□ □□□□□.

□ □ :

* □□□□□□□ □□□□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□□□.

* □□□□ □□□□□□□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□□□.

□ □ □ □ :

* □□ B: □□. □□□□ □□□ □□□□.

* □□ C: □□. □□□ □□□□ □□□ □□ □□□□.

* □□ D: □□. □□□ □□□ □□□□□□□.

* □□ A: □□□□□. □□□ □□□ □□□ □□□□□ □□□ □□□□□.

NEW QUESTION: 5

□□□□ □□□ □□□ □□□ □□□□.

A. □□ □□□ □□ □□

B. □□□ □□□□□ □□ □□□ □□□□□ □□□ □□□□ □□□ □□□□□.

C. □□ □□ □□ □ □□□□ □□□ □□

D. □□ □□ □

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□□ □□ □□ □□□□□ □□□ □□□ □□ □□ □□□ □□□ □□□ □□□□.

_____.

A. □□ □ □□(BAC)

B. □□□ □□□ □□ □□(BCWS)

C. □□□ □□□ □□ □□(BCWP)

D. □□ □ □□ □□(EAC)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□ □□□□□ □□□ □□□ □□ □□□ □□□□ □□□.

A. □□□□□ □□□□ □ □□ □□□ □□.

B. □□□□□ □□□□ □ □□□ □□, □□ □ □□ □□□ □□.

C. □□□□□ □□ □□□ □□□□ □□□□□.

D. □□□□ □□□ □□□□ □□ □□ □□(□□) □□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

□□ □□□ _____□ □□□ □ □□□□.

A. □□□□□ □□□ □□□ □□□ □□□□□.

B. □□ □□ □ □□ □□ □□□ □□□□

C. □□□ □□ □□□ □□□□

D. □□ □□ □□ □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

□□□□ □□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□□ □□□□,

□□ □□□ □□□ □□□ □ □□□□. □□ □□□ □□ □□□□.

A. □□ □□□ □□

B. □□□ □□

C. □□ □□ □□ □□□□

D. □□ □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□□□ □□ 4□□ □□□□ □□□ □ □□ □□□ □□□□. □□□ □ □□ □□□ 35□□ □
□□ □□□ □□□ □ □□, □□ □□□□ 60□□ □□□ □□□ □□□□□ □□□ □, □□□
□□□ □□ □□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□?

Small Tower Crane

Typical capacity for a Small Crane

Maximum Load 5 tons

Minimum Load 1.5 tons

Operation	Time (in minutes)
Sling Up	5
Hoist Up	4
Discharge	3
Clear Unload Area	3
Hoist Down	2

A. □□□ 1□

B. □□□ 2□

C. □□□ 3□

D. □□□ 4□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□□□ □□□□□□□ □□ 7001□ □□ □□□□ □□ □□ □□□□□?

A. 7001□□ 11001□□□ □□ FF □□□ □□□□ □□□□.

B. LFF □□□□.

C. TFF □□□□ □□□□ □□□□□.

D. LFF □□□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

□□ 7001□ □□ □□(LF)□ □□□□ □□□□□□ □□□□ □□□□ □ □□□ □□□ □□□
□ □□ □□□ □□□ □□□ □□□□□.

LFF □□□ □□□□ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□.

□□□□: PSP □□ □□□, □□ 2.3.4 - □□ □□ □□, 2.4.3 - □□ □□□ □□□ □□ □□ □
□ □□□ □□□□ □□□□ □ □□□ □□□.

NEW QUESTION: 12

□□ □□□ □□□□ □ □□ □□□□ □□□□ □□□□ □□□ □□□□.


- A. □, □□, □□
- B. □, □, □□
- C. □, □□□□□, □□
- D. □, □□, □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□ □□□ □□□ □□□ □□□□□?

Refer to the time-scaled network diagram and other information to answer the following questions. Please consider this to be the entire network.



	Original Duration
Activity A	5
Activity B	5
Activity C	0
Activity D	5
Activity E	4
Activity F	3
Activity G	4

- A. □□ D.
- B. □□ E.
- C. □□ G.
- D. □□ C.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

□□ □□□□ □□□□ □□□ □ □□□□ □□ □□□ □□ □□□ □□□□□. □□ □□□□
□□□□□ □□□ □□ □□□□.

- A. □□□

B. □□

C. □□□□

D. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

KPI□ □□□ □□□□□.

A. □□□ □□ □□□

B. □□ □□ □□

C. □□□□ □□□ □□

D. □□ □□ □□


Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

□□:

□□ □□□□□ □□□ □□ □□□ □□□ □□□□□. □□ A□ 20□ □□ □□□□, 10□ □□ □□□□ □□□ □□ B□ □□□□ □□□, □□□□ □□□□□ □□□ □□ □ 5□ □□□□□. □□ B□ 20□ □□ □□□□ □□□ □□ C□ □□□□ □□□, □□□□ □□□□□ □□□ □ □ 5□ □□□□□.

FRAC TION - ROUNDED PART PRECEDENCE DIAGRAM



PSP □□□

□□□ □□□□□ □□ □□□ □□:

□ □□□□ □□ □□ □□□ □ □□□ □□□ □□□ □□□□□. □□□ □□□□□,

□□ □□ □□□□ □□□□, □□□□□ □□□□□. □□□□ "□□ □□ □□ □□" □ "□□□□
□ □□ □□ □□" □□□□ □□ □□ □□□□ □□□□□ □□□□□□□□. □□ □□ □□
□□ □ □□□ □□ □□ 2,500□□□ □□□/□□□ □□□ □□□□. □□ □□ □□□□ □□
50□ □□□ □□□□, □□ □□ □□□□□ □□□ □□□□.

□□□□□ □□ □□□ □□□□ □□□□□. 1□□ □□□□□ 2,800□□□□□.

"□□" □□□ "□□" □□□ □□ 3,200□□□□□. □□/□□ □□□ □□ 10□ 15□□□ 3□ 25
□□□ 151□□□, □□ □□ □□□□□ □□ □□□□ 20% □□□□ □□□□□ □□□ 10,000
□□□ □□□ □□□□ □□□. □□□□ 2001□ 3□ 5□□ □□□□ □ 7□ □□□ □□□□□.
□□ □□ □□□□ □□□ □□ □□□ □□□ □□□□.

PSP 000000 00 00:

000 00 000 PSP 00 00 000 00000(00: PSP 00 000, 2B0:
00 00 0 000 00).

NEW QUESTION: 20

00 00 00(ABA)0 0000 00 00 0000 00 000 00 0 00 000 00 00
00 000 000000. 0 000 000 00 0 000 0000 00 00000.

- A. 00 0000 0000 00
- B. 000 000 000 00000.
- C. 0 00 0000 00 0 00000 00 000 00 00 000 00000.
- D. 00 000 000 00 00000 0000 00

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

00 000 00 0 00 00 00000 00 00 0 00 0000 0000 0000?

- A. 000 0 00 00
- B. 00 000 00
- C. 00 0000 00
- D. 000 0 00 00

Answer: A ([LEAVE A REPLY](#))

000 00

* 00 000 00: 0000 000 00 0000 0000 0000 000 0 00 0000
0. 00 00(00000 000 000 000 000 00 00) 00 00 000(00 000
00)00 000 0 0000. 00 00 000000 000 00 000 00 00 00 000
0.

* 00 0000 00: 000 000 0000 00 00, 00 00 0 0000 0000 00 0
0000. 00 0000 000 0000 00 00 000 000 00 0000.

* 00 000 00: 000 00 0000 0000 000 000 00 000 0000, 000
0 00 000 00 000 00 00 000 0000.

* 00 00 00: 00 000 0000 000 000 00 0 00 00 000 00(0: 00 0
0)

PSP 00 000 00: PSP 00 0000 00 0 000 000 000 0000 00 00 0
00 0000 0 000 000. 0000 000 00 0000 00 0000 000 00 00
00 00 00 000 000 00 00 000 0000 00000.

000 00 00:

* 00 A: 000 0 00 000 0000 0000 00 0000 0000 00000 000 0
000 000 0000 0000.

* 00 B: 00 000 000 000 000 00 0000 000 000 0000 0000.

* 00 C: 00 0000 000 000 000 000 00 00000 00 000 00000.

* 00 D: 0000 0 00 000 00000 00000 00 000 00 000 0000 0
0 00 000 00000.

□□: □□□ A□□□. □□□ □ □□ □□□□□. □□□ □□□ □□□□□ □□ □□□□ □□
 □ □□□□ □□□□.

NEW QUESTION: 22

□□ 7001□ □□□□ □□□□□□ □□□□ □□□□ □□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. □□□, □ □□□ □□□□ □□□□ □□□□.
- B. □, □□ □□ □□ □□□ □□□□ □□□□.
- C. □□□, □□□□ □□□□□ □□□ □□□ □□□□ □□□ □□□□□□□□.

D. □, □□□ 48□□□□.

Answer: ([SHOW ANSWER](#))

□□ □□ □□(7001 - "□□ □□"):

* □□: □□ □□□□ 48□.

* □□□□ □□□□□ □□: □□□ □□ □□□ □□ FS(□□-□□)□ □□□ □□□ □□□□ □□□□.

□□ □□□ □ □□ □□:

* □□□□□□□ □□□ □□□ □□□□.

* □□ □□(ES)□ □□ □□(EF)□ □□□ □□ □ □□□□ □□□□□.

□□:

* □ □□□ □□□ □□□ □□□□ □□□□□.

* □□ □□ □□□ □□□□ □□□□ □□□□ □□□ □□□□ □□□□.

* □□□□ □□□□, □□□□□ □□□□□□□ □□□ □□□□ □□□□ □□□□.

□□:

□ □□□ 48□ □□ □□□□ □□□ □□□□ □□□□□□□.

NEW QUESTION: 23

□□ □□□□ □□□ □□ □□ □□□□.

A. □□□□□ □ □□ □□□

B. □□□□ □□□ □□□ □□□□□.

C. □□□□ □□□ □□ □□□ □□

D. □□ □□□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

□□□□ □□ □□ □□□□ □□□□□?

A. □□□ □□□ □□□□ □□□ □□

B. □□ □□□ □□□ □□□□

C. □□□□□ □□ □□□ □□□ □□□□ □□□□□

D. □□ □□□□ □□□□ □ □□ □□ □ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□ □□ □□(OBS)□ □□ □ □□ □□ □□□□ □□ □□□ □□□□□?

A. □□□□

B. □□□□

C. □□□□ □□□

D. □□□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□ □□□□ □□□ □□□ □□ □ □□□□□ □□ □□□□□□□□(MSDS)□□ □□ □□
□ □□□□ □□□□?

- A. □□□ □□
- B. □□ □□
- C. □□□□ □□
- D. □□ □□ □

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□ □ □□□□ □□ □□□□ □□ □□ □□□ □□□□□ □□□□ □□ □□ □□□□□?

- A. □□, □□ □ □□ □□ □□□□□ □□□□ □□
- B. □□□□ □□□ □□ □□□□ □□
- C. □□□□ □□□
- D. □□□□ □□□

Answer: B ([LEAVE A REPLY](#))

□□□□ □□ □□□□□ □□□□□ □□□ □□□□□.

* □□□□ □□.

* □□□.

* □□□.

□□□ □□□□ □□□ □□ □□□ □□ □□□□ □□ □□□□ □□□□.

□□, □□ □□□□ □□□ □□□□ □□□ □□ □□ □□□ □□□. □□□ □□□ PSP □□□
□ □□□□ □□□□ □□ □□ □□□□ □□□□ □□□□□.

NEW QUESTION: 28

□□□ □□□□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□. □ □□□ □□□□
□□ □□□ □□□ □□ □□ □□□□ □□□ □□ □□□ □□□□. □□□ □□ □□ □□□ □
□□□ □ □□ □□□ □□ □□ □□□ □□□□□?

- A. □□ □□□.
- B. □□□ □□□ □□□□□ □□ □□□ □□□ □□ □□ □□□□□.
- C. □□□□ □□ □□ □□ □□ □□ □□□.
- D. □□□ □□ □□□□ □□□ □□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

□□ □□ □□□□ □□:

* □□ □□ □□□□ □□□□ □□□ □□ □□□ □□ □□□□□ □□□ □□ □□□ □□□□
□.

□□ □□:

* □□ A: □□□□ □□ □□□□ □□□□ □□□ □ □□□□.

* □□ B: □□ □□□□ □□□ □□□□ □□□□□ □□□□ □□□□□ □□□□ □
□□□□ □□ □ □□□□.

* □□ C: □□□□ □□ □□□□ □□□ □□ □□□□□ □□□ □□ □□□□ □□□□.

* □□ D: □□ □□□ □□ □□□□ □□□□□ □□ □□□□ □□□□ □□□□.

PSP □□ □□□ □□:

* □ □□□□□□ □□□□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□□ □□□ □ □□□□□.

□□: □□□ C□□□. □□ □□ □□□□ □□ □□□ □□ □□ □□□ □ □□ □□□ □□ □ □□□ □□□□□,

NEW QUESTION: 29

□□□ □□□ □□□ □ □□□ □□ □□□ □□□ □□□ □□ □□□ □ □□□□ □□ □□ □ □□□□?

- A. □□□ □□
- B. □□ □□□
- C. □□ □□□□
- D. □□ □□ □□ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

□□ □ □□ □□□□□ □□□ □□□ □□ □□ □□□□□?

- A. □□ □□□□
- B. □□ □□□□
- C. □□ □□□□
- D. □□ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 31

"□□" □□□ □□□□, 2002□ 4□ 1□□ □□ 7001□ □□□□, □ 5□ □□□□ □□□□□, □□ 7001□ □□ □□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

A. 06-11-02.

B. 06-04-02.

C. 06-18-02.

D. 06-05-02.

Answer: D (LEAVE A REPLY)

□□□ □□□

* □□□: 2002□ 4□ 1□.

* □□ 7001(□□ □□)□ □□: 48□.

* □□□: 5□ □□□(□□□□□ □□□□□).

* □□□□ □□□ □□□□ □□ □□□□.

1□□: □ □□□ □□

5□ □□□□ □□□□ □□:

* 48□□ □□ □ □□ □□□□□. $48 \div 5 = 9$ □□ 3□□ □□ □□□□ □□□□. $48 \div 5 = 9$
 $\backslash, \text{3} \square \square \square \square \square \square \square .$ $48 \div 5 = 3$ □ □□ □□□□ □□ 9□.

* □ □□ □□ = $9 \square + 3 \square \square \square = 45 \square (\square \square)$

2□□: □□ □□ □□ □□

* 2002□ 4□ 1□(□)□□:

* 9□□ □□□□: 4□ 1□ + 9□ = 2002□ 5□ 31□(□□□).

* □□ 3□□ □□□□ □□□□:

* 6□ 3□ □□□.

* 6□ 4□ □□□.

* 2002□ 6□ 5□ □□□.

3□□: □□ □□

□□ 7001□ □□□□ 2002□ 6□ 5□□□□.

PSP □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PSP □□! DumpTop □ □
 □ **PSP** □□ □□□ □□□□□□, DumpTop PSP □□ □□□ □□□□□□□□ □□□ □□
 □□□□□. □□□□ □□□ □□□□ □□ DumpTop PSP □□□ □□□□□.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 32

□□□□□□ □□, □□, □□ □□□□□ □□, □□, □□, □□ □ □□□ □□ □□ □□□ □
 □□□□?

- A. □□□□ □□
- B. □□□ □□ □□
- C. □□□ □□
- D. □□ □□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

"□□" □□□ □□□□ □□ 2002□ 2001□ 8□ 12□□ □□□□ □□ 2002□ □□ □□□ □□
 □□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

A. 09-28-01.

B. 09-08-01.

C. 09-15-01.

D. 09-18-01.

Answer: B (LEAVE A REPLY)

□□□ □□□□□ □□ □□:

* □□ 2002□ □□ □□ □□□ 28□□□□(□ □□).

□□ □□:

* □□□□ 2001□ 8□ 12□□□□.

□□ □□:

* 8□ 12□□□ 28□□ □□□□□. □□□ □□□□ □□□□ □□□□ □□ □□, □□ □□□ □□□ □□□□□.

□□□ □□:

* 8□ 12□□□ 28□□ □□ □□□□ 2001□ 9□ 8□□□□.

NEW QUESTION: 34

□ □□ □□□ □□□ □□□ □□ □□□ □ □□ □□□□ □□□□□.

A. □□ □□□□ □□

B. □□ □□□ □□

C. □□ □□

D. □□ □□□ □

Answer: A ([LEAVE A REPLY](#))

□□□□ □□□ □□ □□□ □ □□ □□:

□ □□ □□□ □□□□□ □□ □□ □□□ □□□□□ □□ □□□ □□□ □ □□ □□□ □□ □□.

* □□ B(□□)□ □□ D(□□ □□□ □□)□ □□□□□.

* □□ C□ □□ □□□□□ □□ □□ □□□□□ □□□□□.

□ □□□ □□ □□ □□□ □□□ □□□.

NEW QUESTION: 35

□□ □ □□ □□□ □□□ □□ □□ □□□□□?

A. □□□

B. □□□

C. □□□ □

D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

□□□□ □□□ □□□ □□□□□?

A. □□ □□ □□ □□□□

B. IBM

C. □□□□□□□

D. □□□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□□□ □□□ □□□ □, □□ 3001□ □□ 4001□□ □□□ □□□ □, □□□ □□□□□?

A. □□□ □□□□□ □□ 4001□ □□ 5001 □□□□ 15□ □□ □□□□□.

B. □□□ □□□ □□□□□ □□□ □□□□ □□ 4001□ □□ 3001 □□ □ 15□ □□ □□□ □□.

C. □□□ □□□ □□□□□ □□ 4001□ □□ □□□□□ 15□ □□ □□□□□. 3001.

Answer: B ([LEAVE A REPLY](#))

□□ □□:

* □□ 4001□ □□□ □□□(SS +15)□ □□ □□ 3001□ □□□ □ 15□ □□ □□□□□.

* □□ □ □□□ □□ □□□□ □□□ □□□ □□□ □□□□□.

□□ □□ □□:

* A: □□□□□. □□ □□□ □□ 3001□ □□□ □□ 5001□ □□□□ □□□□.

* C: □□ 4001□ □□ 3001□□ □□ □□□□ □□□□ □□□□□.

PSP □□□□□□ □□ □□:

PSP □□□□□□ □□ □□□ □□ □□□ □□□ □□□□□(□□: PSP □□ □□□, 2A□: □□□ □□□ □□).

NEW QUESTION: 38

□□ □□ □ □□□ □□ □□□ □□ □□ □□□□ □□□ □□□ □□ □□□□.

A. □□ □□ □□ □□□□

B. □□ □□□

C. □□ □□

D. □□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

□□ □□□ □□ □□□□ □□ □□ □□ □□□□□ 5□(□□□□ □□) □□□□ □□ □□□ □ □□ □□ □□□ □□□□□□□□. □□ □□□ □□ □□□ 10□(□□□□ □□) □□□ □□, □ □□□ □□□□ □□□□ □□□ □□□□□?

A. 0□

B. 10□

C. 15□

D. 5□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□ □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□ □□□□ □□□ □□□□ □□ □ □□ □□□ □□ □□□□.

A. □□□ □□

B. □□□

C. □□□ □□□□

D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

"□□" □□□ □□□□, 2002□ 4□ 1□□ □□ 7001□ □□□□, □ 5□ □□□□ □□□□□, □□ 7001□ □□ □□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000

2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004	FS		15	\$18,000	11	\$20,000
		3001	FS					
2004	River Diversion to Pipeline	3001	FS		38	\$96,000	38	\$96,000
		7001	FS					
3001	Excavation, Dam Site	4001	SS	15	30	\$482,000	100	\$515,000
		4001	FF	15				
		5001	SS	65				
		5001	FF	65				
		7001	FS					
4001	Excavation, Spillway	5001	SS	45	152	\$608,000	118	\$692,000
		5001	FF	45				
		9001	FS					
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001	FS	65	152	\$1,360,000	113	\$1,540,000
		9002	SS	65				
		9002	FF					
		9003	FS					
7001	Permanent Roads	11001	FS		48	\$180,000	38	\$205,000
		9004	FS					
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001	FS		175	\$1,120,000	155	\$1,305,000
		9002	FS					
		9003	FS					
9002	Dam Concrete Facing – Concrete	1001	FS		180	\$1,260,000	160	\$1,485,000
		9005	FS					
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

A. 03-20-04

B. 02-19-04

C. 03-21-04

D. 03-11-04

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

□□ 2001□ □□ □□□ □□ □□□ □□□ □□□ □□□□□.

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

A. LF.2001 - 1□ -> 08-28-01.

B. LS.2002- 1□->08-29-01.

C. LS.2002 + 1□ -> 08-30-01.

D. LS.2002 - 1□ -> 08-28-01.

Answer: B ([LEAVE A REPLY](#))

□□ □□ □□(2001□ - "□ □□ 1□□"):

* □□: 2002□("□ □□ 2□□").

* □□: □□ □□ □□□□ □□□□(FS)

* □□ 2001□ □□ □□ □□□ 92□□□□.

□□ □□□(LF)□ □□ □□□ □□ □□:

* □□ 2001□ Late Finish(LF)□ □□ □□□ □□□ Late Start(LS)□□ □□□□□□□.

2002□

* □□: LF.2001 = LS.2002 - 1□.

□□ □□:

* □□□ □: LS.2002 = 08-30-01 (□□□ □□□□ □□).

* LF.2001 = LS.2002 - 1□ = 08-30-01 - 1□ = 08-29-01.

□□ □□□ □□ □□ □□:

* □□ A: □□. Late Finish □□□ □□ □□□.

* □□ C: □□. □□ □□ □□□ □□□□.

* □□ D: □□. □□ □□□ □□□□□□□.

* □□ B: □□. □□□ □□ □□ □□□□□.

NEW QUESTION: 46

□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□□ □□□□ □□□ □□□ □ □□□□.

A. □□ □□

B. □□

C. □□

D. □□□ □□□□

Answer: A ([LEAVE A REPLY](#))

PSP □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PSP □□! DumpTop □ □
□ PSP □□ □□□ □□□□□□□, DumpTop PSP □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop PSP □□□ □□□□□.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 47

□□ □ BILCO □□ □□□ □□ □□ □□□ □□ □□ □□□ □□□□□?

A. SDOT □□□ □□ CPM □□ □□

B. □□ □□

C. □□□ □□□ □□□□□□

D. □□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

□□ □□□ 50/50 □□□ □□, □□□ □□□ 50% □□ □□ □ □□□ □□ □□□ □□ □□ □ □□□□ □□ □ □□□□.

A. □

B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

□□ □ □□ □□□ □□□ □□ □□ □□□□□?

A. □□□

B. □□

C. □□ □□□□

D. □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 50

□□ □ □□ □□□□ □□□□ □□ □□ □□□□□?

A. □□ □□ □□□

B. □□ □□ □□□

C. □□ □□ □□□

D. □□ □□□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

□□ □□□□ □□ □□□ □□□ □□□□ □□□?

A. □□□□ □□□□□ □□□ □□□□ □□ □□.

B. □□□ □□□ □□□ □□ □□□ □□□ □ □□□ □□□□ □□.

C. □□□ □□ □□□□ □□ □ □□□ □□□ □□□□.

D. □□□ □□□ □□□□ □□.

Answer: B ([LEAVE A REPLY](#))

□□ □□□□ □□□, □□ □□ □□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□ □ □ □ □□□□□.

* □□ A□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□□.

* □□ C□ □□□□ □□ □ □□□□ □□ □□□□ □□ □□ □□□□□, □□ □□ □□ □□ □ □□□ □□□□ □□□□ □□□□.

* □□ D□ □□□□ □□□ □□□ □□□□□ □□ □□□ □□□□ □□□ □ □□□□ □□□ □ □□□□.

PSP □□ □□□□ □□ □□ □□□ □□ □□□□ □□□□ □□ □□□ □□□ □□ □□□□

□.

NEW QUESTION: 52

□□□□□ □□□ □□□ □□□□□□□ □□, □□□ □□ □□□□ □□□□ □□□.

A. □

B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

□□□ □□□ □□□□ 2021□ 8□ 12□□ □□ 2002□ □□□□ □□□ □□ □□□ □□□□ □?

2002□?

A. 2021□ 9□ 9□

B. 2021□ 9□ 19□

C. 2021□ 9□ 8□

D. 2021□ 8□ 27□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

□□□□ □□ □ □□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□ □□□□ □□□?

A. □□ □ □ NTP □

B. □□□□□ □□ □□□ □□□ □□□□ □

C. NTP □□

D. □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□□ □□□ □□ □□□ _____□□□.

A. □□ □□□ □□□ □□□□ □□□ □□□ □□

B. □□□□ □□□ □□□□ □□ □ □□ □□

C. □□, □□ □□ □□ □□□□□ □□ □ □□

D. □□□ □□ □□ □□□□□ □□□ □□□ □□ □□ □□□ □□

Answer: ([SHOW ANSWER](#))

□□□□ □□□ □□ □□□ □ □□ □□:

□□ □□ □□(BCWS)□ □□ □□ □□ □□□ □□ □□□ □□□□ □□□□. □□□□ □□□□ □□ □□ □□□ □□□□ □ □□□□ □□□□□.

* □□ A□ □□□ □□□ □□ □□(BCWP)□ □□□□□.

* □□ B□ □ □□□□ □□(BAC)□ □□□□□.

* □□ C□ □□ □ □□ □□(EAC)□ □□ □ □□□ □□□□□.

□ □□□ □□□□ □□□□ □□□□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 56

□□ □□ □□□ □□□□ □□ □□ □ □□□ □□□ □ □□ □□□□. □ □□□ □
□□ □□ □□□□.

- A. □□
- B. □□□□
- C. □□□□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

2001□□□ 2004□□□□ □□□ □□ □□ □□□ □□□□□ □□□□□. "□□" □□□ □□□
□, □□□ □□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

A. 271,000□□

B. 299,000□□

C. 139,000□□

D. 289,000□□

Answer: A (LEAVE A REPLY)

* 2001-2004□ □□□ □□ □□ □□:

* □□ 2001: □□ = 150,000□□.

- * □□ 2002: □□ = 25,000□□.
- * □□ 2003: □□ = 20,000□□.
- * □□ 2004: □□ = 96,000□□.
- * □ □□ □□:
- * □ □□ = \$150,000 + \$25,000 + \$20,000 + \$96,000 = \$271,000.
- * □□ □□□ □□ □□ □□:
- * □□ B: □□. □□□ □□□.
- * □□ C: □□. □□□ □□□□□.
- * □□ D: □□. □□□ □□□.
- * □□ A: □□. □□□ □□□ □□□□□.
- :
- * PSP □□ □□□(2019), □□ □ □□ □□ □□.
- * AACE □□ □□, RP 10S-90.

NEW QUESTION: 58

□□□ □□ □□ □□□ □□□ □□ □□□ □□□□ □□□ □□ □□ □□ □□□ □□ □□□
 □□□ □□ □□ □□ □□ □□□□.

- A. □□□.
- B. □□□.
- C. □□□ □□.
- D. □□□ □□□.

Answer: C ([LEAVE A REPLY](#))

□□□ □□ □□:

- * □□□ □□ □□□ □□□□□ □□□ □□ □□ □□□□ □□ □□□ □□ □□ □□□ □□
 □ □□□□ □ □□□□.

PSP □□ □□□ □□:

- * □□□ □□□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□
 □□□□□.

□□: □□□ C□□□. □ □□□ □□□ □□□ □□□□□.

NEW QUESTION: 59

□□ □□ □□□ □□ □□□ □□ □□□□□ □□ □□□ □ □□□ □□□□□?

ASIS
Crane INTERNATIONAL

Crane INTERNATIONAL

gov

5

Operation	Time (in minutes)
Sling Up	5
Hoist Up	4
Discharge	3
Clear Unload Area	3
Hoist Down	2

- Answer: C (LEAVE A REPLY)**

* □□ □□ □□□□ □□, □□, □□□ □□□□□.

□ □ □ □ :

□ □ □ □ :

* □□ B: □□. □□ □□□ □□□□□□□□.

* □□ C: □□. □□ □□ □□ □□ □□ □□.

□□ □□□ □□ □□□ □□ □ □□ □□□□ □ □□□, □□□ □□ □ □□ □□□ □□ □□
□ □□ □□□ □□ □□□ □ □□ □ □□□□.

- Answer: (SHOW ANSWER)**

□ □ □ □ □ □ □ □ □ .

- A. ☐☐ ☐ ☐☐☐☐☐☐☐ ☐☐☐☐☐.

B. □□ □□□□ □□□ □□□□□.

C. □□□ □□□ □□□□□.

D. □□□□ □□ □□ □□□

Answer: ([SHOW ANSWER](#))

* □□ □□ □□□ □□ □□ □□:

* □□□□ □□□ □□ □□□□ □□□□ □□ □□□□□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□□□.

* □□ □□:

* □□ A: □□. □□□□□□ □□ □□□□ □□□ □□ □□□□ □□□□□.

* □□ C: □□. □□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□ □□□□.

* □□ D: □□. □□□□ □□□□□ □□□ □□ □□□□□□ □□□□□.

* □□ B: □□□□□. □□ □□ □□□ □□□□ □□□ □□□□□.

□□□□:

* PSP □□ □□□(2019), □□ □□ □□, □□□ □□, □□ □□□ □□ □□.

* AACE □□ □□, RP 10S-90.

PSP □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PSP □□! DumpTop □ □
□ **PSP** □□ □□□ □□□□□□, DumpTop PSP □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop PSP □□□ □□□□□.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 62

□□ □□□ □□ □□□ □□□ □□□ 5□ □□□ □□, □□ □□□ □□□ □□□ □□ □□□
□□ □□□ □ □□□□□?

PSP Scenario #4

Product Development has established the following items with the duration required for each need to be accomplished in order for the release of a new product. Once Product Testing is complete, both Release for Manufacture and Drafting of a product manual can proceed. Proofing and correction of the manual is required prior to printing. Manufacturing and printing of the manual are required to package and make the product available.

ID	Activity Description	Duration	Predecessors
A	Complete Product Testing	30	-
B	Release for Manufacture	0	A
C	Draft Product Manual	20	A
D	Manufacture Product	60	B
E	Proof Product Manual	10	C
F	Print Project Manual	20	E
G	Package Product	10	D, F
H	Product Available Date	0	G

- A. 15□.
- B. 10□.
- C. 5□.
- D. 0□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 63

- □□ □□ □□□ □□ □ □□□ □□□□.
- A. □□ □□ □□□ □□□□□.
- B. □□ WBS □□ □□□□ □□□ □ □□□□.
- C. □□ □□□ □□ □□□□ □□□ □□□□ □□□ □□□□□ □ □□□□□.
- D. □□ □□□ □□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

"□□" □□□□ □□ 2001□ □□□ □□□□ □□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. 7001.
B. 1001.
C. 1000.
D. 2003.

Answer: B (LEAVE A REPLY)

* "□□" □□□□ □□ 2001□ □□□□□.

* □□ 2001("□ □□ 1□□")□ "□□" □□□ □□ 92□□ □□□□□.

- * □□ □□ □□ □□ ID□ 2002□□, □□ □□ □□-□□(FS) □□□ □□□ □□□□□. □□ □□ 2001□ □□□ □□ □□ 2002□ □□□□ □□□□□.
- * □□ □□□ □□□□ □□ □□ □□: □□□□ □□□□□ □□ 2001□ □□ □□ □□ □□ 2001□ □□□□□ □□□ □□□ □□□ □□□. □□ □□□ □□ □ □□□ □□□□ □□□.
- * □□ 2001□ □□□ □□ □□□□□
- * □□ 2001□ □□□ □□ □□□□□.
- * □□ □□□ □□ □□:
- * □□ 1001("□□ □□ □□"):
- * □□□ 85□□□, □□ 2001 □□□ □□□□ □□ 2001□ □□□□.
- * □□: □□ □□□ □□ 2001(□□-□□[SS] □□)□ □□□ □□□□□.
- * □□ 1000("□□ □□"):
- * □□□ 1,072□□□□. □□□ □□ □□□□ □□□□, □□ 2001□ □□□ □□□□□□ □□ □□ □□□□.
- * □□ 7001("□□ □□"):
- * □□ 2001□ □□ □ □□ □□□ □□□□□ □□□ □□□□ □□□□.
- * □□ 2003("□ □□ □"):
- * □□ 2001□ □□□ □□ □□□□□(FS □□) □□□ □□□□ □□□□.
- * □□: "□□" □□□□ □□ 2001□ □□□ □□□ □□□□ □□□ □□□ □□ 1001□□□.
- :
- * PSP □□ □□□(2019), □□ □□ □, □□ 2.2.4 - □□: □□-□□(SS) □ □□ □□□□ □□□ □□□ □□□□ □□□□□.
- * AACE □□ □□ 10S-90: □□ □□□ □□□ □□ "□□ □□ □□".

NEW QUESTION: 65

□□□□ □□□ □□□□ □□□□ □□□ □□□ □, □□ □□□ □□ □□□ □□ □□□□?

- A. 6001, 8001, 9001. 9002, 9004. 9005
- B. 7001, 8001, 9001. 9003. 9004. 10002
- C. 5001,7001.8001,9001,9004,9005
- D. 2003,8001.9001.9002,9005,10001

Answer: C ([LEAVE A REPLY](#))

□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□ □□□□, □□ □□□□ □□ □□□ □□ □□□ □□ □□□ □ □□□ □□□□ □□□□□. □□□ □□□ □□□□□ CPM(□□ □□□) □□ □□(PSP □□ □□□, 1□)□ □□ □□ □ □□ □□ □□□ □□□□ □□□.

2.2.4, "□□□").

□□ □□:


- * □ □□ □□□ □□□□ □□ □□□ □□□□□(□□□□□ □□ □□ □□□ □ □□ □□□ 0 □□□).
- * □□ □□□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 66

□□ □□□ □□□ □□□ □□□□.

Refer to the following table and diagram to answer the following questions. Consider this to be the entire network. The diagram is incomplete. This table represents activities, predecessors and durations for a hazardous waste incineration facility.

Activity	Description	Predecessors	Duration (months)
A	Develop information for public hearings	-	3
B	Hold public hearings	A	3
C	Develop draft plans and specifications	A	5
D	Contact stakeholders and others	A	7
E	Obtain permits	B, C	3
F	Order equipment for facility	B	4
G	Procure and prepare land.	B	6
H	Construct facility	D, E, F & G	8
I	Approval of operating procedures	D	6
J	Install equipment, staff, faculty	F	9



A. A, D, & I.

B. A, C, E, & H.

C. A, B, G, & H.

D. A, B, F, & J

Answer: C (LEAVE A REPLY)

□□ □□ □□:

* □□ □□□ □□□□□ □□ □□□ □□□□ □□ □ □□ □□□□□.

* □□: A # B # G # H.

□□ □□ □□:

* F, J □□ □□□ □□□ □□□ □□□ □□ □ □□□ □□□□ □□□□.

PSP □□□□□□ □□ □□: PSP □□ □□□□ □□ □□□□ □□ □□ □□ □□□□ □□□□

□(□□: PSP □□ □□□, 2A□: □□ □□ □□)

NEW QUESTION: 67

□□ □□□ □□□□?

- A. □□ □□□□ □□□ □ □□ □□, □□ □□□□ □□ □□□ □□□□□.
- B. □□ □□□□ □□□ □ □□ □□, □□□ □□□ □□□ □□□ □ □□□□.
- C. □□ □□□□ □□□ □ □□ □□, □□ □□□□ □□□□.
- D. □□ □□□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

* □□ □□□ □ □□ □□□:

* □□ □□□ □□□ □□□□ □□□ □ □□ □□□□, □□ □□□ □□□ □□□□ □□□ □ □□ □□ □□□ □□□□□.

* □□□ □□ □□□ □□, □□□□□ □□□ □□□ □□ □□□ □□□□□.

* PSP □□ □□□ □□:

* □□ □□□□ □□ □□□ □□ □□□ □□ □□ □□□□ □□□ □□□□□.

* □□: □□□ D□□□. □□ □□□□ □□ □□□□ □□□□ □□□□□.

NEW QUESTION: 68

□□ □□□□ □□□□ □□□□□.

- A. □□, □□, □□
- B. □□, □□, □□
- C. □□□, □□ □□, □□
- D. □□, □□, □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 69

□□ 10001□ □□ □□ □□□ □□□□□.

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. □□ 11001.
 B. □□ 10002.
 C. □□ 9005.
 D. □□□ □□□□ □□ 10001 □ □□ □□ □□□ □□□□.

Answer: A (LEAVE A REPLY)

* □□ □□ □□:

* □□□ □□□ □□ □□□ □□ □□□ □□ □□ □□ □□□ □□□□ □□□□□.

* 10001(1000 - 00) 11001(1000 - 0000) 00000 0000.

* 000 00 00:

* 000 0000 00 11001 00 000 0000(FS) 000 00 00 10001 00 00 00000.

* 000 00 00 11001 00 000 000.

* 00:

* PSP 00 0000 000, 00 000 000 0000 00 000 00 000 0000 0000(00: PSP 00 000, 2A0: 00 00 0 00 00 00).

000 00 10001 00 000 A000. 00 11001.

NEW QUESTION: 70

00 0000 00 000 _____ 000 000.

- A. 0000 000 0000 0000 00
- B. 000 0000 00 000 00000.
- C. 000 000 000000000 000
- D. 00 000 0000 0000 00

Answer: B ([LEAVE A REPLY](#))

000 00:

* 000 000 000 000 000 00000 0000. 000 0000 000 0000 0000 00000.

00 00 00:

- * A: 00 000 00 000 0000 0000.
- * C: 00 00 0000 0000 00 00000.
- * D: 00 000 000 000 000 000 00000 0000.

PSP 000000 00 00: PSP 00 0000 000 000 00000(00: PSP 00 000, 10 B: 00 00 00).

NEW QUESTION: 71

_____ 0 000 0000, 00000 0000, 0000 0000, 000 00 000000.

- A. 0000 00
- B. 000 00
- C. 0000 00 00
- D. 00 000

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

0 00 00 000 0000 0000 000 00000?

- A. 00 000 00 00 00
- B. 00 00 0

C. □□□ □□□ □□ □□□ □□

D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

□□ □□□ □□□□ □□ □□, □□, □□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□?

A. □□ □□ □

B. □□□□

C. □□□□

D. □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 74

□□ 11001□ □□, □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□□?

A. □ □□□□□ □□ □□ □□□□□ □□□□□.

B. □□ □□□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□□.

C. □□□□□ □□□□□ □□□□ □ □□ □□□ □□□□□ □□ □□ □□□ □ □□ □□□.

D. □ □□□□ □□ □□□ □□ □□ □□□□ □□□□□□□.

Answer: A ([LEAVE A REPLY](#))

□□□□ □□ □□□ □□ □□□□ □□, □□ □□ □□□ □□ □□□ □□□□ □□ □□□ □ □□□ □□□□□□. PSP □□ □□□(2.3.5□ "□□")□ □□□ □□□ □□ □□ □□ □□□ □□□□, □□ □ □□ □□ □□□ □□ □□ □□ □□□ □□□□ □□□ □□□ □□□□□.

NEW QUESTION: 75

□□□ □□□□□□ □□(ADM)□ □□ □□□□□□ □□(PDM)□ □□ □□□□ □□□□□?

A. ADM□ □□-□□ □□ □□□□ □□□□□ PDM□ □□□ □□□□.

B. PDM□ □□□□ □□□ □□□ □□□ □□□□, ADM□ □□□ □□ □□□□□□□.

C. ADM□ □□ CPM □□□□ PDM□ □□□□□□□.

D. ADM□ □□□□ □□□□ □□, PDM□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□ □□□□□□ □□(ADM):

* Activity-on-Arrow(AoA)□□□ □□□.

* □□□ □□□□ □□□□, □□-□□(FS) □□□ □□□□□.

* ADM□ □□□□ □□□□(SS), □□□□ □□□□(FF), □□□□ □□□□(SF)□ □□ □□ □ □□ □□□□ □ □□□ □□□□.

□□□□ □□□□□□ □□(PDM):

* AoN(Activity-on-Node)□□□ □□□.

* □□□ □□(□□)□ □□□□□ FS, SS, FF, SF□ □□□ □□□ □□□ □□□□ □□□□□.

PSP □□ □□□ □□:

* PSP □□ □□□□□□ PDM□ ADM□□ □□□ □□□ □□□ □□□□ □□□□ □□ □□□

□□□ □□□ □□□ □□□□□.

□□: □□□ A□□□. ADM□ □□□□ □□□ □□□□ □□, PDM□ □ □□ □□□□ □□□ □□.

NEW QUESTION: 76

□□ 11001□ □□, □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□□?

- A. □ □□□□□ □□ □□ □□□□□ □□□□□.
- B. □□ □□□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□□.
- C. □□□□□ □□□□□ □□□□ □ □□ □□□ □□□□□ □□ □□ □□□ □ □□ □□□.
- D. □ □□□□ □□ □□□ □□ □□ □□□□ □□□□□□□.

Answer: C ([LEAVE A REPLY](#))

□□□□ □□ □□□ □□ □□□□ □□, □□ □□ □□□ □□ □□□ □□□□ □□ □□□ □ □□□ □□□□□□. PSP □□ □□□(2.3.5□ "□□")□ □□□ □□□ □□ □□ □□ □□□ □□□□, □□ □ □□ □□ □□□ □□ □□ □□ □□□ □□□□ □□□ □□□ □□□□□.

PSP □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PSP □□! DumpTop □ □ □ **PSP** □□ □□□ □□□□□□, DumpTop PSP □□ □□□ □□□□□□□□ □□□ □□ □□□□□. □□□□ □□□ □□□□ □□ DumpTop PSP □□□ □□□□□.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 77

□□□ □□□□ □□ □□□ □□□□ □□□ □□□□□ □□□□ □□, □□ □□□ □□□ □ □□□ □□□□□ □□□□ □□□□.

- A. □□□ □□
- B. □□□ □□
- C. □□□ □□□□
- D. □□□□ □

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 78

□□ □□ □□ □□□□□□ □□□ □□□□□.

- A. □□ □□ □□ □□□ □□
- B. □□ □□ □
- C. □□ □□□□ □□
- D. □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 79

□□□ □□□ □□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□ □□□□ □ □□□ □
□□ □□□□□ □□□ □□□ □□ □□□□□.

A. □□ □□ □□ □□□□

B. □□ □□

C. □□ □□

D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

_____ □ □□□ □□□ □□□ □□ □□ □□□□ □□□ □□ □□, □□, □□□, □□ □
□ □□ □□ □□ □□□□□ □□□□□.

A. □□

B. □□

C. □□

D. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

□□□□ □□□□□ □□ □□□ □□□□ □□□□ □□□□□□ □□ □□ □□□ □□□□□
□□□ □□□ □□□□□.

A. □ □□ □□□ □□ Finish-no-earlier □□ □□

B. □□□ □□□ □□ Finish-no-earlier □□ □□

C. □□□ □□□ □□ Finish-no-later □□ □□

D. □ □□ □□□ □□ □□□□□□□ □□ □□

Answer: C ([LEAVE A REPLY](#))

□□□□ □□□□ □□□□ □□ □□□ □□□ "□□□ □□ □ □(Finish-No-Later)" □□ □□
□ □□□□□. □□□ □□ □□□□ □□ □□ □□ □□□ □□□□ □□□ □□□ □□ □□□
□□□□ □□□□□.

* □□ A□ B□ □□ □□ □□□ □□□□, □□ □□□□ □□ □□□ □□□□ □ □□□□ □□
□□.

* □□ D□ □□□□ □□□ □□ □ □□ □□□ □□□ □□□□□.

□ □□□ PSP □□ □□□□ □□□ □□ □□□□ □□□□ □□□□ □□ □□□□□.

NEW QUESTION: 82

□□□ □□□□ □□□□□□□ □□□□ □□□□ □□□ □□□ □□ □□□□□ □□□?

A. □□ □□

B. □□□

C. □□□ □□

Answer: C ([LEAVE A REPLY](#))

D. □□ □□

NEW QUESTION: 83

- □□□ □□□□□ □□□□□ □□□□ □□□□ □□□□□. □□ □ □□ □□□ □□□
□ □□ □□□□ □□□□□. □, □□ □□□ □□□□□.
- A. □ □□ □□□ □□□□□. □□□□ □□ □□□□□.
- B. □ □□□ □□□□□ □□□□ □□ □□□ □□□ □ □□ □□ □□□ □□□ □□□.
- C. □□□ □ □□ □□□□ □□□□. □□□ □□ □□ □□ □□□ □□ □□ □□□□ □□□□
□.
- D. □□ □□□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□ □□ □□ □□:

- * □□□ □□ □□□□ □□□□ □□ □□, □□□ □□□ □□ □□, □□ □□□ □□ □□□□
□□ □□ □□ □□□□□.
- * □□□□ □□□□ □□□ □□□□(A□ □□□□) □□□ □□□□□ □□□□□.

PSP □□ □□□ □□:

- * PSP □□ □□□□ □□ □□□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□□□□.
- □□ □□:
- * □□ A: □□□ □□□□□. □□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□.
- * □□ B: □□□ □□; □□□ □□□ □□ □□□ □□□□□ □□□□ □□□□ □□□ □□□□
□.
- * □□ C: □□□□□. □□□ □□□□ □□ □□□ □□ □□□□ □□□□□.
- * □□ D: □□□□□. □□□□ □□□□□ □□□□□ □□□ □□□ □□□ □□□ □ □□□
□.
- : □□□ A□□□. □□□□ □□□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□
□□.

NEW QUESTION: 84

- □ □□ □□□ □□ □□ □□□□ □□ □□□□ □□□ □□ □□ □□□□□?
- A. □□□ □□ □□□ □□□.
- B. □□ □□□□□□ □□□□□.
- C. □□□□.
- D. □□□□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

- □□ □□(ETC)□ _____ □□□.
- A. □□□ □□□ □□□□ □ □□□ □□□ □□
- B. □□, □□ □□ □□ □□□□□ □□ □ □□
- C. □□, □□ □□ □□ □□□□□ □□□□ □ □□□ □□ □□ □□
- D. □□ □□□ □□□ □□□□ □□□ □□□ □□□ □□

Answer: ([SHOW ANSWER](#))

- □□ □□(ETC)□ □□ □□□□ □□□ □□□□ □ □□□ □□ □□□ □□ □□□□□.
- * □□ B□ □□□ □□□ □□(AC)□ □□□□□.

- * $CE + AC + ETC = EAC$
- * $BCWP = EV$
- ETC = PSP

NEW QUESTION: 86

_____ is the difference between the budgeted cost of work performed (BCWP) and the budgeted cost of work scheduled (BCWS)?

- A. CV
- B. SV
- C. EV
- D. AC

Answer: C (LEAVE A REPLY)

NEW QUESTION: 87

_____ is the difference between the budgeted cost of work performed (BCWP) and the budgeted cost of work scheduled (BCWS)?

PSP Scenario #4			
Product Development has established the following items with the duration required for each need to be accomplished in order for the release of a new product. Once Product Testing is complete, both Release for Manufacture and Drafting of a product manual can proceed. Proofing and correction of the manual is required prior to printing. Manufacturing and printing of the manual are required to package and make the product available.			
ID	Activity Description	Duration	Predecessors
A	Complete Product Testing	30	-
B	Release for Manufacture	0	A
C	Draft Product Manual	20	A
D	Manufacture Product	60	B
E	Proof Product Manual	10	C
F	Print Project Manual	20	E
G	Package Product	10	D, F
H	Product Available Date	0	G

- A. CV
- B. SV
- C. EV
- D. AC

Answer: B (LEAVE A REPLY)

NEW QUESTION: 88

□□ 1001□ □□ □□□ □ □ □□ □□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. 1001□ □□ □□□□ 7001□ □□ □□□□ □ □□ □□□□ □□□□ □□□□□.
- B. □□□ □□ □□□□□□□□ □□□□□ □□□ □ □□ □□□□□.
- C. 2001, 2002 □ 200.f □□□ □□□□ □ □□ □□□□ □□□□ □□□□□.
- D. □□□ □□ □□□ □□ □□□ □ □ □□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 89

_____ □ □ □ □ □, □
□ □ □ □.

- A.** □□
- B.** □□ □□ □□□□
- C.** □□ □□ □□ □□□□
- D.** □□□ □□□□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 90

□□□□□ □□ □□□□□ □□□□□ □□□□ □□□□□ □□□□ □□□□□□□?

- A. ☐☐ ☐☐☐☐
- B. ☐☐
- C. ☐☐☐☐☐☐☐☐
- D. ☐☐ ☐☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 91

□□ □□□ □□ □ □□ □□□ □□□□ □□□□?

- A.** □□ □□□□
- B.** □□ □□ □ □□ □□
- C.** □□□ □□
- D.** □□□□□ □□□

Answer: D (LEAVE A REPLY)

```
PSP 00 0000 000000 00 DumpTop 00 0000 0000 PSP 00! DumpTop 0 0
0 PSP 00 0000 00000000, DumpTop PSP 00 0000 0000000000 0000 00
000000. 00000 0000 00000 00 DumpTop PSP 0000 0000000.
```

<https://www.dumpst0p.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 92

□□ □ □□ □□ □□□□ □□ □□ □□□□□?

- A. ☐☐☐
- B. ☐☐☐☐
- C. ☐☐☐☐☐
- D. ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

□□□□ □□ □□□□ □□ □□□□ □□ □ □□ □ □□□ □□ □□□□ □□□ □ □□□ □□?

- A. □□ □□ □□ □□.
- B. □□ □□ □□ □□ □□.
- C. □□ □□ □□ □□ □□ □□.
- D. □□ □□ □□ □□.

Answer: A ([LEAVE A REPLY](#))

□□□□□□(EVM) □□□□ □□□□□ □□□ □□ □□ □□ □□ □□□ □□□ □□□□ □ □□□□. □ □□ □□ □□ □□ □ □□ □□□ □□□□□.

* □□ B(□□ □□ □□ □□ □□)□ □□ □□□ □□ EVM□ □□□ □□□□ □□□□.

* □□ C□ □□□ □□ □□□ □□□□□.

* □□ D(□□ □□ □□ □□)□ □□□ □□ □□ □□□□ □□□□□ EVM □□□□□ □□□ □□□□□ □□□□.

□□ PSP □□ □□ □□□□ □□ □□□□ □□□ EVM □□□ □□□□□.

NEW QUESTION: 94

□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□ □□□ □ □□□□□ □□□□ □□□ □□□ □□ □□□□□.

- A. □□
- B. □□ □□□
- C. □□
- D. □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 95

□□□ □ □□ □□□ □□□□ □□□□□ □□□ □□□□ □□ □□□ □□□□ □□□□ □ □□□ □□□ □□□□.

- A. □□□□ □□ □□
- B. □□ □□
- C. □□ □□ □□
- D. □□ □□ □□ □□□□

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 96

□□□ □□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□ □□□□□?

- A. □□
- B. □□
- C. □□ □□
- D. □□ □□ □□ □□□□


Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 97

□□ □□□□ □□□ □□□□□.

Refer to the following table and diagram to answer the following questions. Consider this to be the entire network. The diagram is incomplete. This table represents activities, predecessors and durations for a hazardous waste incineration facility.

Activity	Description	Predecessors	Duration (months)
A	Develop information for public hearings	-	3
B	Hold public hearings	A	3
C	Develop draft plans and specifications	A	5
D	Contact stakeholders and others	A	7
E	Obtain permits	B, C	3
F	Order equipment for facility	B	4
G	Procure and prepare land.	B	6
H	Construct facility	D, E, F & G	8
I	Approval of operating procedures	D	6
J	Install equipment, staff, faculty	F	9



A. 20□□.

B. 16□□.

C. 19□□.

D. 21□□.

Answer: B (LEAVE A REPLY)

* □□ □□□□ □□ □□:

* □□ □□□ □□ □□□□ □□□□ □□□□□.

* □□: A # B # G # H # 16□□.

* □□□□ □□□□□□ □□ □□ □□:

* □□ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□□.

* PSP □□□□□□ □□ □□: □□ □□ □□□ □□□□ □□□ □□□□ □ □□□□□□(□ □: PSP □□ □□□, 2A□: □□ □□ □□).

NEW QUESTION: 98

□□ □□□□□ □□□□□□ □□ □□□ □□□ □ □□□?

- A. □□□□ □□.
- B. □□□ □□ □□.
- C. □□□□ □□□.
- D. □□ □□.

Answer: B ([LEAVE A REPLY](#))

□□ □□□□□ □□:

* □□ □□□□□ □□ □□□, □□□ □□ □□□□ □□, □□ □□□ □ □□ □□□ □□□□.

□□ □□ □□:

* □□: □□ □□□ □□□□□ □□□□ □□ □□□□□.

* C: □□□□ □□□□ □□ □□ □□□□ □□□□□.

* D: □□ □□□ □□□□□ □□ □□□□□ □□□□□.

PSP □□□□□□ □□ □□:

PSP □□ □□□□□ □□ □□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□(□□:

PSP □□ □□□, 1A□: □□ □□).

NEW QUESTION: 99

□□□□ □□□ □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□ □.

□□ □□□□ □ □□□□□ □□ □□□ □□□□ □□ _____.

- A. □□□□□
- B. □□ □□ □□ □□□□
- C. □□□□□□□□
- D. □□ □□□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

KPIs□ □□□ □ □□ □□□ □□□□□?

- A. □□ □ □□
- B. □□ □□ □□
- C. □□ □ □□/□□ □□
- D. □□□□ □ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 101

□□□ □ □□ □□□ □ 30□□ □□□□ □□□ □□□ □, 5□ □□ 3□□ □□ □□ □□□□

□□□□ □□ □ □□ □□□□ □□□ □ □□□□?

- B. □□ □□ □□□
- C. □□ □□ □□□
- D. □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 105

- □□□ □□□□□ □□□□□ □□□□ □□□□ □□□□□. □□ □ □□ □□□ □□□ □ □□ □□□□ □□□□□. □, □□ □□□ □□□□□.
- A. □□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□.
 - B. □ □□ □□□ □□□□□. □□□□ □□ □□□□□.
 - C. □ □□□ □□□□□ □□□□ □□ □□□ □□□ □ □□ □□ □□□ □□□ □□□.
 - D. □□□ □ □□ □□□□ □□□□. □□□ □□ □□ □□ □□□ □□ □□ □□□□ □□□□ □.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

- □□□ □□ □ □□ □□ □□□□□ □□ □□□, □□ □□□ □□□□□ □□ □□ □ □□□ □□□□ □□□?
- A. □□□ □□□□□□ □□ □□□□□ □□□□□.
 - B. □□□□ □□□□ □□ □□□ □□□ □□□□□.
 - C. □□□□□ □□ □□□ □□ □□□□□.
 - D. □□□□ □□□□□ □□□□ □□□□□□ □□ □□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

PSP □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PSP □□! DumpTop □ □ □ PSP □□ □□□ □□□□□□, DumpTop PSP □□ □□□ □□□□□□□□ □□□ □□ □□□□□. □□□□ □□□ □□□□ □□ DumpTop PSP □□□ □□□□□.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

- □□□ □□□□ □□□ □□□□ □ □□ □□□□, □□ □□ □□□□ □□□□ □ □□ □ □□□□?
- A. □□
 - B. □□
 - C. □□□□
 - D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 108

IP□ □□ □□□ □□□□□ □□ □□□ □□□□, □ □□□□ □□□ □□□□□.

- A.** 12,000□
B. 18,00□
C. 1,000□
D. 15,000□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

□□□ □□□□ □□□ 3□□ □□□ □□□ □ □□□□. 1.75□□□□(ICY) □□ 1.34□□□□
(CM) □□□□ □□□ □□ □□□□□. □ □□□□ □□ □□ 35□□ □□□ □□□ □□□ □
□□□□. □□□ 1□□ □□ □ 30□□ □□□ □□□ □□□ □, 5□ □□ □□ □□ □□□ 3□
□ □□□□ □□□ □ □□ □□ □□□□ □□□ □□□□□?

- A.** 306 CY
B. 368cm
C. 201 CY
D. 263 CY

Answer: A (LEAVE A REPLY)

NEW QUESTION: 110

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ .

- A.** □□□□
- B.** □□
- C.** □□□
- D.** □□□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 111

□□ □□ □, □□□□ □□□ □□□□□ □□□□ □□ □□□□□. □□□□ □□ □□□ □□
□□□ □□□□□ □□□ □□ □□□ □□□ □□□ □□□ □□□?

Normal Total Cost	12,990,000
Crashed Total Cost	14,102,900
Normal Overhead Cost	3,080,000
Crashed Overhead Cost	2,902,900



- A. □□ S1.772
B. □□ \$1.223
C. □□□□□□ □□□□ □□ □□ □□□ □□ □□□ □□□□.
D. □□ 195□□


Answer: (SHOW ANSWER)

NEW QUESTION: 112

□□ F□ □□ □□ □□□ □□□□□?

Refer to the following table and diagram to answer the following questions. Consider this to be the entire network. The diagram is incomplete. This table represents activities, predecessors and durations for a hazardous waste incineration facility:

Activity	Description	Predecessors	Duration (months)
A	Develop information for public hearings	-	3
B	Hold public hearings	A	3
C	Develop draft plans and specifications	A	5
D	Contact stakeholders and others	A	7
E	Obtain permits	B, C	3
F	Order equipment for facility	B	4
G	Procure and prepare land.	B	6
H	Construct facility	D, E, F & G	8
I	Approval of operating procedures	D	6
J	Install equipment, staff, faculty	F	9



- A. 2□□.
- B. 1□□.
- C. 3□□.
- D. 0□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 113

□□□ □□ □□ □□□□□ □□□ □□□ □□ □□ □□□ □□□ □□□ □□□□.

A. □□ □□ □□ (EAC)

B. $\frac{BAC}{PSP}$ (BAC)

C. $\frac{BAC}{PSP} \times \frac{BCWP}{BCWS}$ (BCWP)

D. $\frac{BAC}{PSP} \times \frac{BCWS}{BCWP}$ (BCWS)

Answer: ([SHOW ANSWER](#))

$\frac{BAC}{PSP} \times \frac{BCWS}{BCWP}$ (BCWS) is the correct formula for the Performance Index (PI). The Performance Index (PI) is a measure of the efficiency of the project. It is calculated by dividing the Budgeted Cost of Work Scheduled (BCWS) by the Budgeted Cost of Work Performed (BCWP).

* $\frac{BAC}{PSP} \times \frac{BCWS}{BCWP}$ (EAC) is the correct formula for the Estimate at Completion (EAC).

* $\frac{BAC}{PSP} \times \frac{BCWS}{BCWP}$ (BAC) is the correct formula for the Budget at Completion (BAC).

* $\frac{BAC}{PSP} \times \frac{BCWS}{BCWP}$ (BCWP) is the correct formula for the Budgeted Cost of Work Performed (BCWP).

$\frac{BAC}{PSP}$ is the correct formula for the Performance Index (PI).

NEW QUESTION: 114

Which of the following is a project management tool?

A. A project management tool is a software application that helps project managers to plan, execute, and monitor projects.

B. A project management tool is a software application that helps project managers to plan, execute, and monitor projects.

C. A project management tool is a software application that helps project managers to plan, execute, and monitor projects.

D. A project management tool is a software application that helps project managers to plan, execute, and monitor projects.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

Which of the following is a project management tool?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001	SS FF	45 45	152	\$608,000	118	\$692,000

		9001	FS					
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001	FS	65	152	\$1,360,000	113	\$1,540,000
		9002	SS	65				
		9002	FF					
		9003	FS					
7001	Permanent Roads	11001	FS		48	\$180,000	38	\$205,000
		9004	FS					
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001	FS		175	\$1,120,000	155	\$1,305,000
		9002	FS					
		9003	FS					
9002	Dam Concrete Facing – Concrete	1001	FS		180	\$1,260,000	160	\$1,485,000
		9005	FS					
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. □□ □□□ □□ □□□ □□□□□.
- B. □□□□□ □□ □□□ □□□□ □□ □□□□□.
- C. □□□□□ □□□ □□□ □□ □□ □□□□□.
- D. □□□□□ □□□ □□□ □ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 116

□□□□ □□ 4□□ □□□□ □□□ □ □□ □□□ □□□□. □□□ □ □□ □□□ 35□□ □ □□ □□□ □□□ □ □□, □□ □□□□ 60□□ □□□ □□□ □□□□□ □□□ □, □□□ □□□ □□ □□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□?

Small Tower Crane

Typical capacity for a Small Crane

Maximum Load 5 tons

Minimum Load 1.5 tons

Operation	Time (in minutes)
Sling Up	5
Hoist Up	4
Discharge	3
Clear Unload Area	3
Hoist Down	2

A. 20

B. 10

C. 40

D. 30

Answer: D ([LEAVE A REPLY](#))

* 1000 1000 1000:

* 1000 1000 1000 6000 10000 100000.

* 1000 1000:

* 1000 1000 1000 3500 10000 100000.

* 1000 1000 1000 1000:

* 1000 1000 = 1000 1000 ÷ 1000 1000 = 60 ÷ 35 # 1.71 1000.

* 1000 10000 1000 100000 1000 300000 1000000.

* 1000 1000:

* 1000 A(1000 20): 100. 100 1000 100 100000.

* 1000 B(1000 10): 100. 100 1000.

* 1000 C(1000 40): 100. 100 1000 100000.

* 1000 D(1000 30): 100000. 1000 100 1000 100000 100000.

100000:

* PSP 100 1000(2019), 100 1000 1000 100 100.

* AACE 100 100, RP 10S-90.

NEW QUESTION: 117

100 1000 10000 1000 1000 10000 100 100 1000 10000 100 1000
100 1000.

A. 10000

B. 1000

C. 11


D. 12

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 118

11 A 11 G 11 11 11 11 11 11?

Refer to the time-scaled network diagram and other information to answer the following questions. Please consider this to be the entire network.



A. 26.

B. 24.

C. 28.

D. 25.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 119

11 11 11 11 11 11 11 11 11 11 11 11 11 11.

A. 11 11 11 11

B. 11 11 11 11

C. 11 11

D. 11 11 11 11

Answer: ([SHOW ANSWER](#))

□□ □□□ □□ □□□ □ □□ □□: □ □□ □□□ □□□□□ □□ □□ □□□ □□□□□
□□ □□□ □□□ □ □□ □□□ □□□□.
* □□ B(□□)□ □□ D(□□ □□□ □□)□ □□□□□.
* □□ C□ □□ □□□□□ □□ □□ □□□□□ □□□□□.
□ □□□ □□ □□ □□□ □□□ □□□.

NEW QUESTION: 120

"Y"□ □□ □□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□□ □□□□ □ □ □□□□.
- C. □□□ □□
- D. □□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 121

□□□□ □□ □ □□ □□□ □□ □□□□□?

- A. □□ □□ □
- B. □□□□□ □□□□ □
- C. □ □□ NTP
- D. □□□ □□ □

Answer: B ([LEAVE A REPLY](#))

PSP □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PSP □□! DumpTop □ □
□ PSP □□ □□□ □□□□□□, DumpTop PSP □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop PSP □□□ □□□□□.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special


Discount: **KrDump**)

NEW QUESTION: 122

□□ □□□□ □□□ □□□□□.

Refer to the following table and diagram to answer the following questions. Consider this to be the entire network. The diagram is incomplete. This table represents activities, predecessors and durations for a hazardous waste incineration facility:

Activity	Description	Predecessors	Duration (months)
A	Develop information for public hearings	-	3
B	Hold public hearings	A	3
C	Develop draft plans and specifications	A	5
D	Contact stakeholders and others	A	7
E	Obtain permits	B, C	3
F	Order equipment for facility	B	4
G	Procure and prepare land.	B	6
H	Construct facility	D, E, F & G	8
I	Approval of operating procedures	D	6
J	Install equipment, staff, faculty	F	9



- A. 21□□.
- B. 20□□.
- C. 19□□.
- D. 16□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 123

□□ □ □□ □□ □□□ □□□□ □□ □□ □□□□□?

- A. □□
- B. □□□□ □□
- C. □□□□□ □□□□
- D. □□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 124

□□ □□ □ BILCO□ □□□ □□ □□□□□ □□□ □ □□ □□□ □□□□□?

- A. SDOT □□□ □□ □□
- B. □□□ □□□□ □□ □□ □□
- C. SDOT□ □□ □□□□□ □□ □□
- D. □□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

□□ □□□□ □□ □ □□ □□□□ □□□ □□ □□□ □□□ □□□□?

- A. □□□ □□□ □□ □□□□ □□ □ □□□ □□□□ □□□□ □□□ □□□□□ □□□.
- B. □□□□ □□ □ □□□ □□ □□ □□□ □□□□ □□□□□.
- C. □□□ □ □□□□□□□□ □□ □□□□□□ □□□ □□ □ □□ □□□ □□□□ □□□.
- D. □□□ □□ □□ □ □□ □□□ □□□ □□□□ □□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

□□ □□□ 4□□ □□ □□ □□□ □□□□ □□□□?

- A. □□ □, □□ □□, □□ □□, □□ □□
- B. □□ □□, □□ □□, □□ □□, □□ □□
- C. □□ □□, □□ □□, □□ □□, □□ □□
- D. □□ □□, □□ □□, □□ □□, □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 127

□□ 6001□□ 6003□□□ □□ □□□ □□□□□ □□□□□. □□□ □□ □□ □□□ □□ □
□□ □□□□□.

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. □□ □□□ □□ 5001□□ □□ □□□ □□ 8001□□□.
- B. □□ □□□ □□ 4001□□ □□ □□□ □□ 8001□□□.
- C. □□ □□□ □□ 9001□□ □□ □□□ □□ 9002□□□.
- D. □□ □□□ □□ 5001□□ □□ □□□ □□ 8002□□□.

Answer: A (LEAVE A REPLY)

□□ □□(□□)□ □□: □□ □□□ □□ □□□□□□ □□, □□ □□ □□□□ □□□ □□□
□ □ □□ □□□ □□ □□ □□(ES)□ □□□ □□□ □□ □□ □□(LF)□ □□ □□□□□.

□□ 6001~6003 □□:

* 6001: 5001(□□ □ □□□□ □ □□) □□□ □□□□□.

* 6003: 8001(□□ □□□□□ □□ 50□□) □□□ □□□□.

□□□□ □□□ □□:

* □□□: □□ 5001(□□ □ □□□□ □ □□).

* □□: □□ 8001(□□ 50□□ □□ □□□).

□□ □□:

* □□□ □ □□□ □□□□ □□ 5001□ □□□□ □□□ □□ □□ 8001□ □□□□ □□ □□
□ □□ □□□□□(□□: PSP □□ □□□, 2A□: □□□ □□ □ □□ □□

NEW QUESTION: 128

□□ □□ □□(ETC)□ _____□□□.

A. □□, □□ □□ □□ □□□□□ □□□□ □ □□□ □□ □□ □□

B. □□□ □□□ □□□□ □ □□□ □□□ □□

C. □□, □□ □□ □□ □□□□□ □□ □ □□

D. □□ □□□ □□□ □□□□ □□□ □□□ □□□ □□

Answer: A ([LEAVE A REPLY](#))

□□ □□ □□(ETC)□ □□ □□□□ □□□ □□□□ □ □□□ □□ □□□ □□ □□□□□.

* □□ B□ □□□ □□□ □□(AC)□ □□□□□.

* □□ C□ □□ □□□ ETC□ □□ □□□□ □□ □ □□ □□(EAC)□ □□□□□.

* □□ D□ □□□ □□□ □□ □□(BCWP)□ □□□□□.

ETC□ PSP □□ □□□□ □□□ □□ □□ □ □□□□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 129

□□ □□□

A. □□□ □□ □□□ □□ □□□ □□□□□.

B. □□ □□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□ □□□ □ □□ □□□□□.

C. □□□ □□ □□ □□□ □□ □□ □□□ □□□□□.

D. □□ □□ □□□ float □□ □□ □□ □□ □□□ float □□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□□□□ CPM(Critical Path Method) □□□□□ □□□□□, □□ □□□ □□ □□□ □□ □□
□□ □□ □□□ □□ □□□ □□□ □□ □□ □□□□ □ □□ □□□ □□□□.

* □□ A□ □□□ □□ □ □□ □□□ □□□□ □ □□ □□□ □□□□□.

* □□ C□ □□ □□ □□□□□ □□□□□.

* □□ D□ □□ □□□□□ □□□□ □□□□.

□□□□□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□□ □□□□ □
□□□□ □□ □□□□□.

NEW QUESTION: 130

□□ 1001□ □□□ □□□ □□□□□□ 10□ □□□□□□□□. □□ 10002□ 35□ □□□□□.

□□□ □□ □□□ □□ □□□ □□□□□. □□□ □□□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000 2001 7001	SS FS FS		85	\$563,000	67	\$728,000
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004 3001	FS FS		15	\$18,000	11	\$20,000
2004	River Diversion to Pipeline	3001 7001	FS FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001 4001 5001 5001 7001	SS FF SS FF FS	15 15 65 65	30	\$482,000	100	\$515,000
4001	Excavation, Spillway	5001 5001 9001	SS FF FS	45 45	152	\$608,000	118	\$692,000
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001 9002 9002 9003	FS SS FF FS	65 65	152	\$1,360,000	113	\$1,540,000
7001	Permanent Roads	11001 9004	FS FS		48	\$180,000	38	\$205,000
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001 9002 9003	FS FS FS		175	\$1,120,000	155	\$1,305,000
9002	Dam Concrete Facing – Concrete	1001 9005	FS FS		180	\$1,260,000	160	\$1,485,000
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

A. 2024 □ 3 □ 11 □

B. 2024 □ 3 □ 21 □

C. 2024 □ 2 □ 19 □

D. 2024 □ 3 □ 20 □

Answer: B (LEAVE A REPLY)

* □ □ □ □ □ □ (□ □ □ □):

* □ □ □ □ □ □ □ □ □ □ 03-01-04 □ □ □ □ □ □ □ □ (□ □ □ □ □ □ □ □ □ □).

* □ □ □ □ □ □ □ □:

* □□ 1001: 10□ □□□.

* □□ 10002: 35□ □□□.

* □□□ □□□ □□ □□□ □□□□□.

* □□□ □□□ □□:

* □□□ 35□□ □□□□(□□ □ □□)□ □□ □□ □□ □□□ □□□□□.

* □□□ □□ □□ = 03-01-04 + 10□ = 03-11-04.

* □□ □□□ □□ □□ □□:

* □□ A(02-19-04): □□. □□□□□ □□□□□.

* □□ B (03-21-04): □□. □□□□ □□□ □□□□□.

* □□ D (03-20-04): □□. □□□ □□□ □□ □□□□.

* □□ C(03-11-04): □□□□□. □□□ □□□□ □□□□□.

□□□□:

PSP □□ □□□(2019), □□ 2A - □□ □□, □□ □ □□ □□ □□□ □□ □□ □□.

AACE □□ □□, RP 10S-90.

NEW QUESTION: 131

- □□□ □□□, □□ □□ □□ □□□□□ □□ □□□ □□□□□?
- A. □□ □□□ □□□□□ □□□ □□□ □□□□□.
- B. □□□□ □□□□□□ □□□□□.
- C. □□ □□ □□ □□□□ □□□□ □□□□.
- D. □□□ □□□□□□ □□ □□ □□□□ □□□□□□ □□□ □□□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

CPM(Critical Path Method) □□□□□ □□□□ □□□ □□□ □□□□ □□□□□ □□□□.

□, □□□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□□.

* □□ A(□□□□ □□)□ CPM □□□□□ □□ □□□□□.

* CPM□ □□ □□□□ □□□□□ □□ C□ □□□□ □□□□.

* □□ D□ □□□ □□□ □□□□□□ □□□ □□□□ □□□□□.

PSP □□ □□□□□□ □□□ □□□ CPM □□□ □□ □□□ □□□□ □□ □□□□□.

NEW QUESTION: 132

□□ 11001□ □□ □□□□ □□, □□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□ □.

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000	SS		85	\$563,000	67	\$728,000
		2001	FS					
		7001	FS					
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000

2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	\$35,000
2003	River Diversion Dam	2004	FS		15	\$18,000	11	\$20,000
		3001	FS					
2004	River Diversion to Pipeline	7001	FS		38	\$96,000	38	\$96,000
3001	Excavation, Dam Site	4001	SS	15	30	\$482,000	100	\$515,000
		4001	FF	15				
		5001	SS	65				
		5001	FF	65				
		7001	FS					
4001	Excavation, Spillway	5001	SS	45	152	\$608,000	118	\$692,000
		5001	FF	45				
		9001	FS					
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001	FS	65	152	\$1,360,000	113	\$1,540,000
		9002	SS	65				
		9002	FF					
		9003	FS					
7001	Permanent Roads	11001	FS		48	\$180,000	38	\$205,000
		9004	FS					
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001	FS		175	\$1,120,000	155	\$1,305,000
		9002	FS					
		9003	FS					
9002	Dam Concrete Facing – Concrete	1001	FS		180	\$1,260,000	160	\$1,485,000
		9005	FS					
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. 02-19-04.
 B. EF.11001 + 1□.
 C. EF.11001.
 D. LS.11001 + 25□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 133

□□ □□□ □□ □ □□□ □□□□ □□□□ □ 15□□ □□ □□□ □□□□□□□. □□ □□ □□ □□□ □□□ □ □□□□?

- A. 5□ □□□ □□□ □□ □□
- B. □□ □□□ 5□ □□□□□.
- C. □□ □□ □□□□ 5□ □□ □□ □□□□□.
- D. □□□ □□ □□□ 5□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 134

□□ □ □□ □□ □□□ □□□□ □□ □□□□□?

- A. □□ □□ □□ □□□ □□ □□ □□□.
- B. □□□□□ □□ □□ □ □□ □□.
- C. □□ □□ □□□.
- D. □□ □□□ 0□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 135

□□ □□ □ □□□□□ □□□□□□ □□ □□ □□□ □□□□ □□ □□ □□□□□?

- A. □□ □ □□ □□.
- B. □□ □□.
- C. □□ □ □□ □□.
- D. □□ □ □□ □□.

Answer: ([SHOW ANSWER](#))

□□ □□ □□ □□:

* □□□□ □□: □□ □ □□, □□(□□), □□/□□.

* □□□□ □□ □□ □□ □ □□□ □□□ □ □□□ □□ □□ □□ □□□ □□□ □□□ □□ □□.

PSP □□ □□□ □□:

* □□ □□□□□□ □□□ □□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□□.

□□: □□□ A□□□. □□□ □□□ □□ □□ □□□ □□□ □□□ □□□□□.

NEW QUESTION: 136

□□□□ □□□ _____□□□.

- A. □□□□ □□□□ □□.
- B. □□□□ □□ □□□ □□□□ □□ □□ □□□□□.
- C. □□□ □□.
- D. □ □□ □□ □□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

PSP 00 0000 000000 00 DumpTop 00 0000 0000 PSP 00! DumpTop 0 0
0 PSP 00 0000 000000, DumpTop PSP 00 0000 0000000000 0000 00
000000. 00000 0000 00000 00 DumpTop PSP 0000 000000.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 137

00 0000/00 0000 00000 0000 00000 0000 0, 00 0000 00000 00 0000
0000 00 0000 000000?

- A. 00 0000 00
- B. 00 00 00
- C. 00 00000 00
- D. 00 00

Answer: D ([LEAVE A REPLY](#))

00 00 00:

- * 0000 0000 0000 00, 00 00, 00 0000000.
- * 00 0000 0000 00000 0 000000 00000 00000.
- 00 00:
- * 00 A: 00. 00000 000000 0000 0000 000000.
- * 00 B: 00. 00 0000 0000 000000 00000 00000.
- * 00 C: 00. 00 0000 00 0000 0000 000000.
- * 00 D: 000000. 0000 0000 000000 00000 00000.

NEW QUESTION: 138

00 00 00 00 000000 0000 0 00000 00 00 000000?

- A. 000.
- B. 0000 00 00.
- C. 0000 00 00.
- D. 0000 00 00.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 139

00 00000 00 000000000 0000 00 0 00 00 00000.

- A. 00 0 0000 00
- B. 00 0 00
- C. 00 00 0 00
- D. 00 0 0000 00

Answer: ([SHOW ANSWER](#))

□□ □□□□ □□ □□□□□□ □ □□ □□□, □□ □□ □□□ □□□□□. □□ □□□ □□
□□□ □□□□□ □□ □□□ □□□□□ □□□□□.
* □□ C(□□ □ □□ □□)□ □□ D(□□ □ □□□ □□)□ □□ □□□ □□□□□ □□ □□
□□ □□□□□ □□□□.
* □□ A(□□ □ □□□ □□)□ □□□ □□□□.
□□ □□ □□□ □□ □□□ □□□ □□□ □□□□□.

NEW QUESTION: 140

"□□" □□□□ 2004□ □□□□ □□□ □□□ □□□ □□□□□?

* 1001 (□□ □□ □□).

* 2001□(□ □□ 1□□).

* 2002□(□ □□ 2□□).

* 2003 (□ □□ □).

□□ □□ □□:

* □□ 2007□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□.

* □□ □□□□□ □□□ □□□□ □□□ □□□ □□□□.

PSP □□ □□□ □□:

□□□ □□ □□□ □□□ □□ □□□ □□□□□(□□: PSP □□ □□□, 2A□: □□ □□ □
□□ □□ □□).

NEW QUESTION: 141

□□□ □□ □□ □□□ □□□ □□□ □ □□□□□?

A. □□ □□□□ □□ □ □□□□ □□ □□□ □□□ □□□□□.

B. □□□ □□ □□□ □□ □ □□ □□□ □□□□□.

C. □□□ □□ □□ □□□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□□.

D. □□□□□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 142

□□□ □□□□ □□ □□□□ □□□□□ □□□□ □□□ □□□□ □□□ □□□ □□□□ □
□□□ □□□ □□ □□□□□ □□□ □□ □□□□.

A. □□□

B. □□□

C. □□

D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 143

"Y"□ □□ □□ □□□ □□□□□?

	Original Duration
Activity A	5
Activity B	5
Activity C	0
Activity D	5
Activity E	4
Activity F	3
Activity G	4

- Answer: D ([LEAVE A REPLY](#))**

☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐

- Answer: D (LEAVE A REPLY)**

□□□ □□□□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□. □ □□□ □□□□
 □□ □□□ □□□ □□ □□ □□□□ □□□ □□ □□□ □□□□. □□□ □□ □□ □□□ □
 □□□ □ □□ □□□ □□ □□ □□□ □□□□□?

- A. .

B. □□□ □□□ □□□□□ □□ □□□ □□□ □□ □□ □□□□□.

C. □□□□ □□ □□ □□ □□ □□ □□□.

D. □□□ □□ □□□□ □□□ □□ □□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□ □□ □□□□ □□:

* □□ □□ □□□□ □□□□ □□□ □□ □□□ □□ □□□□□ □□□ □□ □□□ □□□□ □.

□□ □□:

* □□ A: □□□□ □□ □□□□ □□□□ □□□ □ □□□□.

* □□ B: □□ □□□□ □□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □ □□□□ □□□□ □.

* □□ C: □□□□ □□ □□□□ □□□ □□ □□□□□ □□□ □□ □□□□ □□□□.

* □□ D: □□ □□□ □□ □□□□ □□□□□ □□ □□□□ □□□□ □□□□.

PSP □□ □□□ □□:

* □ □□□□□□ □□□□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□□.

□□: □□□ C□□□. □□ □□ □□□□ □□ □□□ □□ □□ □□□ □ □□ □□□ □□ □ □□□ □□□□□,

NEW QUESTION: 146

□□□ 30□□ □□□□ □□□ □ □□ □□□□ □ □□□□, 3□□ □□□ □□ □ □□ 28□□ □□□□ □□□□, □□ □□□ □□ □□□ □□□ 150□□ □□□□ □□□□□ □□□ □, □ □□□ □□ □□ □□ □□ □□□ □□□□□?

Small Tower Crane	
Typical capacity for a Small Crane	
Maximum Load	5 tons
Minimum Load	1.5 tons
Operation	Time (in minutes)
Sling Up	5
Hoist Up	4
Discharge	3
Clear Unload Area	3
Hoist Down	2

A. 8 □□□

B. 18□ □□

C. 7□ □□

D. 15□ □□

Answer: B ([LEAVE A REPLY](#))

□□□ □ □□□ □ □□:

* 3□□ □□□ □□ □□ = $28 \times 3 = 84$ 28 \times 3 = 8428 \times 3 = 84.

* □□ □□□ = 150150150.

* □ □□□ = $84 + 150 = 234$ 84 + 150 = 23484 + 150 = 234.

1□□ □□□□□ □□□ □□□□□ □□□ □:

* □□□ 1□□ □□ 30□ □□□□ □□□□□.

□□□ □□:

* □□ □□ □□ □□ = $\lceil 234 \div 30 \rceil = 18$ \lceil 234 \div 30 \rceil = 18#234 \div 30 \# = 18.

PSP □□□□□□ □□ □□:

□□ □□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□(□□: PSP □□ □□□, 2B□: □□ □□ □□).

NEW QUESTION: 147

□ □□ □□□ □□□ □□□ □□□ □□ □□□ □ □□ □□□□ □□□□□.

A. □□ □□□ □

B. □□ □□□ □□

C. □□ □□

D. □□ □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 148

□□□ □□□□ □□□□□ □□ □□□□ □□ □ □□□ □□ □ □□□ □□□□□?

A. □□

B. GOUGE. Inc

C. □□

D. SDOT

Answer: D ([LEAVE A REPLY](#))

□□□□ □□□ □□ □□ □□ □□□□ SDOT□ □□□ □□□ □□ □□ □ □□□ □□□□.

□□□ □□□ □□ □□□□□ □□ □□, □□□ □□, □□ □□ □□□ □□ □□□ □□□□ □□□□□.

□□□(□: BILCO)□ □□□□ □□□ □□□□□ □□ □□□ □□ □□ □□□□ □□□ □□□ □□□□.

□□□□: PSP □□ □□□, □□ 2.4.8 - □□ □□□□□ □□□ □□□ □□□□ □□□□ □□ □□ □□□□ □□□□□□□ □□□ □□□□ □□□□□.

NEW QUESTION: 149

□□□ □□□□ □□□□□ □□ □□□□ □□ □ □□□ □□ □ □□□ □□□□□?

A. GOUGE. Inc

B. □□

C. □□

D. SDOT

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 150

□□□ □□□□ □□□□ □□ □ □□ □□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□ □□□?
□□□?

A. □□□ □□□ □□ □□

B. □□□ □□□ □□ □□

C. □□ □□ □□

D. □□□ □□□ □□ □□

Answer: A ([LEAVE A REPLY](#))

□□ □□□ □□ □□ □□ □:

* BCWS(□□□□ □□ □□ □□)□ □□ □□□□ □□□ □□□ □□□□ □□ □□□ □□ □□ □□□.

* BCWS□ □□ □ □□ □□ □□□ □□□ □□□□□.

□□ □□ □□:

* B: BCWP□ □□ □□ □□□ □□□□ □ □□□□□.

* C: SPI□ □□□□ □□ □□ □□ □□□□.

* D: □□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□.

PSP □□□□□□ □□ □□: PSP □□ □□□□□□ BCWS□ □□ □□ □□□□ □□□ □□ □□□□ □□□□ □□□□(□□: PSP □□ □□□, 1D□: □□□□ □□).

NEW QUESTION: 151

□□□ □□□ □□ □□□ □□□□ □ □□□ □□□□.

A. □□□□ □□□ □□ □□□□ □□ □□□□ □□ □□□ □□□□ □□ □□□□□.

B. □□□ □□ □□ □□ □□□ □□□□ □□□ □□□□.

C. □□□□ □□□ □□□□□□ □□ □□□ □□□□□ □ □□ □□ □□□□□□□.

D. □ □□ □□□ □□ □□ □□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

□□ □□ □□:

* □□□□ □□□ □□□□□□ □□ □ □□□, □□ □□□□ □□ □□□ □□□□□. □□ □ □□ □ □□□□.

PSP □□ □□□ □□:

* □□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□□.

□□□ □□ □□:

* □□ A, C, D: □□ □□□ □□□□ □□□□□.

* □□ B: □□. □□ □□□ □□ □□ □□□ □□□□.

□□: □□□□ B□□□. □□ □□□ □□ □□ □□□ □□□ □□ □ □□□□ □□□□□.

D. □□ □□ □□ □□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 156

□□□□ □□□ _____.

A. □□□□□ □□□□□.

B. □□ □□ □□□□ □□□ □□□□ □□□□□.

C. □□ □ □□□□□ □□ □□ □□□

D. □□□□□ □□ □□□ □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 157

□□ □□ □□ □□□□□□ □□□ □□□□.

A. □□ □□□ □□ □□ □□□ □□□□ □ □□□□□.

B. □□□ □□ □□□ □□ □□□□□□□.

C. □□□□ □□□□□ □□□□□.

D. □□ □□ □□□□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 158

□□□□ □□□□ □□ □□□□ □□□ □□□ □□□ □ □□ □□□ □□□□□?

A. □□ □□

B. □□□

C. □□ □□

D. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 159

□□□□ □□ □□□□□ □□□□□ □□ □□ □□□ 1 □□□ □□ □□□□□ □□□ □□ □
□□□ □□□□□.

A. □□□□ □□

B. □□□□

C. □□

D. □□□ □□□

Answer: D ([LEAVE A REPLY](#))

□□ □□ □□(SPI) □□□□:

* $SPI = \frac{BCWP}{BCWS}$ $\text{SPI} = \frac{\text{BCWP}}{\text{BCWS}}$ SPI=BCWSBCWP □ □□

□□□. □□□ BCWP □ □□□ □□□ □□ □□□□ BCWS □ □□□ □□□ □□ □□□□.

* SPI < 1 □ □□□□□ □□□□ □□□ □□□□ □□□ □□□□□. □, □□□ □□□□□ □

□□□.

□□ □□ □□:

* A: SPI > 1 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □.

* B: SPI = 1□ □□□□□ □□□□ □□□□ □□□ □□□□□.

* C: SPI .

PSP □□□□□□ □□ □□:

PSP□ □□□□ □□□ □□ □□□ SPI□ □□□□□(□□: PSP □□ □□□, 1D□: □□□□ □□).

NEW QUESTION: 160

[illegible]

Small Tower Crane

Typical capacity for a Small Crane

Maximum Load 5 tons

Minimum Load 1.5 tons

Operation	Time (in minutes)
Sling Up	5
Hoist Up	4
Discharge	3
Clear Unload Area	3
Hoist Down	2

A. $\square\square\square 50\square$

B. 80

C. $\square\square\square 5\square$

D. $\square\square\square 20\square$

Answer: A (LEAVE A REPLY)

NEW QUESTION: 161

□□□ □□□ □□□ □□ □□□ □□□ □, □□ □□□ □□□□ □□□ □□ □□□□ □□ □
□□□?

A. □□ □ □□ □□□ □□ □□□□□.

B. □□ □□□□ □□ □□□□□.

C. □□□ □□□ □□ □□ □□□□□.

D. □ □□ □□□ □□ □□ □□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 162

□□□□ □□□ □□□ □□□ □, □□ □□□ □□ □□□ □□□ □□□□□?

A. ☐☐☐ ☐☐ ☐☐

B. ☐☐☐ ☐☐☐ ☐☐☐

C. □□□ □□ □□□ □□□ □□

D. □□ □□□ □□□ □□□ □□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 163

□□□□□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□ □□ □□□□ □□ □□□ □
□ □□□□.

A. □□ □□

B. □□□ □□

C. □□ □□□□□

D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 164

□□□□ □□ □□ □□□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□
□□.

A. □□□ □□□ □□

B. □□□□ □□

C. □□ □□

D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 165

□□ □□□□ □□ □□□ □□□□□ □□ 1000□ □□□□ □□□□?

A. □□ □□ □□ □□

B. □□□ □□□ □□

C. □□□□ □□

D. CPM □□ □ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 166

□□□□ □□□ □□ □ □□□□□.

A. □□□ □□ □□□□ □□□ □□ □□□ □□□ □.

B. □□□ □□□.

C. □□□□□ □□□□ □□□ □□□ □□□□ □□□ □□□ □ □□□□ □□□□□.

D. □□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

PSP □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ PSP □□! DumpTop □ □
□ PSP □□ □□□ □□□□□□, DumpTop PSP □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop PSP □□□ □□□□□.

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 167

□□□ □□□□ □□□ □□□□ □□□□□, □□□□□ □□□ □□ □□□ □□□□□ □□
□□□ □□□□□?

- A. □□□
- B. □□
- C. □□
- D. □□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 168

□□ □□□□□ □□□□□□ □□ □□□ □□□ □ □□□?

- A. □□ □□.
- B. □□□□ □□□.
- C. □□□□ □□.
- D. □□□ □□ □□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 169

□□□□ □□□ □□□□ □□ □□ □□ □ □□ □□ □□ □□□ □□ □□□ □□□ □□ □
□□□□ □□□ □□□ □□□□ □□□□□ □□□□□. □□ □ □□□ □□□□ □□ □□ □
□□□□?

- A. □□□□□□(RBS)
- B. □□ □□ □□(WBS)
- C. □□ □□ □□(CBS)
- D. □□□□□□(OBS)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 170

□□□□ □□ □□□□ □□ □□□□ □□ □ □□ □ □□□ □□ □□□□ □□□ □ □□□
□?

- C. □□ □□ □□ □□ □□ □□ □□.
- A. □□ □□ □□ □□ □□ □□.
- D. □□ □□ □□ □□ □□ □□.
- B. □□ □□ □□ □□ □□ □□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 171

Which of the following is not a characteristic of a good manager?
□□ □□ □ □□□□?

- A. □□□ □□ □□
- B. 51□□□ □□
- C. 50/50 □□
- D. □□ □□ □□ □□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 172

Which of the following is not a characteristic of a good manager?
□□□ □□□□□?

- A. □□ □ □□ □□□ □□□ □□ □□.
- B. □□□ □□ "□□□□□" □□ □□□ □□□□□.
- C. □□ □□ □□□ □□□□ □□□□□.
- D. □□□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 173

Which of the following is not a characteristic of a good manager?
□□□ □□□□ □□□□□ CPM □□□ □□□□ □, □□ □□□ □□□□ □ □□□□ □□ □
□ □□□□□?

- A. □□□ □ □□□ □□ □□□□ □□□ □□
- B. □ □□□ □□ □□□ □□□ □□□
- C. □□ □□ □ □□ □□□ □□□ □□□ □ □□□ □□(□□ ID□□ □□□□ □□ □□)
- D. □□, □□ ID, □□ □ □□ □□□ □□□□ □□□ □ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 174

Which of the following is not a characteristic of a good manager?
□□ □ □□□ □□□ □□□ □□ □□□ □ □□ □□ □□□ □□□ □□ □□ □□□□
□?

- A. □□ □□ □□.
- B. □□ □ □□ □□ □□.
- C. □□ □□.
- D. □□□ □□ □□.

Answer: ([SHOW ANSWER](#))

□ □□ □□□ □□ □□, □□/□□ □□, □□ □□□ □□ □□□ □□□ □□□, □□ □□□
□□□ □□ □□□ □□ □□□ □□□□ □ □□□□ □□□ □□□ □□□□□.

* □□ □□□□ □□□ □□□ □□□□ □□ D(□□□ □□ □□)□ □□□□□ □□□□ □□
□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□ □□□ □□□ □□□□.

NEW QUESTION: 175

Which of the following is not a characteristic of a good manager?
□□□□□□□□ □□□□□ □□□□ □□□ □□ □ □□ □□□ □□□□ □□□□?

- Answer: A (LEAVE A REPLY)**

□□ □□ □□□ □□ □□□ □□ □□□□□ □□ □□□ □ □□□ □□□□□?

Typical capacity for a Small Crane

Minimum Load 1.5 tons

A. 2.
B. 3.
C. 1.
D. ☐☐☐☐ ☐☐☐☐.

Answer: D (LEAVE A REPLY)

BDP International □ □ □□ □□□, □□□□□ _____ □ 2003 □ 2□□ □□□ □□ □
□□□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□□□□□. □ □□□□
□ □□□ □□□ □□□ □□ □□□ □□□□ □□ 24□□ □□ □□□ □□ □□□□□ □□□
□□□□□ □□□□□.

- Answer: C (LEAVE A REPLY)**

□□ □□□ □□ □ □□ □□ □□□□□ □□ □□ □ □□ □□□□ □□□□ □□□□ □□□□?

- A. ☐☐☐ ☐ ☐☐ ☐☐

B. □□ □□□□ □□

C. □□□ □ □□ □□

D. □□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 179

"□□" □□□ □□□□ □□□□□ 2001□□□ 2004□□□□ □□□ □□ □□□ □□□□. □□ □□□ □□□□□?

ID	Activity	Logic			Normal Schedule		Crashed Schedule	
		Succ.	Rel.	Lag	Days	Direct Costs	Days	Direct Costs
1000	General Conditions	11001	FF		1072	\$3,080,000	910	\$2,902,900
1001	Preliminary Civil Work	1000	SS		85	\$563,000	67	\$728,000
		2001	FS					
		7001	FS					
2001	River Diversion Stage 1	2002	FS		92	\$150,000	75	\$190,000
2002	River Diversion Stage 2	2003	FS		38	\$25,000	28	35,000
2003	River Diversion Dam	2004	FS		15	\$18,000	11	\$20,000
		3001	FS					
2004	River Diversion to Pipeline	3001	FS		38	\$96,000	38	\$96,000
		7001	FS					
3001	Excavation, Dam Site	4001	SS	15	30	\$482,000	100	\$515,000
		4001	FF	15				
		5001	SS	65				
		5001	FF	65				
		7001	FS					
4001	Excavation, Spillway	5001	SS	45	152	\$608,000	118	\$692,000
		5001	FF	45				
		9001	FS					
5001	Drill and Grout Dam Site	6001	FS		102	\$637,000	92	\$650,000
6001	Rock Fill: to elevation 25	6002	FS		140	\$1,352,000	105	\$1,470,000
6002	Rock Fill: to elevation 38	6003	FS		115	\$969,000	95	\$1,125,000
6003	Rock Fill: to elevation 50	8001	FS	65	152	\$1,360,000	113	\$1,540,000
		9002	SS	65				
		9002	FF					
		9003	FS					
7001	Permanent Roads	11001	FS		48	\$180,000	38	\$205,000
		9004	FS					
8001	Valve House Embankment	9004	FS		28	\$28,000	22	\$36,000
9001	Spillway – Concrete	11001	FS		175	\$1,120,000	155	\$1,305,000
		9002	FS					
		9003	FS					
9002	Dam Concrete Facing – Concrete	1001	FS		180	\$1,260,000	160	\$1,485,000
		9005	FS					
9003	Inlet Tower – Concrete 1 of 2	9005	FS	7	70	\$275,000	65	\$295,000
9004	Valve House – Concrete	10002	FS	7	72	\$245,000	66	\$265,000
9005	Inlet Tower – Concrete 2 of 2	10001	FS	7	35	\$28,000	35	\$28,000
10001	Inlet Tower – Complete	11001	FS		25	\$147,000	25	\$147,000
10002	Valve House –	10001	FS		24	\$132,000	24	\$133,000

- A. 91
- B. 183
- C. 145
- D. 53

Answer: D ([LEAVE A REPLY](#))

□□ □□(2001-2004):

- * □□ 2001("□ □□ 1□□"): □□ = 92□.
- * □□ 2002: 2001□ □□□□ □□, □□ = 38□.
- * □□ 2003: 2002□ □□□ □□, □□ = 15□.
- * □□ 2004: 2003□ □□ □□, □□ = 38□.

□□□ □□□□□:

- * □ □□ = 92 + 38 + 15 + 38 = 183□.

□□ □□□ □□ □□ □□:

- * □□ A: □□. □□□□□.
- * □□ C: □□. □□□□.
- * □□ D: □□. □□□□.
- * □□ B: □□. □□□ □□□ □□□□□.

NEW QUESTION: 180

_____□□□ □□□ □□□□□ □□□ □□□□ □□ □□□ □□□ □□, □□□ □□ □□ □ □□ □□□ □□ □□□.

- A. □□□□ □□
- B. □□ □□
- C. □□ □□
- D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 181

□□□□ □□ □□□□□ □□□□□ □□ □□ □□□ 1 □□□ □□ □□□□□ □□□ □□ □ □□□□□.

- A. □□□□ □□
- B. □□□□
- C. □□
- D. □□□ □□□

Answer: ([SHOW ANSWER](#))

□□ □□ □□(SPI) □□□□:

- * SPI□
$$\text{SPI} = \frac{\text{BCWP}}{\text{BCWS}}$$

$$\text{SPI} = \frac{\text{BCWS}}{\text{BCWP}}$$
 □ □□ □□□. □□□ BCWP□ □□□ □□□ □□ □□□□ BCWS□ □□□ □□□ □□ □□□□□.
- * SPI < 1□ □□□□□ □□□□ □□□ □□□□ □□□ □□□□□. □, □□□ □□□□□ □ □□□.
- □□ □□:

- [illegible]

PSP □□□□□□ □□ □□: PSP□ □□□□ □□□ □□ □□□ SPI□ □□□□□(□□: PSP □□ □□□, 1D□: □□□□ □□).

```
PSP 00 0000 000000 00 DumpTop 00 0000 0000 PSP 00! DumpTop 0 0
0 PSP 00 0000 000000, DumpTop PSP 00 0000 0000000000 0000 00
000000. 0000 0000 0000 00 DumpTop PSP 0000 000000.
```

<https://www.dumptop.com/ASIS/PSP-dump.html> (218 Q&As Dumps, **30%OFF** Special

Discount: **KrDump)**

NEW QUESTION: 182

□□ □□□□□□ □□□ □□□ □□□□ □ □□ □□□□ □□ □□□□ □□□ □□ □ □□
□□ □□□ □□□ □□ □□□□ □□ □□□ □□□ □□□ □□ □□□□.

- A.** ☐☐
- B.** ☐☐ ☐☐ ☐☐ ☐☐☐☐
- C.** ☐☐☐
- D.** ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 183

□□ □□ □□□□□□ □□ □□□ □□ □□ □□ □□ □□□□ □□ □□ □□□ □□□□,
□□ □□□□□ □□□ □□□□□□ □□□□□□□?

- A. □□ □□□ □□ □□□ □□□ □□□□□.
- B. □□ □□□□ □□□ □□ □□□□ □□ □□ □ □□□ □□□ □□□□□.
- C. □□□ □□□ □□□□□ □□□□ □□□□□ □□□ □□□ □□□ □□□□□□.
- D. □□ □□□□□ □□ □□□ □□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 184

□□□ □□□□□ □□□ □□□□ □□□□ '□□ □□' □□ □□□ □□□□ □□□□ □□□□
□□□ □□ □□□□.

- A.** ☐ ☐ ☐ ☐ ☐ ☐
- B.** ☐ ☐ ☐ ☐
- C.** ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐ ☐ ☐ ☐

Answer: (SHOW ANSWER)

NEW QUESTION: 185

