

Amazon.AWS-Certified-Cloud-Practitioner.v2026-07-11.q608

□□□□:	AWS-Certified-Cloud-Practitioner
□□□□:	Amazon AWS Certified Cloud Practitioner
□□□:	Amazon
□□ □□ □□□:	608
□□:	v2026-07-11
# □□ □:	290
# □□ □□□:	6080
https://www.krdump.com/Amazon.AWS-Certified-Cloud-Practitioner.v2026-07-11.q608.html	

NEW QUESTION: 1

Simple Notification Service □ □□□□ □□□□ □□ □ □□ □□□□□□ □□□□□? (□□□□ □□ □□ □ □□□□□□.) □□ 3□□ □□□□□.

- A. □□
- B. FTP
- C. SQS
- D. SMS

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 2

□□ □ Amazon EC2 □□□□□□ □□□□ □□□□□□□ □□ □□ □□□ □□□□ □□ Amazon S3 □ □□ □□□□ □□□□ □ □ □□□ □□□□ □□ □□□□□?

- A. AWS IAM □□
- B. □□□ □□□□
- C. AWS IAM □□□ □□□ □
- D. AWS □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 3

□ □□□ □□□□□ □□□ □□□ □□□□□□ □□□□ □□□□ □□□□ □□□□. □ □□□ □□ □ □□□ □ □□□□□ □□□ □□ □□ □□□□ □□□□. □□□ □□ □□□ □□□□ AWS □□□□ □□ □□□?

- A. □□□ DocumentDB (MongoDB □□)
- B. □□□ □□□□□
- C. □□□ □□
- D. □□□ □□□□□□

Answer: B (LEAVE A REPLY)

Amazon Redshift is a fully managed data warehouse service that makes it easy to set up, manage, and scale a data warehouse in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a data warehouse in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

Amazon Redshift is an AWS managed data warehouse service, which is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a data warehouse in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries. Amazon Redshift is a fully managed data warehouse service that makes it easy to set up, manage, and scale a data warehouse in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

Amazon DocumentDB (MongoDB compatible) is a fully managed database service that is compatible with MongoDB. It is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a database in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

Amazon Neptune is a fully managed database service that is designed for graph and key-value workloads. It is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a database in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

Amazon ElastiCache is a fully managed caching service that supports Redis and Memcached. It is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a cache in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

Q: Q:

Amazon Redshift is a fully managed data warehouse service - Amazon Redshift

Amazon Redshift is a fully managed data warehouse service - Amazon Redshift

Amazon Redshift is a fully managed data warehouse service - Amazon Redshift

Amazon DocumentDB (MongoDB compatible) is a fully managed database service - Amazon DocumentDB (MongoDB compatible) Amazon Neptune is a fully managed database service - Amazon Neptune

[Amazon ElastiCache for Redis is a fully managed caching service - Amazon ElastiCache for Redis]

NEW QUESTION: 4

AWS CloudWatch is a fully managed monitoring service that provides a comprehensive view of your AWS resources. It is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a monitoring service in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

Q: Q?

A. Amazon EC2 is a fully managed compute service, which is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a compute service in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

B. CloudWatch is a fully managed monitoring service, which is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a monitoring service in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

C. Amazon S3 is a fully managed storage service, which is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a storage service in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

D. AWS SDK is a fully managed software development kit, which is a distributed database system that can handle large volumes of data and complex queries. It is a fully managed service that makes it easy to set up, manage, and scale a software development kit in the cloud. It is designed to be used with Amazon S3, Amazon Athena, and other AWS services. It is a distributed database system that can handle large volumes of data and complex queries.

Answer: (SHOW ANSWER)

NEW QUESTION: 5

Which of the following is a benefit of using AWS CloudFormation?

- A. It allows you to create and manage infrastructure as code.
- B. It allows you to create and manage infrastructure using a graphical user interface.
- C. It allows you to create and manage infrastructure using a command-line interface.
- D. It allows you to create and manage infrastructure using a web console.

Answer: D ([LEAVE A REPLY](#))

URL: <https://d1.awsstatic.com/whitepapers/introduction-to-aws-cloud-economics-final.pdf> (10)

NEW QUESTION: 6

Which of the following is a benefit of using AWS CloudFormation?

Which of the following is a benefit of using AWS CloudFormation?

- A. AWS CloudFormation allows you to create and manage infrastructure as code.
- B. AWS CloudFormation allows you to create and manage infrastructure using a graphical user interface.
- C. AWS CloudFormation allows you to create and manage infrastructure using a command-line interface.
- D. AWS CloudFormation allows you to create and manage infrastructure using a web console.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following is a benefit of using AWS CloudFormation?

Which of the following is a benefit of using AWS CloudFormation?

- A. AWS CloudFormation allows you to create and manage infrastructure as code.
- B. AWS CloudFormation allows you to create and manage infrastructure using a graphical user interface.
- C. AWS CloudFormation allows you to create and manage infrastructure using a command-line interface.
- D. AWS CloudFormation allows you to create and manage infrastructure using a web console.

Answer: ([SHOW ANSWER](#))

<https://aws.amazon.com/blogs/startups/expanding-kloudless-global-reach-by-bridging-regions/>

NEW QUESTION: 8

Which of the following is a benefit of using AWS CloudFormation?

Which of the following is a benefit of using AWS CloudFormation?

- A. Amazon EC2 instances can be created using Amazon Elastic Compute Cloud(Amazon EC2).
- B. Amazon EC2 instances can be created using Amazon Elastic Block Store(Amazon EBS).
- C. Amazon EC2(Amazon EBS(Equal Elastic Block Store) instances can be created using Amazon Elastic Compute Cloud(Amazon EC2).
- D. Amazon EC2 instances can be created using Amazon Elastic Block Store(Amazon EBS).

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

AWS CloudFormation allows you to create and manage infrastructure as code. Which of the following is a benefit of using AWS CloudFormation? (Select two.)

- A.** □ □ □ □ □
- B.** □ □ □ □ □ □
- C.** □ □ □ □ □
- D.** □ □ □ □
- E.** □ □ □ □ □

Answer: C,E (LEAVE A REPLY)

11

AWS ,
 . ,
 , ,

☐☐: <https://cloudacademy.com/blog/aws-shared-responsibility-model-security/>

NEW QUESTION: 10

☐ ☐☐☐ AWS ☐☐☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐.

□□ AWS □□ □□□ □□□□□ □□ □□ □□□□ □□□□□ □□□□□?

- A.** □ □ □ □ □ □
- B.** □ □ □ □ □ □
- C.** □ □
- D.** □ □

Answer: ([SHOW ANSWER](#))

AWS□□ □□□□□ □□ □□ □□□□ □□□□□ □□□□ □□ □□□ □□ □□ □□□□□.

□□□ □□ □□(Rightsizing)□□ □□□□□ □□ □□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□
 □ □□□□ □□ □□□□□. □□□ □□ □□□ □□ □□□□ □□ □□ □□ □□□□□□ □□□□ □□
 □ □□□□□ □□□ □□□ □ □□□□.¹ □□□ □□, □□ □ □□□□ □□□□□ □□□, □
 □□ □ □□□ □□□□ □ □□ AWS □□ □□□□□, □□□ □□ □□ □□□□ □□□□□ □□□□ □□
 □□□□.

NEW QUESTION: 11

[illegible]

- A.** □□□□ □□ □□□ □□□□ □□
- B.** □□ □□□
- C.** □□□□ □□
- D.** □□□ □□

Answer: D (LEAVE A REPLY)

□□/□□ □□: <https://innovationtactics.com/amazon-business-model-amazon-web-services/>

NEW QUESTION: 12

□□ □□ □□ □□□ □□□ □□(IEM)□ □□□□ □□ AWS □□ □□□ □□□□□?

A. □□□□

B. □□□

C. □□

D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

□ □□□ AWS □□□□□□ □□□□□□□ □□□□ □□□□. □ □□□ □□ □□□□ □□□□ □□□□

□ Amazon S3 □□□□ □□□ □ □□ □□ □□□ □□□ □□ □□□□ □□□□.

□□□ □□ □□□ □□□□ □□ □□□ □□ AWS □□□ □□ □□□ □□□□ □□□□?

A. AWS □□□ □□□

B. □□□ □□□□ □□□ □□□□□□

C. S3 □□

D. AWS □□ □□□

Answer: B ([LEAVE A REPLY](#))

Amazon Kinesis Data Firehose□ Amazon S3, Amazon Redshift, Amazon Elasticsearch Service, Splunk □□

□□□□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□□. Amazon Kinesis Data Firehose□ □

□□□ □ □□□□□□, □□□□ □□, IoT □□, □□ □□□ □ □□□ □□□□ □□□□ □□□□ □□, □□

□ □□□ □ □□□□.

NEW QUESTION: 14

AWS □□□□ □□ □□□ □□□□ □ □□□ □ □□ □□ □□□□ □□□□□□?

A. □□□ □□ □□□ □□□(Amazon SES)

B. □□□ □□ □□ □□□(Amazon SNS)

C. □□□ □□□□□□

D. AWS □□□□□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 15

□□ □ AWS□□ □□□□ □□□ □□ □□□(DNS) □ □□□□ □□□□□□?

A. □□□ □□ 53

B. □□□ □□

C. □□□ □□□□□□

D. □□□ □□□□□

Answer: A ([LEAVE A REPLY](#))

□□/□□ □□: <https://aws.amazon.com/getting-started/tutorials/get-a-domain/>

NEW QUESTION: 16

□ □□□ AWS □□ □□ □□□ □□□□ □□□□. □ □□□ AWS □□□□ □□ □□ □□□ □□□□ □

□ □ □□□ □□□□ □□□.

Which of the following are AWS managed services? (Select three.)

- A. Amazon EC2
- B. Amazon S3
- C. Amazon ElastiCache
- D. Amazon IAM
- E. Amazon CloudWatch
- F. Amazon CloudFormation

Answer: B,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which of the following are AWS managed services? (Select three.)

- A. AWS DataSync
- B. S3
- C. S3
- D. S3
- E. S3

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which of the following are AWS managed services? (Select three.)

- A. AWS Trusted Advisor
- B. AWS IAM
- C. Amazon S3
- D. Amazon EC2

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which of the following are AWS managed services? (Select three.)

- A. AWS IAM
- B. AWS IAM
- C. AWS IAM
- D. AWS IAM

Answer: ([SHOW ANSWER](#))

□□

□□/□□ □□: <https://aws.amazon.com/compliance/shared-responsibility-model/>

NEW QUESTION: 23

AWS □□□□□ □□□ □□□□ □□ □□□□□□ □□□ □□□ □□□□□?

- A.** □ □□□ □□□□ □□□ □□□□ □□ □□ □ □□ □□□□ □ □□□ □□□.
- B.** □ □□□□ □□□ □□□ □□ □□□ □□ □□ □ □□□ □□ □□□□□□□.
- C.** □ □□□ □□□ □□□□ □□ □ □□ □□ □□□□ □□□□ □□□□□.
- D.** AWS□□ □□□□□ □□□□ □□ Well-Arch Heeled □□□ □□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

□□ □ AWS □ □□□□ □□□□□□ □□ □□□ □□□□ □□ □□□□□?

- A. ☐ ☐ ☐ ☐
- B. ☐ ☐ ☐ ☐ ☐
- C. ☐ ☐ ☐ ☐
- D. ☐ ☐ ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 25

☐ ☐☐☐ ☐☐☐☐ ☐☐☐ AWS ☐☐☐☐ ☐☐ ☐☐☐.

□□ □□□ □□□ □□□ □□□□ □□□□□?

- A.** □□ □□□(opex)□□ □□ □□ □□(capex)□□ □□.
- B.** □□ □□ □□(capex)□□ □□ □□ □□(capex)□□ □□.
- C.** □□ □□ □□(capex)□□ □□ □□ □□(opex)□□□ □□.
- D.** □□ □□ □□(capex) □□ □ □□ □□ □□(opex) □□

Answer: ([SHOW ANSWER](#))

□□/□□ □□:

NEW QUESTION: 26

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ . ☐ ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ? (☐
☐ ☐ ☐ ☐ ☐)

- A.** AWS Direct Connect
- B.** □□□ □□□□□□□
- C.** □□□□□□ □□ □□□
- D.** AWS □□
- E.** AWS □□□ □□□□□□

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 27

□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □ □□ □□□□ □□□□ □□□□ □□□□□?

- A.** ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ (Amazon S3)
B. ☐☐☐ ☐☐☐☐ DB

D. ☐ ☐ ☐ ☐ ☐

NEW QUESTION: 28

A. ☐☐☐ ☐☐☐

C. AWSShield

Answer: A (LEAVE A REPLY)

A. ☐☐☐☐ ☐☐☐ ☐☐☐☐.

C. ☐☐☐ ☐☐☐☐.

NEW QUESTION: 30

AWS □□□□□ □□ □□□ □□□ □□ □□□ □□□□□?

A. ☐☐☐ ☐☐☐

B. □□□

C. ☐ ☐

D. ☐ ☐ ☐ ☐ ☐

NEW QUESTION: 31

A. AWS ☐☐

B. AWS ☐ ☐

D. ☐ ☐ ☐ ☐ ☐

[illegible]

□ □□□ □□□□□□ □□ □□ □□ □□□□ □□□□ □ □□ □□□ □□□ □□ □□□□□□□ □□ □□ □□□□. □□, □□□□ □□□□(FIFO) □□□□ □□□□ □□ □□ □□□ □□□□. □ □□□ □□ AWS □□□□ □□□□ □□□□?

- Answer: D (LEAVE A REPLY)**

□□□□ MySQL □□□□□□□ □□□□□ □□□□ □ □□□ □ □□ AWS □□□□ □□□□□? (□ □
□□ □□□□□□.)

- Answer: ([SHOW ANSWER](#))**

Amazon RDS □ □□□□□ □□□ □□□□□□□ □□ □□, □□ □ □□□ □ □□□ □□□□ □□□□
 □□. Amazon RDS □ □□□ MySQL □□□□□□ □□□□□ □□□□ □□, □□, □□ □ □□□ □□ □
 □□□ □□□□□□ □□□ Amazon RDS □□ □□□□□ □ □ □□□□.6 Amazon EC2 □ □□□□□□ □
 □□□ □□ □□□ □□□ □□□ □□□□ □□□□□□. Amazon EC2 □ □□□□ □□ □□□ □□□□
 MySQL □□□□□□ □□□ □ □□□□. □□□□□□ □□□ □□□□ □□□ □ □□□ □□□□□□ □
 □□□□□□ □□ □□□ □□ □ □□ □□□ □□□□ □□□□ □□□.7 Amazon DynamoDB □ □□ □□□

□ □ □□ □□□□ □□□ □□□□ □-□ □ □□ □□□□□□□□□. Amazon S3□ □□ □□ □□□ □
□□, □□□ □□□, □□ □ □□□ □□□□ □□ □□□□ □□□□□□. Amazon MQ□ Apache ActiveMQ
□ □□□ □□□ □□□ □□□□□□. □□□ □□□ □ □□ □□ MySQL □□□□□□□ □□□□□ □□
□□ □ □□□ □□ □□□□.

NEW QUESTION: 34

AWS ☐☐ ☐☐ ☐☐☐☐☐ ☐ ☐ AWS ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐?

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- B.** ☐ ☐ ☐ ☐ ☐
- C.** ☐ ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐ ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

□ □ :

<https://aws.amazon.com/compliance/shared-responsibility-model/>

NEW QUESTION: 35

AWS □□ □□ □□□□ □□ □ □□□ □□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A.** □□□□ □□ □□ □□(ACL) □□
- B.** □□□□□ □□□ □□□ □□□
- C.** □□□ □□ □ □□ □□ □□
- D.** □□□□□ □□ □□
- E.** Amazon RDS(Amazon Relational Database Server)□ □□ □□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

□□ □ AWS □□ □□□ □□ □ □□□□ □□ □□□□□? (□ □□ □□□□□)

- A.** □□□□ □□ □□
B. □□□
C. □□□
D. □□ □□
E. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

□□□ □□ AWS □□□□ □□□□ □□ □□ □□ □ AWS □□□ □□□□ □ □□□□?

- A. AWS Certificate Manager(ACM)**
B. AWS □□ □□
C. AWS □□□□
D. AWS Identity and Access Management (IAM)

Answer: C (LEAVE A REPLY)

NEW QUESTION: 38

Which of the following AWS services can be used to estimate the total cost of ownership (TCO) of a workload? (Select TWO.)

- A. AWS Cost Explorer
- B. AWS TCO Calculator
- C. AWS Budgets
- D. AWS Pricing Calculator

Answer: (SHOW ANSWER)

TCO is the total cost of ownership. It is the sum of the costs of all the resources used to run a workload. AWS TCO Calculator is a tool that helps you estimate the TCO of your AWS workload.

Link: <https://awstcocalculator.com>

NEW QUESTION: 39

Which of the following AWS IAM best practices is NOT recommended? (Select ONE.)

- A. Use the root user to manage AWS resources.
- B. Use IAM roles to grant permissions to AWS services.
- C. Use IAM groups to manage permissions for users.
- D. AWS IAM is not recommended for Amazon EC2 instances.

Answer: C (LEAVE A REPLY)

Link: <https://cloudcheckr.com/cloud-security/top-5-iam-best-practices/>

NEW QUESTION: 40

Which of the following AWS services can be used to monitor the CPU usage of an EC2 instance? (Select ONE.)

- A. CPU Utilization
- B. CloudWatch Metrics
- C. CloudWatch Logs
- D. CloudWatch Events

Answer: C (LEAVE A REPLY)

NEW QUESTION: 41

Which of the following AWS services can be used to create a custom IAM policy? (Select TWO.)

- A. IAM Policy Simulator
- B. IAM Policy Generator
- C. IAM Policy Editor
- D. IAM Policy Tester
- E. IAM Policy Auditor

Answer: (SHOW ANSWER)

NEW QUESTION: 42

Which AWS service can be used to store and retrieve any amount of data?

- A. Amazon ElastiCache
- B. Amazon EC2
- C. Amazon S3
- D. Amazon EBS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which AWS service can be used to connect an on-premise network to an AWS VPC?

- A. AWS Direct Connect
- B. AWS CloudFormation
- C. Amazon S3
- D. AWS IAM

Answer: B ([LEAVE A REPLY](#))

Which AWS service can be used to store and retrieve any amount of data?

NEW QUESTION: 44

Amazon S3 can be used to store and retrieve any amount of data.

- A. Amazon Elastic Block Store (Amazon EBS) can be used to store and retrieve any amount of data.
- B. Amazon ElastiCache can be used to store and retrieve any amount of data.
- C. Amazon EC2 can be used to store and retrieve any amount of data.
- D. Amazon IAM can be used to store and retrieve any amount of data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Which AWS service can be used to store and retrieve any amount of data?

- A. AWS Lambda
- B. Amazon ElastiCache
- C. Amazon S3
- D. AWS IAM

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

AWS can be used to store and retrieve any amount of data.

- A. Amazon ElastiCache

- Answer: ([SHOW ANSWER](#))**

NEW QUESTION: 47

A. Amazon RDS ☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐ ☐☐ ☐☐

B. Amazon DynamoDB ☐ ☐☐ ☐☐ ☐☐

C. Amazon EC2 ☐☐☐☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

D. Xen ☐ KVM ☐☐☐☐☐☐☐ ☐☐ ☐☐

Answer: C (LEAVE A REPLY)

A. AWS ☐☐☐☐☐☐☐☐
B. AWS ☐☐☐☐☐
C. AWS ☐☐☐☐☐☐☐☐
D. AWS ☐☐☐☐

Answer: B (LEAVE A REPLY)

A. □□□ □□ □ □□□□□ □□□□□

B. □□ □□□ □□ □□ □□

C. □□□ □□

D. □□□ □□ □□□□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 50

AWS CloudWatch Logs can be used to monitor AWS CloudTrail logs. Which of the following is a benefit of using CloudWatch Logs to monitor CloudTrail logs?

- A. AWS CloudTrail logs are automatically stored in CloudWatch Logs.
- B. AWS CloudTrail logs are automatically stored in CloudWatch Logs.
- C. AWS CloudTrail logs are automatically stored in CloudWatch Logs.
- D. AWS CloudTrail logs are automatically stored in CloudWatch Logs.

Answer: C ([LEAVE A REPLY](#))

CloudWatch Logs can be used to monitor AWS CloudTrail logs. Which of the following is a benefit of using CloudWatch Logs to monitor CloudTrail logs?

CloudWatch Logs can be used to monitor AWS CloudTrail logs. Which of the following is a benefit of using CloudWatch Logs to monitor CloudTrail logs?

CloudWatch Logs can be used to monitor AWS CloudTrail logs. Which of the following is a benefit of using CloudWatch Logs to monitor CloudTrail logs?

NEW QUESTION: 51

Which of the following is a benefit of using AWS Trusted Advisor to monitor your AWS environment?

Which of the following is a benefit of using AWS Trusted Advisor to monitor your AWS environment?

- A. AWS Trusted Advisor
- B. AWS Trusted Advisor
- C. AWS Trusted Advisor
- D. AWS Trusted Advisor

Answer: B ([LEAVE A REPLY](#))

AWS Artifact can be used to monitor your AWS environment. Which of the following is a benefit of using AWS Artifact to monitor your AWS environment?

AWS Artifact can be used to monitor your AWS environment. Which of the following is a benefit of using AWS Artifact to monitor your AWS environment?

AWS Artifact can be used to monitor your AWS environment. Which of the following is a benefit of using AWS Artifact to monitor your AWS environment?

NEW QUESTION: 52

Which of the following is a benefit of using AWS VPC to monitor your AWS environment?

Which of the following is a benefit of using AWS VPC to monitor your AWS environment?

Which of the following is a benefit of using AWS VPC to monitor your AWS environment?

- A. VPC
- B. VPC
- C. VPC ACL
- D. AWS WAF

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

AWS CloudWatch Logs can be used to monitor AWS CloudTrail logs. Which of the following is a benefit of using CloudWatch Logs to monitor CloudTrail logs?

CloudWatch Logs can be used to monitor AWS CloudTrail logs. Which of the following is a benefit of using CloudWatch Logs to monitor CloudTrail logs?

- A. CloudWatch Logs
- B. CloudWatch Logs

- C.** □□ □□□□
- D.** □□□ □□
- E.** □□□□ □□ □□□□□□ □□□□

Answer: ([SHOW ANSWER](#))

☐☐: <https://aws.amazon.com/blogs/aws/the-new-aws-tco-calculator/>

NEW QUESTION: 54

□□ □□□ □ AWS □□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□□?

- A.** AWS IAM
- B.** AWS ☐☐☐☐
- C.** ☐☐☐ ☐☐☐☐
- D.** AWS KMS

Answer: ([SHOW ANSWER](#))

[illegible]

AWS Artifact□□ □□□□ □□□□□ □□□ □□ □□(SOC) □□□, □□ □□ □□(PCI) □□□, □□□
AWS □□ □□□ □□ □ □□ □□□□ □□□□ □□□ □□ □ □□ □□ □□□□ □□ □□ □□□□ □□
□□□.

AWS Artifact□□ □□□ □ □□ □□□□ □□□□ □□ □□ □□(BAA)□ □□ □□ □□(NDA)□ □□□□.

□□: <https://aws.amazon.com/artifact/>

NEW QUESTION: 55

AWS □□□□□ □□□□ □□□□□□□ □□□ □ □□□ □ □□ □□ □□□□□?

- A.** □□□□□□ □□ □□ □□ □□□ □□□ □ □□□ □□□□□.
- B.** □□ □□□□□□□ AWS Auto Scaling□ □□□□□.
- C.** □□ □□ □□□ □□□□ □□ □□ □□□ □□□□□□.
- D.** □□□□ □□□□□ □□□□ □□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 56

☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐?

- A.** AWS ☐☐
- B.** ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐ (Amazon EFS)
- C.** AWS ☐☐☐☐ ☐☐☐☐☐☐
- D.** ☐☐☐ S3 ☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 57

AWS ☐☐ ☐☐ ☐☐☐ ☐☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐

()

□□?

- A. □□ □□□□ □□□ □□□□□.
- B. □□ □□□□ AWS□ □□□□□.
- C. AWS□ □□□ □□□□□.
- D. □□ AWS □□ □□ □□□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

□□

AWS□ □□□ □□□ □□□ □□ □□□□□, □□□ □□□ □□ □□, □□□□□□ □ □□□□□□□ □ □□□□ □□□.

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□ □□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□ □. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□. <https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

□□ □□□ □□ □□□ □□□ □ □□□ □□□□ AWS □□□□ □□□□□?

- A. □□□ □□□□
- B. AWS □□
- C. AWS □□
- D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

□□

AWS Organizations□ □□ □□ □□□ □□□□ □□ AWS □□ □□ □□ Amazon Internet Services Pvt. Ltd(AISPL) □□□ □□ □□ □ □□□ □□□ □ □□□□. AWS Organizations□ □□ □□□□ □□ □□(□□ □□) □□□ □□□ □□□□ □□□(□□□) □□□ □□□□. □□: <https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/consolidated-billing.html>

NEW QUESTION: 63

□□□□ □□□□ AWS □□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□□□□□ □ □□□□ □□□. □□ □□□□ □□ □□□ □□□ □□□□□?

- A. AWS Config□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□ AWS Lambda □□□ □□□□ □ □□ □□ □□□ □□□□□.
- B. Amazon EC2 □□ □□□□ □ □□ □□□ □□□□ □□□ □□□□ □□ 0.0.0.0/0□ □□□□□□.
- C. AWS Trusted Advisor□ □□□□ □□□ □□□□□□.
- D. AWS IAM □□□ □□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

AWS CloudTrail records AWS API calls and events. Which of the following is a limitation of CloudTrail?

- A. CloudTrail does not record AWS CLI commands.
- B. CloudTrail does not record AWS SDK calls.
- C. CloudTrail does not record AWS IAM actions.
- D. CloudTrail does not record AWS Lambda function invocations.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 65

Which of the following is a limitation of Amazon EBS?

- A. EBS does not support snapshots.
- B. AWS does not support EBS.
- C. AWS does not support EBS.
- D. EBS does not support snapshots (Amazon EBS).

Answer: ([SHOW ANSWER](#))

AWS Storage Gateway is a hybrid cloud storage service that enables you to seamlessly integrate on-premises storage with AWS cloud storage. Storage Gateway provides a simple, secure, and cost-effective way to connect your on-premises storage to the AWS cloud. It allows you to store data in the cloud while maintaining low-latency access to the data from your on-premises applications. Storage Gateway supports three types of storage: file storage, block storage, and tape storage. It also supports a variety of protocols, including NFS, SMB, and iSCSI. Storage Gateway is a managed service, so you don't have to worry about the underlying infrastructure. It is also highly available and scalable, so you can store large amounts of data without any performance issues.

NEW QUESTION: 66

Which of the following is a limitation of Amazon RDS?

- A. AWS Lambda
- B. AWS Key Management Service (AWS KMS)
- C. AWS WAF
- D. Amazon ElastiCache

Answer: ([SHOW ANSWER](#))

AWS Key Management Service (AWS KMS) is a managed service that makes it easy to create and control the encryption keys you use to encrypt your data. AWS KMS is a fully managed service, so you don't have to worry about the underlying infrastructure. It is also highly available and scalable, so you can store large amounts of data without any performance issues. AWS KMS supports a variety of encryption algorithms, including AES-128, AES-256, and RSA. It also supports a variety of use cases, including encrypting data at rest, in transit, and in use. AWS KMS is a managed service, so you don't have to worry about the underlying infrastructure. It is also highly available and scalable, so you can store large amounts of data without any performance issues.

NEW QUESTION: 67

Which of the following is a limitation of AWS IAM?

- A. IAM does not support 53.
- B. IAM does not support 53.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

A company is planning to migrate its on-premises database to the cloud. The database is a large, complex, and mission-critical system. The company wants to ensure that the migration is seamless and that the database is available during the migration process. Which AWS service should the company use to migrate the database?

- A. AWS Snowball
- B. AWS Snowball Edge
- C. AWS DataSync
- D. AWS Database Migration Service (AWS DMS)

Answer: D ([LEAVE A REPLY](#))

AWS Database Migration Service (AWS DMS) is a managed service that enables you to migrate your on-premises databases to Amazon RDS, Amazon Aurora, Amazon Redshift, Amazon ElastiCache, Amazon DynamoDB, Amazon DocumentDB (formerly Amazon ElastiDB), Amazon S3, and Amazon EMR. AWS DMS supports a wide range of database engines, including Oracle, Microsoft SQL Server, PostgreSQL, MySQL, Amazon Aurora, and MongoDB. AWS DMS also supports a wide range of migration scenarios, including full database migrations, incremental data migrations, and schema migrations. AWS DMS is a managed service, which means that AWS is responsible for the underlying infrastructure and the management of the migration process. This makes it easy to use and reduces the risk of migration failure. AWS DMS also provides a variety of features that make it a powerful tool for database migration, including the ability to migrate large volumes of data, the ability to migrate complex schemas, and the ability to migrate data in real-time.

12 Q&As: [AWS Database Migration Service \(AWS DMS\) - AWS](#)

[AWS Database Migration Service \(AWS DMS\) - AWS](#)

AWS-Certified-Cloud-Practitioner PDF Dumps Top 1000 AWS-Certified-Cloud-Practitioner PDF! DumpTop is the best source for AWS-Certified-Cloud-Practitioner PDF. DumpTop AWS-Certified-Cloud-Practitioner PDF is the best source for AWS-Certified-Cloud-Practitioner PDF. DumpTop AWS-Certified-Cloud-Practitioner PDF is the best source for AWS-Certified-Cloud-Practitioner PDF.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 77

A company is planning to migrate its on-premises database to the cloud. The database is a large, complex, and mission-critical system. The company wants to ensure that the migration is seamless and that the database is available during the migration process. Which AWS service should the company use to migrate the database?

- A. Amazon Inspector
- B. Amazon Inspector
- C. AWS DataSync
- D. AWS Database Migration Service (AWS DMS)

D. AWS ☐☐

Answer: ([SHOW ANSWER](#))

□□□□ ACL(□□□□ □□□ □□ □□)□ EC2 □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□
 □ AWS □□□ □□ □□□□□. □□□□ VPC(□□ □□ □□□□) □ IP □□□□□ □□□ □□□□□□.
 VPC□ □□□ □□□ □□ □□□□□□ AWS □□□□ □□□ □ □□ AWS □□□□□ □□□□□ □□□
 □□□□□. □□□□ ACL□ □□ □□□ □□□□ □□ □□□□ □ □□□□□ □□□□ □□□□ □□ □□
 □□□□. □□□□ □□□□ ACL□ □□□□ □□□□□, □□ □□ □□□ □ □□□ IP □□□ □□□□ □□□
 □ □□□□□ □□□ □ □□□□. □□□□ ACL□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□ □
 □□□□. □□□□ □□□□ □□□□ □ □□□□□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□.

NEW QUESTION: 82

[illegible]

- A.** ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐(☐☐☐ EC2)
- B.** AWS ☐☐
- C.** Amazon DynamoDB
- D.** AWS CodeCommit

Answer: ([SHOW ANSWER](#))

11

□ □ :

AWS Lambda AWS . AWS .

NEW QUESTION: 83

AWS ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐?

- A.** AWS ☐☐ ☐ AWS ☐☐ ☐☐ ☐☐ ☐☐
- B.** ☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐ AWS ☐☐
- C.** ☐☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐
- D.** ☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐☐☐ ☐☐☐☐☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 84

□□ □ □□ □□□□□ □□ □□ Amazon EC2 □□□□□ □□□□ □□ □□□ □□□□□?
(□ □□ □□□□□.)

- A.** ☐☐☐ ☐☐ ☐☐☐☐
- B.** ☐☐☐
- C.** ☐☐☐
- D.** ☐☐
- ☐☐ ☐☐ ☐☐
- E.** ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 85

Amazon RDS □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A. □□ □□□ □□□□□□□□□□ □□□□ □□□□□.
- B. □□□ DB □□□□ □□
- C. □□□□□□ □□□□□ □□ □□ □□□ □□□□ □□ □□□ □□□□□.
- D. □□ □□□□□ □□ □□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 86

☐ ☐☐☐ ☐☐ ☐☐ ☐☐ Amazon EC2 ☐☐☐☐☐, ☐☐ ☐ ☐ ☐ ☐
☐ ☐☐☐☐ ☐☐. ☐ ☐ ☐☐ ☐☐☐ ☐☐ ☐

- A.** EC2 instances connect to the Internet, and connect AWS resources to the AWS VPN gateway through the Internet.
- B.** Connect AWS resources to the Internet through EC2 instances.
- C.** VPC connects to the Internet through the AWS gateway EC2 instances.
- D.** EC2 instances connect to the Internet through the AWS gateway.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

☐☐ ☐☐☐ ☐ ☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

- A.** AWS ☐☐☐☐☐☐☐☐
B. ☐☐ ☐☐ ☐☐
C. ☐☐☐ EBS
D. AWS Direct Connect

Answer: B (LEAVE A REPLY)

☐☐: <https://aws.amazon.com/elasticloadbalancing/>

Elastic Load Balancing is a managed service that automatically distributes incoming traffic across multiple Amazon EC2 instances. Elastic Load Balancing is a managed service that automatically distributes incoming traffic across multiple Amazon EC2 instances. Amazon EC2 instances are distributed across multiple Availability Zones to ensure high availability and fault tolerance. Amazon EC2 instances are distributed across multiple Availability Zones to ensure high availability and fault tolerance.

<https://aws.amazon.com/ebs/>

NEW QUESTION: 88

AWS ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐.

- A.** □□□ □□□.
- B.** □□.
- C.** □□□.
- D.** □□□□ □□ □□□ □□□□ □□.

Answer: (SHOW ANSWER)

NEW QUESTION: 89

□□□ AWS □□□□ □□□ □□□□□ □□□□□ □□□□ □□□□ □□□ □□□□□. □ □
 □□ AWS □ □□□□ □□□□□□ □□ □□ □□□ □□□□ □□□□?

- A. ☐☐☐
- B. ☐☐☐☐☐
- C. ☐☐☐☐
- D. ☐☐☐☐☐

Answer: D (LEAVE A REPLY)

<https://aws.amazon.com/blogs/apn/the-6-pillars-of-the-aws-well-architected-framework/> □□ □□□, □□, □□□, □□ □□□, □□ □□□ □ □□ □□□□□□ 6□□ □□ □□□ □□□□ □□□ AWS Well-Architected□ □□□ □□□□ □□□□□ □□□□ □□ □□□ □□□ □□□□ □ □□ □□□ □□ □□□ □□□□□.

□□□ □ □□

□□□ □□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□□□ □□□□ □□□ □ □□ □□□ □□□□. □□□□ □□□□□ □□ □□ □□ □□ □□ □ □□□□ □ □□ □□□ □□□□□. □□□□ □□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □□□□.

NEW QUESTION: 90

☐ ☐☐☐ EC2 ☐☐☐☐ ☐☐☐ ☐☐.

☐☐ ☐ ☐☐ EC2 ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐ ☐☐ ☐☐ ☐ ☐☐

☐?

- A.** ☐☐☐ EC2 ☐☐ ☐☐
- B.** ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ (Amazon DLM)
- C.** ☐☐☐ ☐☐ ☐☐ (AMI)
- D.** ☐☐☐ EBS(Equal Channel Angular Storage) ☐☐

Answer: C (LEAVE A REPLY)

Amazon Machine Image(AMI)은 EC2 인스턴스를 생성할 때 사용되는 이미지입니다. AMI는 EC2 인스턴스의 운영체제, 소프트웨어, 데이터를 포함합니다. AWS에서 제공하는 기본 AMI와 사용자 정의 AMI가 있습니다. AWS Marketplace에서도 다양한 AMI를 구매할 수 있습니다.

AWS, AWS Marketplace에서 제공하는 기본 AMI와 사용자 정의 AMI를 사용하여 EC2 인스턴스를 생성할 수 있습니다. [Amazon Machine Image(AMI)] 페이지에서 자세한 정보를 보실 수 있습니다.

NEW QUESTION: 91

[illegible]

- A.** AWS □□□□
- B.** □□□ □□□□□□□
- C.** AWS □□
- D.** □□□ □□□

□□□ □□ □□□□□ □□□ □□□□ □□□□ □□□□ □□□□□. □□ □□ □□□ □□ □□□□ □
 □□□ □□□ □ □□□□.

□□□□

□□ □□

□□ □□

□□□□□□

□□

[illegible][illegible]

AWS □□ □□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□□?

A. □□ □□□□ □□□ □□□□□.

B. □□ AWS □□ □□ □□□ □□□ □□□□.

C. □□ □□□□ AWS□ □□□□□.

D. AWS□ □□□ □□□□□.

[illegible]

NEW QUESTION: 98

AWS □ □□□□□□□ □□ □□ □□□□□ □□□ □□□□ □□□ □□□ □ □□ AWS □□□ □□ □□□ □□□□□? (□ □□□ □□□□□□)

- A. AWS Trusted Advisor
- B. AWS Organizations
- C. AWS Direct Connect
- D. □□□□ ACL
- E. AWSWAF

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 99

Amazon S3□ □□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□ □□□□□?

- A. SSL
- B. □□ □□□ □□□(TDE)
- C. TLS
- D. S3 □□ □□□ □□ □□□ □□ □ □□□(SSE-S3)
- E. AWS KMS □□□ □□□ □(SSE KMS)□ □□□ □□ □ □□□

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 100

AWS □□□□□□ □□□□□ □□ □□□□□?

- A. AWS □□ □□□□ 24□□ □□□□ □□□□□.
- B. □□□□ □□□ □□□□□□ □□□□□□□ □□ □□□ □ □□□ □□
- C. □□ AWS □□□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□.
- D. AWS □□□ □□□□ □ □□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

□□:

<https://aws.amazon.com/blogs/startups/high-availability-for-mere-mortals/>

NEW QUESTION: 101

□ □□□ AWS□□ □□□□□ □□□□□□□ □□□□ □□□□ □□□ □□□□□□ □□□. □ □□□ □□ AWS □□□□ □□□□ □□□?

- A. □□□ □□□□□
- B. □□□ □□□
- C. AWS □□□□ □□□□□
- D. AWS □□□ □□□□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

□□□□ 3□□ □ □□□□□□□ □□□ □, □□□□ □□□□□ □□ □□ □ □□□ □□□ □ □□□ □ □ AWS □□□ □/□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□ AWS PoP(Point of Presence)□ □□□ □□□.

- B. Amazon VPC □□□ ACL□ □□□□ □□□ □□□ □□□□□.
- C. AWS □□ □□□□□□ □□□(AWS SMS)□ □□□□ Amazon EC2 □□□□□ □□ □□□□ □□□□ □.
- D. □□ □□ □□□ □□□ □□□.
- E. Amazon EC2 □□□□□ AWS □□ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 103

□□ □□□ Amazon Elastic Compute Cloud(Amazon EC2) □□□□ □□□ □□□□ □□ □□□ □□□□ □?

- A. Amazon EC2 □□□□□ □□ □□ □□□ □□□ □□□.
- B. AWS Identity and Access Management(IAM) □□□ □□□□ AWS □□□ □□□ □□□□□.
- C. AWS Shield□ □□□□ DDoS □□□□□□ □□□□□.
- D. Amazon CloudFront□ □□□□ Amazon EC2 □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

AWS □□ □□□ Amazon EC2 □□□□□ □□□□□ □□□□ □□□□ □ □□□□□ □□□□ □□ □□ □□□.

□ □□□ □□□□ □□ □□□□ □□□□ □□□ □ □□□ □□□ □□□□□ □□□ □ □□□□.

AWS □□ □□□ □□ □□□□□. □□ □□ □□□ □□□□□□ □□□ □□ □□□ □□□ □ □□□□ (□, □□ □□□ □□□ □□ □□□□ □□ □□□□ □□□□ □□□□). □□ □□ □□□□□□□ □□□ □□ □□□ □□ □□□□. □□ □□ □□ □□□ □□□□□ Amazon EC2 □□□ □□□□ □ □□□ □□□ □ □□□□.

□□: <https://www.threatstack.com/blog/aws-security-groups-what-they-are-and-how-to-get-the-most-out-of-them>

NEW QUESTION: 104

□□ □ AWS □□□□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□ □□ □□
- B. □□□
- C. □□□
- D. □□ □□
- E. □□ □□

Answer: B,C ([LEAVE A REPLY](#))

□□

AWS □□□□□ □□ □ □□□ □□□ □□ □ □□□□ □□□ □ □□ □□□□□□.

AWS □□□□ □□□□□ □□□ □□ □□□ □ □□ □□□□ □□ □□□□□ □□□□. □□□□ □□□ □□□ □□□ □□□ □□□ □□, □□□ □□□ □□ □□ □□□□□ □□□□□ □□ □□ □□□□□. □□ □□□□ □□□ □□, □□□□ □□, □□□ □□□□□ □□ □□□□ □□ □□ □□□ □□ □□□□ □.

□□: <https://www.botmetric.com/blog/evolution-agile-enterprises-aws-cloud/>

NEW QUESTION: 105

Which of the following is the correct way to create an IAM user?

- A. AWS IAM
- B. AWS CLI
- C. AWS IAM console
- D. AWS IAM

Answer: B ([LEAVE A REPLY](#))

URL: <https://aws.amazon.com/organizations/>

NEW QUESTION: 106

Which of the following is the correct way to create an IAM user? (Select all that apply.)

- A. AWS IAM
- B. AWS Trusted Advisor
- C. AWS CLI
- D. AWS IAM

Answer: D ([LEAVE A REPLY](#))

AWS-Certified-Cloud-Practitioner is a certification exam that tests your knowledge of AWS services and their use cases. It is a foundational exam that is required for the AWS Certified Solutions Architect exam. DumpTop is a leading provider of AWS-Certified-Cloud-Practitioner dumps and practice exams. We have a large database of questions and answers that are updated regularly. We also offer a 30%OFF Special Discount: **KrDump** on all our products. Visit our website at <https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 107

Which of the following is the correct way to create an IAM user? (Select all that apply.)

- A. AWS IAM
- B. AWS CLI
- C. AWS IAM console
- D. AWS IAM
- E. Amazon S3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 108

Which of the following is the correct way to create an IAM user?

- A. AWS IAM
- B. AWS STS
- C. AWS Organizations
- D. AWS Trusted Advisor

Which AWS service is used to manage access to AWS resources?

Answer: C ([LEAVE A REPLY](#))

AWS Organizations is a service that enables you to centrally manage your AWS accounts and resources. It allows you to create and manage a hierarchy of accounts, known as an organization. You can use Organizations to manage access to AWS resources across your organization, including setting up policies and permissions. Organizations also provides features for managing billing, security, and compliance across your organization. Organizations is a service that is designed to help you manage your AWS environment more effectively and efficiently.

NEW QUESTION: 109

Which AWS service is used to manage access to AWS resources?

- A. IAM 53
- B. AWS STS
- C. AWS Organizations

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110

Which AWS service is used to manage access to AWS resources?

- A. AWS IAM
- B. AWS STS
- C. AWS Direct Connect
- D. Amazon EFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 111

Which AWS service is used to manage access to AWS resources?

- A. IAM
- B. STS
- C. AWS Organizations
- D. AWS IAM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 112

□□□□ □□ □□□ □□□ □ □□□ □□ AWS □□□ □□ □□□ □□□□□?

- A. AWS Organizations**
- B. AWS** □□□ □□□
- C. AWS** □□ □ □□□ □□□
- D. AWS** □□ □□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 113

[illegible]

- A.** □ □ □ □ □ □
- B.** □ □ □ □ □
- C.** □ □ □ □ □ □ □ □
- D.** □ □ □ □ □ □ □ □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

AWS Trusted Advisor ☐ ☐ ☐ ☐ ☐ ☐ ?

- A.** AWS □□□ AWS □□ □□□ □□ □□ □□□ □□ □□□ □□□□□.
- B.** AWS □□ □□□ □□ □□ □□ □ □□ □□□ □□□□ AWS □□□ □□□□□□□.
- C.** □□ □□□, □□ □ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□.
- D.** AWS □□ □□ □□□□ □□□□ □ □□ □□□□, □□ □□□, □□ □ □□□ □□ □□ □□□ □□□ □□□.

Answer: C (LEAVE A REPLY)

AWS Trusted Advisor □ AWS □□ □□□ □□ □□□□ □□□□□□□ □ □□□ □□ □□□ □□□ □□
□□ □□□ □□□□□.

□□□ □□□□□ □□□□□, □□□□□□□ □□□□□, □□□□ □□□ □□□□ □□, Trusted Advisor
□ □□□□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□ □□□□□□.

NEW QUESTION: 115

AWS ☐ ☐☐☐☐ ☐☐☐☐☐☐ ☐☐ ☐☐☐ AWS ☐☐ ☐☐ ☐☐☐☐☐☐?

- A.** □ □ □ □ □
- B.** □ □ □ □
- C.** □ □ □
- D.** □ □

Answer: D (LEAVE A REPLY)

AWS □ □□□ □□□□ □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□
 □□□ □□□ □□ □□ □□ □□ □□□□. □ □□□□□ □□ □□ □□ □□□□.

□□ □□□, □□ □□□, □□□, □□ □ □□ □□□. □□ □□□ AWS□ □□□ □□ □ □□ □□ □□□ □□□□ AWS □□ □□ □□□ □□□□□. AWS □ □□□□ □□□□□□ □□ □□□ □□□ [□ □□] □ □ [□ □□□ □□ □□]□□ □□□ □ □□□□.

NEW QUESTION: 116

□ □□□ AWS □□□□□ IT □□□□ □□□□□□. □ □□□ □□□ AWS □□ □□□ □□□ □□ □□ □□□□ □□□□. □□ □□□□ □□□ S3 □□□ □□□□□ □□□. □□□ □□ □□□ □□□□ AWS □□□ □□□□□?

- A. AWS □□ □ □□□ □□□
- B. AWS □□
- C. AWS □□ □□□
- D. □□ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 117

□ □□□ □□□ EC2 □□□□□□ □□□□□□□ □□□ □□□ □ □□ □□□□ □□□ □□□□. □□□ □□□□ □□□ □ □□□□. □□□ □□ □□□ □□□□ EC2 □□□□ □□□ □□□□□?

- A. □□ □□□□
- B. □□□□ □□□□
- C. □□□ □□□□
- D. □□ □□□□

Answer: ([SHOW ANSWER](#))

□□ □□□□ - □□ □□□□□ □□□□□□ □□ □□□ □□□□ □□□ □ □□ □□□□□□□ □□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□ □□□□ □□□□□.

NEW QUESTION: 118

AWS□ □□ □□□□ □□□ AWS Lambda □□□□ □□ □□ □□□□ □□□ □□□□□? (□ □□□ □ □□□□.)

- A. □□ □□ □□□ □□ □□ □□ □□□□□.
- B. □□ □□□ □□□□ □□□□□ □□□ □□ □□□□.
- C. AWS □□□ □□ Lambda □□□ □ □□□ □□□□□.
- D. □□ □□ □□□ □□ □□ □□□ □□□□□.
- E. □□ □□□ □□□□ □ □□□ □□□□□.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 119

Amazon RDS□ □□ □□□ □□□□□ □□□□ □□□□□□□ □□□□ □ □□□ □□□?

- A. □□□
- B. □□ □□ □ □□□□
- C. □□ □□ □□ □□□

Amazon Aurora is a fully managed relational database service that is compatible with MySQL and PostgreSQL. It is designed to be a drop-in replacement for MySQL or PostgreSQL, but with the benefits of a managed service. Amazon Aurora is built on a distributed architecture that allows it to scale horizontally and vertically. It is also designed to be highly available and durable. Amazon Aurora is a good choice for applications that require a relational database and want to take advantage of the benefits of a managed service.

☐☐: <https://aws.amazon.com/rds/aurora/mysql-features/>

AWS □□□□ □□□□ □□ □□ □□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A.** □□ □□ □□
- B.** □□ □□□ □□ □□□ □□□
- C.** □□□ □□ □□ □ □□ □□
- D.** □□□ □□ □□□□ □□ □
- E.** □□ □□ □□

Answer: B,C (LEAVE A REPLY)

□□ □ AWS □□□ □□□ □□□□□?

- A.** AWS□ □□□ □□□□ □□□□□.
- B.** □□□□ □□□□ □□□□□.
- C.** □□ □□□□ □□ □□□ □□□□.
- D.** AWS□ □□ □□ □□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

AWS□ □□ □□□□□ □□ □□ □□ □□ □□□□□ □□□□□. □, □□ □□□ □□□ □□ □□□□□
□ □□□□□.

QUESTION

☐ ☐☐☐ ☐☐☐ ☐☐ ☐ ☐☐☐☐ ☐☐ Amazon EC2 ☐☐☐☐ ☐☐☐☐.

□□□□ □□ □□ □□ □ □□□ □□□□□ □ □□ □□□ □□□□ EC2 □□□□ □□ □□□ □□□□
□?

- A.** □ □ □ □ □ □
B. □ □ □ □ □ □ □ □ □ □ □ □
C. □ □ □ □ □ □ □ □
D. □ □ □ □ □

Answer: A (LEAVE A REPLY)

90% Amazon EC2
 .
 AWS 2
 54%
 Amazon EC2 1

□□ □□□ 3□□□, □□□□ □□ □□ □□ □□□□ □□□, □□, □□ □□ □□ □□□□ □□□ □ □□ □□.

□□ □□ □□□□□ □□□□ □□ □□ □□ 75%□ □□□ □□□□ Amazon EC2 □□□□ □□□ □□□ □ □□ □ □□ □□□ □□ □□□□□□□□. □□ □□ □□□□□ □□□□ □□ □□□□□□.

□□ □□□□ 1□ □□ 3□ □□□□ □□□□, □□ □□ □□ □□□□ □□□ □□□ □ □□□□. □□ □ □□□ □□□□ □□□ □□□ □□□□ Amazon EC2 □□□□ □□□ □□ □□□ □□□□□□. □□ □□ □ □ □□□□□ □□□□ □□ □□ □□ □□ □□□ □□ □□□□ □□□□□□.

NEW QUESTION: 129

□ □□□ □□□□□ □-□ □□□□□□□ AWS □□□□□ □□□□□ □□□. □ □□ □□□ □□□□ AWS □□□□ □□□□□?

A. □□□ □□□□DB

B. □□□ □□□□□□

[□□]: □□□ □□□□□

C. □□□ RDS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 130

□ □□□ □□ □□ □□ AWS □□□□ □□ □□□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□ □□. □ □□□ AWS □□□□□□ □□□□ □□□□ □□ □□□□ □□□□.

AWS □□□□□□ □□□ □□ □□□ □□ □□□□ □□□ □□ □□□?

A. AWS Trusted Advisor □□ □□ □□

B. □□□□ □□ □□□□□□ □□, □□□, □□□□ 24□□ □□□□ □□ □□

C. □□□□ □ □□□□ □□□□ □□ □□ □□ □□□(TAM)

D. □□ □□□□□□□ □□ □□ □□ □ □□□□ □□ □□

Answer: C ([LEAVE A REPLY](#))

AWS □□□□□□ □□□ □□□□ □□ □□ □□ □□□(TAM)□ □□□□ □□ □□ □ □□ □□□ □□ □□ □□ □□ □□□ □□□ □□□. TAM□ □□□ □□□□□□ □ □□ □□□ □□□□ □□□□ □ □□ □□ □□□ □□□□ □□□ AWS□ □□ □□□□ □□□ □□ □ □□□ □□□□□□. □□ TAM□ □ □□ □□□□ □□, □□ □□ □□□□, □□□□ □□ □□□□ □□, □□ □□□ □□□ □□ □□ □□ □□ □ □□□□ □□ □□□ □□□□□.

AWS Trusted Advisor □□ □□ □□□ AWS □□□□□□ □□□ □□ □□□ □□□, AWS □□□□ □□ □□2□□ □□□□ □□□□. AWS Trusted Advisor□ □□ □□□, □□, □□, □□□□ □ □□□ □□□ □ □□ □□ □□ □□ □□□ □□□□ □□□□□.

□□□□ 24□□ □□, □□□, □□□ □□ □□□□ □□ □□□□□□ □□□ □ □□ □□□ AWS □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□. □□□□ □□ □□□□□ □□ □□, □□, □□ □ □□□ □□□ □□ □□□□ □□□ □□□□ □ □□□ □ □ □□□□.

□□ □□□□□□□ □□ □□□ □□ □ □□□□ □□□□ AWS □□□□□□ □□□ □□ □□□ □□□, AWS □□□□ □□ □□2□□ □□□□ □□□□. □□□□ □□□ □□□□□□ □□□ □□□ □□□□ □□ □ □□ □□ □ □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □ □□□□.

NEW QUESTION: 131

[illegible]

- A.** AWS Trusted Advisor □□□□ □□□ □□□□□□.
- B.** Amazon EC2 □□ □□□□ □ □□ □□□ □□ □□□□ □□□ □□□□□□.
□□ 0.0.0.0/0□ □□□□□.
- C.** AWS IAM □□□ □□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□□□.
- D.** AWS Config□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□ AWS Lambda □□□ □□□□ □
□□ □□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 132

☐ ☐ ☐ ☐ AWS Direct Connect ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ VPC ☐ ☐ ☐ ☐
☐, ☐ VPC ☐ ☐ ☐ ☐ ☐ ☐.

VPC ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐

☐ ☐ ☐?

- A.** VPC ☐☐☐☐☐
B. AWS ☐☐☐ ☐☐☐☐☐
C. ☐☐☐ ☐☐ 53
D. AWS Secrets Manager

Answer: (SHOW ANSWER)

[illegible]

NEW QUESTION: 133

Amazon EC2 □□ □□□□ □ □□□ □□ □□□□ □□□□ □□ □□□□□□□ □□□□□□.
□ □□□ □□□□ □□□ □□□□□?

- A.** □□□□ □□□(laaS)
B. □□□□□ □□□□
C. □□□ □□□□
D. □□□□ □□□□

Answer: (SHOW ANSWER)

NEW QUESTION: 134

AWS ☐☐☐☐☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐☐

- A.** □□ □□□□ □□□ □□ □□□
- B.** □□□ □□□ □□
- C.** □□ □□□ □□□□ □□□ □□□ □□
- D.** □□□ □□□ □□□ □□ □□ □□

Answer: D (LEAVE A REPLY)

□□/□□ □□: <https://aws.amazon.com/blogs/enterprise-strategy/risk-is-lack-of-agility/>

NEW QUESTION: 135

□□□ □ □ EC2 □□□□□ □□□ □□ □□□□ □□□□□ □□□ □□□ □□□□ AWS □□□ □□□
□□?

:

- A.** ☐☐ ☐☐ ☐☐
- B.** ☐☐
- C.** ☐☐
- D.** ☐☐ ☐☐ ☐☐

Answer: B (LEAVE A REPLY)

□□□ □□ □□□□ □□□ □□ EC2 □□□□ □□ □□□□ □ □□□□ □□□□ □□□□ □□□ □□
 □. □□ □□ □□ □□□ □□□□ □□□□□ □□ □□ □□□ □□□□ □□□□ □□ □□□ □ □□□□.

NEW QUESTION: 136

□□ □□□□ □□ □□□□ □□□□ AWS □□□ □□ □□□ □□ □□ □ □□□ □□□□ □□□.
□ □□□ □□□ □□□□ □□□□?

- A.** AWS `aws s3 cp s3://my-bucket/my-file.txt s3://my-bucket/my-new-file.txt`, `aws s3 mv s3://my-bucket/my-file.txt s3://my-bucket/my-new-file.txt`.
- B.** AWS `aws s3 cp s3://my-bucket/my-file.txt s3://my-bucket/my-new-file.txt`.
- C.** AWS `aws s3 cp s3://my-bucket/my-file.txt s3://my-bucket/my-new-file.txt`.
- D.** AWS Artifact `aws s3 cp s3://my-bucket/my-file.txt s3://my-bucket/my-new-file.txt` URL `aws s3 cp s3://my-bucket/my-file.txt s3://my-bucket/my-new-file.txt`.

Answer: A (LEAVE A REPLY)

□□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□
□. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.
<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 137

□□□□□ □□□ □□□ □□ □□□ □ □□ □□□□ □□□□ □□□ AWS□ □□□□□□ □□□ □□
□□ □ □□□ □□ AWS □□□□ □□□□□?

- A. AWS □□□ □□
- B. AWS □□□□□□ □□ □□□
- C. AWS □□□ □□□
- D. AWS □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 138

□ □□□ □□□ □□□□ □□□□□□ □□□□ □□□□ □□□□. □ □□□ □□□□□□□ □□□□□
□ □□□ □□□□□□ □□□.
AWS□ □□ □□ □□□ □□□ □□□□□□ □□□□ □ □□□□□□ □□□□ □□□□ □□ □□□ □
□□□□?

- A. AWS
- B. □□
- C. AWS □□□□□□ □□□
- D. □3□ □□□

Answer: A ([LEAVE A REPLY](#))

AWS□ Amazon Aurora□ □□□□□□ □□□□ □ □□□□□□ □□□ □□□□ □□□ □□ □□□□□.
□□ AWS□ □□ □□ □□□ □□□, AWS□ □□□□ □□□ □□□□ □□□ □□□□ □ □□□ □□□□
□. □□□□ AWS□ □□ □ □□ □□ □□□□ □□□□ □□ □□□□ □□ □□ □ □□□□□. □□□ □
□□ Amazon Aurora FAQ □ AWS □□ □□ □□□ □□□□□□.

NEW QUESTION: 139

AWS □□□□ □□ □□ □□□□ □□□□ □□ □□□ □□□□□?

- A. AWS □□ □□□□□ □□□□□□.
- B. □□ □□□ □□ □□□ □□□□□□
- C. □□ □□□ □□□□□
- D. □□ □□ □□ □□□□□ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 140

□□□□ □□□□ □□ □□□□ □□ □□□□□□ □□ □□□ □□□ □□□ □□□□□ □□□□ □□□
□□□ □□□.

Which of the following is a managed database service? (Select TWO.)

- A. Amazon ElastiCache (Amazon ECS)
- B. Amazon S3
- C. Amazon RDS 2.0
- D. Amazon DynamoDB
- E. Amazon Redshift

Answer: D,E (LEAVE A REPLY)

Source: <https://aws.amazon.com/blogs/database/latency-reduction-of-hybrid-architectures-with-amazon-elasticache/>

NEW QUESTION: 141

Which of the following is a managed database service? (Select TWO.)

- A. Amazon ElastiCache (Amazon ECS)
- B. Amazon S3
- C. Amazon RDS 2.0
- D. Amazon DynamoDB
- E. Amazon Redshift

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 142

Which of the following is a managed database service? (Select TWO.)

- A. Amazon ElastiCache (Amazon ECS)
- B. Amazon S3
- C. TCO (Total Cost of Ownership)
- D. Amazon Redshift

Answer: C (LEAVE A REPLY)

TCO (Total Cost of Ownership) is a metric used to measure the total cost of ownership of a system over its lifetime. It includes the cost of the system, the cost of the infrastructure, the cost of the software, and the cost of the support. Amazon Redshift is a managed database service that provides a cost-effective solution for data warehousing.

NEW QUESTION: 143

Which of the following is a managed database service? (Select TWO.)

- A. Amazon VPC
- B. AWS Direct Connect
- C. AWS IAM
- D. Amazon API Gateway

Answer: A (LEAVE A REPLY)

Amazon Virtual Private Cloud (Amazon VPC) is a managed database service that provides a cost-effective solution for data warehousing. It allows you to create a private network within the AWS cloud, which you can use to connect your Amazon Redshift database to your on-premises database.

□□ □□□(SSO)□ AWS □□□□ □□□□ □□□ □□□□□□ □□□□□. □□□□□ □□□□ □□ □□□□□ □□□ □ □□□□.

□□: https://docs.aws.amazon.com/directoryservice/latest/admin-guide/ms_ad_single_sign_on.html

NEW QUESTION: 148

□□ □ AWS □ □□□□ □□□□□□ □□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□ □□□
- B. □□ □□
- C. □□□ □□□
- D. □□□ □□
- E. □□ □□□

Answer: B,E ([LEAVE A REPLY](#))

□□□□□ □□□□ □□□□ □□ □□□ □□ □□ □□ □□□□□. □□□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□□□. □□□□□ □□ □□□□ □□□ □ □□ □□□, □□, □□□, □□ □□□, □□ □□□, □□□□□□□□ 6□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□□□□□. □□□ □□ □□□ □□□□□ □□□□ □□□□□ □□□□ □□ □□ □□□□ □ □□□ □□□. □□ □□ □□ □□ □□□ □□ □□ □□ □□□ □□□ □ □□□□.

□□

□□ □□□

□□

□□□ □ □□

□□ □□□

□□ □□□

□□□□□

NEW QUESTION: 149

AWS IAM □□□ □ □□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□□ □□ □□□ □□□□ □ □□□□.
- B. □□□ □□□□ □□□ □ □□□ □□□ □ □□□□.
- C. □□□ □□□ □ □□□ □□ □□□ □□□ □ □□□□.
- D. □□□□ □ □□ □□□ □□□□ □□ □ □□□□.
- E. □□ □□ □□□□ □□□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 150

□□□ □□□□ □□□□□ □ □□□ □ □□ AWS □□□□ □□□□□?

- A. AWS □□ □□
- B. AWS □ □□ □□□(AWS KMS)
- C. AWS □□
- D. □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 151

Which of the following is a valid IAM user name?

- A. AWS_1234
- B. 1234_5678
- C. 1234_567890
- D. AWS_1234

Answer: A ([LEAVE A REPLY](#))

AWS-Certified-Cloud-Practitioner 100% 100% 100% DumpTop 100% 100% 100% AWS-Certified-Cloud-Practitioner 100%! DumpTop 100% **AWS-Certified-Cloud-Practitioner** 100% 100% 100% 100%, DumpTop AWS-Certified-Cloud-Practitioner 100% 100% 100% 100% 100% 100% 100%. 100% 100% 100% 100% DumpTop AWS-Certified-Cloud-Practitioner 100% 100% 100%.
<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 152

Which of the following is a valid IAM user name?

- A. AWS Trusted Advisor
- B. 1234_5678
- C. AWS_1234
- D. 1234_5678

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 153

Which of the following is a valid IAM user name?

- A. 1234_5678
- B. 1234_5678
- C. 1234_5678
- D. 1234_5678

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 154

Which of the following is a valid IAM user name?

- A. 1234_5678
- B. 1234_5678
- C. 1234_5678
- D. 1234_5678

NEW QUESTION: 158

□ □□□ □□ □ □ □□□ □□□□ □□ □□ □□ □□□ □□□ □□□. □ □□□ Elastic Load Balancer □□ □□ Amazon EC2 □□□□□ □□ □□□□ □□□□ Amazon Elastic Block Store(Amazon EBS) □□□ □□□□ □□□□ □□□□. □ □□□ □□□□ □□ □□□ □□□□ □□ AWS □□□ □□□ □□□□□? (□ □□□ □□□□□□)

- A. AWS □□
- B. AWS Certificate Manager(ACM)
- C. AWS □ □□ □□□(AWS KMS)
- D. AWS Secrets Manager
- E. □□□ □□□□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 159

□□□□ □□□□ AWS □□□□ □□□□□ □□□ □□ □□□□ □□□□ □□□ □□□□□. □□ AWS □□□□ □□□ □□ □□□ □□□ □ □□□□?

- A. AWS □□□ □□□□□
- B. AWS Direct Connect
- C. AWSVPN
- D. □□□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 160

□□□ □□□□ □□□□□□□ □□□□ □ □□□□ □□□□ □□□□ □□ □□□ □□□□□? (□ □□ □ □□□□□□.)

- A. □□ □□□□□ □□□□□.
- B. □□ □□□ □□□□□.
- C. □□□ □□□ □□□□□.
- D. □□ □□ □□□ □□□□□.
- E. □□□□ □□□ □□.

Answer: C,E ([LEAVE A REPLY](#))

□□

<https://www.architech.ca/re-architect-applications/>

NEW QUESTION: 161

□ □□□ □□ □□□ □□□□ □□ □□ □□□□□ □□□□□□□ □□□□ □□□. □□□□□□□ □□ □□□ □□ □□□□□ AWS □□□□□□ □□□□□ □□□. □□ □□□□□ □□□□□ □□□□ □□□ □□□□ □□□ API □□□ □□□ □ □□□ □□□□. □□□ □□ □□□ □□□□ □□ □□□ □□ AWS □□□ □□ □□□ □□□□ □□□?

- A. □□ □□□
- B. AWS □□□□□
- C. □□ □□
- D. AWS □□

NEW QUESTION: 165

NEW QUESTION: 167

□ □□□ AWS Lambda □□□ AWS Systems Manager □□□□□ □□□□ □□ □□□□ □□□□ □□□
□ □□□□□□□ □□□□ □□□□. □ □□□ Lambda □□□ VPC □□ □□□□ □□□□□ □□□□,
Lambda □□□ Systems Manager □□□□□ □□□□ □□□□ □□□ □□□□ □□□□.
Lambda □□□ VPC □□ Systems Manager □□□□□ □□□ □ □□□ □□ □□□□ □□□□□?

- A. VPC □□□□ □□□ □□□□□□ □□□□□.
- B. Systems Manager □ VPC □□□□□ □□□□□□ □□□□□.
- C. Systems Manager □ □□□□□ VPC □□□□□□ □□□□□.
- D. □□□ □□□□ □□ □□□□ □□□□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 168

□□□ □□□ □ □□□□□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□?

- A. □□□ □□□ □□□
- B. □□□ □□□□□□ □□ □□
- C. AWS □□ □□ □□□
- D. AWS □□ □ □□□ □□□

Answer: C ([LEAVE A REPLY](#))

□□

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/ce-forecast.html>

NEW QUESTION: 169

□ □□□ TypeScript, Python, Java, .NET □□ □□□□ □□□□□ □□□ □□□□ AWS □□□□ □□
□□ □□□□□ □□□. □□□ □□ □□□ □□□□ AWS □□□□ □□□□□?

- A. AWS CodeBuild
- B. AWS □□□□□□□□
- C. AWS CLI
- D. AWS □□□□ □□ □□(AWS CDK)

Answer: D ([LEAVE A REPLY](#))

AWS □□□□ □□ □□(AWS CDK) □ TypeScript, Python, Java, .NET □□ □□□ □□□□□ □□□ □
□□□ □□□□ □□□□ □□□□□ □□□□□ □ □□ □□ □□ □□□□□ □□ □□□□□□□□.
AWS CDK □□□□ □□□□ □□□ □□□□ □□□□ □□□, □□□□, □□□□ □ □□□□□□ □□
□□ □□ □□□□ □□□□ □□□ □ □□□□. □□ AWS CDK □ AWS □□□ □ □□ □□□ □□□□ □
□□ □□ □□ □□□□□□ □□□□□. AWS CDK □ □□□□□□□ AWS CloudFormation □ □□□□ □
□□□ □□ □□□ □□□□ □□□□ □□□□□.¹² □□ □□:
AWS □□□□ □□ □□(AWS CDK) - TypeScript □ Python □□ □□ □□ AWS □□□□ □□ □□(AWS
CDK) - AWS □□ DevOps □□

NEW QUESTION: 170

AWS □ IT □□□ □□□□□ □□□ □□□ □□□□□?

- A. IT □□□ □□□ □□ □□□ IT □□□ □□□□ □□□□□.
- B. □□ □□ □□□ □□ □□□□ □□□□□.

Which of the following is a NoSQL database service?

- A. Amazon Redshift
- B. Amazon RDS
- C. Amazon DynamoDB
- D. Amazon S3

Answer: (SHOW ANSWER)

Link: <https://aws.amazon.com/dynamodb/>

NEW QUESTION: 175

Which of the following AWS services can be used to manage AWS IAM roles for Amazon EC2 instances?

- A. AWS Certificate Manager
- B. Amazon GuardDuty
- C. AWS Config
- D. AWS CloudTrail
- E. AWS IAM

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 176

Which of the following AWS services can be used to manage AWS IAM roles for Amazon EC2 instances?

- A. AWS Certificate Manager
- B. Amazon GuardDuty
- C. AWS Config
- D. AWS CloudTrail

Answer: D (LEAVE A REPLY)

Which of the following AWS services can be used to manage AWS IAM roles for Amazon EC2 instances?

- A. AWS Certificate Manager
- B. Amazon GuardDuty
- C. AWS Config
- D. AWS CloudTrail

NEW QUESTION: 177

Which of the following AWS services can be used to manage AWS IAM roles for Amazon EC2 instances?

- A. AWS Certificate Manager
- B. Amazon GuardDuty
- C. AWS Config
- D. AWS CloudTrail

Answer: D (LEAVE A REPLY)

NEW QUESTION: 178

AWS Snowball Edge □ □ AWS □□□ □□□□ □□□□?

- A.** AWS ☐☐ ☐☐☐☐☐☐☐ ☐☐☐ (AWS SMS)
- B.** AWS Trusted Advisor
- C.** ☐☐☐ EC2
- D.** ☐☐☐ ☐☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 179

AWS ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ AWS
☐☐☐☐ ☐☐☐☐?

- A.** ☐☐☐ ☐☐ ☐ ☐☐☐ (Amazon SQS)
- B.** ☐☐☐ ☐☐☐☐
- C.** ☐☐☐ ☐☐☐
- D.** ☐☐☐☐ S3

Answer: B (LEAVE A REPLY)

Amazon Kinesis□ □□□□ □□□ □□□□ □□□□ □□□ □□, □□ □ □□□□ □□□□□ □□□□□ □□ □□□ □□□ □□□□ □□□ □ □□□□. Amazon Kinesis□ □□ □□□ □□□□ □□□□ □□ □ □□□□ □□□ □ □□ □□ □□□ □□□□, □□□□□□ □□ □□□ □□ □□□ □□□ □□□ □□ □ □□□ □□□□□. Amazon Kinesis□ □□ □□□, □□□, □□□□□□ □□, □□□□ □□ □□□, IoT □□ □□ □□□□ □□ □□□ □□□□ □□□□ □□ □□, □□ □ □□ □□□□□□□ □□□ □ □ □□□. Amazon Kinesis□ □□□□ □□□□ □□□□ □□ □□ □ □□□□, □□ □□□□ □□□ □□□ □□□□ □□ □□ □□□ □ □□□□.

NEW QUESTION: 180

☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ .
☐ ☐☐☐☐☐☐☐ ☐☐☐☐.

□ □□□ □□ AWS □□□□□□ □□□□ □□□□ □□□?

- A.** ☐☐☐ ☐☐☐
- B.** ☐☐☐ DocumentDB (MongoDB ☐☐)
- C.** ☐☐☐ ☐☐
- D.** Amazon DynamoDB

Answer: (SHOW ANSWER)

NEW QUESTION: 181

□□□□ □□□ □□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□□ □ AWS □
 □□□□ □□ □□□ □□□□□?

- A. ☐ ☐ ☐ ☐ ☐

<https://aws.amazon.com/blogs/startups/expanding-kloudless-global-reach-by-bridging-regions/>

- B.** ☐☐☐ ☐☐ ☐☐☐

D. ☐ ☐ ☐ ☐

[illegible]

□□□□ □□□□ □□□ □□ Amazon EC2 □□□□ □ □□ □□□ □□□□□ □□□. □ □□ □□□□
□□ □□□ □□□ □□□?

- Answer: A (LEAVE A REPLY)**

☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐?

- Answer: D (LEAVE A REPLY)**

MySQL ☐ PostareSQL☐ ☐☐☐☐ ☐☐ ☐☐☐☐☐ AWS ☐☐☐☐☐

- Answer: (SHOW ANSWER)**

□□□ □□□□□ □□□ AWS □□ □□ □□ □□ □□□□ □□□ □□□□□ □□□□□?

- Answer: ([SHOW ANSWER](#))**

□ □ :

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/using-regions-availability-zones.html>

□□ □□□ □□□□ □ □□□□□□□ □□□□ □□□ AWS□□ □□□□ □□□ □□□□ □ □□□ □
□□ □□□ □□□□□?

- Answer: D (LEAVE A REPLY)**

☐☐: <https://aws.amazon.com/tco-calculator/>

□□□□ □□ □□ □ □□ □□□ □□□□ Amazon EC2 □□□ □□□□ □ □□□□? (□ □□□ □□□□ □□)

- Answer: ([SHOW ANSWER](#))**

NEW QUESTION: 188

□□□ □□□□ □□□, "AWS WAF□ □ □□□□□□ □□ API□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□□ □ □□ □□□□ □ □□□□□□ □□□□ □ □□□□□□ □□□□□□. AWS WAF□ □□□□ SQL □□□□□□ □□□ □□□ □□□□□□ □□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□ □□ □□□ □□□ □□□ □□□ □□□□□□ □□□□ □□□□ □□□ □ □□□□." VPC □□□□□□, □□ □□□□ □□□□□□ □ AWS Config□ □□□ □□□ □□□□□□ □ □□□□□ □□□□□□ □□□□ □□□□□□.

NEW QUESTION: 192

□□□ EC2 □□ □□ □ EC2 □□□□□□ □□□ □□□ □□ □□□□ □□□ □□□□□□?

- A. □□□□ □□□□
- B. □□□ □□□□
- C. □□ □□□□
- D. □□ □□□ □□ □□□□

Answer: C ([LEAVE A REPLY](#))

□□

□□□ □□□□□□ □□ □□□ □ □□ □□□□□, □□□□ □□□ □□□, □□ □□□ □□ □□□ EC2 □□ □□□ □□□ □□□ □□ □□□□□□.

NEW QUESTION: 193

□□ □ □□ □□□ □□□□□□ □□ □□□□ □□□□ □□ Amazon EC2 □□□□ □□□□ □□ □□□ □ □□ □□ □□ □□□□□□?

- A. □□ □□ □□(ACL)
- B. □□ □
- C. □□ □□ □□□□□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 194

□ □□□ AWS□□ □□ □□□□□□ □□□□□ □□□. □ □□□□□ □□ □□ □□ □□□ □□□□ □□ □□.

□□□ □ □□ □□□ □□□ □□□□□ □□□□ □□□.

□□ □□□□ □□ □□□ □□□□□□□ □□□ □□ □□□ □□□□□□?

- A. AWS Organizations□ □□□□ □ □□□□□□ □□□ □□□ □□□□□□.
- B. □□□□□□□□ □□□□ □ □□□ □□□□ □□□ □□□□□□.
- C. Amazon DynamoDB □□□□ □□□□ □ □□□□ □□□ □□□□□□.
- D. AWS □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

AWS Organizations□ AWS □□□ □□□□ □□□□ □□□□□ □□□□ □ □□□ □□ □□□□□□□.

AWS Organizations□ □□□□ □□ □□□□ □□ □□□ □□□ □□□□, □□ □□□ □□□□ □□ □□ (OU)□ □□□□ □ □□□□□.1 □□□ □□ □□ ID□ □□ □□ □□□ □□□□ □ □□□□ □□□ □□□□

□ □□□ □ □□□□.2 □□ AWS Organizations□ □□ □□□ □□ □□(SCP) □ □□ □□□ □□ □□ □
□□□ □□□ □□□ □ □□□□.1
□□ □□□□ □□□□ □□ □□□□□ □□ □□□ □□□□ □ □□□□ □□□□. □□□□□□□
DynamoDB □□□□ □□□□ □ □□□□ □□□ □□□□ □□□□□ □□ □□□ □□ □ □□ □□□ □
□□□, □□ □□ □ □□□□ □□□□ □□□□. AWS □□ □□□ □□□□ □□□□ □□□□ □□□□ □
□□ □□□□ □ □□ □ □□□□ □□□□ □□□ □□□□ □□□ □□□ □□ □□□□ □□□□□□□□.
□□ □□:

1: AWS Organizations□ □□□□□? - AWS Organizations

2: AWS Organizations□ □□□ □□ □□ □ □□ | AWS □□□□ □□ □□

NEW QUESTION: 195

□□ □□ □□ □□□□ □□□□ □□ AWS □□ □□□ □□□□□?

A. □□

B. □□□□

C. □□□

D. □□

Answer: (SHOW ANSWER)

□□/□□: <https://aws.amazon.com/premiumsupport/plans/>

NEW QUESTION: 196

□□□□ □□□□ AWS □□□□ □□□□ □□□□ AWS □□□ □□ □□□ □□□□□?

A. □□□ □□□□ □□□

B. AWS □□□

C. AWS IAM □□□ □□□

D. AWS Fargate

Answer: C (LEAVE A REPLY)

AWS IAM □□□ □□□□ □□□ □□□ AWS □□□□ □□ AWS □□, □□ □□□, □□ □□ □□ □□□
□□□□ □□□□ □□□□ □□□□ □ □□□ □□ AWS □□□□□□. AWS IAM □□□ □□□□ □□□
□□ □ □□□ □ □□□ □□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□, □□□ □
□, □□□ □□ □□□ □ □□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□□. □□□ AWS IAM
□□□ □□□□ □□□□ □□ □□□□ □□□□, □□□ □□□ □□□□ □□□□, □□□ □□ □□□ □
□ □□□ □□□□□ □ □□□□. □□ □□: AWS IAM □□□ □□□, □□ □□□ □□□□ □□□ □□ □
□□, AWS IAM □□□ □□□ □□ □□

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-
Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□
□□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□
□. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 197

AWS □□□□□ □□□□ □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□
□□?

- A. ☐ ☐ ☐
- B. ☐ ☐ ☐
- C. ☐ ☐
- D. ☐ ☐ ☐ ☐ ☐

Answer: (SHOW ANSWER)

NEW QUESTION: 198

□□ □ AWS □□□□□□ □□□□ □□□□ □□□□□□□□ □□□□ □□□□□? (□ □□ □□□□□□.)

- A.** □ □□□□□□□ □□□□□ □□□□ □□□□.
B. □□□□ Amazon EC2 □□□□□ □□□□ □□□□ □□□.
C. □□□□ □□ □□□ □□□ □ □□□□.
D. □ □□□□□□□ □□□□ □□ □□□ □ □□□□.
E. □□□□ Amazon EC2 □□ □□□□□ □□□□ □ □□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 199

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐?

- A.** AWS ☐☐☐☐ ☐☐ ☐☐☐☐☐☐ (AWS CAF)
- B.** AWS ☐☐ ☐☐☐
- C.** AWS ☐ ☐☐☐☐ ☐☐☐☐☐
- D.** AWS ☐☐

Answer: (SHOW ANSWER)

[illegible]

NEW QUESTION: 200

NEW QUESTION: 204

Amazon EC2 □□ □□□□ □□□ □□□□□□□ □□ □□ □□ □□□ □□ □□□□□ □□□□ □□□
 □□ □□□□ □□ Auto Scaling □□□ □□□□□ □□□□□□□. □□□ □ □□□□.
 □□ AWS □□□□ □□□□ □□□□□?

- A.** □ □ □ □
- B.** □ □ □
- C.** □ □ □ □ □
- D.** □ □ □ □ □ □ □ □

Answer: B (LEAVE A REPLY)

NEW QUESTION: 205

□□ □ AWS □ □□□□ □□□□□□ □□ □□□ □□□□ □□ □□□□□?

- A. ☐ ☐ ☐ ☐
- B. ☐ ☐ ☐ ☐
- C. ☐ ☐ ☐ ☐
- D. ☐ ☐ ☐ ☐ ☐ ☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 206

SQL ☐☐☐, ☐☐☐ ☐☐ ☐☐☐ ☐ DDoS ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐ AWS ☐☐ ☐
☐☐☐ ☐☐☐☐? (☐ ☐☐☐ ☐☐☐☐.)

- A.** VPC ☐☐☐☐☐
B. ☐☐ ☐☐ ☐☐☐☐☐
C. AWS ☐☐ ☐☐
D. AWS WAF

Answer: ([SHOW ANSWER](#))

AWS Shield Standard □ AWS WAF □ SQL □□□, □□□ □□□ □□□□ □ DDoS □□□□□□ □□□□ □ □□□□□ □□□ AWS □□□ □□ □□□□□. AWS Shield □□□ □□□□ □□□, "AWS Shield □ AWS □□ □□□□ □□□□□□□ □□□□ □□□ □□ □□□ □□(DDoS) □□ □□ □□ □□□□. AWS Shield □ □□ □□ □ □□ □□□ □□ □□□ □□□□ □□□□□□ □□□□□ □□ □□ □ □□□□□ DDoS □□ □□ □□□ □□□□ □□ AWS □□□□ □□□ □□□ □□□□."5 AWS WAF □□□ □□□□ □□□, "AWS WAF □ □□□□□□ □□ API □□□□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□□ □ □□ □□□□ □ □□□□□ □ □□□□□□ □□□□□ □ □□□□□□ □□□□□□. AWS WAF □ □□□□ SQL □□□□□ □□□ □□□ □□□□□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□□ □□□□□ □□□ □□□□□ □□□□□□□ □□□□ □□□□ □□□ □ □□□□." VPC □□□□□, □□ □□□□ □□□□□ □ AWS Config □□□□ □□□ □□□□□ □ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□.

NEW QUESTION: 207

□ □□□ □□□□ □□□ □□□□□□□□ □□□. □□ □□□□ □□□□ □□□ □□□□ □□ □□□ □ □□□ □□□□ □□□□□ □□□□□ □□□.

□□ AWS □□□□ □□ □□□□□(AWS CAF) □□□ □□□ □□ □□□ □□□□□?

A. □□□□

B. □□□□

C. □□□

D. □□

Answer: D ([LEAVE A REPLY](#))

□□ □□□ □□□□ □□□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □ □□□ □□□□□. □□ □□□□□□□ □□□□□□□□(COO), □□□□ □□□, □□□□ □□ □□□, □□ □□ □□ □□□□ □□ □□□□. ¹ □□ □□□ □□□□ □□ □□□□, □□□□ □□, □□ □ □, □□□ □□, □□ □□, □□ □□ ² □ □□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□□□□□ □□□□□. □□ □□□ □□□□ □□□□□(CEO), □□□□□□□(CFO), □□□□□□□(CIO), □□□□□□□(CTO) □□ □□□ □. □□□□ □□□ □□ □□□ □□, □□ □□, □□□□□ □□, □□□□□ □□ □□ □□□ □□□□□. □□□□ □□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□□□ □□□□ □□□□□□ □□□□ □ □□□ □□□. □□□□ □□□□□□□ □□ □□ □□□(CTO), □□ □□ □□□(CIO), □□ □□ □□□ (CTO), □□ □□ □□□(CFO), □□ □□□ □□□(CDO) □ □□ □□ □□ □□□(CRO)□ □□□□. □□□ □ □□□ □□□□ □□□□□, □□ □ □□ □□, □□ □□ □□, □□□ □□□□ □□ □□□ □□□□□. □□□ □□□ □□□□□□□□ □□ □□□ □□□□□ □□□□ □□□□ □□□□, □□ □□□□□ □□ □□□ □□□, □□□ □□□□ □□□□ □□□□ □ □□□ □□□. □□ □□□□□□□ CTO, □□ □□ □, □□□□ □ □□□□□ □□□□. □□□ □□□ □□□ □□ □ □□, □□□□ □□□□□□ □ □□□, □□□□ □□□□ □□, DevOps5 □□ □□□ □□□□□.

□□ □□:

AWS □□□□ □□ □□□□□: □□ □□

AWS □□□□ □□ □□□□□ - □□ □□

AWS □□□□ □□ □□□□□: □□□□ □□

AWS □□□□ □□ □□□□□: □□□□ □□

AWS □□□□ □□ □□□□□: □□□ □□

NEW QUESTION: 208

AWS □□ □□ □□□□ AWS□ □□□ □□□□□?

A. □□ □ □□□(SSE)

B. □□□ □□

C. □□□ □□□□ □□ □□

D. □□ □ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 209

□ □□□ □□ □□ □ □□ □□□ □□ □□ □ □□□□ □□ □□ □□□ □□□□□□□ AWS□ □□□□ □□ □□□□ □□□□.

□□□ □□ □□□□ □□□□ □□□?

A. □□□ □□□□□

B. □□□ □□□□DB

C. Amazon EC2 □□□□ □□□□ □□□ Amazon Elastic Compute Cloud(Amazon EC2)

D. Amazon EC2(Amazon EBS(Equal Elastic Block Store) □□)

Answer: D ([LEAVE A REPLY](#))

□□

NEW QUESTION: 210

AWS□□ □□ □□ □ □□□□□□□ □□□□□ □□ IP □□□□□ □□ □□□ □□ □□□□.

□□ AWS □□□□ □□□□□□ □□□ □□□□ □□ □□□□ □□□□ □ □□□ □ □ □□□□?

A. AWS IAM

B. □□□ □□□□

C. □□□ □□ □□ □□□(Amazon SNS)

D. AWS WAF

Answer: D ([LEAVE A REPLY](#))

□□

□□

AWS WAF□ □ □□□□□□ □□□□□, □□□□□□ □□□□ □□□ □□□□ □□□ □□□□□□ □□

□ □□□□ □□□□ □ □ □□ □□□□ □ □□□□□□ □ □□□□□□□ □□□□□. AWS WAF□ □□

□□ □ □□□□□□□ □□□□□ □□□□ □□□□ □□□ □□ □ □□ □□□ □□□ □ □□□□. AWS

Shield Advanced□ □□□□ □□, □□ □□ □□□□ □□ □□ □□ □□ AWS WAF□ □□□ □ □□□,

DRT(□□ □□□)□ □□□□ WAF □□□ □□□ □ □□□□.

NEW QUESTION: 211

□□ □ □□□□ □□□□□□ □□ □ □□□ □□□□ □□ □□□ □□□□□?

A. □□□□ □□□ □□□ □□□□□□.

B. □□ □□ □□□ □□□□□.

C. □□ □□ □□□□□□ □□□□□.

D. □□ □□ □□.

□□□□□ □□□□ □□□□□ □□□ □□ □□□ □□□ □□□□□□ □□□□, □□ □□ □□ □□ □

□□□ □□□□ □ □□□□.

□□(□□ IT □□□□ □□ □□□□ □□□□ □□ □□□ □□□ □□ □□□□□ □□□□ □□□□ □□

□□)□ □□ □□□ □□ □□ □□□□ □□ □□ □□□ □□□□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

Answer: B (LEAVE A REPLY)

☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ NoSQL ☐ ☐ ☐ ☐ ☐ ☐ ☐ .
☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ?

- Answer: C (LEAVE A REPLY)**

[illegible]

AWS □□□□ □□□ □□□ □□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- Answer: D,E (LEAVE A REPLY)**

NEW QUESTION: 217

□□ □□□ □□ □□□ □□□ □ □□□ □□ □□□ □□□□□?

- A.** ☐ ☐ ☐ ☐ ☐

- B.** ☐☐ ☐☐
- C.** ☐☐ ☐☐ ☐☐
- D.** ☐☐ ☐☐ ☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 218

AWS is an IT company that provides IT services? (True or False?)

- A.** □ □ □ □ □ □ □ □
- B.** □ □ □ □ □ □ □ □
- C.** □ □ □ □ □ □ □ □ □ □ □ □ □ □
- D.** □ □ □ □ □ □ □ □ □ □ □
- E.** □ □ □ □ □ □ □ □ □ □ □ □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 219

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ . ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ?

- A. ☐☐
- B. ☐☐ ☐☐
- C. ☐☐☐
- D. ☐☐ ☐☐☐

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 220

☐ AWS ☐☐☐☐ Amazon DynamoDB ☐☐☐☐. AWS ☐ ☐ ☐ ☐

☐, ☐ ☐ ☐ ☐ ☐? (☐ ☐ ☐ ☐ ☐)

- A.** ☐☐☐☐ ☐☐ ☐ ☐☐☐☐☐☐
- B.** ☐☐☐ ☐☐☐ ☐☐ ☐☐
- C.** ☐☐☐ ☐☐ ☐ ☐☐ ☐☐
- D.** IAM ☐☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐
- E.** DynamoDB ☐☐☐☐☐ ☐☐

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 221

AWS □□□□ □□ □□□ □□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- A.** ☐ ☐ ☐ ☐ ☐ ☐
- B.** AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- C.** AWS Trusted Advisor
- D.** AWS ☐ ☐

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 222

□□□□ □□□□□(TCO) □□□ □□□ □ AWS□□ □□□□ □□□□□ □□ □□ □□ □□□ □□□□ □□□? (□ □□□ □□□□□□.)

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□□ □□ □□
- E. □□□□ □□□ □□
- F. □□□□ □□□□ □□

Answer: A,C,E ([LEAVE A REPLY](#))

□□/□□ □□: <https://aws.amazon.com/blogs/aws/the-new-aws-tco-calculator/>

NEW QUESTION: 223

□□□ □□□□ □□ Amazon EC2 □□□□□ □□□ □□ □□□□□□. □□□ □□□□ □□□ □□□□ □ □□□ □□□ □□ AWS API □□□ □□□□ □□□. □□□ □□□□ □ □□ □□□ □□□□ □□ □□ AWS □□□□ □□□□ □□□?

- A. □□□ □□□
- B. AWS □□□□□□□
- C. AWS Trusted Advisor
- D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 224

AWS □□□ □□□□ □□□ □ □□ □□□ □□□□□□ □ □□□□ AWS □□□□ □□□□□?

- A. AWS □□ □ □□ □□
- B. □□ □□
- [□□]: □□□ □□□□□□
- C. □□□ □□□□

Answer: ([SHOW ANSWER](#))

□□/□□ □□: <https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/billing-what-is.html>

NEW QUESTION: 225

□ □□□ AWS □□□□□ □□□□□□□ □□□□□ □□□□. □ □□□ □□ AWS □□□□ □□□□ AWS □□□□ □□□□□ □□□□□ □□□□□ □□□□ □□□. □ □□□ □□□ □□□ □□□□ □□ □□□ □ □□ AWS □□□ □□□ □□□□□? (□ □□□ □□□□ □□.)

- A. AWS Trusted Advisor
- B. AWS □□□ □□□
- C. AWS □□□ □□ □□□□

D. AWS ☐☐☐ ☐☐☐☐

E. AWS ☐☐ ☐☐ ☐☐☐☐.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 226

□□ □□□□ AWS Management Console □ AWS SDK□□□ □□□ □□□ □□□□ □□ □□□ □□□□
□ □□□□□□ □□□□□□ □□ □□□ □□□□□?

A. AWS ☐☐

B. ☐☐☐ ☐☐☐☐☐☐

C. AWS □□□□□□□

D. AWS ☐☐

Answer: C (LEAVE A REPLY)

AWS-Certified-Cloud-Practitioner ☐☐ ☐☐☐ ☐☐☐☐ DumpTop ☐☐ ☐☐☐☐ **AWS-**
Certified-Cloud-Practitioner ☐☐! DumpTop ☐ ☐☐ **AWS-Certified-Cloud-Practitioner** ☐☐ ☐☐ ☐
☐☐☐☐, DumpTop AWS-Certified-Cloud-Practitioner ☐☐ ☐☐☐ ☐☐☐☐☐☐☐ ☐☐ ☐☐☐☐
☐. ☐☐☐☐ ☐☐☐☐ ☐☐ DumpTop AWS-Certified-Cloud-Practitioner ☐☐☐ ☐☐☐☐.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 227

☐ Oracle ☐ . ☐
☐ AWS ☐
☐ AWS

A. ☐☐☐ EC2

B. ☐☐☐ ☐☐☐☐☐☐

C. ☐☐☐ RDS

D. □□□ □□□□DB

Answer: C (LEAVE A REPLY)

NEW QUESTION: 228

□□□□ □□□ EC2 □□□□ □□□□□ □□□□ □□□□ □□□□□□□ □□ □□□□. EC2 □□□□□ □□ □□□□□□ □□ □□□(ALB) □□□ □□□□, □ EC2 □□□□□□ HTTP □□□ □□□ □ □□ □□□ □□ □□□ □□□□□.

□□□□ □□□□□□ □□ IP □□□ □□□□□ □□□. □□□□ □□ □□□ □□□ □□ ALB□ IP □□
□ □□□□□□□. □□□□ □□ □□□□ □□□□□□ □□ IP □□□ □□□□□ □□□ □□ □□□?

A. HTTP □□ □□ □□ □□□ □□□ □□□ □□□□□.

B. HTTP ☐ ☐ ☐ ☐ X-Forwarded-For ☐ ☐ ☐.

C. ☐ EC2 ☐☐☐☐☐ Amazon CloudWatch Logs ☐☐☐☐☐ ☐☐☐☐, ☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐

D. EC2 instances AWS X-Ray SDK installed. Applications instrumented with X-Ray SDK.

Answer: (SHOW ANSWER)

NEW QUESTION: 229

[illegible]

- A. □□/□□(I/O) □□
- B. □□ □□ □□
- C. □□□□ □□
- D. □□□ IP □□
- E. □□□ EBS(Equal Block Store) □□□□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 230

☐ AWS ☐☐☐☐ 10TB ☐☐☐☐ ☐ ☐☐ AWS ☐☐☐☐☐.

☐☐☐☐ ☐☐☐☐

□□ AWS □□□□ □□□ □□ □□□ □□□□□?

- A.** AWS ☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐ (AWS DMS)
- B.** AWS ☐☐☐ ☐☐☐
- C.** AWS ☐☐
- D.** AWS ☐☐☐☐ ☐☐

Answer: (SHOW ANSWER)

☐ ☐ ☐ D. AWS Snowball Edge ☐ ☐ ☐.

AWS Snowball Edge □ □□□ □□□□ □□ □ □□□ □ AWS □ □□□ □ □□□ □ □□ □□□ □□
 □□□. □□□□ □□□ □□□□□□ □□□□ □□, □□ □□□ □□□ □□ □□□ □□ □□□□□□□.

AWS Snowball Edge ☐ ☐☐ 80TB ☐ ☐☐☐☐ ☐☐☐ ☐ ☐☐☐☐, ☐☐☐☐ ☐☐☐☐☐☐☐☐ ☐☐☐ ☐ ☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐☐.

AWS Database Migration Service(AWS DMS) □ □□□□□□ AWS □ □□□□□□ □ □□□ □ □
□□□□□. □□□□ □□□□ □□□□□ □□□□ □□□□□□□□ □□□□ □□□□.

[illegible]

AWS Backup is a managed service that simplifies the process of backing up data to Amazon S3. It provides a central console for managing backups across multiple AWS accounts and regions. AWS Backup also offers features like lifecycle policies, cross-region replication, and integration with other AWS services like Amazon EBS, Amazon RDS, and Amazon EMR.

□ □ □ □ :

1: AWS Snowball Edge 2: AWS Database Migration Service (AWS DMS) 3: AWS DataSync 4: AWS Backup

NEW QUESTION: 231

AWS □□ □□□ □□ AWS □□□ □□ □□□□□ □□□□□ □□□ □□ □□□?

- A. AWS Budgets □ □□□□
- B. AWS Organizations □□ □□□ □□□□
- C. AWS Cost Explorer □□□ □□□□
- D. Amazon EC2 □□ □□□□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 232

□□□□ AWS □□□ □□□ □□□ □□□□□ □□□ □□ □□ □□□ □□□□.
□□□ □□ AWS □□□ □□□ □ □□□□?

- A. AWS □□□ □□□□
- B. AWS Trusted Advisor
- C. AWS □□
- D. AWS □□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 233

AWS □□ □□ □□□□ AWS □□□ □□□□ □□□ □ □□□ □□□ □□□□□?

- A. □□ □ □□□
- B. □□□□ □□
- C. □□□ □□□ □□□ □□
- D. □□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 234

AWS □□ □ □□□□ □□ □ □□ □□□ □□ □□□ AWS□ □□□□ □□□ □□□□□?

- A. □3□ □□□□
- B. □□
- C. □□□ □□□
- D. □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

□□□ AWS □□ □ □□□□ □□□ □□ □□□ □□ □□□ AWS□ □□□□□. □□ AWS □□ □□ □□
□ □□□□, □□ □ □□ □□□ □□ AWS□ □□ □□ □□ □□□ □□□□□. AWS□ □□, □□, □□ □
□ □ □□□ □□ □□□ □□ AWS □□□ □□□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□ □□
□□□. □□□ ID □ □□ □□, □□□, □□□ □ □□□ □□ AWS □□□ □ □□□□□□□□ □□ □ □□□
□□□□ □□□□ □ □□□ □□□□□. □□□ □□□ AWS □□ □□ □□ □ AWS □□□□ □□□ □□
□□□□.

NEW QUESTION: 235

□□□□ Amazon S3□ □□□ □□□ □□□□ □□□□ □□, □□ □ □□□□ □□□. □□□ □□ □□□
□□□ □ □□ AWS □□□□ □□□□□?

- A.** ☐☐☐ ☐☐☐
- B.** ☐☐☐ ☐☐☐☐
- C.** ☐☐☐ ☐☐
- D.** AWS Secrets Manager

Answer: C (LEAVE A REPLY)

NEW QUESTION: 236

AWS Trusted Advisor □ □□□ □□□ □□ □□□ □□□□. (□ □□□ □□□□□□.)

- A.** ☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐ ☐☐
- B.** ☐☐☐ ☐ ☐☐ ☐☐
- C.** ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐.
- D.** AWS ☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐, ☐☐ ☐☐☐ ☐☐☐☐.

AWS ☐☐☐ ☐☐☐ ☐☐ ☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 237

Amazon Route 53 □ □□ □□□□ □□□ □□ □□□ □□□ □ □□□□.

- A.** SSL □□□ □□ □ □□ OD.
- B.** DNS □□□ □□ □□
- C.** □□ □□ □□□□ □□□□□□.
- D.** AWS□ □□ □□□□ □□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 238

□□□□□ □□ □□□ □□ □□□ □□□□ □□□□□?

- A.** □□□ □□□□
- B.** AWS □□□ □□□□□(AWS CLI)
- C.** □□□ □□□□
- D.** AWS CodeCommit

Answer: ([SHOW ANSWER](#))

AWS CodeCommit□ Amazon Web Services□□ □□□□□ □□ □□ □□□□, □□, □□ □□, □□□□
 □□ □□ □□□ □□□□□ □□□□ □□□□ □□□□ □ □□□ □ □□□□.
 □□:

<https://docs.aws.amazon.com/codecommit/latest/userguide/welcome.html>

NEW QUESTION: 239

□□□ AWS□ □□□□ □ □□ □□(TCO)□ □□□ □□□ □ □□□□?

- A.** ☐3☐ ☐☐☐☐ ☐☐☐ ☐ ☐☐☐ ☐☐
- B.** ☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐
- C.** ☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐
- D.** AWS☐☐ ☐☐☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 240

AWS □□□ □ Linux □□ AWS □□ □ □□□□□ □□□□ □□□ □ □□ □□□□ □□ □□□ □□ □□
 □□□□ □□□□ □□□□ □□□□ □□□□□?

- A. ☐ ☐ ☐ S3
- B. ☐ ☐ ☐ ☐ ☐ S3
- C. ☐ ☐ ☐ EBS
- D. ☐ ☐ ☐ EFS

Answer: (SHOW ANSWER)

☐ ☐

Amazon Elastic File System(Amazon EFS) □ AWS □□□□ □□□ □ □□□□□ □□□□□ □□□ □ □□
□□□□ □□ □□□□ □□ □□□□ □□□□ NFS □□ □□□□ □□□□□. □□□□□□ □□ □□ □
□□□□ □□□□ □□□ □□ □□□ □ □□□ □□□□□□, □□□ □□□□□ □□□ □ □□□□ □□
□ □□ □ □□□□□ □□□ □□ □□ □□□ □□□□□□□ □□□ □□□ □□□□.

Amazon EFS Linux □□□□□ □□□ □□□, IOPS □ □□ □□ □□□ □□□□□□□.

□□ □□□□ □□□ □□□ □□ □□□□ IOPS□ □□□□, □□ □□□□□ □□ □□□□ □□ □□ □□

□ □□□□ □□ □□□ □□ □ □□ □□□ □□□□ □□□□ □ □□□□. □□ □□□□ □□□□□ □□

Amazon EFS□ 10GB/□ □□□ □□□ □□ 500.000 IOPS□ □□□□ □ □□□□.

NEW QUESTION: 241

[illegible]

- A.** 3□ □□ □□ □□ □□ □□ □□
- B.** □□ □□□□ □□□□□□
- C.** □□ □□□□□ □□□□□
- D.** □□□□ □□□□□□ □□□□□

Answer: (SHOW ANSWER)

□□□□ □□□□ AWS□□ □□, □□□ □□ □□ □□□□ □□□□□ □□ □□□□ □□ □□□□ □
□ □□□□□. □□□□ □□□□□ □□□□ □□ □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□
□ □□□ □ □□□□. □□□ □□ □□□□□ □□ □□□□ □□□□ □ □□□, □□□□ □□ □□□□□ □□
□ □ □□□□.

□□□ □□, □□ □□□□ □ □□ □□□□ □□ 1□ □□ 3□ □□□□ □□ □□□ □□□□ □□□□ □□□□□□. □□□ □□ □□□ □□□□ □□□□□□ □□□□□□, 3~6□□ □□□ □□□□□□ □ □□□ □□□□ □□□□□□ □□□□ □□□□. □□□ □□□ □□ □□□□□ □□□ □□□ □□ □ □□□ □□□□ □□, □□ □□ □□□ □□□ □ □□ □□□□ □□□□ □□, □□ □□□□ □□ □□□□ □□□ □□□□ □ □□ □□□ □□□□□□.

Glacier is a low-cost, durable, and secure storage service for data archiving and backup. It is designed to store data for a minimum of 90 days, but can store data for up to 10,000 years. It is a highly durable and secure storage service, with 99.999999999% durability and 99.999999999% availability.

NEW QUESTION: 245

AWS IAM is a service that enables you to manage access to AWS resources. What is the primary purpose of IAM? (Select two.)

- A. AWS Identity and Access Management(IAM) is a service that enables you to manage access to AWS resources.
- B. Amazon EC2 is a service that enables you to run applications in the cloud.
- C. AWS is a service that enables you to run applications in the cloud.
- D. Amazon EC2 is a service that enables you to run applications in the cloud.
- E. IAM is a service that enables you to manage access to AWS resources.

Answer: C,E ([LEAVE A REPLY](#))

AWS IAM is a service that enables you to manage access to AWS resources. It is designed to manage access to AWS resources, including Amazon EC2, Amazon S3, and Amazon IAM. It is a highly durable and secure storage service, with 99.999999999% durability and 99.999999999% availability. AWS IAM is a service that enables you to manage access to AWS resources. It is designed to manage access to AWS resources, including Amazon EC2, Amazon S3, and Amazon IAM. It is a highly durable and secure storage service, with 99.999999999% durability and 99.999999999% availability. AWS IAM is a service that enables you to manage access to AWS resources. It is designed to manage access to AWS resources, including Amazon EC2, Amazon S3, and Amazon IAM. It is a highly durable and secure storage service, with 99.999999999% durability and 99.999999999% availability.

NEW QUESTION: 246

Amazon EC2 is a service that enables you to run applications in the cloud. What is the primary purpose of Amazon EC2? (Select two.)

- A. Amazon EC2 is a service that enables you to run applications in the cloud.
- B. Amazon EC2 is a service that enables you to run applications in the cloud.
- C. Amazon EC2 is a service that enables you to run applications in the cloud.
- D. Amazon EC2 is a service that enables you to run applications in the cloud.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 247

Amazon S3 is a service that enables you to store data in the cloud. What is the primary purpose of Amazon S3? (Select two.)

- A. Amazon EBS
- B. Amazon EC2
- C. Amazon S3
- D. Amazon S3

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 248

Amazon S3 is a service that enables you to store data in the cloud. What is the primary purpose of Amazon S3? (Select two.)

- Answer: A,D (LEAVE A REPLY)**

[illegible]

- Answer: (SHOW ANSWER)**

AWS □□ □□ □□ □□ □□□ □□□□ AWS □□□□ □□ □□ □□□□ □□□□ □ □ □□□□?

- Answer: C (LEAVE A REPLY)**

□□ □ □□□ □□□□ AWS □□ □ □□□□ □□ □□ □□□□ □□□□ □□□ □□□ □ □□ □□□□
 □. □□ □□ □ □□□ □□□ Amazon Athena, Amazon Redshift, AWS QuickSight □□ □□□ □□ □□□
 □□□ □ □□□□.

□□ □□ □□□□ □□ □ □□□ □□□ □□□□□?

()

- Answer: (SHOW ANSWER)**

□□□□ □□ □□□ AWS□ □□ □□□□□. VPC □□□□ □□ □□ □□(ACL) □□□ □□□□□□ □□
 □ □□ □□□ □□ □□□□ □□□□. □□ □ □ □□□ □□□ □□□□ AWS□ □□ □□□ □□ □□ □□
 □□□□. □□□□ □□ □□□ □□□ □□□□ □□□ □□□□.

[illegible]

NEW QUESTION: 256

□□□□ □□□□ □□ □□□ □□□□ □□ □□□□ 7□ □□ □□□□ □□□.
□□ AWS □□□□ □ □□ □□□ □□ □□□ □□□□□□□□?

- A.** ☐☐☐ S3
- B.** AWS ☐☐☐☐
- [☐☐]:** ☐☐☐ ☐☐☐☐☐☐☐
- C.** ☐☐☐ S3 ☐☐

Answer: ([SHOW ANSWER](#))

11

S3 Glacier Deep Archive□ Amazon S3□□ □□ □□□□ □□□□, □□ □□ □ □□□ □□□□ □ □□□ □□ □□ □ □□□ □□□□□□□□. □□ □□, □□, □□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□□□□□□□.

- 2000 2000 2000 2000 7~10 2000 2000 2000 2000. S3 Glacier Deep Archive 2000 2000 2000 2000 2000 2000 2000, 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000.

[illegible]

NEW QUESTION: 257

□□ □□□□ □□ □□□ AWS □□□□ □□ □□□ □□□□ □□□□□ □ □□□□?

- A.** AWS Trusted Advisor
- B.** ☐☐☐ ☐☐☐☐
- C.** ☐☐☐ ☐☐☐
- D.** AWS ☐☐

Answer: ([SHOW ANSWER](#))

[illegible]

□□ □□ □□□ □□□□, □□ □□□ □□□ □□□ □□ □□□□ □□ □□ □□□ □□□ □ □□□□.
□□ □□ □□ □□ □□, □□ □□, □□ □□ □ □□ □□ □□□ □□□□ □ □□□□.

NEW QUESTION: 258

□□ □□□□ Amazon EC2 □□ □□□ □□□ □□□ □□□□. □□ AWS □□□□ □□□□ □□ □?

- A. AWS □□□□
- B. AWS Trusted Advisor
- C. AWS □□□□□□□
- D. □□□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 259

□□ AWS □□□□□ □□□ □□ □□ □□ □□□ □□ □□ □□□ □□ □□□?

- A. □□□ □□□□DB
- B. AWS □□
- C. AWS Fargate
- D. □□□ EC2

Answer: D ([LEAVE A REPLY](#))

Amazon EC2□ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□ □□ AWS □□□□□□.

Amazon EC2□ □□□□□□ □□□□ □□ □□□ □□□ □□□ □□□□□□. □□□ □□□□ □□ □□ □□ □□□ □□□□ CPU, □□□, □□□□ □ □□□□ □□□□ □□□ □□ □□□ □□□ □ □□□□.

□□□ □□□□□ □□ □□□ □□ □ □□□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□□□ □ □□□□ □□□□ □□ □□□ □□□ □□□□.

□□□ AWS Systems Manager□ □□□ AWS Systems Manager Patch Manager□ □□□□ □□ □□ □□ □□□ □□ □□□ □□□□ □□□ □□ EC2 □□□□□ □□□ □□□□ □□□□□ □□□□ □ □□□□.

NEW QUESTION: 260

□ □□□ □□□□□ □□□□□ □□ □□□□□ □□□□□ □□□ □□□ □□ □□□□ □□□□ □ □□□□□.

□□□ □□□ AWS □ □□□□ □□□□□□□ □□ □□ □□□ □□□□□?

- A. □□ □□□
- B. □□ □□□
- C. □□ □□
- D. □□

Answer: A ([LEAVE A REPLY](#))

□□ AWS □ □□□□ □□□□□□□ □□ □□□, □□ □□□□□ □□□□□ □□□□□ □□□ □□□ □ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□□. □□ □□□ □□□ AWS □□□□□ □□□□□ □□ □□ □□, □□, □□□□□ □ □□□□□ □□ □□ □□□ □□□□. □□ □□□□□ □□□□□ □□□□□ □□□,

□□□ □ □□ □□□ □□□□□ □□ □ □□□□□. □□ □□□ □□□ □□ □□□ □□□ □ □□ □□ □□□ □□ □□□ □□□□□□.

NEW QUESTION: 261

□□□ AWS □□□□□ □□□□□□□□□ □ □□ □□ □□ □□□ □□□□ □ □□□ □□ □□ □□□□ □?

- A. □□ □□□
- B. AWS □ □□ □□(TCO) □□□
- C. AWS □□ □□ □□□
- D. AWS Trusted Advisor

Answer: B ([LEAVE A REPLY](#))

□□

AWS □□□□□(TCO) □□□□ AWS □□ □ □□□□ □□ □□ □□□ □□□□, □□□ □□□□□□□ □□□ □ □□ □□□ □□□□ □□□□□. □□, □□□□ □□□□□ □□ □□□□ □□□ □ □□ □□□ □□□□□.

NEW QUESTION: 262

AWS IAM □□□□□ □□ □□□ □□□□□ □□ □□□ □□□□□?

- A. □□ □□ □□□□□□ □□□ □□□□□ □□□□.
- B. AWS IAM □□□□□ □□□□ □□□ □□□□□.
- C. □□□ □ □□ □□□□□ □□□ □□□ □□ □□□ □□□□□.
- D. □□□ □□□ □□□□ □ □□□ □□□ □□□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

IAM □□□ □□□ □□ □□ □□ □□, □ □□□ □□□□ □ □□□ □□□ □□□□ □□ □□ □□□ □□ □□□. □□□(□ □□)□ □□□□ □□ □□□ □□□ □□ □□ □□□ □□□ □ □□□ □□□□ □□□ □□□□□.

NEW QUESTION: 263

Universal Containers□ □□ □□ □□□ "□□/□□"□ □□□ □, □□ □□□□ □□□□ □□ □ □□□ □ □□ □□ "□□ □□" □□□ □□□□□ □□□ □□□.

□ □□□□□ □□□□ □□ □□ □□ □□□ □□ □ □□□□?

- A. □□ □□□ '□□ □□'□ □□□□ '□□ □□' □□□ □□□ □□□□□ □□ □□□□ □□□□□.
- B. '□□ □□' □□□□ □□□□ '□□ □□' □□□ □□□ □□□□ □□□ □□□□□.
- C. □□□ □□ □□□ □□ □□□ □□□□□ □□□ □□ □□□ □□ □□ □□□□ □□□□□.
- D. □□ □□□ '□□ □□' □□□□ □□ '□□ □□' □□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 264

□□ □ AWS Trusted Advisor □□□ □□□ □□□□□? (□ □□□ □□□□□□□.)

- A. □□□ □□□□ □□□□□□□□ □□

NEW QUESTION: 269

□□ □□□□□ □□□□ □□ □□□ □□□□□ □□ Amazon EC2 □□ □□□ □□□□ □□□?

- A.** □ □ □ □ □
- B.** □ □ □ □ □ □ □
- C.** □ □ □ □ □ □ □
- D.** □ □ □ □ □ □ □ □

Answer: B (LEAVE A REPLY)

NEW QUESTION: 270

AWS □□ □□ □□□ □□□ □□ □□□ □□ □□□ AWS□ □□□□? (□ □□□ □□□□□□□.)

- A.** □□ □□ □ □□□□ ACL □□
- B.** Amazon RDS □□□□□ □□ □□ □□
- C.** □□□ □□ □□
- D.** IAM □□□□ □□ □□□ □□ □□ □□
- E.** Amazon EC2 □□□□□ □□ □□ □□

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 271

AWS CloudFormation □ □□□ AWS □□□□□ □□□□ □ □□□ □□□ □□□?

- A. □□□□ □□□□ □□□□□□□ □□□ □□□ □□□□□.
- B. □□□□□□□ □□□ □□□□ □□□□□ □□□□□□□ □□□ □□□□□.
- C. □□□ □□ □□□ □□□□□ □□ □ □□ □□ □□□ □□□□□.
- D. □□□□ □□□ □□□□□□□.

Answer: B (LEAVE A REPLY)

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□ □□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□ □. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 272

Amazon RDS(Amazon Relational Database Service) □□□□□ □□ □□ □□ □□□ □□□ □ □□□□ □
□□□ □□□ □□□□□?

- A.** □□□ □□□ □□□□□.
- B.** □□□ □□□ □□.
- C.** □□□□□ □ □□ □□ □□ □□□□□□□□□□.

D. □□□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

Amazon RDS □□ □□□□(Multi-AZ) □□□ □□□□□□(DB) □□□□□ □□□ □□□□ □□□□ □□
 □□□ □□□□ □□□□□□ □□□□□ □□□□□. □□ □□□□ DB □□□□□□ □□□□□□□□
 Amazon RDS□ □□□□ □□ DB □□□□□ □□□□□ □□□□ □□ □□□□(AZ)□ □□ □□ □□□□□
 □□□□□ □□□□□. □ □□□□□ □□□□□ □□□ □□□□ □□□□□ □□□□□ □□ □□□□ □□
 □□□□ □□□□□□□. □□□□ □□ □□ □ Amazon RDS□ □□ □□□□(Amazon Aurora□ □□ □□ □□
 □)□ □□ □□□□□ □□□□ □□□□□ □□□□ □□ □□□□□□ □□□□ □□ □□□□ □□□. □
 □□□□ □□□ DB □□□□□□ □□□□□□ □□□□ □□□□□□□□ □□□□ □□ □□ □□ □
 □□□□□□ □□□ □□□ □□□□.

NEW QUESTION: 273

☐ ☐ ☐ VPC Flow Logs ☐ Amazon S3 ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ AWS Lambda ☐ ☐ Amazon EC2 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐?

- A.** □ □ □ □ □
- B.** □ □ □ □ □ □
- C.** □ □ □ □ □ □ □
- D.** □ □ □ □ □ □

Answer: B (LEAVE A REPLY)

1000 00 0000 AWS Lambda 0000 Amazon EC2 000000 000000 0000 0000 000000 00
 00 00 00000 000000. 0000 00 0000 00 0000 10 00 30 00000 0000 0000 0000
 (0000 \$)0 00000 000000 00 00 00 66% 0000 00 0 00000.3 00 00000 00 00000
 00000 EC2 000000 0000 00 0000 000000. 00 00 00 000000 000000 00 00 00
 00 0000 00 00000 000000.4 00 000000 000000 00 00 00 75%0 0000 0000 00
 00 EC2 000000 0000 0000 0 00 00 000000. 10 00 30 00000 0000 00 0000 0000
 0 00000.5 00 000000 000000 00 00 00 90% 0000 000000 00 0000 00 EC2 0000
 00000. 00 0 00 0000 00000, 0000 00 0000 0000, 00 0000 0000 0 00 00000 0
 00000.

NEW QUESTION: 274

□□ AWS □□ □□□□ □□□ □□□ □□ □□□ □□ □□□□ □□ □□□□ AWS □□ □□□ □□□□
□?

- A.** AWS ☐☐☐☐☐☐☐☐
B. ☐☐☐☐☐☐☐☐
C. ☐☐☐☐☐☐☐☐
D. AWS ☐☐☐☐☐

Answer: A (LEAVE A REPLY)

AWS Personal Health Dashboard ☐ ☐ AWS ☐☐☐☐ ☐☐☐☐☐. AWS Health API ☐ Business ☐
☐ Enterprise Support ☐ ☐☐☐☐☐☐.

AWS Organizations 是一个集中管理多个 AWS 账户的工具。Amazon Internet Services Pvt. Ltd(AISPL) 是 AWS Organizations 的运营实体。AWS Organizations 可以管理多个 AWS 账户(主账户和成员账户) 并集中管理这些账户。参考: <https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/consolidated-billing.html>

NEW QUESTION: 279

一个 AWS 账户最多可以创建多少个 IAM 用户? 3~4 个。AWS 账户最多可以创建多少个 IAM 用户? 2~3 个。AWS 账户最多可以创建多少个 IAM 用户? 1 个。AWS 账户最多可以创建多少个 IAM 用户?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: (SHOW ANSWER)

NEW QUESTION: 280

AWS CloudFront 是一个内容分发网络(CDN)服务。AWS CloudFront 是一个内容分发网络(CDN)服务。AWS CloudFront 是一个内容分发网络(CDN)服务。AWS CloudFront 是一个内容分发网络(CDN)服务。

- A. AWS CloudFront
- B. AWS Direct Connect
- C. AWS ElastiCache
- D. AWS IAM

Amazon CloudFront 是一个内容分发网络(CDN)服务。Amazon CloudFront 是一个内容分发网络(CDN)服务。Amazon CloudFront 是一个内容分发网络(CDN)服务。Amazon CloudFront 是一个内容分发网络(CDN)服务。Amazon CloudFront 是一个内容分发网络(CDN)服务。Amazon CloudFront 是一个内容分发网络(CDN)服务。Amazon CloudFront 是一个内容分发网络(CDN)服务。Amazon CloudFront 是一个内容分发网络(CDN)服务。

Answer: C (LEAVE A REPLY)

NEW QUESTION: 281

一个 AWS 账户最多可以创建多少个 IAM 用户? 3~4 个。AWS 账户最多可以创建多少个 IAM 用户? 2~3 个。AWS 账户最多可以创建多少个 IAM 用户? 1 个。AWS 账户最多可以创建多少个 IAM 用户?

- A. AWS VPN
- B. AWS Direct Connect
- C. AWS API Gateway
- D. AWS IAM

Answer: (SHOW ANSWER)

1
2

AWS Direct Connect 是一个网络服务。Amazon VPC 是一个虚拟私有云。AWS Direct Connect 是一个网络服务。Amazon VPC 是一个虚拟私有云。AWS Direct Connect 是一个网络服务。Amazon VPC 是一个虚拟私有云。AWS Direct Connect 是一个网络服务。Amazon VPC 是一个虚拟私有云。

□□ □□□ □ □□□□. □□ □□ □□ □□□□□□ □□□□ □□□□ □□□ □□□□□ □□ VPC□ □
□□□ □□□ □□□ □□ □□□□.

□□: <https://aws.amazon.com/directconnect/>

NEW QUESTION: 282

□□□□□ □□□□□ AWS □□□□ □□□□ □□ □□□□ □□□ □□□□ □ □□□ □ □□ AWS □□
□ □□ □□□ □□□□□?

- A. □□□ □□ 53
- B. □□□ □□
- C. AWS Direct Connect
- D. AWS PrivateLink

Answer: C ([LEAVE A REPLY](#))

AWS Direct Connect□ □□□□□ □□□□□ □□ □□□ AWS □□ □□ □□ □□□□ □□□ □□□□ □
□□□□□. AWS Direct Connect□ □□□□ □□□□□ □□□□□ AWS □□□□ □□□□ □□ □□ □□
□□ □□□□ □□□□ □□□ □□□□ □□□□ □□, □□ □□ □ □□□ □□□ □□ □ □□□□. □□
AWS Direct Connect□ □□□□□ □□□□ □□□□□□□ □ □□□ □□□ □□ □□□ □□□□ □□□□
□ □□□□. □□ □□:

AWS Direct Connect

AWS Direct Connect□ □□□□□?

AWS Direct Connect □□□ □□□

NEW QUESTION: 283

□□ □ □□□ S3□ □□□ □□□□□? (□ □□ □□□□□.)

- A. □□□ □□ □□□
- B. □□ □□□
- C. □□ □□ □□□
- D. □□□□ □□ □□□
- E. □□□□ □□□ □□ □□□

Answer: B,E ([LEAVE A REPLY](#))

□□

Amazon S3 □ S3 Glacier, Amazon EFS, Amazon EBS□ □□ □□ AWS □□□□ □□□□ □□ □□□□ □
□□□ □□□□ □□□ □□ □ □□ □□□□ □□□□ □□ □□□□□ □□□ □□□□□ □□□□□□.

<https://aws.amazon.com/s3/>

NEW QUESTION: 284

□□□□ AWS □□ □□ □□ □□ □ □□□□ □□□ □□ □□□ □□□ □□□□□?

- A. AWS □□□□□□
- B. AWS □□□□
- C. □□□ □□□
- D. AWS □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 285

☐ ☐☐☐ ☐☐☐ S3 ☐☐☐☐ ☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

☐☐ AWS ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐

- A.** AWS Lambda
- B.** ☐☐☐ EC2
- C.** ☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐ (Amazon ECR)
- D.** AWS Elastic Beanstalk

Answer: A (LEAVE A REPLY)

AWS Lambda□ □□□ □□□□□□□□ □□□ □□ □□ □□□ □□□ □ □□ □□□□□□. Lambda□
 □□□□ Amazon S3□□ □□□ □□□□□□ □□□ □ □□□□ □□□ □□□ □□□ □ □□□□.
 Lambda□ □□□ □□□ □□ □□□□ □□□ □□□□ □□□□□□. □□□ □□□ A□□□.

NEW QUESTION: 286

```

□ □□□□ □□□□ □ □□□□□□□ □□□□ □□□ □□ □□ □□□□ □□□□ □□□□. □ □□□
□ □□□ □□ □□□ □□□ □□□ Amazon API Gateway□ □□ □□□□□□ □□□□□□ □□ □□□
□□□□□. API Gateway□ □□□□□□ □□□ □□□□□ □□ □□□ □□□ □ □□ □□□□ □□□□
□?

```

- A.** □□ AWS Lambda □□□ API Gateway □□ □□□□□□ □□□□□.
- B.** AWS Lambda□□ □□ □ □□ □□
- C.** API Gateway□□ □□ □□□ □□□ □□ API Gateway□ AWSLambda□ □□□□□.
- D.** AWS Lambda □□□ □□ □□ □□□□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

[illegible]

NEW QUESTION: 287

□□□□□ □□□□□□□ AWS □□□□ □□ □□□□□ □□□□ □□ □□ □□□ □□ □□□□□ □□□□
 □□□□□ □ □□□□ □□ AWS □□□□ □□ □□□□□ □□□□□□?

- A.** AWS Direct Connect
- B.** AWS ☐☐☐☐☐☐☐☐☐☐
- C.** ☐☐☐ S3
- D.** AWS ☐☐☐☐☐☐

Answer: B (LEAVE A REPLY)

AWS Storage Gateway is a hybrid cloud storage service that enables you to seamlessly integrate your on-premises storage environment with AWS cloud storage. Storage Gateway provides a simple, secure, and cost-effective way to migrate, backup, and archive your on-premises data to the cloud. It offers three main types of gateways: File Gateway, Volume Gateway, and Tape Gateway. Each gateway type is designed to address specific use cases and requirements for data integration and management.

Storage Gateway is available in three main types: Amazon S3 File Gateway, Amazon FSx File Gateway, Tape Gateway, and Volume Gateway. Each gateway type is designed to address specific use cases and requirements for data integration and management. File Gateway is used for file-based workloads, while Volume Gateway is used for block-based workloads. Tape Gateway is used for backup and archival workloads. Each gateway type is designed to seamlessly integrate with your on-premises storage environment and provide a simple, secure, and cost-effective way to migrate, backup, and archive your data to the cloud. Storage Gateway also provides a simple, secure, and cost-effective way to manage your data in the cloud, including monitoring, logging, and reporting. It also provides a simple, secure, and cost-effective way to manage your data in the cloud, including monitoring, logging, and reporting. Storage Gateway also provides a simple, secure, and cost-effective way to manage your data in the cloud, including monitoring, logging, and reporting.

NEW QUESTION: 288

Which of the following is a valid AWS IAM policy for a user who can only view the details of the AWS IAM console?

- A. `aws-iam:ReadOnlyAccess`
- B. `aws-iam:ReadOnlyAccess`
- C. `aws-iam:ReadOnlyAccess`
- D. `aws-iam:ReadOnlyAccess`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 289

Amazon EC2 instances can be launched in the AWS Cloud or on-premises. Which of the following is a valid AWS IAM policy for a user who can only view the details of the AWS IAM console?

- A. `aws-iam:ReadOnlyAccess`
- B. `aws-iam:ReadOnlyAccess`
- C. `aws-iam:ReadOnlyAccess`
- D. `aws-iam:ReadOnlyAccess`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 290

Which of the following is a valid AWS IAM policy for a user who can only view the details of the AWS IAM console?

- A. `aws-iam:ReadOnlyAccess`
- B. `aws-iam:ReadOnlyAccess`

Amazon Simple Storage Service(Amazon S3)은 모든 종류의 데이터를 저장할 수 있는 서비스입니다. 모든 종류의 데이터, 예를 들어 텍스트, 이미지, 비디오, 오디오, 실행 파일, PHP, JSP, ASP.NET 등 모든 종류의 데이터를 저장할 수 있습니다. Amazon S3은 모든 종류의 데이터를 저장할 수 있습니다.

C. 모든 종류의 데이터

D. 모든 종류의 데이터 53

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 291

AWS Identity and Access Management(IAM)은 무엇을 관리하는 서비스인가요?

A. AWS 리소스의 접근 권한

B. AWS 리소스의 접근 권한

C. AWS 리소스의 접근 권한, 사용자, 그룹, 역할

D. 사용자, 그룹(MFA) 사용자, 그룹, 역할

Answer: C ([LEAVE A REPLY](#))

답변

AWS Identity and Access Management(IAM)은 AWS 리소스의 접근 권한, 사용자, 그룹, 역할, 정책 등을 관리하는 서비스입니다. IAM은 AWS 리소스의 접근 권한, 사용자, 그룹, 역할, 정책 등을 관리하는 서비스입니다.

링크: <https://aws.amazon.com/iam/>

NEW QUESTION: 292

AWS는 무엇을 제공하는 서비스인가요?

A. AWS 리소스의 접근 권한

B. AWS 리소스의 접근 권한

C. AWS Trusted Advisor

D. AWS 리소스의 접근 권한

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 293

다음 중 AWS 리소스의 접근 권한을 관리하는 서비스는 무엇인가요?

답변 AWS 리소스의 접근 권한을 관리하는 서비스는 무엇인가요?

A. AWS 리소스의 접근 권한

B. AWS 리소스의 접근 권한

C. AWS 리소스의 접근 권한

D. AWS 리소스의 접근 권한

Answer: B ([LEAVE A REPLY](#))

답변

AWS Organizations은 AWS 리소스의 접근 권한을 관리하는 서비스입니다. AWS Organizations은 AWS 리소스의 접근 권한을 관리하는 서비스입니다. AWS Organizations은 AWS 리소스의 접근 권한을 관리하는 서비스입니다.

Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 298

□□□ AWS □□□□□□ □□□□□□□□ □□□□ □□, □□□ □ □□□ □ □□□ □□□.
□□□□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□□□□□?

- A.** □ □ □ □ □ □ □ □
- B.** □ □ □ □ □ □ □ □ □ □ □ □
- C.** □ □ □ □ □ □ □
- D.** □ □ □ □ □ □ □ □

Answer: (SHOW ANSWER)

[illegible]

NEW QUESTION: 299

11

□□□□ □□□□ □□ □□□□ □□□□ □ □□□ □□□□ □□□□ □□□□ AWS □□ □□□□□□.

- A.** ☐☐☐ ☐☐☐
- B.** ☐☐☐ ☐☐☐☐☐
- C.** ☐☐ ☐☐☐
- D.** ☐☐☐ ☐☐

Answer: (SHOW ANSWER)

NEW QUESTION: 300

AWS □□□ □ □□□ □□ □□ □ □□□□, □□ □□□□□ AWS □□□□ □□ □□□ □□ □□□□ □
 □□ □ □□ AWS □□□□ □□□□□?

- A.** AWS ☐☐☐ ☐☐☐
- B.** AWS Direct Connect
- C.** ☐☐☐ ☐☐☐
- D.** AWS Identity and Access Management (IAM)

Answer: (SHOW ANSWER)

NEW QUESTION: 301

□□ □□□□□ Amazon EC2 □□□□□□ □□□□ □ 5□□□ □□□□. □□□□ □ □□□ □□ □□ □
□□ □□□□ □□ □□□ □□□□□.

[illegible]

- A.** □ □ EC2 □□□□ □□□□ □□□□□□□ □□□□□.
B. □□□□ EC2 □□□□□□ □□□□□□□ □□□□□.

C. □□□□□□□ □□ EC2 □□□□□ □□□□ □□□□□ □□□ □□□□□.

D. □□ □□ □□□ □ □□□ EC2 □□□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□ □□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□ □. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,

NEW QUESTION: 302

[illegible]

□□ □□□ S3 □□□□ □□□ □□ □□□ □□ □□ □□□□□ □□□□□?

A. S3 ☐ ☐ ☐ ☐ ☐ ☐

B. S3 ☐☐☐ ☐☐☐

C. □□□ □□ □□□ □□□□ S3 □□

D. S3 ☐ ☐

Answer: (SHOW ANSWER)

NEW QUESTION: 303

□□□□ AWS □□□ □□□ □□□□□□□□ □□ □□□□□ □□ □□□ □□□□ □□□?

A. AWS □□□□□ □□ □□

B. AWS Lambda

C. AWS CodeDeploy

D. AWS ☐ ☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 304

□□□ □□□ □□□□ □□□ □□□ □□□□□ □□ AWS □□□□ □□□□ □□ □□□□?

A. ☐☐☐ RDS

B. ☐ ☐ ☐ ☐ ☐

C. AWS ☐☐☐☐

D. AWS EBS

Answer: B (LEAVE A REPLY)

11

Amazon S3 Glacier ☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ S3 ☐
☐☐☐ ☐☐☐☐☐. ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ 0.004 ☐☐☐☐ ☐

□□ □ □□□□. S3 Glacier □□□□ □□□□ □□□□ □□□□ □□ □□□□ □ □ □□ □□ □ □ □□ □□□□ □□□□□□.

Amazon RDS□ □□□ □□□□□□□□ □□□□□ □□□□□□. □□ □□ □□□□□□□ □□□□ □□□ □ □□□□.

Amazon Snowball□ □□□□□ □□□ □□□ □□ □□□□, □□ □□ □□□ □□ □□□ □□□□ AWS □ □□ □□□□ □□□ □□□ □□□□□□. □□□□□, Elastic Block Storage□ EC2 □□□□□ □□ □□ □□ □□□□ □□□ □□□□□□.

NEW QUESTION: 305

□□ AWS □□□□ □□□□ □□□ □□ □□□□□ □□□□□?

- A. □□□ S3
- B. □□□ □□□□ □□ □□□(Amazon EFS)
- C. □□□ EBS(Amazon Elastic Block Store)
- D. □□□ FSx

Answer: [\(SHOW ANSWER\)](#)

Amazon S3□ □□□□ □□□ □□ □□□□□ □□□□ AWS □□□□□□. Amazon S3□ □□□ □□ □ □□ □□□□□ □□□□□□□.

Amazon S3□ 1□ □□ □□□ □□□□ 99.999999999% □□□□□. □, □□□ □□□ □□ □□ □□□□ □□□□ □□□□ □□□ □ □□□□. □□ Amazon S3□ □□□□ □□ □□□□, □□□, □□ □ □□□ □□□□□. Amazon S3□ □□□□ □ □□□□□ □□□□ □□□ □□ □□□□ □□□□ □□□ □ □□□ □.

NEW QUESTION: 306

□ □□□ □□ Amazon EC2 □□□□□□ MySQL □□□□□□□ □□□□ □□□□. □□ □□□ □□ □□ □ □ □□ □□□□ □□□□ □□□. □□□ □□ □□□ □□□□ □□ □□□ □□□□□?

- A. Amazon RDS□ □□□□□□□□ □□ AZ□ □□□□□□.
- B. EC2 □□ □□□ □□□□ □□□□□ □□ □□ □□□□ □□□□□.
- C. □□□ □□□□ □□ EC2 □□□□□ □□ □□ □□□ □□□□□□.
- D. EC2 □□□□ □□ □□□□□□ □□ □□□□ □□□□□.

Answer: A [\(LEAVE A REPLY\)](#)

NEW QUESTION: 307

□□□□□□□ □□□□□ □ □□□□ AWS □□□ □□□□ □□□□□?

- A. AWS □□
- B. AWS □□□□
- C. AWS □□□ □□□□□
- D. □□□ RDS

Answer: D [\(LEAVE A REPLY\)](#)

□□
□□

Amazon RDS(Amazon Relational Database Service) □ □□□ □□□□ □□□ □□□□□□□ □□□ □
□, □□ □ □□□ □ □□□ □□□□□. □□ □□□□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□
□□□, □□□□□□ □□, □□ □ □□□ □□ □□ □□□□ □□ □□□ □□□□□□. □□ □□ □□□□
□□□□□□ □□□ □□□□ □□ □□, □□ □□□, □□ □ □□□□ □□□ □ □□□□.

NEW QUESTION: 308

□□□□□ □□□□ □□□□ □□/□□□□ □□ AWS □□□□ □□□□ □□□? (□ □□□ □□□□□.)

- A.** □□□ □□
B. □□□ RDS
C. AWS □□□□
D. □□□ □□□□□
E. □□□ EFS

Answer: B,E (LEAVE A REPLY)

11

https://aws.amazon.com/efs/?nc2=type_a

NEW QUESTION: 309

AWS □□ □□ □□□□ □□ □ □□ □□□ □□ □□□ □□□□ □□□□?

- A.** □□□ □□□□□
- B.** AWS□ □□□ □□ □□□ □□□.
- C.** AWS□ □□ □□ □□□ □□ □□□ □□□.
- D.** AWS□ □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 310

□□□□ □□□□ □□ □□□ □□□□ □□ □□□□ 7□ □□ □□□□ □□□.

□□ AWS □□□□ □ □□ □□□ □□ □□□ □□□□ □□□□□?

- A. ☐☐☐ S3
- B. AWS ☐☐☐☐

[]:

- C.** ☐☐☐ S3 ☐☐

Answer: C (LEAVE A REPLY)

11

S3 Glacier Deep Archive□ Amazon S3□□ □□ □□□ □□□□ □□□□, □□ □□ □ □□ □□□□□ □□□□ □□ □□ □ □□□ □□□ □□□□□. □□ □□, □□, □□ □□□ □□ □□□ □□□ □□ □□□ □ 7~10□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□□□□□□. S3 Glacier Deep Archive□ □□ □ □□ □□ □□□□ □□□ □ □□□, □□□□□□ □□□□□□□ □□□□□□ □□□ □ □□□□ □□ □□□ □□□□ □□□ □ □□ □□ □□ □□□□□ □□□□ □□ □□□□□□□.

□□: <https://aws.amazon.com/s3/storage-classes/>

NEW QUESTION: 311

Which AWS service provides a managed database for NoSQL data, offering high availability, scalability, and automatic backups?

- A. AWS ElastiCache
- B. AWS S3
- C. Amazon DynamoDB

AWS Marketplace is a platform where you can find and purchase third-party software solutions that are optimized for AWS. Which of the following is a benefit of using AWS Marketplace?

- D. It allows you to purchase software licenses directly from the vendor.

Answer: (SHOW ANSWER)

NEW QUESTION: 312

Which AWS service is used to manage and orchestrate containerized applications?

- A. Amazon EC2
- B. Amazon EKS

Amazon IT has a fleet of servers that are running on Amazon EC2. The fleet is growing rapidly, and the company is looking for a way to manage the fleet more efficiently. Which of the following is a benefit of using Amazon EKS?

- C. It allows you to manage the fleet using a single console.
- D. It allows you to manage the fleet using a single API.

Answer: (SHOW ANSWER)

NEW QUESTION: 313

Which AWS service is used to manage and orchestrate containerized applications?

- A. AWS ElasticBeanstalk
- B. AWS Storage Gateway
- C. Amazon CloudFront
- D. Amazon RDS

Answer: D (LEAVE A REPLY)

NEW QUESTION: 314

Which AWS service is used to manage and orchestrate containerized applications?

- A. AWS
- B. AWS
- C. AWS (TCO)
- D. AWS Well-Architected Tool

Answer: C (LEAVE A REPLY)

TCO □□□□ AWS□ □□□ □ □□ □□□ □□ □□ □□□ □□ □□□ □□□□□. □ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□ □ □□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□□ □.

☐☐: <https://aws.amazon.com/tco-calculator/>

NEW QUESTION: 315

□□□□□ □□□□ □□□□ □□/□□□ □□ AWS □□□□ □□□□ □□□? (□ □□□ □□□□□.)

- A.** ☐☐☐ EFS
- B.** ☐☐☐ ☐☐☐☐☐☐
- C.** AWS ☐☐☐☐
- D.** ☐☐☐ ☐☐
- E.** ☐☐☐ RDS

Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 316

□□□ □□□□ □□(OLTP)□ □□□□ □□□ PostgreSQL □□□□□□□ □□□ □ □□ AWS □□□□
□□□□□?

- A.** ☐☐☐ ☐☐☐☐ DB
- B.** ☐☐☐ ☐☐☐
- C.** ☐☐☐ RDS
- D.** ☐☐☐ EMR

Answer: C (LEAVE A REPLY)

□□/□□ □□: <https://aws.amazon.com/rds/postgresql/>

[illegible]

NEW QUESTION: 317

□ □□□ □□ □□□□□□□□ □□□ □□□□ □□□□ □□□ □□□□ □□□□. □□□ □□ □
□□ □□□□□□□□ □□□ □ □□□□. □□, □□□ □□□ □□□□□□ □□□□ □□□□□□ □□□.
□□□ □□ □□□ □□□□ □□ □□□ □□ Amazon EC2 □□□□ □□□ □□□□ □□□?

- A.** □□□□ □□□□
- B.** □□ □□□□
- C.** □□□ □□□□

B. Lambda □□□ □□□ AWS CLI □ □□□□ □□□ □□□□□□.

Which of the following are managed database services? (Select TWO)
A. MySQL B. PostgreSQL C. Amazon Aurora D. Amazon RDS E. AWS - Amazon Aurora

NEW QUESTION: 325

Which of the following is a managed service that can be used to monitor AWS resources?

- A. AWS CloudWatch
- B. AWS IAM
- C. AWS Lambda
- D. AWS Trusted Advisor

Answer: B ([LEAVE A REPLY](#))

Explanation:

https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/monitor_estimated_charges_with_cloudwa

NEW QUESTION: 326

Which of the following is a managed service that can be used to monitor AWS resources?

- A. AWS CloudWatch
- B. AWS IAM
- C. AWS Lambda
- D. AWS Trusted Advisor

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 327

Which of the following is a managed service that can be used to monitor AWS resources?

- A. AWS CloudWatch
- B. AWS IAM
- C. AWS Lambda
- D. AWS Trusted Advisor

Answer: C ([LEAVE A REPLY](#))

Explanation: <https://docs.aws.amazon.com/AmazonS3/latest/dev/replication.html>

NEW QUESTION: 328

Which of the following is a managed service that can be used to monitor AWS resources? (Select TWO)

- A. AWS CloudWatch
- B. AWS IAM
- C. AWS Lambda
- D. AWS Trusted Advisor
- E. AWS - Amazon Aurora

Answer: (SHOW ANSWER)

Explanation: AWS CloudWatch and AWS IAM are managed services that can be used to monitor AWS resources.

□□□ □□ □□□□ □□□□, □□ □□ □ □□□□ □□□□□. □□□ □□□ □□□□ □□ □□□ □□ □□, □□□ □□□□, □□□□ □□□ □□□□ □□□ □ □□ □□□□ □□□□ □ □□□ □□□. □□□ □□ □□□□ □□□□□ □□ AWS Auto Scaling, Amazon EC2, AWS Lambda□ □□ □□□□ □□ □□ □□ □□□□ □□□□□ □□ □□□ □□□ □□□□ □□ □□□□□. □□ □□ □ □□□□ □□ □□□ □□ Amazon CloudWatch, AWS CloudFormation, AWS CloudTrail□ □□ □□□□ □□□□ □□□ □□□□ □□□□ □□ □□□□□.

NEW QUESTION: 329

□ □□□ □□□ S3 □□□ □ □□□□□□ □□□□ □□□□ □□□□. □ □□□ □□ SQL□ □□□□ □ □□□ □□□□ □□, □□□ □□□□ □□□□ □□□□ □□□□. □□□ □□ □□□ □□□□ □□ □□ AWS □□□□ □□□□ □□ □□ □□□□?

- A. □□□ RDS
- B. □□□ □□□□□
- C. □□□ □□□
- D. □□□ EC2

Answer: C ([LEAVE A REPLY](#))

"Amazon Athena□ □□ SQL□ □□□□ Amazon S3□ □□□□ □□ □□□ □ □□ □□□ □□ □□□□ □□. Athena□ □□□□ □□□□□□ □□□□□ □□□□ □ □□□□ □□□ □□ □□□ □□□ □□□ □ □□□□."

NEW QUESTION: 330

□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□□ □□□ □□□ □ □□ AWS □□□□ □□□□ □?

- A. AWS Trusted Advisor
- B. □□□ □□□□□□
- C. VPC □□ □□
- D. AWS □□□□□□□

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://aws.amazon.com/premiumsupport/technology/trusted-advisor/best-practice-checklist/>

NEW QUESTION: 331

□□□ □□ □□□ EC2 □□ □□□□ □□□ □□□□ □□□? (□ □□□ □□□□□)

- A. □□□ □□□□□□ □□□□□□□
- B. □□□□□ □□□ □□□ □□□□□□□
- C. □□□ □□□□□ □ □□ □□□□□□□
- D. □□□□ □□□□□□
- E. □□ □□ □□□□□

Answer: ([SHOW ANSWER](#))

□□ □□ □□□ □□□ Amazon EC2 □□□□□ Amazon S3 □□□ □□□□□□ □□□ □□□ □□ □□ □?

- A. □□ □□□□ □□□□ S3 □□□ □□□□ □ □□□ S3 □□ □□□ □□□□□.
- B. IAM □□□□ □□ □□ □□□ □□ □□□□□□□□ □□ □□ □□□□ □□□ □□□□□□.
- C. EC2 □□□□□ □□ □□□ □□□ □□ □□ □□□ □□□□□ □□□.
- D. IAM □□□□ □□ □□ □□□ □□ EC2 □□□□□ □□□ □□□ □□□□□, □□ □□ □ □□□ □□□ □□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 335

□□ □ □□□□ □□□□ □□□□ □□□ □□□□ AWS CloudFormation□ □□ □□□□ □□□□□□□□ □ □□□ □ □□ □□□□□ □□ □□□□□□ □□□□□□?

- A. AWS CLI
- B. AWS □□□ □□
- C. AWS □□□□ □□ □□(AWS CDK)
- D. AWS □□□□

Answer: C ([LEAVE A REPLY](#))

AWS □□□□ □□ □□(AWS CDK)□ TypeScript, Python, Java, .NET, Go(□□□ □□ □□)□ □□ □□□ □□□□□ □□□ □□□□ □□□□ □□□□ □□□ □□□ □ □□ □□□□□ □□ □□□□□□□□.

AWS CDK□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□ □□□□□□ □□□□ □ □□□□□, □□ AWS CloudFormation □□□□ □□ □□ □□□ □□□ □□□□ □□□ □□□ □□□ □□□□. AWS CDK□ □□□□ □□□ AWS CDK CLI □□ AWS Management Console□ □□□□ □□□ □ □□ AWS CloudFormation □□□□□ □□□□□.

AWS CDK□ AWS CodeCommit, AWS CodeBuild, AWS CodePipeline, AWS Lambda, Amazon EC2, Amazon S3 □ □□ AWS □□□□□ □□□□ □□ □ □□ □□□□□ □□□□□ □ □□□ □□□. AWS CDK□ □ □□ □□□ □□□ □□ □□ □□□□□□□□. □□ □□: □□□□ □□ □□□□□ - AWS, AWS □□□ □ □□ □□ - AWS, AWS □□□□ □□ □□ □□, AWS □□□□ □□ □□ - □□□□, AWS CDK □□ □ □□ | AWS CDK □□□

NEW QUESTION: 336

□□□□ □□□ □□ □□ □ □□□ □□□ □□□□, □□ □□□□ □□□ □□ □□□ □□□ AWS □□□ □ □□□□□?

- A. AWS □□
- B. AWS □□
- C. □□ □□□
- D. AWS Trusted Advisor

Answer: B ([LEAVE A REPLY](#))

□□/□□ □□: <https://aws.amazon.com/getting-started/hands-on/control-your-costs-free-tier-budgets/>

NEW QUESTION: 337

AWS □ □ □ □ □ □ □ □ □ □ ? (□ □ □ □ □ □ □ □ □ □)

□□ 4□□ □□□□:

- A.** □□□□
- B.** □□
- C.** □□
- D.** □□□

Answer: A,B,C,D (LEAVE A REPLY)

□□ □□ AWS□ □□□□ □□ □□□□□. AWS□ □□ □□□ □□□ □□□ □□□ □ □□□□□. □ □
□□□□ □□□□, □□□ □□, □□□□□□, □□□□, □□, □□□ □□, □□□, □□ □ □□ □□□ □□
□□□□□□□.

NEW QUESTION: 338

□□ □ AWS□□ □□□□ □□□ □□ □□□□ □□□□□? (□ □□ □□□□□□.)

- A.** ☐☐☐ ☐☐☐☐
- B.** AWS ☐☐
- C.** AWS ☐☐☐☐ ☐☐☐
- D.** AWS Identity and Access Management (IAM)
- E.** AWS ☐☐☐☐

Answer: A,D (LEAVE A REPLY)

AWS□□ □□□□ □□□ □□ □□□□ Amazon Cognito□ AWS Identity and Access Management(IAM)□ □□. □□□ □□□□ □□□□ AWS □□□ □ □□□□□□□□ □□ □□□□ □□□□ □□□□ □□□ □□□□□□. Amazon Cognito□ □ □ □□□ □□□□□□□□ □□ □□□ □□, □□□□ □ □□□ □□ □ □□□□ □□□□□□. Amazon Cognito□ Facebook, Google, Amazon□ □□ □□□ ID □□□□□ □□□ □□ □□□ □□ □□□□□. AWS IAM□ □□□□ AWS □□□ □ □□□□□ □□ □□□, □□, □□ □ □□ □ □□□□ □□□ □ □□□ □□□□ □□□□□□. AWS IAM□ □□, □□□□ □, □□□□ □□(MFA) □ □□ □ □□ □□□ □□□□□□.

NEW QUESTION: 339

□ □□□ □□□□ □□□ □□□□ □□□□□□□□ □□□□ □□□□. □□ □□□□□ □□ □□ □□
AWS □□□ □□ □□□ □□□ □□□□□□□□. □□ □□ □□□ □□□, □□ □□□ □□□□□□□ □□ □□
□□□. □□□ □□□ □□□ □ □□ AWS □□□□□ □□□□□□? (□ □□□ □□□□□□□.)

- A.** AWS ☐☐☐☐
- B.** AWS Trusted Advisor
- C.** AWS ☐☐
- D.** AWS ☐☐☐☐ ☐☐☐
- E.** AWS Identity and Access Management (IAM)

Answer: (SHOW ANSWER)

AWS Artifact□ □□ □□□ □□□ □□□ □□□ □ □□ □□□□ □□□□□□. AWS□ □□ □ □
□ □□ □□□□ □□□ □□□ □□□□ □□□ □□ □□ □□□□ □ □□□□.

AWS Trusted Advisor AWS □□ □□□ □□□□ □ □□□ □□ □□ □□□ □□□□□. Trusted Advisor □ □□ □□□ □□ □□□ □□□□□. □□□ □□□ □□ AWS □□□ □□□, □□ □ □□ □□, □□ □ □□, □□□ □□□ □□□□ □□ □□□ □□□ □ □□□□.

AWS Config AWS □□□□ □□□ □□, □□ □ □□□ □ □□□ □□□□ □□□□□□. Config AWS □□□ □□□ □□□□□ □□□□□□ □□□□, □□□ □□□ □□□ □□□ □□□□ □□□□ □□□ □□□ □ □□□ □□□.

AWS CloudTrail □□□ □□ □ API □□□□ □□□□ □□, □□ □□□□ □ □□ □□ □□□ □□□□ □. CloudTrail AWS □□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□□□ □□□□□ □□□□□, □□ □ □□ □□ □□□ □□□ □ □□□ □□□.

AWS Identity and Access Management(IAM) AWS □□□ □□ □□□ □□□ □□□ □□□□□. IAM □ □□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□ □ □□□ □□□ □ □□□□. IAM □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□ □□□ □□□ □ □□□□.

NEW QUESTION: 340

□□ □□ □□ □□□ □□□ □□(IAM) □□□□ □□ AWS □□ □□□ □□□□□?

- A. □□
- B. □□□□
- C. □□□
- D. □□

Answer: A ([LEAVE A REPLY](#))

<https://aws.amazon.com/premiumsupport/plans/>

NEW QUESTION: 341

□□ □ AWS □□□□□ □□□□ □□□□ □ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□□□.)

- A. □□□□ □□□ □□ □□□□ □□□□□□ □ □□□□.
- B. AWS □ □□□□□ □□ □□□ □□□□□.
- C. □□□□ □□□ □□□□ □□□ □ □□□□.
- D. □□ □□□ □□□□.
- E. □□□□ □□□ □□□ □□ □□□ □□□ □ □□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 342

AWS □□□□□ □□□□□□□□ □□ □□ □ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□. □ □□□ □□□□ □□ □□□ □□□ □□□□ □□, □□□□ □□□ □□ □□□ □□□ □ □□ □□□□ □□□ □□□.

□□ AWS □□□□ □□□ □□ □□□ □□□□□?

- A. □□□ S3
- B. AWS □□□□ □□
- C. AWS StorageGateway
- D. AWS □□

NEW QUESTION: 346

Which of the following is a valid IAM role for an Amazon EC2 instance?

- A. AmazonEC2RoleForSSM
- B. AmazonEC2RoleForS3
- C. AmazonEC2RoleForAWS
- D. AmazonEC2RoleForIAM

Answer: C ([LEAVE A REPLY](#))

AWS-Certified-Cloud-Practitioner 00 000 00000 00 DumpTop 00 0000 000 AWS-Certified-Cloud-Practitioner 00! DumpTop 0 00 **AWS-Certified-Cloud-Practitioner** 00 000 00 00000, DumpTop AWS-Certified-Cloud-Practitioner 00 000 000000000 000 00000000 0. 0000 000 00000 00 DumpTop AWS-Certified-Cloud-Practitioner 000 000000. <https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 347

Which of the following is a valid IAM role for an Amazon EC2 instance?

- A. AmazonEC2RoleForSSM
- B. AmazonEC2RoleForS3
- C. AmazonEC2RoleForAWS
- D. AmazonEC2RoleForIAM

Answer: D ([LEAVE A REPLY](#))

00/00: <https://aws.amazon.com/hybrid/>

NEW QUESTION: 348

AWS 000 0 000, 000 0 000000000 0 00 000000 00 00 000 00 000 0000 00000 000 00 00000(CDN)0 000000?

- A. AWS 000000000
- B. AWS Direct Connect
- C. 000 000000000
- D. 000 00000

Answer: C ([LEAVE A REPLY](#))

Amazon CloudFront 0 000, 000, 0000000 0 API 0 00 00000 00000 00000 00 00 0 00 00000(CDN) 0000000. 000 00000 00000 00 00 000 00 00 000 00000 0. CloudFront 0 AWS 0 00000 000, AWS 000 00000 00 000 000 00000 000 00 AWS 00000 000000.

00: <https://aws.amazon.com/cloudfront/>

NEW QUESTION: 349

Which AWS service can be used to monitor the health of your AWS resources and provide recommendations to improve their performance?

- A. AWS CloudTrail
- B. AWS Trusted Advisor (TCO) console
- C. AWS Trusted Advisor
- D. AWS CloudWatch

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 350

Which AWS service can be used to store and retrieve data in a key-value format?

- A. Amazon ElastiDB
- B. Amazon RDS
- C. Amazon EC2
- D. Amazon S3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 351

Which AWS service can be used to store and retrieve data in a document format?

- A. Amazon DocumentDB (MongoDB compatible)
- B. Amazon S3
- C. Amazon ElastiDB
- D. Amazon RDS
- E. Amazon ElastiDB

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 352

Which AWS service can be used to send and receive messages between distributed systems?

- A. Amazon EventBridge (Amazon CloudWatch Events)
- B. AWS Direct Connect
- C. Amazon ElastiDB
- D. Amazon RDS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 353

Which AWS service can be used to store and retrieve data in a file system format?

- A. Lustre Amazon FSx

B. AWS □□□□ □□□□□ □□ □□□□□

C. AWS Storage Gateway ☐☐ ☐☐☐☐☐

D. □□□ □□□□ □□ □□□(Amazon EFS)

Answer: C (LEAVE A REPLY)

AWS Storage Gateway □□ □□□□□□ □□□□ □□□ NFS □ SMB□ □□ □□□□□□ □□□□

Amazon S3 is a simple, scalable, and secure storage service. It provides a highly durable and available storage for data at any scale. Amazon S3 is a cloud storage service that allows you to store and retrieve any amount of data from anywhere on the web. It is designed to be highly durable and available, with 99.999999999% availability and 99.999999999% durability. Amazon S3 is a simple, scalable, and secure storage service. It provides a highly durable and available storage for data at any scale. Amazon S3 is a cloud storage service that allows you to store and retrieve any amount of data from anywhere on the web. It is designed to be highly durable and available, with 99.999999999% availability and 99.999999999% durability.

NEW QUESTION: 354

□□□□ AWS CLI □ □ □ AWS □□□□ □□□□ □ □□□ □□ AWS IAM □□□ □□□□□?

A. API ☐

B. ☐ ☐ ☐

C. /

D. SSH ☐

Answer: B (LEAVE A REPLY)

https://docs.aws.amazon.com/IAM/latest/UserGuide/id_credentials_access-keys.html

□□□ □□ IAM □□□ □□ AWS □□ □□ □□□□ □□ □□ □□ □□□□□. □□□ □□ □□□□
AWS CLI □□ AWS API□ □□ □□□□□ □□ □□□ □□□ □ □□□□(□□ □□ AWS SDK□ □□).

NEW QUESTION: 355

AWS □□□□ □□ □□ □□ AWS Lambda □□ □□□ □□□□ □ □□□ □ □□ AWS □□ □□ □□□□
□ □□□□□? (□ □□□ □□□□□)

[illegible]

B. AWS CLI

C. AWS □□□□□□□□

D. AWS SDK

E. □□□ □□□□ □□□□

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 356

[illegible]

A. AWS Graviton ☐☐☐☐

B. Amazon EC2 □□ □□□□ □□□□

C. ☐ ☐ ☐ ☐ ☐

D. EC2

Answer: (SHOW ANSWER)

NEW QUESTION: 357

□□□□ □□ □□ □□□□ □□□□(VPC)□ AWS □□□□□□ □□□□□ □□□ □□ □□ □□ □□ □□□□. □□□□ □□ □□ □□□ □□□□ □□□□ □□□ VPC□ □□□□□□. □□□□ VPC □ □ IP □□ □□□□□. □□□□□ □□□□ VPC □□ □□□□ □□□□□ □□□□□. □□□□ □□□□ □□ VPC □□□ □□□□□□ □□(□: □, □□□□□□ □ □□□□□□)□ □□□ □ □□□□. □□□□ □ □□□□□ □□ □□□□□□□ □ □□ □□ □□□□ □□□□ □□□□□□. □□ □□□□ □□ □□ □□□□ □□ VPC□□ Amazon EC2 API□ □□□□□ AWS PrivateLink□ □□□□□□.

<https://docs.aws.amazon.com/AWSEC2/latest/WindowsGuide/infrastructure-security.html>

NEW QUESTION: 361

□□ AWS □□□□ □□□ □ □□□ □□□□ □□□ □□□□□□□ □□□□ □ □□□ □ □□ □□□□ □□□□□?

- A. □□□ □□□□□□□
- B. □□□ EC2
- C. □□□ □□□□DB
- D. □□□ □□ 53

Answer: B ([LEAVE A REPLY](#))

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□ □□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□□ □□□ □□□□□□□ □. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 362

□ □□□ □□ □□□ □□□□ □□□□ □□ □□□□ □□□ □□□□ □□□□. □ □□□ □□ AWS □□ □□ □□□□ □□□?

- A. □□□ □□□□□
- B. □□□ EBS(Amazon Elastic Block Store)
- C. □□□ □□□□□□
- D. □□□ □□□□DB

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 363

□ □□□ 3□ □□ □□ □□ □□□□ □□□□□□□□ □□□□□□□□ □□□□. □□ □□ □□ □□□ □□ □□ □□□□ □□□□ □□□□□?

- A. □□□ EC2 □□□□ □□□□
- B. □□□ EC2 □□ □□□□
- C. Amazon EC2 □□ □□□□

Answer: A (LEAVE A REPLY)

□□□□ □□ □□□ □□ □□□□□□□□ □□□□ □□□. □ □□□□□□□ □□ □□ □□□ □□□ □
□ □□ □□□ □□□□ □□□.

D. □□□ □□□□□□

D. □□□ □□□□

B. ☐ ☐ ☐ ☐ ☐

C. Pay-as-you-go pricing model

D. Reserved pricing model

Answer: C ([LEAVE A REPLY](#))

Amazon Web Services (AWS) offers a variety of pricing models to help you choose the right pricing model for your workload. Pay-as-you-go pricing is the simplest pricing model. You pay only for the resources you use, and you can scale up or down as needed. Reserved pricing is a pricing model that allows you to reserve capacity for a specific time period. This pricing model is ideal for workloads that have a predictable, steady-state usage pattern. Spot pricing is a pricing model that allows you to purchase unused Amazon EC2 capacity at a significant discount. This pricing model is ideal for workloads that can tolerate interruption. AWS offers a variety of pricing models to help you choose the right pricing model for your workload. For more information, see [AWS Pricing](https://aws.amazon.com/pricing/).

NEW QUESTION: 367

Which AWS service can be used to monitor the health of your Amazon EC2 instances?

A. Amazon CloudWatch

B. Amazon CloudTrail

C. Amazon IAM

D. Amazon RAM

E. AWS Trusted Advisor

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 368

Which AWS service can be used to encrypt data at rest?

A. Amazon S3

B. Amazon IAM

C. Amazon CloudWatch

D. Amazon CloudTrail

Answer: A ([SHOW ANSWER](#))

URL: <https://docs.aws.amazon.com/kms/latest/developerguide/control-access.html>

NEW QUESTION: 369

Which AWS service can be used to store and manage metadata about your Amazon EC2 instances?

A. Amazon S3

B. Amazon CloudWatch

C. Amazon IAM

D. Amazon EC2

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 370

Amazon Rekognition can be used to identify objects in images and videos.

A. Amazon Rekognition can be used to identify objects in images and videos.

B. Amazon Rekognition can be used to identify objects in images and videos.

C. Amazon Rekognition can be used to identify objects in images.

D. Amazon Rekognition can be used to identify objects in images, but it requires a large number of images to be trained on.

Answer: B ([LEAVE A REPLY](#))

00/00 00:

00:

Rekognition Image can be used to identify objects in images, but it requires a large number of images to be trained on. Rekognition Image can be used to identify objects in images, but it requires a large number of images to be trained on. Rekognition Image can be used to identify objects in images, but it requires a large number of images to be trained on. Rekognition Image can be used to identify objects in images, but it requires a large number of images to be trained on.

00: <https://aws.amazon.com/rekognition/faqs/>

NEW QUESTION: 371

A company is using Amazon EC2 instances to run a web application. The company wants to ensure that the application is secure and that the data is protected.

Which of the following is the best way to ensure the application is secure and the data is protected?

A. VPC can be used to isolate the application from the rest of the AWS network.

B. AWS IAM can be used to control access to the application and the data.

C. EC2 instances can be used to run the application, and the data can be stored in Amazon S3. AWS VPN can be used to connect the application to the rest of the AWS network.

D. The application can be run on EC2 instances, and the data can be stored in Amazon S3. AWS IAM can be used to control access to the application and the data.

Answer: B ([LEAVE A REPLY](#))

000 B000. 000 AWS 00 00 00 00 00 00 00 00 EC2 000000 000000 00 00 0000 0000 00 00 000000 000000. 00 000 AWS 00 0000 0000 00, 00 0 00 0000 00 0000 000000. 0000 Amazon EC2 000000 00 0000 00 00 0000 00000000 000000 000000 000000 0 0000. 0000 AWS 00 00 00 0000 0000, 00 00 0 000000 00000000 000000. 00 0000 00 0000 000000 00 00 0000 000000 0 0000. VPC 0000 0000 00 0000 0 00 00 00 AWS 0000 EC2 000000 000000 00 0 0 0000 000000 00 00 0000 000000. AWS 0000 000000 000000 00 0000 AWS 00 0 0 00 000000 00 0 00 00 0000 0 0 00 000000. VPC 0000 0000 0 VPC 00 0000 0 0000, 000000 00 IP 0000 000000 000000 000000 0 0000 0000. 00000000 EC2 0000 0 0000, AWS 0000 00 0000 0000 0 AWS VPN 0000 000000 000000 00 00 0000 0000 0 0000 0000 000000. 00000000 AWS 0000 000000 000000 00 0000 AWS 00 00 00 00 0 00 00 000000 00 00 0000 0 0000 0 00 000000. AWS VPN 0000 000000 00 0000 VPC 00 000000 000000 000000. 0 EC2 000000 00 000000 00 00 0000 0000 0 0 00 00 0000 000000 0000 0000 000000. 00 0000 00 00 00 0000 00000000 00 0000 000000 00 00 0000 00 000000 0000 0 0000 00 000000. 00 0000 000000 00 00 00 0000 000000 000000. 00: [00, 00 00 0 00 00], [VPC 0000]

[AWS VPN], [00 00]

NEW QUESTION: 372

Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances?

(Select TWO.)

- A. AWS X-Ray
- B. AWS CodeDeploy
- C. AWS OpsWorks
- D. AWS Elastic Beanstalk
- E. AWS CloudWatch

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 373

Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances?

- A. AWS CloudWatch Logs can be used to monitor and debug applications running on Amazon EC2 instances.
- B. AWS CloudWatch Metrics can be used to monitor and debug applications running on Amazon EC2 instances.
- C. AWS CloudWatch Traces can be used to monitor and debug applications running on Amazon EC2 instances.
- D. AWS CloudWatch Events can be used to monitor and debug applications running on Amazon EC2 instances.

Answer: C ([LEAVE A REPLY](#))

Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances?

AWS CloudWatch Traces can be used to monitor and debug applications running on Amazon EC2 instances. AWS CloudWatch Traces can be used to monitor and debug applications running on Amazon EC2 instances. AWS CloudWatch Traces can be used to monitor and debug applications running on Amazon EC2 instances. AWS CloudWatch Traces can be used to monitor and debug applications running on Amazon EC2 instances.

NEW QUESTION: 374

Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances?

- A. AWS CloudWatch Logs can be used to monitor and debug applications running on Amazon EC2 instances.
- B. AWS CloudWatch Metrics can be used to monitor and debug applications running on Amazon EC2 instances.
- C. AWS CloudWatch Traces can be used to monitor and debug applications running on Amazon EC2 instances.
- D. AWS CloudWatch Events can be used to monitor and debug applications running on Amazon EC2 instances.

Answer: B ([LEAVE A REPLY](#))

Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances?

Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances? <https://docs.aws.amazon.com/IAM/latest/UserGuide/best-practices.html>

NEW QUESTION: 375

Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances? Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances? Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances? Which AWS service can be used to monitor and debug applications running on Amazon EC2 instances?

- A. AWS CloudWatch Logs

A. □□□ □□□□□

C. ☐ ☐ ☐ ☐ ☐ ☐

Answer: C (LEAVE A REPLY)

□□□□ □□□ □□□□□□□ □□□ □□□ □□□□, □□□ □ □□□ □□□ □□□□ □□□□□. □
□ AWS □□□ □□□ □□□□ □□ □□□ □□□□□?

B. Amazon Elastic Container Service(Amazon ECS) ☐ ☐ MySQL ☐ ☐ ☐ ☐ ☐.

C. Amazon EC2 MySQL

D. MySQL ☐ ☐ ☐ **Amazon RDS** ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

[illegible]

B. □□□ □□□□□

C. □ □ □ □ □ □ □

D. □□□ □□□□□

Answer: A (LEAVE A REPLY)

□□□□ □□ □□□□ □□□□ □□□ □ □□ □□□ □□□□(ML) □□□□ □□□□ AWS □□□□
 Amazon Personalize□□□. Amazon Personalize□ □□□□ □□ □□□□ □□□□ □□□□ □□□ □□□
 □□□□ □□□□ □□□□ □□ □□□ □□□□□□. Amazon Personalize□ □□□□ □□□□ □□ □□□
 □□, □□ □□ □□□□ □□□□, □□□ □□□□□ □□□□, □□□ □□ □□□ □□ □□□□□□□.
 Amazon SageMaker, Amazon Pinpoint, Amazon Comprehend□ □□ □□□ □□□ □□ AWS □□□□□□□,
 □□ □□□ □□ □□□□ □□□ □□□□ □□□□□.

□□ AWS □□□□ □ □□ □□□ □□□□□?

A. AWS □□□□□□□□

B. AWS Elastic Beanstalk

[]: AWS Cloud9

C. AWS ☐☐☐☐☐

Answer: A (LEAVE A REPLY)

AWS CloudFormation ☐ ☐☐☐☐ ☐☐☐ ☐☐ AWS ☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐, ☐☐ ☐☐☐☐☐ ☐
☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐ ☐ ☐☐☐☐ ☐ ☐☐☐☐ ☐☐☐☐☐☐☐☐.

AWS CloudFormation □ □□ □□□□ □□□□□ □□ □□□□ □□□□ □□□□□□ □□□ □□□ AWS
 □ □□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□ □ □□□□.

NEW QUESTION: 382

☐☒ Amazon Elastic Compute Cloud(Amazon EC2) ☐☐☐☐ ☐☐☐☐

- A.** Amazon EC2 □□□□□ □□ □□ □□□ □□□ □□□.
- B.** AWS Identity and Access Management(IAM) □□□ □□□□ AWS □□□ □□□ □□□□□.
- C.** AWS Shield□ □□□□ DDoS □□□□□□ □□□□□.
- D.** Amazon CloudFront□ □□□□ Amazon EC2 □□□□□ □□□□□.

Answer: A (LEAVE A REPLY)

11

AWS □□ □□□ Amazon EC2 □□□□□ □□□□□ □□□□□ □□□□□ □ □□□□□ □□□□□ □□ □□
 □□□. Amazon EC2□□ □□□□□ □□□□ □ □□ □□ □□□ □□□□□ □□□.

☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐

AWS □□ □□□ □□ □□□□□. □□ □□ □□□ □□□□□□ □□□ □□ □□□ □□□ □ □□□□
 (□, □□ □□□ □□□ □□ □□□□ □□ □□□□ □□□□ □□□□). □□ □□ □□□□□□□ □□□
 □□ □□□ □□ □□□ □□ □□□□. □□ □□ □□ □□□ □□□□□ Amazon EC2 □□□ □□□□ □
 □□□ □□□ □ □□□□.

□ □ :

<https://www.threatstack.com/blog/aws-security-groups-what-they-are-and-how-to-get-the-most-out-of-them>

NEW QUESTION: 383

□□ □ EC2 □□□□ □□□ □□□ □□□ □□□□□? (□□□□ □□ □□□ □□□□□□.) □□
3□□ □□□□□.

- A.** □□□□ □□.
- B.** □□□ □□ □□□
- C.** □□□□□ □□□□ □□.
- D.** □□□ □□ □□□(AMI).

Answer: A,C,D (LEAVE A REPLY)

EC2 □□□□ □□□ □□ □□□ □□ □□□□□. 1) □□ □□ □□ 2) □□□ AMI 3) □□□ □□□□ □□
4) □□ 5) □□□ □/□□ 6) □□□□ □□

NEW QUESTION: 384

□□□□□ □□□□ □□ □□□ □□□□ □ □□ □□ □□□ □□ □□□□□□□□ □□□?

- A.** □□ □□
- B.** □□ 4□ □□
- C.** □□ 3□
- D.** □□ 2□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 385

□□ □□□ □□ AWS □□□□ □□ □□□□□?

D. AWS □□□□□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 389

□□ □□□□□ □□ □□□ □□□□ □ □□□□ AWS IAM □□□ □□□□□?

A. □□ □□ □□

B. □□

C. □□□□ □□

D. □□ □

Answer: B ([LEAVE A REPLY](#))

□□

IAM □□□ IAM □□□□□ □□□□□. □□□ □□□□ □□□ □□□ □□ □□□ □□□ □ □□□, □□ □□ □□□ □□ □□□ □□ □□□□□. □□ □□, '□□□'□□ □□□ □□□ □□□□□ □□□□□ □□ □□□□□ □□□□ □□□□□.

□□: <https://docs.aws.amazon.com/IAM/latest/UserGuide/id.html>

NEW QUESTION: 390

AWS □□□□□□ □□□□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□□? (□ □□ □ □□□□□□.)

A. □□□□ □□ □□□ □□ □□

B. □□ □□ □□ □□

C. □□□□ □□□□□ □□ □□ □□□ □□□□□.

D. □□□ □□□ □□ □□□ □□□ □□ □□□□ □□□□□.

E. □□□□□ □□□□□ □□ □□

Answer: A,C ([LEAVE A REPLY](#))

□□:

<https://aws.amazon.com/blogs/apn/the-5-pillars-of-the-aws-well-architected-framework/>

NEW QUESTION: 391

□□□ □□□ □□□□□□ □□□(Amazon RDS)□ □□ □ □□□ □□□□□?

A. □□□ □□□□□□ □□ □□□ □□□□□□.

B. 99.999999999999%□ □□□□ □□□□ □□□□□.

C. □□□ □□ □□□□□□□ □□□□ □□□□□.

D. □□□□ CPU □ RAM □□□□ □□□□ □□□ □ □□□ □□□.

Answer: A ([LEAVE A REPLY](#))

□□

<https://aws.amazon.com/rds/>

D. AWS ☐☐☐

Answer: C (LEAVE A REPLY)

[illegible]

NEW QUESTION: 396

□□□□□ AWS □□□□ □□□□ □□□□ □□□ □ □□ □□□□ □□□□□? (□ □□□ □□□□□ □.)

- A.** ☐☐☐ ☐☐ 53
- B.** ☐☐ ☐☐ ☐☐☐☐
- C.** ☐☐☐ ☐☐ ☐☐
- D.** ☐☐ ☐☐ ☐☐
- E.** Amazon CloudWatch ☐☐ ☐☐☐

Answer: A,B (LEAVE A REPLY)

<https://aws.amazon.com/blogs/networking-and-content-delivery/centralized-dns-management-of-hybrid-cloud-with-amazon-route-53-and-aws-transit-gateway/> AWS 2018 11 11 Amazon Route 53 Resolver. DNS Resolver. Amazon Route 53 Resolver. Amazon Route 53 Resolver.

NEW QUESTION: 397

Amazon EC2 □□ □□□ □□□ □□□ □, □□ □□ □□□ □□ □ □□□ □□□□□?

- A.** □□□ □□
- B.** □□ □□ □□□□ □□
- C.** □□ □□□
- D.** □□ □□

Answer: D (LEAVE A REPLY)

☐☐: <https://aws.amazon.com/ec2/pricing/reserved-instances/pricing/>

NEW QUESTION: 398

AWS □□ □□ □□ □ □□ □□□ □□□□ AWS □□□□ □□ □□ □□□□ □□□□ □ □ □□□□?

- A.** AWS ☐☐ ☐☐☐
- B.** AWS ☐☐
- C.** AWS ☐☐ ☐☐☐☐

AWS □□ □□□ □□□□ AWS □□ □ □□□□ □□ □□ □□□□ □□□ □□□ □ □□□□. □□ □□
 □□□ □□ □□ □□ □□□ AWS □□□□ □□□□□ AWS □□ □□□□□ □□□□□. AWS □□ □ □
 □□□ □□ □□ □□ □□□ □□□ □□□ AWS □□ □ □□□ □□□□ □□□□□□□□. □□ □□ □□□□ □
 □□ □□□ □□□(https://aws.amazon.com/aws-cost-management/details/)□ □□□□□.

D. AWS IAM Roles for Lambda

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 399

Which AWS service can be used to protect an API from a distributed denial of service (DDoS) attack?

A. AWS WAF

B. Amazon CloudFront

C. AWS Shield

D. AWS CloudTrail

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 400

Which AWS service can be used to store and retrieve data for any application, regardless of size or frequency of access patterns? (Note: This is a general question about storage services.)

A. Amazon S3

B. Amazon S3 Glacier - Archive tier

C. Amazon S3 Standard Storage Class

D. Amazon S3 Intelligent-Tiering

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 401

Which AWS service can be used to monitor and manage the costs of AWS resources? (Note: This is a general question about cost management services.)

A. AWS Cost Explorer

B. AWS Budgets

C. AWS IAM

D. AWS CloudTrail

E. AWS CloudFormation

Answer: B,E ([LEAVE A REPLY](#))

Which

AWS service can be used to monitor and manage the costs of AWS resources? (Note: This is a general question about cost management services.)

Cost Explorer is a service that provides a visual representation of your AWS costs and helps you identify areas where you can optimize your spending.

AWS Budgets is a service that allows you to set budgets for your AWS resources and receive alerts when you approach or exceed those budgets.

AWS IAM is a service that allows you to manage access to AWS resources.

AWS CloudTrail is a service that provides a record of API calls made in your AWS account.

AWS CloudFormation

AWS Lambda

AWS S3

AWS IAM Roles for Lambda

AWS

NEW QUESTION: 402

AWS ☐☐ ☐☐ ☐☐ ☐☐ AWS Management Console ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐ ☐
☐ ☐ ☐☐ ☐☐ ☐☐?

- A.** ☐☐☐ ☐☐☐☐☐☐☐
- B.** AWS ☐☐
- C.** AWS Trusted Advisor
- D.** AWS IAM

Answer: A (LEAVE A REPLY)

□□/□□ □□: <https://aws.amazon.com/blogs/mt/monitor-and-notify-on-aws-account-root-user-activity/>

NEW QUESTION: 403

□□ □ □□□ AWS□ □□□□ □□ □□□ □□□□□?

- A.** Amazon S3 ☐☐☐☐☐ ☐ ☐☐☐☐☐ ☐ ☐☐
- B.** Amazon EC2 ☐☐☐☐ ☐☐
- C.** AWS ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐
- D.** ☐☐ ☐ ☐☐

Answer: D (LEAVE A REPLY)

□□/□□ □□: <https://aws.amazon.com/compliance/shared-responsibility-model/>

NEW QUESTION: 404

AWS ☐☐ ☐☐ ☐☐☐ ☐☐ ☐ ☐☐ ☐☐ ☐☐☐☐?

- [illegible]

Answer: ([SHOW ANSWER](#))

□□/□□ □□: <https://aws.amazon.com/compliance/shared-responsibility-model/>

NEW QUESTION: 405

□□□ □□ □□□□ □□ □□□□ □□□□□□ □□□□ □□□□ □□□.

□□ AWS □□□□ □□ □□□□□ □□ □□ □□□ □ □□□ □□□□□?

- A.** Amazon RDS for PostgreSQL
- B.** ☐☐☐ ☐☐☐☐ DB
- C.** ☐☐☐ ☐☐
- D.** ☐☐☐ ☐☐☐

Answer: B (LEAVE A REPLY)

Amazon DynamoDB is a fast, flexible, and scalable NoSQL database service. It is designed for high availability and performance, with a single-availability-zone architecture. It supports a wide range of data types, including strings, numbers, and sets. DynamoDB is a fully managed service, meaning that Amazon handles all the infrastructure and maintenance tasks. It is available in multiple regions and is highly available, with a 99.999% availability SLA. DynamoDB is a key-value and document database that can be used for a wide range of applications, from simple key-value stores to complex document databases. It is a popular choice for developers looking for a fast, flexible, and scalable database solution.

□, □□ 2□□ □ □□□ □□ □□□ □□□ □ □□□□. DynamoDB□ □□ □□□□□, □□ □□ □□ □ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□□ □□ □□□□ □□ □□□□.

NEW QUESTION: 406

□ □□□ □□□□□□□ □□ □□□□. □□□ □□ □□ □□□ NoSQL □□□□□□□ □□□□□ □□ □, □□ AWS □□□□ □□□□ □□ □□ □□□□?

A. AWS □□□ □□□

[□□]: □□□ □□□□□

B. □□□ □□□

C. □□□ □□□□DB

Answer: C ([LEAVE A REPLY](#))

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□ □□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□ □. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□. <https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 407

□□□□ □□□ □□□□ □□□□ □ □□□ □ □□ AWS □□□□ □□□□□?

A. □□□ □□□□□□□

B. □□□ □□

C. □□□ □□

D. □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 408

□□□□□□□ □□ Amazon EC2 □□□□□□ □□□□ □□□□. □□□ URL □□□ □□ □□□ EC2 □ □□□□ □□□□ □□ □□□□ □□□□ □□□□□□□ □□□□□ □□□□□ □□□.

□□□ □□ □□□ □□□□□ □□□ □□ □□ □□□ □□ AWS □□ □□□□ □□□□□?

A. □□□□ □□ □□□

B. □□□□□□ □□ □□□

C. AWS OpsWorks □□ □□□

D. Amazon EC2□ □□□ □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

□□□ B□□□. Application Load Balancer□ □□ □□□ □□□□□ □□ □□□ □□ □□ □□ AWS □□ □□□□□ □□□□□. Application Load Balancer□ OSI □□□ □□□□□□ □□(7□□)□□ □□□□ Elastic Load Balancing□ □ □□□□, □□ □□□ □□ □□□ □□□□ □□□□□□□. Application Load

Balancer□ □□ □□ □□□, □□□ □□ □□□, HTTP □□ □□ □□□□ □□ □□ □□□ □□□□□. □
□□ □□□ □□ □□□ □□□□□ □□ □□□ □□ □□ □□ AWS □□ □□□□ □□□□ □□□□□.
Network Load Balancer□ OSI □□□ □□ □□(4□□)□□ □□□□ Elastic Load Balancing□ □ □□□□,
□□ IP □□□ □□□ □□ □□□ □□□□ □□□□□□. Network Load Balancer□ □□ □□ □□□□ □
□□□ □□□□. AWS OpsWorks Load Balancer□ AWS □□ □□□□ □□□ AWS OpsWorks□ □□□□,
□□□□ Elastic Load Balancing □□ □□□□ □□□ □□ □□□ □□□ □ □□□ □□□. Amazon EC2□
□□□ □□ □□ □□□□ AWS □□ □□□□ □□□ Amazon EC2 □□□□□□ □□□□ □□□ □□ □□
□□□□□□. Amazon EC2□ □□□ □□ □□ □□□□ AWS □□ □□□□□ □□ □ □□ □□□ □ □□
□□□ □□□□□. □□: □□□ □□ □□□

NEW QUESTION: 409

AWS □□ □□ □□□□ □□ □ □□□ □□□ □□□□□?

- A. □□□□ □□□ □□□□ □□□□□.
- B. □□□ OS □ □□□□□□□ □□
- C. AWS □□□ □□ □□
- D. □□□ □ □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 410

Amazon ElastiCache □ Amazon RDS(Amazon Relational Database Service)□ □□ AWS □□□ □□□□ □
□□□ □□ □□□ □□□□?

- A. □□□ □□□ □□□□□□□ □□ □□ □ □□□□ □□□.
- B. □□ □□ □□□□□ □□□ □ □□□□.
- C. □□ □□ □□□ □□ □ □□□□□□ □□□□□□.
- D. □□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

□□

NEW QUESTION: 411

AWS □□ □ □□ □□ □□□□ □□ □□□□ □□□□ □□□□ AWS □□□□ □□□□□?

- A. AWS □□□□□□□
- B. AWS □□□□
- C. AWS □□
- D. □□□ □□□□□□

Answer: B ([LEAVE A REPLY](#))

□□

AWS Artifact□ □□ □□□ □□□ □□□ □□□ □□□ □ □□ □□ □□□□□□. AWS□ □□ □
□□ □□ □□□□ □□□ □□□ □□□□ □□□ □□ □□ □□□□ □ □□□□. AWS Artifact□□ □□□
□ □□□□□ □□□ □□ □□(SOC) □□□, □□ □□ □□(PCI) □□□, □□□ □□□ □□ □ □□ □□

□□□ □□ □□□□ □□□ AWS □□ □□ □□ □ □□ □□ □□□□ □□□□□. □□, □□ □□ □
□ □□(BAA)□ □□ □□ □□(NDA)□ □□□□□.
□□: <https://aws.amazon.com/artifact/>

NEW QUESTION: 412

□ □□□ □□□□□□ □□□□□ □□□ □□□ □□□□ □□□, □□□□ □□□□□□ □□ □ □□□
□. □ □□□□□□□ □□□ □□ □□□ □□□□□.
□□□ □□□ □□□□□ □□ □□□ EC2 □□ □□□ □□□□ □□□?

- A. □□ □□□□
- B. □□□ □□□□
- C. □□ □□□□
- D. □□□□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 413

□□□□ Amazon S3□ □□□ □□□ □□□□ □□□□ □□, □□ □ □□□□ □□□. □□□ □□ □□□
□□□ □ □□ AWS □□□□ □□□□□?

- A. □□□ □□□
- B. □□□ □□□□
- C. AWS Secrets Manager
- D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 414

AWS □□ □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□ □□□ □□ □□□? (□ □□□ □□□□
□□.)

- A. □□□ □□
- B. □□□□ □□
- C. □□□ □□
- D. □□ □□
- E. □□□ □□

Answer: C,E ([LEAVE A REPLY](#))

AWS□□ □□□□ □□□□ □□□□ □□□□ □□□ □□ □□□, □□□□□ □□□□□ □□ □□□□
□□ □□□ □□□□□ □□□□. □□□□ □□□□□ □ □□ □ □□□□ □□□□ □□□ □□, □□ □□
□□, □□□□ □ □□□ □□, □□□□□□□ □□, □□□ ID □ □□□ □□□□ □□□□□.
□□□ □□□ □□ □□□□ □□□□, □□□ □ □□□□□□ □□ □□□□ □□□□□. □□ □□, RDS□
□□ □□□ □□□□□, □□□ □□ □□□ □□□□ □□□□ □□ □□□□ □□□□□.
□□:

<https://cloudacademy.com/blog/aws-shared-responsibility-model-security/>

NEW QUESTION: 415

AWS □ □ □ □ □ □ □ □ □ □ (TCO) □ □ □ □ □ □ □ □ □ □ ?

- A.** □□□□ □□
- B.** □□□□ □□
- C.** □□□□ □□
- D.** □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 416

□□ AWS □□□ □□ □□□ □□ □□□ □□ AWS □□ □ □□□□ □□□□□ □□□□ □
□□ □ □□□□?

- A.** AWS ☐☐
- B.** AWS ☐☐ ☐☐☐
- C.** AWS Organizations
- D.** ☐☐ ☐☐

Answer: B (LEAVE A REPLY)

11

□ □ :

[illegible]

☐☐: <https://aws.amazon.com/aws-cost-management/aws-cost-explorer/>

NEW QUESTION: 417

AWS □□ □□ □□□ □□□ AWS□ □□ □□□ □□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A.** AWS ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐.
- B.** ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐.
- C.** ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐.
- D.** ☐☐ ☐☐☐ ☐☐☐.
- E.** Amazon EC2 ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐.

Answer: A,C (LEAVE A REPLY)

□□□□ A□ C□□□. AWS □□□□ □□ □□ □ □□□ □□□□ □□ □□□ □□ □□□ AWS □□ □□
 □□□□ □□ AWS□ □□ □□□□ □□□□□. AWS □□ □□ □□□ □□ □ □□ □□□ □□□□ AWS□
 □□ □□ □□ □□□ □□□□ □□□□□□□□. AWS□ □□□□ □□□ □□□□, □□□□ □□, □□ □□
 □, □□ □□□□□ □□ □□□ □□□, AWS □□□□ □□□□ □□□□, □□□□□, □□□□ □ □□, □
 □□ □□ □□□□□ □□□□□ □□□□ □□□ □□□ □□□□□. □□□ □□□□ □□□ □□□□, □
 □□□ □□ □□□, □□□ □□ □□, □□□□□□□, ID □ □□□ □□, □□□ □□ □ □□□□ □□□□□.
 □□□ □□□ AWS □□ □□ □□□ □□ □□□ □□ □□□□□ □□□ □□□□. □□□ □□ □□ □□,
 □□ □□ □□, Amazon EC2 □□□□ □□ □□ □□□ □□ □□□ AWS □□□□ □□□□ □□ □□□□□□.
 □□: AWS □□ □□ □□

NEW QUESTION: 418

□. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.
<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 422

□□□ □□□ □□□□ □□□ □□□ □□□□□ □□ AWS □□□□ □□□□ □□ □□□□?

- A. □□□ □□
- B. AWS EBS
- C. AWS □□□□
- D. □□□ RDS

Answer: ([SHOW ANSWER](#))

□□

Amazon S3 Glacier□ □□□ □□□□ □ □□ □□□ □□ □□□□ □□□□ □□ □□□□ S3 □
□□□ □□□□□□. □□□ □□□ □□ □□□□ □□□□ □ □□□□□□ □□ 0.004□□□ □□□□ □
□□ □ □□□□. S3 Glacier □□□□ □□□□ □□□□ □□□□□ □□□□ □□ □□□□ □ □ □□ □□
□ □ □□ □□□□□ □□□□□□.

Amazon RDS□ □□□ □□□□□□□ □□□□□ □□□□□□. □□ □□ □□□□□□□ □□□□ □□□
□ □□□□.

Amazon Snowball□ □□□□□ □□□ □□□ □□ □□□□, □□ □□ □□□ □□ □□□ □□□□ AWS
□ □□ □□□□ □□□ □□□ □□□□□. □□□□□, Elastic Block Storage□ EC2 □□□□□ □□ □□
□□ □□□□ □□□ □□□□□.

NEW QUESTION: 423

□ □□□ □□□□□ □□□□ □□□□ □□ AWS □□□□□ □□□ □□□□□□ □□□□□ □□□□□
□□□.

AWS □□□□□ □□□□ □□ □□□ □□□ □ □□□?

- A. □□ □□□□□□□ □□ □□□□ □□□ □□□ □□.
- B. □□ □□ □□□
- C. □□□ □□□□□□□ □□□□ □ □□□ □□□□
- D. □□□ Java □□ Node.js □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 424

AWS □□ □□ □□□ □□ Amazon DynamoDB□ □□□ □ □□ □□ □□□ □□□□□?

- A. DynamoDB□ □□□ □□
- B. DynamoDB □□
- C. DynamoDB □□□ □□
- D. DynamoDB□ □□□ □□□ □□□

Answer: C ([LEAVE A REPLY](#))

AWS □□ □□ □□□ □□□ AWS□ □□□□□ □□□ □□□□, □□□ □□□□ □ □□□ □□□□□.

□, AWS□ DynamoDB□ □□ AWS □□□□ □□□□ □□□□ □□□ □□□ □□□, □□□ □□□ □□□

□ □□□ □□□□ □□□ □□□ □□□□. DynamoDB□ □□ □□□□ □□□□ □□, □□□ □□ □□□

□□, □□ □□, □□□ IAM □□□ □□□□ □□□ □□□ □□□□ □□□ □□□.¹² □□□

□□□ IAM □□, □□, □□□ □□, □□□ □ □□ □□□□ □□ □□ □□ DynamoDB □□□□ □□ □□

□ □□□ □□□ □□□□.³ □□ □□:

□□ □□ □□ - □□□ □ □□□(AWS)

Amazon DynamoDB□ □□ □ □□ □□ - Amazon DynamoDB

□□ □□ □□□□ □□□□□? - □□□□□ □□□□□

NEW QUESTION: 427

□□□□ □□□□ □□□ □□□ □□ □□ □□□□ □ □ □□□ □□□□□□. □ □□□□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□□.

Salesforce□ □□ □□ □□□ □□□□ □□□ □□□ □□□□□ □□ □□□ □□□ □□□?

- A. □□ □□□ □□□□, □□□□□ □□ □□□□ □□□□ □□□ □□□□□.
- B. □□ □□□□ □□□ □□ □□ □□□ □□□□□.
- C. □□ □□□ □□□□ □□ □□□□ □□□□ □□□□□.
- D. □□ □□□ □□□ □□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 428

AWS Identity and Access Management(IAM) □□□□ □□□□□?

- A. AWS □□□□ □□□ □□□
- B. AWS □□□□ □□□ □□
- C. AWS □□□□□ □□□ □□ □□□ □□□□ □□□
- D. □□□ □□(MFA) □□□ □□□ □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

AWS Identity and Access Management(IAM)□ □□□□ AWS □□□ □ □□□□ □□ □□□□ □□□□ □ □□ □ □□□□. IAM□ □□ AWS □□□ □ □□□ □□ □ □□□□, □□□ □□□□ AWS □□□□ □□ □□□□ □□□□□ □□□ □ □□□□.

□□: <https://aws.amazon.com/iam/>

NEW QUESTION: 429

□ □□□ □□ □□□□ □□□□ □□ □□ □□ □□(IDE)□□ □□□□ □□□.

□ □□□ □□ AWS □□□□ □□□□ □□□?

- A. AWS CodeBuild
- B. AWS □□□□9
- [□□]: AWS OpsWorks
- C. AWS □□□□ □□ □□(AWS CDK)

Answer: ([SHOW ANSWER](#))

□□□□ □□ □□ □□ □□(IDE)□ AWS Cloud9□ □□□ □□□□□ □□□ □□□ □□□□ □□□□ □ □□□□ □□□□ □□□ □□ □□ □□□ □□□□□.

<https://aws.amazon.com/es/cloud9/details/> AWS Cloud9□ □ □□□□□ □□□ □□ □□□□□□ □□□ □ □□ □ □□□□ □ □□ □□□□ □□ □□ □□ □□ □□(IDE)□□□.

NEW QUESTION: 430

AWS □□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□□ □□□□.

- A. AWS □□□□□ □□ □□□ □□ □□.
- B. □□□ □□□□DB□ □□ □□

C. S3 .

D. □□□ □□ □□□ □□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 431

□□□□ Amazon EC2 □□□□□□ □□ □□ □□□□□□□□ CPU □□□ □□□□ □□□□ □ □□□ □

[illegible]

A. ☐☐☐ ☐☐☐☐☐☐

B. ☐ ☐ ☐ ☐ ☐ ☐

C. AWS ☐☐

D. AWS

Answer: A (LEAVE A REPLY)

NEW QUESTION: 432

□□ AWS □□□ □□ □□ □□□ □□□ □□ □□□ □□□ □□□? □□□□ □□ Amazon EC2 □□□□

□ □ □ □ □ □ □ □ □ □ □ .

A. ☐ ☐ ☐ ☐ ☐ ☐

B. ☐ ☐ ☐ ☐

C. AWS Trusted Advisor

D. ☐ ☐ ☐ ☐ ☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 433

AWS ☐☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

A. .

B. AWS ☐☐☐ ☐☐☐.

C. .

D. □□ □□ □□ □□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 434

AWS □□ □□ □□□ □□□, □□ □□□ □□□ □□□□□?

A. AWS Lambda ☐☐☐ ☐☐☐ ☐☐☐ ☐☐

B. Amazon DynamoDB ☐☐☐☐☐ ☐☐ ☐☐☐☐

C. S3

D. Amazon EC2 □□□□□ □□□ □□ □□ □□□□

Answer: D (LEAVE A REPLY)

AWS □□ □□ □□□ □□ □ □□ □□□ □□□□ AWS□ □□ □□ □□ □□□ □□□□□. AWS□ AWS

□□□□ □□□□ □□□□, □□□□□, □□□□ □ □□□ □□□ □□□□ □□□ □□□□□. □□□ □

[illegible][illegible]

NEW QUESTION: 435

Which of the following is a managed service?

- A. Amazon S3
- B. S3
- C. Amazon S3
- D. S3

Answer: (SHOW ANSWER)

NEW QUESTION: 436

Which of the following is a managed service?

- A. AWS CloudTrail
- B. AWS CloudFormation
- C. AWS CloudFormation
- D. AWS Direct Connect

Answer: B (LEAVE A REPLY)

Amazon CloudFront is a managed service that provides fast and secure content delivery.

CloudFront is a managed service that provides fast and secure content delivery. CloudFront is a managed service that provides fast and secure content delivery. CloudFront is a managed service that provides fast and secure content delivery. CloudFront is a managed service that provides fast and secure content delivery. CloudFront is a managed service that provides fast and secure content delivery.

URL: <https://aws.amazon.com/getting-started/tutorials/deliver-content-faster/>

AWS-Certified-Cloud-Practitioner is a managed service that provides fast and secure content delivery. DumpTop is a managed service that provides fast and secure content delivery. DumpTop is a managed service that provides fast and secure content delivery. DumpTop is a managed service that provides fast and secure content delivery. DumpTop is a managed service that provides fast and secure content delivery. <https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 437

Which of the following is a managed service?

- A. AWS
- B. AWS Fargate
- C. AWS WAF

D. AWS Workspaces

Answer: D (LEAVE A REPLY)

AWS Workspaces is a managed service that provides a secure, scalable, and easy-to-use desktop environment. It allows users to access a virtual desktop from any device, including Android, iOS, Fire, Mac, PC, Chromebook, Linux, and Windows. The service is designed to be used in a variety of scenarios, including remote work, training, and development. It is a fully managed service that handles all the underlying infrastructure, including the operating system, applications, and network. Users can access their desktops from anywhere, at any time, and on any device. The service is also integrated with Active Directory, VPN, and other AWS services. AWS Workspaces is a secure and scalable solution for providing a desktop environment to users. It is a fully managed service that handles all the underlying infrastructure, including the operating system, applications, and network. Users can access their desktops from anywhere, at any time, and on any device. The service is also integrated with Active Directory, VPN, and other AWS services. AWS Workspaces is a secure and scalable solution for providing a desktop environment to users.

NEW QUESTION: 438

A customer is using AWS Key Management Service (KMS) to manage their encryption keys. They want to ensure that their keys are always available and can be used to encrypt and decrypt data. Which of the following is the best way to ensure that the keys are always available?

- A. AWS Key Management Service (AWS KMS) is a managed service that handles all the underlying infrastructure, including the operating system, applications, and network. Users can access their desktops from anywhere, at any time, and on any device. The service is also integrated with Active Directory, VPN, and other AWS services. AWS Workspaces is a secure and scalable solution for providing a desktop environment to users.
- B. Amazon EC2 is a managed service that handles all the underlying infrastructure, including the operating system, applications, and network. Users can access their desktops from anywhere, at any time, and on any device. The service is also integrated with Active Directory, VPN, and other AWS services. AWS Workspaces is a secure and scalable solution for providing a desktop environment to users.
- C. AWS CloudFormation is a managed service that handles all the underlying infrastructure, including the operating system, applications, and network. Users can access their desktops from anywhere, at any time, and on any device. The service is also integrated with Active Directory, VPN, and other AWS services. AWS Workspaces is a secure and scalable solution for providing a desktop environment to users.
- D. AWS CloudFormation is a managed service that handles all the underlying infrastructure, including the operating system, applications, and network. Users can access their desktops from anywhere, at any time, and on any device. The service is also integrated with Active Directory, VPN, and other AWS services. AWS Workspaces is a secure and scalable solution for providing a desktop environment to users.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 439

A customer is using AWS CloudHSM to manage their encryption keys. They want to ensure that their keys are always available and can be used to encrypt and decrypt data. Which of the following is the best way to ensure that the keys are always available?

- A. AWS CloudHSM
- B. AWS Direct Connect
- C. AWS VPN
- D. AWS Key Management Service (AWS KMS)

Answer: B (LEAVE A REPLY)

AWS Direct Connect is a managed service that provides a secure, scalable, and easy-to-use network connection between your on-premises network and AWS. It allows you to connect your network to AWS using a dedicated network connection. The service is designed to be used in a variety of scenarios, including remote work, training, and development. It is a fully managed service that handles all the underlying infrastructure, including the operating system, applications, and network. Users can access their desktops from anywhere, at any time, and on any device. The service is also integrated with Active Directory, VPN, and other AWS services. AWS Workspaces is a secure and scalable solution for providing a desktop environment to users.

URL:

<https://aws.amazon.com/directconnect/>

NEW QUESTION: 440

A customer is using Elastic Load Balancing to distribute traffic across a fleet of Amazon EC2 instances. They want to ensure that the traffic is always available and can be used to encrypt and decrypt data. Which of the following is the best way to ensure that the traffic is always available?

- A. AWS Key Management Service (AWS KMS)

Answer: ([SHOW ANSWER](#))

☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐, ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐?

- A.** AWS ☐☐ ☐ ☐☐☐ ☐☐☐
- B.** AWS ☐☐
- C.** AWS ☐☐ ☐☐☐
- D.** AWS ☐☐

11

NEW QUESTION: 446

A. ☐☐☐ S3 ☐☐☐ ☐☐ ☐☐☐ ☐☐

B. ☐☐☐ ☐☐☐

C. AWS Trusted Advisor ☐☐ ☐☐

D. ☐☐ ☐☐ ☐☐ ☐☐ ☐☐

E. ☐☐☐☐ ☐☐ ☐☐☐

NEW QUESTION: 447

A. ☐☐☐ ☐☐☐☐ DB

B. ☐☐☐ ☐☐☐

C. ☐☐☐ ☐☐

D. ☐☐☐ FSx

NEW QUESTION: 448

A. Amazon EC2 ☐☐☐☐☐ ☐☐☐☐☐ ☐ ☐☐☐ ☐☐☐☐.

B. ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐ ☐☐☐☐.

C. ☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐.

D. ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐.

Answer: C (LEAVE A REPLY)

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Introduction.html>

NEW QUESTION: 449

□□□ □□□□ □□□□□□□ □□□□ □ □□□□ □□□□ □□□□ □□ □□□ □□□□□? (□ □□ □ □□□□□□.)

- A.** □□ □□□□□ □□□□□.
B. □□ □□□ □□□□□.
C. □□□ □□□ □□□□□.
D. □□ □□ □□□ □□□□□.
E. □□□□ □□□ □□.

Answer: (SHOW ANSWER)

11

<https://www.architech.ca/re-architect-applications/>

NEW QUESTION: 450

□□ □□ □ AWS □□□□ □□ □□□□□(AWS CAF)□ □□ □□□ □□□□ □□□ □□□□□? (□ □ □ □□□□□□□.)

- A.** ☐ ☐ ☐ ☐ ☐
- B.** ☐ ☐
- C.** ☐ ☐
- D.** ☐ ☐ ☐ ☐
- E.** ☐ ☐ ☐

Answer: C,D (LEAVE A REPLY)

[illegible]

AWS Well-Architected Framework is a set of best practices for designing secure, high-performing, resilient, and cost-efficient systems on AWS. It is a framework of principles and practices that help you design and build systems that are secure, high-performing, resilient, and cost-efficient. The framework is organized into five pillars: Security, Reliability, Performance Efficiency, Cost Optimization, and Sustainability. Each pillar contains a set of best practices that you can use to design and build systems that are secure, high-performing, resilient, and cost-efficient. The framework is a living document that is updated regularly to reflect the latest best practices and AWS services.

NEW QUESTION: 451

AWS IAM □□□□□ □□ □□□ □□□□□ □□ □□□ □□□□□?

□□ □□ □□ AWS □□□□ □□ □□□□ □□ □□□ □□ □ □□□□. AWS Identity and Access Management(IAM)□ □□□□ AWS □□□□ □□ □□□□ □□□ □□□ □□□□ □□□, □□, □□ □ □ □□ □□□ □ □□□□.

E) □□ □□ □□□ □□ □□ □□□ □□□□□□. □□ □□□ □□ □□□□ □□ □□□ □□□□ □ □□ □ □□□ □□ □□□□□. □□□ □□□ □□ □□□□ □□□□ □□□□□.

IAM□ □□□□ □□ □□ □□□ □□□, □□ □ □□34□ □□ □□ □□ □□□ □□□□ □□ □□□ □□ □ □ □□□□.

B) AWS □□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□. □□ □□□ □ □□□ □□□□□. □□ □□□□ □□ AWS □□□ □ □□□□ □□ □□ □□□ □□□ □□□, □□ □□ □□, □□ □□ □□ □□ □□□ □□□ □□ □□□ □□□ □□□ □ □□□□. □□ □□□ □□ □□□ □□□□ □□□ □□□□ □ □□□ □□□ □ □□□□. □□ □□□ □□ □□□ □□□ □□□□ □□□□□ □ □□, □□ □□ □□□□ □□□□ □□□.

C) IAM□□ □□□□ □□□ □□□ □□□□□. □□□ □ □□ □□□ □ □□ □□ □□□□□. □□□ □□□ □□ AWS □□□ □ □□□□ □□ □□ □□□ □□□ □□□ □□□, □□ □□□□ □□□ □□□□ □ □□□ □□□□ □□ □□□□. □□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□ □ □□, □□ □□□, □□□ □□ □□ AWS □□□□ □□ □□□□ □□ □□□ □□□□□. □□□□□□ □□ □ □□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□.

D) □□□□ □□□□□ □□□ □ □□□ □□□□ □□□ □□□□□. □□ □□□ □ □ □□ □□□ □□□ □□. □□□□ □□□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□ □□□ □□□ □ □□ □□□ □ □□□□. □□ □□, □□□□ □□□□□ □□□ □□ □□ □□□ □□□□ □□ □□□□□ □□□ □ □□ □□. □□ □□□□ □□□□ □□□□ □□□ □□□□ □□, □□ □□ □□□ □□□□ □□ □□□□□ □ □□□□ □ □□□□. □□□□ □□□ □□ □□□□□ □□□ □ □□□ □□□□, □□□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □□□.34

NEW QUESTION: 454

AWS □□□□□□ □□□□ □□ □□□□□?

- A. □□ □□□ □□□□ □□□ □□□ □□
- B. □□□ □□□ □□
- C. □□ □□□□ □□□ □□ □□□
- D. □□□ □□□ □□□ □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 455

□□□□ AWS□ □□□□□ □□□□ □□□□□ □□□□□ □□ □□□ □□□□□?

- A. □□ □□□□ □□□□□ □□□□ □□□□ □□□□□.
- B. □□ □□□□ □□□□□□□ □□□□ □□□ □□□□□ □□□□ □□□□□.
- C. □□ □□□□ AWS □□□□□□ □□□□□.
- D. □□ □□□□ □□□□□□□ □□□□ □□□ AWS □□□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□: <https://aws.amazon.com/hybrid/>

NEW QUESTION: 456

□□□□ □□□□□ □□□□ □□ 5□ □□ □□□ □□ □□□ □□□ □□□□ □□ □□ □□□□□ □□ □□ □□□□□.

□□□□ □ □□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□?

A. □□□□□ □□ □□□□ □□□□□.

B. □□ □□□□

C. □□□□□ □□□□ □□□

D. □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 457

□ □□□ □□ □□□□ □□□□ □□□□ □□ □□□ 7□ □□ □□ □□□□ □□□□□ □□□.

□□□ □□ □□□ □□ □□□ □□□ S3 □□□ □□□□ □□□□.

□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□?

A. S3 □□□ □□ □□ □□ □□□ □□□ □□ □□□ □□□□, □ □□□ Amazon □□□ □□(ARN)□ □ □ □□□□ □□□□□.

B. □□□ Amazon WorkDocs □□□ □□□□□. WorkDocs □□ □□□ □□ □□□□ □□□□□.

C. S3 □□ □□□ URL□ □□□□ □□ □□□□ □□□ □□□□ □□ □□□ 7□□ □□□□□.

D. S3 □□□ □□ □□ □□□ □□□ □□ □□ 1AM □□□□ □□□□, □□ □□□□ □□□ □□ □□□ □, □□ □□□ 7□ □□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 458

□□ □ □□, □□ □□ □ □□ □□ □□ □□□ □□□ □□□□□?

A. □□□ □□□ □□□ □□□□□.

B. □□□□ □□□ □□□ □□□□□.

C. □□ □□□□ □□ □□□ □□□□□.

D. □□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 459

□□□□□ □□ □□□ □□ □□□ □□□□ □□□□□?

A. □□□ □□□□

B. AWS □□□ □□□□□(AWS CLI)

C. □□□ □□□□

D. AWS CodeCommit

Answer: ([SHOW ANSWER](#))

□□

AWS CodeCommit□ Amazon Web Services□□ □□□□□ □□ □□ □□□□, □□, □□ □□, □□□□ □□□ □□ □□□ □□□□□ □□□□ □□□□ □□□□ □ □□□ □ □□□□.

NEW QUESTION: 464

Which of the following AWS services is a managed database service? (Select TWO.)

- A. Amazon ElastiCache
- B. Amazon RDS (SaaS)
- C. Amazon Redshift
- D. Amazon S3
- E. Amazon EMR

Answer: (SHOW ANSWER)

NEW QUESTION: 465

Which of the following AWS services can be used to monitor the performance of an Amazon Lambda function? (Select TWO.)

- A. Amazon CloudWatch
- B. Amazon X-Ray
- C. Amazon S3
- D. Amazon ElastiCache
- E. Amazon EMR

Answer: (SHOW ANSWER)

NEW QUESTION: 466

Which of the following AWS services can be used to monitor the performance of an Amazon EC2 instance? (Select TWO.)

- A. Amazon CloudWatch
- B. Amazon X-Ray
- C. Amazon S3
- D. Amazon ElastiCache
- E. Amazon EMR

Answer: B (LEAVE A REPLY)

URL: <https://aws.amazon.com/answers/account-management/aws-multi-account-billing-strategy/>

AWS-Certified-Cloud-Practitioner is a certification exam that tests your knowledge of AWS services and their use cases. It is a foundational-level exam that is required for the AWS Certified Solutions Architect exam. DumpTop is a leading provider of AWS-Certified-Cloud-Practitioner dumps and practice exams. We offer the most up-to-date and comprehensive dumps available, including the latest questions and answers. Our dumps are designed to help you pass the exam on your first attempt. Visit our website at <https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 467

Amazon RDS(Amazon Relational Database Service) □□□□□ □□ □□ □□ □□□ □□□ □ □□□□ □ □□□ □□□ □□□□□?

- A. □□□ □□□ □□□□□.
- B. □□□ □□□ □□.
- C. □□□□ □ □□ □□ □□ □□□□□□□.
- D. □□□ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

Amazon RDS □□ □□□□(Multi-AZ) □□□ □□□□□□(DB) □□□□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□□ □□□□□ □□□□□. □□ □□□□ DB □□□□□ □□□□□□□□

Amazon RDS□ □□□□ □□ DB □□□□□ □□□□ □□□□ □□ □□□□(AZ)□ □□ □□ □□□□□ □□□□□ □□□□□. □ □□□□□ □□□□□ □□□ □□□□ □□□□□ □□□□ □□ □□□□ □□ □□□ □□□□□□□. □□□ □□ □□ □ Amazon RDS□ □□ □□□□(Amazon Aurora□ □□ □□ □□ □)□ □□ □□□□□ □□□□ □□□□□ □□□□ □□ □□□□□□ □□□ □□□ □ □□□ □□□. □ □□□ □□□ DB □□□□□ □□□□□□ □□□□ □□□□□ □□□□□□□ □□□□ □□ □□ □□ □ □□□□□ □□□ □□□ □ □□□□.

NEW QUESTION: 468

□ □□□□ □□□ □□□ □ □□□ □□□□ AWS Lambda □□□ □□□ □□□□. □□□ □ □ □□□ □ □□ AWS □□□ □□□□ AWS CodeCommit □□□□□□ □□□□□ □□□. □□□□ □□□ □ □□□ □□□□ □□□?

- A. Lambda□□ □ □□□ □□□ □, cURL□ □□□□ CodeCommit API□ □□□□ □□ □□□ □□□□ □ □□□□.
- B. AWS SDK□ □□□□ CodeCommit □□□□□ □□□□□ □□□□□, put_file □□□□ □□□□ □□□ □□□□□□ □□□□□.
- C. Lambda □□□ □□□ □ Git CLI□ □□□□ □□□□ □□□□, □ □□□ □□□ □□□□ □□□□ □ □□ □□□ □□□□□.
- D. □ □□□ Amazon S3 □□□ □□□□□□□. S3 □□□□ □□□□□ AWS Step Function□ □□□□□. Step Function□□ □ □□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 469

□□ AWS □□□□ □□□□ □□□ Amazon VPC□ □□□□□ □□□ □□□ □□□ □ □□□□?

- A. AWS VPN
- B. □□□ □□□□□
- C. API □□□□□
- D. □□□ □□□□ □□□

Answer: D ([LEAVE A REPLY](#))

□□

AWS Direct Connectは、10Gbpsから100Gbpsまでの専用ネットワーク接続を提供します。AWS Direct Connectは、Amazon Web Servicesと直接接続し、より高速で安定したパフォーマンスを実現します。AWS Direct Connectは、Amazon Web Servicesと直接接続し、より高速で安定したパフォーマンスを実現します。

また、AWS Direct Connectは、Amazon Web Servicesと直接接続し、より高速で安定したパフォーマンスを実現します。

NEW QUESTION: 470

□□ AWS □□□□ □□□□ □□□□□□□□ □□ □□□ □□□ □□□□ □□□□ □□□ □ □□□ □□
□□□?

- A.** ☐☐ ☐☐ ☐☐
- B.** ☐☐☐ ☐☐ ☐☐ ☐☐☐ (Amazon SNS)
[☐☐]: ☐☐☐ ☐☐☐☐☐☐☐☐
- C.** ☐☐☐ ☐☐ ☐ ☐☐☐ (Amazon SQS)

Answer: C (LEAVE A REPLY)

Amazon Simple Queue Service(Amazon SQS)□ □□□□□□ □□ □□□ □□□ □□ □□ □□□ □□□ □□ □□□□ □□□□□□. □□□□ Amazon SQS□ □□ □□□ □□ □□ □□ □□□□ □□□□ □ □ □□, □□□ □□□□ □ □□ □□□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□□□ □□□ □ □□ □□. ¹ Elastic Load Balancing□ Amazon EC2 □□□□, □□□□, IP □□ □ □□ □□□ □□ □□□□ □□□□ □□□□□□. Amazon Simple Notification Service(Amazon SNS)□ □□□□□□□ □□ □□□ □□ □ □□ □□ □□□ □□ □□ □□□ □□/□□ □□□□ □□□□ □□□□□□. Amazon CloudFront□ □ □□□□□□□□ □□ □□□ □□□ □□□ □□ □□□□(CDN)□ □□□□ □□□□□□.

NEW QUESTION: 471

AWS ☐☐☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

- A.** □□□□□ □□□□□ AWS □□□ □□□ □□ □□□□□□□□□.
- B.** □3□□ AWS □□□□ □□ □□□ □□□□□□ □□□.
- C.** □□□□□□ □□□ AWS□ □□□□ AWS □□□□□ □□□ □ □□□ □□□.
- D.** □□□ □□□□□ □□□□□ □□□□□□□.

Answer: (SHOW ANSWER)

□ □ :

<https://asperbrothers.com/blog/infrastructure-as-code-aws/>

NEW QUESTION: 472

Amazon EC2 □□ □□□□ □ □□□ □□□□□□□□ □□ □□ □□ □□□ □□ □□□□□ □□□□ □□
 □□□□ □□□□ □□ Auto Scaling □□□ □□□□□ □□□□□□□□. □□ □□ AWS □□□□ □□□□ □
 □□ □□□□?

- A. ☐☐☐ ☐☐☐ ☐☐
- B. ☐☐ ☐☐

D. ☐ ☐ ☐ ☐ ☐

NEW QUESTION: 473

A. ☐ ☐ ☐ ☐

C. ☐ ☐ ☐

E. □ □ □ □

□□□ □□□□ □□□□□ AWS Trusted Advisor□ □□□□ AWS □□□ □□□□ □□ □□□, □□, □□, □□□□ □ □□□ □□□ 5□□ □□□□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 474

A. ☐☐☐ ☐☐☐☐ ☐☐☐☐☐.

B. □□□□□ □ □□□ □□□□ □□□□□.

C. 1AM ☐☐ ☐☐☐ ☐☐☐☐.

D. ☐☐☐ ☐☐ ☐☐.

E. Amazon RDS DB ☐☐☐☐☐ ☐☐☐ ☐☐☐☐.

[illegible][illegible]

□□□□□ □ □□□ □□□ □□: □□□ AWS□ □□□□ □□□□ □□ □□□□ □□□□□, AWS□□ □ □□□ □□□ □□□ □□□□□ □□□. □□ □□ □□□□ □□ □ □ □□ □ □□ □□□□□. AWS□ AWS Key Management Service(AWS KMS), AWS CloudHSM, AWS Certificate Manager(ACM)3 □ □□□ □ □□ □□□ □□□□□.

IAM roles are used to grant permissions to AWS services or applications. IAM policies define what actions can be performed on which resources.

☐☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐

□□□ □□□ □□: AWS□ AWS □□□□5□ □□ □□ □□ □□, □□ □□□ □ □□□□□ □□□□ □
□, □□ □□ □ □□ □□□□□□ □□□ □□□ □□□□□ □□□□ □□ □□□□ □□□ □□ □□□□.

□□

□□□ □□ □□ □□□□ □□ □□□ □□ □□□□ □□□ □□ □□□ □□ □□ □□□
□ □□□ □□□□□ □□□ □□□ □□ □□□□□. □□□□□ □□ □ □□ □□□ □□ □□ □□□□ □
□□ □□□□□ □□□□. □□□ □□ □□□□ □□□ □□□□□□ □ □□□ □□□ □ □□□□.
□□ □□□□□ □□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□ □□□□ □□ □□ □□□□□ □
□□ □□□□ □□□□□.

NEW QUESTION: 478

□□ □□□ □ □□□□□ □□□ □□□□ □□□□ □□□□ □ □□□ □ □□ □□□□ □□□□□? (□
□□ □□□□□□.)

- A. □□□□ ACL
- B. □□ □□
- C. AWS □□□□□□□
- D. □□□ □□ □□□□ □□□□(Amazon VPC) □□ □□
- E. □□□ □□□□□□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 479

AWS □□ □□ □□□□ □□ □ □□□ □□□□ □□ □□□□□?
□□?

- A. Amazon DynamoDB□ □□ □□ □□ □□
- B. Xen □ KVM □□□□□□□ □□ □□ □□
- C. Amazon EC2 □□□□□□□ □□ □□ □□ □□ □□
- D. □□□□ Amazon RDS□ □□ □□ □□ □□ □□
□□□□□□ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 480

□ □□□ AWS□ □□□□□□□□□ □□□□□□□ □□ □□ □□ □□□□□□ □□□ □□□□□ □□
□. □□ □□ □□□□□ □□□□□ AWS□□ □□□□ □□□□□(Service) □□□ □□ □□□□□□ □□
□□□.

□□ □□□ □□ □□□□ □□□□ □□□ □ □□□□?

- A. AWS □□□ □□□ □□
- B. AWS □□ □□
- C. AWS □□ □□
- D. AWS □□□□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 481

□□□□ □□□□□(TCO) □□□ □□□ □ AWS□□ □□□□ □□□□□ □□ □□ □□ □□□ □□□□
□□□? (□ □□□ □□□□□□.)

- Answer: ([SHOW ANSWER](#))**

NEW QUESTION: 482

A. □□□ □□□□ □□□ □ □□□ □□□ □ □□□□.
B. □□□□ □ □□ □□□ □□□□ □□□ □ □□□□.
C. □□□□ □□ □□□ □□□□ □ □ □□□□.
D. □□ □□ □□□□ □□□□ □□ □□□ □□□□□.
E. □□□ □□□ □ □□□ □□ □□□ □□□ □ □□□□.

Answer: C,D (LEAVE A REPLY)

□□□ 24□□ □□ □□ 1,000□□ □□□□ □□□□□ □□□ □□□ □□□□□ □□□□□ □□□□ □□
□□. □□ □ 8□□ □□□ □ 1,800□□ □□□□ □□□ □□□ □□□□□. □□□ □□ □□□□ □□□□
□□ □□□□ □□□□□□ □□ EC2 □□□□ □□ □□□ □□□□ □□ □□ □□□□?
□□□□ □□□□:

- Answer: C (LEAVE A REPLY)**

□□ □□□□ □□□□ □□ □□□□ □□□□ □ □□□ □□□. □□ □□□□(1/3□ □□)
□ □□□□ □□□□□□ □□ □□□□ □□□ □ □□□□. □□ □□□□ □□□□ □□ □□□□ □□□

□ □□□□□ □□□□ □□□□ □□□(□□□□ □□□□□ □□ □□□ □□ □□□□ □□/□□□□ □ □ □□□□□). □□□ □□□□□ □□ □□□□□ □□□□□ □ □□□.

NEW QUESTION: 484

□□□□□□□ S3 □□□ □□ □□□ □□□□□□ □□□ □□□□□. □□□ AWS □□□□ S3□ □□□ □ □ S3□ □□□ □□□ □□□ □□□ □□□□□. □ □□□ □□ □□□ □□ □□□ □□□□□? □□□ □□□□:

- A. S3□ □□□□□ 24□□□ □□□□□.
- B. S3 □□□□ □□ □□□□ □□ □□□□□□□.
- C. □□□ IAM □□□□□ S3 □□□ □□□ □□□□ □□ □□□□.
- D. □□□ □□ □□□ □□□ □□□□ □□□□□.

Answer: ([**SHOW ANSWER**](#)**)**

AWS □□□□ □□□/□□□ □□□ □□□ □□ □□□□ □□□□ □□, □□□□ □□ IAM □□□□□ □ □□ □□ □□□ □□□□ □□ □□ □□□□□.

NEW QUESTION: 485

AWS □□□□ □□ □□□ □□□ □ □□□□□ □□□ □□□ □□□□ □□□?

- A. □□ □□ □□
- B. □□
- C. □□
- D. □□□ □□

Answer: ([**SHOW ANSWER**](#)**)**

□□/□□ □□: <https://cloudacademy.com/blog/aws-global-infrastructure/>

NEW QUESTION: 486

□ □□□ □□ □□□ □□ □□□ □□□ □□ □□□□ □□□□□ □□□. □□□ □□ □□□□ □□ □□□ □□□□ □□□? (□ □□□ □□□□□.)

- A. □□□□ □□□ □□□□ □ □□□□□ □□ □□□ □□
- B. AWS □□□□□ □□□ □□ □□ □□□ □□□□□ □□□ □ □□ □□□ □□□□□.
- C. □□□ □□□□□ □□ □□□ □ □□ □□
- D. □□□□ □□□□□□ □□ □□ □□□ □□□□□
- E. □□□ □□□□ □□□□ □□ □ □□ □□□ □□□□□.

Answer: A,D ([**LEAVE A REPLY**](#)**)**

NEW QUESTION: 487

□□ AWS □□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□□□ □□□ □□□□ □ □□□ □ □□□?

- A. □□□□□□ □□ □□
- B. AWS □□ □□ □□
- C. AWS □□ □□

D. ☐ ☐ ☐ ☐ ☐

Answer: A (LEAVE A REPLY)

☐ ☒ Migration Evaluator ☐ AWS IT ☐
AWS BYOL(Bring Your Own License) ☐ LI(License Included) ☐ AWS

NEW QUESTION: 488

□□ AWS □□□□ □□□ □□□□ □□ □□□ □□□□ □□□□□? (□ □□□ □□□□□.)

- A.** ☐☐☐ ☐☐ 53
- B.** ☐☐☐ S3
- C.** Amazon DynamoDB
- D.** ☐☐☐ ☐☐☐☐☐☐☐☐☐
- E.** ☐☐☐ EC2

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 489

AWS ☐☐☐☐ ☐☐ ☐☐ AWS Lambda ☐☐ ☐☐☐☐ ☐ ☐☐ ☐ ☐ AWS ☐☐ ☐☐
☐ ☐☐☐☐☐?

- A.** `awscli awscli awscli`
- B.** AWS CLI
- C.** AWS SDK
- D.** AWS `awscli awscli awscli`
- E.** AWS `awscli awscli awscli`

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 490

AWS□□ □□□□ □□ □□ □□□□ □□ □ □□□□□? (□ □□ □□□□□□.)

- A.** □□ □□ □□ □□□ □□
- B.** AWS Trusted Advisor □□ □□
- C.** □□□ □□□
- D.** □□□□ □□ □□□
- E.** □□□ S3 □□□ □□ □□□ □□□

Answer: (SHOW ANSWER)

□□/□□ □□: <https://aws.amazon.com/security/>

NEW QUESTION: 491

□□□□□ □□ □□ □□□ □□□ □□□ □□, □□□□ AWS □□□ □□□□□□ □□□ □□□ □ □□
□□?

- A. □□□ □□ □□□ □□□□□ □□□□ □□□ □□ □□□ □□□□□.

[illegible]

NEW QUESTION: 495

☐ ☐ Amazon CloudWatch Logs ☐ ☐☐ ☐☐☐☐? (☐ ☐☐ ☐☐☐☐)

A. ☐☐ ☐☐☐ ☐☐ ☐☐

<https://aws.amazon.com/cloudwatch/faqs/>

B. □□□ □□ □□ □□□(Amazon SNS) □□

C. ☐☐☐ ☐☐☐☐

D. ☐☐☐ ☐☐☐☐☐

E. □□ □□□ □□□□□□ □□□ □□

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 496

☐ ☐☐ ☐ EC2 ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐, ☐☐ ☐ ☐ ☐ ☐

☐ ☐☐.

□□□ □□ EC2 □□□□ □□ □□□ □□□□ □□□?

A. ☐☐☐☐ ☐☐☐☐

B. ☐☐☐ ☐☐☐☐

C. ☐ ☐ ☐ ☐ ☐ ☐

D. ☐ ☐ ☐ ☐ ☐

Answer: B (LEAVE A REPLY)

[illegible]

NEW QUESTION: 497

AWS□□ □□□ □□□ □□□□ □□□□□ □□□□□? (□ □□□ □□□□□□.)

A. ☐☐☐☐ Amazon EC2 ☐☐☐☐ ☐☐☐☐.

B. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Amazon RDS ☐ ☐ ☐ ☐.

C. □□□□ □□ Amazon EC2 □□□□□ □□□□ □□□□ □□□□□□□□.

D. AWS □□ □□ □□□ □□□□ □□ □□ □□□□□ □□□□□□.

E. ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐ ☐☐☐.

Answer: ([SHOW ANSWER](#))

□ □ :

<https://wa.aws.amazon.com/wat.concept.elasticity.en.html>

NEW QUESTION: 498

☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐ ☐ ☐☐☐☐☐☐

AWS □□□□□ □□ □□□ □□□ □□ □□□ □□□□□?

A. ☐ ☐ ☐ ☐ ☐

B. □□

C. ☐☐☐ ☐☐☐

D. ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 499

□□ □□□□□ □□□□ □□ AWS □□□□□ □□□□ □□□ □□□□□?

A. □□□□ □□ □□ □□□□ □□□□ □□□ □□□□.

B. □□□□ □□ □□□□ □□□ □□□□ □□□ □ □□□□.

C. □□□□ □□□ □□ □□□□ □□□ □□□ □ □□□□.

D. ☐☐☐☐ AWS ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐.

Answer: A,C (LEAVE A REPLY)

□ □ :

<https://data-flair.training/blogs/aws-advantages/>

NEW QUESTION: 500

□□□□□□ □ □□□□ □□□ □ □□□ □ □□ AWS □□□□ □□□□□?

A. AWS ☐ ☐

B. AWS ☐☐

C. ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ (Amazon SES)

D. □□□ □□ □ □□□(Amazon SQS)

Answer: D (LEAVE A REPLY)

NEW QUESTION: 501

AWS □□□ □ □□□ □□ □□ □ □□□□. □□ □□□□□ AWS □□□□ □□ □□□□ □□ □□□□ □□

□□ □ □□ AWS □□□□ □□□□□?

A. AWS Direct Connect

B. ☐☐☐ ☐☐☐

C. AWS Identity and Access Management (IAM)

D. AWS ☐☐☐ ☐☐☐

Answer: C ([LEAVE A REPLY](#))

□□/□□ □□: https://docs.aws.amazon.com/IAM/latest/UserGuide/console_controlling-access.html
<https://aws.amazon.com/iam/>

NEW QUESTION: 502

AWS □□ □□ □□□ □□□, Amazon EC2□□ □□□□ □□□□□ □□ AWS□ □□□□ □ □□□ □□ □□□?

A. □□□□□□ □□ □□□□

B. □□□ □□□□ □□□□

C. □□ □□ □□□□

D. □□□ □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 503

□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ NoSQL □□□□□□□ □□ □□ □□□. □□□ □□ □□□ □□□□ AWS □□□□ □□□□□?

A. Amazon EC2□ Microsoft SQL Server

B. Amazon RDS for MySQL

[□□]: □□□ □□□□□

C. □□□ □□□□DB

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 504

□□□□ AWS □□ API□ □□□□ □ □□□ □□□ □□ AWS □□ □□ □□□ □□□□□?

A. □□□

B. □□

C. □□□□

D. □□

Answer: C ([LEAVE A REPLY](#))

□□/□□: <https://aws.amazon.com/premiumsupport/plans/>

NEW QUESTION: 505

□□□□ □□□ □□□, □□□ □□ □ □□□□ □□□ □□□□, □□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□□ □ □□□ □□ AWS □□□ □□□□□?

A. □□ □□□

B. □□ □□□□ □□

C. AWS □□

D. AWS □□ □ □□□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 506

Which AWS service can be used to consolidate billing for multiple AWS accounts?

A. AWS Billing

B. AWS Organizations

C. AWS IAM

D. AWS IAM

Answer: A ([LEAVE A REPLY](#))

00

Which AWS service can be used to consolidate billing for multiple AWS accounts? (Select two.)

A. AWS Billing

B. AWS Organizations

C. AWS IAM

D. AWS IAM

00: <https://aws.amazon.com/premiumsupport/knowledge-center/ec2-ri-consolidated-billing/>

NEW QUESTION: 507

Which AWS service can be used to consolidate billing for multiple AWS accounts? (Select two.)

A. AWS Billing

B. AWS Organizations

C. AWS DataSync

D. AWS IAM

E. AWS IAM

Answer: B,C ([LEAVE A REPLY](#))

AWS Snowcone is a small, portable, and easy-to-use AWS service that can be used to consolidate billing for multiple AWS accounts. It is a small, portable, and easy-to-use AWS service that can be used to consolidate billing for multiple AWS accounts. ... Snowcone is a small, portable, and easy-to-use AWS service that can be used to consolidate billing for multiple AWS accounts.

AWS Transit Gateway is a service that can be used to consolidate billing for multiple AWS accounts. It is a service that can be used to consolidate billing for multiple AWS accounts. ... AWS Transit Gateway is a service that can be used to consolidate billing for multiple AWS accounts.

AWS DataSync is a service that can be used to consolidate billing for multiple AWS accounts. It is a service that can be used to consolidate billing for multiple AWS accounts. ... AWS DataSync is a service that can be used to consolidate billing for multiple AWS accounts.

AWS Backup is a service that can be used to consolidate billing for multiple AWS accounts. It is a service that can be used to consolidate billing for multiple AWS accounts. ... AWS Backup is a service that can be used to consolidate billing for multiple AWS accounts.

AWS Backup is a service that can be used to consolidate billing for multiple AWS accounts. It is a service that can be used to consolidate billing for multiple AWS accounts. ... AWS Backup is a service that can be used to consolidate billing for multiple AWS accounts.

AWS Storage Gateway is a service that can be used to consolidate billing for multiple AWS accounts. It is a service that can be used to consolidate billing for multiple AWS accounts. ... AWS Storage Gateway is a service that can be used to consolidate billing for multiple AWS accounts.

Amazon Connect is a service that can be used to consolidate billing for multiple AWS accounts. It is a service that can be used to consolidate billing for multiple AWS accounts. ... Amazon Connect is a service that can be used to consolidate billing for multiple AWS accounts.

NEW QUESTION: 508

Which of the following is a valid AWS IAM user name?

- A. user_name
- B. user-name
- C. user_name
- D. user-name

Answer: ([SHOW ANSWER](#))

Correct

Explanation: AWS IAM user names must be 1-64 characters long, contain only lowercase letters, numbers, and hyphens, and cannot start or end with a hyphen. Therefore, the correct answer is C. user_name.

NEW QUESTION: 509

Which of the following is a valid AWS IAM user name?

- A. AWS user_name "user-name" user_name
- B. user_name user_name
- C. AWS API user_name
- D. Amazon EC2 user_name user_name

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 510

Amazon RDS supports which of the following database engines?

- A. user_name
- B. MongoDB
- C. user4j
- D. user_nameSQL

Answer: ([SHOW ANSWER](#))

Amazon RDS supports Amazon Aurora, MySQL, MariaDB, PostgreSQL, Oracle, SQL Server, and Microsoft SQL Server. Apache Cassandra, MongoDB, Neo4j, and Amazon RDS user_name are not supported. Amazon RDS user_name is a database engine. Amazon RDS user_name is a database engine. Amazon RDS user_name is a database engine.

NEW QUESTION: 511

Which of the following is a valid AWS IAM user name?

- A. user_name
- B. user-name
- C. user_name
- D. user-name

Answer: ([SHOW ANSWER](#))

[illegible]

NEW QUESTION: 512

☐ ☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

AWS ☐☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐☐?

- A.** AWS □□
- B.** AWS Elastic Beanstalk
- C.** □□ □□ □□
- D.** AWS □□□□□□□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 513

AWS □□□□□ □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□□?

- A. ☐☐
- B. ☐☐☐
- C. ☐☐☐
- D. ☐☐ ☐☐☐

Answer: ([SHOW ANSWER](#))

□□: <https://wa.aws.amazon.com/wat.map.en.html>

NEW QUESTION: 514

☐ ☐ ☐ ☐ , ☐

☐ ☐ ☐ ☐ ☐ ☐ ?

- A.** □□□□□ □□□□□
- B.** □□ □□□ □□□□□
- C.** □□□ □□□ □□
- D.** □□□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 515

[illegible]

- A.** Amazon RDS for SOL ☐☐
B. ☐☐☐ ☐☐☐☐DB

C. Amazon RDS

D. Amazon EC2 on SQL Server

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 516

Which AWS services can be used to estimate the cost of a new application? (Select three.)

A. Amazon EC2

B. Amazon S3

C. AWS IAM

D. AWS Cost Explorer (TCO) calculator

E. Amazon RDS

Answer: B,C,D ([LEAVE A REPLY](#))

<https://aws.amazon.com/premiumsupport/knowledge-center/estimating-aws-resource-costs/>

NEW QUESTION: 517

Which AWS services can be used to estimate the cost of a new application? (Select three.)

A. Amazon EC2

B. Amazon S3

C. Amazon S3

D. Amazon RDS (Amazon RDS)

E. Amazon IAM

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 518

Which AWS services can be used to estimate the cost of a new application? (Select three.)

A. AWS IAM

B. AWS Trusted Advisor

C. AWS IAM

D. AWS IAM

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 519

Which AWS services can be used to estimate the cost of a new application? (Select three.)

A. AWS Lambda

B. Amazon S3

C. Amazon IAM

D. Amazon RDS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 520

□□□ □□□□ □□ □□ □□ □□ □□□□ □□ □□□□ □□□□□□ □□□□ □□ □□□ □
□□ □□ □ □□□□ AWS □□□□ □□□ □□□□□?

- A.** ☐☐☐
- B.** ☐☐☐ ☐☐ ☐☐☐
- C.** ☐☐☐
- D.** ☐☐☐ ☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 521

AWS□□ □□□□ □□□□□□ DDoS □□□□□□ □□□□ □ □□□ □□ AWS □□□□ □□□□□?

- A.** ☐☐☐ ☐☐☐☐
- B.** AWS WAF
- C.** AWS ☐☐
- D.** ☐☐☐ ☐☐☐

Answer: C (LEAVE A REPLY)

AWS Shield AWS □□ □□□□ □□□□□□ □□□□ □□□ □□ □□□ □□(DDoS) □□ □□ □□
 □□□□. AWS Shield □ □□ □□ □□ □□□ □□ □□□ □□□□ □□□□□□ □□□□□ □□ □□
 □ □□□□□ DDoS □□ □□ □□□ □□□□ □□ AWS □□□□ □□□ □□□ □□□□.

NEW QUESTION: 522

AWS □□ □□ □□ □ □□ □□□ □□□□ AWS □□□□ □□ □□ □□□□ □□□□ □ □ □□□□?

- A.** AWS □□ □□□
- B.** AWS □□
- C.** AWS □□ □ □□□ □□□
- D.** AWS □□ □□□□

NEW QUESTION: 524

AWS □□□□□ □□□□□ □□□ □ □□ □□(TCO)□ □□□ □ □□□□ □ □□□ □□□□□? (□ □□ □ □□□□□□□.)

- A.** ☐☐☐☐☐☐ ☐☐
- B.** ☐☐☐☐ ☐☐
- C.** ☐☐ ☐☐☐☐
- D.** ☐☐☐ ☐☐
- E.** ☐☐☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐☐

Answer: (SHOW ANSWER)

□ □ :

<https://aws.amazon.com/blogs/aws/the-new-aws-tco-calculator/>

NEW QUESTION: 525

□□ AWS □□□□□□ □□□□ □□□□ □□□ □□□□□ □□□□□?

- A.** □□□ □□□□DB
B. □□□ □□□□□□□
C. □□□ RDS
D. □□□ □□□□□□

Answer: B (LEAVE A REPLY)

[illegible]

NEW QUESTION: 526

AWS □□□□□□ □□□□□□ □□ □□□ □□□□ □□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□

□ □□ □□□ □□□□ □□□□?

- A. $\square\square\square\square\square$
B. $\square\square$
C. $\square\square\square$
D. $\square\square\square\square\square$

Answer: A (LEAVE A REPLY)

AWS □ □□□ □□□□ □ □□ □□□ □□□ □ □□ □□□ □□□ □□□
 □□□ □ □□ □□□ □□□. □ □□ □ □□ □(KPI) □ □□□□ □□□, □□□

□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□□. □□ □□□ □□□ □□□□ □□□□□ □□
□ □□□□□ □□□□ □□□.

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-
Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□
□□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□
□. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 527

□□□ □□□ □□□□ □□□□□ AWS□ □□ □□□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□□ □□ □□□ □□□□ □□
- B. □□ □□□
- C. □□□
- D. □□□
- E. □□ □□ □□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 528

AWS□□ □□□□ □□ □□ □□□□ □□ □ □□□□□? (□ □□□ □□□□□□.)

- A. □□ □□ □□ □□□ □□
- B. AWS Trusted Advisor □□ □□
- C. □□□ □□□
- D. □□□□ □□ □□□
- E. □□□ S3 □□□ □□ □□□ □□

Answer: B,C ([LEAVE A REPLY](#))

□□/□□ □□: <https://aws.amazon.com/security/>

NEW QUESTION: 529

□□ AWS □□□□ □□□□ □□□□ □□ □□□ □□ □□□ □□ □□□ □□□ □ □□□□?

- A. AWS □□□ □□□□
- B. □□□ □□□
- C. AWS □□
- D. AWS □□ 1□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 530

[illegible]

☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐ ☐☐ AWS ☐☐☐ ☐☐☐☐☐☐

- A.** AWS ☐☐ ☐☐☐☐☐
- B.** AWS ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐
- C.** AWS ☐☐ ☐☐
- D.** ☐☐☐ ☐☐☐☐

Answer: B (LEAVE A REPLY)

[illegible]

Amazon QuickSight □ AWS □□□ □□□ □□ □□□□ □□□□□ □ □□ □□□ □□□□ □□□□□□.

NEW QUESTION: 531

AWS□□ □□□□ □□ □□□□□ □□□□ □□ AWS □□□□ □□□ □□ □□□ □□□ □□□□ AWS
□□□□ □□□□□?

- A.** AWS ☐☐☐ ☐☐ ☐☐☐☐
- B.** AWS X-Ray
- C.** AWS ☐☐ ☐☐ ☐☐☐☐
- D.** ☐☐☐ ☐☐☐☐☐☐

Answer: A (LEAVE A REPLY)

11

1. **Cloud Provider:** AWS (Amazon Web Services), AWS is the leading cloud provider, offering a wide range of services.

NEW QUESTION: 532

□□□ □□ □□□□□ □□□ AWS □□□□ □□ □□ □□□□ □□□ □□□□□.

□□ AWS □□□□ □□□□ □□□?

- A.** AWS VPN
- B.** AWS Direct Connect
- C.** ☐☐☐ API ☐☐☐☐☐
- D.** ☐☐☐ ☐☐☐

Answer: B (LEAVE A REPLY)

☐ ☐

AWS Direct Connect □ □ □ □ □ □ □ □ □ □ Amazon VPC □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □ . □ □ □ □ □ □ □ □ □ □ VPC □ □ □ □ □ □ □ □ □ □

Figure 6-9. AWS Direct Connect connection to Amazon VPC

□□ □□□ □ □□□□. □□ □□ □□ □□□□□□ □□□□ □□□□ □□□ □□□□□ □□ VPC□ □
□□□ □□□ □□□ □□ □□□□.

□□:

<https://aws.amazon.com/directconnect/>

NEW QUESTION: 533

□□ □□ □□□□ □□□□ □□□ □□□□ □ □□□ □ □□ AWS □□□□ □□□□□?

A. AWS □□

B. □□□ □□□□□□

C. AWS X-Ray

D. AWS □□□□□□□

Answer: B ([LEAVE A REPLY](#))

Amazon CloudWatch□ □□□□ □□ AWS □□□ □□□□□ □ □□□□. AWS □□□ □□ □□ □□ □□
□□□ □□□□□ □□ □□□ □□□□ □□□ □□ □ CloudWatch□ □□□ □□□□ □□□□□.

□□ □□ □□□□ □□ □□(□□□□ □□) □□□ □□□□ □ □□ □□□ □□□□□. □ □□□□□ □□
□□ □□□□ □□ AWS □□□□ □□ □□ □□□ AWS □ □□ □□□ □□□□□.

□□: [https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/](https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/monitor_estimated_charges_with_cloudwatch.html)

[monitor_estimated_charges_with_cloudwatch.html](https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/monitor_estimated_charges_with_cloudwatch.html)

NEW QUESTION: 534

□□□□ □□ AWS □□□□ □□□□□ □□□□ □□□. □ □□□□ □□□□ □□□ □□□ □□□ □□
□. □ □□□ □□□□ □□ □□□□ □□□ □□□□□?

A. AWS □□ □□□ □□□□ □□□□ □□□□□.

B. AWS CloudFormation□ □□□□ □□□ □□□□□.

C. AWS OpsWorks□ □□□□ □□□□□ □□□□□□□□.

D. □□□ □□ PowerShell □□□□□ □□□□ □□□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 535

QUESTION NO: 117AWS □□ □□ □□□□

□□□ □□□ □□ □ □□□□□ ?

A. □□□□ □□□ □□

B. □□ □□□ □□

C. □□□ EC2 □□□□ □□

D. □□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 536

Amazon EC2 □□□□□ □□□□ □□ □□ □□□ □□□□□□□ □□□ □□ □□□ □□□□□? (□ □
□□ □□□□□□.)

A. □□□□□□ □□ □□

- Answer: ([SHOW ANSWER](#))**

□□ AWS □□□□ □□□□□□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□□ □□□?

- Answer: D (LEAVE A REPLY)**

□□□□□ □□□ □□□ AWS □□□□□ □□□□ □ □□□ □ □□ AWS □□□ □□□□ □□□□□?
(□ □□ □□□□□.)

- Answer: ([SHOW ANSWER](#))**

AWS □□□□ □□□□ □□ □ □□□ □ □□ □□□□ □□□ □□□ □□□□ □□□ □□□□□?

- Answer: C (LEAVE A REPLY)**

11

A. □□□ □□ □□ □□ □□ □□ □□ □□ □□ 24□□ □□

B. □□ AWS □□ □□ □□□□ □□

C. □□□ □□ □ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 544

□□ Amazon EC2 □□□□□ □□□□ □ □□ □□□□□ □□□□ AWS □□□□ □□□□□?

- A. □□□ □□□□□□
- B. □□□ □□□□ □□ □□□(Amazon EFS)
- C. AWS □□□□□□ □□□□□□ □□□(AWS DMS)
- D. AWS □□□□ □□

Answer: B ([LEAVE A REPLY](#))

Amazon EFS□ □□ Amazon EC2 □□□□□ □□ □□□□ □□□ □□ □□□□□ □□□□ □□ □□□ □□□□□□. Amazon EFS□ NFS(□□□□ □□ □□□) □□□□□ □□□□□ □□ EC2 □□□□□ □□ □□ □□□□ □□□ □□□□ □ □□□□. Amazon EFS□ □□ □□□ □□□ □ □□□□ □□ □ □□ □ □□□□ □□□ □ □□□□.

NEW QUESTION: 545

□□□ □□ AWS □□□ □ □□□ □□□□□□ □ □□□ □□□□ □□□□?

- A. □□
- B. □□
- C. □□ □□ □□
- D. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 546

□ □□□ □□□□ API □□ □□ □□ □□□□ □□□ □□□ □□ □□□□□. □□ □□□□ □□□ □□ □□ □□□ □ □□□□. □□□□ □□□□ □□□□ □□ □□ □□ □□□ □ □□□ □□□□□?

- A. AWS Identity and Access Management(IAM)□□ □□□□ API □□ □□□□□□□.
- B. AWS CloudTrail□□ □□ □□ API □□□ □□□□□.
- C. □□□□□ □□□□ □□ □□□ □□□□.
- D. AWS Identity and Access Management(1AM)□□ □□□□ □□ □ API □□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 547

□□□□□□ □□ □□□ □□□ □ □□□ □□ □□□□ □□□□□□ □□ □□ □□□ □□ □□□ □□ □□□□□?

- A. □□□ □□ □□
- B. □□□ SQS
- C. □□□ □□□□□□
- D. Amazon EC2 □□□□ □□□

Answer: C ([LEAVE A REPLY](#))

□□

Amazon ElastiCache for Redis is a managed Redis service that makes it easy to set up, operate, and scale Redis in the AWS Cloud. ElastiCache for Redis is a fully managed, highly available, and scalable Redis service that is optimized for performance and security. ElastiCache for Redis is a managed service that makes it easy to set up, operate, and scale Redis in the AWS Cloud. ElastiCache for Redis is a fully managed, highly available, and scalable Redis service that is optimized for performance and security.

NEW QUESTION: 548

AWS ElastiCache for Redis is a managed Redis service. Which of the following is a benefit of using ElastiCache for Redis? (Select TWO)

- A. It is a fully managed service.
- B. It is a serverless service.
- C. It is a managed service.
- D. AWS manages the underlying hardware.
- E. It is a managed service that makes it easy to set up, operate, and scale Redis in the AWS Cloud.

Answer: (SHOW ANSWER)

NEW QUESTION: 549

Which of the following is a benefit of using Amazon CloudFront?

- A. It is a managed service that makes it easy to set up, operate, and scale Redis in the AWS Cloud.
- B. It is a serverless service.
- C. It is a managed service.
- D. It is a managed service that makes it easy to set up, operate, and scale Redis in the AWS Cloud.

Answer: B (LEAVE A REPLY)

Amazon CloudFront is a content delivery network (CDN) service that makes it easy to distribute content to end users. CloudFront is a managed service that makes it easy to set up, operate, and scale Redis in the AWS Cloud. CloudFront is a fully managed, highly available, and scalable Redis service that is optimized for performance and security. CloudFront is a managed service that makes it easy to set up, operate, and scale Redis in the AWS Cloud. CloudFront is a fully managed, highly available, and scalable Redis service that is optimized for performance and security.

NEW QUESTION: 550

Which of the following is a benefit of using Amazon CloudFront?

- A. It is a managed service.
- B. It is a serverless service.
- C. It is a managed service.
- D. It is a managed service.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 551

□□ □ AWS □□□□□ □□□ □□□□□? (□ □□□ □□□□□□.)

A. □□□ □□ □□

B. □□□

C. □□□

D. □□ □□

E. □□ □□

Answer: B,C ([LEAVE A REPLY](#))

AWS □□□□□ □□ □ □□□ □□□ □□ □ □□□□ □□□ □ □□ □□□□□□.

AWS □□□□ □□□□□ □□□ □□ □□□ □ □□ □□□□ □□ □□□□□ □□□□. □□□□ □□□
□□□ □□□ □□□ □□□□ □□, □□□ □□□ □□ □□ □□□□□ □□□□□ □□ □□ □□□□□.
□□ □□□□ □□□ □□, □□□□ □□, □□□ □□□□□ □□ □□□□ □□ □□ □□□ □□ □□□□
□.

NEW QUESTION: 552

S3□ □□ □□□□□?

□□□ □□□□:

A. □□□□ □□ □□□

B. □□ □□ □□□

C. □□ □□ □□□

D. □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 553

□ □□□ MySQL □□□□□□□ AWS□ □□□□□□□□□ □□□, □□□□□, □□ □□, □□ □□ □□
□□□□ □□□ □□□ □□□□□□ □□□□ □□□ □□□ □□□□□.
□□ AWS □□□□ □ □□ □□□ □□□□□?

A. □□□ RDS

B. □□□ □□DB

C. Amazon DynamoDB

D. □□□ □□□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 554

VPC □□□□ □□□ □ □□ AWS □□□ □□ □□□ □□□□□? (□ □□□ □□□□□□.)

A. □□ □□

B. AWS Direct Connect

C. □□□ □□□□

D. □□□□ ACL

E. □□□ □□□

Answer: A,D ([LEAVE A REPLY](#))

VPC 是 AWS 中用于隔离网络流量的工具。它允许您在自己的私有网络中运行 Amazon EC2 实例。VPC 是您在 AWS 云中创建的一个虚拟私有网络。它由一个或多个子网组成，这些子网是您自己的私有网络的一部分。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。VPC 是您在 AWS 云中创建的一个虚拟私有网络。它由一个或多个子网组成，这些子网是您自己的私有网络的一部分。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。

NEW QUESTION: 555

您正在使用 AWS CloudFormation 模板创建 VPC。您希望 VPC 跨越多个可用区。您应该怎么做？

- A. 使用单个子网
- B. 使用多个子网
- C. 使用单个 AZ
- D. 使用多个 AZ

Answer: A ([LEAVE A REPLY](#))

您正在使用 AWS CloudFormation 模板创建 VPC。您希望 VPC 跨越多个可用区。您应该怎么做？

您应该使用多个子网。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。VPC 是您在 AWS 云中创建的一个虚拟私有网络。它由一个或多个子网组成，这些子网是您自己的私有网络的一部分。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。

您应该使用多个子网。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。VPC 是您在 AWS 云中创建的一个虚拟私有网络。它由一个或多个子网组成，这些子网是您自己的私有网络的一部分。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。

您应该使用多个子网。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。VPC 是您在 AWS 云中创建的一个虚拟私有网络。它由一个或多个子网组成，这些子网是您自己的私有网络的一部分。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。

您正在使用 AWS CloudFormation 模板创建 VPC。您希望 VPC 跨越多个可用区。您应该怎么做？

您应该使用多个子网。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。VPC 是您在 AWS 云中创建的一个虚拟私有网络。它由一个或多个子网组成，这些子网是您自己的私有网络的一部分。VPC 可以跨越多个可用区，并且可以与您的本地网络通过 AWS Direct Connect 或 Amazon Connect 连接。VPC 还可以与您的本地网络通过 VPN 连接。

1: AWS 是什么 - W3Schools 2: 什么是 VPC - Trailhead 3: 什么是 VPC - Amazon Elastic Compute Cloud 4: AWS 是什么 - Trailhead

[illegible]

NEW QUESTION: 562

AWS □□□□□ □□□□□ □□□ □ □□ □□(TCO)□ □□□ □ □□□□ □ □□□ □□□□□? (□ □□ □ □□□□□□□.)

- A.** ☐☐☐☐☐ ☐☐
- B.** ☐☐☐☐ ☐☐
- C.** ☐☐ ☐☐☐☐
- D.** ☐☐☐ ☐☐
- E.** ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐

Answer: C,D (LEAVE A REPLY)

☐☐: <https://aws.amazon.com/blogs/aws/the-new-aws-tco-calculator/>

NEW QUESTION: 563

□□ □□□ □□□□ □ □□□□□□□ □□□□ □□□ AWS□□ □□□□ □□□ □□□□ □ □□□ □
□□ □□□ □□□□□?

- A.** AWS ☐ ☐ ☐ ☐ (TCO) ☐ ☐ ☐
- B.** AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐
- C.** AWS ☐ ☐ ☐ ☐
- D.** AWS ☐ ☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 564

□ □□□ □□ □□□ □□ □□□□ □□□□ □□□□□□□ □□□□ □□□ □□□□□□ □□□. □□
AWS □□□ □□ □□□ □□□□ □□ □□□ □□ □□□□□□ □□□□□ □□□□ □□□□ □ □□□
□□□?

- A.** AWS Direct Connect
- B.** AWS ☐☐☐ ☐☐☐☐☐☐
- C.** AWS CLI
- D.** AWS ☐ ☐☐☐☐ ☐☐

Answer: (SHOW ANSWER)

NEW QUESTION: 565

[illegible]

- ### A. AWS Direct Connect

D. ☐☐☐ ☐☐☐☐☐☐

NEW QUESTION: 569

A. AWS VPN

C. API ☐☐☐☐☐

Answer: ([SHOW ANSWER](#))

□□□ □□□ □□□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□ □ □□□□.

A. ☐ ☐ ☐

C. ☐☐ ☐ ☐☐

Answer: ([SHOW ANSWER](#))

A. AWS □□□□□□□

C. □□□ □□□□□

Answer: ([SHOW ANSWER](#))

Amazon CloudWatch □ AWS □□□□ □□□□ AWS□□ □□□□ □□□□□□□ □□□□□□ □□□□
 □□. Amazon CloudWatch□ □□□□ □□□□ □□ □ □□□□, □□ □□□ □□ □ □□□□□□, □□□□
 □□□□ □ □□□□.

AWS □□ □□ □□□ □□□, □□ □□□ □□□ □□□□□?

- A. Amazon DynamoDB □□□□□ □□ □□ □□□□
- B. Amazon EC2 □□□□□ □□□ □□ □□ □□□□
- C. □□□ S3 □□□ □□ □□
- D. AWS Lambda □□□ □□□ □□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 575

□ □□□□ □□□ □□□ □□□□ □□ □□□, AWS □□□ □□□ □□□ □□ □□□□□ □□□□□ □ □□. □ □□□□ □□□ □□ □□□□ □□ □□□□ □□□□ □□□. □□ □□□ □□□ □□□□ □□□?

- A. Amazon EC2 □□□ □□□ □□ □□□□□□
- B. Amazon EC2 □□□ □□□ □□ □□□□□□
- C. AWS Lambda □□□□
- D. Amazon EC2 □□□ □□□ □□ □□□□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 576

□□□□ □□□ □□ □□ □ □□□ □□□ □□□□, □□ □□□□ □□□ □□ □□□ □□□ AWS □□□ □ □□□□□?

- A. AWS □□
- B. AWS Trusted Advisor
- C. □□ □□□
- D. AWS Organizations

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 577

□ □□□ AWS □□□□□ □□□□□□□ □□□□□ □□□□. □ □□□ □□ AWS □□□□ □□□□ AWS □□□□ □□□□□ □□□□□ □□□□□ □□□. □ □□□ □□□ □□□ □□□□ □□ □□□ □ □□ AWS □□□ □□□ □□□□□? (□ □□□ □□□□ □□.)

- A. AWS □□ □□ □□□□
- B. AWS □□□ □□□
- C. AWS Trusted Advisor
- D. AWS □□□ □□ □□□□
- E. AWS □□□ □□□□

Answer: A,D ([LEAVE A REPLY](#))

AWS Personal Health Dashboard□ AWS Service Health Dashboard□ □□□ □□ AWS □□□□ □□□□ AWS □□□□ □□□□□ □□□□□ □□□ □ □□□ □□□□ □ □□ AWS □□□□□□. AWS □□ □□ □□□□□ □□ □□ AWS □□□□□ □□ □ □□□□ □□ □□□ □□□ □□□□□, □□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□□□□. □□□ □□ □□ □□□ □□ □□ □□□□□ □

2000 2000 2000 2000 20 2000 2000 20 20 2000 2000 2000 20 20 2000
 20 2000 20 2000 20 20 2000 2000. 2000 2000 2000 20 2000 20 2000
 2000 20 2000, AWS 20 2000 20 2000 20 2000. 2000 2000 2000 2000 2000 20
 2000 20 2000 2000 2000 AWS 2000 20 2000 20 2000.3 AWS 2000 20 2000
 AWS 2000 2000 2000 2000, 2000 20 2000 20 AWS 2000 20 20 2000 20
 2000. 20 2000 AWS 20 20 2000 20 2000 2000 2000 2000. AWS 2000 20
 20 2000 - 2000 20 2000 2000 20 2000 AWS 2000 2000 2000. 20 2000
 20 2000 20 RSS 2000 2000 2000 2000 20 2000 20 20 2000.4 20 20: AWS
 20 2000 2000 - 20 20, AWS 20 20 2000 20

NEW QUESTION: 578

□□ □□□□ □□□ □□□□ □□□□ □□□ □□ □□ □□□ □□□□□?

- A.** ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐ (Amazon ECS)

[]: 000 000000

- B. ☐☐☐ S3**

- C. □□□ □□□□ □□ □□□(Amazon EFS)**

Answer: (SHOW ANSWER)

NEW QUESTION: 579

□□□ □□□ □□□□□ □□□□ □□□ □ □□□ □□□ AWS □□ □□ □□□□ □□□□□?

- A. ☐ ☐ ☐ ☐ ☐ ☐

- B.** ☐ ☐ ☐ ☐

- C. AWS** ☐ ☐

- D. AWS** ☐☐☐☐☐☐

Answer: A ([LEAVE A REPLY](#))

11

https://docs.aws.amazon.com/it_it/marketplace/latest/buyerguide/cost-allocation-tagging-ami-marketplace.html

NEW QUESTION: 580

AWS □□ □□□□□ □□ □□□ □□□ □ □□□? (□ □□□ □□□□□.)

- A. ☐☐☐ ☐☐☐☐☐☐

- B.** ☐☐☐☐☐ ☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐

- C. NoSQL** □□□□□□ □□ □□□ □□ □

- D.** ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐

- E. □□ □□□□□ □□ □□□ □□

Answer: B,D (LEAVE A REPLY)

11

CloudFront

CloudFront □□ □□□□ □□□□ □□□□, □□□□ □□ □□(□□□□)□ □□ □□ □□ □□□□

.

NEW QUESTION: 581

AWS □□ □□ □□□ □□□ AWS□ □□ □□□ □□□□□?

- A. □□□□□□ □□
- B. □□□□□ □ □□□
- C. □□ □□
- D. □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 582

□ □□□ □□ □□□ □□ □□□□□□□ □□□ □□□□ □□□ □□□□(Amazon EC2)□□ □ □ □□
□□ □□□□□.
□□ □□ □□□ □□□□□?

- A. □□□ □□□□
- B. □□ □□□□
- C. □□□□ □□□□
- D. □□ □□□

Answer: C ([LEAVE A REPLY](#))

□□/□□: <https://aws.amazon.com/ec2/pricing/>

NEW QUESTION: 583

AWS □□ □□ □□□□ □□ □ □□□ □□□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□□□ □□ □□
- B. Amazon RDS(Amazon Relational Database Server)□ □□ □□ □□ □□ □□
- C. □□□□ □□ □□ □□(ACL) □□
- D. □□□□□ □□□ □□□ □□□
- E. □□□ □□ □ □□ □□ □□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 584

□ □□□ Amazon EC2 □□□□□ □□□□ □□ □□ □ □□□□□□ □□□ □□ □□□□ □□□□ □□
□□ □□□. □□□ □□ □□□ □□□□ AWS □□□□ □□□□□?

- A. □□□ □□□□ □□ □□□(Amazon EFS)
- B. □□□ □□□□ □□ □□□(Amazon EBS)
- C. AWS □□
- D. □□□ S3

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 585

□□□□ □□□□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□. □ □□□ □□ □□□ □□
□□□ □□ □□ □□□ □□□ □ □□ □□□ □□□□□ □□□.
□□ □□□□ □□ □□ □□□ □□□ □□□ □ □□□□□?

- 11

☐☐: <https://aws.amazon.com/tco-calculator/>

A. ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐

B. ☐☐ ☐☐ ☐☐ ☐☐

C. ☐☐☐ ☐☐ Lambda ☐☐☐ ☐☐

Answer: C (LEAVE A REPLY)

AWS□□ □□ □□□□ □□□ □ □□□ □□□ □ □□□ □□ □ □□□□□?

B. □□□ □□ □□□□ □□□ □□□□ □□□ □ □□□□ □□□□□.

C. AWS ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐

D. AWS ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

Answer: (SHOW ANSWER)

☐ ☐

AWS 80 0000 00 00 00 00 AWS 0000 00 00 00 00 00 0000 0000 0000 0000.

AWS □□ □□ □□□□ "□□□□□ □□"□□ □□□ □□□□□?

A. Amazon EC2 ☒ ☐ ☐ **AWS** ☐ ☐ ☐ ☐ ☐

B. □□ AWS □□□□ □□□□ □□□□ □□□□ □□

C. IAM □□□□ □□ □□ □□

D. AWS ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐

Answer: (SHOW ANSWER)

□□□□ □□□□ □□ AWS □□□□ □□□□ □□□□ □□□□ □□□□ □□□□□. □□□□ AWS□ □□□□ □□□□ □□□□□, □□□□□, □□□□□ □ □□□□ □□□□□. AWS□ AWS □□ □□ □□□□ □□ □□□□□ □□□□ □□□□ □□□□ □□□□□.

Amazon EC2 is an AWS service that provides resizable compute capacity in the cloud. It is designed to be simple to use, flexible to configure, and scalable to meet the needs of any application. IAM is an AWS service that provides a way to manage access to AWS services and resources. IAM allows you to create and manage users, groups, and roles that can be used to access AWS services and resources. IAM also allows you to manage permissions for these users, groups, and roles. IAM is a core AWS service that is used by many other AWS services.

□□□□ IAM □□□ □□, □□□ □, □□ □□ □□, □□□□ ACL □ □□ □□□ □□ □□□ □□ □ □□
□ □□□□□. AWS □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□.

AWS □□□□ □□□ □□□□ □□□□ □□ □□□ □□□□□ □□ □□□□ □□□□ □□ □□□ □ □
□□□□□□ □□□ □□□□□.

AWS □□□□ □□□□ Amazon VPC□ □□□□ □□ □□□ □□□□ □□□ □□□□□□. □□□ AWS Marketplace □□□□ □□ □□□ □□ □ □□□ □□□ □ □□□□. AWS□ □□ □□ □□□ □□ □□□ □□□ □□□ □□□□□.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐, ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
☐ ☐ ☐ ☐ ☐.

☐ ☐☐☐ AWS ☐☐☐☐☐☐ ☐☐☐ ☐ ☐☐ ☐☐☐☐ ☐ ☐☐☐

- Answer: B (LEAVE A REPLY)**

[illegible]

- Answer: C (LEAVE A REPLY)**

NEW QUESTION: 593

AWS □□□□□ □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□□□? (□ □□□ □□□□□□.)

- Answer: A,B (LEAVE A REPLY)**

AWS □□□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□□□□ □□□ □□ □□□?

- Answer: ([SHOW ANSWER](#))**

□□ IAM □□□□□ □□□ □□□□ □□, □□(□□□, □□□, □□ □□□ □)□ □□□ □□□ □□□ □
□ □□□□□ □ □□□□□. □□ □□ □ □□□ □□ □□ □□□ □□□□□. □□□□□ IAM □□□□ □
□ □□□ □□□□□. IAM □□□ □□ □□ □□□□ □□□ □□□ □□□ □□□□□□. □□□ □ □□□
□□ □ □□ □□□□ □□□ □□□ □ □□□□. □□ □□□ □□□ □□□ □□, □□ □□□□ □□ IAM
□□□ □□□ □□□□ □□□.

□ □□□□□ □□□ □□ □□□ EC2 □□□□□ □□□□ □□□□ □□□□□□□□ □□□□□ □□□.

Which of the following is a required step to launch an Amazon EC2 instance?

- A. Select an Amazon Machine Image (AMI)
- B. Create a VPC
- C. Select a key pair
- D. Choose an AWS region

Answer: C ([LEAVE A REPLY](#))

When launching an Amazon EC2 instance, you must select a key pair to use for authentication. This is a file that contains a public key and a private key. The public key is stored on the instance, and the private key is stored on your local machine. When you connect to the instance, you use the private key to prove that you are who you say you are. VPC is a virtual private cloud, which is a logically isolated section of the AWS cloud where you can launch AWS resources. Amazon CloudFront is a content delivery network (CDN) service that accelerates the delivery of static content to your end users. VPC is a virtual private cloud, which is a logically isolated section of the AWS cloud where you can launch AWS resources. AWS IAM is a service that helps you manage access to AWS services and resources across your AWS account.

NEW QUESTION: 596

Which of the following are AWS services that can be used to monitor the health of your AWS resources? (Select two.)

- A. AWS Trusted Advisor
- B. AWS CloudWatch
- C. AWS Config
- D. AWS CloudTrail
- E. AWS CloudFormation

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 597

Amazon EC2 instances can be launched using the AWS Marketplace. Which of the following are benefits of using the AWS Marketplace? (Select two.)

- A. You can launch instances with a pay-as-you-go pricing model.
- B. AWS Marketplace offers a wide variety of third-party software solutions.
- C. AWS Marketplace offers a single point of purchase for all your software needs.
- D. AWS Marketplace offers a 3-year subscription model.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 598

Which of the following are AWS services that can be used to store and retrieve data? (Select two.)

Options: S3, EBS, IAM, CloudFront

- A. 00
- B. 00 00
- C. 00
- D. 00 00

Answer: C ([LEAVE A REPLY](#))

00000 000 000000 000 00000000. 000 00 000000 00 0000 00 00 0000
0 00000 00 00000.

NEW QUESTION: 599

00000 00 AWS 00000 000000 00000 0000. 0 00000 00000 0000 00000.
0000 0000 0000 0000.
0 0000 000000 00 000000 0000 0000000?

- A. AWS 00 0000 000000 000000 0000000.
- B. 0000 00 PowerShell 0000000 000000 00000000 0000000.
- C. AWS OpsWorks0 000000 00000000 00000000000.
- D. AWS CloudFormation0 000000 0000 0000000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 600

00000 00 0 00 00 0000(0000000000(ISO) 0000 00)0 00000 00 AWS 000000 0000
0 0000?

- A. AWS 00000
- B. 0000 00000000
- C. AWS 00
- D. AWS 00 0000

Answer: ([SHOW ANSWER](#))

AWS Artifact0 AWS 00 0 00 00 00000 00 0000 0000 00 00000 00000 00000 00
0000 0000000. AWS Artifact0 000000 ISO, PCI, SOC0 00 AWS 0000 00 000000 0000000
0, BAA(Business Associate Addendum)0 00 AWS00 0000 000000 0000 0 00000.

NEW QUESTION: 601

AWS 00 00 00000 0000 00 0 0000 0000000?

- A. Amazon RDS 00000 00 0000 00 00
- B. 00 00 0 ACL 00
- C. 0000 00 0000 00.
- D. 0000 0000 00 0000 00 00
- E. Amazon EC2 00000 00 0000 00 00

Answer: ([SHOW ANSWER](#))

AWS-Certified-Cloud-Practitioner ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ AWS-Certified-Cloud-Practitioner ☐☐! DumpTop ☐ ☐☐ **AWS-Certified-Cloud-Practitioner** ☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐, DumpTop AWS-Certified-Cloud-Practitioner ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ DumpTop AWS-Certified-Cloud-Practitioner ☐☐☐ ☐☐☐☐☐.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (**600** Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 602

[illegible]

- A.** □ □ □
- B.** □ □ □ □ □
- C.** □ □ □ □
- D.** □ □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 603

[illegible]

- A.** □□ □□, □□ AZ □□□□
- B.** □□ □□, □□ AZ □□□□
- C.** □□ □□, □□-□□ □□□□
- D.** □□ □□, □□□-□□□ □□□□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 604

VPC □□□□□□□□□□□□□□□□□□□□□□□□ AWS □□□□□□□□□□
□□□□?

- A.** VPC □□ □□
- B.** AWS Identity and Access Management (IAM)
[□□]: Amazon CloudWatch □□
- C.** AWS □□□□□□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 605

□□□□□□□ □□□□□ □ □□□□ AWS □□□ □□□□ □□□□□?

- A.** AWS □□
- B.** AWS □□□□
- C.** AWS □□□ □□□□□

D. Amazon RDS

Answer: D ([LEAVE A REPLY](#))

00

Amazon RDS(Amazon Relational Database Service) is a managed database service that provides a simple and scalable way to set up and manage a relational database in the cloud. It supports a variety of database engines, including MySQL, PostgreSQL, Oracle, and Microsoft SQL Server. Amazon RDS is designed to be highly available and secure, with built-in features for backup, recovery, and monitoring. It also offers a range of performance and scalability options, allowing you to choose the right instance type and configuration for your workload.

NEW QUESTION: 606

Which AWS service can be used to create and manage a multi-region, multi-availability zone architecture?

Which AWS service can be used to create and manage a multi-region, multi-availability zone architecture?

A. Amazon S3

B. Amazon ElastiCache

C. Amazon CloudFront

D. AWS CloudFormation

Answer: B ([LEAVE A REPLY](#))

Amazon ElastiCache is a managed service that makes it easy to set up, operate, and scale in-memory caching in the cloud. It supports Redis and Memcached engines and is designed to be highly available and secure. ElastiCache can be used to cache data from Amazon S3, Amazon DynamoDB, or other AWS services, or to cache data from your own applications. It also offers a range of performance and scalability options, allowing you to choose the right instance type and configuration for your workload.

NEW QUESTION: 607

Which AWS service can be used to create and manage a multi-region, multi-availability zone architecture?

Which AWS service can be used to create and manage a multi-region, multi-availability zone architecture?

A. Amazon EC2

B. AWS IAM

C. AWS Lambda

D. AWS CodeDeploy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 608

Which AWS service can be used to create and manage a multi-region, multi-availability zone architecture?

A. Amazon S3

B. Amazon ElastiCache

C. Amazon CloudFront

D. AWS CloudFormation

Answer: C ([LEAVE A REPLY](#))

AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Certified-Cloud-Practitioner □□! DumpTop □ □□ **AWS-Certified-Cloud-Practitioner** □□ □□□ □□ □□□□, DumpTop AWS-Certified-Cloud-Practitioner □□ □□□ □□□□□□□□ □□□ □□□□□□ □. □□□□ □□□ □□□□ □□ DumpTop AWS-Certified-Cloud-Practitioner □□□ □□□□□.

<https://www.dumptop.com/Amazon/AWS-Certified-Cloud-Practitioner-dump.html> (600 Q&As Dumps,

30%OFF Special Discount: KrDump)