

Amazon.AWS-Solutions-Architect-Associate.v2022-06-05.q344

□□□□:	AWS-Solutions-Architect-Associate
□□□□:	AWS Certified Solutions Architect - Associate (SAA-C03)
□□□:	Amazon
□□ □□ □□□:	344
□□:	v2022-06-05
# □□ □:	4470
# □□ □□□:	3440
https://www.krdump.com/Amazon.AWS-Solutions-Architect-Associate.v2022-06-05.q344.html	

NEW QUESTION: 1

- AWS□ □□ IT □□□ □□□□ □□ □□□□□ □□□ □□□□□?
- A. □□□. □□ □□□□ □□□□□□. □□□. □□ □□□□□□. □□ □ □□
 - B. □□□□□. □□□. □□ □□□□□□. □□ □□□□ □□□□□□. □□□
 - C. □□□□□. □□ □□□□□□. □□. □□□. □□.
 - D. □□□□□. □□□. □□ □□□□□□. □□ □□□□ □□□□□□. □□□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

- □□ □□ □□□□ □□□ □□□ □□□□□□□ □□□□ □□□□. □□ □□□□□□ □□□□□ □□□ □□ □
10GB□□□ □□ □□□□□ □□□□. □□□ □□□ □□□□□ □□□□□ □□□□□. □□□ □□□□□□□□ AWS□ □
□□□□□□□ □□□ Amazon EC2 □ Amazon EBS□ □□□□□ □□□.
□ □□ □□□□ □□ □□□ EBS □□ □□□ □□□□□?
- A. □□ HDD(sc1)
 - B. □□□□□□ IOPS SSD(io1)
 - C. □□ SSD(gp2)
 - D. □□□ □□□ HDD(st1)

Answer: A (LEAVE A REPLY)

□□
<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html>

NEW QUESTION: 3

- VPC □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□ □□□□ VPC□ □□□□□. □□ □□ □□ □ VPC□
□□□□□ VPC □□□ □□□ □□□□□ □□□□□□ □□□ □□ □□ VPC□ □□□ □□□ □□□□ □□□□. □□
VPC□ □□□□ □□□ □ VPN□ □□□□□ □□□ □□□ □□□□. □□□ □□□□ □□ □□, VPNS □ VPN□ □□ □
□ □□□□ □□□ □□□ □□□ □□□□□.
□□ □□□□ □□□□ □□□ □□ □□□ □□□□□?

Answer: B ([LEAVE A REPLY](#))

□□

"□□ □□ □□□ EC2 □□□□□ □□ □□□ □□□□□ □□□ NAT □□□□□□ □□□□ □□ AZ □□□ □□□□ NAT □□□□□□ □□□ □ □□ □□ □□ □□ □□ □□ □□□□ □□□ □□□□ □□ □□□. □□□□ □□□□□ □□ □□□ □□□ □□□□□□. AWS NAT □□□□□□ 2□ □□□ □□ □□(AZ)□ □□□□ □□□□□."

NEW QUESTION: 7

6□□ Amazon EC2 □□□□□□ □□□□ □ □□□□□□□□ □□□ □ □□□□□□ □□□□ □ 45%□ □□□□□□. 6□□ □□□□□ □□ □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□□□. □ □□□□□□□ □□□□ □□ □□ □□□□ □□□□□ □□□□ □□□□. □□□□□□□ □□□□□ □□□□ □□ □□□□□ □□□□. □□ □□□□ □□ □□□ □□□ □□□□□ □□□□. □□ □□ □□□□□ □□ □□□ Amazon □□ □□□(AMI)□ □□□□□ □□□□. □□ □□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□?

A. □□□ □□ □□□ 6□□ EC2 □□□□□ □□□□ Amazon Elastic Load Balancer□ □□□□□.

B. □ □□□ 3□□ EC2 □□□□□ □□□□ □□ □□□ 3□□ EC2 □□□□□ □□□□ Amazon Elastic Load Balancer□ □□□□□.

C. □□□ □□ □□□ 3□□ EC2 □□□□□ □□□□ □□ □□ □□□ 3□□ EC2 □□□□□ □□□□ Amazon Elastic Load Balancer□ □□□□□.

D. 3□ □□□ 2□□ EC2 □□□□□ □□□□ Amazon Elastic Load Balancer□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

□□: https://media.amazonwebservices.com/pdf/AWS_Security_Whitepaper.pdf(8□□□□)

NEW QUESTION: 8

5GB □□□ □□□ Amazon Simple Storage Service(53)□ □□□□□ Amazon Elastic Compute Cloud □□□□□□ □□ □ □□□□□□□ □□□□. □□□ □□□□ □□□□ □□ □□□ □□□□□□ □□□ □□□□□□. □□ □□□ □□□□ □□□ □□□ □□□□□ □ □□□ □□□□ □□□□?

A. □□□ □□□□ □□□

B. Amazon 53 □□□□ □□□ □□

C. Amazon CloudFront□ □□□□ HTTP POST □□□ □□□□ □□ □□□ □□□□.

D. Amazon Elastic Block Store □□□□□□ IOP □□ □ Amazon EBS □□□ □□□□ □□

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

API□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□?

A. □□□ □□

B. □□□ □□

C. □□□□□□

D. □□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

□ □□□□ RDS □□□□□ □ □□ □□□□□ □□□ □□□ □□ □□□□?

- Answer: D (LEAVE A REPLY)**

DynamoDB FGAC(Fine-Grained Access Control) □ □□□ □□ □□□ □□ □□□□ □ □□□ □□□□□.

- Answer: D (LEAVE A REPLY)**

☐☐: http://aws.amazon.com/dynamodb/faqs/#security_anchor

AIMU()

A. `duckets` `S3` `eu-central-1` `S3 Ducket`. `eu-central-1` `S3` `URL` `URL`

- Answer: B (LEAVE A REPLY)**

□□ □□□ □□□ AWS□□ □□ □□ □□□□□□□ □□□□ □□□□□. □□□□ □□ □□□□ □□□ Amazon EC2□□
 □□□□□ □□□□□□□ MySQL□ Amazon RDS□□ □□□□□□. RDS □□□□□□ □□ □□□□ □□ □□□□□. □□ □□□□
 □□□□□ □□□□□□□□□ □□□□ □□□□□□□ □□□□□□ □□□ □□ □□□□□.

□□□□ □□□ □□□□□□ □□ □□□ □□□ □□□?

- A.** Amazon SNS □ □□□□ □□□□□□ □□□ □□□□□.
- B.** Amazon Kinesis Data Firehose □ □□□□ □□□□□□□ □□ □□□ □□□□□□□□.
- C.** RDS for MySQL □□ □□ □□□□ □□□□ □□□□□□ □□□ □□□□□.
- D.** Amazon ElasticCache □ □□□□ □□□ □□□□□□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 14

□□□ □□□ □□□ □□□ □□□ □□ □□□ □□□□ □□ □ □□□□(□: www.blog.
acme.com □ www.acme.ca)?

- A.** ☐, ☐☐ 3☐☐ ☐☐ ☐☐ TLD☐ ☐☐ ☐ ☐☐☐.
- B.** ☐
- C.** ☐, TLD☐ ☐☐ ☐☐ ☐ ☐☐☐.
- D.** ☐☐☐

Answer: D (LEAVE A REPLY)

`www.example.com` `www.aws.example.com` `www.example.ca`

`http://docs.aws.amazon.com/Route53/latest/DeveloperGuide/AboutHostedZones.html`

□□ □□□□ □□□ □□ □□□ □□ □□ □□□□□ □□□□□?

Policy1

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "iam:Get*",
        "iam:List*",
        "kms:List*",
        "ec2:*",
        "ds:*",
        "logs:Get*",
        "logs:Describe*"
      ],
      "Resource": "*"
    }
  ]
}
```

Policy2

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Deny",
      "Action": "ds:Delete*",
      "Resource": "*"
    }
  ]
}
```

□□□□ □□□□□ IAM □□□ IAM □□□□ □□□□□. □□□□ □□□□□ □□ □□□ □□□ □ □□□□?

A. Amazon CloudWatch Logs □□ □□ □□

B. □□□□ □□

C. IAM □□□ □□

D. Amazon EC2 □□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

□□ □□□□□□ □ □ □□ □□ □□(DEV)□ □□□□ □□(PROD)□ □□□□□. DEV □□□□□ □□ □□ □□ □□ □□ 10□□ □□ □□□□ □□ PROD □□□□□ □□ 24□□ □□ □□□□□. □□□□ □□□□ □□□ □□□□□ □□ □□ □□□□ □□ □□□ □□□□ □□□.

□□ □□ □□□□ □□□□ □□□□□?

A. □□ □□ □□□□□ □□ DEV □ □□ □□□□□ □□ PROD

B. □□ □□□□□ □□ DEV □ □□□□ □□□□□ □□ PROD

C. □□□□ □□□□□ □□ DEV □ □□ □□□□□ □□ PROD

D. □□□□ □□□□□ □□ DEV □ □□ □□ □□□□□ □□ PROD

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Amazon Simple Queue Service (SQS) is a fully managed message queuing service that enables you to decouple and scale microservices, distributed systems, and serverless applications. It is a reliable, scalable, and secure service that can be used to build applications that require asynchronous processing and high availability. It is a fully managed service that requires no infrastructure management and can be used to build applications that require asynchronous processing and high availability.

Which of the following AWS services is a message queuing service?

- A. AWS Simple Queue Service.
- B. AWS Simple Notification Service.
- C. AWS Simple Workflow Service.
- D. AWS Simple Email Service.

Answer: A ([LEAVE A REPLY](#))

Amazon Simple Queue Service (SQS) is a fully managed message queuing service that enables you to decouple and scale microservices, distributed systems, and serverless applications. It is a reliable, scalable, and secure service that can be used to build applications that require asynchronous processing and high availability. It is a fully managed service that requires no infrastructure management and can be used to build applications that require asynchronous processing and high availability.

For more information, see the Amazon SQS documentation.

Link: http://media.amazonwebservices.com/AWS_Building_Fault_Tolerant_Applications.pdf

NEW QUESTION: 28

Which of the following is a distributed cache service?

- A. Amazon ElastiCache Memcached or Redis.
- B. Amazon ElastiCache Redis or WinCache.
- C. Amazon ElastiCache Memcached or Hazelcast.
- D. Amazon ElastiCache Memcached or Redis.

Answer: A ([LEAVE A REPLY](#))

Link:

Link:

Amazon ElastiCache supports Memcached or Redis.

<http://docs.aws.amazon.com/AmazonElastiCache/latest/UserGuide/SelectEngine.html>

NEW QUESTION: 29

Which of the following is the largest Amazon EC2 instance type?

- A. m4.xlarge
- B. 20xlarge
- C. 5xlarge
- D. 10xlarge

Answer: D ([LEAVE A REPLY](#))

c4.8xlarge is the largest Amazon EC2 instance type.

Link:

<http://aws.amazon.com/ec2/instance-types/>

NEW QUESTION: 30

Which of the following is a managed database service? Amazon RDS MySQL is a managed database service that enables you to quickly set up a MySQL database instance in the AWS cloud. It is a fully managed service that requires no infrastructure management and can be used to build applications that require asynchronous processing and high availability.

AWS SDK for ID (IdP) . . . IdP . . . OAuth .
 OpenID Connect . . . Amazon Cognito . . . , Amazon Cognito . . . Cognito ID . . .
 AWS . . .
<http://aws.amazon.com/cognito/faqs/>

NEW QUESTION: 39

AWS . . .
 . . .
A. AWS . . .
B. AWS DoD 5220.22-M . . .
C. AWS . . .
D. AWS 3 . . .
Answer: B (LEAVE A REPLY)
 AWS . . .
 AWS DoD 5220.22-M("National Industrial Security Program Operating Manual") . . . NIST 800-88("Media Sanitization .
 ") . . .
 . . .
 : <http://d0.awsstatic.com/whitepapers/Security/AWS%20Security%20Whitepaper.pdf>

NEW QUESTION: 40

Lambda . . .
 AWS CLI . . .
 AWS CLI . . .
A. mon-list-metrics . mon-get-stats
B. list-metrics . get-metric-statistics
C. ListMetrics . GetMetricStatistics
D. list-metrics . mon-get-stats
Answer: B (LEAVE A REPLY)
 AWS Lambda . . . Amazon CloudWatch . . .
 AWS CLI . . .
 list-metrics . get-metric-statistics . . .
 :
<http://docs.aws.amazon.com/lambda/latest/dg/monitoring-functions-access-metrics.html>

NEW QUESTION: 41

. . .
 . . . AWS . . .
 . . .
 . . .
 . . .

Amazon 53% Amazon CloudFront 10% Auto Scaling 60% CPU 10% 10.000 IOPS Amazon RDS 10% DB 80% CPU 80%.

□□ □□□ □□□□ 2GB □□□ □□□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 15~2□ □ □ □ SEO □ □ □ □ □ □ □ □ □ □ 0.5□ □ □ □ □ □ □ □ □ □ □ □ □ □.

□□□□ □□□ □□ □□□ □□□ □□□□□□□□? (3□□ □□□ □□□□□)

A. □□ □□□ □ □□ □□□ □□□ □□□ Amazon Route 53 □□ □□ □□ □□□ □□□ □□□□ □□□ □□□□□□.

B. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Amazon CloudFront ☐ ☐ ☐ ☐ ☐

C. Amazon RDS □□□□□□□ □□□ □□□ □□□□ □□□□ □□

D. ☐ ☐ ☐ ☐ ☐ ☐ DB ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Amazon ElastiCache ☐ ☐ ☐ ☐

E. Auto Scaling ☐☒☐ ☐☐☐ ☐ ☐☐☐ 30%☐ ☐☐☐ ☐ ☐☐☐☐.

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 43

□□□□ PIOPS □□□ □□ □□□□. □□□□ PIOPS□ □□ □□ □□ □□□□ □□ □□ □□□ □□□□□?

A.5

B. 10

C. 20

D. 30

Answer: D (LEAVE A REPLY)

□□/□□:

□ □ :

□□□□□□ IOPS □□□ I/O □□□ □□□□, □□ □□□□ □□□ □□ □□□ I/O □□□□ □□□□ □□□ □□□□□
 □ □□□□□ □□ □□□ □□□□□ □□□□□□□□. □□□□□□ IOPS □□□ □□ □□□ 10GB□□ 1TB□□ □□□□
 □□□ □□ 4000IOPS□ □□□□□□ □ □□□□.

□□□ □□ □□□ □□ □□□□□□ IOPS□ □□□ □□ 30□□□. □□ □□ IOPS□ 3000□ □□□ 100GB □□□□□ □□□□.

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html>

NEW QUESTION: 44

ELB □□ □□□ □□□□ Auto Scaling □□□ □ □□□□□ □□□□□□. ELB □□ □□□ □□□ □ □□□□□ □□□ □□□ □□□□□.

☐ ☐ ☐ ☐ ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ ☐ ☐ ?

A. □□□□□ □□□□ □□□□□ □□□□□.

B. □□□□□ □□□□□.

C. .

D. □□□□□ □□□□□.

Answer: C (LEAVE A REPLY)

□□/□□:

□□:

Auto Scaling □□□ □□ □□□□ □□□ □□ Auto Scaling□ □□□□□ □□□ □□□ □ Elastic Load Balancing □□ □□ □□□ □□□□□ □ □ □□□□. ELB □□ □□□ □□□ □ Elastic Load Balancing□ □□□□ □□□ □□□ □□□□ □□□ Auto Scaling□□ □□□□□ □□□□□ □□□□□. □□ □□□□ □□□ Auto Scaling □□□□□ Auto Scaling □ □□□ □□□□ □□ □□□□□ □□□. Auto Scaling□ □□□□□ □□□ □□□□ □□ □□ □□ □□ □□□ □□ □□ □□□□□. EC2 □□ □□ □ ELB □□ □□□ □□ □□ □□ □□□ □□□□ □□ □□□ □ □□□ Auto Scaling□ □□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□□□. □□□□□ □□□ □□ □□□ □□□□□
<http://docs.aws.amazon.com/autoscaling/latest/userguide/healthcheck.html>

NEW QUESTION: 45

□□ AWS □□□□ □□□ □ □□□□ □□□□ □□ □□ □□ □□□□ □□□□ □□ □□ □□□□□? 2□□ □□□ □ □□□□

- A. Amazon Elastic Load Balancing
- B. Amazon Simple Notification Service(SNS)
- C. Amazon DynamoDB
- D. Amazon Simple Storage Service {53}
- E. Amazon Elastic Compute Cloud(EC2)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Amazon CloudWatch□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□□□?

- A. 1□
- B. 5□
- C. 1□
- D. 3□
- E. 5□

Answer: C ([LEAVE A REPLY](#))

□□ □□□□ 1□ □□□□ □□ □ □□□□□. □□□ 3□ □□ 5□ □□□□ □□□□.

AWS-Solutions-Architect-Associate □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Solutions-Architect-Associate □□! DumpTop □ □□ **AWS-Solutions-Architect-Associate** □□ □□□ □□□□□□, DumpTop AWS-Solutions-Architect-Associate □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AWS-Solutions-Architect-Associate □□□ □□□□□. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

Amazon VPC □□□□□ □□□ □ □□ □□□□□ □□ VPC □□ □□□ □□□ □ □□□□?

- A. □. □□□ □ □ □□□□.
- B. □□□. □ □ □□□□.

C. "VPC_Change_Group" ☐ ☐ ☐ true ☐ ☐ ☐ ☐

D. "VPC Change Group" ☐ ☐ ☐ true ☐ ☐ ☐ ☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

ECU

A. ☐☐ ☐☐ ☐☐☐☐.

B. ☐☐ ☐☐☐☐ ☐☐☐☐☐☐.

C. Elastic Compute Unit.

D. .

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

□□□ □□ □□ □□ □□ □□ □□ □□□□□□ □□□□ □□ Amazon EC2 □□□□□ □□□□□. □□□ □□□□ □□(□□ □□ □), □□ □□ □□ □ □□ □□□ □□□□□ □□ □ □□ □□□ □□□□ □□□? 3□□ □□□ □□□□ □

A. ☐☐☐ ☐☐☐☐

B. Amazon HVM AMI

C. Amazon EC2 ☐☐ ☐☐

D. □□□ PV AMI

E. Amazon VPC

F. □□□ □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 50

□□ □ □□□□□□ Amazon Virtual Private Cloud(VPC) □□ □□□□ IPsec VPN□ □□ □□ □□□ □□□ □□□□□. □□□□□□□ □□□□□ LDAP □□□ □□ □□□□ □□□. □□ □ □□□□ □ □□□□ □□ □□□□ □□□ Amazon Simple Storage Space(S3) □□□□□□□ □□□□ □ □□□□.

□□□ □□□ □□□ □ □□ □ □□ □□ □□□ □□□□□? (2□ □□ □□)

A. □□□□□□ LDAP □□ □□□ □□ □□□□□□ IAM □□ □□ □□□ □□□□ □□ S3 □□□ □□□□ □
□□ LDAP □□ □□□ □□□□ IAM □□□□□□ □□ AWS □□ □□ □ □□□ □□(IAM) □□ □□□□ □□□□□.

B. LDAP □ □ □ □ □ □ □ □ □ □ □ □ IAM □ □ □ □ □ □ □ □ □ □ IAM □ □ □ □ □ □ □
□ □ □ . □ □ □ □ □ □ □ □ □ □ □ □ S3 □ □ □ □ □ □ □ □ □ □ IAM □ □ □ □ □ □ □
□ □ □ □ .

C. □□□□□□ LDAP □□ □□□ □□□□ IAM Security Token Service□ □□ □□□□□. □□□□□□□ □□□ □□ AWS □□ □□ □□□ □□□□ □□□ S3 □□□ □□□□□□.

D. □□□□□□ LOAP □ □□ □□□□ □□□ □□□ IAM □□□ □□□ □□□□□. □□ □□ □□□□□□□□ IAM □
□□ □□□ IAM Security Token Service □□□□□. □□□□□□□ □□ □□ □□□ □□□□ □□□ S3 □□□ □□□
□ □□□□□.

NEW QUESTION: 54

Which of the following AWS services is a NoSQL database service?

- A. Amazon DynamoDB
- B. Amazon EBS
- C. Amazon EFS
- D. Amazon S3

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which of the following AWS services is a managed database service? Which of the following AWS services is a managed database service?

- A. Amazon S3
- B. Amazon EBS
- C. AWS IAM
- D. Amazon EC2

Answer: ([SHOW ANSWER](#))

Amazon EBS is a managed database service. Amazon EBS is a managed database service. Amazon EBS is a managed database service.

URL: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/Storage.html>

NEW QUESTION: 56

Which of the following Amazon S3 storage classes is designed for data that is accessed infrequently? Which of the following Amazon S3 storage classes is designed for data that is accessed infrequently?

- A. S3 Standard-Infrequent Access (S3 Standard-IA)
- B. S3 One Zone
- C. S3 One Zone-Infrequent Access (S3 One Zone-IA)
- D. S3 One Zone-Infrequent Access (S3 One Zone-IA)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

ALB(Application Load Balancer) is a managed service that distributes incoming traffic across multiple Amazon EC2 instances. ALB(Application Load Balancer) is a managed service that distributes incoming traffic across multiple Amazon EC2 instances.

Which of the following is a managed service that distributes incoming traffic across multiple Amazon EC2 instances?

- A. Amazon S3 is a managed service that distributes incoming traffic across multiple Amazon S3 buckets. Amazon S3 is a managed service that distributes incoming traffic across multiple Amazon S3 buckets.

B. ALB □□□□□ □□□□ Amazon CloudFront □□□ □□□□□. Accept-Language □□ □□□ □□□□ □□□ □□
□□□ □□ □□ □□□ □□□□□.

C. ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ NGINX ☐ ☐ ☐ ☐. ☐ ☐ ☐ ☐
☐ ☐ ☐ Amazon Route 53 ☐ ☐ ☐ ☐ ☐ ALB ☐ ☐ ☐.

D. ALB □□□□ □□□□ Amazon API Gateway □□□□□. HTTP □□ □□□ □□□□□ API □□□□□ □□ API □□□□□□□□ API □□□□□ □□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 58

[illegible]

aws:CurrentTime AWS:currenttime 0000 0000.

A. ☐

B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Amazon CloudWatch ☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐?

A. 1□

B. 5□

C. 1 ☐

D. 3□

E. 5□

Answer: C (LEAVE A REPLY)

□□ □□□□ 1□ □□□□ □□ □ □□□□□. □□□ 3□ □□ 5□ □□□□ □□□□.

NEW QUESTION: 60

□□ □□ □□□□(VPC) □□□□□ □□□□ □□□□□□ □□□□ □□ □□□□□ □□□□ □□□. □□ □ □□ □□
□□□□ □□ □□□□ □□ □□ □□ □□□□□?

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

A. ☐☐☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐ ☐☐ (ethN) ☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐.

□□□ □□(eth0) □□□□□□ □□□ □ □□□□.

B. 00 0000 000000 00 00000 00000 00000 00 0000 00000, 00 IP 00 0 0000 00
00 00000 000000.

[illegible]

D. □□□□□ □□ □□□□ □□□□□□ □□□□ □□ □□ □ □□□□□ □□□□ □□□□ □□□□ □ □□ □□□
□□□ □□□□□.

Answer: D (LEAVE A REPLY)

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□□□ □□ □□ □(□ □□), □□□ □(□ □□), □□□□□ □□□ □(□□ □□) □□□□ □□□□□□ □□□□□ □ □□ □ □□□□.

□□□□□ □□ □□□□ □□□ □ □□(ethN) □□□□ □□□□□□ □□□ □ □□□□. □□□ □□(eth0) □□□□□□ □□□ □ □□□□.

□ □□□□ □□□□ □□□□□□ □□□ VPC□ □□ □□□□ □□ □□□□□ □□□ □ □□□ □□□□ □□□□□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□.

CLI □□ API□□ □□□□□ □□□ □ □□(eth0) □ □□ □□□□ □□□□□ □□□ □□ □□□□□ □□□ □□□□ □ □□□□□ □□□ □ □□□□.

□□ □□□□ □□□□□□ □□ □□□□□ □□□□ □□□□□ □□ □□□□ □□□□□, □□ IP □□ □ □□□ □□□ □ □□□□ □□□□□.

□□ □□□□ □□□□□□ □ □□ □ □□□□□ □ □□ □□□□□□ □□□□ □□□□ □□ IP □□□ □□□□ □□ □ □ □□□ □□□□ □□□□ □ □ □□□□. (□□ □□ □□□□

Amazon Linux□ □□□□ □ □□ □ □□□ □□□□ □□□□□ □□□□□.)

□□□□□ □□ □□□□ □□□□□□ □□□□ □□ □□ □ □□□□□□ □□□□ □□□□ □□□□ □ □□ □□□ □ □□ □□□□.

□□:

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/using-eni.html#use-network-and-security-appliances-in-your-vpc>

NEW QUESTION: 61

Solutions Architect□ 1□(24/7) □□ □□□ □ □□□□ □□ □□ □ □□□□□□□ □□□□ □□□□. □ □□□□ □□□ □□ r4.xlarge □□□□□ □□□□ □□□□□□. □ □□□□ □□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□.

□ □□□□ □□ □□□□ □□□□ □□ □□ □□□□ □□□ □□□□□?

- A. □□ □□□□
- B. □□ □□ □□□□
- C. □□ □□ □□□□
- D. □□□ □□ □□□□

Answer: C ([LEAVE A REPLY](#))

AWS-Solutions-Architect-Associate □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Solutions-Architect-Associate □□! DumpTop □ □□ **AWS-Solutions-Architect-Associate** □□ □□□ □□□□□□, DumpTop AWS-Solutions-Architect-Associate □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AWS-Solutions-Architect-Associate □□□ □□□□□. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

Solutions Architect□ □□ Amazon Aurora MySQL □□□□□□□ □□ □□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□.

Solutions Architect□ □□□ □□ □□□ □□□ □□□ □ □□□□?

□□□□ □□ □□ □□□□ □□□ □□ □□□□□□ □□□□□ □□□□□□ □□□□□□. AWS□□ □□ □□□□ □□ □□□□. □□□□ □□?

- A. □□ □□
- B. □□□ □□□□
- C. □□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

Elastic Load Balancer(ELB)□ □□□□□ □□□ □□ □□ □□□□□□ □□□□□ □ □□□ □□□□□ □□□□□□. □□ □□ □□□□ □□□□ □□□ □□ □□□□□□ □□□□□ □□□□ □ □□□ □□ □□ □□ □□(□□ □□□□□□ □□)□ □□□ □ □□□□. □□□ □□ □□ □□ □□□□□□ □□ □□ □□□ □□□ □□□□□□ □□□□□ □□□ □□.

□□ □□ □□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□□. □□□□□□□□ □□ □□ □□□ □□ □□ □□□□□□□ □□ □□□ □□□ □□□ □□□ □□ □□ □□□□□ Elastic Load Balancing□ □□□ □ □□□□. □□□□□□□□ □□ □□ □□□ □□ □□ □□□ □□ □□ □□□□ □□ □□□ □□□□□ Elastic Load Balancing□ □□□ □ □□□□. HTTP/HTTPS □□ □□□ □□□□ □□ □□ □□ □□□ □□□ □ □□□□.

□□□□□□ □□□□□ □□ □ □□ □□□ □□ □ □□□□ □□□. □□□ □□ □□□ □□□□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□ □□□ □□ □□□ □□ AWS ELB□□ □□ Elastic Load Balancing □□□□□.

□□:

<http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/TerminologyandKeyConcepts.html#session-stickiness>

NEW QUESTION: 66

□□□□ □□ □ □□ □□ □□ □□□□ □□□□?

- A. □□□ □□□ □□□□ □□ □ □
- B. □□□ □□□ □□ □□□□ □□ □
- C. □□ □□□□□ □
- D. □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□□□ □□ 1TB□ □□ □□□ □□□□□ □□□□ □□ □□ □□ □□□ □□□□. □ □□□ □□□ □ 2KB□□□□. □□ □ □□□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□.

□□□ □□□□ □□□□ □□□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□ □□□ □□□□. □□ □□□ □□□ □ □□□ □□ 14□ □□□ □□□□ □□□□ 14□□□ □□□ □□□□ □□□□□ □□□□. □□□ MOST□ □□□□□? □□□ □□ □□□ □□□□ □□□□ □□□□ □□□□□?

- A. □□□ □□□ Amazon Kinesis Data Firehose □□ □□□ □□ Amazon Elasticsearch Service(Amazon ES) □□□□□ □□ □□□□□ Kinesis Data Firehose □□□ □□ □□ □□ □□□□ □□□□ □□□□□ Amazon ES □□□□ □□ □□ □□ □□□ □□□□□ □□□

B. ☐ ☐ ☐ Amazon Kinesis Data Firehose ☐ ☐ ☐ ☐ ☐ Amazon S3 ☐ ☐ ☐ ☐ ☐ Kinesis Data Firehose ☐ ☐ ☐ 14 ☐ ☐ ☐ ☐ Amazon S3 Glacier ☐ ☐ ☐ ☐ ☐ S3 Lifecycle ☐ ☐ ☐

C. ☐ ☐ ☐ ☐ ☐ Amazon EC2 ☐ ☐ ☐ ☐ ☐ Elastic Load Balancer ☐ ☐ ☐ ☐ ☐ ☐ ☐ Amazon S3 ☐ ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ☐ ☐ S3 ☐ ☐ ☐ ☐ ☐ 14 ☐ ☐ Amazon S3 Glacier ☐

D. Amazon Simple Queue Service(Amazon SQS) □□ □□□□ □□□□ □□□ □□□□ □□□ □□ □□□ 14□□ □□
 SQS □□□□ □□□□□ □□□ □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□ □□ □□□□ 14□□ □□□□ □
 □□□ □□□□ Amazon S3 □□□ □□□□ SQS □□□□□□ □□□□ □□□□ □□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 68

□□□□ □□□ □□□ □□ □□ AWS □□□ □□□□. □□ □ □□□ □□ □□ □□□ Amazon S3 □□□ □□□□□ □□□.

□□ □□ □□□ □□□ □□□□ □□□□□?

A. □□□ □□ □□ □□ S3 □□□ □□□□□□.

B. □□□ □□ □□ □□□ URL□ □□□□ □□ □□□ □□□□□.

C. □□ □□□ □□ □□ □□□ □□□□□ S3 □□ □□□ □□□□□.

D. □□□□ I AM □□□□ □□□□ □□ □□ I AM □□□□ □□□□□.

Answer: C (LEAVE A REPLY)

□□/□□: <https://docs.aws.amazon.com/AmazonS3/latest/dev/example-walkthroughs-managing-access-example2.html>

NEW QUESTION: 69

BDD BDDDD BDD BDD BDDDD. BDDDD BDD BDD BDDDD BDD BDD BDD BDD BDDDD BDD
 BDD BDDDDDD. BDD BDD BDD BDD BDDDD BDDDD BDD BDD Score Data BDD DynamoDS BDDDD BDD BDDDD
 BDDDD. BDDDD BDD BDD BDD BDDDD Game state S3 BDD BDDDDDD. DynamoDB BDD BDDDD BDD
 BDD BDD BDD BDDDDDD?

A. ☐ ☐☐ ☐☐ ☐☐ Score Data DynamoDB ☐☐☐ ☐ Game State S3 ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

☐ ☐☐ ☐☐ ☐☐ ☐☐☐.

B. □□□ □□ □□ □□□□ □□ □□ □□□ DynamoDB □□□ □ □□ □□ S3 □□□ □□ □□□□ □□□□ □□□ □
□□ □□□ □□ □□□ □□ IAM □□□□ □□□□□.

C. Login with Amazon □ □ □ □ □ □ □ □ Amazon □ □ □ □ □ □ □ □ Score Data DynamoDB □ □ □ □
Game State S3 □ □ □ □ □ □ □ □ □ □ □ □ □ □ .

D. ☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ GameState S3 ☐☐ ☐ ☐ ☐☐ DynamoDB ☐☐☐ ☐ ☐☐☐☐
EC2 ☐☐ ☐☐☐ EC2 ☐☐☐☐ ☐☐☐.

Answer: (SHOW ANSWER)

NEW QUESTION: 70

□□□ □□□ □□□□ □□□ □□□□□ □□□□ □□ □□ □□□ □□ □□□□ □□ □□ □□□□ □□ □□
 □ □□ SQL □□□ □□□□ □□□. □□□ □ □□□□ □□□□□□ □□ □□□□□ □□□□□ □□□ □□□□.

□□ AWS □□□ □ □□□ □□ □□□ □□□□ □□ □□□□□?

A. Amazon Elasticsearch ☐☐☐

B. ☐☐☐ ☐☐☐

C. ☐☐☐ ☐☐☐☐☐

D. Amazon Kinesis ☐☐☐ ☐☐

Answer: D (LEAVE A REPLY)

11

00000000 00000 000000. Kinesis 000 000 00 Kinesis Data Firehose 000 00 00000 00000 00
 0 0000 0 00000. 00 00000 00000 0000 000000000 00 00000 000000. 00000000 00000
 SELECT 0 INSERT SQL 000 000 0 00 000000 0000000 00000 00000. 0000000 00000 00 0
 00000000 00000 000000 00 00 0000 0000 0 00000.

Amazon Kinesis Data Analytics is a fully managed service that makes it easy to process and analyze streaming data at scale. It allows you to write SQL queries to process data from Amazon Kinesis Data Streams or Amazon Kinesis Video Streams. Amazon Kinesis Data Analytics also provides a visual interface for creating and managing your applications. SQL queries are executed on a distributed infrastructure that scales automatically. Amazon Kinesis Data Analytics also provides a console for monitoring and managing your applications. Amazon Kinesis Data Analytics is a fully managed service that makes it easy to process and analyze streaming data at scale. It allows you to write SQL queries to process data from Amazon Kinesis Data Streams or Amazon Kinesis Video Streams. Amazon Kinesis Data Analytics also provides a visual interface for creating and managing your applications. SQL queries are executed on a distributed infrastructure that scales automatically. Amazon Kinesis Data Analytics also provides a console for monitoring and managing your applications.

<https://docs.aws.amazon.com/kinesisanalytics/latest/dev/how-it-works.html>

NEW QUESTION: 71

Cloud Watch

A. EC2 ☐☐☐☐☐ ☐☐☐ ☐☐☐

B. EC2 ☐☐☐☐☐ CPU ☐☐☐

C. EC2 □□□□□ □□□ □□ □□

D. EC2 □□□□□ □□□ □□

Answer: C (LEAVE A REPLY)

☐☐: <http://aws.amazon.com/cloudwatch/>

NEW QUESTION: 72

□□ □ □□□□□□ Amazon Virtual Private Cloud(VPC) □□ □□□□ IPsec VPN□ □□ □□ □□□ □□□□□. □□□□□□□ □□□□□ LDAP □□□ □□ □□□□ □□□. □□ □ □□□□ □ □□□□ □□ □□□□ □□□ Amazon Simple Storage Space(S3) □□□□□□□ □□□□ □ □□□□□.

□□□ □□□ □□□ □ □□ □ □□ □□ □□□ □□□□□? (2□ □□ □□)

A. □□ AWS □□ □□ □□□ □□ □□ IAM □□□ □□□ IAM □□ □□ □□□□ □□ □□□□ □□ □□ □□□□ □□
□□□□. □□□□□□□□ □□ □□ □□□□ □□□□ □□□ S3 □□□ □□ □□□ □□□ □□ AWS □□ □□ □□ □□□
□□□□.

B. LDAP □□ □□□□ □□ □□ □□□□ □□□ □□ IAM □□ □□ □□□□ □□□□ IAM □□ □□□ □□ □□□ □
□□□□. □□□□□□□□ □□ □□ □□□□ □□□□ □□□ S3 □□□ □□ □□□ □□□ □□ IAM □□ □□□ □□ □□□
□□□□.

C. Amazon Cloud Directory □ □□□□. □-□□□□ Active Directory □ □□□ □□ □□□ □□□ □□□□ □□□□ □□□□. AWS CloudFormation □□□□ □□□□ □ □□□ □□ □ □□□□□ □□□□□ AWS □□□□ □□□□□ □□□□□. IAM □□□□ □□□□ □□□ AWS □□□□ □□ □□□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 81

A. AWS CloudTrail ☐☐

B. Amazon VPC ☐☐ ☐☐

C. Amazon S3 ☐ ☐ ☐ ☐

D. Amazon CloudWatch Logs

Answer: B (LEAVE A REPLY)

22

<https://docs.aws.amazon.com/vpc/latest/userguide/flow-logs.html>

NEW QUESTION: 82

A. Amazon RDS □□□□□ □□□□□. □□ □□□ □□□ □□□□□□ □□ □□□□ □□ □□□□

B. Amazon RDS □□□□ □□ □□□□□□, □□ □ □□□ □□ □□□ □□□

C. □□□□ □□□□ Amazon RDS □□□□ □□ □□ □ □□□ □□ □□□ □□□

D. □□□□ □□□□ Amazon RDS □□□□ □□ □□ □ □□□ □□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 83

□□□ Amazon S3 □□ □□□ □□ □ □□□□ □□□□ □□□ □ □□□□ □ □□□□□ □□□ □□ □□□□□ □□□
 □ □□□ □□□ □□□ □□□ □□ □□□ □□□□□□ □□□.
 □□□ □□□□ □□□ □□□□□ □□ □□□ □□ □□□?

- [illegible]

Answer: (SHOW ANSWER)

NEW QUESTION: 84

□□□ □□□ □□ □□□□□ □□□ □□□□□□. □□ □□□□□ AWS CloudFormation □□□□ □□□□ □□ AWS □
□□□□ □□□□□. □□□□ □□□□ □□ □□□□□ □□ □□□ □□□□□ □□□□□. □□ □□□ □□□□ □□□ □□.
□□□ □□□□ □ □□□ □□□□ □□ □□ □□□ □□□ □□□ □□□? (2□□ □□□□□□.)

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ AWS CloudFormation ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐.
- B.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ PowerUsers IAM ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐.
- C.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐.
- D.** ☐ ☐ ☐ ☐ ☐ ☐ AWS CloudFormation ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- E.** ☐ ☐ ☐ ☐ ☐ ☐ Dial IAM ☐ ☐ ☐ ☐ ☐ AWS CloudFormation ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

Amazon RDS Oracle DB ☐☐☐☐ Database Diagnostic Pack ☐ Database Tuning Pack ☐ _____ ☐☐☐ ☐☐☐ ☐
☐☐☐☐.

- A.** ☐☐☐ ☐☐☐☐☐☐ ☐☐☐
- B.** Oracle Standard Edition
- C.** ☐☐ ☐☐ ☐☐
- D.** Oracle Express Edition

Answer: A (LEAVE A REPLY)

NEW QUESTION: 86

[illegible]

- A.** AWS CloudTrail ☐ ☐ ☐ ☐ ☐ ☐ Route 53 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- B.** AWS Trusted Advisor ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- C.** Route 53 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- D.** Amazon CloudWatch ☐ ☐ ☐ ☐ ☐ ☐ Route 53 ☐ ☐ ☐ ☐ ☐ ☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 87

□□□ □□□□□□□□ □□□□□□□□ AWS□ □□□□□□□□ □□□□. □□ □□□□□ □□ DNS □□□(□: www.example.com)□ □□□□ □□ □□ □□□□ □□□ □□□□□□ □□□ □□ 2□□ □□□□□ □□□□. □□ □□ □□□□ TCP□ □□□□ □□□□□□ □□□ □□□□□□. □□□□□□ □□□ □□□ □□□□□ □□□□□□ IP □□□ □□□ □□ □□ TCP □□□□ □□ □□□ □□□□ □□□□. □□ AZ RDS MySQL □□□□□ □□□□□□□ □□□□ □.

□□□□□□□□ □□ □□□□□□ □□□ □□□ □ □□□ □□ □□□ □□□□ □□□.

□□□□ □□□□□ □□□□□ □□ AWS□□ □□□□□ □□□□ □□□ □□□□□?

A. □□□□□□□□ Cross-Zone □□□ □□□□ □□ □□ □□□ □□□□□. □□ □□ AZ□ □□ □ □□ □□□□□□ □□□ TCP □□□ □ □□ □□ □□ □□□□ □□□□ ELB□ □□□□□.

B. □□□□□□□□ □□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□. □□ □□ □□ □□□□ □□□□ Route 53□ □□□□ □□ □□ AZ□ □□ □ □□□□□□ □□□ □□□ □□□□□.

C. □□□□□□□□ □□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□. TCP □□□ □ □□□ □□□□□ □□ □□ ELB□ □□□□ □□ □□ AZ□ □□ □ □□□□□□ □□□ □□□ □□□□□.

D. □□□□□□□□ Alias Resource □□□ □□□□ □□ □□ □□□ □□□□□. Route 53 □□ □□□ □□□□ □□□□ □□ □□ AZ□ □□ □ □□□□□□ □□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 88

□□□ □□□?

A. Amazon "Iceberg"□ □□□□□. □□□ □□□□ □□□□□□.

B. EBS □□□ "□□"□□ □□□ □□□□ □□□ □ □□ □□ □□□□□.

C. □□□ □□ □ □□□ □□ □□□□ □□□ □□ □□□□□ □□□□ □□□ □□□□□□□□.

D. EC2 □□□□□ "□□"□□ □□□ □□□□ □□□ □ □□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□□□ □□ □□□ Amazon S3□ □□□□□. □□ □□□ □□ □□ □□ □□□ 7□ □□ □□□□ □□□. □□□ 1□□ □□ □□□ □□ □□□□□ □□□□. □□□ □□□ □□□□ □ □□□□?

A. Amazon Glacier□ 1□ □□ □ □□□ □□□□ Amazon S3 □□ □□ □□ □□

B. Amazon S3 □□ □□ □□□ □□□□ 1□ □□ □ □□□ □□□□ □□□□□□ □□

C. Amazon S3 □□□□ □□□□ 1□ □□ □ □□□ Storage Gateway□ □□

D. Amazon Glacier□ 1□ □□ □ □□□ □□□□ Amazon S3 □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 90

□□□ □□ AWS □□ □□ □□□□ □ □□□□□□□ □□□□ □□□□. □□□□□□□□ EC2 □□□□ □ RDS □□ AZ □□□□□□□ □□ □□ □□ □□□□ □□□□□□. EC2.IAM □ RDS □□□□ □□ □□ □□. □□□□ □□ □□□□ □ □□□ □□□□ □□□□ □□□. □□ □ □□ □□□□ □□□□□□□□?

A. □□□ □□□ □□ S3 □□□ □□□ □□□□ S3 □□□□ S3 ACL □ MFA(Multi Factor Authentication) □□ □□□ □□ □ □□□ □□□ □□□□ □ CloudTrail □□□ □□□□□.

- B.** □□□ □ S3 □□□□ □ CloudTrail□ □□□□ □□□ □□□□□. □□ □□□□ □□ □□ □□ □□□□ SNS□ □□□□□. S3 □□ □□□□ IAM □□ □ S3 □□ □□□ □□□□ □□□ □□□□□.
- C.** □□□ □□□ □□□ □ S3 □□□ □□□ □□□ □□□ □□□ □ CloudTrail □□□ □□□□□.
- D.** 3□□ □ S3 □□□□ 3□□ □ CloudTrail □□□ □□□□ □□□ □□□□□. □□□ AWS Management □□□, □□□ AWS SDK□, □□□ □□□ □□□ □□□ □□□□ S3 □□□□ IAM □□ □ S3 □□ □□ □□ .

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 91

- □□□□ □□ □ □□□□□ □ □□ AWS □□□□ AWS Organizations□ □□□□ □□□□. □□ □□□ Amazon Redshift □□□□□ □□□□□. □□ □□□□ Amazon EC2 □□□□□ □□□□□. Sales □□□ Logistics □□□ Amazon Redshift □□□□□ □□□□□ □□□.
- □□□□ □ □□ □□□ □□ □□ □□□□□ □□□□ □□ □□□ □□□□ □□□?
- A.** □□ □□□ □□□□, □□ □□□ □□□□ □□ VPC □□□ □□□□ □□□□ □□□□□.
- B.** Logistics □□□□ AWS Lambda □□□ □□□□ Sales □□□ Amazon EC2 □□□□□ □□□□ □□□□□.
- C.** Amazon Redshift □□□□□ □□□□ □□□□ □□□□ Sales □□□ □□□□□. Sales □□□□ Logistics □□□ □□ □□ □□□ ID□ □□□□ □□□□□ □□□□□.
- D.** COPY □□□ □□□□ Amazon Redshift□□ Logistics □□□ Amazon S3 □□□□ □□□□ □□□□□. □□ □□□ □ □□□ S3 □□□ □□□□ □ □□ □□□ □□□□□.

Answer: (SHOW ANSWER)

□□/□□: <https://docs.aws.amazon.com/redshift/latest/mgmt/managing-snapshots-console.html>

AWS-Solutions-Architect-Associate □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Solutions-Architect-Associate □□! DumpTop □ □□ **AWS-Solutions-Architect-Associate** □□ □□□ □□□□□□, DumpTop AWS-Solutions-Architect-Associate □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AWS-Solutions-Architect-Associate □□□ □□□□□. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 92

- □□ □□ □□□ □□ Amazon EC2 □□□□□ □□□□. □ □□ □□ □□□□ IP □□ 206.251.8.21□□ TCP □□ 80□ □□□□ □□□□ □□□□ □□□ □□ □ □□ □□ □□□□ TCP □□ 80 □ □□□□ 443. Amazon EC2 □□□□□ □□□□ □□□□ □□□□□?
- A.** 206.251.8.21□□ TCP □□ 80□□ □□□□ □□□□
- B.** □□ □□□ TCP □□ 80 □ 443□□ □□□□ □□□□
- C.** 206.251.8.21□□ TCP □□ 80 □ 443□□ □□□□ □□□□
- D.** □□ □□□ TCP □□ 80□□ □□□□ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 93

Amazon Cloudwatch□□ DB □□□□□ □□□ □□ □□ □□□ □□□ □□□□□ □□ □□□ □□□□ □□□?

- Answer: A (LEAVE A REPLY)**

Amazon EC2-Classic □ 100□□ □□ □□□ □□□□□ □□□ □□ □□□?

- Answer: D (LEAVE A REPLY)**

EC2-Classic□□□ □□□□□ □□ 500□□ □□ □□□ □□□□ □□ □□□ □□ 100□□ □□□ □□□ □ □□□□.

☐☐: <http://docs.amazonwebservices.com/AWSEC2/latest/UserGuide/using-network-security.html>

□□□□ □□ □□□ URL□ □□□□ □□□□ S3 □□□□ □□□ □□□□□ □ □□□ □□ □□□□□□□□ EC2 □□□□
 □□□□ □□□□ □□□□. URL□ □□□□ □□ □□□□□□□□ S3□ □□□□ □□□ □□□□ □□□.
 □□□□□□□□ AWS □□ □□□ □□□□ S3 □□□ □□□□ □□□□□ □□□□□ □□□□?

- Answer: B (LEAVE A REPLY)**

□□/□□:

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ec2-instance-metadata.html>

SaaS(Software as a Service) □□□ □□ □□□ □□ □□□ □□ □□□ □□ □□□□ □□□□ □□□□□. □□ □ □□ □□ □□□ □□ □□□ □□□ □□□ □ □□□ □□□□□□. □□ CIO□ □□□ □□□□□ □□□□□□□ □ □□□ □ □□□ □□□ □ □□□ □□□□□ □□□□□. □□ CIO□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** Amazon S3 □□ □□ □□□ □□□ □□ □□□□□. □□□ AWS □□ □ AWS □□□ □□ S3 □□ □□□ □□□□□.
 □□ □□□ □□□□ □□ S3 □□□ □□ □□ □□□ □□□□ □□ □□□ □□ AWS □□□□ □□□□□. □□□□ □□

□ □□□ □ S3 □□□ □□ Amazon CloudWatch Events □□□ □□□□ AWS Lambda □□□ □□□□□ □□□ AWS □
□□ □□ □□□ □□□ □□□□□.

B. □□□ □□ □□ □□□ Amazon S3□□ □□ □□□ □□□□□. □ □□□□ □□ □□ S3 □□□ □□□□□. □ □□□
□ □□□ □□□ □□□□□□. □□□ □□□ S3 □□ □□□ □□ AWS □□ □ AWS □□□ □□ S3 □□□□ □□□□□.
Amazon CloudWatch□ □□□ □□□□ □□ □□□□□ AWS Lambda □□□ □□□□ S3 □□ □□□□ □□□□ □□□
□□□ □□□ □□□□□.

C. Amazon S3 □□ □□□ □□ □□ □□□ □□ □□□□□. □□□ AWS □□ □ AWS □□□ □□ S3 □□ □□□ □□□ □□. □□ □□□ □□□□ □□ S3 □□□ □□ □ □□□ □□□□ □□ □□□ □□ AWS □□□ S3 □□□□ □□□□□. □□□ AWS □□□ S3 □□□ □□□ □□□ □□□ □□□ □□□□□ □□ □□□ □ S3 □□□ □□□ □ □□□□□ AWS Lambda □□□ □□□□□.

D. Amazon S3 □□ □□□ □□ □□ □□□ □□ □□□□□. □□□ AWS □□ □ AWS □□□ □□ S3 □□ □□□ □□□ □□. □□□ AWS □□□ □□ □□ S3 □□□ □□□□□.

S3 □□□ □□ □□ □□ □□□□ □□□ IAM □□□ □□□□□. Amazon CloudWatch □□ □□□□ □□ □□□
 □ AWS Lambda □□□ □□□□ □□□□ □□□ □□□ □□□ S3 □□ □□□ □□□□ □□□□ □□□ □□□ □□□ □
 □ □□ S3 □□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 97

□□ Amazon EC2 □□□□□□ □□□ □□□□ □□□□□ □□□□ □□ □□□□□□□ □□□□. □□□□□□□
Amazon EC2 □□□□ □□□□□ □□□□□ □□□□□ □□□□□□□. □□ □□ □□□□ □□□□ □ □□□ □□□□
□□□.

□□ □□□ □□ □□□ □□□□ □□ □□□□□?

A. ☐☐ ☐☐☐☐

B. ☐☐☐☐ ☐☐☐☐

C. ☐☐ ☐☐☐☐

D. ☐ ☐ ☐ ☐ ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 98

□□□ □□□□□ □□□□ □ □□ 3-4□□ □□□ □□□□ □□□ □□□ □□ □□ □□ □□□□□ □□□□□ □□ □□
 □□□ □ □ □□□ 10□□ □□□ □□□□ □ □□ 6□□□ □□□□□. 6□□ □ □□ □□ 1000□, 12□□ □ □□ 10,000
 □.

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ RDS MySQL ☐ ☐ ☐ ☐ ☐ ☐ AWS Elastic Beanstalk ☐ ☐ ☐ ☐

□□□□ □□□□□ □□□□□ □□ □□□ □□ □□ □□□□□ □□□ □□□ □ □□□□?

A. Elastic Beanstalk ☐ ☐☐☐ ☐☐☐☐☐ ☐ ☐☐☐☐☐☐ ☐☐ ☐☐ ROS ☐☐☐☐☐☐
☐☐☐☐☐. Elastic Beanstalk ☐☐☐☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐.

- B.** □□ □□□□ Auto Scaling □□□ min/max=1□ □□ Auto Scaling □□□ □□□□ □□□□□ □□ SWF□ □□□□□. □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□.
- C.** SQS □□□□ □□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□ EC2 □□□□□ Auto Scaling □□□ □□□□ □. SES□ □□□□ □□□□ □□□□ □□□□.
- D.** □□ □□□□ Auto Scaling □□□ □□ SWF□ □□□□ min/max=1□ □□ Auto Scaling □□□ □□□ □□□□□ SES□ □□□□ □□□□ □□□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 99

□□□□ EC2□ □□ EBS □□ □□□□□ □□□□□□. □ □□□□□ □□ EBS □□□ □□□ □□□ □□□□□. EBS □□ □□□ □□ □□□□ □□ □□?

- A.** EBS □□□ □□ □□□□□ □□□ □□□ □□□ □□□□□ □□□□ □□□□.
- B.** AWS□ □□ EBS □□ □□□□ □□□ □□□□ □□□□.
- C.** EBS □□□ □□ □□□□□ □□□ □□□ □□□ □□□□□ □□□□□.
- D.** □□□□ EBS□ □□□ □□□ □□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

□□ □□□□□ □□ □□ □□ □□□□□ Virtual Private Cloud(VPC)□□ □□□□ Amazon EC2 □□□□□□□□. □□□□ Amazon EBS □□ □□ □□□□□ □□□□ EBS □□□ □□ □□□ □□□□□□ □□□□ □□□□.

□□:

<http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/dedicated-instance.html>

NEW QUESTION: 100

□□□ AWS□□ IoT □□□□ □□□□□. □□□ □□□ □□ IoT □□□ Application Load Balancer □□□ □□□□ Amazon EC2 □□□□□ □□ Node.js API □□□ □□□□ □□□□. □□□□ 4TB □□ SSD □□□ □□□□ Amazon RDS MySQL DB □□□□□ □□□□□.

□□□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□□□ □□ □□□ □□□ □□□□□. API □□□ □□□□□ □ □□□□ RDS □□□ □□ □□ □□ □□□ □□□□□.

□□ □ □ □□□□ □□ □□□□□ □□□□□ □□□ □□□□□ □□□ □□□ □□□ □□□□□□□ □□ □□□ □ □□□ □□ □□□ □□□□□? (2□□ □□□□□.)

- A.** AWS-X-Ray□ □□□□ □□□□□□ □□□ □□ □ □□□□□ □□□ □□ API □□□ □ □□□□□.
- B.** Amazon Kinesis Data Streams □ AWS Lambda□ □□□□ □□ □□□ □□ □ □□
- C.** MySQL □□ SSD □□□□□ □□□ 6TB□ □□□□ □□□ IOPS □□
- D.** RDS MySQL DB □□□□ □□ Amazon Aurora□ □□□□ □□ □□ □□□□ □□□□□ □□□□□ □□□ □□□□ □□.
- E.** RDS MySQL DB □□□□ □□ Amazon DynamoDB□ □□□□□ □□□□□□ □□ □□□

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 101

□□□ □□□□□□□ □□□□□ □□ □□□ 300GB EBS □□□ □□ m1.small EC2 □□□□□ □□□□ □□□□. □□ □□□□□ □□ □□ □□□□ □□□ □□□ □□□□□□.

Which of the following are not available for Amazon EC2 instances? 2 correct answers

- A. Auto Scaling groups
- B. Amazon EC2 instances
- C. Elastic Load Balancing
- D. EBS
- E. EC2 instances
- F. EBS RAID 5

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 102

Amazon Web Services offers a variety of services. Which of the following is not a service?

- A. Amazon Dedicated Connection
- B. Amazon CloudFront
- C. VPC
- D. AWS IAM

Answer: B (LEAVE A REPLY)

NEW QUESTION: 103

A user in the us-west-2 region is using Amazon S3 to store data. The user wants to ensure that the data is available in the us-west-2 region. Which of the following is not a valid way to ensure data availability?

- A. Amazon S3
- B. Amazon CloudFront
- C. eu-west-1
- D. CloudFront

Answer: B (LEAVE A REPLY)

https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/on-demand-video.html

NEW QUESTION: 104

A user is using CloudFormation to create an EC2 instance. The user wants to ensure that the instance is created in the us-west-2 region. Which of the following is not a valid way to ensure data availability?

- A. Amazon S3
- B. Amazon CloudFront
- C. eu-west-1
- D. CloudFront

Answer: (SHOW ANSWER)

□ □ :

<http://aws.amazon.com/cloudformation/faqs>

NEW QUESTION: 105

[illegible]

- A.** AWS ☐☐
- B.** AWS CloudFormation
- C.** ☐☐☐ ☐☐☐☐☐☐☐
- D.** AWS ☐☐☐ ☐☐☐☐☐

Answer: A (LEAVE A REPLY)

11





<https://docs.aws.amazon.com/config/latest/developerguide/WhatIsConfig.html>

NEW QUESTION: 106

□□□ □□□□ Amazon EC2□□ □□□ □□□(HPC) □□□□□ □□□□ □□□□. EC2 □□□□□ □□ □□ □□□□
□□ □□ □□ □□□ □□ □□□□ □□□□ □□□□ □□□□□. □□□□ □□ □□□ □□□□□ EC2 □□□□ □□□□□?

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐
- B.** ☐ ☐ ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ VPC ☐ ☐ ☐ ☐ ☐ ☐
- C.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐

Answer: (SHOW ANSWER)

AWS-Solutions-Architect-Associate  DumpTop  AWS-Solutions-Architect-Associate ! DumpTop  **AWS-Solutions-Architect-Associate**   , DumpTop AWS-Solutions-Architect-Associate     .    DumpTop AWS-Solutions-Architect-Associate  . <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

1. 数据库部署在 Amazon EC2 实例上。MySQL 数据库部署在 Amazon EC2 实例上。

- A.** ☐ ☐ ☐ Amazon CloudFront ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ☐ ☐ Amazon RDS ☐ ☐ ☐ ☐ ☐ AZ ☐ ☐

A. OAI□ □□ Amazon CloudFront □□□ □□□□□. □□□ URL□ □□ □□□ □□ □□□□ □□□□□ Amazon S3 □□ □□□ □□□ □□□□□. □□□ □□□□□ □□□□□□□□ □□□□□□.

URL□ □□ 14□

B. OAI□ □□ Amazon CloudFront □□□ □□□□□. □□□ URL□ □□ □□□ □□ □□□□ □□□□□ Amazon S3 □□ □□□ □□□ □□□□□. □□□ □□□□□ □□□□□□□□ □□□□□□.

URL□ □□ 60□, □□□ □□ URL □□□

C. S3 □□□ □□□□ □□□ □□ □□ □□□□ □□□□□. DynamoDB □□□□□ □□□ □□□□□ □□□□□□□□ □□□□□. Amazon DynamoDB□ □□ □□□ □□□□ 14□□ □□ □□□□ □□□□□ Lambda □□ □□

D. □□□ □□□ ID(OAI)□ □□ Amazon CloudFront □□□ □□□□□. □□□ URL□ □□ □□□ □□ □□□□ □□□□ □ Amazon S3 □□□□□ □□□ □□□□□. 14□□□ □□□ □□ □□□□□ Lambda □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 111

Amazon Elastic Block Store(EBS) □□□ □□□□ □□□ Amazon EC2 □□□□□ □□□□.

□□ □□□□ □□□□ □□□ □ □□□ □□□ □□□. □□ □□□ Amazon EC2 □□□□□□ Amazon EBS □□□ □□ □□ □□□ □ □□□ □□□ □□ □ □□ □□□ □□□□ □□□?

A. Amazon EBS □□□ □□ □□□□ □□□□, □□□□ □ Amazon EBS □□□ □□□ □□ □□ □□□ Amazon EC2 □ □□□□ □□□□□.

B. AWS Import/Export□ □□□□ Amazon EBS □□□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□□.

C. Amazon EBS □□□ □□□□ □□ □□□ Amazon EC2 □□□□□ □□□□□.

D. Amazon EBS □□□ □□□□□ □□ □□□ □□□□□. □□□□□ □ Amazon EBS □□□ □□□□ □□ □□□ Amazon EC2 □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 112

□□ □ □□ Amazon EC2 □□□□□ □□ □□□ □□□ □□ □□□ □□□□ □□ Amazon EC2□□ □□□ □ □□ □□ □□□□□?

A. SSH □

B. □□□□□

C. □□ □□

D. Windows □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 113

□□□□□ □□□□ Amazon VPC □□ □□ □□□□ □□ □□□□. □□□ □□□□□□ VPC □□□□□ □□□□ □□ □□□□. □□□□ □□ IPsec □□□ □□□□ □□ □□□□. VPN □□□□□□ □□□□ AWS □□□□ IPsec □□□ □ □□ □□□□. □□ □□□□□.

□□□ □□□ □□ IPsec □□□ □□□□ □□ □ □□ □□□ □□□ □ □□□□? (4□ □□ □□)

A. □□ □□ □□□□ □□ □ □□

B. □□□ □□□□

- C. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- D. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
- E. VPN ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ID ☐ ☐
- F. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

Answer: C,D,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 114

□□ □□ □□□ □□ □□□ □□□ □□ □□ □□ □□□□ □□□□ □□□□. □ □□□ □ □□□□ □□□□ □□ □□ □□ □□□□□□ □□□□ □□□ □□□□.

□ □□□□ □□□□ □□□□□□□□ □□□□, □□□□ □□□ □□□□ □□□□□ □□□ □□□ □□ □□□. □□□ □ □□□□□□ □□ □□□□□ □□□ □ □□□□.

□□ □□□□□□ AWS□ □□ □□□□ AWS Direct Connect □□□ □□□□. □□□□□ □□□□□ □□ □□ □□□□ □□□□□ □□□ □□ □□ □□□ □□□□.

□□□□ □ □□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□?

- A. □□□ □□□ □□, □□□ □ Amazon Glacier□ □□ □□□□□□ □□□ □□□□□ □□ HSM(Hardware Security Module) □□□□□□ □□□□□ □□□ □□□ □□ □□□□□.
- B. AWS CloudHSM □□□□□□□□ □□□ □□ □□□□□. □□ □□□□□ □□□□□ □□ □□□ □□□□ □□ Amazon Glacier□ □□ □□□□□□.
- C. Amazon Key Management Service(KMS)□□ □□□ □□ □□□□, KMS □□ □□□ □ ID□ □□□□ □□□□□ □ □□ □□□ Amazon Simple Storage Service(S3)□ □□□□□, Amazon S3 □□ □□ □□□ □□□□ □□□ □□□□ □ □□□ □□□□□. Amazon Glacier □□□□ □□.
- D. □□□□ □□□ □□□□□□□□ □□□□□ □□□ □□ □□□□□. □□□ □□□ □□□ □ □□ □□□ □□□□□ □□ □□□□□ □□□ □□□ □□ Amazon S3□ □□□□□ □□□□□ □ □□□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 115

REST □□ □□ □□□ HTTP □□(□: GET □□ POST)□ □□ □□ API□ □□□□ Action □□ Operation□□□ □□□□ □ □□□□ HTTP □□ HTTPS □□□□□.

- A. ☐ ☐
- B. ☐

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 116

□□□ Redshift□□ □□□□ □□ □□□ □□□□□□ □□□ □□ RDS MySQL □□□□□□ □□□□ □□ □□□□ DB □□ □□□ □□ □□□ □□□□ □□□□. □□ □□□ □□□□ □□ □□□□ □□ □□□□. □□□ □□ □□ □□□ □□□□□ □ □□□□ □□□□□□ □□□. □□□□□ □□□□ □□□ □□□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□□□□ □□□□ □□ □□□□ □□□□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□□. □□□□□ □□□□ □□ □□□ □□□□□ □□□□ □□□□.

□□ □□□ □□□□ □□□□□ □□□ □□□□□ □□ □ □□□□□ □□□ □□□□□□□□□□?

Answer: C (LEAVE A REPLY)

NEW QUESTION: 120

IAM □□□□□ □□□□ □□ □□□□ _____ □ □□□□□.

- A.** ☐☐ ☐☐
- B.** ☐☐ ☐☐
- C.** ☐☐ ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

AWS Direct Connect

- A.** 10Mbps □ 100Mbps
B. 10Gbps □ 100Gbps
C. 100Mbps □ 1Gbps
D. 1Gbps □ 10Gbps

Answer: D (LEAVE A REPLY)

AWS Direct Connection ☐ ☐ 1Gbps ☐ 10Gbps ☐ ☐ ☐ ☐ ☐.

□ □ :

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ AWS-Solutions-Architect-Associate ☐☐! DumpTop ☐ ☐☐ **AWS-Solutions-Architect-Associate** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ DumpTop AWS-Solutions-Architect-Associate ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 122

□□□ □□ □□□ □ □□□□ □□ □□ □□ □□ □□□□□ □□□□□□. □ □□□□ □□□ □□□□ □□ Application Load Balancer, □□□ □□□□ □□ □ □□, □□□□ □□□□ Amazon EC2 □□□□□□ □□□□□ MySQL □□□□□ □□□□□. MySQL □□□□□□□ □□ □□□□ □□□□□ □□□□□ □□ □□□□ □ □□ □□□ □□□□ □□□. □ □□ □□□□ □□ □□□□□ □□□□□ □□□□ □□□ □□□□□ □□□ □□□□ □□□.

☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

- A.** □□□ □□□□ NAT □□□□□□ □□□□□. □□ □□ □□ □□□□ NAT □□□□□□ □□□□ □□□□ □□ □□□□ □□□□□.
- B.** □□□ □□□□□□ □□□□ VPC□ □□□□□. □□□ □□□ □□□□ □□□ □□□□□□ □□□□ □□□□ □□□ □□□□ □□□□□.
- C.** □□ □□□□ □□□□□□ □□□□ VPC□ □□□□□. □□□ □□□□ □□□□ □□ □□□□ □□□□□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□□.
- D.** VPC□ NAT □□□□□□ □□□□□. NAT □□□□□□ □□ □□ □□□ □□ □□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 123

Amazon Aurora is a fully managed relational database engine compatible with MySQL and PostgreSQL. It is designed for high availability and performance. Aurora is built on the same storage as Amazon RDS but is not compatible with Amazon RDS instances. Aurora is a fully managed database engine that is compatible with MySQL and PostgreSQL. It is designed for high availability and performance. Aurora is built on the same storage as Amazon RDS but is not compatible with Amazon RDS instances. Aurora is a fully managed database engine that is compatible with MySQL and PostgreSQL. It is designed for high availability and performance. Aurora is built on the same storage as Amazon RDS but is not compatible with Amazon RDS instances.

Which of the following is a fully managed database engine that is compatible with MySQL and PostgreSQL?

- A. Amazon Aurora MySQL compatible Amazon RDS instance
- B. Amazon Aurora Amazon Neptune compatible instance
- C. Amazon DynamoDB compatible instance
- D. Amazon EBS compatible HDD(st1) instance Amazon EC2 instance PostgreSQL compatible.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 124

Amazon Aurora is a fully managed relational database engine compatible with MySQL and PostgreSQL. It is designed for high availability and performance. Aurora is built on the same storage as Amazon RDS but is not compatible with Amazon RDS instances. Aurora is a fully managed database engine that is compatible with MySQL and PostgreSQL. It is designed for high availability and performance. Aurora is built on the same storage as Amazon RDS but is not compatible with Amazon RDS instances. Aurora is a fully managed database engine that is compatible with MySQL and PostgreSQL. It is designed for high availability and performance. Aurora is built on the same storage as Amazon RDS but is not compatible with Amazon RDS instances.

- A. Aurora MySQL compatible Amazon RDS instance
- B. MySQL compatible Amazon RDS instance
- C. Amazon Aurora Serverless compatible instance
- D. Aurora MySQL compatible Aurora Auto Scaling instance.
- E. Amazon Aurora MySQL compatible instance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

Amazon EC2 is a scalable virtual machine service. It allows you to launch and manage virtual machines in the cloud. Amazon EC2 is a scalable virtual machine service. It allows you to launch and manage virtual machines in the cloud. Amazon EC2 is a scalable virtual machine service. It allows you to launch and manage virtual machines in the cloud. Amazon EC2 is a scalable virtual machine service. It allows you to launch and manage virtual machines in the cloud.

Which of the following is a scalable virtual machine service that allows you to launch and manage virtual machines in the cloud?

- A. Amazon EC2 compatible Amazon API Gateway instance. EC2 compatible API instance Amazon API Gateway instance.
- B. Amazon EC2 compatible Amazon API Gateway instance Amazon API Gateway instance REST API instance. API Gateway instance Amazon EC2 instance.
- C. Amazon EC2 compatible Application Load Balancer instance. EC2 compatible instance Amazon EC2 instance.
- D. Amazon API Gateway instance REST API instance. API Gateway instance Amazon AWS Lambda instance.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 126

Which Amazon S3 storage class is designed for data that is accessed once a month? It has a 30-day retrieval lag and is the most cost-effective option.

Which storage class is designed for data that is accessed once a month?

- A. Amazon Glacier storage class 30-day retrieval lag and is the most cost-effective option.
- B. Amazon S3 Standard storage class. AWS Lambda storage class 30-day retrieval lag and is the most cost-effective option.
- C. Amazon S3 Standard storage class 30-day retrieval lag and is the most cost-effective option.
- D. Amazon S3 MFA storage class 30-day retrieval lag and is the most cost-effective option.

Answer: C ([LEAVE A REPLY](#))

00

<https://aws.amazon.com/about-aws/whats-new/2014/05/20/amazon-s3-now-supports-lifecycle-rules-for-versioning/>

NEW QUESTION: 127

Which of the following is a valid IP address for an Amazon EC2 instance?

- A. 10.0.0.1
- B. 10.0.0.1
- C. 10.0.0.1
- D. 10.0.0.1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 128

Which Amazon EC2 instance type is designed for high-performance computing? It has a 30-day retrieval lag and is the most cost-effective option.

Which instance type is designed for high-performance computing? It has a 30-day retrieval lag and is the most cost-effective option?

- A. Amazon EC2 IP address 30-day retrieval lag and is the most cost-effective option.
- B. Amazon EC2 IP address 30-day retrieval lag and is the most cost-effective option.
- C. Amazon EC2 IP address 30-day retrieval lag and is the most cost-effective option.
- D. Amazon EC2 IP address 30-day retrieval lag and is the most cost-effective option.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

Which Amazon EC2 instance type is designed for high-performance computing? It has a 30-day retrieval lag and is the most cost-effective option.

* Amazon S3 storage class 30-day retrieval lag and is the most cost-effective option.

* Amazon S3 storage class 30-day retrieval lag and is the most cost-effective option.

* Amazon S3 storage class 30-day retrieval lag and is the most cost-effective option.

Which Amazon S3 storage class is designed for data that is accessed once a month? It has a 30-day retrieval lag and is the most cost-effective option.

Which storage class is designed for data that is accessed once a month?

- A. Amazon S3 Standard storage class 30-day retrieval lag and is the most cost-effective option.
- B. Amazon S3 Standard storage class 30-day retrieval lag and is the most cost-effective option.
- C. Amazon S3 Standard storage class 30-day retrieval lag and is the most cost-effective option.

D. 4.1(NFSv4.1) Amazon EFS.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 130

Solutions Architect Amazon EC2 AWS AWS ID AWS.

?

A. Amazon EC2 IAM.

B. Amazon EC2 IAM.

C. AWS ID/ AWS.

D. AWS.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 131

AWS NAS 1000.

?

A. Amazon SQS.

AWS Lambda Amazon S3.

B. Amazon MQ.

AWS Lambda Amazon EFS.

C. Amazon SQS.

EC2 Auto Seating Amazon EC2 SQS EC2 Amazon S3.

D. Amazon MQ.

Amazon EC2 Amazon EFS EC2.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 132

Amazon Elastic Block Store(Amazon EBS) Amazon EC2 1200.

A.

NEW QUESTION: 136

[illegible]

- A.** Amazon CloudFront ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ S3 ☐ ☐ ☐ ☐ CloudFront ☐ ☐ ☐ ☐ Route 53 ☐ ☐ ☐ ☐ ☐ URL ☐ ☐ ☐ ☐ CNAME ☐ ☐ ☐ ☐.
- B.** ☐ ☐ ☐ ☐ ☐ ☐ Route 53 ☐ ☐ ☐ A ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Route 53 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ DNS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- C.** ☐ ☐ ☐ ☐ ☐ ☐ Route 53 ☐ ☐ ☐ A ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Route 53 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ DNS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- D.** Amazon CloudFront ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ S3 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ CloudFront ☐ ☐ ☐ ☐ Amazon Route 53 ☐ ☐ ☐ ☐ ALIAS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ URL ☐ ☐ ☐ ☐.

Answer: B (LEAVE A REPLY)

AWS-Solutions-Architect-Associate □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Solutions-Architect-Associate □□! DumpTop □ □□ **AWS-Solutions-Architect-Associate** □□ □□□ □□□□□□, DumpTop
AWS-Solutions-Architect-Associate □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□
DumpTop AWS-Solutions-Architect-Associate □□□ □□□□□. [https://www.dumptop.com/Amazon/AWS-Solutions-](https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html)
[Architect-Associate-dump.html](https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html) (**652 Q&As Dumps**, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 137

□□□ AMI □□ □□□□ EBS □□□ □□ □□□□ □□□□ □□□ □ □□□□?

- A.** API □ □ □ □ □
B. □
C. □ □ □ □ □ □ □ □
D. □ □ □

Answer: D (LEAVE A REPLY)

NEW QUESTION: 138

☐ ☐☐☐ Auto Scaling ☐☐☐ ☐☐☐☐☐☐ ☐ ☐ ☐☐ UDP ☐ ☐☐☐ ☐☐ ☐ ☐ ☐ ☐☐☐. ☐
☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐ ☐ ☐☐ ☐ ☐ ☐☐ ☐☐. ☐☐☐ ☐ ☐ ☐☐☐ ☐☐☐
☐ ☐☐☐ ☐☐ ☐ ☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐.☐☐ ☐☐☐☐ ☐☐☐☐?

- A.** ☐ ☐ ☐ Application Load Balancer ☐ ☐ ☐ ☐ Amazon DynamoDB ☐ ☐ ☐ ☐
- B.** ☐ ☐ ☐ ☐ Network Load Balancer ☐ ☐ ☐ ☐ amazon Aura Global ☐ ☐ ☐ ☐.

NEW QUESTION: 140

Which AWS Direct Connect option allows you to connect your on-premises network to AWS using a dedicated connection?

- A. AWS Direct Connect uses a dedicated connection to connect your on-premises network to AWS.
- B. AWS Direct Connect uses a public connection to connect your on-premises network to AWS.
- C. AWS Direct Connect uses a private connection to connect your on-premises network to AWS.
- D. AWS Direct Connect uses a VPN connection to connect your on-premises network to AWS.

Answer: (SHOW ANSWER)

Correct Answer:

Explanation:

AWS Direct Connect is a dedicated network connection between your on-premises network and AWS. It provides a high-speed, low-latency connection that is not shared with other customers. AWS Direct Connect is available in several regions and is supported by a variety of network providers. AWS Direct Connect can be used to connect your on-premises network to AWS services, such as Amazon S3, Amazon EC2, and Amazon ElastiCache.

AWS Direct Connect is a dedicated network connection between your on-premises network and AWS. It provides a high-speed, low-latency connection that is not shared with other customers. AWS Direct Connect is available in several regions and is supported by a variety of network providers. AWS Direct Connect can be used to connect your on-premises network to AWS services, such as Amazon S3, Amazon EC2, and Amazon ElastiCache.

AWS Direct Connect is a dedicated network connection between your on-premises network and AWS. It provides a high-speed, low-latency connection that is not shared with other customers. AWS Direct Connect is available in several regions and is supported by a variety of network providers. AWS Direct Connect can be used to connect your on-premises network to AWS services, such as Amazon S3, Amazon EC2, and Amazon ElastiCache.

http://docs.aws.amazon.com/directconnect/latest/UserGuide/remote_regions.html

NEW QUESTION: 141

Amazon S3 is a scalable object storage service. Which of the following is not a feature of Amazon S3?

- A. Amazon S3 is a scalable object storage service.
- B. Amazon S3 is a secure object storage service.
- C. Amazon S3 is a highly available object storage service.
- D. Amazon S3 is a low-cost object storage service.

Answer: (SHOW ANSWER)

NEW QUESTION: 142

IVR(Interactive Voice Response) is a technology that allows users to interact with a computer system using their voice. IVR is commonly used for customer service, such as providing information about a company's products and services. IVR can also be used for security, such as verifying a user's identity before granting access to a system. IVR is a key component of many contact center systems.

Which of the following is not a feature of Amazon S3?

- A. "CALLS" is a feature of Amazon S3. "ACTIVE" is a feature of Amazon S3. "TERMINATED" is a feature of Amazon S3. "STATE*" is a feature of Amazon S3. "RDS" is a feature of Amazon S3. "AZ" is a feature of Amazon S3. "SOL" is a feature of Amazon S3. "DynamoDB" is a feature of Amazon S3.
- B. "CALLS" is a feature of Amazon S3. "ACTIVE" is a feature of Amazon S3. "TERMINATED" is a feature of Amazon S3. "STATE*" is a feature of Amazon S3. "RDS" is a feature of Amazon S3. "AZ" is a feature of Amazon S3. "SOL" is a feature of Amazon S3. "DynamoDB" is a feature of Amazon S3.

- Answer: D (LEAVE A REPLY)**

NEW QUESTION: 147

A. Amazon □□□□ □□□□

- Answer: B (LEAVE A REPLY)**

NEW QUESTION: 148

A. AWS DirectConnect □□ VPN□ □□□□ □□□□□□□ □□□ □□□□□. EC2 □□□□□ □□□□□ □□□ □□ □□ □□□□□□ □□□ □□□□□. RDS□ □□ □ □□ □□□ □□□□□. EC2 □□□□□ □□□ □□□□□ □□□□ □□□ □□□□□□□ □□□ □□ □□□□□.

C. □□□ □□□□□□□ Elastic Load Balancing □ EC2 □□□□□ □□□□ □ □□□ □□□□□□ □□□ □□□□□□.
DynamoDB □□ □□□ □□□□ □□□□ □ □□□□□□. EC2 □□□□□ □□□ □□□/□□ □□□□ □□□□ □□□
□□□□□□□ □□□ □□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 149

A. □□□ □□ Amazon 53 □□□ □□ □□ □□□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 153

□□□□ □□□ □ □□□□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □ □□□□. □□□ □□□ □□ □□□ □□□□□ □□□□.

Solutions Architect□ □□□ □□ □□ □□□□ □□□□ □□ □□□ □□□ □□□ □ □□□□?

- A. Amazon DynamoDB
- B. AWS CloudTrail
- C. □□□ EC2
- D. □□□ RDS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 154

□□□□ □□□ □□□□ □□□□□ □□□□□□□ □□□□□□. □□□□ □□□ □□□□ □□□ □□□□ □□□□. □ □□□ □□ □□□ □□□□ □□□ SMS□ □□ □□□ □□□□ □□□□ □□□. □□ □□□ AWS □□□ □ □□ □□□ □□□ □□ □□□□ □□□□□?

- A. AWS SES
- B. AWS SNS
- C. □□□ □□□□ □□□□ □□□□□ □□□□ □□.
- D. AWS SMS

Answer: ([SHOW ANSWER](#))

Amazon Simple Notification Service(Amazon SNS)□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□□. Amazon SNS □ □□□□ □□□ □□□ □□ □□□ □□ □ □□□□. Amazon SNS□ SMS □□ □□□ □□ □□□□ □□ Amazon Simple Queue Service(SQS) □□□ □□ HTTP □□□□□□ □□□ □□□ □ □□□□. □ □□ □□□□ SNS API□ □□ □□ SMS□ □□ □ □□□□. □□: <http://aws.amazon.com/sns/>

NEW QUESTION: 155

□□ AWS □□ □□ □□□□ □ □□□□□□□ □□□□ □□□□. □□□□□□□ □□ □□□ EC2 □□□□ □□□ RDS □□ AZ □□□□□□□□ □□□□□. IT □□ □□ □□ □□□□ □□ □□□ □□□ □ □□ □□□□□ □□□ □□ □□ □□□□ □□□□□□. EC2.1AM □ RDS □□□□. □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□. □□ □ □□ □□□□ □□□□□□□□?

- A. 3□□ □□□ 53□ □□□□ 3□□ □□□ CloudTrail □□□ □□□□ □□□ □□□□□. □□□ AWS Management □□ □, □□□ AWS 5DK□, □□ □□□ □□□ □□□ □□□ □□□□ 53□ □□□□ IAM □□ □ 53□ □□ □□ □□ .
- B. □□□ □□□ □□ 53 □□□ 53 ACL □□ □ MFA(Multi Factor Authentication) □□□ □□□ □□□ □□□ □□□□ □ CloudTrail □□□ □□□□□.
- C. □□□ □□□ □ 53□ □□□□ □ CloudTrail□ □□□□□. □□ □□□□ □□ □□ □□ □□□ □□□□ SNS□ □□□ □□. 53□ □□ □□□ □□ 53□ □□ □□ □ 53□ □□ □□□ □□□□ □□□ □□□□□.
- D. □□□ □□□ □ 53 □□ □□□ □□□ □□□ □□□ □□□□ □ CloudTrail □□□ □□□□ □□□ □□□□ 53 □□□ □ IAM □□ 53 □□ □□ □ MFA(Multi Factor Authentication) □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 156

□□□ □□ □□□ □□ □ □ □□ □□□□□ □□□ □□□□□ □□□. □□ □□ □□□ □□□ □□□□□□ □□□ □□
□□□ □□□□□ □□□ □□□□□□.

□□□□□□ □□□ □□□□ □□ Solutions Architect□ □□□ □□□□ □□□?

- A.** Amazon ElastiCache ☐ ☐☐☐☐☐☐ ☐☐
- B.** ☐☐☐☐☐☐☐ MySQL ☐ ☐☐☐☐☐☐
- C.** ☐☐☐ ☐☐☐☐☐☐☐ ☐☐ Lambda ☐☐☐ ☐☐ ☐☐
- D.** Amazon RedShift ☐ ☐☐☐☐ ☐☐ ☐☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 157

□□□ □□□□ AWS□□ □□□□□□□ □□ □□□□ □□□□. □□□□□□□□ EC2□ □□□□ □□□□ ELB □ Auto Scaling□ □□□□□□. □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ ELB□ □□□□ □□□□□□. □□□□ Auto Scaling□□ □□□□ □□□□□□ □□□□ □□□□ □□□□□?

- A.** Auto Scaling ☐☐☐ ☐☐ ☐☐ ☐☐
- B.** Auto Scaling ☐☐☐ ☐☐ ☐☐ ☐☐
- C.** ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐ ELB ☐ ☐☐
- D.** Auto Scaling ☐☐☐ ☐☐☐ ☐☐ ☐☐

Answer: D (LEAVE A REPLY)

[illegible][illegible]

<http://docs.aws.amazon.com/AutoScaling/latest/DeveloperGuide/as-manual-scaling.html>

NEW QUESTION: 158

IAM _____
_____. b

- A. ☐ ☐
- B. ☐ ☐
- C. ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 159

□□□ □□ □□□ □□□ □ □□□□ AWS□ □□ □□□ □ □□ □□□ □□ □□□□ □□□□□□. IAM□□ □□□ □ □□□□□ □□, □□□ □, MFA □□□□ □ □□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□□□ □ □□□ □□□□□□. □□ □ □□□ □□□ □□ □□□□ □□ □□ □□?

- A.** `aws s3 cp s3://mybucket/ mylocaldir/`
- B.** AWS Management Console, AWS CLI `aws iam create-user`

C. 10000 10000 10 1000 10 10 10 10 10 10 1000 1000 1000 10 10000.

D. 400000 1 10 10 10 10000 1000 10 10000.

Answer: A ([LEAVE A REPLY](#))

AWS 10 10000 10000000 100000 10 1000 1000 1000.

1000 10 10000 10, 1000 1, MFA 10 1 10 10000 1000 1000 10 1000 1000 10000 10 10 10 10 10000 100000 10 10000. AWS Management 10, AWS CLI 10 IAM API 10000 10 10 10000 10 10000.

10 10 10000 10000 10 1 10 10 1000 1000 10 10000. 10000 10000 10 1000 10 10 10 10 10 10 1000 1000 1000 1000 10 10000. 10 1000000 10000 1000000 10000 10000 10 1000000 10 1000 1000 10 10000.

400000 1 10 10 10 10000 1000 10 10000. 10000 10000 IAM 10 1000 10 10000 10 400 1000 1000000 1000000. 10000 10 10 10000 100000000. 1000 10 10 10 10000 400 10 10 1000000 1000 10 10 10000 10 10 IAM 10 10000 10000 100000000.

10 10 10000 CSV(1000 1000 1) 1000 100000000.

10000 10000000 10000000 CSV 1000 10 1000 1000000 CSV 1000 1000000 100000 100000 1000 1000 10000 100000000 1000 10 10000.

10: <http://docs.aws.amazon.com/IAM/latest/UserGuide/credential-reports.html>

NEW QUESTION: 160

Amazon SNS 10000 1000 10000 10000 10 10 10000 10 1000 1000 10 10000 10 10 10000.

A. Microsoft Windows 1000 1000(MWMM)

B. Android 10 Google 10000 1000(GCM)

C. Amazon 10 1000(ADM)

D. APNS(Apple 10 10 1000)

Answer: A ([LEAVE A REPLY](#))

Amazon SNS 1000 1000 1000 10 10 10 10000 10 10 10000.

1000 1000000 1000 10 10000 1000 10 1000 10, 10 10000 10 10 10000 1000 10 10000.

Microsoft Windows Mobile Messaging(MWMM) 10000 1000 Amazon SNS 10 10000 10000.

10:

<http://docs.aws.amazon.com/sns/latest/dg/SNSMobilePush.html>

NEW QUESTION: 161

1000 10 10 10(AZ) 10 10000 10000 10 AZ 10 1000 1000 1000 10000 10 VPC 10000000. 1000 10000 NAT 10000000 10000 10 1000000. NAT 10000000 10000 10000 10000 10000 1000 10 1000000 100000. AZ 1000 100000 10 1000 10 1000000 1000 10 1000 100000 10 10 1000 10 1000 1000 1000000 1000.

1000 10000 10 1000000 100000 100000 10 10 1000000?

A. 1000 AZ 10 NAT 10000000 100000 10 1000 100000 1000000. 10 NAT 1000000 10 100000 1000000.

B. 10 AZ 1000 10000 10000 10 1000000 NAT 10000000 1000000. 10 AZ 10000 1000000 10 NAT 1000000000 100000 1000000.

C. ☐ ☐ ☐ Amazon EC2 NAT ☐ ☐ ☐ ☐ ☐ ☐ NAT ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ ☐.

D. ☐ ☐☐☐ Amazon EC2 NAT ☐☐☐☐ NAT ☐☐☐☐ NAT ☐☐ ☐ ☐☐☐ ☐☐

☐.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 162

OLTP(Online Transaction Processing)은 실시간으로 데이터를 처리하고 저장하는 데 사용되는 데이터베이스 시스템이다. OLTP는 주로 거래 처리에 사용되며, 높은 성능과 낮은 지연 시간이 필요하다. OLTP 시스템은 일반적으로 수백만 개의 트랜잭션을 처리할 수 있다.

A. Elastic Load Balancing, Amazon EC2 ☐ Auto Scaling

B. Amazon EC2, Amazon DynamoDB ☐ Amazon S3

C. Elastic Load Balancing, ☐ ☐ AZ ☐ ☐ Amazon RDS ☐ Amazon S3

D. ☐ ☐ AZ ☐ Auto Scaling ☐ ☐ ☐ Amazon RDS

Answer: A (LEAVE A REPLY)

NEW QUESTION: 163

□□□□ □□ □□□ GPS □□□ □□□□ □□□□□□□ □□□□ □□□□. □□□ 3□□ □ □□ □ □□ □□□□ □□
□□□.

□□ □□□□□□ □□□ □□□ □□□□□ □□□ □ □□ □□□□□ □□□□ □□□. □□□ □□□ □□□□□ □□ □□□□ □□□□ □□□?

A. Amazon Simple Queue Service

B. AWS ☐☐☐ ☐☐☐☐☐

C. ☐☐☐ ☐☐☐☐

D. ☐☐☐ ☐☐☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 164

□□□□ □□ □□□□□□□ AWS□ □□□□□□□□ □□□ □□□□□□□ 6TB □□□ □□□□ □□□ □□□□□
□□ □□□ □□□□ □□□□ □□□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

A. ☐☐☐ ☐☐☐

B. □□□ □□□□□

C. Amazon RDS MySQL

D. Amazon DynamoDB

Answer: A (LEAVE A REPLY)

NEW QUESTION: 165

Cognito Sync□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□ □ □□□ □ □□ AWS □□□□□
 □. □□□ □□□ □□□ □ □□□□ □□□□ □ □□□□.

☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐ ☐ ☐☐☐☐

- A. □□ □□□□ □□□ □□□□ □□□ □ □□□ □□ □□□ □□□□.
- B. □□ □□ □□□□ □□□ □□□ □□□ □□□
- C. □□□□□ □□□ □□ □□ □□□ □□□□.
- D. □□□ □□□□ □ □□□ □□□

Answer: C ([LEAVE A REPLY](#))

□□/□□:

□□:

Cognito Sync□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□ □ □□□ □ □□ AWS □□□□□ □. □□□ □□□ □□□ □ □□□□ □□□□ □ □□□, □□ □□□□ □□□ □□ □□ □□□ □□□□□ □□□ □□ □ □□□.

<http://docs.aws.amazon.com/cognito/devguide/sync/>

NEW QUESTION: 166

□ □□□□ □□ □□□□□ □□□ □□□□□ □□□□□ □□ □□□ □□□□□ □□□□ □□□ □□□ □□□□ □□□ □. □□□ □□□□ □□□ □□□ □□□ □□□□, □□ □□□□ □□□ □□ □□□□□ □□□□, □□□ □□□□□ □□ □□ □□□□□□□ □□□ □ □□ □□□□ □□□□ □□□. □□□ □□ □□□□ □□ □□□□ □ □□□ □□ □□□□ □ □□□□□□ □□□□.

□□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□?

- A. Amazon Kinesis Data Streams□ □□ □□□□□ □□□□□. Auto Scaling□□□ □□□ Amazon EC2 □□□□ □□□□ □□□□□ □□□□□. □□□ □□□□□ Amazon Redshift□ □□□□□.
- B. □□ □□ □□□□□ Amazon Simple Notification Service(Amazon SNS) □□□□□. AWS Lambda □□□ SNS □□□ □ □□□ □□□□□ □□□□□. □□□ □□□□□ Amazon EC2□□ □□□□ SOL □□□□□□□ □□□□□.
- C. Amazon Simple Queue Service(Amazon SOS) □□□□ □□ □□□□□ □□□□□. Auto Scaling□ □□ Amazon EC2 □ □□□ □□□ □□□□ SQS □□□□ □□□□□ □□□□□. □□□ □□□□□ Amazon RDS □□ AZ DB □□□□□ □□ □□□.
- D. Amazon Kinesis Data Streams□ □□ □□□□□ □□□□□. AWS Lambda□ □□□□ Kinesis Data Streams□ □□□□ □ □□□□□. □□□ □□□□□ Amazon DynamoDB□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

AWS-Solutions-Architect-Associate □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ AWS-Solutions-Architect-Associate □□! DumpTop □ □□ **AWS-Solutions-Architect-Associate** □□ □□□ □□□□□□, DumpTop AWS-Solutions-Architect-Associate □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop AWS-Solutions-Architect-Associate □□□ □□□□□. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 167

□□□ □□□□ □□□□ □□□ □□□ Amazon API Gateway□ □□□□ □ API□ □□□□ □□□□□. □□□ □□ □□ □ □□□□. □□ □□□ □□ □□ □ □□□ □□ □ □□□□. □□□ □□□ □□□□□□ □□□□□□ □□ □ □ □ □□□ □□□□□ □□□.

Which AWS service can be used to run a batch of API calls on a regular schedule?

- A. AWS Glue
- B. Amazon Elastic Kubernetes Service (Amazon EKS)
- C. Amazon EC2 or Amazon ECS
- D. AWS Lambda

Answer: B (LEAVE A REPLY)

NEW QUESTION: 168

EBS encryption is enabled by default for which of the following?

- A. IAM, AWS Management Console, API or CLI
- B. IAM, EBS console
- C. IAM, EBS console or API
- D. IAM, Amazon API Gateway

Answer: A (LEAVE A REPLY)

Amazon EBS encryption is enabled by default for EBS volumes created from encrypted snapshots. Snapshots are encrypted, and I/O is encrypted. Amazon EC2 instances can be launched with encrypted EBS volumes. EBS volumes are encrypted with AES-256 encryption.

Encryption is enabled by default for EBS volumes created from encrypted snapshots.

Amazon EBS encryption is enabled by default for EBS volumes created from encrypted snapshots.

Link:

<https://aws.amazon.com/about-aws/whats-new/2014/05/21/Amazon-EBS-encryption-now-available/>

NEW QUESTION: 169

Which AWS service can be used to run a batch of API calls on a regular schedule?

Amazon EBS encryption is enabled by default for EBS volumes created from encrypted snapshots. Snapshots are encrypted, and I/O is encrypted. Amazon EC2 instances can be launched with encrypted EBS volumes. EBS volumes are encrypted with AES-256 encryption.

Encryption is enabled by default for EBS volumes created from encrypted snapshots.

- A. EBS encryption is enabled by default for EBS volumes created from encrypted snapshots.
- B. IAM, AWS Management Console, API or CLI
- C. IAM, EBS console or API
- D. IAM, Amazon API Gateway

Answer: A (LEAVE A REPLY)

NEW QUESTION: 170

Which AWS service can be used to run a batch of API calls on a regular schedule?

Amazon EC2 instances can be launched with encrypted EBS volumes. EBS volumes are encrypted with AES-256 encryption.

□□□ □□□□ □□□□□ □□ □□ □□ □□ □□□□□□. □□□ □□ □□□□ □□□□ ACL□□ □□□□ □ □□□□. □□□ □□□□ □□□□ □□□□□ □□□□ □ □□□ □□□.

□□□ □□□□ □□□ □□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□?

- A. ALB□ □□□ □□□□ □□□□□. □□□□ □□□□ EC2 □□□□ □ RDS □□□□□□ □□
- B. ALB, EC2 □□□□ □ RDS □□□□□□□ □□□□ □□□□ □□□□□.
- C. ALB□ VPC □□□ □□□□□. EC2 □□□□□ RDS □□□□□□□ □□□□ □□□□ □□□□□.
- D. ALB □ EC2 □□□□□ □□□ □□□□ □□□□□. RDS □□□□□□□ □□□□ □□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 171

□□□ Amazon S3□ □□ □□□□ □□□ □□□ □□ □□□□. □□ □□□ □□ □□□ □□□□ □□□□□ □□□. □□ □ □□□ □□ □□□□ □□□□□ □□□. □□ □□ □□□□ □□□.

□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□ □□□□□□?

- A. □□ □□□ □□ AWS KMS(SSE-KMS) □□ □□□ □(CMK)□ □□□ □□ □ □□□
- B. □□ □□ □□ □□□ □□ □ □□□(SSE-C)
- C. Amazon S3 □□□ □□ □□□ □□ □ □□□(SSE-S3)
- D. □□ □□ □□□ □□ AWS KMS(SSE-KMS) □□ □□□ □(CMK)□ □□□ □□ □ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 172

□□ □□□□□□□ □□□ □□ □□□□ Redis□ Amazon ElasticCache□ □□□□□. □□ □□ □□ □□□ □□ □□□ □□□ □□□ □□□□□□□.

□□ □□ □□□ □□□□□ □□ Solutions Architect□ □□□ □□□□ □□□?

- A. □□ □□ □□□ ElasticCache □□ AZ □□
- B. ElasticCache□□ Amazon RDS□ □□□□□□
- C. Auto Scaling□ □□□□ CPU □□□□ □□ □□ □□ □□□□□
- D. □□ □□□□ □□□□ □□ □□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 173

4□□ 500GB EBS □□□□□□ IOPS □□□ □□□ EC2 □□□□□ □□□□□□. EC2 □□□□□ EBS□ □□□□□ □ □□ EC2□ EBS □□ 500Mbps □□□□ □□□□□. □ □□ EBS □□□ □□ RAID o □□□ □□□□ □ □□□□□□ IOPS □□□ □□□□□□ □ 16,000 □□ IOPS□ □□ 4,000 IOPS(4,000 16KB □□ □□ □□)□ □□□□□□□□. EC2 □□□□□ □□□ □□□□ 16,000 IOPS □□ □□ □ □□ □□□ □□□□□. /O □□□□□ □□□ □□ RAID□ 2□□ 500GB EBS □□□□□□ IOPS □□□ □□□□□. □ □□□ □□ 4□□ □□□□□ EC2 □□□□□□ □ 24.000 IOPS□ □□ 4.000 IOP□ □□□□□□□□□. □□□□□ EC2 □□□□ CPU □□□□ □□□□□. 50%□□ 70%□ □□□□□□.□ □□ □□□□ □□□□ □□□ □ □□ IOPS□ □□ □□□□ □□□□.

□□□ □□□ □□□□ □□□□□?

- A. □ □ □□□□ □□□ □ □□ □□□□□□ IOPS □□□ □□□□□. 6□□ EBS □□ □□□ □□□□□□ □□ □□□□ □ 1TB□ □□□□.

B. RAID 0 is 4 disks and 4 EBS volumes IOPS is RAID 0 is 6.000IOPS.

C. EBS is 500GB 4.000 IOPS.

D. EBS is 6.000 IOPS.

E. I/O is 64KB.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 174

What AWS service is used to store data?

A. AWS ElastiCache

B. AWS Glacier

C. AWS S3

D. AWS RDS

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 175

What is the maximum number of objects that can be stored in a single bucket?

A. 53

B. Amazon CloudFront

C. Amazon S3 Transfer Acceleration

D. AWS S3

Answer: (SHOW ANSWER)

NEW QUESTION: 176

What is the maximum number of objects that can be stored in a single bucket?

What is the maximum number of objects that can be stored in a single bucket?

A. 53

B. Amazon CloudFront

C. Amazon S3 Transfer Acceleration

D. AWS S3

Answer: D ([LEAVE A REPLY](#))

<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-nat-gateway.html>

NEW QUESTION: 177

What is the maximum number of objects that can be stored in a single bucket?

- A. 1000 100
- B. 100 100
- C. 10000 100
- D. 1000 10000

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 178

Which of the following is a valid Amazon EC2 instance type?

* m5.2xlarge Amazon EC2 instance type.

* t3.xlarge instance type.

* Amazon EBS instance type.

Which of the following is a valid Amazon EC2 instance type?

Which of the following is a valid Amazon EC2 instance type?

A. AWS Service Catalog is a managed service that allows you to create and manage your own catalog of services. AWS Service Catalog is a managed service that allows you to create and manage your own catalog of services.

Which of the following is a valid Amazon EC2 instance type? AWS Config is a managed service that allows you to create and manage your own catalog of services. AWS Config is a managed service that allows you to create and manage your own catalog of services.

B. AWS CloudFormation is a managed service that allows you to create and manage your own catalog of services. AWS CodeCommit is a managed service that allows you to create and manage your own catalog of services.

AWS CloudFormation is a managed service that allows you to create and manage your own catalog of services. CodeCommit is a managed service that allows you to create and manage your own catalog of services. CloudFormation is a managed service that allows you to create and manage your own catalog of services. AWS Service Catalog is a managed service that allows you to create and manage your own catalog of services. AWS Config is a managed service that allows you to create and manage your own catalog of services.

Which of the following is a valid Amazon EC2 instance type? Amazon CloudWatch Events is a managed service that allows you to create and manage your own catalog of services. Amazon CloudWatch Events is a managed service that allows you to create and manage your own catalog of services.

C. AWS CloudFormation is a managed service that allows you to create and manage your own catalog of services. CloudFormation is a managed service that allows you to create and manage your own catalog of services. Amazon Inspector is a managed service that allows you to create and manage your own catalog of services. Amazon CloudWatch Logs is a managed service that allows you to create and manage your own catalog of services. CloudWatch Logs is a managed service that allows you to create and manage your own catalog of services. Amazon CloudWatch Events is a managed service that allows you to create and manage your own catalog of services. Amazon CloudWatch Events is a managed service that allows you to create and manage your own catalog of services.

D. AWS IAM is a managed service that allows you to create and manage your own catalog of services. AWS CloudTrail is a managed service that allows you to create and manage your own catalog of services. CloudTrail is a managed service that allows you to create and manage your own catalog of services. Amazon Elasticsearch Service(Amazon ES) is a managed service that allows you to create and manage your own catalog of services.

Amazon ES is a managed service that allows you to create and manage your own catalog of services. Amazon SNS is a managed service that allows you to create and manage your own catalog of services. Kibana is a managed service that allows you to create and manage your own catalog of services.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 179

Which of the following is a valid VPC CIDR? VPC CIDR 20.0.0.0/16 is a valid VPC CIDR. VPC CIDR 20.0.0.0/16 is a valid VPC CIDR. VPC CIDR 20.0.0.1/24 is a valid VPC CIDR. VPC CIDR 20.0.0.1/24 is a valid VPC CIDR.

Which of the following is a valid VPC CIDR?

A. VPC CIDR 20.0.0.0/16 is a valid VPC CIDR. VPC CIDR 20.0.0.0/16 is a valid VPC CIDR. IP 20.0.0.0 is a valid IP address.

B. VPC CIDR 20.0.0.0/16 is a valid VPC CIDR.

C. CIDR 20.0.0.0/16 is a valid CIDR.

D. CloudFront ☐ OAI(Origin Access Identity) ☐ ☐☐☐☐ ☐ OAI ☐ S3 ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐.

E. □, □□□□□□ □ MySQL □□□□□□ □□□ □ □□□ Amazon EC2 □□□□□ □□□□□. □□ □ □□□ □□□ □□□□□ □□□□□□□ □□□□□. □, □□□□□□ □ □□□□□□ □□□ □□□□ □□□□ □ □□□ Amazon S3 □□□ □□□□ □□□□□. □□□□□□ □□□ □□ □□ □□ □□□ □□□□□.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 193

□□□□ EC2□ EBS □□□ □□□□□ □□□□□□. □□ □□□ □□ □ □□□ □□□ □□□□□?

- A. EBS IO □□ □□ □□ □□
- B. □□□ EBS□ □ □ □□ □□□ □□ □□□.
- C. □□□□ PIOPS □□ EBS □□□ □□ □□□.
- D. VPC□ □□ □□□□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

Amazon EBS □□□ □□□□□ □□□□ □□ □□□ □□□□ Amazon EBS I/O□ □□ □□ □□ □□□ □□□□□. □ □ □□□ Amazon EBS I/O□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□□ □□□□ Amazon EBS □□□ □□□ □ □□ □□□□□.

□□:

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSOptimized.html>

NEW QUESTION: 194

DDoS □ □□□□□□ □□ □□□□□□ Amazon EC2□□ □□□□ □ □□□□□ □□□□ □□ □□□ □□□□□ □□ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. EC2 □□□□□ Network Load Balancer □□ □□□□ □□□ AWS WAF□ □□□□□.
- B. DNS□ Amazon Route 53□□ □□□□□□□□□ AWS Shield□ □□□□□.
- C. EC2 □□□□□ Auto Scaling □□□ □□ □□□ AWS WAF□ □□□□□.
- D. Amazon CloudFront □□□ □□ □ □□□□ □□□ AWS WAF□ □□□□□.
- E. VPC□□ □□□ □□□□□□ □□□□ □□□□ AWS Shield□ □□□□□.

Answer: D,E ([LEAVE A REPLY](#))

□□/□□: <https://aws.amazon.com/answers/networking/aws-ddos-attack-mitigation/>

NEW QUESTION: 195

□□□ Amazon S3 □□□ 60TB□ □□□□ □□ □□□□ □□□□□ □□□□. □□□ □□□□ □□□ □□ □□ □□□ □ □□ □□□□ □□□□□□ □□□□ □□□. □ □□□ □□□□□ □□ □□ □□□□□ □□□. □□□□ AWS □□ □□ □□□□ □□□□ □□□□□. □ □□□□□ □□□ □□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□ □□ □□9

- A. AWS Snowball □□□□ □□□□ □□ □□□ □□□ □ □□□□□ □□□ □□□ AWS Snowball □□□□□ □□
- B. AWS□ AWS Storage Gateway □□ □□□□□ □□ 90□ □□ □□□ □□□□□ □□□ □□
- C. □□ □□ □□□ □□□□ Amazon Elastic File System(Amazon EFS)□ AWS□ □□□□□□. □□□□□ □□□□□ □ □□
- D. □□□ □□□ □□ □□ □□□ 90□□ AWS Migration Hub□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□□ □□□□□. □□□□□□□ □□□□ □□□□ □□ □□□□□□ □□□□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□□□. □□ □□□ □□□□ □□□□ □□□□ □□□□ □□ □□□ DNS □□□ □□□□□. □□ □□□ □□ □□ □□ □□ CNAME □□□ □□ □□□□ □□□ DNS □□□ □□ □ □□□ □□□□□. □□□ □□□□□□ □□ □□ □□□ □ □□□□.

<http://docs.aws.amazon.com/AmazonElastiCache/latest/UserGuide/AutoDiscovery.HowAutoDiscoveryWorks.html>

NEW QUESTION: 199

Solutions Architect□ □□□□ □□□□□ □□ □□□ □□□ □□□□ □□□□ □□□□. □□ □□ InfoSec □□ Amazon CloudWatch□ □□□□ □□□ □□□ □□□□□□ □□ □□□ □□□□.

□□□□ □□ □□ □□□ □□□ □□□?

- A. Amazon VPC □□ □□ □□□
- B. Amazon DynamoDB□ □□ □□ □□□□ □□ □□
- C. Amazon S3□ □□ □□ □□□□ □□ □□
- D. □ Amazon EC2 □□□□□ □□ □□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 200

□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□. □ □□□□ □ □□□ □□□ □□□□ □□□□. □□□ □ □□□□ ALB(Application Load Balancer) □□ □□ Auto Scaling □□□ Amazon EC2 □□□□ □□□□ □□□□□□.

□ □□□□ □□ □□□ □□ □□□□ □□□□ □□ □□ □□□□ □□□□□.

□□□□□ □□ □□□□□ □□ □□□ □□□□□ □□□□□□. □□□□ □□□□ □□□□□ EC2 □□□□□□ □□ □□ □□ □□□□ □□□□.

□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□ □□□□□?

- A. □□□□ □□□ □□ □□□ Auto Scaling □□□ □□□□□. NLB(□□□□ □□ □□□)□ □□□□□. NLB□ User-Agent HTTP □□□ □□□□ □□ EC2 □□□□ □□□ □□□□□□.
- B. □□ □□□□ □□□ ALB□ □□□□□. □ ALB □□ □□□ Auto Scaling □□□ □□□□□. Amazon Route 53□ □□□ □□□□□ HTTP □□□ □□ □□ ALB□ □□□□□□.
- C. □□□□ Amazon S3□ □□□□□. Amazon CloudFront □□□ □□□□ S3 □□□□ □□□□ □□□□□. Lambda@Edge□ □□□□ User-Agent HTTP □□□ □□□□ □□□ □□□□ □□□□□.
- D. □□□□ Amazon S3□ □□□□□. Amazon CloudFront □□□ □□□□ S3 □□□□ □□□□ □□□□□. User-Agent HTTP □□□ □□□□ □□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 201

□□□ □□□□ □□ □□□□ □□ □ □□□□□□□ □□□□ □□□□. □ □□□□□□□ □□, /orders □□□□ □□□□ □□ □□□ □□□ □□□□□ □□□□□ □□□□ □□□.

Architect□ □ □□□□ □□□□ □ □□□ □□ AWS □□□□ □□□□□? (2□ □□).

- A. □□□ SQS
- B. Amazon ELB □□□□□□ □□ □□□

- C. ☐ ☐ ☐ ☐ ☐
- D. Amazon EC2 ☐ ☐ ☐ ☐ ☐
- E. Amazon ELB ☐ ☐ ☐ ☐ ☐

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 202

□□□ □□□ □□ □□□(□□□□ □□, □□□□□□□ □□, □□ □□ □)□ □□□ □□ □□□□ □□□ □□□ □□□□. □ □□□□ □□□ □□□□□ □□□□ □□□ □□□ □□□□□ □□□□□ □□□□□. □□□ □□□ □□ 12□□ □□ □ □□ □□□ □□□ □□ □□□□□ □□□□ □□□.

□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□ □□ □□□□ Amazon SQS□ □□□, □□□ □□□□□ Auto Scaling EC2 □□ □□□ □□□□, □□□□□ □□ □□□.
- B. □□ □□ □□□□ Amazon Kinesis□ □□□□ □□□ □□□□□ □□□□ □□□□□ □□□□ □□
- C. □□□ □□ □□□ □□□□□ Amazon CloudTrail □□, EMR□ □□□□ □□□ □□□ □□
- D. EC2 syslogd □□□ Auto Scaling □□ □□, S3□ □□ □□, EMR□ □□□□ □□□ □□□□ □□

Answer: B ([LEAVE A REPLY](#))

□□

□□:

Amazon Kinesis □□□□ □□□□ □□□ □□ □□ □□ □□ □□ □□ □□□□□ □□□□□□□□. □□□ Amazon Kinesis Streams□ □□□□ □□ □□□ □□□ □ □□ □□□ □□□□.

□□□□□ □□□□ □□□□ □□□□ □□□ □□□□ □□ 24□□ □□ □□□□ □ □□□□. □□□ □□ □□□ □□□ □□ □ □□□ □□ 7□□□ □□ □ □□□□.

□ □□□ □□□ □□□ Blob(Base64 □□□ □□□ □□□ □□□□)□ □□ □□□ 1MB□□□□.

□ □□□ □□ □□ 1000□□ PUT □□□□ □□□ □ □□□□.

□□ API □□ □□□ □□ □□□ □□□ Amazon Kinesis Streams □□□ □□□□□□□.

NEW QUESTION: 203

□ □□□□ □□□□ □□ □□□□□□ □□□□□ □□ □□□ □□□ □ □□ □□ □ □□□□□□□□ AWS□□ □□□□ □□□□. □ □□□□□□□□ Amazon EC2 □□□□□□□ □□□□ Amazon DynamoDB □□□□□□ □□□ □□□□□□. Auto Scaling□ □□ CPU□ 5□ □□ 80% □□□ □ □ □ □□□ □□□□□ □□□□ □□□□. DynamoDB□ □□□□□ 80%□ □□□ □ □□ □ □□ □□ □□□ □□ 5□ □□□□ □□□□□□. □□ □□□ □□ □□□ □□ 9□□ □□□□□ 80%□ □□ □ □□ 30□ □□□ □□□ □□□ □□□□□□□ □□□. Auto Scaling□ □□□□□ □□□□ □□□□ □□□□ □□□□ □ □□ □□ □□□ □□□ □□ □□□□ □□□□. □□□ □□ 9□ 30□ □□□□ □□□ □□ □□□ □□□□.

□□□ □□□□ □□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□□ □□□?

- A. Amazon DynamoDB Accelerator□ □□□□ □□□□□□ □□□ □□□□ □□/□□ □□□ □□□ □□□ □□□□.
- B. Amazon CloudFront□ □□□□ □ □□□ □□□□□ EC2 □ DynamoDB□ □□□ □□□□.
- C. □□□ □□□ □□□□ □□□ □□ 9□ □□□□ EC2□ □□□□ □□ 9□ 30□ □□□ □□□□□□.
- D. EC2 □□□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□ □ □□□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 204

□□□ □□□□□□□ Auto Scaling □□□ □□□□ □□□ □□ □□□□ □□□□ □□□□ 3□□ □□□□□□□□ □□ □□□. □□□□ □□ □□ 9□□ □□□□ □ 15□ □□ □□ □□□□□ □□□□□. Solution Architect□ □□□□ □ □□ □□□ □□ 9□□ □□□ □□□□ □□□ Auto Scaling□ □□□ □□□□□ □□□ □□□ □□□□ □□□ □□□□□□. □□□□ □□□ □□□ □□□ □ □□□□□?

- A. □□ □□ 8□ 30□□ □□□ □□□□ □□□□ Auto Scaling □□ □□□ □□□□.
- B. □□ □□□□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□□□.
- C. □□ □□□□ □□□□ □□ □□ 9□□ □□□ □□□□□ □□□□ □□□ □□□□□ □□□□ □□ □□□□□ □□□ □□.
- D. Auto Scaling □□□ scale out □□□□ □□□□ □□□□ □□ scale□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 205

□□□□ □□□□ □ □ □□ □□□ □□□ □□□□□ □□□□□. Solutions Architect□ □□□ □□□ □ □ □□ □□□□ □ □□□ □□ □□ □ □□□ □□□ □ □□□ □□□□ □□□. □□□ □□ □□□ □□□ □□□□□ □□□?

- A. Amazon EC2 □□□□ □□□□ □□□ □ □□ Amazon SNS □□□ □□□□ □□□□□.
- B. □□□ Amazon SOS □□□□ □□ □□□□ □□□□□ Amazon EC2 □□□□□ □□□□□.
- C. Amazon S3□ □□□□ □□□ □□□□ Amazon EC2 □□□□□ □ □□□ □□□□□ □□□ □□□ □□□□□.
- D. Amazon EC2 □□ □□□□□ □□□□□ DynamoDB □□□□ □□ Amazon DynamoDB □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 206

Amazon Glacier□ □□□□□□□□□ 10TB□ □□ □□□□ □□ □□□ □□□□ □□□□. □□□ □□□□ 1Mbps□ □□□□ □□□□. □□□□ Amazon Glacier□ □□□□ □□ □□ □□□ □□□□ □□□ □□ □□□□□?

- A. AWS □□□□/□□□□
- B. VM □□□□/□□□□
- C. Amazon Glacier □□□□ □□□
- D. AWS □□□□ □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 207

□□□ □□□□□ □□ Amazon S3□ □□□ □□□□ □□□□ □□ Amazon EC2 □□□□ □□□□ □□□. □□ □□ □ □□ Amazon EC2 □□□□□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□ □□□□ □□□□ □□□□ □□□□. □□ □ □□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□□ □□□□□?

- A. Amazon EC2 □□□□(□□) □□□
- B. AWS □□□□ □□□□□
- C. □□□ □□
- D. □□□□□□ IOPS(PIOPS)□ □□□□ Amazon EBS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 208

□ □□□□□ □□□ □□□ Elastic Load Balancer □□ □□ □□ EC2 □□□□□ □□□□□. □□□ EC2 □□□□□□ □□ □□□ □□□□□ ELB□ □□□□□□. □□□□□ □□ □□□ □□□□ □□ □□ □□ □□□ □□□□?

- A.** □□□□□ □□ □□ □□□ □□ ELB□ □□ □□□□□.
- B.** □□□□□ ELB□ □□ □□□□ □□□□□.
- C.** □□□□□ ELB□ □□ □□□□□.
- D.** ELB□ □□ □□□ □□□ □□□□□ □□□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 209

□□□□ □□□ □ □□□□ □□ □□□□□□ □□□□ □□ □□ □□□ □□ □□□□□□□ □□□□. □□□□ □□□
□□ □□ □□□□ □□ □□□ □□□□□ □□□□□ □□□. □□□□□ □□□ □□□□ □□ □□ 2□ □□□ □□□□□
□□□.

☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐ ☐☐☐☐

- A.** Amazon CloudWatch Events □ □□□□ □□□□ □□□□□ □□□ □ □□ AWS Lambda □□□ □□□□□.
- B.** □□□□□□□ □□□□ Amazon DynamoDB □ □□□□□ □□□□□. AWS Auto Scaling □□□ □□ □□□□ □□ □
□□□.
- C.** □□□ AWS □□ □ □□ □□□□ □ □□ □□□ □□ □□ □□□□□ □□ □□□□ □□□□□.
- D.** □□□□□□□ □□□ Amazon □□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

22

<https://aws.amazon.com/blogs/compute/taking-advantage-of-amazon-ec2-spot-instance-interruption-notices/>

NEW QUESTION: 210

□□□□□ □□□□□ □□ AWS □□□□ □□□ □□□ SaaS(Software-as-a-Service) □□□□ □□□□ □□□□. □ □□
 □□ Network Load Balancer □□ VPC□□ □□□□□□. □□□□□ □□□□□ □□□□ □□ □□□□□ □□□□ □□
 □□□□ □□□□ □□ □□□□□ □ □□□□ □□ □□□□ □□□□□ □□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** □□□□□ □□□□□ AWS □□□ □□ VPC□ □□□□□. □ □□□ □□□□ AWS Direct Connect □□□ □□□□□.
- B.** □□□□□ □□□□□ AWS □□□ □□ VPC□ □□□□□. □ □□□ □□□□ VPN □□□ □□□□.
- C.** □ □□□□ VPC□□ □□□□□ □□□□□ VPC□ □□□ VPC □□□ □□□□□.
- D.** VPC□ □□□□ AWS Private Link □□□□□□ □□□□□. □□□□ □□□□□□ □□□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 211

Amazon EBS □□ □□□□□ □□□□ □□□ □□ □□□□□ □□ □□□□ □□□□□?

- [illegible]

- B. 10000
- C. 100 000
- D. 100 000-1

Answer: D ([LEAVE A REPLY](#))

1000 000 Amazon EC2 000 Amazon S3 000 0000 0 0000. 0 0000 000000 000 0000000
0 00000000 00 00-100000 000000 00000. 000 000 00000 00 0000.
S3 000 US-West-1 000 000000.
00: http://media.amazonwebservices.com/AWS_Storage_Options.pdf

NEW QUESTION: 215

- 0 000 00 000000 00 0000 Amazon S3 250TB 00 000 00000 0000. 0 000 0000000 0
000 Linux 00 000000 00000000 0000 Amazon S3 00 000 00000 000 00 00 00000 000
00 Amazon S3 00 00000000 0000. 000 0 0000 000 000 00 000 00000000 0000. 00 000
0 00 0000 00000 0000 00 0000?
- A. Amazon S3 00000 00 00000 000000 00 0000000 Amazon S3 00 00000 000000.
 - B. 000000 00 0000 00 00000000 000000. 0000 00000 00 00000 Amazon S3 0000 00 0000
0000.
 - C. Amazon S3 0000 00000 Amazon EC2 0000000 00000 0000000 00 00000000 0000000. 0000 00
00 EC2 0000000 Amazon S3 0000 00 00000000.
 - D. AWS Snowball Edge 0000 000000 000000 00000 0000 00 00000000 0000000. 0000 0000 00000
Snowball Edge 0000000 Amazon S3 00 00 0000

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 216

- 0000 000000000 00 00000 Amazon EC2 00000000 00 00000. 00 00 0 0000 00000 00000 0
00 00000 0000 0 0000 00 0000. 00 00000 00 0000 00000 00 00 0000 0000 0000? (20 0
0)
- A. EC2 00000000 0000 00000 Amazon S3 00
 - B. 0 0000 Amazon 00 0000(AMI)00 0 EC2 00000 00
 - C. 0 00000 0 EC2 0000000 00000 Amazon S3 00 0 0000000 00 00
 - D. EC2 0000000 Amazon 00 0000(AMI)0 00000 0000 00 00 00 00
 - E. Amazon S3 00 Amazon Elastic Block Store(Amazon EBS) 0000 000000 00 EBS 0000 000000 00 00000
EC2 0000000 0000000.

Answer: B,D ([LEAVE A REPLY](#))

00
00 00 EC2 AMI 00
AWS 0000 00 00 000000000 0000000 000000 00 00 0000 00 0000 00000 0000 00000 00 0
0000 00000. 00 0 EBS Snapshot Copy 0000 0000000 000000000. 0 0000 00000 0 0 00 00000 00
00 00000 000000 0000 0 00000.

□□ □□ □□ AWS □□ □ □□□ □□ □□□ □□ □□(26%□□ 83%)□□ □ □□□ AWS □□□□ □□□□ □□□ □ □□□□.

□□ □□□ □□□ □□□ Amazon □□ □□□(AMI) □□□ □□□□□. AMI □□□ □□□□ AWS □□ □□ Amazon □□ □□□□ □□ □□□ □ □□□□. AMI Copy□ □□□ □□ □ □□ □□ □□□□□ □□□□□.

□□□□ □□□ □□ □□ □□ - □ □□□□ □□ □□□□ AMI□ □□□ □ □□□□ □□□ AMI□ □□□□ □□ □□□ □□□□□ □□ □□□□ □□ □□□ □ □□□□.

□□□ - □□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□ □□□□ □□ □□ □□□□ □□□ □ □□ □□.

□□ - □□ □□□□□ □□□□ □□ □□□□□ □□□ □□ □□□ □□□□ □ □□□ □□□ □□□□ □□□ □□ □ □ □□□□. □□ □□□□ □□ □□ □□ AWS □□□□ □□ □□□ □□□ □□□ □□ □□□□.

□ □□ □□□ - AWS □□ □□□ □□ □□□□□□□ □□ □ □□□□ □□□□ □□ □ □□□□.

□ AMI□ □□ □□ □□□ □□ □□□ □□□ □□□□.

<https://aws.amazon.com/blogs/aws/ec2-ami-copy-between-regions/>

NEW QUESTION: 217

□□ □□ AWS □□□□ □□ □□□ □□ □□□ □□ □□□□ □□□□ □□ □. □□ □□□ AWS Organizations□ □□□ □□□□ □□□□. □□□□ □□ □□□□ □□ □□□ □□□ □ □□ □□ □□□ □□□ □□□.

□□□ □□□□ □□ □□□□ □□ □□□ □□ □□□?

- A. □□□ □□ □□□ □□ □□□□ □□□□ □□ ACL□ □□□□□.
- B. □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□□□.
- C. □ □□□ □□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□□ □□□□□.
- D. □□ □□ □□□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□ □□ □□ □□

SCP□ □□□ □□ IAM □□□□ □□ □□ □□□ □□□ □□□□□. □□ □□□□ □□□□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□□. SCP□ □□□□ □□□□□ □□□ □□ □□□□ □□□ □ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□ □ □□□□.

AWS Organizations□ □□ SCP□ □□□□ □□□□□. □□□ □□□ □ AWS Organizations□ □□□ □□ □□□ □□ □ □□□□□ □□□□ □□□ □□□□ □□□□□. □□ □□□ □□□ □□□ OU(□□ □□ □□)□ □□□□□ □□□ □ □□ □□□ □□□□ □ □□□□. □□ □□ □□□ □□ OU□ □□□ □ □□□, □□ OU □□□ □□□ □□□□ □□ □□ □ □□□ □ □□□□. □□ □□, OU □ □□ □□□ SCP□ □□□ □ □□□□. □□ □ OU□ □□□ SCP□ □ □□ □□ □□□ □□□ □□□□□.

SCP□ AWS Identity and Access Management(IAM) □□ □□□ □□□□□. □□□ □□□ □□□□ □□□□. SCP□ □□ □□ □□□ IAM □□□□ □□ □□ □□□ □□ □□□ □□□□ □□ □□□□□ □□□ □ □□□□. SCP□ □□□ □□ □□□ □□□□ □□ IAM □□□ □□□□□□ □□□ □□ □□□□ □□ □□□ □□□ □ □□□□. SCP□ □□□ □□□ □□ □□ □□□, □□ □ □□ □□ □□□□ □□□□ □□□ □□ IAM □□□□ □□□□□.

□□: [https://aws.amazon.com/blogs/security/how-to-use-service-control-policies-to-set-permission-guardrails-across-](https://aws.amazon.com/blogs/security/how-to-use-service-control-policies-to-set-permission-guardrails-across-accounts-in-your-aws-organization/#:~:text=□□%20□□%20□□□%20□□%20service,users%20and%20roles)%20adhere%20to.&text=Now%2C%20using%20SCPs%2C%20you%20can, your%20organization%20or%20organizational%20unit)

[accounts-in-your-aws-organization/#: ~:text=□□%20□□%20□□□%20□□%](https://aws.amazon.com/blogs/security/how-to-use-service-control-policies-to-set-permission-guardrails-across-accounts-in-your-aws-organization/#:~:text=□□%20□□%20□□□%20□□%20service,users%20and%20roles)%20adhere%20to.&text=Now%2C%20using%20SCPs%2C%20you%20can, your%20organization%20or%20organizational%20unit)

[20service,users%20and%20roles\)%20adhere%20to.&text=Now%2C%20using%20SCPs%2C%20you%](https://aws.amazon.com/blogs/security/how-to-use-service-control-policies-to-set-permission-guardrails-across-accounts-in-your-aws-organization/#:~:text=□□%20□□%20□□□%20□□%20service,users%20and%20roles)%20adhere%20to.&text=Now%2C%20using%20SCPs%2C%20you%20can, your%20organization%20or%20organizational%20unit)

[20can, your%20organization%20or%20organizational%20unit](https://aws.amazon.com/blogs/security/how-to-use-service-control-policies-to-set-permission-guardrails-across-accounts-in-your-aws-organization/#:~:text=□□%20□□%20□□□%20□□%20service,users%20and%20roles)%20adhere%20to.&text=Now%2C%20using%20SCPs%2C%20you%20can, your%20organization%20or%20organizational%20unit)

NEW QUESTION: 218

□□□□ □□ 1TB□ □□ □□□ □□□□□ □□□□ □□ □□ □□ □□□ □□□□. □ □□□ □□□ □ 2KB□□□□. □□ □ □□□□ □□ □□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□.

□□□ □□□□ □□□□ □□□□. □□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□ □□□□ □□□□. □□ □□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□ 14□ □□□ □□□□ □□□□ 14□□ □□ □□□□ □□□□□ □□□□.

□□□ □□ □□□ □□□□ □□ □□ □□□□ □□ □□□□ □□□□□?

A. Amazon Kinesis Data Firehose □□ □□□□ □□□□ □□□ □□□□□. Amazon Elasticsearch Service(Amazon ES) □ □□□□ □□□ □□□□□ Kinesis Data Firehose □□□□ □□□□□. □□ □□ □□□□ □□□□ □□□□ □□□ □□ □□□□ □□□□□ Amazon ES □□□□□ □□□□□.

14 □.

B. Amazon Simple Queue Service(Amazon SQS) □□ □□□□ □□□□ □□□ □□□□ □□□ □□ □□□ 14□□ □□□ □□. SQS □□□□ □□□□, □□□□ □□□ □□□□, □□□ □□ □□□ □□□□ □□□□□ □□□□ □□□□□. □ □□□ 14□□ □□ □□ □□□□ □□□□ Amazon S3 □□□ □□□□ SQS □□□□□ □□□□ □□□□ □□□.

C. □ □□ □□□□ Amazon EC2 □□□□□ □□□□ Elastic Load Balancer □□ □□□□ □□□ □□□□□. Amazon S3 □□□ □□□ □□□ EC2 □□□□□ □□ □□□□□ □□□□□. 14□ □□ □□□□ Amazon S3 Glacier□ □□□□□ S3 □□ □□ □□□ □□□□□.

D. Amazon Kinesis Data Firehose □□ □□□□ □□□□ □□□ □□□□□. Amazon S3 □□□ □□□ □□□□□ Kinesis Data Firehose □□□□ □□□□□. 14□ □□ □□□□ Amazon S3 Glacier□ □□□□□ S3 □□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 219

□□□□ Auto Scaling□□ □□□ □□ □□ □□□ □□□ □ □□□□?

A. □, □□□ □□□ □□□□ Auto Scaling□ □□□□ □□□□.

B. □□□, Auto Scaling□□□ ELB □□ □□□ □□□ □ □□□□.

C. □

D. □□□

Answer: ([SHOW ANSWER](#)**)**

□□/□□:

□□:

Auto Scaling□ □□□ □□ □□ □□□ □□□□ □□□□□ □□□ □□□ □ □□□□. □□□ □□ □□ □□□ □□ □□ Auto Scaling□□ □ □□□ □□□ □ □□□□. □□ □□ □□□□□ □ □□□ □□□□ □□□□ □□□□□ □□□ □□□□□ □□□ □ □□□□. □□□ Auto Scaling□ □□□□□ □ □□ □□□ □□□ □ □□□□□ □□□□□ □□□ □□ □□ □□□□□ □□□□□.

<http://docs.aws.amazon.com/AutoScaling/latest/DeveloperGuide/healthcheck.html>

NEW QUESTION: 220

AWS Direct Connect□ □□□ □ AWS Direct Connect □□ □□□□□□ □□ □ □□□ □ □□ □□ □□□□□?

- A. You can create a VPC with a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3.
- B. You can create a VPC with a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3.
- C. You can create a VPC with a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3.
- D. You can create a VPC with a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3.

Answer: A (LEAVE A REPLY)

AWS Direct Connect is a dedicated network connection between your premises and AWS. You can create a VPC with a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3. You can create a VPC endpoint for Amazon S3.

http://docs.aws.amazon.com/directconnect/latest/UserGuide/WorkingWithVirtualInterfaces.html

NEW QUESTION: 221

You are using AWS CloudFormation to create an Amazon Route 53 private hosted zone. You want to create a private hosted zone for the domain example.com. You want to create a private hosted zone for the domain example.com. You want to create a private hosted zone for the domain example.com. You want to create a private hosted zone for the domain example.com.

- A. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone.
- B. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone.
- C. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone.
- D. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone. Route 53 private hosted zone DNS records are stored in a private hosted zone.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 222

You are using AWS CloudFormation to create an Amazon EC2 instance. You want to create an Amazon EC2 instance with an Amazon EC2 instance profile. You want to create an Amazon EC2 instance with an Amazon EC2 instance profile. You want to create an Amazon EC2 instance with an Amazon EC2 instance profile. You want to create an Amazon EC2 instance with an Amazon EC2 instance profile.

- A. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile.
- B. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile.
- C. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile.
- D. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile. You can create an Amazon EC2 instance with an Amazon EC2 instance profile.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 223

A company has a large number of CSV files that are stored in Amazon S3. The files are organized into folders by date. The company wants to create a new application that can read the CSV files and process them. The application must be able to read the CSV files and process them in parallel. Which of the following is the best solution to meet these requirements?

- A. Create an Amazon EMR cluster and use it to process the CSV files. CSV files are stored in Amazon S3 and the EMR cluster can read the files and process them in parallel.
- B. Use AWS DataSync to copy the CSV files to an Amazon S3 bucket. Then, use the Amazon S3 bucket to process the files in parallel.
- C. Create an Amazon EMR cluster and use it to process the CSV files. CSV files are stored in Amazon S3 and the EMR cluster can read the files and process them in parallel.
- D. Use AWS DataSync to copy the CSV files to an Amazon Elastic File System (Amazon EFS) file system. Then, use the Amazon EFS file system to process the files in parallel.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 224

A company has a large number of CSV files that are stored in Amazon S3. The files are organized into folders by date. The company wants to create a new application that can read the CSV files and process them. The application must be able to read the CSV files and process them in parallel. Which of the following is the best solution to meet these requirements?

- A. Solution Architect can use Auto Scaling to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.
- B. Auto Scaling can use Default Cooldown and Health Check Grace Period to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.
- C. Kinesis CloudWatch can use Auto Scaling to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.
- D. Kinesis can use Auto Scaling to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.
- E. The company can use Amazon S3 to store the CSV files and use Amazon EMR to process the files in parallel.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 225

A company has a large number of CSV files that are stored in Amazon S3. The files are organized into folders by date. The company wants to create a new application that can read the CSV files and process them. The application must be able to read the CSV files and process them in parallel. Which of the following is the best solution to meet these requirements?

- A. AWS Lambda can use Amazon API Gateway to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.
- B. Amazon Redshift can use Amazon QuickSight to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.
- C. Amazon S3 can use Amazon Athena to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.
- D. Amazon Kinesis Data Analytics can use Amazon API Gateway to create a fleet of Amazon EC2 instances that can read the CSV files and process them in parallel.

Answer: D ([LEAVE A REPLY](#))

D. EBS .

Answer: ([SHOW ANSWER](#))

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ComponentsAMis.html>

NEW QUESTION: 231

[illegible]

A. ☐☐☐ ☐☐ ☐ DynamoDB ☐☐☐☐ ☐☐ ☐☐ ☐☐

B. DynamoDB Accelerator(DAX)

C. DynamoDB □□□□□□ □□ □□ AZ □□ □□□

D. ☐☐☐☐ ☐☐ ☐ DynamoDB Auto Scaling ☐ ☐☐☐☐.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 232

□□□ □□□□ □□□ □□□□□□□□ □□□ □□□ □□□□. □ □□□ □□□ □□□ □□□□□□ □□□□ □□□
 □ AWS□ □□□□□□□□ □□□. □□□□ □□ □□ □□ □□□□ □□ □□□ □ □□□ □□□.
 □□□ □□ □□□ □□□ □□□ □ □□□□?

A. □□□ □□□ □□□□ AWS Storage Gateway□ □□□□ □□□□ □□□ □□□□□. Storage Gateway□ □□□□ □
□□□ □□ □□ □□□□ Amazon S3□ □□□□□□ □□□□□.

B. □□□ □□□ □□□□ AWS Storage Gateway□ □□□□□. Storage Gateway□ □□□□ Amazon S3□ □□□□ □□
□□ □□□ □□ □□□□□ □□□ □□ □□□ □□□□ □□□ □□□□□.

C. Amazon S3 Glacier Vault ☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐. ☐☐☐☐ ☐ ☐☐☐☐ ☐ ☐☐☐☐

☐.

[illegible]

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 233

□□□ □□□ □□□□ □□ □□□□ □□ HTML □□□□ □□□□ □□□□□ □□□. □ □□□□ □ □□ □□□□□□
 □□□ □□ □□□□ □□□ □□□ □□□□□. □□□ Amazon S3 □□□ □□□□□. □□□ □□□□ □□□□□ □□□
 □ □□□ □□□□□□□. □□□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□□ □□□□?

A. □□□ □□ □□ □□□ URL □□

B. ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

C. Amazon Route 53

D. S3 ☐☐☐ ☐☐☐☐☐ ☐☐ Amazon CloudFront ☐☐

Answer: D (LEAVE A REPLY)

11

Amazon S3 ☐☐☐, MediaPackage ☐☐ ☐ ☐ ☐☐ ☐☐ ☐ ☐☐ ☐ ☐☐ Amazon S3 ☐☐ ☐☐ ☐☐
☐☐ Amazon S3 ☐☐☐☐ ☐☐ CloudFront ☐☐ Amazon S3 ☐☐☐ ☐☐☐☐☐☐☐. Amazon S3 ☐☐ ☐☐☐☐

□□ □□(□: Amazon S3 □□, API □□ □□ □□)□ □□□□ Amazon S3□ □□□ □□□ □ □□□□. □□ Amazon S3 □□□ □□□□□ □□□ □□□ □□□□ □□□ □□□ □ □□□□.

□□ Amazon S3 □□□ CloudFront □□□ □□□ □□□□ □□□ □□□□ □□□□. □□ Amazon S3 □□□□ Amazon S3 □□□ □□□□ □□□□ □ □□□□ □□ □□□ □ □□□□. □□□ □□□ □□□□ □□ Amazon S3 □□□ □□□ □□.

□□□□ □□ □ □□□ □□□□□□ □□□ Amazon S3 □□ □□ □ □□□ □□□□□□ □□□ Amazon S3 □□□ CloudFront□ □□□□ □□□ □□ □□□□□ □□□ □ □□□□.

CloudFront □□□ □□□ □ □□□□ □□□ Amazon S3 □□ □ □□□ □□□ □□□□□□ □□□□□□. □ □□ Amazon S3 □□□ □□ □□ □□ □□ □ □□□ □□□ □□ □□□□□□. □□ □□:

<http://bucket-name.s3-website-region.amazonaws.com>

Amazon S3 □□ □ □□□ □□□□□□ □□□ □□ □□□ □□□ Amazon Simple Storage Service □□□ □□□□ □ □□ □ □□□□□□ □□□□□□.

□ □□□ □□ □□□ □□□□□ □□□□ Amazon S3 □□□□ □ Amazon S3 □□□ □□ □□ □□□ □□□ □ □□□ □. Amazon S3 □□□ □□ □□□ □□□ Amazon S3 □□□□ □□□□□□.

Amazon S3 □□□ CloudFront □□□ □□□ □□□□ □□□□ □□□□. □□□ □□ □□ □□□ □ □□□ □□ Amazon S3 □□□ □□□□□.

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/DownloadDistS3AndCustomOrigins.h>

NEW QUESTION: 234

□□ □ □□□□ Amazon Elastic Block Store(EBS) □□□ □□ □□□□ □□ □□ □□ □□□□□? 2□□ □□□ □□□□ □

A. □□ □□□□ □□□ □□ □□

B. □□□□ □□□□ □□□□□□.

C. □□ □□□ □□□□ □ □□□□.

D. □□ □□□ □□□□ □ □□□□.

E. □□ Amazon EBS □□ □□□□ □□□

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 235

REST □□ □□ □□□ HTTP □□(□: GET □□ POST)□ □□ □□ API□ □□□□ Action □□ Operation□□□ □□□□ □ □□□□ HTTP □□ HTTPS □□□□□.

A. □

B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 236

□□□□□ □□□□□(□□□□□ □□□) □□□□□ □□□□ □□□ □□□?

A. □□□□ □□□ □ □□□ □□□ □ □□

B. □□□ □□

C. □□□□ □□□□□

NEW QUESTION: 242

000 000?

- A. Amazon "Iceberg" 0 000000. 000 0000 0000000.
- B. EC2 000000 "00"00 000 0000 000 0 00 00 000000.
- C. 000 00 0 000 00 0000 000 00 000000 0000 000 0000 0000000.
- D. EBS 000 "00"00 000 0000 000 0 00 00 000000.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 243

Solutions Architect 0 0000 00 00000000 0000 000 0000 0000. 00000000 Amazon EC2 00 000000. 0000 00 0 000 0000 000000000 00000000 00000000 00000000 00 00 00 I/O 00 000 000000.

00 00 000 0000 000 00 000 000000?

- A. RAID 0 0 0000 00 Amazon EBS 000 000 000000
- B. Amazon S3 0000 0000 00 0000 0000 Amazon S3 0 0000000 000 00 000000 00
- C. Amazon DynamoDB 0 0000 0000 000 0000000 00 000 0000000000.
- D. Amazon Elastic File System(EFS) 0 0000 00 0000 000 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 244

000 00 0000 000 00 0 000 00 0000 0000000 000 00000000 00 000 Amazon 000 00 000000 000000?

- A. 00 0 00
- B. 00 00 0000.
- C. Amazon 0000 0000
- D. 000 EBS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 245

000 0000 000 00 0000 00 000 0000 00000000 0000 00000.

000000 00 0000 0000 000 000000.

00 000 00 000 0000?

- A. Amazon ElastiCache
- B. 000 RDS
- C. 000 S3
- D. 000 EFS

Answer: ([SHOW ANSWER](#))

<https://aws.amazon.com/caching/session-management/>

NEW QUESTION: 246

□□□ □□□ □□□ 3□□ VPC(Dev, Test □ Prod)□ □□□ AWS □□□ □□□□. □□□□ Prod□ Dev □□□ □□□□ □□. □□ VPC□□ □□□ □□ CIDR □□□ □□□□. □□□ □□ □□□ □□□□ □□ Dev□□ Prod□ □□□ □□ □□ □□ □□□□□ □□□. □□ □ □□□ □□ □□□□ □ □□□ □□ □□□ □□□□□?

- A. □ □□ □□□□□□ Dev□ □□□□□. □□□□□□ □□□□ □□□□ □ □□□ Prod □□□ □□□□ □□□□□.
- B. □□□ □□□ □□□□ □□□□ Dev □□ □□□□□ Prod□ □□ □ □□□ □□□□.
- C. □□□ □□□ □□ Prod□ Dev □□ □ □□□ □□□ □□□□.
- D. VPC□□ □□□ □□□ □□□ □□ CIDR □□□ □□□□. □□□ □□□□□ □□ VPC□ □□ □□ □□□ □□□□ □ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 247

□□□ □□□ AWS □□□□ □□□□□ □□ AWS□□ □□□□□□ □□□□ □□□□. □□ AWS □□ □□(□: □□□ □ ID/□□ □□□ □ □□)□ □□□□ □□□ □□□ □□ □□□ □□□□ □□□?

- A. AWS □□ □□□ □□ Multi-Factor Authentication□ □□□□□□.
- B. Amazon EC2 □□□□□ IAM □□□ □□□□□.
- C. AWS □□□ □ ID/□□ □□□ □ □□□ □□□□□ □□□ □□□□□.
- D. Amazon EC2 □□□□□ IAM □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□: <http://docs.aws.amazon.com/IAM/latest/UserGuide/IAMBestPractices.html>

NEW QUESTION: 248

□□□□□□□□ □□ □□□□ □□□ Amazon DynamoDB □□□□ □□□□ □□□□. □□ □□□□□□ □□□□ □□□ □ □□ □□□ □□□□ □□□□.

□ □□□ □□□ □□□ □ □□□□?

- A. □□□□ □□□□□□ □□ □□□ □□□□.
- B. □□ □□□□ □□□□□ DynamoDB □□□□ □□ □□□□□.
- C. DynamoDB □□□□□ AutoScaling□ □□□□□□.
- D. □□□ □□□ □□□ □□□□□ □□□□□□□ □□□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 249

□□□□ □□□□ □□□ □□□□□ □□□□□ □□□ □ □□ EC2 □□□ □□□□□?

- A. □□□□ □□
- B. □□□□ □□ □□
- C. GPU □□
- D. □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

Amazon EC2 □□□□ □□ □□ □□□ □□□□ □□□□ □□□□□ □□□□ □□□ □□□□□ □□□□ □ □□□□.

□□:

<https://aws.amazon.com/ec2/faqs/>

NEW QUESTION: 250

□□ □ AWS Direct Connect □□□ □□□□ □□ □□□□ □□ □□□ □□□ □□□□□?

A. □□ □□□□□ □□

B. □□□ □□

C. □□ □□ □□

D. □□ □□□□□ □□

Answer: ([SHOW ANSWER](#))

□□ □□□ □□□□ AWS Direct Connect □□□ □□□ □ □□□□. 1□□: Amazon Web Services□ □□ 2□□: AWS Direct Connect □□ □□ □□ 3□□: □□ □□ □□(□□ □□) 4□□: AWS Direct Connect□ □□ □□ □□ □□ 5□□: □□ □ □□□□ □□ 6□□: □□□ □□□□ □□ □□ 7: □□ □□□□□ □□

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#connected>

NEW QUESTION: 251

□□□ □□□□ □□□ □□ □□ □□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□□□. □□□□ □□ □ 4□□ □ □□□ □□□ □□□□ □□□ □□□□□. □□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□□ □□ □□□ □ □□□ □ □□ □□□□ □□□□ □□ 1□ □□ □□□ □□□ □□□□□. □□□ □□□ □□□□ □□ □□□ Amazon EC2 □□□□□ □□□□ □□□?

A. □□ □□ □□□□

B. □□□□ □□□□

C. □□ □□ □□□□

D. □□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 252

ENI□ □□□□□ □□□□ □□ □□□□ '□ □□'□ □□□ □□□□□?

A. □□□ □□□□□ ENI□ □□□□□.

B. □ □□□ □□ □ □□□.

C. □□ □□□□ □ □□□□□ ENI □□

D. □□ □□ □□□□□ ENI □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 253

□□□ □□□□ 2□□ □□□ □□ □□□□□□□ □□□□ □□□□. □ □□ □□□ □□□□□ □□ □□ □□□□ □□□ □□ □□□□□ □□□. □ □□ □□□ □□□ □ □□ □□□□ □□□ □□ □□□□ □□□□□. □□□ □□□ □ □ □□ □ □□□□ □□□□□ □□□.

□□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□?

A. Amazon SQS □□ □□□□ □□ AWS Lambda □□□ □□□□□.

B. SNS □□□ □□□□ □□ □□□ □□ Amazon SQS □□ □□□□ □□□□□.

C. SNS □□□ □□□□ □□ □□□ □□ Amazon SQS FIFO □□□□ □□□□□.

D. Amazon SQS FIFO ☐☐☐ ☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 254

[illegible]

A. AWS ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐

B. □ □ □ □ □ □ □ □ IT □ □ □ □ □ □ IAM □ □ □ □ □ □ □ □ □ □ □ □ .

C. AWS □□ □□□ □□□□ □□ □□□ □□ AWS □□ □□ □□□□ □□□□□□□□.

D. ☐ ☐ AWS CloudTrail ☐ Amazon CloudWatch ☐ ☐ ☐ ☐ ☐ Amazon S3 ☐ ☐ ☐ ☐.

[illegible]

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 255

□□ □□□ □□ Amazon S3□ □□□ □□ □□□□ □□□□□□ □□□. □□□ □□□□□ □□ □□ □□□ □□□□□
 □□□ □□□ □□ □□□□□ □□□ □□□□□.
 □□ □ □□□ □□ □□□ □□□□ □□□ □□□□□□?

A. ASW CloudHSM

B. AWS Trusted Advisor

C. □□ □ □□□(SSE-S3)

D. □□ □ □□□(SSE-KMS)

Answer: ([SHOW ANSWER](#))

<https://docs.aws.amazon.com/AmazonS3/latest/dev/bucket-encryption.html>

NEW QUESTION: 256

□□□ □□□ □□□□□□□ □□ □□□ □□□□□ □□□□ □□ API □□□□□□ □□□□ □□□□. □□□ □□ □□
□ □□□□□? 2□□ □□□ □□□□□

A. API ☐☐ ☐☐

B. ☐☐ ☐☐

C. IP ☐☐☐☐☐

D. ☐ ☐ ☐ ☐ ☐

E. □□□ □□

Answer: A,E (LEAVE A REPLY)

11

API □□, □□, □□, □□□ □ □□□□

□□ □□□□□ □□□ □□ □□□ API□ □□□□ □□ □□□□ □□□ □□□□ □□□□ □□□□. □□ □□
□ □□ □□□□ □□ □□ □□□□ □□□ □ □□□ □□ □□□ □□□□ TTL(Time-to-Live)□ □□□ □ □□□□. □□
API□ □□□□ □□□ □□□□ □ □□□□. □ □□□ □□□ □□ □□□ □□□□ □□□□ □□□.

Settings

SDK Generation

Deployment History

Configure the metering and caching settings for the Prod stage.

Cache Settings

Enable API cache ☐

CloudWatch Settings

Enable CloudWatch Logs ☒

Enable CloudWatch Metrics ☐

Throttling Settings

Burst Limit

Rate

[Save Changes](#)

□□, □□, □□□□ □ □□ □□

AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ AWS-Solutions-Architect-Associate ☐☐! DumpTop ☐ ☐☐ **AWS-Solutions-Architect-Associate** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐. ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐☐☐☐ DumpTop AWS-Solutions-Architect-Associate ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 257

Route 53 ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐☐?

- [illegible]

Answer: (SHOW ANSWER)

□□□ □□□ Route 53□□ □□□□□ □□□ □□□ □□□ □□□ □□□□□.

C. AWS CloudHSM

D. AWS VPN CloudHub

Answer: D ([LEAVE A REPLY](#))

VPN connects two or more isolated networks over the Internet.

AWS VPN connects a VPN CloudHub VPC to a VPC or a VPN CloudHub VPC to a VPN CloudHub VPC.

VPN CloudHub VPC connects a VPN CloudHub VPC to a VPN CloudHub VPC.

URL: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPN_CloudHub.html

NEW QUESTION: 261

SSD (SSD) is a type of storage that provides high I/O performance. SSDs are used for applications that require high I/O performance.

SSD is a type of storage that provides high I/O performance. SSDs are used for applications that require high I/O performance.

A. SSD IOPS is

B. SSD IOPS is

C. SSD IOPS is

D. I/O performance is

Answer: C ([LEAVE A REPLY](#))

EBS SSD (SSD) is a type of storage that provides high I/O performance. SSDs are used for applications that require high I/O performance.

SSD is a type of storage that provides high I/O performance. SSDs are used for applications that require high I/O performance.

I/O performance is a type of storage that provides high I/O performance. SSDs are used for applications that require high I/O performance.

URL: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ebs-workload-demand.html>

NEW QUESTION: 262

Amazon RDS is a managed database service that provides high availability and scalability.

A. Amazon RDS

B. Amazon EMR

C. Amazon VPC

D. Amazon S3

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 263

Solutions Architect Amazon EC2 is a managed service that provides high availability and scalability.

[illegible]

□□□ □□ □□□ □□□□ AWS □□□ □□ □□□ □□□ □□□□□?

A. Classic Load Balancer ☐ AWS CloudTrail☐ ☐☐ AWS Auto Scaling

B. Amazon Route 53, Application Load Balancer ☐ ☐ ☐ Auto Scaling ☐ Amazon CloudFront

C. VPC, NAT ☐☐☐☐☐ ☐ Network Load Balancer ☐ ☐☐ Auto Scaling

D. CloudFront, Route 53 ☐ **Classic Load Balancer** ☐ ☐ ☐ **Auto Scaling**

Answer: B (LEAVE A REPLY)

11

<https://aws.amazon.com/blogs/startups/how-to-accelerate-your-wordpress-site-with-amazon-cloudfront/>

NEW QUESTION: 264

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

A. Amazon SQS □□□□ □□□□ □□□□ □□□□□. AWS Lambda □□□ □□□□ □□□ □□ Amazon Redshift□ □
□□□ □□□□□.

B. Amazon Kinesis Data Streams □ □□□□ □□□□ □□□□□. AWS Lambda □□□ □□□□ □□□ □□ Amazon Redshift □ □□□□ □□□□□.

C. Amazon Kinesis Data Streams □ □□□ □□□□ □□□□□. AWS Lambda □□□ □□□□ □□□ □□ Amazon DynamoDB □ □□□□ □□□□□.

D. Amazon SOS □□□□ □□□□ □□□□ □□□□□. AWS Lambda □□□ □□□□ □□□ □□ Amazon DynamoDB□
□□□□ □□□□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 265

Amazon Elastic File System(EFS) □ □□ □□□ □□ NFS(Network File System) □□□□□ □□□ □□□□. Amazon Elastic Compute Cloud(EC2) □□□□□ □□ Amazon EC2 □□□□□ □□ □□□□□ □□□ □□ □□□ □□□□ □ □ □ 3□□ □□□□.

□□ □ □□ □□□ □□□□ □□□ □□ NFS □□□ □□□□□ □□ □□□ □□□ □□□□?

A. □□ □□□ □□□□□□□ noac □□□ □□□□ □□ □□□□ □□□ □□□□□ □□ □□□□□□□□.

B. □□□□□ □□□ □□□ □ □□ □□□ □□ □□□□.

C. IP .

D. Amazon EC2 ID .

Answer: A (LEAVE A REPLY)

□□□ □□ NFS □□□□□ □□□ □□□ □ Amazon EC2 □□□□□ □□ Amazon EC2 □□□□□ □□ □□□□□ □□
 □□ □□ □□□ □□□□ □ □□ 3□□ □□□□. □ □□□ □□□□□ □□□□ □□ □□ Amazon EC2 □□□□□ NFS
 □□□□□□ □□□□□ □□□□□ □□ □□ □□ □□□ □□□□□□ □ noac □□□ □□□□ □□ □□□□ □□□ □□

□□□ □□ □□□□□ □□□. □□ □□□ NFS □□□□□ □□□□ □□□□□ □□ □□□□ □□ □ □□ □□ □□□
□. □□□ □□□ □□ □□ □□□ ACCESS □□□□ □□□ □□□ □□□.

<http://docs.aws.amazon.com/efs/latest/ug/troubleshooting.html#custom-nfs-settings-write-delays>

NEW QUESTION: 266

□□□ □□□□ □□□□□ □□□ □□□□ □□ □ □□□□ □□□ □ □□□□□□ □□ □□□□ □□□□□ □□□□
□□□□. □□ □□□□□□ □□ □□□ AWS □□□□ □□□□□.
□□ □□□□ □□□ □□□□ □□□□□ □□□ □□□□□ □□□□ □□□ □□□□□ □□ □□□ □□□□ □□□. □
□ □□□□□ □□□□□□ □□□□ □□□ □ □□□ □□□.
□□□ □□□□ □□ □□□□□ □□ □□□ □□□□ □□□?

- A. Amazon CloudFront □ □□□□ Amazon S3
- B. Amazon ElastiCache □ □□□ AWS Storage Gateway
- C. Amazon CloudFront □ □□□□ Amazon Elastic Block Store(Amazon EBS) □□
- D. Amazon ElastiCache □ □□□ Amazon S3 Glacier

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 267

□□□□ □□□□ □□□ □□□□ □□□□ □□□ □□ Amazon EC2 □□□□□ □□□□. □□□ □□□□□ Amazon S3
□□ □□□□□ □□□ □□□□ □□ □□ □□□□□□□ □□□□□□. □□ □□□ □□□□ NAT □□□□□□ □□ □
□□□□ □□□ □□ □□□□ □□□□□. □ □□□ Amazon S3 □□ □□ □□□□ □□□□ □□□□□□□ □□□ □□
□ □□ □□□□ □□ □□□ □□□□□□ □□□.

□□□ □□□□ □□□ □□□□□ □□ □□□ □□ □□□?

- A. VPC □□□ AWS Lambda □□□ □□□□ S3 □□□ □□□□□. IAM □□□ EC2 □□□□□ □□□□ Lambda □□□
□□□ □ □□□ □□□.
- B. □□□ □□□□□ □□ □□□□ □□□ □□□□□ □□□□□ □□□ □□□ □□□□ S3 □□□□ □□□□□ □
□□□ ACL □□□□
- C. □□ NAT □□□□□□ □□□□□. NAT □□□□□□ □□□□□□ □□□ □□□ □□□□ S3 □□□□ □□□□□ □
□□□ ACL □□□□
- D. Amazon S3 □ VPC □□□□□ □□ □□□□□ □□□ □□□□□ □□ VPC □□□□□□ □□□□ □□□□□ □□□
□□□□ □□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 268

□□□ Amazon EC2 □ □□□□ □ □□□ □□ □□□□□ □□□□ □□□□. □□□ □□ □□□□□ □□ □ □□□□ □
□ □ □□ □□□□ □□□□ □□ □□□□□. □□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□□□.

□□ □□□□ □□ □□□ □□□□?

- A. □□□□ □□□□
- B. □□ □□□□
- C. □□ □□□□
- D. □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 269

□ □□□ □□ □□□ □□□ □□□□ □□□□ □□ □□□□□ □□□□□□. □ □□□ Amazon CloudFront □ □
 □□□□ □□□ Amazon EC2 □□□□□ □□ □□□□ □□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□.
 □□□□ □□□□ □□□□□□□□ □□□□□□ □□□ □□□□□□ □□□□□ □□□□□□ □□□□□?

- A.** CloudFront □ Amazon S3 Transfer Acceleration □ □ □ □ □ .
- B.** □ □ □ □ □ □ □ □ □ □ □ □ □ □ EC2 □ □ □ □ □ □ □ □ □ □ □ .
- C.** □ □ □ □ □ □ □ □ EC2 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ .
- D.** CloudFront □ Lambda@Edge □ □ □ □ □ .

Answer: D (LEAVE A REPLY)

NEW QUESTION: 270

Solutions Architect ☐ Amazon EC2 ☐☐☐☐☐☐ ☐☐☐☐ ☐ ☐☐☐☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐. ☐☐☐☐☐☐☐☐
DynamoDB ☐ ☐☐☐☐ ☐☐☐☐☐. ☐☐☐☐ DynamoDB ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐.
AWS ☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐? (2☐☐ ☐☐☐☐☐.)

- A.** Dynamo DB ☐☐☐☐ ☐☐ ☐☐ Amazon EC2 ☐☐☐☐☐☐ ☐☐ ☐☐☐☐.
- B.** IAM ☐☐☐☐ Amazon EC2 ☐☐☐☐☐☐ ☐☐☐☐.
- C.** DynamoDB ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ IAM ☐☐☐ ☐☐☐☐.
- D.** Amazon EC2 ☐☐☐☐☐☐ IAM ☐☐☐ ☐☐☐☐.
- E.** Amazon EC2 ☐☐☐☐☐☐ IAM ☐☐☐ ☐☐☐☐.

Answer: C,D (LEAVE A REPLY)

11

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/authentication-and-access-control.html>

NEW QUESTION: 271

❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿ EC2-classic ❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿
 ❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿ EC2-Classics ❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿
 ❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿?

- A.** □□□ □□□ □□ □.
- B.** □□ □□ □□□□□ □□ □□ □□□ □□ □□
- C.** □□ □ □□ □□ □□□□ □□ □□ IP □□□ □□□□□ □□□□□.
- D.** □□□□ □□□□□□ □□□□ □□ □□□ □□□□ □□□□□□ □□□□□ □□□□□.

Answer: (SHOW ANSWER)

EC2-Classic ☐ ☒ VPC☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

1. 配置目的: 通过配置ACL, 限制特定IP地址访问特定端口。

http://media.amazonwebservices.com/AWS_Cloud_Best_Practices.pdf

AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ AWS-Solutions-Architect-Associate ☐☐! DumpTop ☐ ☐☐ **AWS-Solutions-Architect-Associate** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐. ☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐☐☐☐ DumpTop AWS-Solutions-Architect-Associate ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 272

□□□ □□□ □□□□ □□□ □□ Amazon Virtual Private Cloud(Amazon VPC)□ □□□□□□. □□□ □□□□ VPC□ □
□□□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□ □ □□□□. □□ □ □ □□□□ AWS □□□ □□□ □□ □□□
□ □□ □□ □□□□□?

- A.** `aws kms create-key --key-length 256 --key-usage EncryptDecrypt`
- B.** `aws kms create-key --key-length 256 --key-usage Encrypt`
- C.** `aws kms create-key --key-length 256 --key-usage Decrypt`
- D.** `aws kms create-key --key-length 256 --key-usage EncryptDecrypt --key-spec CloudHSM`

Answer: A (LEAVE A REPLY)

1. VPC IP 10.0.0.0/24. 2. 10.0.0.0/24 AWS VPC 10.0.0.0/24. 3. 10.0.0.0/24 10.0.0.0/24 10.0.0.0/24. 4. 10.0.0.0/24 AWS VPC 10.0.0.0/24 10.0.0.0/24 ACL(10.0.0.0/24) 10.0.0.0/24 10.0.0.0/24 10.0.0.0/24.

☐☐: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Introduction.html

NEW QUESTION: 273

□□ □ □□ □□□ □□ □□□ □□□ □ □□ IAM □□ □□□ □□□□□?

- A.** ☐☐ ☐☐
- B.** ☐☐ ☐☐
- C.** ☐☐
- D.** NotAction

Answer: D (LEAVE A REPLY)

NotAction □□□ □□□□ □□ □□□ □□ □□□ □□□ □ □□□□.

□ □ :

http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage_ElementDescriptions.html

NEW QUESTION: 274

EC2 □□□□□□ □□□□□ □□□□□□□ ELB□□ HTTP □□□ □□□□□. □□□ □□□□
3□□ IP □□□ □□ X-Forwarded-For □□. □ □□□ □□□ □ □□□□ IP□ □□□□□?

- A.** □□ □□ IP □□□□□.

D. □□ □□□ IP □□□□□.

Answer: C (LEAVE A REPLY)

□□□□ HTTP/HTTPS □□ ELB □□□ □□ □ □□□□□ □□ □□ □□□ ELB □ IP □□□□□. ELB □ EC2 □□ □□□ □□□□□ □□ □□□ □□□□□□ □□□□□. □□□□□ IP □□□□□ □□□ X-Forwarded-For □□□ □□□ □□□. □□□□□ IP □□□

X-Forwarded-For □□ □□ □□□ □□□ □□ □□□□ □ □□ □□□□ IP □□□ □□□. □□□ IP □□□ □□□ □□□ □□□□□ □□□□ IP □□□□□. □□ □□ HTTP □□□ □□ □□□□ □□□□ □ □□ □□□ □□ □□ □□□ □ IP □□□ □□ □□ □□□□ □ □□ □□ □□□□ IP □□□ □□□□□. □□□ □□ X-Forwarded-For □□ □□□ □□ □□□ □□□□.

X-Forwarded-For: clientIPAddress, previousRequestIPAddress, LoadBalancerIPAddress.

□ □ :

<http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/TerminologyandKeyConcepts>.

HTML

NEW QUESTION: 275

□□ □□□□ □□ □□ □□ □□□□ □□□□□. □□□□ 80%□ Amazon RDS □□ AZ □□□□□□ □□ □□□ □□ □□ □□□□□□.

□□□□□□ □□□ □□ □□□ □□□ □□□ □ □□□□?

A. RDS ☐☐☐ **Amazon ElastiCache** ☐☐

B. Amazon Redshift ☐☐☐☐☐ ☐☐

C. Amazon DynamoDB

D. RDS ☐☐☐ **Amazon CloudFront** ☐☐

Answer: (SHOW ANSWER)

NEW QUESTION: 276

□□□□ □□□□ □□□□□ □□ □ □□ □□□□ □□ □□□□. □□ □□□□□ □□□ □□□□ □□□ □□
□□□ □ □□ □□□ □□□ □□□□□. □□□□ □□ □□□ □□□□ AWS □□□□ □□□□□?

A. Amazon Kinesis Firehose

B. Amazon CloudFront

C. Amazon Kinesis ☐☐☐

D. ☐☐☐ SQS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 277

Amazon RDS □□ □□ □ DB □□□□ □□ □□□□ □□□□ □□□□ □□□□□.

A. ☐ ☐ ☐ ☐

B. InnoDB

Answer: B (LEAVE A REPLY)

NEW QUESTION: 278

□□□□□□ □□ □□□ □ □□□□ □□ □□□□ AWS□ □□□ □ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □□□ □□□□□ □□□□□ Auto Scaling□ □□□□□□. □□□ □□□□□□□ AWS□□ □□□□ □□□□ □□ □□ □□□□□ □□ □□□□□ □□□ □□□ □□□□□ □□□ □□ □□ □□ □□□□ □□□ □□□□ □□□□. Auto Scaling□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□□□ □□□□□□?

- A. □□□□□ □□□□ □□□□ □□□□ □□ □□□□□□. AWS□ □□ □□ □□□□ □□□□ □□□.
- B. □□□ □□□ □□ □□ □□ □□ □□□□ □□□ □ □□□□.
- C. □□□ □□ □□ □□□□ □□□ □ □□□□□ □□ □□□ □□□□□ □□ Cloud Watch□ □□ □ □□□□.
- D. □□ □□ □□ □□□□ □□□ □□ □□□□□ □□ □□□ □□□□□ Cloud Watch□ □□ □□ □ □□□ □□ □□ □ □(□□□□ □□) □□□□□ □□□□□.

Answer: C (LEAVE A REPLY)

Auto Scaling□ □□□ □□□□□ □□ □□□□□ □□ □□□ □□□□ □□□ □□□ □□□□□ □□□□□. □□ □□□ □□□ □□ □□□ EC2 □□□□ □□ □□ □□□ □□□□ □□□□□ □□□ □□□□□. Auto Scaling □□□ □□ □□ □□□□ □□□□ □□ □□□□□ Elastic Load Balancing □□ □□ □□□ □□□□□ □□□ □ □□□□.

Amazon EC2 □□ DescribeInstanceStatus□ □□ □□□ □□ □ □□□ □□ □□□ □□□□□ □□□ □□□ □□□ □□ □ □□□□□ Elastic Load Balancing □□ DescribeInstanceHealth□ □□ □□□ □□□□ □□ □□□ OutOfService□ □□ □□ □□ Auto Scaling□ □□□□□ □□□□□ □□□□□.

Amazon EC2 □□ Elastic Load Balancing □□ □□□□ □□ □□□□□ □□□□□ □□□ □ □□□ □□□□□. □□ □□□ □□□□□ □□ □□ □□ □□□□ □□□ □□ □□□□□ Auto Scaling□□ □□ □□□□□ □□ □□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □□□□.

□□: <http://docs.aws.amazon.com/AutoScaling/latest/DeveloperGuide/healthcheck.html>

NEW QUESTION: 279

□□□□ 2□□ □□ □□□ □□□□ □□ 3□□ □□□□□ □□□□. □□□ □□□ □□ □□□□ □ □□□□ □□□□ □ □□□□□□□□. Solutions Architect□ □□ □□□ □□ □□□ □□□ □□□□ □ □□□□ □□□ □ □□□ □□□□ □ □□□□. □□□ Solutions Architect□ "□□□□ □□ □□" □□□ □□□□ □□ RESTful API □□□ □□ □□□□ □□□□ □□ □□ □ □□□ □ 50%□ □□□□ □□□□. □□□□□ API □□□ Amazon EC2 NAT □□□□□ □□ □□□□□□□. □ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□□ □□□ □ □□□□?

- A. □ □□□□ □□□□ ACL□ □□□□□ □ □□□□ □□□□ □□□□. □□□□ ACL□ □□ □□□□ IAM□ □□ □□ □□□□ □□□□ □□□.
- B. □□□ NAT □□□□□ □□□□□□□□□□. □ EC2 NAT □□□□□ □ □ □□□ □□□□□ □□□□ □ □□□□ □□□ □□ □ □□□ □□□□ □□□.
- C. □□ □□□ □□□ □□□□. □□□ □□□□ □□□ □□□□ □ □□ □□ □□□ □□□□ □□ □□□ □□□□□□.
- D. NAT □□□□ □ □□□ □□□□□□□. EC2 NAT □□□□□ NAT □□□□□□□ □□□□ □□ □□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 280

□ □□□ □□ □□□□□ □□□□ □□□ □□□□ □□□□ □□□□ □□□□□. □□□□□□□ □□□ □□□ □□ □ □□ □□□□□ □□ □□ □□ □□ □□□□ □□□ □□□□ □□□□ □□□□ □□□. □□□ □□□□□□□ □□□ □□□□□□.

* □□□□ □□□□ Auto Scaling □□□□ □□□□ Amazon EC2 □□□□

* □□□□ □□□□□□ □□□□ □□□□ □□ □□□

[illegible]

- Answer: ([SHOW ANSWER](#))**

CloudFormation JSON 5 6 AWS ?

- Answer: B (LEAVE A REPLY)**

☐☐: <http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/stacks.html>

VPC□ □□□□□ □□ □□□□□□ □□□ □ □□ □□ □□□□ □□□□ □□ □□□□ □□□□□□ □□ □□□
□□ □□□ □□□ □□ □□□□.

- Answer: C (LEAVE A REPLY)**

<http://docs.aws.amazon.com/AmazonVPC/latest/NetworkAdminGuide/Introduction.html>

NEW QUESTION: 283

Which of the following storage options is the most cost-effective for storing large amounts of data that are rarely accessed?
 Which of the following storage options is the most cost-effective for storing large amounts of data that are rarely accessed?
 Which of the following storage options is the most cost-effective for storing large amounts of data that are rarely accessed?
 Which of the following storage options is the most cost-effective for storing large amounts of data that are rarely accessed?

- A. Amazon EBS
- B. Amazon EFS
- C. Amazon S3
- D. Amazon Glacier

Answer: D (LEAVE A REPLY)


NEW QUESTION: 284

A company is using Amazon Route 53 to route traffic to its web application. The application is hosted on Amazon EC2 instances in a single Availability Zone. The company wants to ensure high availability and fault tolerance for its web application. Which of the following configurations should the company use to achieve this goal?
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.

- A. Configure Route 53 to route traffic to multiple EC2 instances in multiple Availability Zones.
- B. Configure Route 53 to route traffic to multiple EC2 instances in multiple Availability Zones. Configure Elastic Load Balancing to distribute traffic evenly across all instances.
- C. Configure Route 53 to route traffic to multiple EC2 instances in multiple Availability Zones. Configure Amazon ElastiCache for caching.
- D. Configure Route 53 to route traffic to multiple EC2 instances in multiple Availability Zones. Configure Amazon CloudWatch for monitoring.
- E. Configure Route 53 to route traffic to multiple EC2 instances in multiple Availability Zones. Configure Amazon CloudWatch for monitoring. Configure Amazon ElastiCache for caching.

Answer: B,E (LEAVE A REPLY)

A company is using Amazon Route 53 to route traffic to its web application. The application is hosted on Amazon EC2 instances in a single Availability Zone. The company wants to ensure high availability and fault tolerance for its web application. Which of the following configurations should the company use to achieve this goal?
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.
 Route53 should be configured to route traffic to multiple EC2 instances in multiple Availability Zones. The instances should be configured to use Elastic Load Balancing to distribute traffic evenly across all instances. The instances should be configured to use Amazon ElastiCache for caching. The instances should be configured to use Amazon CloudWatch for monitoring.




Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set. If the health check fails, the resource record set is marked as failed.

Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set. If the health check fails, the resource record set is marked as failed.

Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set.

Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set. If the health check fails, the resource record set is marked as failed.



Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set.

Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set. If the health check fails, the resource record set is marked as failed.

Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set. If the health check fails, the resource record set is marked as failed.

Amazon Route 53 evaluates the health of the resource record sets that are associated with a latency alias resource record set.

☐ ☐ ☐ ☐ ☐ ☐ Evaluate Target Health ☐ No ☐ ☐ ☐ ☐ ☐.



Evaluate Target Health ☐ ☐ us-east-1 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ No ☐ ☐ Amazon Route 53 ☐ ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐. ap-southeast-2 ☐ ☐
☐ ☐ ☐ ☐ ☐.

□□□ □□ EC2 □□□□□ □□□ MySQL □□□□□□□ □□□□□ □□□□□□□□ □□□□. □□□□□□ □□□ □□
□ □□□□ □ □□ □□ □□ □□□□□□□ □□□□□□□. □ □□□ □ □□□ □□□□□ □□□□ □□□□□□ □□
□ □□□□□ □□□ □□□□□□□ □□□□ □ □□ □□ □□□ □□□□ □□ □□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 288

□□□ □□□□□ □□□□ □□□ □□ □□□□ □□□□ □□□□. □□□□ □□□□ MP4 □□□□ □□ □□□□□□. □□□□ □□ □□□ □ □□□ □□□□ □□□ □□□□ □□□□ □□ HTTP □□□ □□□□(HLS) □□□□□ □□□ □□ □□□□ □□□□□. □□□□ □□□□ □□□ □□□□□ □□ □□□ □□□ □□□□ □□□ □□□□ □ □□ □□□ □.

□□□ □□□ □□□□□ □□□ □□□□□ □□□□ □□ □□ □□□□ □□□□□ □□□□ □□□ □□□□□?

- A.** □□□ □□□□ □□ SOS□ □□□□ □□□ □□□ □□ □□ □□□□ □□ Auto Scaling□ □□□□ EC2□□ □□□ □□□ □□□□□ □□□□□ CloudFront□□ □□ □ □□ □□□ □□ □□□□ □□ □□□ □ EBS □□□□ □□ □□ E8S □□ □□□ EC2□□ HLS □□□□□□ □□□ □□
- B.** □□ □□□□ MP4 □□□□ HLS EBS □□□□ □□□□□□□ Elastic Transcoder□ □□□□ □□□□□ EBS □□□□ □□ □□ □ □□ rues□ □□ □□□□□. CloudFront□ EC2□□ HLS □□□□□□ □□□□ □□□□□.
- C.** SQS□ □□□□ □□□ □□□□ Auto Scaling□ □□□□ EC2□□ □□□□ □□□ □□□□□ □□□□□□ □□□□ □□□ □□ □ □□ □□□ □□□□ Auto Scaling□□ □□ □□ □□□ □□□□ □□□□□ □□ □ CloudFront□□ □□ □□□ Glacier□ □□□□□. Glacier□□ HLS □□□□□ □□□ □□
- D.** □□ □□□□ MP4 □□□□ HLS S3□ □□□□□□□ Elastic Transcoder□ Utecycle Management□ □□□□ □□□□ □ □□ □ □□ □□□ □□□□□ CloudFront□□ S3□□ HLS □□□□□□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 289

IAM □□□ □□□ GROUP□ □□□□ □□□□□.

- A.** GROUP□ □□□ □□□ □□ EC2 □□ □□□□□.
- B.** AWS □□ □□
- C.** IAM□□ GROUP□ □□ USERS□ RESOURCES□ □□□□.
- D.** □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 290

□□□ Amazon EBS □□□□□ □□ □□ m4.2xlarge Amazon EC2 □□□□□□ □□□ □□□□ □□□□□. EC2 □□□□□ □ □□□ □□ □□□ Oracle □□□□□□□ □□ □□□□□. 12□□□□□ EBS □□□ □□□□ □□□□ □□□ □□□ EC2 □□□□□□□ AMI□ □□□□□. EC2 □□□□□ □□□ □□ □□□□ □□ □ □□□ □□ □□ □□□ □□□□□□. □□ □□□□□ AMI□□ □□□□□ □□□□□□ EBS □□□□ □□□ □□□□□□ □□□ □□ 8□□ □□□ □□□□ □□□□□□□. □□□ □□□□ □□ □□ □□□ □□□□□ □□□□ □□ □□□□ 4□□ □□ □□□□□□□. □□□□□ □□□□□ □□□ □□ □□□□ □□□ □□□□ □□□ □□□□□?

- A.** Elastic Load Balancer/Application Load Balancer □□ m4.2xlarge EC2 □□□□□□ □□□□□□□ □□□□□. □□ 1□ □ □□□□ □□ □□ □□ □□□ □□ Auto Scaling □□□□ EC2 □□□□□ □□□□□. □□□□□□□ Amazon RDS Oracle □□ AZ DB □□□□□ □□□□□□□□□□.

- A. ☐
- B. ☐ ☐
- C. ☐ ☐ ☐
- D. ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 294

□□□ Amazon EC2□□ □□ □□□□□□□ □□□□ □□□□. □ □□□□□□□ □□ □□□□□ □□ □ □□□□□. □□ □□□□□□□ □□ AWS □□□ □□□□□ □□ □□ □□ □□□□(VPC)□ □□□□□. □□□ □□□ □ □□ □□ □□ □□□ □□□□ □□□ VPC□ □□□□□.

□□□□ □□□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□□□□ □□ □ □□□□□□□. □□□ □□□□ □□□□ □□□ □□□□ □□□□ □ □□□ □□□□□ □□ □□□□□□□ □□□□ □□□ □□□ □□□ □□ □□□.

□□□ □□ □□ □□ □□□ □□□□ □□□ □□□□□?

- A. □ □□□□ □□ □□ □□ □□□□ □□□□ □□ □□ □ □ □□□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □.
- B. □□□□□ □□ □□□ □□□□□. □ □□□□ □□□ □□□□ □□ □□□□□ □□□ □ □□□ IAM □□□ □□□□ □.
- C. □□□□□ AWS □□□ □□□□□. □ □□□□ □□□□□ □□ □□□□ □□□□ □□□□ □□ □□□□ □□□ □□ □□ □ □□□ □□□□□□ □□□□□.
- D. □□□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□□ □□□ VPC□ □□□□. □□□□ ACL□ □□□□ □ VPC□ □□ VPC□ □□□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 295

□ □□ □□: IAM□ □□□□ RDS □□□□ □□ □□□□ □□□ □ □□□ □ □□ □ □□□ □□□□□ □□□□□. □□ □□ aws:CurrentTime□ AWS:currenttime□ □□□□ □□□□.

- A. ☐
- B. ☐

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 296

□□□□ EBS □□ EC2 □□□□ 2□□ ELB□ □□□□□□. □□□□ ELB□ □□ DNS □□□ □ IP □□□ □□□□□ □ □□. □□ □□□ □□ □ □□□□ ELB□□ □□□□ IP □□□□□ □□□□ □ □□□ □□ □□ □□ □□□□□?

- A. □□□□□□ Dualstack□ □□□□ IPV4 □□ IPV6□ □□ □□□ □ □□□□.
- B. □□ □□□□ □□□ □□□□ □□ □□□ □□ IPV4□ □□ □□□□□□.
- C. ELB DNS□ IPV4□ IPV6□ □□ □□□□□.
- D. ELB□ IPV4 □□ IPV6□ □□□□□ □ □ □□□□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

Elastic Load Balancing 支持 IPv6 和 IPv4。IPv4 和 IPv6 (EC2-Classic) DNS 支持 IPv4 和 IPv6。Dualstack DNS 支持 IPv4 和 IPv6。IPv6 支持 IPv4 和 IPv6。IPv4 和 IPv6 支持 IPv4 和 IPv6。IPv4 和 IPv6 支持 IPv4 和 IPv6。

：

<http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/UserScenariosForEC2.html>

NEW QUESTION: 297

Amazon Simple Queue Service (Amazon SQS) 支持 1,000 个队列。Amazon Kinesis 支持 2 个数据流。Amazon Redis 支持 1,000 个实例。Amazon Simple Notification Service (Amazon SNS) 支持 1,000 个主题。Amazon ElastiCache 支持 1,000 个实例。Amazon ElastiCache 支持 1,000 个实例。

- A. Amazon Simple Queue Service (Amazon SQS) 支持 1,000 个队列。
- B. Amazon Kinesis 支持 2 个数据流。
- C. Redis 支持 1,000 个实例。
- D. Amazon Simple Notification Service (Amazon SNS) 支持 1,000 个主题。

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 298

Amazon ElastiCache 支持 1,000 个实例。

- A. Oracle RDS
- B. MSSQL RDS
- C. RDS
- D. MSSQL RDS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 299

Amazon ElastiCache 支持 1,000 个实例。

- A. EMR
- B. ElastiCache
- C. RDS
- D. Amazon VPC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 300

A. Direct Connect 100Gbps 500Mbps 100Mbps 10Mbps. Amazon S3 100TB 100GB Aurora 100TB 100GB

B. Amazon S3 100TB 100GB 100TB 100GB Amazon S3 100TB 100GB Aurora 100TB 100GB

C. AWS Snowmobile 100TB 100TB 100TB 100TB. AWS 100TB 100TB Amazon S3 100TB 100TB. 100TB Aurora 100TB

D. 50TB AWS Snowball 100 400 100TB 100TB 100TB 100TB. AWS 100TB 100TB Amazon S3 100TB 100TB 100TB 100TB. 100TB Aurora 100TB

- A.** □□ □□□□ □□ □□□□ □□ □□□□□□. AWS Management □□ □□ □□ □□ □□□□ □□□ □□ □□□□□□.
- B.** □□ □□ □□□□ □□ □□ 1□ □□□□ □□ □□ □□□□ □□ □□□□ □□□□□□□□.
- C.** □□□□ □□□□ □□□□□□ □□ □□□□ □□ □□□□ □□□□□□. □□□□ □□□□□ □□□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□□□.
- D.** □□ □□ □□□□ □□ □□ 1□ □□□□ □□ □□ □□□□ □□□□□□□□.

EBS □□□ □□□ □□□□□□ □□□□ □□ □□ EBS □□:

A. □□□□ □□□□ □□ □□ □□ □□□ □□□ □ □□□□.

B. □□□□ □□□□ □□ □□□ □ □□□□.

C. □□□□ □□□ □□□ EC2 □□□□□□ □□□□□ □□□ □ □□□□.

D. □□□□ □□□ □□□ □□□ □ □□□□.

NEW QUESTION: 303

□□□ □□□□ □□□ Amazon EC2 □□□ □□□□ □□ □□ □□ □□ □□□ 1□□ □□ □□□□ □□□□ □□ □□□ □□. □□ □□□ □□ □ □□□□ □□ □□□ □□ □□ □□ □□ 1□□ □□□□□. □□□ □□□□ □□□ EC2 □□□ □□□□ □□□□ □□ □□□ □□□ □ Auto Scaling □□□ □□□ □ □□ □□ □□□□ □□□□ □□□ □□□. □□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□ □□□?

- A. Auto Scaling □□□ □□ □□□ □□□□.
- B. □ □□ □□ □□ □ □□ EC2 □□□□□ □□□□□ □□ □□□ □□□□□.
- C. □□□ □□□ □□□□ □□□□□ □□□ □□□ □□□□□.
- D. Auto Scaling □□□ □□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 304

□□ □ EC2 □□□□□ □□□ □□□□□□□ Dynamo DB □□□□ □□□□ □ □ □□□ □□□ □□ □□□ □□□□ □? EC2 □□□□□ □□□ □ □□ □□ □□ □□□ □□□□□? 2□□ □□□ □□□□□

- A. DynamoDB □□□□ □□ □□ □□□□ □□□□ IAM □□ □□
- B. □□ □□ EC2 □□□□□ IAM □□ □□
- C. □□ □□□ □□□ IAM □□□□ EC2 □□□□ □□
- D. □□ □□□ □□□ IAM □□□ EC2 □□□□ □□
- E. DynamoDB □□□□ □□ □□ □□□□ □□□□ IAM □□□ □□
- F. □□ □□ EC2 □□□□□ IAM □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 305

EC2 □□□ □□□□□□□□ □□ □□□□ □□ □□□□□ HTTP □□□ □□□□□ □□□ □□ URL □□□□□□ □□ □□ □□□□ □□□□. □□□ □□□□□□ □□□□ □□ EC2 □□□□□ □□□□ VPC□ □□ □□□ □ EC2 □□□□ □ □□□□ □□□□□ □□□□□. .

□□□□□□ □□□□ □□□ □□□□□□ □□□□ □□□□□ □□□□ □□□□□. □□ □□□□□ □ □□□□□ □□ □□□ □□□ □□ □□ □□ □□ □□ 10□□ □□□□.

□ □□□□□ □□□ □ 200MB□□ □□□□□ □□□□□ □□□□ VPC□ 500□□ □□□□□ □□□□. □□ □ □□ □ □□□ □□ □□ □□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□□ □□□ □□ □□ □ □□□ □. □□□ □□□□□ □□□ □□□□ URL□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□□□□ □ □□□□□ □□□□ □□□□ □□□□ □ □□□□. □□ □□ □□□ □ □□□□? {□□ 2□ □□}

- A. □□□□ □□□□ EC2 □□□□□ □□□ □□□□□ □□□□ □□ □□□□ □□□ □□ □□ □□ □□□□□.
- B. □□□ □□□□□ □□□□ □□□□ □□□ □□□ □□□□□(IGW)□ □□ □□□ □□□□ □□□□ □□□□ □□ □ EIP□ □□□□ □□□□□.
- C. □□□ □□ EC2 □□□□□ □□□ □□□□ □□□ □□□□ □□□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□.
- D. □□□ □□ EC2 □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □ □□□ □□□□□ □□□□□□□ □□ □□ □□□□ □□□□ □□□□.
- E. □□□□ □□□□ □□□ □□□ EC2 □□□□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □□ EC2 □□□□□ □ □□□□ NAT□ □□ □□□□ □□□□.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 306

□□□ □□□□ AWS□ □□□□ □ □□□□□□□ □□ □□□□ □□□□□ □□□□ □□□□. □□ □□□□□ □□□□ □□□□□ □□□ □□□□□□ □□□□□□. 90□ □□ □ □□□ □□ □□□□ □□□ □□□ □□□ □□ □□□ □□ □□□ □ □□□ □□□ □□□. □□□ □□□□ □□□□□□□ □□ □□□□□ □□□□□ □□□ □□ □□ □□□ □ □□□ □□□ □ □□□ □□□□ □□□.

□□ □□□□ □□□ □□ □□□ □□□□□?

- A. Amazon S3 Standard□ □□□ □□□□□. 90□□ □□ □□□ S3 Glacier□ □□□□ S3 □□ □□ □□□ □□□□□.
- B. RAID □□□□□□ Amazon Elastic Block Store(Amazon EBS) □□□ □□□ □□□□□. □□□ □□□□ □□□□□. □ □□□ □□□□ 90□ □□ □□ □□□□ □□□□□□.
- C. Amazon Elastic Block Store(Amazon EBS) □□□ □□□ □□□□□. □□□ □□□□ □□□□□. □□□□ □□□□ 90 □ □□ □□ □□□□ □□□□□□.
- D. □□□ Amazon S3 Standard□ □□□□□. 90□ □□ □□ □□□ S3 Standard-Infrequent Access(S3 Standard-IA)□ □□ □□ S3 □□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 307

VPC□□□ □□□ □□ □□□□ □□ □□ □□□ Amazon EC2 □□□□□ □□□ □□□□. □□□ □□ □□□□ DNS □□□ □□□ □ □ □□□□□ □□ □□□□□. □ □□□ □□□ □□□ □□□□□□? 2□□ □ □□ □□□□□

- A. Amazon EC2 □□□□□ □□□□ □□□ □□□□ IP □□□ □□□□.
- B. □□ □□□□ □□□ □□□□□□ □□□ □□□ □□□□ □□□□□ □□□□ □□□□□.
- C. VPC□ VGW□ □□□□ □□ □□□□.
- D. □□ □□ □□ □□□□ ACL□ □ □□□□ □□ □□□ □□□□ □□□□□.
- E. □□ □□□□ NAT □□□□□ □□ □□□□ □□□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 308

IAM □□□□ □□ □□□□□ □□ □□□□ □□□□□ □□□□ □□□ □□□□?

- A. VPC □□ □□□□□□ □□
- B. □□□
- C. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 309

Amazon RDS□ _____□ □□□□ DB □□□□□ □□ □□□□ □ □□ □□ □□□ □□□□□.

- A. □□□ □□
- B. □□□□ □□□ □□
- C. □□□ □□
- D. □□ AZ □□

Answer: ([SHOW ANSWER](#))

Amazon RDS ☐ ☐ AZ ☐☐☐ ☐☐☐☐ DB ☐☐☐☐☐ ☐☐ ☐☐☐☐ ☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐.

Oracle, PostgreSQL, MySQL ☐ MariaDB DB ☐☐☐☐☐ ☐☐ AZ ☐☐☐ Amazon ☐☐☐ ☐☐☐☐ ☐☐ SQL Server DB ☐☐☐☐ SQL Server ☐☐☐☐ ☐☐☐☐☐.

☐☐: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/Concepts.MultiAZ.html>

NEW QUESTION: 310

□□ □ □□ □□□□ □□□ □□ □□ □□□ Amazon EC2 □□□□□ □□□□ □□□□ □□□□ □□□ □□□□□?

- A.** Elastic Load Balancing ☐☐ ☐☐☐☐
- B.** Amazon Route 53 ☐☐ ☐☐☐ ☐☐
- C.** Elastic Load Balancing ☐☐☐ ☐ ☐☐ ☐☐☐☐
- D.** Amazon Route 53 ☐☐ ☐☐ ☐☐☐☐☐

Answer: ([SHOW ANSWER](#))

☐☐: <http://aws.amazon.com/elasticloadbalancing/>

NEW QUESTION: 311

[illegible]

- □ □□□□ □□□□ □□ □□ □□□□□?
- A.** □ □□□□□ crontab □□ □□□□□ □□□□ Amazon S3□ □□□□□ □□□ □□□□□.
- B.** AWS Management □□□□ Amazon CloudWatch □□□□ □□□□□□.
- C.** Amazon EC2 □□□□□ Amazon CloudWatch Logs □□□□□ □□ □ □□□□□.
- D.** AWS CloudTrail□ □□□□□□□□ □□□□ □□ API □□□□ □□□□□□ □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 312

□□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□ □
□□. □□□□ □□□□□ □□□, □□ □□ □ □□ □□□□□ □□□□ □□□ □□ □□□□ □ □□□ □□□.

- [illegible]

Answer: A (LEAVE A REPLY)

□□/□□: <https://aws.amazon.com/aws-transfer-family/?whats-new-cards.sort-by=item.additionalFields.postDateTime&whats-new-cards.sort-order=desc>

NEW QUESTION: 313

`awscli --profile my-profile --region us-east-1 aws aurora describe-db-instances`

□□□ □□ □□ □□ □ □□□ □□ □□□□□ □□□□□. □□ □□□□□ □□□ □□□ □ □□ □□□ □□ □□□ □
□ □□□ □□ □□□ □□□ □□□ □□□□□.

<https://aws.amazon.com/ec2/pricing/reserved-instances/>

<https://aws.amazon.com/ec2/pricing/on-dem>

https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/us_instance.html

NEW QUESTION: 315

□□□ □□□ □□□□ □□□ □□ AWS□ □□ □□□□ □□□□ □□□ □□□□ □□ □□□□ AWS□ □□ □□□□ □
□□ □□□□□ □□□. □□ □□ □□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□ □□ □□□□ □
□□□ □□ □□ □□□□□?

A. □□

B. □□ AWS □□□□□ □□□.

C. Amazon VPC□ □□ □□□ □□□□□.

D. □□□ □□ □□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

AWS Direct Connect□ □□□□ □□□□ AWS□ □□ □□□□ □□□ □□ □□□ □ □□□□.

AWS Direct Connect□ □□□□ AWS□ □□□ □□, □□□ □□ □□□□□ □□ □□ □□□□ □□□ □□□ □ □□□,
□□ □□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□□ □□□ □□ □□□□ □ □□□ □□□□ □□□ □□
□ □ □□□□.

AWS Direct Connect□ □□□□ □□□ □□ □□□ □□□ □ □□□□.

□□□ □□ □□

□□□ □□□□ □□

□□ AWS □□□□□ □□□

Amazon VPC□ □□ □□□ □□

□□

□□

□□: <http://aws.amazon.com/directconnect/>

NEW QUESTION: 316

□□□ □□□□ AWS □□□□□ □□□□ □□□□□ □□□□□□□ □□□□ □□□□. □□□□□ □□□ □□□ AWS
□□ □□□□□ AWS Direct Connect(DX) □□□ □□□□□. AWS□ □□□□□ □□□ □□ □□ □□□□□□ □□□ □
□□□ □□□ □□□.

□□□ □□ □□□ □□□□□ □□ DX □□□ □□□□ □□□?

A. □ □□ VPN□ □□□□ DX □□□ □□□□□.

B. □□ □□□□ DX □□□□ □□□□ DX □□□ □□□□□.

C. □□ DX □□□□ DX □□□ □□□□□.

D. DX □□ □□ □□ □□ □□□□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ AWS-Solutions-Architect-Associate ☐☐! DumpTop ☐ ☐☐ **AWS-Solutions-Architect-Associate** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop AWS-Solutions-Architect-Associate ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐. ☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐☐☐☐ DumpTop AWS-Solutions-Architect-Associate ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Amazon/AWS-Solutions-Architect-Associate-dump.html> (652 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 317

RDS 1000000 100000 10000 Elastic Beanstalk 100 100 100 100000000 10000. 1000 10000000
100000 100 Amazon ElastiCache 100000 1000 10000 100000 10000 1000000. 20 100 100

- A.** ElasticCache □ □□□□ □□□□□□□ □□□ □□□□ □□ □□ □□
- B.** □□ □□□□ □□/□□ □□ □□
- C.** □□□□□□ □□□□□ □□□ □□□□.
- D.** AZ □□ □□ □□□□□□ □□ □□□□ □□□ □□

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 318

VPC IOPS ?

- A.** Oracle □□ RDS□ □□
- B.** □□□
- C.** MSSQL □□ RDS□□ □□
- D.** □□ RDS □□□□□ □□ □

Answer: D (LEAVE A REPLY)

NEW QUESTION: 319

〇〇〇〇 〇〇〇 〇〇〇 〇〇 〇 〇〇〇〇 〇〇〇 〇〇〇〇 〇〇, 〇〇 〇 〇〇〇〇 AWS〇〇 〇〇 〇〇 〇〇〇 〇〇 〇〇 〇〇〇〇〇〇〇
 〇〇〇〇〇 〇〇〇〇〇. 〇〇 〇〇〇〇〇〇〇 3〇〇 〇〇〇〇〇〇 〇〇〇 〇〇〇 〇〇 〇〇〇〇〇 MySQL 5.6〇 〇〇〇〇〇〇〇. 〇〇. 〇 〇
 〇〇 〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇. HQ 〇〇〇〇〇〇 〇〇 〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇 〇〇〇〇〇〇 〇〇〇〇〇 〇〇 〇
 〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇 〇〇 〇〇〇〇〇 〇〇〇〇〇〇. 〇 〇〇 〇〇〇〇〇〇〇 〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇 〇〇 〇〇〇〇 〇 〇
 〇 〇〇〇〇〇〇 〇〇〇〇. 〇〇 〇〇〇〇 〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇?

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ RDS MySQL ☐ ☐ ☐ ☐ RDS ☐ ☐ ☐ ☐ HQ ☐ ☐ ☐ ☐.
- B.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ MySQL ☐ ☐ ☐ 53 ☐ ☐ ☐ ☐ HQ ☐ ☐ ☐ ☐
☐ ☐
- C.** Direct Connect ☐ ☐ ☐ ☐ ☐ MySQL ☐ ☐ HQ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- D.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ MySQL ☐ ☐ ☐ ☐ EBS ☐ ☐ HQ ☐ ☐ ☐ ☐.
- E.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ HQ ☐ ☐ ☐ ☐ ☐ ☐ RDS MySQL ☐ ☐ ☐ ☐.

Answer: E (LEAVE A REPLY)

NEW QUESTION: 320

□□□ □□□□ □□□ □□ □□□□ □□, □□ □ □□□ □ □□ □□□ □□□□ □□□□ □□□□.

□□□□ □□□ □□□ □□ SQL □□□ □□□□ □□ □□□□ □□□□ □□□ □ □□□ □□ □□ □□□ □□□ □□□ □□□
□. □□□□ □□□□ □□□ □□ □□□ □□□□ ACID(Atomicity, Consistency, Isolation, and Durability) □□□ □□□□
□□□.

□□□ □□□□□ □□□□ □□ □□□□ □□□□□?

A. □□ AZ □□□□ Amazon Neptune □□□□□□ □□

B. Amazon DynamoDB □□□□ □□

C. □□ AZ □□□□ MySQL□ □□ □□□ Amazon RDS □□□□□□ □□

D. Amazon EBS □□□ □□□ HDD(st1) □□□□□ □□□□ Amazon EC2 □□□□□ PostgreSQL□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 321

□□□□□□□ □□ □□□□ □□ □□□□ Amazon SNS □□□□ □□□□□. AWS Lambda □□□ □□□ □□□□ □□
□□□. □□□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□ □□ □□□ □□ □□ □□□ □□□□ □□□□ □□
□.

□□□□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□?

A. Amazon SQS □□□□ Amazon SNS □□□ □□□□ □□□□□ Lambda □□□ □□□□□□.

B. SQS □□ □□ □□ □□□□ □□□ □□□□□ Lambda□ □□□□□.

C. Amazon SNS □□□ □□ □□ □□ □□ □□□□ □□□□□.

D. Lambda □□□ □□□□□ □□□□□ Amazon SNS □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

□□

<https://aws.amazon.com/about-aws/whats-new/2019/11/amazon-sns-adds-support-for-dead-letter-queues-dlq/>

<https://docs.aws.amazon.com/lambda/latest/dg/with-sqs.html>

NEW QUESTION: 322

□ □□ □□: DB □□□□□ □□ □□□ □□ □□□ □□□ □□□□ □ □□ □□ □□ □□□□□.

A. □

B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 323

Solutions Architect□ □□□ □□ 10~50□□ Amazon EC2 □□ □□□□□ □□□□ □□□□ □□□□□□□ □□□□ □
□□□. □ □□□□□ □□□ 50GB □□□ □□ □ □□□□□ □□□□□ □□□.

□□ □□□□ □□□ □□ □□□ □□□□□?

A. □□□ S3

B. Amazon EBS □□

C. Amazon EC2 □□□□ □□□

D. □□□ EFS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 324

□□□ AWS Elastic Beanstalk□ □□□□ c4.large □□□□□□ □□□□ □ □□□□□□□ □□□□□. □□□□ □□ □ □□□ □□□ □□□ □□□□ □□□□. □□ □□ □□ EC2 □□□□□ CPU □□□□ 100% □□ □□ 100%□ □□□ □ □□□ □□□□□□.

□□□ □□□□□ □□ □□□ □□□□ □□ □□□ □□ □□□?

A. □□ Auto Scaling □□□ □□□□ □ Auto Scaling □□□ □□ □□□□ □□ □□□ □□□□ Amazon EBS□ □□□□ □.

B. □□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□□□ □□ □□□□□.

C. c4.large □□□□□ m4.large □□□□ □□□□ □□□□□.

D. CPUUtilization □□□ □□□□□ Elastic Beanstalk□ □□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 325

EC2□□ □□□□□ □□□□□(□□□□□ □□□) □□□□ □□□□ □□□□ □□□ □□□?

A. □□□□ □□□ □□□□ □□□□□ □□□□ □□□□□.

B. □□□□ □□□□ □□□□ □□□□□.

C. □□□□ □□□□ □□□□ □□□□□ □□□□□.

D. □□□□ □□□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□□ □□□□ □□□□ □□□ □□□□□ □□ □□□□ □□□□□. □□□□□ □□□□□ □□(□□□□□ □□□) □□□□ □□□□ □□□□ □□□□□. □□□ □□□ □□ □□□□□ □□□□ □□□ □□□ □□□□ □□□□□. □□ □□□□ □□

Amazon EBS □□ □□□□ □□

□□□□ □□

□□: <http://docs.amazonwebservices.com/AWSEC2/latest/UserGuide/InstanceStorage.html>

NEW QUESTION: 326

Amazon EC2 □□□□□□ □□□□ □□□□□□□ Amazon S3 □□□ □□□□ □□□□ □□□.

□□ □□□ □□□□ □□ □□□ □□□□□□ □□□ □□□□□ □□ □ □□ □□□ □□□□□?

A. □□ □□□ □□□□ 1AM □□□ □□□□ □□ Amazon EC2 □□□□ □□□□□ □□□□□.

B. □□ □□□□ □□ □□□ □□□ □□□□ 1AM □□□ □□□□ □□ Amazon EC2 □□□□ □□□□□ □□□□□.

C. □□ □□□ □□ □□□□ □□□□□ Amazon EC2 □□□□□ □□ □□ □□□ □□□ □□□□□.

D. □□□ □ ID□ □□ □□ □□□□ □□ □□□□ 1AM □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 327

□ □□□ Amazon DynamoDB□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□□□□□□ □□□□. □□□□ □□□ □ □□ □□ □□□□ □ □□□□ □□□□□ □□□□. □□□ □□□□ □□□□ □□□□□□ □□□ □□□ □□□ □□ □□ □□□□ □□□.

□□□□ □□□□ □□ □□□ □□□□ □□□?

- A. Redis is a managed NoSQL database service. Amazon ElastiCache is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. DynamoDB is a managed NoSQL database service. Redis is a managed NoSQL database service. Amazon ElastiCache is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.
- B. Amazon DynamoDB Accelerator (DAX) is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. DAX is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.
- C. Amazon AddDynamoDB is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. AddDynamoDB is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.
- D. Amazon DynamoDB is a managed NoSQL database service. DynamoDB is a managed NoSQL database service. Amazon DynamoDB is a managed NoSQL database service.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 328

Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.

- A. Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.
- B. Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.
- C. Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.
- D. Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.

Answer: C ([LEAVE A REPLY](#))

Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. Amazon Cognito is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. <http://docs.aws.amazon.com/cognito/devguide/identity/concepts/authentication-flow/>

NEW QUESTION: 329

Amazon Books is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. Amazon Books is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud. Amazon Books is a managed service that makes it easy to set up, operate, and scale in-memory caches in the cloud.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PutUpdateDeleteOnBooks",
      "Effect": "Allow",
      "Action": "dynamodb:*",
      "Resource": "arn:aws:dynamodb:us-west-2:123456789012:table/Books"
    },
    {
      "Sid": "PutUpdateDeleteOnBooks",
      "Effect": "Deny",
      "Action": "dynamodb:*:*",
      "Resource": "arn:aws:dynamodb:us-west-2:123456789012:table/Books"
    }
  ]
}
```

A. }

D. Auto Scaling ☐ ☐☐☐ ☐☐☐☐.

Answer: A (LEAVE A REPLY)

Auto Scaling □□□ □□ □□□ 1□□□□□ □□ □□ □□ □□□□□ □□□□ Auto Scaling□□ □ □□□□□ □□□□
□□□□ □□□.

http://docs.aws.amazon.com/AutoScaling/latest/DeveloperGuide/AS_Concepts.html

NEW QUESTION: 334

□ □ □ □ □ □ □ □ □ □ □ ?

A. Amazon EC2 ☐☐☐☐☐ ☐☐☐☐ ☐ ☐☐ ☐☐☐☐.

B. AWS ACL().

C. □□ □□ □□□□.

D. ☐☐ Amazon EC2 ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

Answer: (SHOW ANSWER)

NEW QUESTION: 335

☐ ☐ Classic Load Balancer ☐ ☐ Auto Scaling ☐☐ ☐ 10⁶ ☐☐☐☐☐☐ ☐☐☐☐. ☐ EC2 ☐
☐☐☐☐ ☐☐ ☐☐☐.

[illegible]

A. Classic Load Balancer ☐ ☐ ☐ **Application Load Balancer** ☐ ☐ ☐ ☐ ☐.

B. Auto Scaling □□ □□ □□□□ □□□□ □□□ □□□□□.

C. ☐ Classic Load Balancer ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ☐.

D. Auto Scaling ☒☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐

Answer: (SHOW ANSWER)

NEW QUESTION: 336

Amazon 53□ □□□ □□□□□?

A. □□□□ □□ □□□.

B. (3).

C. □□ □□□□ □□□.

D. .

Answer: D (LEAVE A REPLY)

NEW QUESTION: 337

□□□ □□ □□□□ □□□□□□□ □□□□□□. □□□□□□ □ □□□ □□ AWS □□□□ Amazon EC2 AWS Lambda
Amazon RDS Amazon Simple Notification Service(Amazon SNS>. □ Amazon Simple Queue Service(Amazon SQS)□ □□□
□ □□□ □□ □□ □□□□□ □□□ □□□ "□□ □□□□"□ □□□ □ □□ □□□□□ □□□□ □ □□□ □□□□ □
□□ □□□ □□ □□ □□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□
□"

A. Amazon CloudWatch Logs Insights

B. AWS Resource Groups Tag Editor

C. AWS CloudTrail

D. AWS CLI

Answer: B (LEAVE A REPLY)

NEW QUESTION: 338

VPC□□ □□□□□□ IOPS□ □□□ □ □□□□?

A. ☐ RDS ☐☐☐☐☐☐

B. ☐ ☐ ☐

C. Oracle ☐ ☐ **RDS** ☐ ☐

D. MSSQL ☐ ☐ **RDS** ☐ ☐ ☐

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 339

□□□ Amazon EC2 □□□□□□ □□□□ □□□ □□□□ □□□ □□□□□□□ □□□□□. EC2 □□□□□ Auto Scaling □□□ □□□ Application Load Balancer □□□ □□□□□. □□ □□□□ □□□□ □□□ □ □□□□□□□ □ □□ □□□ □□□ □□□ □□□□□□. □□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□□ □ □□ □□□□ □□□□.

☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐

A. CPU ██████████ Amazon CloudWatch ████████████████████

B. ☐ ☐ ☐ ☐ ☐ ☐ HTTP 503 ☐ ☐ ☐ ☐ ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ ☐ ☐ ☐ Application Load Balancer ☐ ☐ ☐ ☐ ☐ ☐.

C. □□ □□ CPU □□□ □□ □□□ □□□□ □□ □□ □□ □□□ □□□□□.

D. □□□ □□□ □□ □□□□ □□ □□□ □□ □□ □□ □□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 340

3개의 Application Load Balancer, 3개의 Amazon EC2 인스턴스, Amazon SQS, 3개의 EC2 인스턴스, Amazon DynamoDB 인스턴스. 모든 인스턴스는 Amazon EC2 인스턴스입니다. 모든 인스턴스는 Amazon EC2 인스턴스입니다. 모든 인스턴스는 Amazon EC2 인스턴스입니다.

□□ □□□□ □ □□ □□□□ □□□ □□□□□?

A. DynamoDB ☐☐☐ ☐☐ ☐☐ Redis ☐ Amazon ElastiCache ☐ ☐☐☐☐.

B. SQS ☐☐☐☐ **Amazon Kinesis Data Firehose** ☐ ☐☐☐☐.

C. Amazon EC2 Auto Scaling ☐ ☒ ☒ ☒ SQS ☐ ☒ ☒ ☒ ☐ ☐ ☐ ☒ ☒ ☒ ☒.

D. Amazon CloudFront □□□ □□□□ □ □□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 341

□ □□□ CISO□ □□□ □□□□□□ □□□ □□ CI/CD □□□ □□□□□ □□□□ □□□ □□ □□□□ □□□□□□ □□□ □□ □□□□□□□ □□□ □□□ □ □□□ □□□□□□. □□ □□□ □□ □□ □ □□ □□□ □□□□ □□□ □ □□□ □□□.

□ □□□□□□□ Application Load Balancer □□ Amazon EC2 □□□□ □□□ □□□□□.

□□□ □□ GitHub□ □□□□ □□□□□□ □□ □□□ □□□□□ □□□ □□□□□□ □□□□ □□ AWS CodeBuild □□□□□ □□□□□□. □ □□□ □□ AWS CodePipeline□ □□□□ □□ CodeBuild □□□□□ □□□□ □□□□ GitHub □□□ □ □□□ □□□□ □□□□□.

□□ □□ □□□ □□□□ □□□□ CI/CD □□□ □□□□□?

A. □□/□□ □□□□□ □□□ AWS CodeDeploy□ □□□□ □□ □□□□ CodePipeline□ □□□□□. □□ □□□ □□□ □□□□□□ □□□ □□ □□ CodeDeploy□ □□□□ □□ □□□ □□□□□□.

B. □□□□□ □□□□□ □□□ AWS CodeDeploy□ □□□□ □□ □□□ CodePipeline□ □□□□□. □□ □□□ □□□ □□□□□□ □□□ □□□ □□ □□ □□□□□ □□□□□.

C. AWS CloudFormation□ □□□□ □□ □□□□ CodePipeline□ □□□□ □□□ □ □□□□ □□□ □□□□□□ □□□ □□. □□ □□□ □□□ □□□□□□ □□□ □□□ □□ □□ □□□□□ □□□□□.

D. AWS OpsWorks □ □□□□□(in-place) □□□ □□□□ □□ □□□ CodePipeline□ □□□□□.

□□ □□□ □□□ □□□□□□ □□□ □□□ □□ □□ □□□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 342

□□□ □□ □□□□ □□□□□□ □□ □□□ □□□□ □ □□ Amazon S3 □□□ □□□□. □□ □□ □□□ □□□ □□ □□□?

A. IAM □□□□ Amazon S3 □□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□□.

B. S3 □□□ □□ □□□□.

C. S3 □□□ □□□□ □□ □□ □□ □□□□□□.

D. □□□ □□□ □□□ □□□□.

Answer: (SHOW ANSWER)

IAM□ □□□□ □□□, □□□□ □□ □□ □□ □□ □□, □□□□ □□□□ □ □□ AWS □□□□ □□□□ □□□ □□□ □ □□□ □ □□□□.

□□□ □□ IAM □ Amazon S3□ □□ □□ □□□ □□□ □□ IAM □□□□ □□ □ □□□□. IAM □□□□ □□ □□□ Amazon S3 □□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□ □□□ □□ □□□□ □□□□ □□□□ □□□□.

□□: <http://docs.aws.amazon.com/IAM/latest/UserGuide/iam-troubleshooting.html#testing2>

NEW QUESTION: 343

□□ IAM □□□ □□□ □□□□ □□□ □□ □□□□ IAM □□□ □□ □□ □□ □□□□ □□□□ □□□ □□□ □ □□ □ □□ □□□ □□ □□□ □□□□□ □□□ □□ □□□□□. □□□ □□ □□□ □□ □□ □□ □ □□ □□?

A. □□ □□□□ □□ □□□ □□ □□□ □□ □□□ □□□□□.

B. □□□ □□ □□□ Amazon CloudFront□□ □□□□□.

C. □□ □□□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□.

D. □□ □□□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□.

