

Amazon.SAA-C03.v2024-04-18.q117

□□□□:	SAA-C03
□□□□:	AWS Certified Solutions Architect - Associate
□□□:	Amazon
□□ □□ □□□:	117
□□:	v2024-04-18
# □□ □:	935
# □□ □□□:	1170
https://www.krdump.com/Amazon.SAA-C03.v2024-04-18.q117.html	

NEW QUESTION: 1

□ □□ □□□ □□□ □□□ IoT □□□ □□□□ □ □□ □□ □□□ □□ □□ □□□ □ □□□□□. □ □□□ □□ □□ .csv □□□ □□ □□□□ Amazon S3□ □□□□. □ □□ □□□ □□□ 2□□ □□□□□ □□ 10□□ Amazon Redshift □□□□□ □□□ □ Amazon Athena□ Amazon Redshift□ □□ □□□□ □□□□□. □□□ □□□ □□□ □□ □□ □□□ □□□ Amazon Redshift □□□□□□ □□□ □□ □□□ □□□□□□ □□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

- A. Amazon EMR□ □□□□ □ .csv □□□ Apache Avro□ □□□□□. □□□ Amazon Redshift□ □□□□ Amazon S3□□ Athena□ □□□□ □□□ □□□□□.
- B. AWS Glue□ □□□□ □□ □□□ .csv□□ □□□ □□ Apache Parquet □□□ □□ □□□. □□□ Amazon Redshift□ □□□□ Amazon S3□□ Athena□ □□□□ □□□ □□□□□.
- C. AWS Glue□ □□□□ □□□ .csv□□ □□ □□ Apache ORC □□□ □□□□□. □ □□ Amazon Redshift□ □□□□ Amazon S3□□ Athena□ □□□□ □□□ □□□□□.
- D. AWS Glue□ □□□□ □□□ .csv□□ Apache Parquet□ □□□□ 20□□ Parquet □ □□ □□□□□. □□□ Amazon Redshift□ □□□□ Amazon S3□□ Athena□ □□□□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 2

□□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□□□□ □□ □□ □□□□ □□□.

□□□ □□ □□□□ □□ □□□ □□□□ □□□□□ □□□. □□□□□ □□ □□□□ □ □□ □□□ □□ □□□□ Amazon S3□□ □□□□ □□□.

□□□ □□ □□□ □□□□ □□ □□ □□ □□□□ □□ □□□ □□□□□?

C. Amazon Redshift

D. S3 ☐☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐

E. ☐ ☐ SQL ☐ ☐ ☐ QuickSight ☐ ☐

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 5

Amazon QuickSightは、Amazon S3に保存されたCSVファイルを読み込み、そのデータを可視化するためのツールです。

20210707_data.csv 20210708_data.csv

Amazon Athena □ □ □ QuickSight □ □ □ □ □ □ □ □ □ □ AWS Glue
□ □ □ □ □ □ □ "s3 //powertransformer/20210707_data csv" □ □ □ □ □ □ □ □
□ □ □ □ . □ □ □ □ □ □ □ □ 0 □ □ □ □ □ □ □ . □ □ □ □ □ □ □ □ □ □
□ ? ?

A. AWS Glue ☐☐☐☐ Amazon S3 ☐ ☐☐☐☐☐☐ IAM ☐☐☐ ☐☐☐☐.

B. `s3://powertransformer/" s3://powertransformer/"`

C. ☐☐☐ ☐☐ ☐☐☐☐☐.

D. ☐☐☐ Apache Parquet ☐☐☐☐ ☐☐☐☐.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 6

□ □ □ □ □ □ □ □ EMR □ □ □ □ (EMRFS) □ □ □ Amazon EMR □ □ □ □ □
Apache Hive □ □ □ □ □ □ Amazon S3 □ □ □ □ □ □ □ □ □ □ □ □ . EMR □
□ □ □ □ □ Kerberos □ □ □ □ □ □ □ □ Active Directory □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ . □
□ □ .

□□ □□ □□□ □□□□ □□□ □□□□□?

[illegible]

B. EMR □□□□ Amazon EC2 □□□□□ □□ Amazon S3□ □□ □□□ □□□ □□□
 □ □□ □□□ □□□ □□□□□. □ □□ □□ □□□ □□ □□□ □□□ □□□□ 3□
 □ □□ IAM □□□ □□□□□. EC2 □□ □□□ □□ □□□□□ EMR □□□ □□ IAM
 □□□ □□□□□. □ □□ Active Directory □□□ □□□ □□ □□ IAM □□□ □□ □
 □ □□ □□□ □□□□□.

C. EMR □□□□ Amazon EC2 □□□□□ □□ Amazon S3□ □□ □□□ □□□ □□□
 □ □□ □□□ □□□ □□□□□. □ □□ □□ □□□ □□ □□□ □□□ □□□□ 3□

□ □□ IAM □□□ □□□□□. □□ IAM □□□ □□ □□ □□□ EMR □□□□ EC2 □ □□□□ □□ □□□ □□□ □□□□□. □ □□ Active Directory □□□ □□□ □□ □ □ IAM □□□ □□ □□ □□ □□□ □□□□□.

D. EMR □□□□ Amazon EC2 □□□□□ □□ Amazon S3□ □□ □□ □□□ □□□ □□□□ □□□ □□□ □□□□□. □ □□ □□ □□□ □□ □□□ □□□ □□□□ 3□ □ □□ IAM □□□ □□□□□. □□ IAM □□□ □□ □□ □□□ EMR □□□□ EC2 □ □□□□ □□ □□□ □□□ □□□□□. □ □□ Active Directory □□□ □□□ □□ □ □ IAM □□□ □□ □□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

□ □□□ □□□ □□ □□ □□□ □□□ Amazon S3□ □□□ □□□□□. □□□□ □□□ □□□□□ Amazon Athena□ □□□□ □□□ □□□ □□□ □□□ □□□ □ □□□ □□ □□□. □□ □□□□□ □□□□ AWS □□□□ □□□□ S3 □□ □□□□ Athena □□ □□□ □□□□□□ □□□. □□ □□□ □□□□□ □□ □□ □□□ □□□ □□ □□.

□□ □□□□□ □□ □□□ □□□□□□ □□□ □□ □□ □□□□□.

□□ □□ □□ □□□□ □□ □□□□ □□□□□.

□□ □□, □□ □□□□□□ □□□□ □□ □□□ □□ □□□ □□ □□ □□□ □□□ □□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

A. □□ □□□ □□□ S3 □□□ □□□ □(SSE-S3)□ □□□ □□ □ □□□□ □□□□ □. □□ □□□□□□□ SSE-S3□ □□□□□.

B. □□ □□□ □□□ □□ □□ □□ □□□ □(SSE-C)□ □□ □□ □ □□□□ □□□ □□.

□□ □□□ □□□□ S3 □□□ □□□ □(SSE-S3)□ □□□ □□ □ □□□□ □□□□ □.

C. □□ □□□ □□□ □□ AWS Key Management Service(AWS KMS) □□ □□□ □□ □□ □□□□□ □ □□□□ □□□□□. □□ □□□□□□□ □□□□□ □ □□ □□ S3 □□□□□ □ □□□□ □□□□□.

D. □□ □□□ □□□ □□ AWS KMS □□□ □□ □□□ □(SSE-KMS CMK)□ □□ □ □ □□□□ □□□□□. □□ □□□ □□□□ S3 □□□ □□□ □(SSE-S3)□ □□□ □□ □ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 8

□ □□□ □□□ □□ □□□□□□□□ □□□ □□ □□□□ □□ □□□ □□□ □□□ □. □□ □□ □□□□ □□ □□ □□ □□□□ □□□, □□□ □□ □□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□. □□□□ □□□□ Amazon S3 One Zone-Infrequent Access(S3 One Zone-IA)□ □□□□ □□ □□□ □□□ □□□ □□□□

`EMRFS(EMR □□ □□)□ □□□ Amazon EMR □□□□□ □□□□□. □□□ □
□□□ EMR □□ □□□ Amazon S3□ □□□ □□□□ □ □□□ □ □□ □□□□ □□
□ □□□□□.`

Amazon S3 ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐ ☐ ☐☐ ☐☐

- A.** □□ □□□ □□□□ □□□□ □□□□ □□ Amazon S3□ □□ □□□□ □□ □□ □□ □□□ □□ □□□□□□.
- B.** □□ □□ □□□ □□□□ □□ □□□□ □□ S3 □□□□ □□□□ S3 Standard□ □□ □□□□.
- C.** □□ Amazon DynamoDB □□□□ □□ □□ □□(RCU)□ □□□□.
- D.** □□□ □□□□ EMR □□□□□ □□ □□ □□□ □□□□□□.

Answer: C (LEAVE A REPLY)

11

<https://docs.aws.amazon.com/emr/latest/ManagementGuide/emrfs-metadata.html>

NEW QUESTION: 9

□□□ □□□ □□□ □□ □□□□ □□□ □□□□ □□□□ □□□ □□□□ □□□
□ □□□. □□□□□ □□□ □□□ □□□□ □□□ □□□ □ □□□ □□ □□□□ □
□□ □□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

- A.** □□ □□ □□□ S3 □□□ □□□□ Amazon S3□ □□□□ □□□ □□□□□.

Amazon QuickSight □ □□□ □□□□ □□□□.

- B.** 200 GB VPC 30 Amazon Redshift QuickSight. Redshift QuickSight Amazon QuickSight.
- C.** S3 Amazon S3 AWS Lambda Amazon QuickSight.
- D.** 300 Amazon OpenSearch Service OpenSearch.

Answer: D (LEAVE A REPLY)

☐ ☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐.

[illegible]

Amazon OpenSearch Service □ Amazon CloudWatch, Amazon Kinesis Data Firehose,

AWS IoT □ AWS Lambda1□ □□ □□□ □□□ □□□□ □□□ □□□□ □□□ □ □
□□□. □□□ □□□□ □□□ □□□□ □□□□ OpenSearch □□□ □□□1□ □□□
□ □□□ □ □□□□.

Amazon OpenSearch Service□ □□□ OpenSearch Service1□ □□□ □□□ □□□
 □□□ OpenSearch □□□□(□□ Kibana)□ □□□□ □□ □□□□ □□□ □□□□□
 □□□ □ □□□□. OpenSearch □□□□□ □□□□□ □□□□ □□ □ □□□□□, □□
 □ □□□□ □□□□□ □□□□, □□□□□ □□ □□□□□ □□□□ □ □□□□□1.

[illegible]

NEW QUESTION: 10

[illegible]

□□ □□□ □□□□□ □□□□ □□ □ □□□ □□□□ □□□□□□ □□□□ □□□□ □□□□
 □ □□□□□?

A. Amazon Elasticsearch Service □ □□ □□□ □□□ □□□□□ □ Amazon S3 □□□
□□□□□□.

□□□ □□□□ Kibana□ □□□□ Elasticsearch □□□□□ □□□ □□□ □ □□□ □
□□□□.

B. □□□□□□ □□□ □□□ Amazon S3 □□□ Amazon S3□ Apache Parquet □□□
□□□□ AWS Glue □□□ □□□□□ □□□□ □□□□□. □□□ □□□□ Amazon
Athena□ □□□□ □□□□ □□ □□□ □□□□ □□□□□.

C. □□□ □□□ Amazon S3 □□□ □□□□□□ Amazon Redshift □□□□ □□□□
 D. □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □ □□□ □□□□□.

[illegible]

Answer: D (LEAVE A REPLY)

NEW QUESTION: 11

□□□□ □□□□□(BI) □□□□□ □□□ □□ □□ □□□□ □□□□□ □□ □□□□
 □□ □□□□ □□□□ □□□□ □□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□□.
 BI □□□□□ □□□□□ □□□□□ □□□□ Amazon Redshift □□□□ □□□□□. □□
 □ □□□□ □ □□□□□ □□□□□ □□□□ □□□□□□.

BI □□□□□ □□ □□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□□.

Amazon QuickSight □ □□ □□□ □□□ □□□ □□ □□□ □□□□□?

A. ☐ ☐ ☐ ☐

B. ☐ ☐ ☐ ☐

C. ☐ ☐ ☐

D. ☐ ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

1. 在 Amazon S3 上存储数据。
 2. 使用 AWS Glue 创建数据目录。
 3. 使用 AWS Glue 提取数据。
 4. 使用 AWS Glue 转换数据。
 5. 使用 AWS Glue 加载数据。
 6. 使用 AWS Glue 清理数据。
 7. 使用 AWS Glue 删除数据。
 8. 使用 AWS Glue 备份数据。
 9. 使用 AWS Glue 恢复数据。
 10. 使用 AWS Glue 迁移数据。

[illegible]

B. □ □□□ □□ □□□ □□ AWS Glue □□□□□ □□□□□□. □□ □□□ □□□ □
□□ □□□□ AWS Glue□ □□□□ □□□ □□□ □□□□ □□□□□□□□□. □ □□
□ S3 □□□ □□□□ □□□□ □□□□ □□□□ □□□□ AWS Glue □□
□□ □□ □□ □□ □□□□ □□□□□. □□ □□□ □□□□ □□ □□□ □□□□ □
□□ □□□□ □ Amazon S3□ □□ □□□ □□□ □□□□□□.

C. □□ □□□ □□□□ □□ □□ AWS □□□ □□□□□. AWS Lake Formation □□ □□
□□ □□ □□ □□□ □□□□□. □ □□ S3 □□□□ □□ □□□ □□□□ Lake
Formation □□□ □□ □□□ S3 □□□ □□□□□. Lake Formation □□□ □□□□ □
□□□ □□□ □□□ □□□□ □□ □□□□ □□ □□□□ □□ □ □ □□□□.

D. □□ □□□ □□□□ □□ □□ AWS □□□ □□□□ □□ S3 □□□ □□□□□.
AWS Lake Formation □□□□□□ □□□□ □□□ □□□ □□□□ □□ S3 □□□□ □
□□□□.

[illegible]

Answer: C (LEAVE A REPLY)

11

Lake Formation ☐ AWS Identity and Access Management(IAM) ☐☐☐ ☐☐☐☐ ☐☐ ☐
☐/ ☐☐ ☐☐ ☐ ☐☐☐ ☐ ☐☐☐ ☐☐☐ ☐☐☐☐. ☐☐
☐ ☐☐ ☐☐☐ Amazon Athena ☐ ☐☐ AWS ☐☐ ☐ ☐ ☐ ☐ ☐☐☐ ☐ ☐☐
☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐ ☐☐☐.

□□□ Lake Formation □□ □□□ □□□□ □□□ □□□ □□ □□□□□ □□□□ □□□□ □□□□□. □□ : <https://docs.aws.amazon.com/lake-formation/latest/dg/how-it-works.html>

NEW QUESTION: 13

□ □□□ □□□ Amazon S3 □□□ □□□□ □□ □□□□ □□ □□ □□ □ □□□ □□□□ □□□. □□ □□ □□□□ □□□□ □□□ □ □□□ □□ □ □□ □□□ □□ □□□ □□□□.

* □□□ □□□ Amazon S3□ □□□□ □□□ □□ □□□ 300GB □□□□ □□ □□□ □□.

* S3 □□□ □□□□ □□ □□□□□ □□□ □□□ □□□□□ □□□□□. □□□ □□□ □□ □□□ □□ □□□ □□ □□□□□ □□□□ □□□ □□□ □□□□ □□?

(3□□ □□□□□.)

A. □□ □□□□ □□□□ □□ Amazon Redshift□ □□□□ □□□ □□□□□.

B. □□ □□□□ □□□□ □□ Amazon Athena□ □□□□ □□□□ □□□□ □□□□ □.

C. □□□ □□□□ □□ Amazon EMR□ □□□□ □□□ □□□ □□□□□.

D. □□ □□□□ □□□□ □□ AWS Glue □□□□ □□□□ □□□□ □□□□ □□□ □□.

E. □□□ □□□□ □□ Amazon SageMaker□ □□□□ □□□ □□□ □□□□□.

F. □□ □□□□ □□□□ □□ AWS Glue □□□ □□ AWS Glue □□□□□ □□□□ □□□ □□□□□.

Answer: C,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 14

□ □□ □□□ □□□□□ □□□□ □□□□□ □□□. □□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□. □□□□ □□□ JSON □□□□ □□□□□ □□ □ □□□ □□□□ □□ □□□ □□□ □□□□□ □□□□□ □□□.

□□ □□□□ □□□ □□ □□□ □□□□□?

A. Amazon Kinesis Data Streams□ □□□□ □□□□□ □□□□ □□□□□. Amazon Kinesis Data Analytics□ □□□□ □□□□ □□, □□□□ □□□□, □□□□ AWS Lambda □□□ □□□□. Amazon DynamoDB□ □□□□ □□□□□ Lambda □□□ □□□□.

B. Amazon Kinesis Data Firehose□ □□□□ □□□□□ □□□□ □□□□□. Amazon Kinesis Data Analytics□ □□□□ □□□□ □□□□□. AWS Lambda □□□ □□□□ Kinesis Data Analytics□□ □□□□ □□ Amazon S3□ □□□□ □□□□□.

[illegible]

Answer: ([SHOW ANSWER](#))

[illegible]

NEW QUESTION: 15

[illegible]

A. `00 0 00 000 00 0000 00 000 00000`. Amazon CloudWatch YARNMemoryAvailablePercentage `000 0000 0000 000 0000 00 00 000 00000`.

CloudWatch YARNMemoryAvailablePercentage ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

B. `00 0 00 000 00 0000 00 000 00000`. Amazon CloudWatch `00`
 RemainingGB `000 0000 0000 000 0000 00 00 000 00000`.
 CloudWatch `00` RemainingGB `000 0000 0000 000 0000 00 00 0`
`00 00000`.

C. □□ □ □□ □□□ □□ □□□ □□ □□□ □□□□□. Amazon CloudWatch □□
RemainingGB □□□ □□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□.

CloudWatch ☐☐ RemainingGB ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐
☐☐ ☐☐☐☐☐.

D. □□ □ □□ □□□ □□ □□□□ □□ □□□ □□□□□. Amazon CloudWatch YARNMemoryAvailablePercentage □□□ □□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□.

CloudWatch YARNMemoryAvailablePercentage □□□ □□□□ □□□□ □□□ □□□
□ □□ □□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 16

□ □□□ □□ Amazon S3 □□□ □□□ □□□□□ □□□ □□□□□. □□□□□ S3
 □□□ □□□ □□ □□□□□ □□□□□ □ □□□.
 □□ □□□□ □□□ □□ □□□ □□□□□?

A. □□□□ □□□□ S3 □□ □□□ □□□□ S3 □□□ □□□□□.

B. MFA ☐☐☐ ☐☐☐☐ S3 ☐☐☐ ☐☐☐☐.

C. □□ □□ □□□□ S3 □□ □□□ □□□□ S3 □□□ □□□□□.

D. ☐ AWS ☐☐☐ S3 ☐☐☐ ☐☐☐☐☐. ☐☐ S3 ☐☐ ☐☐ (CRR)☐ ☐☐☐
☐.

Answer: A (LEAVE A REPLY)

☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐☐.

S3 □□ □□□ □□□□ □□□ □□ □□□□ □□ □□ □□□□ □□□ □□□ □ □□
 □ □□ Amazon S3□ □□□□□. □□ □□□□ □□□ □ □□□□□ □□□□ □□□□
 □□□□ □□□ □ □□□ □□ □□□ □□□□ WORM(Write Once, Read Many)1□□□
 □□□□ □□□□□.

S3 □□ □□□ □□ □□□ □□□□ □ □□ □□, □ □□ □□□ □□ □□□ □□□□
□. □□ □□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□□□. □□ □□□ □□
□□□ □□□ □□□ □□□□□ □□ □□□ □□□□2.

[illegible]

□□ □□ □□□□ S3 □□ □□□ □□□□ S3 □□□ □□□□□□ □□□ □□□ □□
 □□□ WORM □□□ □□□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□ □□
 □ □□□□□ □□□ □ □□□ □ □ □□□□. □□ WORM □□□□□ □□□ □□ □□
 □□□ □□□□□ □□ □□ □ □□□ □□ □□ □□□ □□□□ □ □□□ □ □ □□□
 □2.

Answer: (SHOW ANSWER)

NEW QUESTION: 24

□□□ □□ □□ □□(PII)□ □□□ □□ □ □□□ □□□□ Amazon S3□ □□□□□.
 □□□□□ □□□□ □□ Amazon EMR □□□□□ □□□□ □□□□ □□ □□□□ □
 □□ □ □□□ □□□□□. □□ □□ □□ □□□ □□□□□ □□□ □ □□□□ □□□
 □□ □□□□ □□□□□ □□□□ □ □□□ □□ □□□. □□□ □□□□□ Amazon S3
 □ □□□□□ □□□□ □□□ □□ EMR □□□□□ □□ □□□□ □□□□ □□□ □
 □ □□□.

□□□ □□□□□ □□□□ □□□□ □ □□ □□ □□□ □□□□□ □□ □□□□
□□□□ □□□?

- [illegible]

Answer: C (LEAVE A REPLY)

11

<https://docs.aws.amazon.com/emr/latest/ManagementGuide/emr-block-public-access.html>

NEW QUESTION: 25

□□□ □□ □□□ □□□□□□ □□□ JSON □□□□ □□□□□□□ □□□□ □□□
 □. □□□□□ □□□□ Amazon S3 □□□ □□□□□, □□ □□□□ □□ □ □□□ □
 □ □□□ □□□ □□□□□ □□□□□. □□□□□ 5□ □□ □□ □□□ S3 Glacier□ □
 □□□□ S3 □□ □□ □□□ □□□□□□.

[illegible]

☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐

- A.** AWS Lambda ☐ ☐☐☐☐ S3 ☐☐☐☐ S3 Glacier ☐☐☐☐☐ S3 ☐☐☐☐ ☐
☐ ☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐.
- B.** AWS Glue ☐☐☐ ☐☐☐☐ ☐☐☐ includeStorageClasses ☐☐☐ ☐☐☐ S3
Glacier ☐☐☐☐☐ ☐☐ ☐☐☐.
- C.** AWS Glue ☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ S3 ☐ ☐☐ ☐☐☐.
- D.** AWS Glue ☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ S3 Glacier ☐☐☐ ☐☐
☐.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 26

□□ □□ □□□□ □□ □□□ □□□□□□ □□□ □□ □ □□ □□□□□ □□ □□ □□ □□□□ □□□□ □□□□.

* 10□□ □□□ □□ □□□□ A

* 5□□ □□□ □□ □□□□ B

□□□ □□ □□□□ □□□ □□ □□ □□□□ □□□□□□.

□ □□□□ □□□ ID□ □□□□. □ □□□□ □□□ □□□□ Amazon Kinesis Data Streams□ □□□□ □□□□□.

□ □□ □ □□ □□□ □□□□ □□□□ □□ 2□□ □□□ □□ Amazon Kinesis □□□ □□□□ □□□□□. □□□□ □□□ □□□□ □ □□ □□□ □□ □□□□□. □□□ □□□ □□□□ A□□ □□ □□□□ □□ □□□ □□□ □□□□ B□□□ □□□□ □ □□□.

□□ □□, □ □□□ □□□□ □□□ □□□ Kinesis Data Streams □□□□□ □□ □□ □ □□□□□□□.

□□□ □□ □□ □□ □□ □□□□ □□□□ □□ □□□ □□□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□ □ □□□□?

A. Kinesis Data Streams□ □□ □□ □□ □□ □□ □□□ □□□□.

B. □ □□ □□□ □□□□ □□□□ A□ □□ □□□ Kinesis □□□ □□□□ □□□□ □□□□ A □□ □□□□ □ □□□□□ □□□□□□□.

C. □□□□ □□ □□ □□ ID□ □□□□□ □□□ □□ □□□□□.

D. □□□□ A□ □□ □□ 10□□□□ 5□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

□□

<https://docs.aws.amazon.com/streams/latest/dev/kinesis-using-sdk-java-resharding.html>

"□□□□ □□□□ □□ □□ □□□□□ □□□□ □□□ □□□ □□□□□. □□□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□□□."

NEW QUESTION: 27

□□□□□ Amazon Redshift□ □□□ □□□□□□ □□□□□. Redshift □□□□□ □ □□□□ □□□□. □□□ □□ □□□□ □□□□ □□ □□(HSM) □□ □□□ □□ □□ □□ Redshift □□□□□ □□□ □□□□ □□□□□ □□□.

□□□ □□ □□□ □□□□ □□ □□□ □□□□□? (3□□ □□□□□.)

A. AWS CloudHSM□□ HSM□□ □□□□ □ □□ □□□□□ □□□□ □□□□□.

B. □□ HSM□□ □□□□ □□□□□ □□ □□□□□ □□□□□. □□□□ □□□ □ □□□ □□□□□ □□ □□□□□□□□□ Amazon Redshift□ □□□□□.

C. AWS CloudHSM □□□□ □□□□□ □□ □□□□□ □□□□□. □□□□ □□□ □ □□□ □□□□□ □□ □□□□□□□□□ Amazon Redshift□ □□□□□.

D. □□ □□□□□□ □□ □□ □□□ □□□□□. □□ □□□□□□ □□□□ □□□□ □□.

E. AWS Key Management Service(AWS KMS)□ □□□□ □ □□ □□□□□ □□□□ □□□□□.

F. □□ □□□□□ □□ □□□□□□ □□□□□ □□□□□□ □ □□ □□□□□ □□ □□□□□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

☐ ☐☐☐ Amazon S3 ☐ ☐☐☐ Elastic Load Balancing ☐☐ ☐ ☐ ☐ ☐ ☐ ☐

☐☐. ☐☐ ☐☐☐ ☐☐ ☐, ☐, ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐. ☐☐ ☐☐☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐. ☐☐☐ ☐☐☐ ☐ ☐☐ ☐☐.

□□ □□□□ □□□□□ □□□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□
□□?

A. □□□ AWS Glue □□□ □□□□ □ □□ □□□ .csv □□□□ □□□□ □□, □, □
□□ □□□□ □□□□. AWS Glue □□□□ □□□□ □ □□□□ □□□□□. Amazon
Athena□ □□□□ □□□□ □□□□□.

B. Amazon S3 □ □ □□ □□□ □□, □, □□□ □□ □□ □□ □□□(HDFS) □□□□
□ □□□□□ □□□□□ □□□□ □□ □□ Amazon EMR □□□□□ □□□□□.

Apache Presto

C. □□□ □□ Amazon EMR □□□□□ □□□□ □ □□ □□□ Apache ORC □□□□
 □□□□ □□, □, □□□ □□□□□. Amazon Redshift Spectrum□ □□□□ □□□□ □
 □□□□.

[illegible]

Amazon Athena ☐ ☐ ☐ ☐ ☐ ☐

Answer: C ([LEAVE A REPLY](#))

□ □ □ .

NEW QUESTION: 29

☐ ☐☐☐ ☐ ☐☐ ☐ ☐ AWS ☐ ☐☐☐☐☐. ☐☐ ☐ AWS
☐☐☐☐ AWS ☐☐ ☐☐☐☐☐. ☐ ☐☐☐ ☐☐ ☐☐ ☐☐

☐☐☐ Amazon CloudWatch Logs☐☐ Amazon☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐. ☐
☐ ☐☐ Kinesis ☐☐ ☐☐ ☐☐ ☐ ☐☐ ☐☐ ☐ ☐ ☐☐ ☐☐ ☐
☐☐☐?

A. □□□□ □□ CloudWatch Logs□□ □□ □□□ □□□□ □□□ □□□ Kinesis □□
□ □□□□ □□□□ □□□□□. □□□ □□□□ Kinesis □□□ □□□ □ CloudWatch
Logs □□□□ □□ □□□ □□□ □□□□□ 1AM □□□ □□□□□. □□□□ □□□□

B. □□□□ □□□ CloudWatch Logs□ □□□ □□□ □ □□□ □□□□ □□ □□□
 □□ 1□ □□□ □□□□ □□□ □□□ Kinesis Data Streams□ □□ □□□ □□□□ □
 □□□□. □□□□ □□ CloudWatch□□ □□ □□□ □□□□□. □□□□ □□□ Kinesis
 □□□□ □□□□ □□□□ □□□□ □□

[illegible]

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

[illegible]

A. □□ □□□□ DISTSTYLE KEY(□□□)□ □□□□ □□□□ □□□□□. □□□□ □
□□□□ DISTSTYLE ALL□ □□□□□□. □□ □□□□□ DISTSTYLE EVEN□ □□□
□□□.

B. □□ □□□□ DISTSTYLE EVEN□ □□□□ □□□□ □□□□□. □□□□ □□□□
□ DISTSTYLE ALL□ □□□□□□.

□□ □□□□ DISTSTYLE EVEN□ □□□□□□.

C. □□ □□□□ DISTSTYLE KEY(□□□)□ □□□□ □□□□ □□□□□. □□□□ □
□□ □□□□□ DISTSTYLE ALL□ □□□□□□.

D. □□□□ □□□□ DISTSTYLE EVEN□ □□□□ □□□□ □□□□□. □ □□ □□□
□□□ DISTSTYLE ALL□ □□□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

[illegible]

D. Amazon Kinesis Data Firehose can deliver data to Amazon S3, Amazon ElastiCache, Amazon Redshift, Amazon Athena, Amazon EMR, Amazon Kinesis Data Analytics, Amazon Kinesis Data Streams, Amazon SNS, Amazon SQS, and AWS Lambda.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 33

A company is using Amazon Athena to query data stored in Amazon S3. The company wants to reduce the cost of the queries. Which of the following actions can the company take to reduce the cost of the queries?

A. Create an Amazon Athena workgroup and use it to run the queries.

B. Create an Amazon Athena workgroup and use it to run the queries. Set the workgroup's execution engine to EMR.

C. Create an Amazon S3 bucket and use it to store the query results.

D. Create an Amazon S3 bucket and use it to store the query results. Set the bucket's policy to allow Athena to write to the bucket.

E. Create an Amazon S3 bucket and use it to store the query results. Set the bucket's policy to allow Athena to write to the bucket. Set the bucket's lifecycle policy to delete the data after 90 days.

Answer: B (LEAVE A REPLY)

CC

<https://docs.aws.amazon.com/athena/latest/ug/manage-queries-control-costs-with-workgroups.html>

NEW QUESTION: 34

A company is using Amazon CloudWatch Logs to monitor its AWS resources. The company wants to reduce the cost of the logs. Which of the following actions can the company take to reduce the cost of the logs?

A. Create an Amazon CloudWatch Logs group and use it to store the logs.

B. Create an Amazon CloudWatch Logs group and use it to store the logs. Set the group's policy to allow CloudWatch Logs to write to the group.

C. Create an Amazon CloudWatch Logs group and use it to store the logs. Set the group's policy to allow CloudWatch Logs to write to the group. Set the group's lifecycle policy to delete the data after 90 days.

D. Create an Amazon CloudWatch Logs group and use it to store the logs. Set the group's policy to allow CloudWatch Logs to write to the group. Set the group's lifecycle policy to delete the data after 90 days. Set the group's lifecycle policy to delete the data after 90 days.

E. Create an Amazon CloudWatch Logs group and use it to store the logs. Set the group's policy to allow CloudWatch Logs to write to the group. Set the group's lifecycle policy to delete the data after 90 days. Set the group's lifecycle policy to delete the data after 90 days. Set the group's lifecycle policy to delete the data after 90 days.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

Amazon Redshift □□□□□□□□ □□□ □□□ □□□□ □□□□ □□□□.

□. □□ □□ □□ □□□ □□□□□ □□□ □□□□□. □□□□ □□□□□□ □□ □
□, □□ □ □□ □□□ □□□□□ □□□. □□ □□□□ □□□□□□□ □□ □□□ □
□□□ □□□□□ □□ □ □□□ □□□ □□□□□□ □□□□ □□□□□ □□□.
□□□ □□□ □□□□ □□□ □□□□□?

A. AWS IAM□□ □□□□ Amazon Redshift □□□□□□□□ □□ □□□□ □□□□□□.
AWS CloudTrail□ □□□ □□ □□□.

B. AWS Management Console ☐ AWS CLI ☐ ☐ ☐ Amazon Redshift ☐ ☐ ☐
☐ ☐ ☐ ☐ ☐ ☐.

C. Amazon Redshift ☐☐☐ VPC ☐☐☐☐ ☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐☐☐☐ VPC
☐☐ ☐☐☐ ☐☐☐☐☐.

D. AWS Artifact

Answer: B (LEAVE A REPLY)

NEW QUESTION: 36

□□□ □□□ □□□ Amazon QuickSight□ □□□□ □□□□□ □□□□ □□□ □□
 □□ □□□□ □□□□□. □ □□□□ Amazon Redshift□□ □□□□□□. □□□□ □
 □ □□□□ □□□□□ □□□□□ □□□ □□□□ □□ □□ □□ □□□□ □□□ □□
 □□□□ □□□□□ □□□. □□□ □□□□ SQL □□□□ □□□□ QuickSight□□ □□
 □ □□□ □□□□□ SPICE Business □□□□ □□ □□□ □□ □□□ □□□ □□ □
 □□ □□□ □□□□□□. □□□□ □□ □□□□ □□□□ □□ □□□ □□□ □ □□
 □□□ □□□□□?

A. Amazon Redshift □ □□□ □□ □□□□ □□□ □□□□ □□ □□□□ □□□□
 □. □□□□ □ □□□□ □□□□□.

B. AWS Glue ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Apache Spark ☐ ☐ ☐ ☐
☐. ☐ ☐ ☐ ☐ ☐ ☐

C. Amazon Redshift ☐ ☐☐☐ ☐☐ ☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐

☐.

D. QuickSight ☐ ☐☐☐ SPICE ☐ ☐☐☐☐ ☐ ☐☐ ☐ ☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 37

□ □□□ □□□ □□□ □□□□□ Amazon S3□, □□□ □□□□□□□ Amazon Redshift□ □□□□ □□ □□□□ □□□□ □□□□. □□□ Amazon Redshift Spectrum □ □□□□ Amazon S3□ □□□□ □□□□□ □□□□□ □□□.

□□□ Amazon Redshift Spectrum□ □□□□ S3 □□□ □□□ □□□ □□□ □□□
 □ □□ □□□ □□ □□□ □□□ □□□? (3□ □□) □□ □□ □□□ 1~5GB□ gzip □
 □□ □□□□□.

- A. 100 MB 100 MB 100 MB 100 MB.
- B. 100 MB KB 100 MB 100 MB.
- C. 100 MB 100 MB 100 MB 100 MB.
- D. 100 MB 100 MB 100 MB 100 MB.
- E. 100 MB 100 MB 100 MB 100 MB 100 MB.

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 38

100 MB 100 MB Amazon EC2 100 MB 100 MB 100 MB. 100 MB 100 MB 100 MB gzip 100 MB 100 MB Amazon S3 100 MB 100 MB. 100 MB 100 MB 100 MB 100GB 100 MB. 100 MB Amazon S3 100 MB AWS Batch 100 MB COPY 100 MB 100 MB 100 MB Amazon Redshift 100 MB 100 MB. COPY 100 MB 100 MB 100 MB 100 MB 100 MB?

- A. 100 MB Amazon S3 100 MB 100 MB 100 MB 100 MB COPY 100 MB 100 MB.
- B. Amazon Redshift 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB Gzip 100 MB 100 MB Amazon S3 100 MB 100 MB. 100 MB 100 MB COPY 100 MB 100 MB.
- C. Amazon Redshift 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB Gzip 100 MB 100 MB Amazon S3 100 MB 100 MB. 100 MB 100 MB COPY 100 MB 100 MB.
- D. 100 MB 100 MB distkey 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB Gzip 100 MB 100 MB Amazon S3 100 MB 100 MB. 100 MB 100 MB COPY 100 MB 100 MB.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB Amazon S3 100 MB .csv 100 MB JSON 100 MB. 100 MB 100 MB 100 MB 50GB 100 MB. 100 MB 100 MB Amazon Athena 100 MB 100 MB Amazon S3 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB 100 MB 1200 MB 100 MB 100 MB 500 MB 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB 100 MB 500MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB?

- A. AWS Glue ETL 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. Athena 100 MB 100 MB 100 MB 100 MB 100 MB 100 MB. 100 MB 100 MB 500 MB 100 MB 100 MB Amazon S3 Standard-Infrequent Access(S3 Standard-IA) 100 MB 100 MB 100 MB

□□ □□ □□ □□□ □□□□□. □□ □□ □ 7□ □□ □□ □□□ □□ □□ □□□□
Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□□ □□□□□.

B. AWS Glue ETL □□□ □□□□ □□□□ □ □□□ □□□ □□□□ □□, □□ □ □
□□□□. Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□□ □□□□□ □□□
□ □ 5□□ □□□ □□□ □□□□ Amazon S3 Standard-Infrequent Access(S3
Standard-IA) □□□□ □□□□ □□□□□ □□ □□ □□□ □□□□□. □□□ □□□
□□ □□□□ □□□□□ 7□ □ □□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □
□□□□ □ □□ □□ □□ □□ □□□ □□□□□.

C. AWS Glue ETL □□□ □□□□ □□□□ □ □□□ □□□ □□□□ □□, □□ □ □
□□□□. Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□ □□ □ 5□□ □□
□ □□□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □
□□□ □□□□□ □□ □□ □□□ □□□□□. □□ □□ □ 7□ □□ □□ □□□ □□
□□ □□□□ Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□□ □□□□□.

D. AWS Glue ETL □□□ □□□□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□
□. Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□□ □□□□□ □□□□ □
5□ □□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □
□□□ □□□□□ □□ □□ □□□ □□□□□. □□□ □□□□□ □□□□ □□□□□
7□ □ □□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □□□□□ □ □□ □□ □
□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

□ □□□ □□□□□ □ □□□ □□□ □□□ □□□□□ □□□ □□ □□□ □□□ □
□□□. □□□ □□□ □□ 1KB □□ JSON □□□ □□ □□□ Amazon S3 □□□□ □
□□□□. □□□ □□□□□ □□ □□□ □□□□ □□□□ □□□ □□□ □ □□□ □
□ □□□ □□□□ Apache Parquet □□□□ □□□ □ Amazon Redshift□ □□□□ □
□□. □□□□□ □□ AWS Glue□ □□□□ □□□ □□□□, □□□□ □□□ □□
AWS Step Functions□, □□ □□□ □□ Amazon CloudWatch□ □□□□□.
□□□□ □ □□ □□□ □□□ □□□□□□ □□ □□ □□□ □□□□ □□□□.
□□□ □□ □□□ □□ □□□□□ □□□ □□ □□□□□?

A. AWS Glue □□ Amazon EMR□ □□□□ □□ □□ □□□ □□□□□□. Amazon
EMR□□ □□□ □□□□ Amazon Redshift □□□□ □□□□□.

B. Amazon Redshift COPY □□□ □□□□ Amazon S3□ □□□ Amazon Redshift □□
□□ □□ □□□□□. Amazon Redshift□□ □□□ □□□□□.

C. □□ □□ □□□ □□□□ □□ AWS Glue □□ □□□ □□ □□□ □□□ □□□□
□. □□□ □□□□ Amazon Redshift □□□□ □□□□□.

D. AWS Lambda□ □□□□ □□ □□□ □ □ □□□ □□□□□□. □□□ Amazon S3
□ □□ □□□. AWS Glue□ □□□□ □□□ □□□□ Amazon Redshift □□□□ □□□
□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

A company is planning to migrate its Apache Flink application to AWS. The application currently runs on Amazon EC2 instances and uses Amazon S3 for storage. The company wants to ensure high availability and scalability. Which AWS services and configurations should be used to migrate the application?

- A.** Deploy Flink jar to Amazon Kinesis Data Analytics. Use Amazon Kinesis Data Streams for streaming data. Use VPC for network isolation. Use Amazon ElastiCache for caching. Use Amazon S3 for storage. Use AWS Client VPN for secure access. Use Amazon MSK for Kafka. Use Amazon Flink for processing.
- B.** Use VPC for network isolation. Use Amazon EC2 for Flink. Use Amazon Managed Streaming for Apache Kafka (Amazon MSK) for Kafka. Use VPC for network isolation. Use Amazon Kinesis Data Streams for streaming data. Use Amazon S3 for storage. Use AWS Client VPN for secure access. Use Amazon MSK for Kafka. Use Amazon Flink for processing.
- C.** Use VPC for network isolation. Use Amazon EC2 for Flink. Use Amazon Kinesis Data Streams for streaming data. Use VPC for network isolation. Use Amazon ElastiCache for caching. Use Amazon S3 for storage. Use AWS Client VPN for secure access. Use Amazon MSK for Kafka. Use Amazon Flink for processing.
- D.** Deploy Flink jar to Amazon Kinesis Data Analytics. Use Amazon Kinesis Data Streams for streaming data. Use VPC for network isolation. Use Amazon Managed Streaming for Apache Kafka (Amazon MSK) for Kafka. Use VPC for network isolation. Use Amazon Kinesis Data Streams for streaming data. Use Amazon S3 for storage. Use AWS Client VPN for secure access. Use Amazon MSK for Kafka. Use Amazon Flink for processing.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

A company is planning to migrate its Amazon Kinesis Data Firehose application to AWS. The application currently runs on Amazon S3 and uses Amazon S3 for storage. The company wants to ensure high availability and scalability. Which AWS services and configurations should be used to migrate the application?

- A.** AWS Glue □□□□ □□□□ □□□□ Glue □□□ □□□□□ □□□□ □□□□ □□□□□□. Athena□ □□□□ □□ □□□ □□□□ Amazon QuickSight□ □□□□ □□□ □□□□ □□□□□.
- B.** □ □□ Kinesis Data Firehose □□ □□□□ □□□□ Amazon Elasticsearch Service(Amazon ES)□ □□ □□□ □□□□□. □□ □□□ □□ Amazon ES□ □□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□ Kibana□ □□□□□.
- C.** □□□ .csv □□□□ □□□□ AWS Lambda □□□ □□□□□. □□ □□ Kinesis Data Firehose □□ □□□ □□□ □□□□□. Amazon Redshift□ □□□□ SQL □□□ □□□□ □□□ □□ □□ □□□ □□□□ Amazon QuickSight□ □□□□ □□□ □□ □□ □□□□□.
- D.** Amazon EMR □□□□□ □□□□ Amazon S3□ □□□ □□□ □□□□□. □□ □□ □ □□□□ Amazon QuickSight□ □□□□ □□□ □□□□ □□□□ Apache Spark □ □□ □□□□□.

Answer: A (LEAVE A REPLY)

□□

<https://aws.amazon.com/blogs/big-data/analyzing-aws-waf-logs-with-amazon-es-amazon-athena-and-amazon-qu>

NEW QUESTION: 43

□ □□ □□□ AWS Glue □□□□ □□□□□ □□ □□ □□□ □□ Amazon Athena□ □ □□□□. □□□□ □□ □□ □□□ □□□ □□□□□ □□□ □□□□ □□□□□. □□ □ □□ □□ □□□ □□□□ □□□ □□□□ □ □□□ □□ □□□ □□□□ □ □□ □□ □□□□□ □□□. □□□□□, □□□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□ □□□□□, □□ □□□ □ □□ □□□ □□ Amazon S3 □□□ □□□□□, □□□ □□□□□ □□ □□□□ □□□ □□ □□□ □□□□□ □□□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

- A.** □□ □ □□ □□ IAM □□ □ □□□ □□□ □□□□□. Data Catalog □□□□ □ □□□ □□□ □ □□□ □□□□□ IAM □□□ □□□□□.
- B.** □□ □ □□ □□ Athena □□□ □□□ □□□□ □□□□ □ □□□ □□□□□. □□□ □□□ □□ □□□ S3 □□ □□ □ □□ □□ □□□ □□□□□.
- C.** □□ □ □□ □□ Athena □□ □□□ □□□□□. □□ □□ □□□□ □□ □□□ □□□ □ □□□ □□□□□ IAM □□ □□ □□□ □□□□□.
- D.** □□ □ □□ □□ Athena □□ □□□ □□□□ □□□□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

https://aws.amazon.com/about-aws/whats-new/2019/02/athena_workgroups/

NEW QUESTION: 44

□□□□□ □□□□ □□ □□ □□□ □□□□ □□□□□ □□□□ □□□□□. □□□ □□□□ □□□□ □□□□ □□□ □ □□ □□ □□□ □□□□ □□□□ □□□□. □

Which of the following is the best way to store PHI data in Amazon S3?
A. Store PHI data in Amazon S3 using the Kinesis Client Library (KCL).

B. Store PHI data in Amazon S3 using the Kinesis Data Streams API.

C. Store PHI data in Amazon S3 using the Kinesis Data Firehose API.

D. Store PHI data in Amazon S3 using the Kinesis Data Analytics API.

E. Store PHI data in Amazon S3 using the Kinesis Data Analytics API.

F. Store PHI data in Amazon S3 using the Kinesis Data Analytics API.

Answer: D (LEAVE A REPLY)

00

<https://aws.amazon.com/blogs/big-data/persist-streaming-data-to-amazon-s3-using-amazon-kinesis-firehose-and->

NEW QUESTION: 45

Which of the following is the best way to store PHI data in Amazon S3?
A. Store PHI data in Amazon S3 using the Kinesis Client Library (KCL).

B. Store PHI data in Amazon S3 using the Kinesis Data Streams API.

C. Store PHI data in Amazon S3 using the Kinesis Data Firehose API.

D. Store PHI data in Amazon S3 using the Kinesis Data Analytics API.

□□□ □□□□□□ IOPS(PIOPS)□ □□ PostgreSQL□ Amazon RDS □□□□□□□ □□□□□. Lambda □□□□□ □□ □□□□ RDS □□□□□□□ □□□□ □□ □□ □□ □□□□ □□□ □□□ □□□□ SNS □□□□ □□□□.

D. Amazon Kinesis Data Firehose □□ □□□□ □□□□ □□ □□ □□□□ □□□□□. AWS Lambda □□ □□□ □□□□ □□□ □□□ □□□□ SNS □□□□ □□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□ □□ □□□□ □□ □□□ □□□□□□ □□□ □□ □ □□ □□□□□ □□ □□ □□ □□□□ □□□□ □□□□.

10□□ □□□ □□ □□□□ A

5□□ □□□ □□ □□□□ B

□□□ □□ □□□□ □□□ □□ □□ □□□□ □□□□□□.

□ □□□□ □□□ ID□ □□□□□. □ □□□□ □□□ □□□□ Amazon Kinesis Data Streams□ □□□□ □□□□□.

□ □□ □ □□ □□□ □□□□ □□□□ □□ 2□□ □□□ □□ Amazon Kinesis □□□ □□□□ □□□□□. □□□□ □□□ □□□□ □ □□ □□□ □□ □□□□□. □□□ □□□ □□□□ A□□ □□ □□□□ □□ □□□ □□□ □□□□ B□□□ □□□□ □ □□□.

□□ □□, □ □□□ □□□□ □□□ □□□ Kinesis Data Streams □□□□□ □□ □□ □ □□□□□□□.

□□□ □□ □□ □□ □□□ □□□□□ □□□□ □□ □□□ □□□□ □□□□□ □□ □□□ □□ □□□ □□□ □ □□□□?

A. Kinesis Data Streams□ □□ □□ □□ □□ □□ □□□□.

B. □ □□ □□□ □□□□ □□□□ A□ □□ □□□ Kinesis □□□ □□□□ □□□□ □□□□ A □□ □□□□ □ □□□□□ □□□□□□□.

C. □□□□ □□ □□ □□ ID□ □□□□□ □□□ □□ □□□□□.

D. □□□□ A□ □□ □□ 10□□□□ 5□□ □□□□.

Answer: ([SHOW ANSWER](#))

<https://docs.aws.amazon.com/streams/latest/dev/kinesis-using-sdk-java-resharding.html>
"□□□□ □□□□ □□ □□ □□□□□ □□□□ □□□ □□□ □□□□□. □□□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□□□."

SAA-C03 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SAA-C03 □□! DumpTop □ □□ **SAA-C03** □□ □□□ □□□□□□, DumpTop SAA-C03 □□ □□ □ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop

- ☐ Apache Zeppelin Notebook ☐☐☐☐ Apache Spark ML ☐☐☐☐☐☐

□□□□ □□□□. □□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□□ □.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

□ □□□ Amazon S3□ □□□□ □□ □ □□□□ □□ □□ □ □□ □□□□□ Amazon RDS for MySQL□ □□□□ □□ □□ AWS Glue □□□ □□□□□□. ETL □□□ DynamicFrame□ □□□□ S3 □□□□ □□□□. □□ ETL □□□□ AWS Glue □□□ □□□ □□□ □□ S3 □□ □□□□ □□□□ □□□ □□□ □□ □□□□ □□ □□ □ □□□□ □□ □□□□.

□□□□ □□□□ □□ □□□□ □□□ □□□ □ □□ □□ □□□ □□□□□?

- A. ETL □□□ □ □□ □ Amazon S3□□ □□□ □□ □□ □□□□ □□□□□ □□□.
- B. ETL □□□ DataFrame□ □□□□ Amazon S3□□ □□□□ □□□ □□□.
- C. AWS Glue □□□□ □□ □□□□ □□□□□□.
- D. ETL □□□ □□ □□□ □□ □□□ □□□□ □□□ S3 □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

□ □□□ □□ 24□□ □□ 100TB□ □□ □□ □□□ □□□□□□. □□□ □□ Amazon S3 □□□ □□ □□□□ □□□□□. □ □□□□ year-month-day_log_HH:mm:ss.txt □□□ □□ □□□□. □□□ HH:mm:ss□ □□ □□□ □□ □□□ □□□ □□□□□. S3 □□□ □□□□ □□□□ Amazon Athena□ □□□□□□□□. □□ □ □□□ □□□□ □ □□ □□□ □□ □ □□□ □□ □ □□□□□. □□□ □□□□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□□ □□□□ □□□□. □□□ □□ □□□ □□□□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□ □□□ Apache Avro □□□□ □□□□□.
- B. □□=□-□□/ □□□ □ □□□□ S3 □□□ □□□□ □□□□ □□□□□.
- C. □□ □□□ Apache Parquet □□□□ □□□□□.
- D. □-□□/ □□□ □ □□□□ S3 □□□ □□□□ □□□□ □□□□□.
- E. PARTITIONED BY □□ □□□□ □□□□ □□□□ □□ □□□□. ALTER TABLE ADD PARTITION □□ □□□□□.
- F. PARTITIONED BY □□ □□□□ □□□□ □□□□ □□ □□□□. MSCK REPAIR TABLE □□ □□□□□.

Answer: B,C,F ([LEAVE A REPLY](#))

□□: (□□)

NEW QUESTION: 51

□□□ □□□□ Amazon RDS □□□□□□□ □□□ □□□□ □□□□ □□□□□□□ □□□□. □□□ □□ □ □□□□ □□□□□(BI) □□□□ □ □□□□ Amazon Redshift □ □□□□ □□□□. □□□ □□□ □□□□ □□ □□ □□□□□ □□□□ RDS □□ □□□□□ □□□□ AWS Database Migration Service(AWS DMS)□ □□ □□□ □□ (CDC) □□ □□□ □□ □□□□□. □□□□□ □ □□□□ □□ □□□□□ Amazon Redshift□ □□□□□ □□□□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

A. Amazon S3□ AWS DMS□□ CDC □□ □□□ □□□□ □□□□□. COPY □□□ □ □□□ Redshift □□□□□ □□□□ □□□□□.

B. Amazon Kinesis Data Firehose□ AWS DMS□□ CDC □□ □□□ □□□□ □□□□ □. AWS Glue □□□□ □□□ □□□□ Kinesis Data Firehose□□ □□□ □□□□ □□ Redshift □□□□□ upsert□ □□□□□.

C. Amazon Kinesis Data Streams□ AWS DMS□□ CDC □□ □□□ □□□□ □□□□ □. AWS Glue □□□□ □□□ □□□□ Kinesis Data Streams□□ □□□ □□□□ □□ Redshift □□□□□ upsert□ □□□□□.

D. Amazon DynamoDB□ AWS DMS□□ CDC □□ □□□ □□□□ □□□□□. COPY □□□ □□□□ Redshift □□□□□ □□□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 52

□ □□□ □□□ □ □□ □□□□ □□□ □□□□□□ □□□. □□□ □□□ □□□ □ □□□ □□□□.

□□□ □□□ □□□ Amazon S3□ □□ .csv □ JSON □□□□□. □□ □□□□ □□□ □ 50GB□ □□□□□. □ □□□ Amazon Athena□ □□□□ Amazon S3□ □□ □□□ □ □□ □□□□ □□□□. □□□□ □□□ □□ 12□□□□ □□□□ □□□□ 5□□ □□ □□□□ □□ □□□□ □□□□. □□□□ □□□ □ 500MB□ □□□□ □□□□ 1□ □□ □□ □□□ □□□ □□□□□. □□ □□□□ □□ □□ □□ □□□ □□ □□□ □□□□□ □□□.

□□ □□□□ □□□ □□ □□□ □□□□□?

A. AWS Glue ETL □□□ □□□□ □□□□ □ □□□ □□□ □□□□ □□, □□ □ □ □□□□. Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□ □□ □ 5□□ □□ □ □□□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □ □□□ □□□□□ □□ □□ □□□ □□□□□.

□□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□ □ □□□□□.

□□ □□ □ 7□□□□.

B. AWS Glue ETL □□□ □□□□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□ □. Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□ □□ □ 5□□ □□□ □□ □□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □□□□ □□□

□□ □□ □□ □□□ □□□□□. □□ □□ □ 7□ □□ □□ □□□ □□ □□ □□□□
Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□□ □□□□□.

C. AWS Glue ETL □□□ □□□□ □□□□ □ □□ □□□ □□□□ □□, □□ □ □□
□□□. Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□□ □□□□□ □□□□
□ 5□□ □□□ □□□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-
IA) □□□□ □□□□ □□□□□ □□ □□ □□□ □□□□□. □□□ □□□□□ □□
□□ □□□□□ 7□ □ □□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □□□□□
□ □□ □□ □□ □□□ □□□□□.

D. AWS Glue ETL □□□ □□□□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□
□. Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□□ □□□□□ □□□□ □
5□ □□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □
□□□ □□□□□ □□ □□ □□□ □□□□□.

□□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□
□ □□□□□.

□□□ □□□□□ □□□□ □□□□□ 7□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

□□□ □ □□□ □□□ □□□ □□□ □□□ □□□□ □□□□□ □□□□ □□
□□ □□□. □□□ □□□□ □□□□ □□□ □□ □□□ □□□□□. □□□ □□□□
Amazon Kinesis Data Streams□ □□□□ □□□□□ Kinesis □□□ □□□ □□□ □□□
□□□□ □□□□ Amazon S3□ □□□□□. □□ □□ Amazon S3 □□□ □□□□ □□
□ PySpark □□□ □□□□ Amazon EMR□ □□□ □□ □□□□□□ □□ □□□□□. □□□
□□□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□ □□□ □□□□ □□□ □
□□ □□ □□□□. □□□ PySpark□ □□ □□□□ □□□□□.

□□□ □□ □□□ □□□□ □□□□□ □ □□□ □□□□ □□□□□?

A. Apache Parquet □□□ □□ □□□ □□□□ Amazon S3□ □□□□ □□□ □□ □□
□ □□ □□□□ Kinesis Data Firehose □□ □□□□□ □□ □□□□. PySpark□ □□
□□ Amazon EMR□ □□□□ Amazon S3□ □□□□ □□□□□.

B. Python □□□ □□□□ AWS Lambda □□□ □□□□□. Lambda□ □□□□ □□□
□□□□ □ □□□ □□ Kinesis □□□ □□□ □□□□ □□□□□.

C. Amazon Redshift □□□□□ □□□□□. □□□ □□□□ Amazon S3□□ Amazon
Redshift□ □□□□ □□□ □□ □□□ Amazon EMR□□ Amazon Redshift□ □□□□
□.

D. Amazon S3□ □□ □□□ □□□ □ □ □□□ □□□□ □□ Apache Parquet □□□
□ □□□□□ AWS Glue Python □□□ □□□□□. □□□□□ PySpark □□□ Amazon
EMR□□ AWS Glue□ □□□□□□□□□.

Answer: D ([LEAVE A REPLY](#))

<https://aws.amazon.com/it/about-aws/whats-new/2020/04/aws-glue-now-supports-serverless-streaming-etl/>

NEW QUESTION: 54

□ □□ □□□ 1□ □□ □□ □□□ □□□□ IoT □□ □□□□ □□□ □□□ □□ □□
 □ □□ Amazon Redshift□ □□□□ □□□□ □□□□. □□□ □□□□ □□ □ 2TB□
 □□ □□ □□□□ 4□□ □□□ □□□□ □□□ □□□ □□□□ □□□□□□. □□□
 □ □□□□ □□□□□. □□□ □□□□ □□□□ □□□ □□ □□ 13□□□□ □□□□
 □□□□□ □□ 7□ □□ □□□ □□ □□□□ □□□□ □□ □□□ □□□□ □□□ □
 □□□□. CTO(□□ □□ □□□)□ □□□□ □□□□ □□, □□ □□ □ □□□ □□ □
 □□□□ □□□□.

□□□ □□□□ □□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□?

A. AWS Glue □□ 13 □□□ □□ □□□□ Amazon S3 □ UNLOAD □□ Amazon Redshift
 □□ □□ □□□□ □□□□ □□ □□□ □□□□□. Amazon Redshift □□ S3 □□□ □
 □□□ □□ □□□□ □□□□□. Amazon Redshift Spectrum □ □□□□ 13 □□□ □□
 □□□□ □□□□□.

B. Amazon Redshift □□□□□ □□□□ □□□□. □□ □□□□ □□□ □□ □□□□ □
□□□□ □□□ □□□□ □□□□□□ □ □□□□□ □□□□□□.

C. S3 Intelligent-Tiering □ □□□ Amazon Redshift □ □□ □□□ Amazon S3 □□□
 □ □□□□□. AWS Glue □ □□□□ S3 □□ □□□ □□□□□ AWS Glue □□□ □
 □□□□ □□ □□□□ □□□□□.

□□ □□ □□ □□□ □□ Auto Scaling□ □□□□ Amazon EMR □□□□□ □□□□, □□□ □□□□ Amazon Athena□ □□□□□. □ □□ □□ □□□ AWS Glue □□□ □ □□□□ □□□□□.

D. CREATE TABLE AS SELECT(CTAS) □□ □□□□ 13□□□ □□ □□□□ Amazon S3□ □□□□ Amazon Redshift Spectrum□ □□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□ □□□ □□□ □□□□ □□ □□ □□ □□□□ □□□ □□□□ □□□□ □□□.
 □□□□□ □□□□ □□□ □□□□ □□ □□□□□□□ □□□□□ □□□ SQL□ □
 □□□ □□□□ □□□ □□ □□□□. □□□□ □□□□ □□ □□□□ □□□□ □□□
 □□ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□ □□□ □ □ □□ □□□□
 □□□□□ □□□□□ □□□□ □□□.

☐☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐☐

A. Amazon Kinesis Data Streams □ □□□ Amazon S3 □ □□□ □□□□□□□.
Amazon Athena □ Amazon QuickSight □ □□□ □□□□ □□□□ □□□□□ □
□□□□ □□□□□□.

B. Amazon Kinesis Data Streams ☐ ☐☐☐ Amazon Redshift ☐ ☐☐☐ ☐☐☐☐
☐ Amazon Redshift ☐ Amazon QuickSight ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐
☐ ☐☐☐☐ ☐☐☐☐.

C. Amazon Kinesis Data Firehose ☐ ☐☐☐☐ Amazon Redshift ☒ ☐☐☐☐☐☐

☐ Amazon Redshift ☐ Amazon QuickSight ☐ ☐☐☐ ☐☐☐☐☐☐☐☐

☐ ☐☐☐☐☐ ☐☐☐☐☐.

D. Amazon Kinesis Data Firehose □ □ □ □ Amazon S3 □ □ □ □ □ □ □ □ □ □.
Amazon Athena □ Amazon QuickSight □ □ □ □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

□□□ □□□□ □□□□ □□□□ □□□□□□□ □□□□. □□□ □ □□□ □□□ □
□ □□□□ □□□.

RCF(Random Cut Forest)은 랜덤하게 선택된 샘플을 사용하여 트리를 생성하고, 트리의 깊이를 기반으로 샘플의 이상치를 탐지하는 방법이다. 트리의 깊이가 깊을수록 샘플은 정상 데이터에 속할 가능성이 높고, 트리의 깊이가 얕을수록 샘플은 이상치에 속할 가능성이 높다.

□□□ □□□ □□□ □□ □□□□□ □□□ □□□ □□ □ □□ □□ □□□ □□□□
□?

A. Amazon S3 □□ 1□ □□ 1MB □ □□ □□□ Amazon Kinesis Data Firehose □ □□□
□ □□□ □□□□ □□□□□. Amazon S3 □ □□ □□□□ □□□□, □□ □□ □□□
□□□□, □□□ □□□ RCF □□□ □□□□ □□□□ □□□□ AWS Lambda □□□□
□□□□ □□□□ □□□□□□ □□□□□□. □□□ □□□ □□□□ Amazon
DynamoDB □ □□□□□.

B. Amazon Kinesis Data Streams □ □□□ □□□ □□□□ □□□□□. AWS Lambda □□□□ □□□□ □□□□, □□ □□ □□□ □□□□, □□□ □□□ RCF □□□ □□ □□ □□□□ □□□□ □□□. □□□ □□□ □□□□ Amazon DynamoDB □ □□□ □□.

C. Amazon Kinesis Data Streams □ □□□ □□□ □□□□ □□□□□. Kinesis Data Analytics □□□□□□□ RCF □□□ □□□□ 5□ □□ □□□□ □□□□ □□ □□ □ □□□□□ □□□□. Kinesis Data Firehouse□□ □□ □□□ □□ □□□ □□□ Amazon S3□ □□□□□.

D. Amazon S3 → 50 MB → 1MB → → → Amazon Kinesis Data Firehose → → →
→ → → → → . Kinesis Data Analytics → → → RCF → → →
1 → → → → → → → → → → → . Kinesis Data Analytics →
→ → AWS Lambda → → → Amazon S3 → → → .

Answer: C (LEAVE A REPLY)

NEW QUESTION: 57

□□□ □□□□ □□□□□□□□ □□□ □□ □□□ □□□ □□□ □□□□ □□
 Amazon QuickSight□ □□□□ □□□□. □ □□□□□□□ □□□ Amazon S3 □□□
 □□□ □□□□□. AWS Glue □□□ □□□□□ Amazon S3□ □□ □□□□□□ □□
 □□ □□ □□ □□□□□ □□□□□□. □□□□ □□□□□□□ □□□□ □□□ S3 □□

□ □□□□□. □ □□□□□□ □□□ □□□ □□□□□ □□□□□ □ □□
□ □□□□ Amazon Athena □□□□□ □ Amazon QuickSight □□□ □□□ □□□□□
SPICE□ □□□□ □ □□□□□□.

□□□ □□□□ □□□ □□□ □□□□ □□□?

A. S3 □□ □□□ □ S3 □□□ □□ □□□ □□□□□.

B. AWS Glue □□ □□□ AWS Glue □□□ □□□□□ □□ □□□ □□□□□.

C. Amazon QuickSight □□ □□□ □ S3 □□□ □□ □□□ □□□□□.

D. Amazon QuickSight □□ □□□ AWS Glue □□□ □□□□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 58

□□□ □□□□ Amazon EMR□□ Apache HBase□ □□□□ □□ □□□□ □□□□□
□□ □□□□. Amazon EMR□ □□ □□□ □□□ □□□□□. □ □□□ HDFS(Hadoop
□□ □□ □□□)□ 5TB□ □□ □□□□ □□□□ □□□□. □ □□□ HBase □□□□
□□□□ □□ □ □□ □□ □□□□ □□□□ □□□□.

□□ □□□□ □□□ □□□ □□ □□□ □□□□□?

A. □□ □ □□ □□□□ □□ □□□□□ □□□□ EMR □□□ □□□□ □□ □□□□
□ □□□□□.

□□

□□ □□□ □□□ □□ EMR □□□□. Amazon EventBridge□ □□□□ □□ □□□□
□□□□□.

B. HDFS □□ EMRFS(EMR □□ □□□)□ □□□□ □□□□ EMRFS □□□ □□□ □
□□□□□.

□□ □□□ □□□ □□ □□ EMR HBase □□□□□ □□□□□. □□□ □□ □□□ □
□ EMR HBase □□ □□ □□□ □□□□□ □□□□□. □ □□□□ □□ □□□
Amazon S3 □□□ □□□ HBase □□ □□□□□ □□□□□ □□□.

C. HDFS □□ EMRFS(EMR □□ □□□)□ □□□□ □□□□ EMRFS □□□ □□□ □
□□□□□.

□ □□ □□ □□ □□ □□□□ □ □□ □□ EMR □□□□□ □□□□□. □ □□□□
□□ □□□ Amazon S3 □□□ □□□ HBase □□ □□□□□ □□□□□ □□□.

D. HDFS □□ EMRFS(EMR □□ □□□)□ □□□□ □□□□□. EMRFS □□□ □□□
□□□□□□.

□□ □□□ □□□ □□ EMR HBase □□□□□ □□□□□. HBase □□ □□□□□
Amazon S3 □□□ □□□□□ □□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 59

□□ □□□□ □□ □□□ □□ □□ Amazon Kinesis Data Firehose □□ □□□□ □□
Amazon S3 □□□□ □□□□ JSON □□□ □□ □□□□ □□□□. AWS Glue □□□
□ 8□□□□□ □□□□ S3 □□□ □□□ □□□□ □□□ □□□□□ □□ □□□□ □□

□□□□□ □□□□ □□□□. □□□ □□□□ AWS Glue □□□ □□□□□ □□□□□
□ □□□ Amazon EMR□□ Apache Spark SQL□ □□□□ □□□□ □□□□□. □□□
□□□□□ □□□ □□□□ □□□□ □□□□□□ □□□□. □□□ □□□□□ □□ □
□□□ □□ □□□□ □□□□ □□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

A. □□ Amazon Redshift □□□□□ AWS Glue □□□ □□□□□ □□□□ □□ □□□
□ □□□□ Amazon Redshift Spectrum□ □□□□ Amazon S3□ □ □□□□ □□□□
□.

B. Amazon CloudWatch Events□ □□(1□□) □□□□ □□ □□□□ □□□ AWS Glue
□□□□ □□□□□.

C. AWS CLI□ □□□□ AWS Glue □□□□ □□ □□□ 8□□□□ 1□□□ □□□□□.

D. S3 □□□ S3:ObjectCreated:* □□□ □□□ □□ □□□□ AWS Lambda □□□□
AWS Glue □□□□ □□□□□.

Answer: D (LEAVE A REPLY)

□□

<https://docs.aws.amazon.com/AmazonS3/latest/dev/NotificationHowTo.html> "□□□ API□
□□□□ □□□ □□□ □ □□□□□(□: s3:ObjectCreated:*)□ □□□□ □□□ □□□
□ □□□□. "

"AWS Lambda□ Amazon S3 □□ □□□□ □□ □□□□ □□□ □□ □□□ □□□ □
□□□□. □□□ □□ □□□ AWS Lambda□ □□□□□ Lambda □□□ □□□□□.
Amazon S3□ □□ □□□ □□□(□: □□ □□ □□□)□ □□□□), AWS Lambda□ □
□□□ □□□□ Lambda□□ □□□ □□□ □ □□□□. □□ □□ □□□□ AWS
Lambda□ □□□ □□□□□."

NEW QUESTION: 60

□ □□□ □□ □□ □□(ML) RCF(Random Cut Forest) □□□□□ □□□□ □□□□ □
□ □□, □□ □□, □□□ □□ □ □□□ □□ □□□□□ □□□□□□ □□□.

□ □□□□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□ □□□□□ □□□ □□
□□ □□□ □□□□ □□ □□□□.

□□ □□□□ □□□ □□ □□□ □□□□□?

A. □□□ □□□ □□□□ □ □□□ □□□ □□ Amazon QuickSight□ □□□□ □□□
□ □□□□□□□.

B. AWS Marketplace□□ □□ □□□ ML AMI□ □□□□ □□□ □□□ □□ Amazon
QuickSight□ □□□□ □□□□ □□□□□□.

C. Amazon QuickSight□ □□□□ □□□□ □□□□ □□ ML □□ □□□ □□□□ □□
□□□□ □□□ □□□□□.

D. AWS Glue ML □□□ □□□□ □□□ □□□ □□ Amazon QuickSight□ □□□□ □
□□□ □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 61

Which Amazon S3 Apache Parquet files can be queried by AWS Glue Catalog?
A. Files created by Amazon Athena
B. Files created by Amazon Athena
C. Files created by Amazon Athena
D. Files created by Amazon Athena

- A. Files created by Amazon Athena
B. Files created by Amazon Athena
C. Parquet files created by Amazon Athena
D. Parquet files created by Amazon Athena

Answer: (SHOW ANSWER)

SAA-C03 questions and answers DumpTop.com SAA-C03!
DumpTop.com **SAA-C03** questions and answers, DumpTop SAA-C03
questions and answers. <https://www.dumptop.com/Amazon/SAA-C03-dump.html>
(954 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 62

- Which Amazon S3 Apache ORC files can be queried by Amazon Elasticsearch Service(Amazon ES)
A. Amazon DMS
B. AWS Glue
C. AWS Glue
D. Amazon EMR

Answer: C (LEAVE A REPLY)

NEW QUESTION: 63

□ □□ □□□ □□□ □□ □□ □□ Amazon QuickSight□ □□□□ □□□ □□ □□ □
□□ □□ □□ □□ □□ □□ □□□□□ □□□□□□. □□□□□ Amazon S3□ □□□
□ .csv □□□□ □□□□□□□□. □□ □□ Amazon QuickSight□□ □□ □□□□ □□
□□ □□ □□ □□ □□□□ □□□□□ □□□ □□□□□. □□ □□ □ □□□□□□
□□□ □□□□ □□□□ □□ □□ □□ □□□□□. □□ □□□□ □□□□ □□□□□
□□ □□ □□□ □□□□ □□□.

□□ □□□□ □□□□□□ □□□ □□□ □ □ □□□ □□□ □□□ □□ □□ □□ □
□ □□□ □□□ □□□?

- A. □ □□ □□□□ □□□□□ □□□ □□□□.
- B. □□□□ □□□□ □□□□ □□□ □□ IAM □□□ □□□□□.
- C. □ □□ □□□ □□□□ □□□□□ □□□ □□□□.
- D. □□□□ □□□□ □□□□ S3 □□ □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

□□□□□ Amazon Kinesis SDK□ □□□□ Kinesis Data Streams□ □□□□ □□□. □
□ □□ □□ □□□ □□□ □□ □□□ □□ □□□□ □□ □□ □□□□ □□□□□ □
□□. □□□ □□□□ □□ □□□□ □□□ □□□ □□ □□□ □□□□□ □□□□.
□□□ □□ □□□ □□□ □□□ □ □□□□?

- A. Kinesis Data Streams□ □□ KMS □□ □□□□ Kinesis □□□ □□□□□ □□ □ □
□□□ □□□□□□.
- B. AWS KMS□□ □□ □□□ □(CMK)□ □□□□□. □□□□ □□□□□ □□□□
AWS Lambda □□□ □□□□□. □□□ □□ □□□ KMS □ ID□ □□□□□.
- C. AWS KMS□□ □□ □□□ □(CMK)□ □□□□□. CMK□ □□□ □□□□□. AWS
□□□ SDK□ □□□□ □□□□ □□□□□ □□□□ □□ □ □□□ □□□□□.
- D. AWS KMS□□ □□ □□□ □(CMK)□ □□□□□. CMK□ □□□ □□□□□. CMK
□□□ KMS □□□ □□ □□□□ Kinesis □□□ □□□□□ □□ □ □□□□ □□□□
□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

□ □□□ □□□ □□□ □□ □□ □□□ □□ □□□□ □□ □□□ □□ □□□□ □□
□□ □□□□ □ □□□ □□□□□□.

- * □□□□ □□□ □□□ □ □ 32TB□□□□.
 - * □□ □□ □ □□□□ □□□□.
 - * □□ □□ □□□ □□ □□□□.
 - * □□ □□ □□□ □□□□□.
 - * □□□□ □□□□□ □□□ □□ □□ □□ □□□ □□□□□.
- □□□ □□□ □□□□ □□□□ □□□□ □□□□□?

- A. Amazon Aurora MySQL

- B. Amazon Neptune**
C. Amazon Redshift
D. Amazon Elasticsearch

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

[illegible][illegible]

- A.** ETL □□□ □□ □□□ □□ □□□ □□□□ □□□ S3 □□□ □□□□□.
- B.** AWS Glue □□□□ □□ □□□□ □□□□□□.
- C.** ETL □□□ DataFrame□ □□□□ Amazon S3□□ □□□□ □□□ □□□.
- D.** ETL □□□ □ □□ □ Amazon S3□□ □□□ □□ □□ □□□□ □□□□□ □□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 67

□ □□□ □□□ □□ □□□□□□□□ □□□ □□ □□□□ □□ □□□ □□□ □□□
 □. □□ □□ □□□□ □□ □□ □□ □□□□ □□□, □□□ □□ □□ □□□□ □□
 □□ □□□ □□□□ □□□ □□□□ □□□□. □□□ □□□□ Amazon S3 One Zone-
 Infrequent Access(S3 One Zone-IA)□ □□□□ □□ □□□ □□□ □□□□ □□□□
 EMRFS(EMR □□ □□□)□ □□□□ Amazon EMR □□□□□□ □□□□□□. □□□ □
 □□□ EMR □□ □□□ Amazon S3□ □□□□ □□□□ □ □□□ □ □□ □□□□ □□
 □ □□□□□□.

Amazon S3 □ □□ □□□ □□□ □□□ □□ □ □□ □□□ □□□□□?

- A.** □□ □□□ □□□□ □□□ □□□□ □□ Amazon S3□ □□ □□□□ □□ □□ □□ □□□ □□ □□□□□□.
- B.** □□ □□ □□□ □□□□ □□ □□□□ □□ S3 □□□□ □□□□ S3 Standard□ □□ □□□□.
- C.** □□ Amazon DynamoDB □□□□ □□ □□ □□(RCU)□ □□□□.
- D.** □□□ □□□□ EMR □□□□□ □□ □□ □□□ □□□□□□.

Answer: C (LEAVE A REPLY)

<https://docs.aws.amazon.com/emr/latest/ManagementGuide/emrfs-metadata.html>

NEW QUESTION: 68

□□□□ □□ □□ Amazon EC2□ □□ □□□□□□ □□□ □□□□. □□ □□□ □□
 □□□ □□□□ gzip □□□ □□□□ Amazon S3□ □□□□□□. □□ □□□ □ □□□
 □□ 100GB□ □□□□□. □□□ Amazon S3□ □□□□□ AWS Batch □□□□□
 COPY □□□ □□□□ □□□ Amazon Redshift □□□□□ □□□□□.

COPY □□□□□ □□□□□ □□□□ □□□ □□□□□?

A. Amazon Redshift □□□□□ □□ □□□ □□ □□ □□□ □□□□□ □□ □□ □□
 □□□. □□□ Gzip□□ □□□□ Amazon S3□ □□□□□□. □□□ □□ COPY □□□
 □□□□□.

B. Amazon Redshift □□□□□ □□ □□□□ □□ □□□ □□□□□ □□ □□ □□□
 □□. □□□ Gzip□□ □□□□ Amazon S3□ □□□□□□. □□□ □□ COPY □□□
 □□□□□.

C. ☐ ☐ ☐ ☐ Amazon S3 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ COPY ☐ ☐ ☐ ☐ ☐.

D. □□□ □□ □□ distkey □□ □□□ □□□ □□□□□ □□□ □□□□ □□□ □□
□□□.

□□□ □□□ Gzip□□ □□□□ Amazon S3□ □□□□□□. □□□ □□ COPY □□□
□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 69

□ □□□ □□ 24□□ □□ 100TB□ □□ □□ □□□ □□□□□□. □□□ □□
 Amazon S3 □□□ □□ □□□□ □□□□□□. □ □□□□ year-month-
 day_log_HHmmss.txt □□□ □□ □□□□. □□□ HHmmss□ □□ □□□ □□ □□□
 □□□ □□□□□. S3 □□□□ □□□□ □□□□ Amazon Athena□ □□□□□□□□. □□
 □ □□□ □□□□ □ □□ □□□ □□ □ □□□ □□ □ □□□□□.
 □□□ □□□□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□□ □□□. □□□□
 □□ □□ □□□ □□□□□ □□□□ □□□□.
 □□□ □□ □□□ □□□□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□□?
 (3□□ □□□□□.)

A. ☐☐ ☐☐☐ Apache Avro ☐☐☐☐ ☐☐☐☐.

B. □□=□-□E/ □□□ □ □□□□ S3 □□□ □□□□ □□□□ □□□□□.

C. ☐☐ ☐☐☐ Apache Parquet ☐☐☐☐ ☐☐☐☐.

D. -/ S3 .

E. PARTITIONED BY □□ □□□□ □□□□ □□□□ □□ □□□□. **ALTER TABLE**
ADD PARTITION □□ □□□□□.

F. PARTITIONED BY □□ □□□□ □□□□ □□□□ □□ □□□□. MSCK REPAIR TABLE □□ □□□□□.

Answer: B,C,F (LEAVE A REPLY)

□□ : (□□)

11

NEW QUESTION: 70

□□□□ □□□□□□□ Amazon Kinesis Data Streams□□ □□□□ □□ 10□□□
Amazon S3 □□□ □□ □□□□ □□□. □□□□□□□□ □□ □□ □□□□ □□□□ □□

□ □□□□. □□□ □□□□□□ □□ □□ □□□ □□□ □ □□□□. Amazon Athena □□ □□□□ □□□□□ □□□□.

□□□□ □□□ □□□ □□ □□ □□□ □□□□ □□ □□□□ □□□□.

□□ □□□ □□□□□ □ □□□ □□ □□□ □□□□□?

A. Amazon S3 □ □□□ □□□□ □ □ □□□ □□□□.

B. Kinesis Data Streams □ □□ □□ □□□□.

C. □□□□ □□□□□□□ □ □□ □□□□ CPU □□□ □□□□□.

D. □□ S3 □□□ □□□ □□□.

Answer: A ([LEAVE A REPLY](#))

□□

<https://aws.amazon.com/blogs/big-data/top-10-performance-tuning-tips-for-amazon-athena/>

NEW QUESTION: 71

□ □□□□□ □□□ □□ □□□□ □□□□ □□ □ □□□ □□ □□□ □□□□□ □ □ □□□ □□□□□ □□□□□. □□ □□□□□ □□□□ □□ □□□ Amazon S3 □ □ □ □□□□□□. Amazon EC2 □□ □□□□ □□□□□□□ □□ □□ □ □□□□ □□ □□ □□□□ □□□ □□□□ □□□□ □ □□□ □□ □□□ □□□□ □□□□□. □ □□ □□□□ □□□ □□□□ □□□□ □□□ □□□ □□□ □ □ □□ □□□ □ □ □□ □□ □□□ □□ □□□□ □□ □□□□ □□□ □ □□□ □□□ □□□.

□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □ □□□ □□ □□□ □□□□□? (2□□ □□□□□.)

A. Amazon Kinesis Data Firehose □ □□□□ □□ □ □□ □□□ □□□□□ □□□□ Amazon Elasticsearch Service □ □□□□□□.

B. Amazon S3 □□ Amazon Kinesis Data Streams □ □□□□□ □□□□ □□□□□ Kinesis Data Streams □□□□ □□□□ Amazon Elasticsearch Service □ □□□□ □□ □□.

C. □□□□□ □□□□ Amazon S3 □ □□ □□□ □□□□□□. □□ □□ AWS Lambda □ □□□□ Amazon S3 □□ Amazon Elasticsearch Service □ □□□□ □□□□.

D. Kibana □ □□□□ Amazon Elasticsearch Service □ □□□ □□□□ □□, □□□ □ □□□□□□. □□ □□□□□ □□□ □□ □□□□□ □□ □□□□.

E. Amazon EC2 □ □□□ Amazon Elasticsearch Service □ □□□□ □□□□ □□, □□ □ □ □□□□□.

□□ □□□□□ □□□ □□ □□□□□ □□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

□□□ □□□ □□□□ □□□□ □□ □□□□□□□ □□□□. □□□ □□ □□□ □□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□. □□□ SLA(□□□ □□ □□) □ □□ □ □□□□ □□□□ 30□ □□□ □□□ □□□□ □□□.

□□□□□ □□□□ □□ □□ □□ □□□ □□ □□ □□□ □□□□ □□□. □□□□ JSON□□ □□□□□ □□□ □□□ □□ □□□□ □□□ □ □□□□.

□□□ □□ □□□ □□□□□ □□□□ □□□ □□□□ □□□ □ □□ □□□□ □□□ □□?

A. □□□□ Amazon Kinesis Data Streams□ □□□ Amazon Kinesis Analytics for Java □ □□□□□□ □□□□ □□□□□. □□□□□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□. Amazon S3□ □□ □□□□ □□□□□.

B. □□□□ Amazon S3□ □□□□□ Amazon Kinesis Data Firehose□ □□□□. AWS Lambda□ □□□ □□□□ □□□□□□ Amazon S3□ □□□□□. Lambda □□□ □□ □□ □□□□ □□□□ □□□□ □□ □□□ □□□□□. Amazon DynamoDB□ □□ □ □□□ □□□□□.

C. Amazon Managed Streaming for Kafka□ □□□□ □□□□□ Amazon Kinesis Analytics for Java □□□□□□□ □□□□ □□□□□. □□□□□□□ □□□□ □□□□ □□□ □ □□□□ □□ □□□ □□□□□. Amazon DynamoDB□ □□ □□□□ □□□□□.

D. □□□□ Amazon S3□ □□□□□ Amazon Kinesis Data Firehose□ □□□□. S3 □ □□□ □□□□ □□□□□□ AWS Lambda □□□ □□□□□□ □□□□□. Lambda □ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□. Amazon S3□ □□ □ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□□ □□ □□ □□(PII)□ □□□ □□ □ □□□ □□□□ Amazon S3□ □□□□□.

□ □□□ □□□□ □□ Amazon EMR □□□□□ □□□□ □□□ a□ □□□□ □□ □ □□□ □□□ □ □□□ □□□□□. □□ □□ □□ □□□ □□□□□ □□□ □ □□□ □ □□□ □□ □□□□ □□□□□ □□□□ □ □□□ □□ □□□. □□□ □□□□□ Amazon S3□ □□□□□ □□□□ □□□ □□ EMR □□□□□ □□ □□□□ □□□□ □□□□ □□□ □□ □□□.

□□□ □□□□□ □□□□ □□□□ □ □□ □□ □□ □□□ □□□□□ □□ □□□□ □□□□ □□□?

A. EMR □□ □□□ □□□□ □□ □ □□ □□□ EMR □□□□□ □□□□ □□□ □□ □□□.

B. EMR □□□□□ □□ □□□ □□□□□ □□□□ IPv4 0.0.0.0/0 □□ IPv6 ::/0□ □□ □□ □□□□ □□□□ □□□ □□□□□.

C. EMR □□□□□ □□□□ □□ □□ □□□□ Amazon EMR□ □□ □□□ □□□ □ □□□ □□□□□□.

D. AWS WAF□ □□□□ EMR □□□□□ □□ □□ □□□ □□□□ □□□□□ □□□ □□.

Answer: C ([LEAVE A REPLY](#))

<https://docs.aws.amazon.com/emr/latest/ManagementGuide/emr-block-public-access.html>

NEW QUESTION: 74

Which of the following ETL processes can be used to load data from Amazon S3 into Amazon Redshift? (Select two.)

- A. S3DistCp can be used to load data from Amazon S3 into Amazon Redshift.
- B. Amazon Redshift Spectrum can be used to load data from Amazon S3 into Amazon Redshift.
- C. UNLOAD can be used to load data from Amazon Redshift into Amazon S3.
- D. COPY can be used to load data from Amazon S3 into Amazon Redshift.
- E. COPY can be used to load data from Amazon Redshift into Amazon S3.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which of the following AWS services can be used to load data from Amazon S3 into Amazon Redshift? (Select two.)

- A. Amazon DynamoDB can be used to load data from Amazon S3 into Amazon Redshift.
- B. AWS Glue can be used to load data from Amazon S3 into Amazon Redshift.
- C. Amazon Aurora can be used to load data from Amazon S3 into Amazon Redshift.
- D. AWS Glue can be used to load data from Amazon S3 into Amazon Redshift.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Which of the following AWS services can be used to load data from Amazon S3 into Amazon Redshift? (Select two.)

□□□ □□□□□□. □ □□□ □□ □□□□ Amazon Redshift □□□□□ □□□□ □
□ □□□□ □□ □□□□ □□□ □□□□ □□□□ □□ □ □□ □□□□□ □□□□
□□ □□□□□□ □□□□ □ □□□ □□□□. □□□□ □□□□ □□ □□□□
Amazon S3□ □□□□□.

□□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□□?

A. Amazon Kinesis Data Streams□ □□□□ □□□□□ □□ □□□□ □□□□□.

Kinesis Data Streams□□ □□□□ □□□□ Amazon S3□ □□□□ □□□ □□□□□.

□ □□□□ □□ Amazon Kinesis Data Analytics□ □□ □□ □□□□ □□ □□ □□ □

□□□□ □□□□□. □□□□ □□□□ □□ □□ AWS Lambda□ □□□□ Amazon

Simple □□ □□□(Amazon SNS) □□□ □□□□□. Amazon Kinesis Data Firehose□

Kinesis Data Streams□ □□□□ Amazon Redshift□ □□□□ □□□□□.

B. Amazon Kinesis Data Firehose□ □□□□ □□□□ □□□□ Amazon Redshift□ □□

□□□. □□ □□ Amazon Redshift□ □□□□ □□□□, □□ □□□□ □□ □□

Amazon S3□□ □□ □□ □□□□ □□□□, □□□□ □□□□ □□□□.

C. Amazon Kinesis Data Firehose□ □□□□ □□□□ □□□□ Amazon Redshift □

Amazon Kinesis Data Analytics□ □□□ □□□□□. Kinesis Data Analytics□□ □□ □

□□ □□□ □□□□ Amazon S3□ □□□□ □□□ □□□□ □□ □□□□ □□ □□ □

□ □□□□ □□□□□. □□□□ □□□□ □□ □□ AWS Lambda□ □□□□ Amazon

Simple □□ □□□(Amazon SNS) □□□ □□□□□.

D. Amazon Kinesis Data Firehose□ □□□□ □□□□ □□□□ Amazon Redshift □

Amazon Kinesis Data Analytics□ □□□ □□□□□. Kinesis Data Analytics□ □□□□

Amazon S3□ □□□ □□□ □□□□ □□□□□□□ □□□□□ □□□□ □□□ □□

□□□ □□□□ □□ □□ □□□□□. □□□□ □□□□ □□ □□ □□ □□□□□ □

□□□ □□ Amazon Simple Queue Service(Amazon SQS) □□□ □□□ □□□□□□□□

□□□□□ AWS Lambda □□□ □□□□□.

Answer: D (LEAVE A REPLY)

SAA-C03 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SAA-C03 □□!

DumpTop □ □□ **SAA-C03** □□ □□□ □□□□□□□, DumpTop SAA-C03 □□ □□

□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop

SAA-C03 □□□ □□□□□. <https://www.dumptop.com/Amazon/SAA-C03-dump.html>

(954 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

□□□□ □□□ □□□□ □□□□ □□□ □□ □□□□ □□□□. □□□□ □□ □□□

□□□□ □□□□ Amazon S3 □□□ □□□□ □□□□□.

□□□ □□ □□ □□ □ □□□ □□ □□□ □□ □□ 24□□ □□□ □□□ □□ □□□

□□□□□. □□ □□□ 2□ □□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□

□□.

□□□ □□ □□□□ □□, □□□□□, □□ IP □ □□ IP□ □□ □□ □□□□□ □□□ □ □□□□. □□ □ 100□ □□ □□□□ □□□□□.

□□□ □□□ □□□□ □ □□□□ □□□ □□□□ □□□?

A. Apache Parquet□□ □□ IP□ □□□□ □□□□ □□□□□.

B. □□ IP□ □□□□ □□□□ □□□ □□□ □□ JSON□□□.

C. □□□□ □□□□ □□ IP□□ □□□ Apache ORC□□

D. □□□ .csv□ □□□□ □□□□ □□ IP□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

□□□ □□□□□ □□ □□ □□ □□□□ □□□□ □□□. □□ □□□□ □□□ □□ □□ OLTP(□□□□ □□□□ □□) □□□□□ □□□□□□□. □□ □□□□ □□ □□□ □□ □□ □□□□□. □□ □□□□□ □□□ □□ □□ □□□ □□□□.

1□ □□ □□ □□□ □ □□ □□ □□ □□□□ □□□□□.

1□ □□□ □□□□□ □□ □□□□ □ □□□ □□ □□ □□□□ □□□□□.

□□ □□□□ □□□ □□ □□□ □□□□□ 5□ □□ □□□□□ □□□. □□ □□□□ □□ 90□ □□□ □□□ □ □□ □□□□□ □□□□□.

□□□□ □□□ □□□ □□□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □?

(2□□ □□□□□.)

A. □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □□□□ □□ □□□□ □□□□□. □□ □ 90□□ □□□ □□□□ □□□□ Amazon S3 Glacier Deep Archive□ □□□□ □□ □ 5□□ □□□ □□□□ □□□□ □□ □□ □□□ □□ □□□.

B. □□□□ Amazon S3 Standard □□□□ □□□□ □□ □□ □□□□ □□□□□. □ □□□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA)□ □□□□ □ □ □□ □□□ □□□□□.

1□ □

□□□ □□.

C. □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □□□□ □□ □□ □□□□ □□□□□. □□□ □□ □ 1□□ □□□ □□□□ □□□□ Amazon S3 Glacier□ □□□□ □□ □□ □□□ □□□□□.

D. □□□□ Amazon S3 Glacier □□□□ □□□□ □□ □□□□ □□□□□. □□ □ 90 □□ □□□ Amazon S3 Glacier□□ Amazon S3 Glacier Deep Archive□ □□□□ □□□ □ □□□□ □□ □ 5□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□□.

E. □□□□ Amazon S3 Standard □□□□ □□□□ □□ □□ □□□□ □□□□□. □□ □ □□ □ 1□□ □□□ □□□□ □□□□ Amazon S3 Glacier Deep Archive□ □□□□ □□ □□ □□□ □□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 79

□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□
□ □□□ □□□ □□□. □□□ □□□ □□□ □ 20KB□□□. □□□ □ □□□□ □□
□ □□□□ □□□□ □ □□□ □□ □□□□. □□ □□□ □ □□□□ □□ □□ □□□
□ □□ □□□ □□□ □□ □□□□□□□ □□□□□ □□□.
□ □□□ □□□ □ □□ □□□□ □□□□□?

- A. □□ PutRecords API□ □□□□ Amazon Kinesis Data Streams□ □□□□ □□□□
□□□. □□□□ □□□□ □□ □□□ □□□ □□□ □□□□□.
- B. □□ PutRecordBatch API□ □□□□ Amazon Kinesis Data Firehose□ □□□□ □□
□□ □□□. □□□□ □□ □□□□ □□□□□□ □□ □□□ □□□□□.
- C. □□□ Amazon Kinesis Producer Library(KPL)□ □□□□ Kinesis Data Firehose□ □
□□□ □□□□ □□□. □□□□ □□□□ □□ □□□ □□□ □□□ □□□□□.
- D. □□ PutRecords API□ □□□□ Amazon Kinesis Data Streams□ □□□□ □□□□
□□□. Auto Scaling□ □□□□ Amazon EC2□□ □□□ □□ □□□□□□□ □□□□
□□.

Answer: A ([LEAVE A REPLY](#))

<https://docs.aws.amazon.com/streams/latest/dev/enhanced-consumers.html>

NEW QUESTION: 80

□□□ □□ □□ □□(PII)□ □□□ □□ □ □□□ □□□□ Amazon S3□ □□□□□.
□□□□□ □□□□ □□ Amazon EMR □□□□□ □□□□ □□□□ □□ □□□□ □
□□ □ □□□ □□□□□. □□ □□ □□ □□□ □□□□□ □□□ □ □□□□ □□□
□□ □□□□ □□□□□ □□□□ □ □□□ □□ □□□. □□□ □□□□□ Amazon S3
□ □□□□□ □□□□ □□□ □□ EMR □□□□□ □□ □□□□ □□□□ □□□ □
□ □□□.
□□□ □□□□□ □□□□ □□□□ □ □□ □□ □□ □□□ □□□□□ □□ □□□□
□□□□ □□□?

- A. EMR □□ □□□ □□□□ □□ □ □□ □□□ EMR □□□□□ □□□□ □□□ □□
□□□.
- B. EMR □□□□□ □□ □□□ □□□□□ □□□□ IPv4 0.0.0.0/0 □□ IPv6 ::/0□ □□
□□ □□□□ □□□□ □□□ □□□□□.
- C. AWS WAF□ □□□□ EMR □□□□□ □□ □□ □□□ □□□□ □□□□□ □□□
□□.
- D. EMR □□□□□ □□□□ □□ □□ □□□□ Amazon EMR□ □□ □□□ □□□ □
□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 81

□ □□□ □□ Amazon Athena□ □□□□ □□□ □□□ □□□ □□□□□. □□ □□□
□ us-east-1 □ us-west-2 □□□ Amazon S3□ □□□□□. □□□□ □□□□□ □□□

□. □□ □□□□□ □□□□□ □□□□ □□ □□□ us-west-2□ Athena□ □
□□□ □ □□□ Amazon S3□□ □□□□ □□□□□ □□□. □□□□ □□□ □ □□□
□ □□□.

□ □□□ □□□□ □□ □□□ □□□ □□ □□□?

A. AWS DMS□ □□□□ AWS Glue □□□ □□□□□ us-east-1□□ us-west-2□ □□□
□□□□□□. us-west-2□□ Athena □□□ □□□□□.

B. us-east-1 AWS Glue □□□ □□□□□ us-west-2□ □□□□ □ □□□ AWS Glue □
□□ □□□ □□□□□□□.

us-west-2□ □□□□□ us-east-1□ □□□□□ □□□□□ □ □□ □□ us-west-2□□
Athena □□□ □□□□□.

C. us-west-2□□ AWS Glue □□□□ □□□□ □□ □□□ □□□ □□□ □□□□□□
□□. □□□□ □□□□□ us-west-2□□ Athena □□□ □□□□□.

D. us-east-1□ S3 □□□ □□ □□ □□ □□□ □□□□□ us-west-2□ □□□□ □□□
□□. □□□□ us-west-2□ □□□□ □□□ AWS Glue □□□□ □□□□ us-west-2□□
AWS Glue □□□ □□□□□ □□□□□□ Athena □□□ □□□□□.

Answer: ([**SHOW ANSWER**](#)**)**

NEW QUESTION: 82

□ □□□ Amazon Elasticsearch Service(Amazon ES)□ □□□□ □□□□ □□□□□ □
□□□ □□□□ □□□□□. □ □□□ Amazon Kinesis Data Firehose□ □□□□ □□
1TB□ □□□□ □□□□ Amazon ES □□□□□ □□ □□□ □□□□ □□□□□.

□□□ Amazon ES □□□□ □□ □□ □□□ □□ □□□ □□□□ □□□ □ □ Kinesis
Data Firehose□□ □□□ □□□□ □□□ □□□□. Amazon ES □□□□□□□ □□ □□
□□ □□□□ 10□□ □□□ 3□□ □□ □□□ □□□ □□□□. □ □□□ □□□□
1.5TB□ Amazon EBS □□□□□ □□□□ □□□ □□□□□ 1,000□□ □□□ □□□
□□. □□□ □□□□ □□□□ JVMMemoryPressure □□□ □□□□□.

Amazon ES□ □□□ □□□□□ □□□□ □□□□□?

A. Amazon ES □□□ □□□ □□□□ □□□□.

B. Amazon ES □□□ □□ □□ □□□□.

C. □□□□ Amazon ES □□ □□ □□□□.

D. □□□□ □□ Amazon ES □□ □□ □□□□.

Answer: ([**SHOW ANSWER**](#)**)**

<https://aws.amazon.com/premiumsupport/knowledge-center/high-jvm-memory-press-elasticsearch/>

NEW QUESTION: 83

□□□ □□□□□□□□ □□ □□□□ □□□□□□□. □□ □□□□□ □□ □□□ □□□
□ □□□ □□□□ □□□□. □□ □□□□ Apache Hadoop □□□□□ □□□□ □□□
□ □□ □□□ □□□□ □□ □□□ □□□□□. □□ □□□ □□□ □□ □□ □□ □□
□ □□□□□.

Which of the following is a managed service for running Apache Hadoop on AWS?
AWS Managed Hadoop. This service is a managed service for running Apache Hadoop on AWS.
It is a managed service for running Apache Hadoop on AWS.

Which of the following is a managed service for running Apache Hadoop on AWS?

A. Amazon EMR is a managed service for running Apache Hadoop (HDFS) on AWS. It is a managed service for running Apache Hadoop on AWS. Apache Spark is a managed service for running Apache Hadoop on AWS. Amazon S3 is a managed service for running Apache Hadoop on AWS. Amazon EMR is a managed service for running Apache Hadoop on AWS.

B. Amazon S3 is a managed service for running Apache Hadoop on AWS. Amazon EMR is a managed service for running Apache Hadoop on AWS. Amazon EMR is a managed service for running Apache Hadoop on AWS. Amazon S3 is a managed service for running Apache Hadoop on AWS. Amazon S3 is a managed service for running Apache Hadoop on AWS.

C. Amazon S3 is a managed service for running Apache Hadoop on AWS. S3 is a managed service for running Apache Hadoop on AWS. AWS Glue is a managed service for running Apache Hadoop on AWS. S3 is a managed service for running Apache Hadoop on AWS. S3 is a managed service for running Apache Hadoop on AWS. S3 is a managed service for running Apache Hadoop on AWS.

D. Amazon Kinesis Data Firehose is a managed service for running Apache Hadoop on AWS. Amazon S3 is a managed service for running Apache Hadoop on AWS. Amazon S3 Storage Lens is a managed service for running Apache Hadoop on AWS. S3 is a managed service for running Apache Hadoop on AWS. S3 is a managed service for running Apache Hadoop on AWS.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 84

Which of the following is a managed service for running Apache Hadoop on AWS?
AWS Managed Hadoop. This service is a managed service for running Apache Hadoop on AWS.
It is a managed service for running Apache Hadoop on AWS.

Which of the following is a managed service for running Apache Hadoop on AWS?

A. FindMatches is a managed service for running Apache Hadoop on AWS.

B. Amazon is a managed service for running Apache Hadoop on AWS.

C. Amazon SageMaker Ground Truth is a managed service for running Apache Hadoop on AWS.

D. ResolveChoice is a managed service for running Apache Hadoop on AWS.

Answer: A ([LEAVE A REPLY](#))

Which of the following is a managed service for running Apache Hadoop on AWS?

AWS Lake Formation FindMatches is a managed service for running Apache Hadoop on AWS.

NEW QUESTION: 85

Which of the following is a managed service for running Apache Hadoop on AWS?
AWS Managed Hadoop. This service is a managed service for running Apache Hadoop on AWS.
It is a managed service for running Apache Hadoop on AWS.

□□ □□ □□□)□ 5TB□ □□ □□□□ □□□□ □□□□. □ □□□ HBase □□□□ □□□□ □□ □ □□ □□ □□□□ □□□□ □□□□.

□□ □□□□ □□□ □□□ □□ □□□ □□□□□?

A. HDFS □□ EMRFS(EMR □□ □□□)□ □□□□ □□□□□. EMRFS □□□ □□□ □□□□□.

□□ □□□ □□□ □□ EMR HBase □□□□□ □□□□□. HBase □□ □□□□□ Amazon S3 □□□ □□□□□ □□□.

B. □□ □ □□ □□□□ □□ □□□□□ □□□□ EMR □□□ □□□□ □□ □□□□ □ □□□□□.

□□

□□ □□□ □□□ □□ EMR □□□□. Amazon EventBridge□ □□□□ □□ □□□□ □□□□□.

C. HDFS □□ EMRFS(EMR □□ □□□)□ □□□□ □□□□□ EMRFS □□□ □□□ □ □□□□□.

□ □□ □□ □□ □□ □□□□ □ □□ □□ EMR □□□□□ □□□□□. □ □□□□ □□ □□□ Amazon S3 □□□ □□□ HBase □□ □□□□□ □□□□□ □□□.

D. HDFS □□ EMRFS(EMR □□ □□□)□ □□□□ □□□□□ EMRFS □□□ □□□ □ □□□□□.

□□ □□□ □□□ □□ □□ EMR HBase □□□□□ □□□□□. □□□ □□ □□□ □ □ EMR HBase □□ □□ □□□ □□□□□ □□□□□. □ □□□□ □□ □□□ Amazon S3 □□□ □□□ HBase □□ □□□□□ □□□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 86

□□□□□ □□□ Amazon RDS□ □□ □□ □□□□ □□□□□. □□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□. □□ □□□□□ □□ □□ 6□□ □□ □□□□ □ □□□□□. □ □□□□ □□□ □ □□□□□□ □□□□. □ □□ □ □□ □□ 5□□ □ □□ □□□□ □□□□ □ □□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□ □ □□□□□□ □□□.

□□□ □□ □□□ □□□□ □□□□ □□□□ □□□□□?

A. ETL □□□ □□□□ □□ □□ 6□□□ □□□□ Amazon Redshift □□□□□ □□ □ □□□□.

□ □□□□□ □□ □ □□ □□□ □□□□□. □□ □□□□ □□ □□□ □□□□□ RDS □□□□□□□ □□ □□ □□□□ □□□□□.

B. Amazon RDS□□ Amazon S3□□ □□□□ □□ □□□□□. Amazon S3□ □□ □□ □□ AWS Glue □□□ □□□□□ □□□□□. Amazon Athena□ □□□□ □□□□ □ □□□□.

C. Amazon RDS□□ Amazon S3□□ □□□□ □□ □□□□□. Amazon Redshift□□ □ □□ 6□□ □□ □□□□ □□□□ □□□□□. □□ □□ □□□□ □□□□□ Amazon Redshift Spectrum □□□□ □□□□□.

D. RDS □□□□□□□ □□ □□ □□□□ □□□□ □□ 6□□ □□ □□□□ □□□□
 □. □□ □□□□ Amazon S3□ □□□□□. Amazon S3 □ Amazon RDS□ □□ □□□
 □ AWS Glue □□□ □□□□□ □□□□□.
 Amazon Athena□ □□□□ □□ □□□ □□□□□.

NEW QUESTION: 87

[illegible]

B. Amazon Kinesis Data Firehose → S3 → Athena → Redshift → AWS Lambda → Firehose → Kinesis → S3 → Kinesis Data Firehose.

D. Amazon Simple Queue Service(Amazon SQS)□ □□□□. SQS □□□□□ □□□
□ □□ □□ □□□□ Amazon S3□ □□□□□□ AWS Lambda □□□ □□□□□.

NEW QUESTION: 88

AWS KMS □□□ □□ □□ Amazon DynamoDB □□□ □□□□□□ □□□□
 DynamoDB□ □□□□ □□ □□ □□□ □□□□ □□□□□□. □□□□ □ □□□□
 Amazon Redshift□ □□□□ □□□ □□ □□ □□ □□□ □ □□□ □□□. Amazon
 Redshift □□□□□ □□□ □□□□ □□ □□□ □□□□ □□□□□.

A. KMS ☐ ☐ ☐ ☐ ☐ ☐ EMR_EC2_DefaultRole ☐ ☐ ☐ ☐ Amazon EMR ☐ ☐ ☐ ☐ ☐ ☐.

DynamoDB □ □□□ □□□□ Amazon Redshift □ □□ □□□□ □□□□ Apache Hive
 □□□□ □□□□□. Hive □□ DynamoDB □ □□□□ □□□ □□ Amazon Redshift □ □
 □ □□□□ □□□ □□□□□.

B. DynamoDB □□□□ □□□□ □□ AWS Lambda □□□ □□□□□. □□□ KMS □
□ □□□□ □□□ □□□□ □□□ □□□□□. □□□□ □□ □□□ S3 □□□ □□□
□□□□□. □□□□ □□□□ □ □□ Amazon Redshift □□ □□□□ □□□□□.
COPY □□□ □□□□ Amazon S3□ □□□□ □□ □□□□ □□□□□.

C. DynamoDB □□□□ □□□□ □□ AWS Lambda □□□□ □□□□□. □□□□ □□
 □□□ S3 □□□□ □□□□□. □□□□ □□□□□ □ □□ Amazon Redshift □□ □
 □□□□ □□□□□. KMS □□ □□□□□ □ □□ IAM □□□□ □□ COPY □□□□ □□□□
 S3□□ □□ □□□□□ □□□□□ □□□□□.

D. Amazon EMR ☐☐☐☐☐. DynamoDB ☐☐☐☐☐☐ Apache Hive ☐☐☐☐☐. ☐☐☐☐ Amazon S3 ☐☐☐☐☐☐. KMS ☐☐☐☐☐ IAM ☐☐☐☐ COPY ☐☐☐☐ Amazon S3 ☐☐☐ Amazon Redshift ☐☐☐☐☐☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐

☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐.

* □□□ □□□ □□□ □ □ 32TB□□□.

* □□ □□ □ □□□□ □□□□.

* □□ □□ □□□ □□ □□□□.

* □□ □□ □□□ □□□□□.

* □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□

□□ □□□ □□□ □□□□ □□□□ □□□□ □□□□□?

A. Amazon Aurora MySQL

B. Amazon Redshift

C. Amazon Elasticsearch

D. Amazon Neptune

Answer: B (LEAVE A REPLY)

NEW QUESTION: 90

□ □□□ □□□ □□ □□ □□□ □□□ Amazon S3□ □□□ □□□□. □□□ □□□
 □□□□□ Amazon Athena□ □□□□ □□□ □□□ □□□ □□□ □□□ □ □□□ □
 □□ □□□. □□ □□□□□ □□□□ AWS □□□□ □□□□ S3 □□ □□□□ Athena
 □□ □□□ □□□□□□ □□□. □□ □□□ □□□□□ □□ □□ □□□ □□□ □□
 □□.

□□ □□□□ □□ □□□ □□□□□ □□□ □□ □□ □□□□□.

[illegible]

□□ □□, □□ □□□□□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

A. □□ □□□ □□□ □□ □□ □□ □□□ □(SSE-C)□ □□ □□ □ □□□□ □□□ □□. □□ □□□ □□□□ S3 □□□ □□□ □(SSE-S3)□ □□□ □□ □ □□□□ □□ □□□.

B. □□ □□□ □□□ □□ AWS Key Management Service(AWS KMS) □□ □□□ □□ □□ □□□□□ □ □□□□ □□□□□. □□ □□□□□□□ □□□□□ □ □□ □□ S3 □□□□□ □ □□□□ □□□□□.

C. □□ □□□ □□□ S3 □□□ □□□ □(SSE-S3)□ □□□ □□ □ □□□□ □□□□ □. □□ □□□□□□□ SSE-S3□ □□□□□.

D. □□ □□□ □□□ □□ AWS KMS □□□ □□ □□□ □(SSE-KMS CMK)□ □□ □ □ □□□□ □□□□□. □□ □□□ □□□□ S3 □□□ □□□ □(SSE-S3)□ □□□ □□ □ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

□□ □□□□□ □□ □□ □□□(LMS)□ Amazon S3□ □□□□ □□□ 100TB □□□ □□□□□ □□□□□□□. □□□□ LMS□ □□ □□ □□□ □□□□□. □□□□ □□□ □□□□ □□□ □□□ □□□□ □□ Amazon Redshift□ □□□□ □□ □□ □□ □□ □□ □□□□□ □□□. □□□ □□□□ 95%□ □□ □□ □□ □□ 4□□□ □□□□ □ □□□, □□□ 5%□ □□ 12□□□ □□□□ □□□□□.

□□ □□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□?

A. Amazon Redshift □□□□□ □□ □□ 4□□□ □□□□ □□□□□. Amazon Redshift Spectrum□ □□□□ □□□ □□□□ □□□□ □□□□□. S3 Standard □□□ □ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□ □□□□□.

B. Amazon Redshift □□□□□ □□ □□ 4□□□ □□□□ □□□□□. Amazon Redshift □□ □□□ □□□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□ □ □□□□ □□□ □ □□□□.

C. Amazon Redshift □□□□□ □□ □□ 4□□□ □□□□ □□□□□. Amazon Redshift Spectrum□ □□□□ □□□ □□□□ □□□□ □□□□□. S3 □□ □□ □□ □□□ □□□□ Amazon S3 Glacier □□□□□ □□ 12□□□ □□□□ □□□□□.

D. Amazon Redshift □□□□□ DS2 □□□ □□□□□. Amazon S3□ □□ □□□□□ Amazon Redshift□ □□□□□□□□□. □□□ □□□□ □□□□□.

Answer: **A** ([LEAVE A REPLY](#))

S3 bucket objects (objects) are copied to the COPY REGION 'ap-south-1' bucket. The Redshift bucket is empty. S3 bucket is empty. The COPY - Amazon Redshift bucket is empty.

NEW QUESTION: 94

Amazon Kinesis Client Library(KCL) is a Kinesis client library that runs on the Amazon EC2 instances.

The KCL is a Java library that runs on the Amazon EC2 instances. It is used to process data from the Amazon Kinesis data stream. The KCL is a Java library that runs on the Amazon EC2 instances. It is used to process data from the Amazon Kinesis data stream. The KCL is a Java library that runs on the Amazon EC2 instances. It is used to process data from the Amazon Kinesis data stream.

The KCL is a Java library that runs on the Amazon EC2 instances. It is used to process data from the Amazon Kinesis data stream. The KCL is a Java library that runs on the Amazon EC2 instances. It is used to process data from the Amazon Kinesis data stream. The KCL is a Java library that runs on the Amazon EC2 instances. It is used to process data from the Amazon Kinesis data stream.

A. Amazon DynamoDB is a NoSQL database service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

B. Amazon S3 is a scalable object storage service that provides a simple web interface and a rich API for storing and retrieving data.

C. Amazon DynamoDB is a NoSQL database service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

D. Amazon DynamoDB is a NoSQL database service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 95

Amazon Redshift is a fully managed data warehouse service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data. The Amazon Redshift is a fully managed data warehouse service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data. The Amazon Redshift is a fully managed data warehouse service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

A. QuickSight Enterprise is a business intelligence service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data. The QuickSight Enterprise is a business intelligence service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

B. Amazon Redshift is a fully managed data warehouse service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data. The Amazon Redshift is a fully managed data warehouse service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

C. Amazon Redshift is a fully managed data warehouse service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data. The Amazon Redshift is a fully managed data warehouse service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

D. QuickSight Enterprise is a business intelligence service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data. The QuickSight Enterprise is a business intelligence service that provides fast and predictable performance with seamless scalability. It is used to store and retrieve data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

Amazon S3 is a scalable object storage service that provides a simple web interface and a rich API for storing and retrieving data. The Amazon S3 is a scalable object storage service that provides a simple web interface and a rich API for storing and retrieving data. The Amazon S3 is a scalable object storage service that provides a simple web interface and a rich API for storing and retrieving data.

<example-report-prefix>/<example-report-time>/yyyyymmdd-yyyyymmdd/<example-report-name>

parquet AWS Glue is a data catalog service that provides a simple web interface and a rich API for storing and retrieving data. The AWS Glue is a data catalog service that provides a simple web interface and a rich API for storing and retrieving data. The AWS Glue is a data catalog service that provides a simple web interface and a rich API for storing and retrieving data.

□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□. □□□□ □□□□ □□ □
□ □□□ □□ □□□ □□ □□□□. □□ □□ □□□ □□ □□□ □□□□ □□ □□ □
□ □□ □□□ □□□ □□□?

- A.** ☐ ☐ ☐ ☐ ID ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- B.** ☐ ☐ ID, ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- C.** ☐ ☐ ☐ ☐ ID ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- D.** ☐ ☐ ☐ ☐ csv.zip ☐ ☐ ☐ ☐ ☐.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 97

000 00000 00000 0000 Amazon S3 0000 00000 000. 000
 0 0000 JSON 00000. S3 000 0000 product_id 00000 000.
 000 00 000 00 00 00000 0000 0000 00000?

- A.** Amazon Kinesis Data Firehose → S3
productjd
- B.** S3 → productjd → AWS Glue → Amazon Kinesis Data Firehose → AWS Glue → S3
- C.** Amazon Kinesis Data Firehose → S3
productjd, S3 → AWS Glue ETL → S3
- D.** Amazon Kinesis Data Firehose → S3
productjd, S3 → Amazon EMR → S3

Answer: A (LEAVE A REPLY)

NEW QUESTION: 98

□ □□ □□□ □□□ □□□□ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□
 □ □□□□. □□□ Apache Kafka□ □□□□ □□□□ □□□□ □□□□. □□□ □□
 □□□□ □□□ □□□□ □□ □□ □□(ML) □□□□ □□□□ □□ □□□□□ □□□
 □□ □□□.

- 75□ □□□ □□ □□ □□ □□□□ □□□□□ □□□. □□□ □□□ □
□□□ ML □□□□ □□ Amazon QuickSight□ □□□□ □□□□□ □□ □□□□□. □□
□□□□ □□□ □□ □□□ □□□□□?
- A.** Amazon Kinesis Data Firehose □□ □□□□ □□□□ □□□□□ Kafka-Kinesis-
Connector□ □□□□□. □□ □□ □□□ 60□□ Amazon S3□ □□□□ □□□□□ □
□ □□□□ □□□□□. QuickSight Enterprise □□□□ SPICE□ □□□□ □□□
Amazon S3□ □□□□ □□ □□□□. QuickSight□ □□□□ □□ □ ML □□□□ □□
□□ □□ □□□□□ □□□□□.

Which of the following is a valid Amazon S3 bucket name? (Select TWO.)
A. my-bucket-123
B. my_bucket-123
C. my-bucket.123
D. my-bucket_123
E. my-bucket-123_456

NEW QUESTION: 100

A company is using Amazon S3 to store data. The data is organized into folders. The company wants to ensure that the data is secure and that only authorized users can access it. Which of the following is the best way to ensure this? (Select TWO.)
A. Use IAM roles to grant access to the data.
B. Use IAM users to grant access to the data.
C. Use IAM groups to grant access to the data.
D. Use IAM policies to grant access to the data.
E. Use IAM roles to grant access to the data and use IAM policies to grant access to the data.

Which of the following is a valid Amazon S3 bucket name? (Select TWO.)
A. my-bucket-123
B. my_bucket-123
C. my-bucket.123
D. my-bucket_123
E. my-bucket-123_456

A company is using Amazon S3 to store data. The data is organized into folders. The company wants to ensure that the data is secure and that only authorized users can access it. Which of the following is the best way to ensure this? (Select TWO.)
A. Use IAM roles to grant access to the data.
B. Use IAM users to grant access to the data.
C. Use IAM groups to grant access to the data.
D. Use IAM policies to grant access to the data.
E. Use IAM roles to grant access to the data and use IAM policies to grant access to the data.

A company is using Amazon S3 to store data. The data is organized into folders. The company wants to ensure that the data is secure and that only authorized users can access it. Which of the following is the best way to ensure this? (Select TWO.)
A. Use IAM roles to grant access to the data.
B. Use IAM users to grant access to the data.
C. Use IAM groups to grant access to the data.
D. Use IAM policies to grant access to the data.
E. Use IAM roles to grant access to the data and use IAM policies to grant access to the data.

A company is using Amazon S3 to store data. The data is organized into folders. The company wants to ensure that the data is secure and that only authorized users can access it. Which of the following is the best way to ensure this? (Select TWO.)
A. Use IAM roles to grant access to the data.
B. Use IAM users to grant access to the data.
C. Use IAM groups to grant access to the data.
D. Use IAM policies to grant access to the data.
E. Use IAM roles to grant access to the data and use IAM policies to grant access to the data.

A company is using Amazon S3 to store data. The data is organized into folders. The company wants to ensure that the data is secure and that only authorized users can access it. Which of the following is the best way to ensure this? (Select TWO.)
A. Use IAM roles to grant access to the data.
B. Use IAM users to grant access to the data.
C. Use IAM groups to grant access to the data.
D. Use IAM policies to grant access to the data.
E. Use IAM roles to grant access to the data and use IAM policies to grant access to the data.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 101

A company is using Amazon S3 to store data. The data is organized into folders. The company wants to ensure that the data is secure and that only authorized users can access it. Which of the following is the best way to ensure this? (Select TWO.)
A. Use IAM roles to grant access to the data.
B. Use IAM users to grant access to the data.
C. Use IAM groups to grant access to the data.
D. Use IAM policies to grant access to the data.
E. Use IAM roles to grant access to the data and use IAM policies to grant access to the data.

□ □□□□ □□ □□□□ □□□□. □□□□ □□□ □□ 12□□□□ □□□□ □□□□ 5 □□ □□ □□□□ □□ □□□□ □□□□. □□□□ □□□ □ 500MB□ □□□□ □□ □□ 1□ □□□ □□□ □□□ □□□ □□□□□□. □□ □□□□ □□ □□ □□ □□□ □□ □□□ □□□□□ □□□.

□□ □□□□ □□□ □□ □□□ □□□□□?

A. AWS Glue ETL □□□ □□□□ □□□□ □ □□□ □□□ □□□□ □□, □□ □ □ □□□□. Athena□ □□□□ □□□ □□□ □□□ □□□□□□. □□□ □□□□□ □□□ □ □ 5□□ □□□ □□□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □□□□ □□□□□ □□ □□ □□□ □□□□□. □□□ □□□ □□ □□□□ □□□□□ 7□ □ □□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □ □□□□ □ □□ □□ □□ □□□ □□□□□.

B. AWS Glue ETL □□□ □□□□ □□□□ □ □□ □□□ □□□□ □□, □□ □ □□ □□□□. Athena□ □□□□ □□□ □□□ □□□ □□□□□□. □□ □□ □ 5□□ □□□ □□□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □□ □□ □□□□□ □□ □□ □□□ □□□□□. □□ □□ □ 7□ □□ □□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□□ □□□□□.

C. AWS Glue ETL □□□ □□□□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□ □. Athena□ □□□□ □□□ □□□ □□□ □□□□□□. □□□ □□□□□ □□□□ □ 5□ □□ □□□□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □ □□□ □□□□□ □□ □□ □□□ □□□□□. □□□ □□□□□ □□□□ □□□□□ 7□ □ □□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□□ □□□□□.

D. AWS Glue ETL □□□ □□□□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□ □. Athena□ □□□□ □□□ □□□ □□□ □□□□□□. □□ □□ □ 5□□ □□□ □□ □□ Amazon S3 Standard-Infrequent Access(S3 Standard-IA) □□□□ □□□□ □□□ □□ □□ □□ □□□ □□□□□. □□ □□ □ 7□ □□ □□ □□□ □□ □□ □□□□ Amazon S3 Glacier□ □□□□□ □ □□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

□□□ □□□ □□□□□ Amazon EMR □□□□□ □□□□ □□□□. □□□ □□□ □ □□ □□□□□ □□□□□ □□ □□□□□□ □□□□ □□□□□. □□□ □□□□ □ □□□□□ □□□ □□□□ □□□□ □□□□ □□□.

□□□ □□ □□□ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. □□□ □□ □□□□□ Amazon S3□ □□□□ □□□ □□ □□□□□ □□□ □□□ □ □□□□□.

B. □□□ □□ □□□□□ Amazon S3□ □□□□ Amazon EMR□ Apache Spark□ □□ □□□□□.

C. `awscli` CLI, PII `awscli`, `awscli` `awscli` `awscli` `awscli` AWS Lambda `awscli` `awscli`. S3 `awscli` Lambda `awscli` `awscli`.

D. S3 ☐ ☐ ☐ ☐ ☐ ☐ (SSE) ☐ ☐ ☐ ☐ ☐. S3 ☐ ☐ ☐ ☐ ☐ AWS Lambda ☐ ☐ ☐ ☐ ☐ PII ☐ ☐ ☐ ☐ ☐.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 105

[illegible]

A. Amazon S3 □ □ □ □ □ □ □ □ □ □ □ □ Apache Parquet □ □ □
□ □ □ □ □ AWS Glue Python □ □ □ □ □ □ □ . □ □ □ □ □ PySpark □ □ □ Amazon
EMR □ □ AWS Glue □ □ □ □ □ □ □ □ □ □ .

B. Amazon Redshift ☐☐☐☐☐ ☐☐☐☐☐. ☐☐☐ ☐☐☐☐ Amazon S3☐☐ Amazon Redshift☐ ☐☐☐☐ ☐☐ ☐☐ Amazon EMR☐☐ Amazon Redshift☐ ☐☐☐☐
☐.

C. Apache Parquet                       

D. Python ☐☐☐ ☐☐☐☐ **AWS Lambda** ☐☐☐ ☐☐☐☐. **Lambda** ☐ ☐☐☐☐ ☐☐
☐☐☐☐ ☐ ☐☐☐ ☐☐ **Kinesis** ☐☐☐ ☐☐ ☐☐☐☐☐☐.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 106

[illegible]

□□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□ □□
□□ □□□□□.

☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐

A. Java AWS SDK Kinesis Data Streams API PutRecord/PutRecords
AWS Glue Kinesis (KCL) Amazon

Elasticsearch Service □□□□□ □□□□□□□ AWS Lambda□ □□□□ □□□□ □ □□□□□.

B. Java□ AWS SDK□ □□ Kinesis Data Streams API□ PutRecord/PutRecords □□□ □□□□□ □□ □□□ □□□□□□□. Kinesis Data Analytics□ □□□□ □□□□ □□ □□ □□ SQL □□□□□ □□□□ □□□□ □□□ □ □□□□. KDA □□□□□□ □□□□ Kinesis Data Firehose □□ □□□□□ □□□, □□□□ □□ □□□ □□□□□ JSON □□□ □□□□□, Kinesis Data Firehose □□□ Amazon Elasticsearch Service □ □□□□ □□□□□.

C. □□ □ □□□□ □□□□□□□ KPL□ RecordMaxBufferedTime □□□ "0"□□ □□ □□□.

□ □□□□ □□ □□ Kinesis Data Firehose □□ □□□□ □□□□ □□□ □□ □□□ □□□□□ JSON □□□ Amazon S3 □□□□ □□□ □□ □□□□□□□. S3 □□□□ Amazon Redshift □□□□□ □□□□□.

D. KPL□ RecordMaxBufferedTime □□□ "-1"□ □□□□ □□ □ □□□□ □□□□□□ □.

Kinesis Data Analytics□ □□□□ □□□□ □□□ □□ □□ SQL □□□□□ □□□□ □□□□ □□□ □ □□□□. □□□□ □□□□ Kinesis □□□ □□□ □□□ □□□□ □ □□ □□ □□□ □□□□□ JSON □□□ □□□□□□□. □□□ □□□□ Amazon Redshift □□□□□ □□□□□□□ □□ Kinesis Data Firehose □□ □□□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

SAA-C03 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SAA-C03 □□! DumpTop □ □□ **SAA-C03** □□ □□□ □□□□□□□, DumpTop SAA-C03 □□ □□ □ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SAA-C03 □□□ □□□□□. <https://www.dumptop.com/Amazon/SAA-C03-dump.html> (954 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

□□□□ Amazon S3 □□□ .csv □□□ □□□□□ □□□□ □□□□. □□□□ □□□ □ □□ □□ □□□□ □□□□ □□□□ □□□□ □□ AWS Glue □□□□ □□□ □□□. AWS Glue □□□ □□□ □□□□ □□□ □□□□ Amazon Redshift □□□□□ □□ □□□□□. AWS Glue □□□ □ □□□ Amazon Redshift □□□ □□□ □□□□ □□□□□. □□□□ □□ □□□□ AWS Glue □□□ □□ □□□□ Amazon Redshift □□ □□ □□ □□□□ □□□□□.

□□□□ □□ □□□ □ □□ □□ Redshift □□□□ □□□□□□ □□□□ □□□□□?

A. □□ □□□□ □□□□ □□□□□ AWS Glue □□□□ □□□□□.

DynamicFrameWriter □□□□ □□ □□□□ □□ □□□□ □□ □□ □□□ SQL □□□ □□□□□.

B. AWS Glue `createTable` `createTempView` `createCatalogTable` `createDatabase` MySQL `createTable` `createTempView` `createCatalogTable` `createDatabase`.
MySQL `upsert` `insert` `insert` `insert` Amazon Redshift `createTable` `createTempView` `createCatalogTable` `createDatabase`.

C. Apache Spark `DataFrame` `dropDuplicates()` API `createTable` `createTempView` `createCatalogTable` `createDatabase`.
Amazon Redshift `createTable` `createTempView` `createCatalogTable` `createDatabase`.

D. AWS Glue `ResolveChoice` `createTable` `createTempView` `createCatalogTable` `createDatabase` `createTable` `createTempView` `createCatalogTable` `createDatabase`.

Answer: A (LEAVE A REPLY)

<https://aws.amazon.com/premiumsupport/knowledge-center/sql-commands-redshift-glue-job/> AWS Glue ☐ Amazon Redshift ☐ ☐ ☐ (upsert) ☐ ☐ ☐ ☐ ☐.

NEW QUESTION: 108

□ □ □ □ □ □ □ □ EMR □ □ □ □ □ (EMRFS) □ □ □ □ Amazon EMR □ □ □ □ □ □
Apache Hive □ □ □ □ □ □ □ Amazon S3 □ □ □ □ □ □ □ □ □ □ □ □ . EMR □
□ □ □ □ □ Kerberos □ □ □ □ □ □ □ □ □ Active Directory □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ . □
□ □ .

□□ □□ □□□ □□□□ □□□ □□□□□?

A. EMR ☐☐☐☐ Amazon EC2 ☐☐☐☐☐ ☐☐ Amazon S3 ☐ ☐☐ ☐☐ ☐☐
☐☐☐☐ ☐☐☐ ☐☐☐☐☐.

□ □ □ □ □ □ □ □ □ □ 3□ □ □ IAM □ □ □ □ □ . □ □
IAM □ □ □ □ □ □ □ □ EMR □ □ □ □ EC2 □ □ □ □ □ □ □ □ □ □
□ □ . □ □ □ Active Directory □ □ □ □ □ □ □ □ IAM □ □ □ □ □ □ □ □
□ □ □ □ □ .

B. EMR □□□□ Amazon EC2 □□□□□ □□ Amazon S3□ □□ □□□ □□□ □□□
□ □□ □□□ □□□ □□□□□.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ 3☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

IAM ☐ ☐ ☐ ☐ ☐ EMR ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ Active Directory ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐.

C. EMR □□□□ Amazon EC2 □□□□□ □□ Amazon S3□ □□ □□□ □□□ □□□
□ □□ □□□ □□□ □□□□□.

□ □ □ □ □ □ □ □ □ □ □ □ 3□ □ □ IAM □ □ □ □ □ □. EC2
□ □ □ □ □ □ □ □ □ □ □ □ EMR □ □ □ □ □ □ IAM □ □ □ □ □ □ □ □. □ □ □ Active
Directory □ □ □ □ □ □ □ □ □ □ IAM □.

D. EMR ☐☐☐☐ Amazon EC2 ☐☐☐☐☐ ☐☐ Amazon S3 ☐ ☐☐ ☐☐ ☐☐
☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ 3☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

IAM ☐ ☐ ☐ ☐ ☐ EMR ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ Active Directory ☐ ☐ ☐ ☐ ☐ IAM ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐.

Answer: (SHOW ANSWER)

□□□ Amazon Managed Streaming for Apache Kafka(Amazon MSK)□ □□□□ □□□
 □□□□ □□□ □□□□ □□□□□. □□□ □□□□ Amazon S3□ □□□□ □□□ 24
 □□ □□□ □□□ □□□□□ □□□□ □□□□ □ □□□ □□□. □□□□□ □□□
 □□ □□□□□ 8TB□ Amazon Elastic Block Store(Amazon EBS) □□□□□ 7□□ □□
 □□□□□ □□□□□. □□ □□□□ □□□ □□ 3□□ □□□□□ □□□ □□□□□ □
 □ □□□□□ □□ □□□□□ □□□ □□□□□□. □□□□ □□ □□□□□ □□□ □□
 □1□ □□□□□ □□ □□□□□ □□□ □□ □□□□ □□□ □□ □□□?

- Answer: D ([LEAVE A REPLY](#))**

□□ □□□ □□□ JSON □□□ □□□ □□□□□ □□□ □□□ □□□□ □□ □□□
 □ Amazon S3□ □□□□□. □□ □□ □□□ □□□□ □□□□ Amazon Athena□ □□
 □□ □□□□ □□□□ □□□. □□□ □□ □□ □ □□ □□□□ Athena□ □□ □□□
 □□□□ □□□□□□ □□□□ □□□□ □□□. □□□□ □□ □□□ □□□□ □□□
 □ □□□ □□□□ □□□. □□ □□□□ □□□□ □□ □□□□□ □□□ □□ □□□
 □□□□□?

- Answer: (SHOW ANSWER)**

NEW QUESTION: 111

Which of the following is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose? It can also store the data in a variety of destinations, including Amazon S3, Amazon Redshift, and Amazon ElastiCache.

Which of the following is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose?

- A. Kinesis Data Streams
- B. Kinesis Data Firehose (KPL)
- C. Kinesis SDK
- D. Kinesis Data Firehose

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 112

Which of the following is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose? It can also store the data in a variety of destinations, including Amazon S3, Amazon Redshift, and Amazon ElastiCache.

Which of the following is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose?

- A. VPC. VPC is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose. It can also store the data in a variety of destinations, including Amazon S3, Amazon Redshift, and Amazon ElastiCache.
- B. AWS CloudHSM Classic. AWS CloudHSM Classic is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose. It can also store the data in a variety of destinations, including Amazon S3, Amazon Redshift, and Amazon ElastiCache.
- C. Amazon ElastiCache. Amazon ElastiCache is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose. It can also store the data in a variety of destinations, including Amazon S3, Amazon Redshift, and Amazon ElastiCache.
- D. AWS CloudHSM. AWS CloudHSM is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose. It can also store the data in a variety of destinations, including Amazon S3, Amazon Redshift, and Amazon ElastiCache.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 113

Which of the following is a managed service that can ingest data from a variety of sources, including Amazon S3, Amazon Kinesis Data Streams, and Amazon Kinesis Data Firehose? It can also store the data in a variety of destinations, including Amazon S3, Amazon Redshift, and Amazon ElastiCache.

A. Amazon Kinesis Data Analytics □ □□□□ □□ □□□□ □□□□ □□□□□□□□ □
 □□ □□ Kinesis Data Streams□□ □□□□ □□□ □□ Amazon Kinesis Data Firehose
 □□ □□□□ □□□□ Amazon Redshift□ □□ □□

B. Amazon Kinesis Data Analytics

Kinesis Data Streams

Amazon Redshift

C. AWS Glue ☐☐☐☐ ☐ ☐☐☐☐ **Kinesis Data Streams** ☐☐ ☐☐☐☐ ☐

☐ **AWS Glue** ☐☐☐☐ ☐☐☐ **Amazon Redshift** ☐ ☐☐☐

D. AWS Glue Python ☐ ☒☒☒ Kinesis Data Streams☐ ☒☒☒ Boto3 ☒☒☒☒ Amazon Redshift☐ ☒☒

Answer: A (LEAVE A REPLY)

NEW QUESTION: 114

□□□ □□ □□□□ □□□□ Amazon S3□ □□□ □□□□ □□□□ □□□. □□□ □
 □□□ Amazon S3□ □□□□ .csv □□□ □□ □□□□□. □ □□□ □□□□□
 Amazon Athena□ □□□□ □□ □□□□ □□ □□ □□□ □□ SQL □□□ □□□□ □
 □□□. Amazon S3□ □□□□ □□□□ □□ □□□ □□□ □□ □□ □□□□□ □□
 □□ □□□ □□□□□□.
 □□ □□□ □□□□□ □□ □□□ □□ □□□□ □□□ □ □□□□? (2□□ □□□□
 □.)

A. □□ AWS Glue ETL □□□ □□□□ .gzip □□□ □□□□ □□□ □□□ □□□□□.
□□□ □□□□ □□□□□.

B. □□ AWS Glue ETL □□□ □□□□ .lzo □□□ □□□□ □□□ □□□ □□□□□.
□□□ □□□□ □□□□□.

C. □□ AWS Glue ETL □□□ □□□□ □□□ □□□ Apache Parquet□ □□□□ □□
 □ □□□ □□□□□. □□□□ AWS Glue □□□□ □□□□ □□ □□□ □□□□ □□
 □□ □□□□□□.

D. Amazon EC2 ☐☐☐☐☐☐ MySQL Workbench☐ ☐☐☐☐ JDBC ☐☐ ODBC ☐☐☐
☐ ☐☐☐☐ Athena☐ ☐☐☐☐☐. Athena ☐☐ MySQL Workbench☐☐ ☐☐☐ ☐☐☐
☐☐☐.

E. Athena □ □ □ □ □ □ □ □ □ □ Apache Parquet □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □.

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 115

□□□□ □□□ □□□ □□ □□□ □□□□. □ □□□ AWS Organizations□ □□ AWS
□□□ Amazon S3□ □□□□ □□□□ □□□□. □ □□ □□ AWS Lake Formation□
□□□□ □□□□ □□□□ □□□□□. □□□□ □□ □□□ □□□□ □□ □□□□□
□□ □□□□ □□□□.

□□□□ □□□ □□ □□□ □□ □□□□ □□□□ □□□□□ □□□.

□ □□□□□□ □□ □ □□□ □□□□□? (2□□ □□□□□.)

A. □□ □□□ □□□ □□□ □□ □□□ □□□□ □□ Lake Formation □□□ □□□□□
□.

B. □□ □□□ □□□ □□ □□□ □□ □□□□ □□ □□ □□ IAM □□□ □□□□□.

C. □□□ □□□ Lake Formation □□□□ □□ □□□ □□ IAM □□□ □□□□□.

Answer: A,B ([LEAVE A REPLY](#))

□□

Lake Formation □□ □□

IAM □□ □□(AWS CLI)

NEW QUESTION: 116

□ □□□ Amazon Redshift□ □□□□ □□□□□□ □□ □□□□ □□□□□ □□□□.
□ □□□□□□□ □ □□ □□ □□, □ □□ □□□□ □□□□□ □□ □□, □□ □□
□□ □□□ □□□□ □□□ □□□ □□, □□ □□□□ □ ETL □□□□□ □□□□ □
□□ □□□□□ □□□ □□ □□□ □□□□□.

□□□□ □□□ □□□□ □□□□□ □□□ □□□□□. □□□ □□□□□ □□ □□□
□ □ □□ □□ □□□ □□□□□.

□ □□□ □□ □□□ □□□□ Amazon Redshift □□□ □□□□□?

A. □□□ □□

B. □□ □□ □□(SQA)

C. □□□□ □□(WLM)

D. □□□□ □

Answer: D ([LEAVE A REPLY](#))

□□

□□□□ □:

NEW QUESTION: 117

□□ □□ □□ ETL □□□□□□□ □□ □ □□ AWS Glue □□□ □□□□ □□□ □□
□□□□. AWS Glue □□□ Amazon S3 □□□□ □□□ □□ JSON □□□ □□ □□ □
□ □□ Apache Parquet □□□□ □□ S3 □□□ □□□□ □□□. □□ □□ □ □□□
□□□□□ AWS Glue □□□ □□ □□□ "□□□□ □□ □□ 1□ □□ □□□□□□."□□
□□ □□□□ □□□□□□. □□ □□□ □□ □□□ □□□□□ □□□ □□□ □□□□
□□□ □□□□ □□□ □□□□ 50% □□□□ □□□ □□□□ □ 90~95%□ □□□□
□ □□□ □□□□□□. □□ □□□□ □□ □□□ □□□□ □□□□ 4% □□□□□.
□□□ □□□□□ □□ Amazon CloudWatch Logs□ □□□□ □□ □□ □□□ □□□□
□□.

□□ □□ □□□□ □□□□ □□□ □□□□□ □□□ □□□□□ □□□ □□ □□□?

A. □□□ □□□ □□□□ G.2X□ □□□□□.

B. 'groupFiles': 'inPartition' □□□ □□□□□ AWS Glue ETL □□□ □□□□□.

C. AWS Glue □□ □□□□ □□□□ □□□□ □□ □□□ □□□□.

D. □□ □□□ □□□□ □□□□ □ □□ □□□ □□ □□(DPU)□ □□□□.

Answer: ([SHOW ANSWER](#))

□□

<https://docs.aws.amazon.com/glue/latest/dg/monitor-profile-debug-oom-abnormalities.html#monitor-debug-oom>

SAA-C03 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SAA-C03 □□!
DumpTop □ □□ **SAA-C03** □□ □□□ □□□□□□, DumpTop SAA-C03 □□ □□
□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
SAA-C03 □□□ □□□□□. <https://www.dumptop.com/Amazon/SAA-C03-dump.html>
(954 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)