

Amazon.SOA-C02.v2023-11-14.q174

□□□□:	SOA-C02
□□□□:	AWS Certified SysOps Administrator - Associate (SOA-C02)
□□□:	Amazon
□□ □□ □□□:	174
□□:	v2023-11-14
# □□ □:	2727
# □□ □□□:	1740
https://www.krdump.com/Amazon.SOA-C02.v2023-11-14.q174.html	

NEW QUESTION: 1

SysOps □□□□ Amazon EC2 □□□□□ □□□ Amazon Elastic Block Store(Amazon EBS) □□□ □□ □ □□ □□□ □□□□ □□ □□□ □□□□ □□□. SysOps □□□□ DiskReadBytes □□ □ DiskWriteBytes □□□ □□ Amazon CloudWatch □□□ □□□□ □□□□□□. □□□ □□ □□□□ EC2 □□□□□ □□□ □□□ □□ □□□□ □□□ □□ □□□□ □□□□ □□□□□ □□□□□. □□□ CloudWatch □□□ ALARM □□□ □□□□□□. CloudWatch □□□ □□□□ □□□□□ □□□□ □□□ □□□□□?

A. EC2 □□□□□ □□ VolumeReadBytes □□ □ VolumeWriteBytes □□□ □□□□□ CloudWatch □□□ □□□□□□.

B. □□□ □□□□ □□□□□ EC2 □□□□□ CloudWatch □□□□□ □□□□ □□□□□.

C. EC2 □□□□□ AWS Systems Manager □□□□□ □□ □ □□□□ □□□ □□□ □□□□□.

D. EBS □□□ □□ VolumeReadBytes □□ □ VolumeWriteBytes □□□ □□□□□ CloudWatch □□□ □□ □□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 2

□□□□□□□ Amazon RDS Mufti-AZ DB □□□□□□ □□ □□□□. □□ □□ □□□□ □□□□□□□ □ □□□□ □□□ □□□ □□□ □□□ □□ □□□ □□□□□□. □□□ □□ □□□ □□□□ □□□ □□ □□□?

A. RDS □□□□□ □□□□ □□□ □□□□ □□ □ □□□□ □□ □ RDS □□□□□ □□□□□.

B. □□ □□ □□□□ □□ □□□□ □□□□□ □□ □□□□□ □□□□□.

C. □□□ □□□□ Amazon EBS □□□ □□□□ □□□□□ □□

D. RDS □□□ □□□□□ □□□ □□□ □□□□ □□□□□□□ □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 3

□□□ Auto Scaling □□□ □□ Amazon EC2 □□□□□□ □ □□□□ □□□□ □□□□. □ □□□ □□□ □ □□□□ □□□□□□ □□□□ □□ □□ □□□ □□□ □□□□□ □□ □□□ □ □□ □□□□ □ □□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□. SysOps □□□□ □□□ □□□ □□□. □ □□ □□□ □□□□ □□ SysOps □□ □□ □□ □□□ □□□ □□□?

- A. Auto Scaling □□ □□ □□□ 100%□ □□□□ □□ □□□□ □□
- B. □□□□ □□□□ □□ □□□□□ □□□□□ □□ □□□□ □□□□.
- C. EC2 Image Builder□ □□□□ □□□□□□ □□ □□□ Amazon □□ □□□(AMI) □□
- D. Auto Scaling □□□ □□□□□□ □□□□□ □□□□ □□□□ □□□ □□ □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

SysOps □□□□ □□ AWS □□□□ □□□□□ □□ □□□□ □□ IAM □□□ □□□□ □□□. □□ □□ □ □□ SysOps □□□□ □□ □□□ □□□□□.



- □□□ □□ □□□ □□□□□? (2□□ □□□□□.)
- A. AWS Storage Gateway□ □□□□□.
 - B. AWS □□ □□□□ □□□□□□.
 - C. AWS Lambda □□□ □□ IAM □□□ □□□□□.
 - D. AWS Lambda □□□ □□□□□.
 - E. Amazon Simple Queue Service(Amazon SQS) □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

□ □□□ □□ AWS Lambda □□□ □□□□ □□□ □□□□ □□□□□□ □□□□. □ Lambda □□□ □□ Amazon CloudWatch Logs □□ □□□□ □□ 1GB□ □□ □□□□ □□□□□. □□□ □□ □□ □□ □□□□ □□□□ □□□□ □□□□□ □□ □□ □□□□□.

SysOps □□□□ □ □□ □□□ □□□□ □□ □□□ □□ □□□?

- A. SELECT □ GROUP BY □□□□ □□□□ Amazon Athena □□□ □□□□□.
- B. groupby □□□ □ count □□□ □□□□ CloudWatch Logs □□□ □□□□□.
- C. SELECT □ GROUP BY □□□□ □□□□ Amazon RDS □□□ □□□□□.

B. EC2 ☐☐☐☐☐ AWS Systems Manager ☐☐☐☐☐ ☐☐ ☐ ☐☐☐☐☐☐

C. EC2 ☐☐☐☐☐ ☐☐ VolumeReadBytes ☐☐ ☐ VolumeWriteBytes ☐☐☐ ☐☐☐☐ CloudWatch ☐☐☐☐☐☐.

D. EC2 ☐☐☐☐☐ CloudWatch ☐☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

□□□ □□□ Windows □□□□□ □□□□. □□□□□□ 10,000KDPS□ □□□ □□□ □□□□ □□□□
□□ □□□ □□□□□. □□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□ □□□ □
□□□.

□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□?

A. 10.000 ☐☐☐☐☐☐ IOPS ☐ ☐☐☐ ☐☐☐☐☐ IOPS SSD(lol) Amazon Elastic Block Store(Amazon EBS) ☐☐ ☐☐

B. 10.000 ☐☐☐☐☐☐ IOPS ☐ ☐☐☐ SSD(gp3) Amazon Elastic Block Store(Amazon EBS) ☐☐☐ ☐☐
☐☐☐.

C. 10.000 IOPS ☐ ☐ ☐ Windows File Server ☐ ☐ ☐ ☐ Amazon FSx ☐ ☐

D. ☐ I/O ☐☐ ☐ Amazon Elastic File System(Amazon EFS) ☐ ☐☐☐ ☐☐☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

[illegible]

☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐

[illegible]

B. □ □□□□ □□ □□□ □□□ □□□ Amazon Simple Notification Service(Amazon SNS) □□□ □□□□
 □. □□ □□□ Lambda □□ □□□ □□□□ □□□□ Amazon CloudWatch □□□ □□□□□. □□ □□□
 ALARM□ □□□□ SNS □□□ □□□ □□□□ □□□ □□□□□.

C. Amazon Simple Email Service(Amazon SES) □□ □ □□□ □□□□ □□□□□. □□□ □□□ □□□□ □□□□ Lambda □□ □□□ □□□□ □□□□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□□. □□ □□□ ALARM□ □□□□ Amazon SES□ □□ □□ □□□□□□□□ □□□ □□□□□□.

D. □ □□□□ □□ □□□ □□□□ Amazon Simple Notification Service(Amazon SNS) □□□ □□□□□. LambdaError□ □□□ □□□□ □□□□ SNS □□ □□□ □□□□ □□□□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□□. □□ □□□ ALARM□ □□□□ SNS □□□ □□□ □□□□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 11

SysOps □□□□ □□ Amazon EC2 □□□□□ □□□□ AWS Cloud Formation □□□□ □□□ □□□□ □□□□. □□□□ us-east-1□□ □□□□□. □□□□ □□ □□ □□□ □□ us-west-2□□ □□□□□.

AMI [ami-12345678] does not exist

□□□□ AWS Cloud Formation □□□□ □□ □□□□ □□□□□ □□□ □□□□ □□□?

A. AWS CloudFormaton □□□□ □□□□ □□□□ AMI ID□ □□□ □□ □□□ □□□□□.

B. aws :: EC2:: ami :: imageID □□□□ □□□□ □□□□□ □□ AMI□ □□□□ □□□ □□□□□ AWS CloudFormaton □□□□ □□□□□.

C. "□□" □□□ AMI ID□ □□□□ AWS CloudFormation □□□□ □□□□□. □□□ AMI ID□ □□□ □□ □□□ □□□ □□□□□□.

D. □□ □□□ Amazon □□ □□□(AMI)□ □□ □□□ □□□□ □□□ ID□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□ Amazon EC2 □□□□□□ □ □□□ □□□□□□. □ □□□ □□□ DNS □□□□ ELB(Elastic Load Balancer) □ Amazon Route 53□ □□□□□. ELB □ EC2 □□□□□ us-east-1 □□□ □□ AWS CloudFormation □□□ □□ □□□□□. □ □□□ □□ □□□□ □□□□ □□□ □□□.

□□□ □□ □□□ □□□□ □□□ □□□□□?

A. us-west-2 □□□ □□ □□□ □□□□□. □ ELB□ IP □□□ □□□□ Route 53□□ □□ SOA(□□ □□) □□□□ □□□□□. □□ □□□□ SOA □□□□ □□□□□. us-east-1□ ELB□ □□ □□□□ □□□□ us-west-2□ ELB□ □□ □□□□ □□□□□.

B. us-west-2 □□□ □□ □□□ □□□□□. us-west-2□ ELB□ □□ □□□□ □□□□ □□ A □□□□ Route 53□ □□□□□. □□ □□ □□□ □□ □ □□ □□□□ A □□□□ □□□□□. us-east-1□ ELB□ □□ □□□□ □□□□□ us-west-2□ ELB□ □□ □□□□ □□□□□.

C. us-west-2 □□□ □ EC2 □□□□ □□□ □□□□□. □ EC2 □□□□□ □□ ELB□ □□□□ □□ EC2 □□□□□□ □□ □□□ □□ □□□ □□□□□. us-west-2□ EC2 □□□□□ □□ □□□ □□□□□ Route 53□ □□□□□□□ ELB□ □□□□□.

D. us-west-2 □□□ □ EC2 □□□□ □□□ □□□□□. □ □□□ □□ EC2 □□□□□□□ EC2 □□ □□□ □□□□□. VPC □□ □□□ □□□ □□□□□. us-east-1□ VPC□ □□ □□□□ □□□□□ us-west-2□ VPC □ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□□ □□□ □□□□□ Route 53□ □□ □□□ □□ NS(□□ □□) □□□□□ SOA(□□ □□) □□□□□ □□□□

□ □□□□□. <https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/migrate-dns-domain-in-use.html#migrate-dns-create-hosted-zone>

https://en.wikipedia.org/wiki/SOA_record

NEW QUESTION: 13

Amazon S3 □□□ □□□□□ □□ □□□□□?

A. □□□□□ □□□□□ □□□□□□□.

B. □□□□□ Amazon S3 □□ □□□ □□□□□□□.

C. □□ □□. □□. □□□□□ □□□□□□.

Answer: D (LEAVE A REPLY)

SysOps □□□□ □□□□□ □□□□ □□□□ □□□□□ □□□ □□□□□□□ □□□. VPC□ □□□ □
□□□□□ □□ □□□ □□□□ NAT □□□□□□ □□□□□□□□. □□□ □□□□□ □□□□ □□□□ □
□ □□□□. □□□□□ □□□□□ □□□ □□□□□ □□□ □□□□□ □□ □□□□ □ □□□ □□□.

[illegible]

- Answer: D (LEAVE A REPLY)**

SysOps □□□□ □□□ □□□□ □□□ □□□□ □□□ □□ □□□□. SysOps □□□□ □□ □□□□ □
□□□□ □□□ □□ □□□□ □□□□□□ □□□.

A. CloudFormation ☐☐☐☐☐ Amazon EC2 ☐☐☐ ☐☐☐☐☐

B. ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐

C. CloudFormation ☐☐☐☐☐ ☐☐☐☐ ☐☐

D. ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐

Answer: C (LEAVE A REPLY)

□□□□ □□□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□□□ □□□□□ □□ □□□□
 □□□□ □□□ □ □□□□. □□ □□ □□□□□ □□□□ □□ □□ □□□ □□□□ □ □□□ □□, □□
 □ □ □□□□ □□□ □□ □ □□□□. □□□□ □□□ □□□□ □□□□ □□□□, □□ □ □□ □□□ □
 □□□□ □□□ □□□ □ □□□ □□□ □□□ □ □□□□. □□ □□ □□ □□□ □□ □□□□ □□□ □□
 □□□□ □□□□ □□□ □□□ □ □□□ □□ □□□ □□□□ □□□□□.

NEW QUESTION: 16

□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□?

- Answer: A (LEAVE A REPLY)**

NEW QUESTION: 17

A. ElastiCache ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐.

B. ElastiCache TTL(☐☐)☐ ☐☐☐☐.

C. ElastiCache ☐☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐☐.

D. ElastiCache ☐☐☐☐ ☐☐ Elastic Load Balancer☐ ☐☐☐☐.

E. Amazon Simple Queue Service(Amazon SQS)☐ ☐☐☐☐ ElastiCache ☐☐☐☐☐ ☐☐☐☐.

https://d1.awsstatic.com/training-and-certification/docs-sysops-associate/AWS-Certified-SysOps-Administrator-Associate_Sample-Questions_C02.pdf

SysOps □□□□ AWS Systems Manager □□ □□□□ □□□□ Amazon EC2 □□□□ □□□ □□□□□.

SysOps □□□□ □□ □□ □ □□ □□ □□□ □□□□□□. □□ SysOps □□□□ □□□ □□□□□ □□

□□ □□ □□□□ □□□ □□□□□□.

A. Systems Manager □□□ □□ □□ □□ □□□□ □□□ □□□□□□.

B. Systems Manager□ □□ □□□ □□□ □□ 1AM □□□□ □□□□ □□□□□ □□□□□.

C. □□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□ □□□□□.

D. □□□□□ □□ □□□ □□□□□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

□□□□ Application Load Balancer □□ Amazon EC2 □□□□□□ □□□□ □□ □□ □ □□□□□□□ □□□. □□□□□ □□ □□ □□□ Amazon EC2 Auto Scaling □□□□ □□□□□. SysOps □□□□ □□ □□□□□ □□□□ □□□ □□□.

SysOps □□□□ □ □□ □□□ □□□□ □□ □□ □□□ □□□ □□□?

- A. □□ □□□□ □□□ □□□ □□□□□ Auto Scaling □□□ □□ □□□□ □□ □□□□.
- B. Auto Scaling □□□ □□□□□□ □ □□ AWS □□□ □□ □□□□ □ □□□□□ □□□□□.
- C. □□ □□□□ □□□ □□□ □□□□□ Auto Scaling □□□ □□ □□□□ □□ □□□□.
- D. □□□ AWS □□□ □ □□ □□ □□□□ □ □□□□□ □□□□□ Auto Scaling □□□ □□□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

□ □□□ □□□□□□ □□□ □□□ □□□□ □□□□. □ □□□□ Auto Scaling □□□ □□□ □□□ □□ Amazon EC2 □□□□□□ □□□□□□. Auto Scaling □□□ CPU □□□□ 70%□ □□□□ □□□□□ □ □□□□ □□□□□.

□□ □□ □ □□ □ □□□□ □□ □□ □□□ □□□ □□□ □□ □□ □□□□ □□□□□. SysOps □□□ □ Amazon CloudWatch □□□ □□□□ □□ □□□□ □□□□ CPU □□□□ 20%□□ □□□□□.

SysOps □□□□ □□□□ □□□□ □□□□ □□ □ □□□□ □□□ □□□□ □□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

- A. Auto Scaling □□□ □□□ □□□ □□ □□□□□ CPU □□ □□□□ □□□□.
- B. Amazon CloudFront □□□ □□□□ Auto Scaling □□□□ □□□□ □□□□□□□.
- C. Auto Scaling □□□ □□□□□ □□ □□□ □□□ □□□□□□.
- D. □ □□□□ □□□□□ □ □□□ □□ AWS □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□□□ □□□ □□□□ □□ □□□□□□□□ □□□□ □□□□□ □□□. □□ 90□ □□□ □□□□ □ □□□□□ □□□ □□ □□□□ □□□□ □□□. □ □□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□□□ □□□. □□□ 90□□ □□□ □□□ □ □□ □□□□ □□□□ □□□ □□□□ □□□. 90□ □ □□ □□□ 5□□ □□□□□ □□□.

□□□ □□ □□□ □□ □□ □□□□□ □□□□ □□□□ □□□□□?

- A. □□ 90□ □□ S3 Standard□ □□□□ □□□□□. 90□ □□ □□□□ S3 Glacier Flexible Retrieval□ □ □□□□ S3 □□ □□ □□□ □□□□□.
- B. □□ 90□ □□ S3 Standard□ □□□□ □□□□□. 90□ □□ □□□□ S3 Glacier Deep Archive□ □□□ □□ S3 □□ □□ □□□ □□□□□.
- C. □□ 90□ □□ □□□□ S3 One Zone-Infrequent Access(S3 One Zone-IA)□ □□□□□. 90□ □□ □□□ □ S3 Glacier Deep Archive□ □□□□□ S3 □□ □□ □□□ □□□□□.
- D. □□ 90□ □□ □□□□ S3 Standard-Infrequent Access(S3 Standard-IA)□ □□□□□. 90□ □□ □□□□ S3 Glacier Flexible Retrieval□ □□□□□ S3 □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

□□ □□□ Amazon RDS DB □□□□□ □□□□ □□ □□ □□□ □□□ □□□□□. □ □□□ □□□□□ □□ □□ □□□□ □□□ □□, □□□□ □ □□□□ □□ AWS Lambda □□□ □□ □□□□□. Lambda □ □□ □□□□□ □□ □□□ □□□□ □□□□□□□ □□□□□.

SysOps □□□□ □□□□□□ □□ □□□ □□ □□□□ □□□□ □□ □□□ 30□□□ □□□□□ □□□ □ □□□.

□□□ □□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□?

A. □ Lambda □□□ □□ □□ □□□ □□□□□□ □□□ □□□□□. PasswordRotate□□ □ Lambda □□ □ □□□□□. Amazon EventBridge(Amazon CloudWatch Events)□ □□□□ 30□□□ PasswordRotate □□ □ □□□□ □□□□□□ □□□ □□□□ □ Lambda □□□ □□ □□ □□□ □□□□□□□.

B. AWS Key Management Service(AWS KMS)□ □□□□ □□□□□□ □□□ □□□□□ □□□□ □□□ □ Lambda □□□ □□ □□□ □□□□□. □□□ □ □□□□□□ □□□ □□□ □ □□□ □ Lambda □□ □ KMS □□ □□ □□□ □□□ □□□□□. 30□□□ □□□ □□□□ PasswordRotate□□ □ Lambda □□ □ □□□□□.

C. AWS Secrets Manager□ □□□□ □□□□□□□ □□ □□ □□□ □□□□□. Secrets Manager □□□ □□□□□ Secrets Manager□ Lambda □□□ □□□□ □□□□□□ □□□ □□□□ □□□□□□□ □□□ □□□□□□□. □□ □□ □□□ 30□□ □□□□□. SecretsManager□□ □□□□□□ □□□ □□□ □□□ □ Lambda □□□ □□□□□□□.

D. AWS Systems Manager Parameter Store□ □□□□ □□□□□□□ □□ □□ □□□ □□□ □□ □□□ □ □□□□□. PasswordRotate□□ □ Lambda □□□ □□□□□. Amazon EventBridge(Amazon CloudWatch Events)□ □□□□ 30□□□ PasswordRotate □□□ □□□□ □□□□□□ □□□ □□□□□ Parameter Store □□□ □□□ □□□□□□□. Parameter Store□□ □□□□□□ □□□ □□□□□□ □ Lambda □□ □ □□□□□□□.

Answer: ([SHOW ANSWER](#))

□□:

□□□ □□□□□□ □□□□□ Secrets Manager□ AWS□□ □□□□ □□□□□ Lambda □□ □□ □□□□ □ □□□□□ □□ □□□ □□□□ □□ Amazon Relational Database Service(Amazon RDS) □□□□□□□ □□□□□.

Amazon RDS□ Amazon Aurora

Amazon RDS□ MySQL

Amazon RDS□ PostgreSQL

Amazon RDS□ □□□

Amazon RDS□ MariaDB

Amazon RDS□ Microsoft SQL □□

<https://docs.aws.amazon.com/secretsmanager/latest/userguide/intro.html>

NEW QUESTION: 23

□□□ □□ □□□ □□□□ □□□□ □□ AWS Management Console □□□□ □□ AWS □□□ □□□□ □□□□□□ □□□.

□ □□ □□□ □□□□ □□□□ □□□□□?

A. Amazon Inspector□ □□□□□. □□ □□□□ □□ □□□□ □□□□ □□□□□□□.

B. AWS □□□ □□□□□. iam-policy-blacklisted-check □□□ □□□ □□□ □□□□□.

C. UnauthorizedAccess:IAMUser/ConsoleLoginSuccess □□□ □□□□□□□ Amazon GuardDuty□ □□□ □□.

D. □□□ 1AM □□ □□□ □□□□□ Amazon Cognito□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

AWS Management Console □□□□□ AWS □□□ □□□□ □□□ □□□□ □□□ □□□□□ □□ VM □ □□□□ AWS Management Console □□ □□□ □□□□ □□□ □□ □□□□□□.

□□-□□□□ □□□ □□□□ □□□□ □□ □□ VM □□□□□ □□ □□□ □□□□ Ctrl+C, Ctrl+V □□ Command-C , Command-V□ □□□□□□.

□□ □□ □□□ □□□□□ Amazon EventBridge□ □□□□□.

1. □□ □□□□ □□ us-east-2 □□□ □□□□□.

2. □□□ □□□□ □□ □□ □□ □□ □□□ □□□□□.

3. □□□□ □□ □□ □□□ □□□ □□ □□□ □□□□□.

□□□ □□□ □□□□□.

4. □□ □□□□ □□ Amazon EC2 □□□ □□

□□□ □□ 90□ □□ □□□ □ □□□□.

5. RunFunction□□□ □□□ □□□ 15□□□ □□□ □□□□ LogEventFunction□□□ □□ AWS Lambda □□□ □□□□.

6. Amazon EC2 □□ □□□□□ □□□ □□□ TopicEvents□□ □ □□ Amazon SNS □□□ □□□ □□□□ SpotWarning□□□ □□□ □□□□. □□ □□□ □□□ □□□□. □□□ □□ □□□ □□□□ □□□.

Input path:

```
{"instance": "$.detail.instance-id"}
```

□□ □□:

```
{"□□□□": "$.detail.instance-id"}
```

□□ □□□:

" EC2 □□ □□□□ <instance>□ □□□ □□□□.

Answer:

□□ □□ □□□ □□□□□ Amazon EventBridge□ □□□□ □□□ □□□ □□□□.

VM □□□□□□ AWS Management Console □□ □□□ □□□□ AWS Management Console□ □□□□□ □. □□□ AWS □□□ □□□□□□ □□□□□□.

us-east-2 □□□ EventBridge □□□□ □□□□□.

EventBridge □□□□□ "□□□□ □□" □□□□ □□□□□.

(<https://aws.amazon.com/eventbridge/>) □ □ □ □ □ □ □ .

A. ☐☐ EC2 ☐☐☐☐☐ Systems Manager ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐.

B. □□ □□□ □□ □□□ Amazon S3 □□□ □□□□□. CloudFront □□□□ □□□□ □□□□□ S3 □□
□ □□ □□□□ □□□□□.

MFA□ □□□□ □□ □□□ MFA□ □□□□ □□ API □□□ □□□□ IAM □□□ □□ □□□□□ □□□□ □□.

API □□□ MFA□ □□□□ □□□□□ □□□ □□ □□ □□□ □□□□ □□□?

A. □□□□ get-session □□ □□□ □□ □□ □□□ □□□□ API □□□ □□□□□ □□□□□.

B. MFA□ CLI □□□ □□□□ □□□□ IAM □□□□ □□□ □□□□□ □□□□□.

C. IAM □□□□ MFA□ □□□□□ IAM □□□□ □□ □□ □□□ □□□□ API □□□ □□□□□ □□□□ □.

D. IAM □□□□□ CLI□ □□□□ API□ □□□□ □□ MFA□ □□□□ AWS Management Console□ □□□ □□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

SysOps □□□□ Amazon Elastic File System(Amazon EFS) □□ □□□□ □□□□□□□□ □□ Amazon EC2 □□□□□□ □□ □□□□□ □□□□□. □□□□□ □□ □□ □□ □□□□ □□□ VPC□ □□□□□. □ □□ □□□□ □ □□ □□□□□ □□□□. SysOps □□□□ □□□ □□ □□ □□ □□□□ □ □□□□□ □ □□ □□□□ □□□□ □ □□□ □□ □□□.

□□□□ □□ □□□ □□□□ □□□□ □□□□□?

A. VPC□□ EFS □□ □□□□ □□ □□ □□□ □□□□□. □□ □□□ □□□□ □ □□□□□ □□ □□□ □□.

B. VPC□ □ □□ □□□□ EFS □□ □□□□ □□ □□ □□□ □□□□□. □□ □□□ □□□□ □□ □□ □□□ □□□□□ □□ □□□□ □□□□□. □□ □□□□□ □□□□□ □□□□□.

C. □ □□□□□ □□ □□ □□□ □□□□. □ □□ □□□ □□□□ □ □□□□□ EFS □□ □□□□ □□ □□□.

D. VPC□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□□□ □ □□ □□□ □□□□□ EFS □□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□ □□.

NEW QUESTION: 36

□□□□ □□□□ □□ □□□ AWS□ □□□□□□□□□ □□□□. □□ □□□ □□□ □□ □□□□ □□ □ □□ □□□ □ □□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□ □□□. □□□ □ SMB □□□□□ □□ □□ □□□ □□ □□□ □ □□□ □□□. □□ □□□□ Windows ACL□ □□□□ □□ □□□ □□□ □ □□□ □□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

A. □□ AWS Storage Gateway □□ □□□□□□ □□□□□.

B. Windows □□ □□ □□ AZ □□ □□□□ Amazon FSx□ □□□□□.

C. 2□□ □□ □□□ □□ 2□□ AWS Storage Gateway □□ □□□□□□ □□□□□. □□ □□□□□ □□ Application Load Balancer□ □□□□□.

D. Windows File Server Single-AZ 2 □□ □□□□ Amazon FSx 2□□ □□□□□. Microsoft □□ □□ □□□ □□(DFSR)□ □□□□□.

Answer: B (LEAVE A REPLY)

<https://aws.amazon.com/fsx/windows/>

NEW QUESTION: 37

□□□ □□□ □ □□□□ □□□□ □□ VPC□ □□□□. Amazon EC2 □□ □□□□□□□ □□□□ □□□ □ □□□□ Amazon S3 □□□ □□□ □□ .csv □□□ □□□□ □□□. SysOps □□□□ □□□□□□□ S3 □□□ □□□□□ □ □□□ □□□□ □□□ IAM □□□ □□□□□ □□□□□□□ S3 □□□ □□□ □ □□□.

□□ □□ □□□□ □□□□□ □ □□□ □□□□ □□□ □□□□□?

- A. IAM □□□ □□□□ □□□□ S3 □□□ □□ □□□ □□□□□.
- B. S3 □□□□□ □□□□□□ VPC□ □□□□□. □□□□ □□□□ □□ □□□ □□□□ □□□□□.
- C. □□□□ □□□□ □□□□□ □□□ □□□□□□ □□ □□□□ □ □□□ □□□ □□□□ □□□□□.
- D. □□□□ □□□□ NAT □□□□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□.

Answer: B (LEAVE A REPLY)

□□:

□□□ □□□ VPC □□□□□□□□□. "VPC □□□□□□ VPC□ □□□□□ AWS □□□ □ AWS PrivateLink □□ □□□□ VPC □□□□□□ □□□ □□ □□□□ □□□ □□□□ □□□. AWS PrivateLink□ □□□□ IP □□□ □□□□ □□□□ □□□□ □□□□ □ □□ □□□ □□□□□. □□□ VPC□ □□ □□□ □□□ Amazon □□□□□ □□□□ □□□□□." S3□ □□□□□□ □□□□□□ □□□□□. □□□ VPC□ □□□ □□ AWS□□ □□□□ □□ □□□□.

NEW QUESTION: 38

SysOps □□□□ □□ Amazon EC2 □□□□□ □□□□ AWS Cloud Formation □□□□ □□□ □□□□ □□□□. □□□□ us-east-1□□ □□□□□□. □□□□ □□ □□ □□□ □□ us-west-2□□ □□□□□.

```
AMI [ami-12345678] does not exist
```

□□□□ AWS Cloud Formation □□□□ □□ □□□□ □□□□□ □□□ □□□□ □□□?

- A. aws :: EC2:: ami :: imageID □□□□ □□□□ □□□□□ □□ AMI□ □□□□ □□□ □□□□□ AWS CloudFormatton □□□□ □□□□□.
- B. "□□" □□□ AMI ID□ □□□□ AWS CloudFormation □□□□ □□□□□. □□□ AMI ID□ □□□ □□ □□□ □□□ □□□□□□.
- C. AWS CloudFormatton □□□□ □□□□ □□□□ AMI ID□ □□□ □□ □□□ □□□□□.
- D. □□ □□□ Amazon □□ □□□(AMI)□ □□ □□□ □□□□ □□□ ID□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 39

□□□ □□□ □□□□ Amazon EBS □□ SSD □□, Amazon RDS PostgreSQL □□□□□□□, Amazon EFS □□ □□□ □ Amazon S3 □□□ □□□ □□ □□□ □□ Amazon EC2 □□□□□ □□□□□. □□ □□ □ □□□ □□□□ □□□□ □□ □□ □□ □□ □□□□□□□ □□ □□□ □□ □□□ □□□□ □□ □□ □□□□□.

□□ □□□ □□□□ □□ SysOps □□□□ □□ □□□ □□□□ □□□□ □ □□ □□□□ □□□□□?

- <https://docs.aws.amazon.com/AmazonS3/latest/userguide/UsingEncryption.html>

Answer: ([SHOW ANSWER](#))

Answer: ([SHOW ANSWER](#))

https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scps.html AWS Organizations
 Organizations Amazon S3 s3:PutBucketPolicy
 https://aws.amazon.com/tw/premiumsupport/knowledge-center/s3-access-denied-bucket-policy/

D. □□□□□□ □□□□ □□□□ □□□ RDS □□□ □□□ □□□ □□□□ □□□□.

E. □□□□□□□ □□ □□□ □□□□□□□□□ □ □□□□ □□□ □□□□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

□□□□ □□□□ Amazon DynamoDB □□□□ □□□□ □□□□. SysOps □□□□ □□ □□□ □□ □□
□□ □□ AWS □□□□ □□□□□ □□□□ □□□□.

SysOps ☐☐☐☐ ☐ ☐☐ ☐☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐?

A. DynamoDB ☐☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐☐☐

B. DynamoDB Accelerator(DAX) ☐ ☒ ☐ ☐ ☐ ☐ ☐.

C. DynamoDB ☐☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐☐ (GSI) ☐ ☐☐☐☐.

D. □□ □□ □□□ □□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

```
SysOps [REDACTED] [REDACTED] [REDACTED] [REDACTED] AWS CloudFormation [REDACTED] [REDACTED] [REDACTED]. CloudFormation [REDACTED]
[REDACTED] DELETE_FAILED [REDACTED]. SysOps [REDACTED] Cloud Formation [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED].
```

A. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Amazon S3 ☐ ☐ ☐ ☐.

B. ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐.

C. □□□ □□□□□ □□□ □□ □□□ □□ □□ □□ □□□ □□□ □ □□□□.

D. □□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□.

E. ☐☐☐ -disable rollback ☐☐☐☐ ☐☐☐☐☐.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 45

☐ ☐☐☐ Application Load Balancer(ALB) ☐☐ ☐☐ 3☐☐ Amazon EC2 ☐☐☐☐☐☐ ☐ ☐☐☐☐☐☐☐☐

☐☐☐. ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ SysOps ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐.

☐☐☐ ☐☐ ☐☐☐?

☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

A. Amazon CloudWatch □□□ □□□□ □□□□□□ □□ □□□ □□□□□□ □□□ □□□□ □□□□ □
EC2 □□□□□ □□□ □□□□.

B. Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□ □□□□□□ □□ □□□ □□□□□
 □ □□□ □□□□ □□□□ ALB□ EC2 □□□□□ □□□□□.

C. ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ . Auto Scaling ☐ ☐ ALB ☐ ☐ ☐ ☐.

D. ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ Auto Scaling ☐ ☐ ☐ ☐ ☐ ☐ . Auto Scaling
☐ ALB ☐ ☐ ☐.

Answer: C (LEAVE A REPLY)

docs.aws.amazon.com/autoscaling/ec2/userguide/as-scaling-target-tracking.html

NEW QUESTION: 46

A. □□□□□ □□□ □□□□ CIDR □□ □□

B. VPC□ CIDR □□ □□

C. VPC□ □□ □ □□□ □□

D. □□ IPv6 CIDR □□□ VPC□ □□

E. □□ IPv4 CIDR □□□ VPC□ □□

NEW QUESTION: 48

Amazon EC2 □□□□□□ □□□□ □□ □□□ □□□□ □□□□ □□□. □□ □□□□ □□ □□□ □□□
□□□□□□ □□ □□ □□□ □□ □□ □□□□□□ □□□ □□□ □□□□□.

[illegible]

A. VPC □ Amazon EFS □ □□□ □□ □□□□ □□ □□□ □□□□□.

B. Amazon EC2 → AWS Storage Gateway □□ □□□ □□□□□.

C. EC2 ☐☐☐☐☐ ☐☐☐☐ SMB/CIFS ☐☐ NFS ☐ ☐☐☐☐ ☐☐☐☐.

D. ☐☐☐ Amazon EBS ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 49

□ □□□□ □□ □□□ □□□(MPC) □□ □□(VM)□ AWS□ Amazon EC2 □□□□□ □□□□□□□ □□ □□□. SysOps □□□□ □ □□□ □□ □□ □□□ □□□□ □□□□. □ □□□ □□□□ □□ □□□ □□□ □□ HPC VM □□ □□□□ □□□□ □□□□□ □□□□.

SysOps □□□□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□?

A. □□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□

B. □ .

C. □□□ □□ □□□ □□ □□□□ □□ □□□ □□□□□ □□□□□.

D. □ .

Answer: C (LEAVE A REPLY)

NEW QUESTION: 50

☐☐☐ VPC☐ AWS Site-to-Site VPN☐ ☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐. ☐☐☐ DNS ☐☐(☐: com)
☐ ☐☐☐ ☐☐☐ DNS ☐☐☐ ☐☐☐☐ VPC☐ Amazon EC2 ☐☐☐☐☐ ☐☐☐☐☐.
☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐?

A. Amazon Route 53 Resolver ☐☐☐☐☐ ☐☐☐☐☐ ☐ ☐☐☐☐ DNS ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

☐☐ example.com ☐ ☐☐ DNS ☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐

B. Amazon Route 53 Resolver ☐☐☐☐ ☐☐☐☐☐ ☐ example.com ☐ ☐☐ ☐☐ ☐☐☐ DNS ☐
☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ VPC ☐ ☐☐☐.

C. Amazon Route 53 Resolver □□□□□ □□□□□□ □□□□□. exarrc4e.com□ □□ □□ □□□ □□□
□□ DNS □□□ □□□□ □□□□□ □□ □□□ □□□□□. □ □□□ VPC□ □□□□□.

D. Amazon Route 53 Resolver □□□□ □□□□□ □□ example.com□ □□ DNS □□□ □□□□ □□□□ □□ □□□□ □□ □□□□ DNS □□□□ □□□ □□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 51

□□□ □□□ □□□□ Amazon EBS □□ SSD □□, Amazon RDS PostgreSQL □□□□□□, Amazon EFS
 □□ □□□ □ Amazon S3 □□□ □□□ □□ □□□ □□ Amazon EC2 □□□□□ □□□□□. □□ □□ □
 □ □□□ □□□□ □□□□ □□ □□ □□ □□ □□□□□□□ □□ □□□ □□ □□□ □□□□ □□ □□
 □ □□□□□.


```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "rds:Describe*",
      "Resource": "*"
    },
    {
      "Effect": "Allow",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    },
    {
      "Effect": "Deny",
      "NotAction": [
        "ec2:*",

```

```

    {
      "Effect": "Allow",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    },
    {
      "Effect": "Deny",
      "NotAction": [
        "ec2:*",
        "s3:GetObject"
      ],
      "Resource": "*"
    }
  ]
}

```

Which IAM role can be used to describe RDS instances?

- A. us-east-1 Amazon RDS DescribeDBInstances role
- B. us-east-1 Amazon EC2 AttachNetworkInterface role
- C. testbucket Amazon S3 PutObject role
- D. eu-west-1 Amazon EC2 AttachNetworkInterface role

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

A company wants to store data in Amazon S3. The data is 90 TB and is accessed infrequently. The company wants to minimize costs. Which Amazon S3 storage class should the company use?

Options:

- A. 90 TB S3 Standard-Infrequent Access (S3 Standard-IA) 90 TB S3 Glacier Flexible Retrieval
- B. 90 TB S3 One Zone-Infrequent Access (S3 One Zone-IA) 90 TB S3 Glacier Deep Archive
- C. 90 TB S3 Standard 90 TB S3 Glacier Flexible Retrieval
- D. 90 TB S3 Standard 90 TB S3 Glacier Deep Archive

Answer: ([SHOW ANSWER](#))

Glacier Deep Archive 5 TB (12 TB) B&D S3 Standard IA S3 Glacier Flexible Retrieval. <https://aws.amazon.com/tw/s3/pricing/>

NEW QUESTION: 56

A company wants to store data in Amazon S3. The data is 90 TB and is accessed infrequently. The company wants to minimize costs. Which Amazon S3 storage class should the company use?

- A. AWS Storage Gateway
- B. Amazon S3
- C. AWS Storage Gateway
- D. Amazon S3 Glacier

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

A company wants to store data in Amazon S3. The data is 90 TB and is accessed infrequently. The company wants to minimize costs. Which Amazon S3 storage class should the company use?

- A. zone apex CNAME

B. EC2 ☐ ☐ ☐ ☐ ID ☐ ☐ ☐ ☐ ☐ ☐ ☐ CreateImage API ☐ ☐ ☐ ☐ AWS Lambda ☐ ☐ ☐ ☐. ☐ ☐ ☐ ☐ ☐ ☐ Amazon EventBridge(Amazon CloudWatch Events) ☐ ☐ ☐ ☐.

C. AWS Backup ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐. no-reboot ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ID ☐ ☐ ☐ ☐.

D. AWS Backup ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐. ☐ ☐ ☐ ☐ ☐ ☐ EC2 ☐ ☐ ☐ ☐ ☐ ID ☐ ☐ ☐ ☐.

Answer: B (LEAVE A REPLY)

https://docs.aws.amazon.com/AWSEC2/latest/WindowsGuide/Creating_EBSbacked_WinAMI.html

"NoReboot □□□□ Amazon EC2□ □□□□ □□□□ □□ □□□□□ □□□□ □□□□□. No Reboot □□□ □□□ □□ Amazon EC2□ □□□□ □□□□ □□ □□□□□ □□□□ □□□□. □ □□□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□ □ □□□□." □□□ AWS EventBridge□ □□□□ Lambda □□ https://docs.aws.amazon.com/AWSEC2/latest/APIReference/API_CreateImage.html□ □□□ □ □□□□.

NEW QUESTION: 61

□□□ AWS □□□□□□ □□□ □□□□□ □□□. SysOps □□□□ □□ □□□□ □□□ □□□□ □□□
□□ □□ □□ □□□ □□□□□□.

SysOps ☐☐☐☐ ☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐?

- A.** ☐☐☐ AWS ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.
- B.** ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.
- C.** ☐ ☐☐ ☐☐ ☐☐. ☐☐ ☐☐ ☐☐ ☐☐.
- D.** ☐ AWS ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐. ☐☐☐ ID ☐☐ ☐☐.

Answer: B (LEAVE A REPLY)

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/custom-tags.html> "□□□ □□ □□□ □□□□
□□, □□ □ □□□□ □□□□□. □□□-□□□ □□□ □□ □□ □□□ □□ Billing and Cost Management
□□□ □□□□ □□□□ □ □□□□." □ □□ □□□ □□□□□ SysOps □□□□ □□ □□ □□□ □□□
□□ □□ □□ □□□ □□□□□ □□□. □□□□ □□ □□ □□□□ □□□ □□□□ □□ □□□ □□□□ □
□□ □ □□□□. □□ □□(AWS□□ □□□ □□ □□ □□□ □□ □□□, □ □□ □□ □□ □ □□ □□ □
□ □□,

SOA-C02 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SOA-C02 □□! DumpTop □ □□
SOA-C02 □□ □□□ □□□□□□, DumpTop SOA-C02 □□ □□□ □□□□□□□□ □□□ □□□□□
 □□. □□□□ □□□ □□□□ □□ DumpTop SOA-C02 □□□ □□□□□.

<https://www.dumptop.com/Amazon/SOA-C02-dump.html> (745 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

□□□ □□□□□ □□□□ AWS □□□ □□□ □□□□ □□□□. □□□ □□ □□ □□ □ □□□ □□ □
□□□ □□□□□ □□□□ □□ □ □□ AWS □□□ □□□□□□□□ □□□. □□□ □□□ □ □□□□ □

Amazon Macie is a service that uses machine learning to discover and protect sensitive data stored in Amazon S3 buckets. Amazon Macie is a managed service that uses machine learning to discover and protect sensitive data stored in Amazon S3 buckets. It is a managed service that uses machine learning to discover and protect sensitive data stored in Amazon S3 buckets. AWS Config and Amazon GuardDuty are services that provide security and compliance monitoring. AWS Config provides configuration management and compliance monitoring. Amazon GuardDuty provides threat detection and security monitoring.

NEW QUESTION: 65

Which AWS Organizations feature allows you to create and manage multiple AWS accounts? AWS Organizations is a service that allows you to create and manage multiple AWS accounts. It is a managed service that allows you to create and manage multiple AWS accounts. It is a managed service that allows you to create and manage multiple AWS accounts. AWS VPC is a service that provides virtual private cloud networking. IAM is a service that provides identity and access management. Amazon EC2 is a service that provides elastic compute cloud.

A. VPC allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

B. VPC allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

C. VPC allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

D. VPC allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which AWS service allows you to create and manage multiple AWS accounts? AWS Organizations is a service that allows you to create and manage multiple AWS accounts. It is a managed service that allows you to create and manage multiple AWS accounts. It is a managed service that allows you to create and manage multiple AWS accounts. AWS VPC is a service that provides virtual private cloud networking. IAM is a service that provides identity and access management. Amazon EC2 is a service that provides elastic compute cloud.

A. Auto Scaling allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

B. Amazon CloudFront allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

C. AWS CloudFront allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

D. Auto Scaling allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

Answer: B ([LEAVE A REPLY](#))

Which AWS service allows you to create and manage multiple AWS accounts? AWS Organizations is a service that allows you to create and manage multiple AWS accounts. It is a managed service that allows you to create and manage multiple AWS accounts. It is a managed service that allows you to create and manage multiple AWS accounts. AWS VPC is a service that provides virtual private cloud networking. IAM is a service that provides identity and access management. Amazon EC2 is a service that provides elastic compute cloud.

A. Auto Scaling allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

B. Amazon CloudFront allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

C. AWS CloudFront allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

D. Auto Scaling allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts. IAM allows you to create and manage multiple AWS accounts.

NEW QUESTION: 67

SysOps is planning to migrate 10 Amazon EC2 instances to AWS Lambda. Which of the following is a consideration for this migration?

SysOps is planning to migrate 10 Amazon EC2 instances to AWS Lambda. Which of the following is a consideration for this migration?

- A. AWS Lambda is a serverless architecture.
- B. AWS Lambda is a managed service.
- C. AWS Lambda is a managed service.
- D. AWS Lambda is a managed service.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

A company is using Amazon RDS DB instances. The company wants to ensure that the database instances are always available. Which of the following is a consideration for this requirement?

A company is using Amazon RDS DB instances. The company wants to ensure that the database instances are always available. Which of the following is a consideration for this requirement?

- A. Amazon RDS is a managed service.
- B. Redis is a managed service.
- C. Memcached is a managed service.
- D. Amazon ElastiCache is a managed service.
- E. Amazon ElastiCache is a managed service.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

A company is using AWS Lambda functions. The company wants to ensure that the functions are always available. Which of the following is a consideration for this requirement?

SysOps is planning to migrate 10 Amazon EC2 instances to AWS Lambda. Which of the following is a consideration for this migration?

- A. groupby is a function in AWS Lambda.
- B. SELECT is a function in AWS Lambda.
- C. stats is a function in AWS Lambda.
- D. SELECT is a function in AWS Lambda.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

A company is using AWS Lambda functions. The company wants to ensure that the functions are always available. Which of the following is a consideration for this requirement?

- A. Amazon Route 53 is a managed service.
- B. Amazon RDS is a managed service.

C. `max_connect_errors` is set to 0

D. Lambda is not supported as a target for RDS Proxy

Answer: B ([LEAVE A REPLY](#))

Q:

<https://aws.amazon.com/blogs/compute/using-amazon-rds-proxy-with-aws-lambda/> RDS Proxy is a managed service that provides a single connection pool for your RDS database instances. RDS Proxy is designed to be used with Amazon RDS instances. Lambda is not supported as a target for RDS Proxy. The reason for this is that Lambda is a serverless compute service and does not have a persistent connection to the database. RDS Proxy is designed to be used with Amazon RDS instances that have a persistent connection to the database.

Q: "Amazon RDS Proxy is not supported as a target for RDS Proxy" is the error message I am getting when I try to connect to my RDS MySQL instance using Lambda.

<https://aws.amazon.com/blogs/compute/using-amazon-rds-proxy-with-aws-lambda/> is the link to the blog post. I am not sure if I am missing something or if this is a bug.

NEW QUESTION: 71

SysOps is planning to migrate an application from AWS Lambda to Amazon Linux EC2 instances, Amazon Aurora DB. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure.

A. SecretString is used to store the AWS SecretsManager Secret value in the CloudFormation template. The AllowedPattern property is used to restrict the Secret value to a specific format. The SecretString property is used to store the Secret value in the CloudFormation template.

B. AWS SSM is used to store the AWS SecretsManager Secret value in the CloudFormation template. The AllowedPattern property is used to restrict the Secret value to a specific format. The SecretString property is used to store the Secret value in the CloudFormation template.

C. AWS SSM is used to store the AWS SecretsManager Secret value in the CloudFormation template. The AllowedPattern property is used to restrict the Secret value to a specific format. The SecretString property is used to store the Secret value in the CloudFormation template.

D. AWS SecretsManager Secret is used to store the Secret value in the CloudFormation template. The AllowedPattern property is used to restrict the Secret value to a specific format. The SecretString property is used to store the Secret value in the CloudFormation template.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 72

SysOps is planning to migrate an application from AWS Lambda to Amazon EC2 instances. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure.

SysOps is planning to migrate an application from AWS Lambda to Amazon EC2 instances. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure.

A. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure.

B. The application is currently running on AWS Lambda and uses the AWS CloudFormation template to provision the infrastructure.

NEW QUESTION: 78

□□□□ Application Load Balancer □□ Amazon EC2 □□□□□□ □□□□ □□ □ □□□□□□□ □□□
□. □□□□□ □□ □□ □□□ Amazon EC2 Auto Scaling □□□□ □□□□□. SysOps □□□□ □□□□
□□□ □□□□ □□□ □□□.

SysOps □□□□ □ □□ □□□ □□□□ □□ □□ □□□ □□□ □□□?

- A. □□ □□□□ □□□ □□□ □□□□□ Auto Scaling □□□ □□ □□□□ □□ □□□□.
- B. Auto Scaling □□□ □□□□□□ □ □□ AWS □□□ □□ □□□□ □ □□□□□ □□□□□.
- C. □□□ AWS □□□ □ □□ □□ □□□□ □ □□□□□ □□□□□ Auto Scaling □□□ □□□□□□□.
- D. □□ □□□□ □□□ □□□ □□□□□ Auto Scaling □□□ □□ □□□□ □□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 79

AWS Organizations□ □□□□ □□□ □□□□ □□□ Amazon S3 □□□ □□□□□ □ □□□.
□□ □□□ S3 □□□ □□ □□□□ □□□ □□ □□ SysOps □□□□ □□ □ □□ □□ □□□ □□ □□□
□□□□□?

- A. □□□ □□□□ □□□ □□ S3 □□□□ MFA □□□ □□□□□.
- B. □□□ □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□ s3:DeleteBucket □□□ □□□□□.
- C. □□□□ □□□ □□ □□□□ s3:DeleteBucket □□□ □□□□□ IAM □□□ □□ IAM □□□ □□□□□.
- D. AWS Shield□ □□□□ □□ S3 □□ □□ AWS □□□ □□ s3:DeleteBucket □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□:

https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scps.html AWS

Organizations□ □□□□ □□ □□□ □□ □□□□ Amazon S3 □□□□ □□□□□ □□□□ □□□ □□□
□□□□□□. □□ s3:PutBucketPolicy □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□□□.

<https://aws.amazon.com/tw/premiumsupport/knowledge-center/s3-access-denied-bucket-policy/>

NEW QUESTION: 80

□□□ Amazon Route 53□ □□□□ example.com □□□□ □□□ DNS □□□□ □□□□□. □ □□□
Amazon CloudFront □□□ □□□□ □□□ □□ □ □□□□ □□ □□ □□□ □□□□□. □□□ □□□ "□
□"□ □□ □□□□ □□□□□ □□ □□ □□□□ □□ □□□□ CloudFront □□□ □□□□□ □□□.

SysOps □□□□ Route 53□□ □□ □□□□ □□ □ □□□□ □□□ □□□□ □□□?

- A. CNAME □□□□ □□□□□. □□□ □□□□ static.example.com□ □□□□□. CloudFront □□□ □□□
□ IP □□□ □□□ □□□□□.
- B. CNAME □□□□ □□□□□. □□□ □□□□ static.cloudfront.net□ □□□□□. CloudFront □□□ □□□
IP □□□ □□□ □□□□□.
- C. A □□□□ □□□□□. □□□ □□□□ static.example.com□ □□□□□. CloudFront □□□ □□□ □□□
□□ □□□□ □□□□□.
- D. A □□□□ □□□□□. □□□ □□□□ static.cloudfront.net□ □□□□□. CloudFront □□□ ID□ □□ □□
□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 81

□□□ □□□ □□□□□ □□□□ □□□□ Amazon EC2 □□□□□ □□□□ □□□□. □□□□ □□□□ □ □□□ □□□□ NAT □□□□□□ □□ □□□□ □□ □□□ □□□□. □□□□□ □□□□ □□□□ □ □□□ □□□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□.

SysOps □□□□ □ □□□ □□□□ □□ □□□ □□ □□□?

- A. □□ - HTTP, □□ - 0.0.0.0/0 □□□□□ □□□□ EC2 □□□□□ □□ □□□ □□□□ □□□ □□□□ □.
- B. □□ - HTTPS, □□ - 0.0.0.0/0 □□□□□ □□□□ EC2 □□□□□ □□ □□□ □□□□ □□□ □□□□ □.
- C. □□ □□□□□ □□□□ EC2 □□□□□ □□ □□□ □□□□□ □□□ □□□□□. □□ - HTTPS. □□ - 0.0.0.0/0.
- D. □□ - HTTP, □□ - 0.0.0.0/0 □□□□□ □□□□ EC2 □□□□□ □□ □□□ □□□□□ □□□ □□□□ □.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 82

SysOps □□□□ □□□ □□□□ □□□ IPv6 CIDR □□□ □□ Amazon VPC□ □□□□□□□. □□□□ □□□ □□ VPC□□ □□□□ □□□□□. □□□□ □□ □□□ VPC□ □□□□ □□□□ □. □□□□ □□□□□ □□ □ □□□□ □□□□.

□□□□□ □□□ □□□□ □□□□ □□ □□ □□□ □□ □□□ □□□□□?

- A. ::/0 □□□□ NAT □□□□□□□ □□□
- B. ::/0 □□□□ □□□ □□□□□□□ □□□
- C. 0.0.0.0/0 □□□□ □□ □□ □□□ □□□□□□□ □□□
- D. ::/0 □□□□ □□ □□ □□□ □□□□□□□ □□□

Answer: ([SHOW ANSWER](#))

<https://docs.aws.amazon.com/vpc/latest/userguide/egress-only-internet-gateway.html>

NEW QUESTION: 83

Amazon S3 Inventory □□□□ □□□ S3 □□□ □□ 100□ □ □□□ □□□ □□□□□ □□□□□. □□□□ □□□□ □□□□□ □□ □□ □□ □□□ □□ □□□ □□□□□ □□□□. □□ □□? (2□ □□)

- A. S3 □□□ □□ □□ □□□ □□ □□□ □□□□ AWS Config □□□□ □□□□□. □□□□□ □□ □□□ □□□□□ AWS Systems Manager □□□ □□□ □□□□ □□□ □□□□□ □□□□□□□.
- B. S3 □□□ □□□ □□□□ □□ □□ □ □□□□ □□□□□□□.
- C. S3 Select□ □□□□ S3 Inventory □□□□□ □□□□□ □□□□□ □□ □□ □□□ □□□□□. S3 □□ □ □□ □□□□ □□□□ □□□□ □ □□□ □□□□ □□□□□.

E. S3 bucket policy S3 bucket policy AWS Lambda function policy AWS Lambda function policy.

□ □ :

NEW QUESTION: 84

A. ALB □ □ □ □ □ Amazon S3 □ □ □ □ □/□ □ □ □ □ □ □ □ □ □ EC2 □ □ □ □ □ □ □ □ □ □.

C. Amazon API Gateway □□ □□□ □□□□ □□ EC2 □□□□□ □□ □□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

☐ ☐ ☐ ☐ AWS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ SysOps ☐ ☐ Cost Explorer☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐?

B. □□ □□□ □□□□ AWS □□ □ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□.

D. AWS ☐☐ ☐☐ AWS ☐☐ ☐☐ ☐☐

NEW QUESTION: 86

SysOps ☐☐☐☐ ☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐? (200 ☐☐☐☐☐)

B. CloudFront □□ □□ □□□□ □□ □□□ □□□□□.

D. ALB □□□ □□□□ □□ □□ □□□ □□□□□□□.

E. ALB □□ □□□□ □□ □□□ □□□□□□.

Answer: B,E ([LEAVE A REPLY](#))

□□:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html> □□ □ □□□ □□□□
□ □ □□ □□□ □□□ □ □□□□. □□□ □□□□□ □□□□□.

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/sticky-sessions.html> □□□□□

Application Load Balancer□ □□□ □□ □□□ □□□□□ □□ □ □□□ □□□ □□□ □□□□□ □□□
□□□.

NEW QUESTION: 87

SysOps □□□□ 60□ □□ □□ □□ CPU □□□□ 10% □□□ □□ Amazon EC2 □□□□□ □□□□ □□
□□ □□□□ □□□□ □□□.

□□□ □□ □□□□ □□□□ □ □□ □□□ □□□□ □□□□ □□□□□?

A. AWS Systems Manager Run Command□ □□□□ 60□□□□ □ EC2 □□□□□ CPU □□□□ □□□□□.
CPU □□□□ 10% □□□□ □□□□ □□□ □□□□□.

B. □ EC2 □□□□□ □□ Amazon CloudWatch □□□□□ □□□□ □□ □□□ □□ □□□ □□□ □□□
□□□□□□. 60□□□□ CPU □□□□ □□□□ CPU □□□□ 10% □□□□ □□□□ □□□ □□□□□.

C. □ EC2 □□□□□ □□ Amazon CloudWatch □□□ □□□□ □□ CPU □□□□ □□□□□□□□. □□□
1□□□□□ □□□□ □□□□ 10%□ □□□□□. □□□□□ □□□□□ □□□ □□ EC2 □□□ □□□□□.

D. □ EC2 □□□□□□ cron □□□ □□□□ 60□□□□ □ □□ □□□□ □□ CPU □□□□ □□□□□.
CPU □□□□ 10% □□□ □□ □□□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 88

□□□ □□□ □□□ □□ AWS□ □□ □□□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□.

□□□ □□□□ □□ □□ □□□□ □□□□ □□□□□ □□□□□ □□ AWS □□□□ □□□□ □□□?

A. □□□ □□□□

B. AWS □□□ □□□

C. AWS CloudTrail

D. AWS□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□□ Amazon EC2 □□□□□□ □□ □□□□□□□ □□□□□□. □□ □□□□□□ □□□ □ □□□ □
□□□□ □□□□□ AWS □□ AWS Site-to-Site VPN □□□ □□ □□□□□□. □□□ □□ □□□□ □□□
□□□□ □□□□ □□□□ □□ □□□ □□□ □□□□□□□ □□□□□□ □□□. □□□□□□□ □□□
□□□□ □□ □□ □□□ □□□□ □□□□□ □□□.

□□ □□□□ □□ □□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□?

A. □□□ □□□□ □□□□□□ □□□ □□ □□□ □□□□□□ □□□ □□ CIDR □□□ □□ □□□□ □
□□ □□□□ AWS Lambda □□□ □□□□□. VPC □□ □□□ □□ □□□ Amazon CloudWatch Logs□ □

□□□. □□□ □□ CIDR □□□ □□□□ □□□□ Amazon CloudWatch □□□ □□□□ Lambda □□□ □
□□□ □□□□ Amazon Simple Notification Service(Amazon SNS) □□□ □□□□ □□□□□.

B. EC2 □□□□□□ □□□ IP □□□ □□□□ □□ AWS □□□ □□□ □□□ □□□ □□ □□□
Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□□. □□□ IP □□□ EC2 □□□□□□ □
□□□ □□ □□□ □□□ □□□ □□□ □□□□ □□□□□.

C. □□ □□□ □□□ CIDR □□□□□□ □□□□ □□□ □□□□□ □□□ □□□□□□□ AWS Config □
□□□ □□ □□□ □□□□□. □□□□□□ □□ □□□□ □□□ □□ CIDR □□□ □□□□□ AWS
Systems Manager □□□ □□□ □□□□□□.

D. □□□ EC2 □□□□□□ □□□ IP □□□ □□□□□□ □□ AWS Config □ □□□ □□□ □□□□□. □
□□□ EC2 □□□□□ □□□ □□□□□. EC2 □□□□□□ □□□ IP □□□ □□□□ □□ AWS Systems
Manager □□□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

□□:

<https://aws.amazon.com/blogs/security/how-to-auto-remediate-internet-accessible-ports-with-aws-config-and-aws-system-manager/>

NEW QUESTION: 90

Sysops □□□□ AWS Fargate□ □□□□ Amazon Elastic Kubernetes Service(Amazon EKS) □□□□□ □□
□□□. □□□□□ □□□□□ □□□□□□□. Sysops □□□□ kubect1 □□□ □□□ □□□□ □□□□□
□□□□ □□□.

□□ □ kubect1□ □□□□ API □□□ □□□ □ □□□ Sysops □□□□ □□□□□ □□□□ □□ □□ □□
□□□?

A. kubeconfig □□

B. kube-proxy Amazon EKS □□ □□

C. Fargate □□□

D. eks-connector.yaml □□

Answer: A (LEAVE A REPLY)

kubeconfig □□□ Amazon EKS □□□□ API □□□ □□□□ □ □□□ □□□□ □□ □□□ □□□□ □ □
□□□ □□ □□□□□. kubect1□ □□□□ API □□□ □□□ □ □□□□ SysOps □□□□ □□□□□
kubeconfig □□□ □□□□ □□□.

<https://aws.amazon.com/blogs/developer/running-a-kubernetes-job-in-amazon-eks-on-aws-fargate-using-aws-stepfunctions/>

NEW QUESTION: 91

SysOps □□□□ □□□ □□□□ □□□□ □□□□ □□□□ VPC□ □□□□□□. □□□□ □□□□□ □
□□ Amazon EC2 □□□□□ □□□□ □□□□ □ □□□□. □□ □□□□ ACL□ VPC□ □□ □□□□□
□□□□□ □□ □□ □□□ □□ □□□□□ □□□□ □□□□□.

□□□□ □□□□ EC2 □□□□□ □□□ □□□□ □□□□ □□□□ □□□□□?

A. □□□ □□□□ NAT □□□□□□ □□□□□. □□□□ □□□□□ NAT □□□□□□□□ □□□ □□□
□.

B. □□□ □□□□ NAT □□□□□□ □□□□□. □□□ □□□□□ NAT □□□□□□□□ □□□ □□□
□.

C. □□□□ □□□□ NAT □□□□□□ □□□□□. □□□ □□□□□ NAT □□□□□□□□ □□□ □□□ □.

D. □□□□ □□□□ NAT □□□□□□ □□□□□. □□□□ □□□□□ NAT □□□□□□□□ □□□ □□ □□.

Answer: A (LEAVE A REPLY)

□ □ :

NAT □□□□□□ □□□ □□□□ □□□ □□□□ □□□□ NAT □□□□□□ □□□□□□ □
□□. <https://docs.aws.amazon.com/vpc/latest/userguide/vpc-nat-gateway.html>

SOA-C02 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ SOA-C02 ☐☐! DumpTop ☐ ☐☐
SOA-C02 ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop SOA-C02 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐
☐☐. ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop SOA-C02 ☐☐☐ ☐☐☐☐☐.

<https://www.dumptop.com/Amazon/SOA-C02-dump.html> (745 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 92

SysOps □□□□ Application Load Balancer(ALB) □□ □□ Amazon EC2 □□□□□□ □□□□ □ □□□□
 □□□ □□□□ □□□□. □□□□□ EC2 Auto Scaling □□□□ □□□□□. □□□□ ALB□ □□□ □□ □
 □ □□□□□ □□□□ □ □□□ □□□□□ □□□.
 □□□ □□ □□□□ □□ □□□ □□□□□?

- A. AWS/EC2 StatusCheckFailed <= 0**
B. AWS/ApplicationELB HealthyHostCount <= 0
C. AWS/ApplicationELB UnhealthyHostCount >= 1
D. AWS/EC2 StatusCheckFailed >= 1

Answer: B (LEAVE A REPLY)

NEW QUESTION: 93

```

[ ] [ ] [ ] [ ] [ ] [ ] [ ] Amazon EC2 [ ] [ ] [ ] [ ] [ ] [ ]. SysOps [ ] [ ] [ ]
[ ] [ ] [ ] [ ] [ ] [ ] [ ] InstanceLimitExceeded [ ] [ ] [ ] [ ].

```

SysOps ☐☐☐☐ ☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐?

- A.** VPC CIDR blocks.
- B.** EC2 instances.
- C.** EC2 instances.
- D.** VPC CIDR blocks.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 94

A. CloudFormation `AWSSecretsManager::Secret` `resolve:ssm-secure`
`AWSRDS::DBInstance` `Ref` `AWSSecretsManager::Secret`.

B. CloudFormation `AWSSecretsManager::Secret` `resolve:ssm-secure`
`AWSRDS::DBInstance` `Ref` `AWSSecretsManager::Secret`.

C. CloudFormation `AWSSecretsManager::Secret` `resolve:secretsmanager`
`AWSRDS::DBInstance` `Ref` `AWSSecretsManager::Secret`.

D. CloudFormation `AWSSSM::Parameter` `resolve:ssm`
`AWSRDS::DBInstance` `Ref` `AWSSSM::Parameter`.

[illegible]

□□□□ □□□□ □ □□□ HTTP 404 □□□□ □□□□□□ □□□□ □□□ □□□□□□ □ □□ □□□ □□ □□□□
□□□□ □□□ □□ □□□□ □□□□□□. □□ □□□(CloudWatch Logs □□ □□, AWS Lambda □□ □
□ □□□□ □□)□□ □ □□□ HTTP 404 □□□□ □□□□ □□□□□□□□ □□ □□ □□□□ □□□□
□□□□□□.

□□□ □□□ □□□□ □□ □□□□□ □□ □□, □ □□ □□ □□□ □□ □□ □□□□ □□ □□□ □□ □□ □□□□ □□□ □ □□□□. □□ □□ □ □□□□ □□□ HTTP 404 □□ □□ □□□□□□ □ □□□ □ □□ □□ □ □□□□□ □□□□ □ □□□ □ □□ CloudWatch □□□ □□□ □ □□□□.

NEW QUESTION: 105

□□□ Amazon Elasticsearch Service(Amazon ES)□ □□□□ □□ □ □□ □□ □□□□ □□□□□. □□□ □□ □□□ □□□ □□□ □□□□ □□ □□□□. Active Directory□ □□□ □□ □□ □□ □□□ □□□□ Kibana□ □□□□□ □□□. □ □□□ □□□□ □□□□ □□ □□□ □□□□□ □□ AD FS(Active Directory Federation Services)□ □□□□□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

- A. Amazon ES□□ Active Directory□ □□ □□□□ □□□□□. Active Directory □□□ □□□ □□□ Amazon ES□ □□□□□. Amazon ES □□□ □□□□□ Kibana□ □□□□□.
- B. Amazon Cognito □□□ □□ □□□□□. Active Directory□ □□□ □□ □□ □□ □□ □□□□ □□ □□□. Amazon ES□□ Kibana□ □□ Amazon Cognito □□□ □□□□□□.
- C. Kibana□□ Active Directory □□□ □□□ □□□□□□. Active Directory □□□ IP □□□ □□□□ Amazon ES□□ IP □□ □□□ □□ □□□ □□□ □□□ □□□ □□□□□.
- D. Active Directory □□□□ Kibana□ □□ □□□ □□□□□. Kibana□□ Active Directory □□□ □□□ □□ □□□□. Active Directory □□□ IP □□□ Kibana□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

<https://aws.amazon.com/blogs/security/how-to-enable-secure-access-to-kibana-using-aws-single-sign-on/>

<https://docs.aws.amazon.com/elasticsearch-service/latest/developerguide/es-cognito-auth.html>

NEW QUESTION: 106

□□□ 100□□ Amazon EC2 Window* □□□□□ □□□□□. Amazon CloudWatch □□□□□ □□ □□□ □□□□ □□ □□ □□ □□□ □□ EC2 □□□□□□ □□ □ □□□□□. 50□□ □□□□□ □□□□ DHCP □□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□. □ □□□ □□ □□□ □□□□ □□ □□□ □ □□ □□□ □□□□□?

- A. □□ CloudWatch □□□□ □□ □□□ □□□□ DHCP □□□ □□□□□. AWS Systems Manager Run Command□ □□□□ □ EC2 □□□□□□ CloudWatch □□□□□ □□ □□□□ □□ □□ □□□ □□□□ append-config □□□ □□□□□.
- B. □□□ □□□□ □ EC2 □□□□□ □□□ □□□ □□ □□ □□ □□ □□ DHCP □□ □□□ CloudWatch□ □ □□□ PowerShell □□□□ □□
- C. □ EC2 □□□□□□ CloudWatch □□□□ □□ □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□ □□ □□□□ □□ DHCP tog □□□ □□□□□.
- D. □ EC2 □□□□□□ CloudWatch □□□□ □□ □□ □□□□ □□□□ □□ □□ □□ □□□ □□□□□. □ Wi-Fi□ □□ □□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))



□ □□□ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. AWS Lambda □□□ □□ IAM □□□ □□□□□.
- B. AWS Storage Gateway□ □□□□□.
- C. AWS □□ □□□□ □□□□□□.
- D. Amazon Simple Queue Service(Amazon SQS) □□□□ □□□□□.
- E. AWS Lambda □□□ □□□□□.

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 109

SysOps □□□□ AWS CloudFormation □□□□ □□□□ □□ AWS □□□ □□□ □ □□ □□□□□□ □ □□ □□□□□.

SysOps □□□□ AWS Management Console□ □□□□ Amazon CloudWatch □□□□□ □□□□□. □□□ □□□□ □ □□□□ □□ CloudWatch □□□□□ □□□□□.

SysOps □□□□ □□□□□□□□ □□□ □□□ CloudWatch □□□□ □□□ □□□ □□□□ □ □□□□?

A. AWS CLI□ □□□□ □□□□ □□□□ aws cloudformation put-dashboard □□□ □□□□ □□□□□ □ □□□□. □ CloudFormation □□□ □□□ □□□ □□□ □□□□□□.

B. □□ CloudWatch □□□□□ JSON□□ □□□□□. CloudFormation □□□□ □□□□□□ AWS::CloudWatch::Dashboard □□□□ □□□□□. □□□□ DashboardBody □□□ □□□ JSON□ □□□ □□.

C. CloudFormation □□□□ □□□□□□ □□□□ □□□□□. □□ Ref □□□ □□□□ □□ CloudWatch □□□□□ ID□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

D. CloudFormation □□□□ □□□□□□ AWS::CloudWatch::Dashboard □□□□ □□□□□.

DashboardName □□□□ □□ □□□□□ □□□ □□□□□.

NEW QUESTION: 110

SysOps is planning to migrate an application from an on-premises environment to Amazon EC2. The application requires a minimum of 1TB of storage for the application data. The application also requires a minimum of 3.000 VolumeReadOps. SysOps is considering the following options for the storage solution:

Option A: Amazon EBS Provisioned IOPS (PIOPS) Volume. Option B: Amazon EBS General Purpose (SSD) Volume. Option C: Amazon EBS Throughput Optimized Volume. Option D: Amazon EBS Magnetic Volume. SysOps is considering the following options for the storage solution:

- A. Amazon EBS Provisioned IOPS (PIOPS) Volume.
- B. Amazon EBS General Purpose (SSD) Volume.
- C. Amazon EBS Throughput Optimized Volume.
- D. Amazon EBS Magnetic Volume.

Answer: (SHOW ANSWER)

NEW QUESTION: 111

A SysOps Administrator is planning to migrate an application from an on-premises environment to Amazon EC2. The application requires a minimum of 1TB of storage for the application data. The application also requires a minimum of 3.000 VolumeReadOps. SysOps is considering the following options for the storage solution:

- A. AWS Certificate Manager (ACM) can be used to create a public key infrastructure (PKI) for the application. ACM can be used to create a public key infrastructure (PKI) for the application. ACM can be used to create a public key infrastructure (PKI) for the application.
- B. AWS Certificate Manager (ACM) can be used to create a public key infrastructure (PKI) for the application. ACM can be used to create a public key infrastructure (PKI) for the application. ACM can be used to create a public key infrastructure (PKI) for the application.
- C. SysOps can create a public key infrastructure (PKI) for the application. SysOps can create a public key infrastructure (PKI) for the application. SysOps can create a public key infrastructure (PKI) for the application.
- D. SysOps can create a public key infrastructure (PKI) for the application. SysOps can create a public key infrastructure (PKI) for the application. SysOps can create a public key infrastructure (PKI) for the application.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 112

A SysOps Administrator is planning to migrate an application from an on-premises environment to Amazon EC2. The application requires a minimum of 1TB of storage for the application data. The application also requires a minimum of 3.000 VolumeReadOps. SysOps is considering the following options for the storage solution:

Destination	Target
10.0.0.0/16	Local
172.31.0.0/16	pcx-1122334455

SysOps is considering the following options for the storage solution:

- A. Amazon EBS Provisioned IOPS (PIOPS) Volume.
- B. Amazon EBS General Purpose (SSD) Volume.
- C. Amazon EBS Throughput Optimized Volume.
- D. Amazon EBS Magnetic Volume.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 113

SysOps is configuring VPCs for Amazon S3 buckets. VPCs are configured to be private. SysOps needs to ensure that the buckets are accessible from the Internet. Which Amazon EC2 instance type should SysOps use to access the buckets?

- A. An m4.xlarge instance with a public IP address.
- B. An m4.xlarge instance with a private IP address.
- C. An m4.xlarge instance with a public IP address and an Elastic IP address.
- D. An m4.xlarge instance with a private IP address and an Elastic IP address.

Answer: (SHOW ANSWER)

NEW QUESTION: 114

SysOps is configuring IAM roles for the Amazon CloudSearch service. SysOps needs to ensure that the roles are configured correctly. Which IAM role should SysOps use?

- A. Amazon CloudSearchRole
- B. Amazon EventBridge(Amazon CloudWatch Events)Role
- C. AWS IAM Access AnalyzerRole
- D. AWS CloudTrailRole
- E. Amazon Simple Notification Service(Amazon SNS)Role

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 115

SysOps is configuring VPCs for Amazon CloudFront, Application Load Balancer(ALB), Amazon RDS, Amazon EC2, and Amazon S3. SysOps needs to ensure that the VPCs are configured correctly. Which VPC should SysOps use?

- A. VPC
- B. AWS CloudTrail
- C. ALB
- D. CloudFront
- E. RDS

Answer: C,D (LEAVE A REPLY)

Elastic Load Balancing is a service that distributes incoming traffic across multiple Amazon EC2 instances. It is a highly available and scalable service. It is a service that is used to distribute incoming traffic across multiple Amazon EC2 instances. It is a service that is used to distribute incoming traffic across multiple Amazon EC2 instances.

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-access-logs.html>

[illegible]

NEW QUESTION: 116

[illegible]

Answer: A (LEAVE A REPLY)

AWS ☐☐☐☐ ☐☐ ☐☐☐☐ SysOps ☐☐☐ ☐ ☐☐ Personal Health Dashboard☐☐ ☐☐ ☐
☐☐ ☐☐☐☐. ☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐
☐ ☐☐☐☐ ☐ ☐☐☐.

NEW QUESTION: 117

[illegible]

Answer: B (LEAVE A REPLY)

NEW QUESTION: 118

□□□□□□ A□ NLB(Network Load Balancer) □□ Amazon EC2 □□□□□□ □□□□□□. EC2 □□□□□□ Auto Scaling □□□ □□□ NLB□ □□□ □□□ □□□□ □□□□. □□□□□□ □□□ □□ □□□□□□□□ □□ 8080□□ □□□□□□□ A□ □□□ □ □□□□□.

□□□ □□□□ □□ SysOps □□□□ □□ □□□ □□□□□□. □□ □□□□ □□ □□□□ □□□□□□.

```
2 123456789010 eni-1235b8ca123456789 192.168.0.13 172.31.16.139 59003 8080 1 4 336 1432917027 1432917142 ACCEPT OK
2 123456789010 eni-1235b8ca123456789 172.31.16.139 192.168.0.13 8080 59003 1 4 336 1432917094 1432917142 REJECT OK
```

□□□ □□□□ □□□ □□□□□□?

- A. □□□□ □□□ □□□□ ACL□ □□ □□ □□□ □□ □□□□□ □□□□ □□□□ □□□□.
- B. EC2 □□□□□ □□ □□□ NLB□ □□□□ □□ □□ □□□ □□□□.
- C. □□□□□ □□□ ACL□ AWS □□□□□ □□□□ □□□□ □□□□.
- D. NLB□ □□ □□□ □□□□□ □□□ □□□□ □□ □□ □□□ □□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 119

□□□ us-east-1 □□□□ □ □□□□ □□□□□□□. □□□ □ □□□□ eu-central-1 □□□ □□□ □□□ □ □□□□. □□□ □□ □□□□ □□□□ eu-central-1□□ □□□□□ □□□□□ □□□□□ □□□□. □□ □□ □□□□ us-east-1□□ □□□□□ □ □□□□ □□□□□□□. □ □□□ Amazon Route 53□ □□□□ □ □□□□ DNS □□□□ □□□□□□.

SysOps □□□□ □□□ □□ □□□ □□□□ □□ Route 53 □□□ □□□ □□□□ □□ □□□ □□□ □□ □□□?

- A. □□□ □□ □□□ □□
- B. □□□ □□ □□□ □□
- C. □□ □□ □□□ □□
- D. □□□□ □□□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 120

SysOps □□□□ □□□ Amazon S3 □□□ □□□ □□□ □□□ □□□ □□□□ □□□□□□□□ □□□□ □□□□ □□□□ □□□.

□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□□□□?

- A. Amazon Simple Notification Service(Amazon SNS) □□□ □□□□ □□ S3 □□□ □□ □□ SNS □□□ □□ □ □□ □□ □□ □□□ □□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□ AWS Lambda □□ □□ □□□□□□□□ □□
- B. S3 □□□□ □ □□□ □□□ □□□ □□□ □□□ □□□□ □□□□□□□□ □□□□ AWS Lambda □□□ □□□□ Amazon EventBridge(Amazon CloudWatch Events) □□ □□□ □□□□ □□ □□ □ □□□□□□.
- C. S3 □□□ □□□ □□□ □□□ ALARM □□□ □□□□ Amazon CloudWatch □□□ □□□□□□. AWS Lambda(□□□□ □□□ □□□ □□□□ □□□□□□□□ □□□□ □□)□ □□□□□□ □□□ □□□□□□.
- D. 2□□ S3 □□□□ □□ □□ □ □□□□ □□□ AWS Lambda □□ □□ □□ □□□ □□□ □□□□ □ □□ □□□□□□□□ □□□□ □□□□□ □□ □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 121

SysOps ☐☐☐☐ AWS CloudFormation ☐☐☐ ☐☐ ☐☐☐☐.



☐ ☐☐ ☐☐ ☐☐☐?

- A. `"LogicalResourceId/Production"` ☐ ☐☐ ☐☐ ☐☐ ID ☐ ☐ IAM ☐☐ ☐ ☐☐ ☐☐ `update-stack` ☐☐ ☐ ☐☐.
- B. ☐☐☐ `"LogicalResourceId/Production"` ☐ ☐☐ ☐☐ ☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.
- C. ☐☐☐ `"Production"` ☐ ☐☐ ☐☐ ☐☐ ID ☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.
- D. ☐☐ ID ☐ `"Production"` ☐ ☐☐ ☐☐ IAM ☐☐ ☐☐ ☐☐ `update-stack` ☐☐ ☐ ☐☐.

Answer: ([SHOW ANSWER](#))

SOA-C02 ☐☐ ☐☐ ☐☐☐ ☐ DumpTop ☐☐ ☐☐☐ ☐ SOA-C02 ☐☐! DumpTop ☐☐
SOA-C02 ☐☐ ☐☐ ☐☐☐☐, DumpTop SOA-C02 ☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐☐
☐☐ ☐☐ ☐☐ ☐ DumpTop SOA-C02 ☐☐ ☐☐.

<https://www.dumptop.com/Amazon/SOA-C02-dump.html> (745 Q&As Dumps, **30%OFF** Special Discount:

KrDump)

NEW QUESTION: 122

☐☐ ☐☐ ☐☐ ☐ ☐☐☐ ☐ ☐☐ ☐ ☐ Amazon RDS ☐☐☐☐☐ ☐☐☐☐☐
☐ ☐☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐ ☐ ☐☐☐ ☐ ☐☐ ☐
☐ ☐ ☐☐ ☐☐ ☐ ☐☐?

- A. ☐ RDS ☐☐☐☐ ☐☐ ☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐☐.

"□□ □□ □□□ □□□ □□□□□ CloudTrail□ □□□□ □□ □□ □□□ □□ □□□ □□□□□. □□
CloudTrail□ □□□ □□ 1□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□ □□ □□□□
□. □ □□□ □□□□□ □□□□□ □□□. □□□ □□ □□□ □□ □ □□□ □□□□ □□ □□□□□."

NEW QUESTION: 125

□□□□□ □□ □□□□ □□□ □□□ □□ □□□□ □□ □□□□ □□□□. □□□□□ □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□. □ □□ □□□ Amazon EC2 □□□□□ Amazon RDS DB □□□□□ □□□□□. □□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□ □□ □□ □□□□ □□ □.

□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□□□?

A. □□□□□ CLI □□□ □□□□ □□□ □ □□ □□ □□□ □□□□□□ □ □□□□. AWS CloudFormation□ □□ □□ □□ □□□□ □□□□□ □□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□□.

B. □□□□□ □□□ AWS CloudFormation □□□□□ □□ □□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □ □□□□. □ □□ □□□□□□ □□ cron □□□ □□□□ □□ □□ □□ □□□□□ □□□□ CPU □□□□ □□ 0□□ □□□□.

C. □□□□□ CLI □□□ □□□□ □□□ □ □□ □□ □□□ □□□□□□ □ □□□□. □□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□ AWS Lambda □□□ □□□□ □□ EC2 □□□□ □ DB □□□□□ □□□□□.

D. □□□□□ □□□ AWS CloudFormation □□□□□ □□ □□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□□□ □ □□□□. □□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□ AWS Lambda □□□ □□□□ AWS CloudFormation □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 126

□□□ AWS □□□□□□ □□□ □□ □□□ □□□□□□. □□□ ELB(Elastic Load Balancer)□□ TLS □□ □□ □□□□ HTTPS □□□ □□□□□. □□□ TLS □□□□ □□□□ □□□ □□□□□□□□. SysOps □□ □□ □□ □ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□.

□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□□□□?

A. AWS Certificate Manager(ACM)□ □□□□ □□ □□□□ □□□□□. ACM□ □□□□ ELB□ □□□□□. 18□□□□□ □□□□□ □□□□□ □□□ AWS Lambda □□□ □□□□□.

B. AWS Certificate Manager(ACM)□ □□□□ □□ □□□□ □□□□□. ACM□ □□□□ ELB□ □□□□□. ACM□ □□□ □□□ □□□□ □□□□□.

C. □□ □□ □□(CA)□ □□□□ □□□□□. □ □□□□ AWS Certificate Manager(ACM)□ □□□□□. ACM□ □□□□ ELB□ □□□□□. ACM□ □□□ □□□ □□□□ □□□□□.

D. □□ □□ □□(CA)□ □□□□ □□□□□. CA□□ □□ □□□□ □□□□□ ELB□ □□□□□. □□□□□ □□ □□□□□ 3□□ □□□ □ □□□□□ ELB□□ □□□ □□ □□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

□□:

"□□□□□ □□ □□ □□□ □□ □□ □□□ □□□□□. Elastic Load Balancing □□ CloudFront□ □□ □□ AWS □□□□□ □□□ □□ □□□□□. □□□□□ □□□□□ □□□ □□□ □□□ □□ □□□□□. □□□ □ □□□ □□ □□□□ □□ □□□□□. ACM RequestCertificate API□ □□□ □□ □□□□□ □□ AWS □

□□□ □□□□□. □□ □□□ □□ □□□ □□ □□ AWS □□□□ □□□□□ □□□ □□ □□□□ □□ □□□ □□□□." <https://docs.aws.amazon.com/acm/latest/userguide/managed-renewal.html>

NEW QUESTION: 127

□□□ □□□□□□□□ □□□□□□□□ □□ □□□ □□□ □□□ AWS□ □□□□□ □□□. □□ □□□□ □□□□ □□□ □ □□□ □□□. □□ □□□□□□□ POSIX(Portable Operating System Interface)□ □□□ □ □□ □□ □□□□□□ □ □ □□□□. □□□□ □□ □□□ □□□□□?

- A. Amazon S3□ □□□ □□ □□□□ □□□□□ □□ □□□□□ □□
- B. Amazon S3 Glacier□ □□□ □□ □□□□ □□□□□ □□ □□□□□ □□
- C. AWS Storage Gateway□ □□□□ □□□□□ □□ □□□ □□□□□ □□
- D. AWS Storage Gateway□ □□□□ □□□□□ □□ □□□ □□□□□ □□

Answer: ([SHOW ANSWER](#))

□□:

<https://docs.aws.amazon.com/storagegateway/latest/userguide/StorageGatewayConcepts.html>

NEW QUESTION: 128

□□□ Auto Scaling □□□□ □□□□ □□ Amazon EC2 □□□□□□ □ □□□□ □□□□□□. □□□□ □□ □□ □□ 6□□□ □□ 11□ □□□ □□ □□ □□ □□ □□□□□. SysOps □□□□ □□□ □ □□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□.

- A. □□ □□ □□□ □□□ □□□ □□□□ □□ Auto Scaling □□□ □□ □□□ □□□□□.
- B. □□□ □□□□ 70%□ □□□ □ □ □□ □□□□□ □□□□□ □□ □□ □□ □□□ □□□□.
- C. □□□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□ □□ □□ □□ □□□ □□□ □ □□ □□ AWS Lambda □□□ □□□□□.
- D. □□ □□□□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 129

□ □□□ □□□□ □□ □□□ Amazon S3 □□□ □□ □□□□ □□□□ □ □□ □□□ □□□□ □□ □□ □ □ □□□□ □□□□□□. □ □□□□□ S3 □□□ □□□ AWS □□□□ □□□□□ □□ □□□ □□□ □ □□□ □□□□. □□□□ □□□□ □□□□ □□□□□. SysOps □□□□ □□□ □□□ □□□□ □□ □.

SysOps □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□?

- A. S3 □□□□ □□ □□ □□□ □□(CORS)□ □□□□□□.
- B. AWS Global Accelerator□□ S3 □□□ □□□□□□□ □□□□□.
- C. S3 □□□□ S3 Transfer Acceleration□ □□□□□□.
- D. □□□□□ □ □□□ □□□ S3 □□□ □□□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 130

□□□ AWS □□ □□□ IAM CreateUser API □□□ □□□□ □ □□□□ □□ □□□ □□□ □□□□. SysOps □□□□ □ □□ □□□ □□□□□ □□ □□□ □□□ □□□ □□□? (□ □□□ □□□□□.)

A. AWS CloudTrail□ □□□ □□□ □□□□ IAM CreateUser□ □□□ □□□ □□ □□ API □□□ □□□□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□□.

B. Amazon CloudSearch□ □□□ □□□ □□□□ IAM CreateUser□ □□□ □□□ □□ □□ API □□□ □ □□□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□□.

C. AWS IAM Access Analyzer□ □□□ □□□ □□□□ IAM CreateUser□ □□□ □□□ □□ □□ API □□ □ □□□□ Amazon EventBridge(Amazon CloudWatch Events) □□□ □□□□□.

D. □□□ □□□ □□ □□□ □□□□ Amazon Simple Notification Service(Amazon SNS) □□□ □□□□□.

E. Amazon Simple Email Service(Amazon SES) □□□ □□□ □□□ □□ □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

<https://aws.amazon.com/blogs/security/how-to-receive-alerts-when-your-iam-configuration-changes/>

NEW QUESTION: 131

□□□ AWS OpsWorks□ □□ □□□ □□□□□□ □□ □ □□□□ □ EC2 □□□□□ □□□□ □□□□ AWS CloudFormation □□□□□ □ Amazon EC2 □□□□□ □□□□ □□□ □□ AMI □□□□ □□□□□. □□□□□ □□ □ □□ □□□□□ 2~3□□□ □□□ □ □□□ □□□ □□ □□□ □□ □□□□□ □□□ □□.

SysOps □□□□ CloudFormation □□□□ □□□□ □□□□□ □□□□ □□ □□□ □□□ □□□ □□□ □□ □□ □□□.

□□□ □□ □□□ □□ □□□□ □□□ □□□□ □□□?

A. □□□□□ 4□□□□ □□□ □□.

B. □□ □□□ 4□□□□ □□□ □□□□□

C. 4□□□□ □□□ □□□□□ □□ □□□□□.

D. □□ □□□ 4□□□□ □□□ CreationPolicy.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 132

□□□□ □□ □□ □□, □□□ □ □□ □□□ □□□□ Amazon Aurora MySQL DB □□□□□ □□□□ □ □□□. SysOps □□□□ □□ 72□□ □□ DB □□□□□ □□ □□ □□□□ □□□ □ □□□ □□□. □□ □ □□□ □□□□ DB □□□□□□ □□□□□ □□□.

□□□ □□ □□□ □□□□ □□□□ □□□□□?

A. Aurora □□□□ □□□□□. □□□□ □□□□ □□ DB □□□□□ □□□□□.

B. □□ DB □□□□□ □□ □□□ □□□□ AWS Lambda □□□ □□□□□.

C. □□□□ □□□□ □□ DB □□□□□ □□□ □□ □□□□ □□□□□.

D. □□ □□ □□□ □□□□ □□ DB □□□□□ □□□ □□ □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

"□□□ □□□ □□□ 72□□□□□□. □□□□ □□□ □□□ □□□□ □□□□ □□□ DB □□□□□□ □□ □ □□□□....□□□□ DB □□□□□ □□□ □□□□ "□□□□□". □□ □□□□ □□□ □ □□□ DB □□□□□ □□□ □□□□□....DB □□□□□ □□□ □□□□ □ □□□□. DB □□□□□ □□ □□□□ □□

□□ □ DB □□□□□ □□□□ □□□□ □□□□□. □ □□□ □□ □ □□ □□□ □□ DB □□□□ □□ □."

<https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/AuroraMySQL.Managing.Backtrack.html>

NEW QUESTION: 133

□□□ □□ □□□ □□□□ □□□□ □□ AWS Management Console □□□□ □□ AWS □□□ □□□□ □□□□□□ □□□.

□ □□ □□□ □□□□ □□□□ □□□□□?

A. AWS □□□ □□□□□. iam-policy-blacklisted-check □□□ □□□ □□□ □□□□□.

B. UnauthorizedAccess:IAMUser/ConsoleLoginSuccess □□□ □□□□□□□ Amazon GuardDuty□ □□□ □□.

C. Amazon Inspector□ □□□□□. □□ □□□□ □□ □□□□ □□□□ □□□□□□□.

D. □□□ 1AM □□ □□□ □□□□□ Amazon Cognito□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 134

□□□ □□□□□ □□ □□□□□ □□□□ 100%□□ □□□□ □□□ □□□ □□□□. SysOps □□□□ □□□ 2□ □□ □□□□ □□□□□ □□□□ □□ □□□□□ □□□. □□□ □□ □□□ □ □□□□□?

A. □□□ □□□□□□□ EC2 □□□□□□ □□ CloudWatch □□ □□ □□□□□ □□ □□□□ □□ □□□

B. 2□□□ □□□ □□□□ □□□□□ EC2 □□□□□ □□ □□□□ AWS Lambda □□□ □□□□□.

C. EC2 □□ □□□ □□ □□□□□ EC2 □□□□□ □□ □□□□ Lambda □□ □□

D. □□ □□□□□□ Amazon EC2 □□□□□ □□ Amazon CloudWatch □□□ □□□□□. □□□□□ □□ □□□□ □□□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 135

□□□ Amazon S3 □□□ □□ □□□□ VPC□ Amazon EC2 □□□□□□ □□□□ □□□. □□ □□□□ AWS □□ □□□□□ □□□ □□□.

SysOps □□□□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□ □□□?

A. VPC□ NAT □□□□□□□ □□□ NAT □□□□□□□ □□ Amazon S3□ □□□ □□ □□□□ □□□□□□ VPC □□□ □□□□ □□□□□.

B. EC2 □□□□□ Amazon S3□ □□ □□ □□□□□ □□□□ Amazon EC2□ □□ □□□ □□ □□□ □ □□□ EC2 □□□□□ S3 □□□ □□ □□ □□□□ □□□□ □□□ IAM □□□ □□□□□.

C. S3 □□□ □□ VPC □□□□□□□ □□□□ □□□ □□ S3 □□□ □□□ VPC □□□□□□□ □□□□ □ □□□ IAM □□□ □□□□□.

D. S3 □□□ □□ VPC □□□□□□□ □□□□ □□□ □□ S3 □□□ □□□ VPC □□□□□□□ □□□□ □ □□□ S3 □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

□ □□□□ Redis□ Amazon ElastiCache□ □□□□ □□□□□□□ □ □□ □□ □□ □□ □□□ □□ □□ □□ □□ □□□□□. □□□ IT □□ Redis□ ElastiCache □□□□□ 75%□ □□ □□□□ □ □□ □□□□□□. □□□□□□□ □□□□□ □□□□ □□□. □□□□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□□?

- A. □□□ □□ □□□ □□□□ Redis□ □ ElastiCache □□□□□ □□□□□. □□ □□□□□□ □ □□□ □□ □□□□ □□□□□□□□□□. □□□□□ □□□□ □□ □□□□ □□□□□□□.
- B. □□□ □□ □□□ □□□□ Redis □□□□□ □ ElastiCache□ □□□□□. □□ □□□□□□ □□□ □ □□□□□□□ □□□ □□□□□. □□□□□ □□□□ □□ □□□□□ □□□□□.
- C. Redis□ ElastiCache □□□□□ □□□ □□ □□□ □□□□□. □□□ □□□□ □□ □□□ □□ □□□ □□□□□.
- D. Redis□ ElastiCache □□□□□ □□ □□ 2□□ 1□ □□□□.

Answer: A ([LEAVE A REPLY](#))

SOA-C02 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SOA-C02 □□! DumpTop □ □□ **SOA-C02** □□ □□□ □□□□□□, DumpTop SOA-C02 □□ □□□ □□□□□□□□□ □□□ □□□□□ □□. □□□□ □□□ □□□□ □□ DumpTop SOA-C02 □□□ □□□□□.

<https://www.dumptop.com/Amazon/SOA-C02-dump.html> (745 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 137

□□□ □□□ □ □□□□ □□□□ □□ VPC□ □□□□. Amazon EC2 □□ □□□□□□□ □□□□ □□□ □ □□□□ Amazon S3 □□□ □□□ □□ .csv □□□ □□□□ □□□. SysOps □□□□ □□□□□□□ S3 □□□ □□□□□ □ □□□ □□□□ □□□ IAM □□□ □□□□□ □□□□□□□ S3 □□□ □□□ □ □□□.

□□ □□ □□□□ □□□□□ □ □□□ □□□□ □□□ □□□□□?

- A. IAM □□□ □□□□ □□□□ S3 □□□ □□ □□□ □□□□□.
- B. S3 □□□□□ □□□□□□ VPC□ □□□□□. □□□□ □□□□ □□ □□□ □□□□ □□□□□.
- C. □□□□ □□□□ □□□□□ □□□ □□□□□□ □□ □□□□ □ □□□ □□□ □□□□ □□□□□.
- D. □□□□ □□□□ NAT □□□□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□□ □□□ VPC □□□□□□□□□. "VPC □□□□□□ VPC□ □□□□□ AWS □□□ □ AWS PrivateLink □□ □□□□ VPC □□□□□ □□□ □□ □□□□ □□□ □□□□ □□□. AWS PrivateLink□ □□□□ IP □□□□ □□□□ □□□□ □□□□ □□□□ □ □□ □□□ □□□□□. □□□ VPC□ □□ □□□ □□□ Amazon □□□□□ □□□□ □□□□□." S3□ □□□□□ □□□□□□□ □□□□□. □□□ VPC□ □□□ □□ AWS□□ □□□□ □□ □□□□□.

NEW QUESTION: 138

SysOps □□□□ AWS Trusted Advisor □□ □□□ □□□□ □□□□. SysOps □□□□ □□ □□□□□□ □ □□ □□ □□□□□□ □□□ Low Utilization Amazon EC2 Instances □□□ □□□□ □□□ □□□□□.

□□□□□□□ 3□□ □□ □□□ □□ 3□□ □□□□□□ □□□□□. SysOps □□□□ □□□□□□□ □
□□□□ □□□□ □□□□ □□ □□□□ □□□□□□ □□ □□□□ □□□□ □□□□.

☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐

- [illegible]

Answer: C (LEAVE A REPLY)

NEW QUESTION: 139

□□□ □□□ □□□□ Amazon S3 □□□ □□□□□. □□□ S3 □□□ □□ □□ □□□ □□□ □□□□ □
□□. □□□ □□ □□ □□ □□ □□□□ □□ □□□□ □□□□ □□□ □□□.

☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐

- A.** □□ □□□ Amazon CloudWatch Logs□ □□□□□. □□ □□□□ □□ Amazon EC2 □□□□□ □□□
□□. □□ EC2 □□□□□□ cron □□□ □□□□ □□ □□□ □□□ □□□□□□. □□□ □□□ □□
□□□ □□□□□ cron □□□ □□□□□□.
- B.** □□ □□□ □□ S3 □□ □□□ □□□ □□□□□□□. □□ □□□□ □□ Amazon EC2 □□□□□ □□□
□□. EC2 □□□□□□ cron □□□ □□□□ □□ □□□ □□□ □□□□□□ DeleteObject □□□□ □□□
□□.
- C.** □□ □□□ Amazon CloudWatch Logs□ □□□□□□. □□ □□□□ □□ Amazon Simple Notification
Service(Amazon SNS) □□□ □□ Amazon CloudWatch □□□ □□□□□□.
- D.** □□ □□□ □□ S3 □□ □□□ □□□ □□□□□□□. S3 □□□ □□ Amazon Simple Notification
Service(Amazon SNSJ □□)□ □□□□□□. □□ □□□□ □□□ □□□ □□ DeleteObject□ □□□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 140

□□□ S3 □□□ □□□□ □□ □□□ □□□□□□□□ □□□□ □□□.

□□ □ □ □□ □□□ □□□ □□□ □□□□? (□ □□□ □□□□.)

- A.** S3 buckets can be protected by AWS Shield.
- B.** Amazon S3 buckets can be configured with ACLs.
- C.** Amazon Inspector can scan S3 buckets for vulnerabilities.
- D.** S3 buckets can be encrypted at rest.
- E.** Amazon S3 buckets can be configured with IAM policies.

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 141

□□□□ □□ Amazon EC2 □□□□□ □□ □□ □□□ □□□ □□□ □□□ □□□□. EC2 □□□□□ □
□□ □□□ □□□ □□□ □□□□□ □□□□ □□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

SysOps □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□ □□□?

- Answer: (SHOW ANSWER)**

SysOps █████ AWS Cloud Forml █████ VPC █████ ██████████ ██████████. ██████████
AWS Lambda ██, Amazon DynamoDB █████ Amazon API Gateway API ██████████.

SysOps ████ AWS Cloud Formation ███ ████ ██ ███ ███ ████

- Answer: ([SHOW ANSWER](#))**

□□□□ □□ □□□□ □□□□ □□□□□□□□ □□□□ □□ Amazon EC2 □□□□□ □□□□.

☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐

- Answer: B (LEAVE A REPLY)**

NEW QUESTION: 148

□□□ □□□□□□□ □□□□□□ □□ □□□ □□□ □□□ AWS□ □□□□□ □□□. □□ □□□□
□□□□ □□□ □ □□□ □□□. □□ □□□□□□□ POSIX(Portable Operating System Interface)□ □□□
□ □□ □□ □□□□□□ □ □ □□□□.

Which of the following is a low-cost storage option for infrequently accessed data?

- A. Amazon S3 Glacier
- B. AWS Storage Gateway
- C. Amazon S3
- D. AWS Storage Gateway

Answer: (SHOW ANSWER)

NEW QUESTION: 149

SysOps is planning to migrate a workload to Amazon EC2. The workload requires a minimum of 12 vCPUs and 30 GB of memory. The workload also requires a minimum of 100 GB of storage. Which Amazon EC2 instance type should SysOps use?

- A. Amazon EC2 m5.xlarge
- B. Amazon EC2 t2.xlarge
- C. Amazon EC2 m5.2xlarge
- D. Amazon EBS gp2 100 GB

Answer: B (LEAVE A REPLY)

NEW QUESTION: 150

SysOps is planning to migrate a workload to Amazon EC2. The workload requires a minimum of 12 vCPUs and 30 GB of memory. The workload also requires a minimum of 100 GB of storage. Which Amazon EC2 instance type should SysOps use?

- A. Amazon CloudFront
- B. Amazon CloudFront
- C. ALB(Application Load Balancer)
- D. NLB(Network Load Balancer)

Answer: C (LEAVE A REPLY)

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-achieve-path-based-routing-alb/>

NEW QUESTION: 151

Which of the following is a low-cost storage option for infrequently accessed data?

- A. AWS WAF
- B. AWS IAM
- C. AWS IAM
- D. Amazon Cognito

Answer: A (LEAVE A REPLY)

SOA-C02 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SOA-C02 □□! DumpTop □ □□
SOA-C02 □□ □□□ □□□□□□, DumpTop SOA-C02 □□ □□□ □□□□□□□□ □□□ □□□□□
 □□. □□□□ □□□ □□□□ □□ DumpTop SOA-C02 □□□ □□□□□.

<https://www.dumptop.com/Amazon/SOA-C02-dump.html> (745 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 152

[illegible]

- A.** □□ □□□□□ □□□□ □□ □□ NAT □□□□□ □□□ IP □□
- B.** □□ □□□□□ □□□□ □□ □□ NAT □□□□□ MAC □□
- C.** □□ □□□□□ □□□□□ □□□□ IP □□
- D.** □□ □□□□□ □□□□□ □□□ IP □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 153

[illegible]

- A.** ☐ ☐ ☐ ☐ S3 ☐ ☐ ☐ ☐ ☐.
- B.** Amazon EventBridge(Amazon CloudWatch Events) ☐ ☐ ☐ ☐ S3 ☐ ☐ ☐ ☐ ☐.
- C.** Amazon Inspector☐ ☐ ☐ ☐ S3 ☐ ☐ ☐ ☐ S3 ☐ ☐ ☐ ☐ S3 ACL☐ ☐ ☐ ☐.
- D.** S3 ☐ ☐ Lambda☐ ☐ ☐ ☐ S3 ACL☐ ☐ ☐ ☐ S3 ACL☐ ☐ ☐ ☐ ☐.

Answer: A (LEAVE A REPLY)

Amazon S3 □□ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □□□□□. □□□ □□□
 □□ □□□ □□ □□ □ □□ □□□ □□□□□□. □□□□□ □□□□□ □□□□ □□ □□ □ □□□ □□
 □□ □□□ □□□ □□□□□ □□□.

<https://aws.amazon.com/premiumsupport/knowledge-center/secure-s3-resources/#:~:text=Using%20Amazon%20S3%20Block%20Public,don't%20want%20publicly%20accessible.>

NEW QUESTION: 154

SysOps □□□□ □□ □□□□ □□□ □□□ □□ Amazon EC2 □□□□□ □□□□ □□ □□□□ □□□
 □□ □□□□ □□□□. □□□ □□□□□□ □□ □□□□□ □□□ □□□□ IP □□ □ □□□ IP □□□ □
 □□ □□□. SysOps □□ □□ □□□□□ □□□ □ □□□ □□□ □□□ □□□.
 □□□ □□ □□□ □□□□ □□□□ □□□□□?

- A.** EC2 □□□□□ □□ Amazon CloudWatch □□□ □□□□ SiatusCheckFailedjinstance □□□ □□□□□.
 □□□□□ □□□□□ □□□ EC2 □□□ □□□□□□. Amazon Simple Notification Service(Amazon SNS>
 □□)□ □□□□ □□□□ □□ □□□ □□□□□. SNS □□□ SysOps □ □□□ □□□ □□□□□.

C. □□, □□ □ □□□ □□□ 1□ □□□ □□ □□□ □□ □□ □ □□□□ □□ Auto Scaling □□□ □□□
 □□. □□□□ IP □□□□ □□□ IP□ □□□□ □□ □□□□ □□□□□ Auto Seating □□□ □□□□□. □
 □. Amazon Simple Email Service(Amazon SES)□ □□ SysOps □□ □□□ □□□□ □□□□ Auto Scaling
 □□□ □□ □□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

Amazon EC2 □□□□□ □□□□□□ □□ □□□□ □□ □□ □□□ □□ AWS □□□ □□□ □□□ □□
 □□□□□ □□□ □□ □□□□□ □□□□□ □□□□ Amazon CloudWatch □□□ □□□ □ □□□□. □□
 □ □□□□□ □□□ □ □□□□. □□□ □□□□□ □□□□ ID, □□□□ IP □□, □□□□ IP □□ □ □□ □
 □□□ □□□□□□ □□□□ □□ □□□□□ □□□□□. □□□ □□□□□ □□□ IPv4 □□□ □□ □□
 □□□□□ □□ □□□ □□□ IPv4 □□□ □□□□□. □□□ □□□□□ □□ □□□ □□ □□ □□□ □□
 □□□ □□ □□□□ □□□□□. StatusCheckFailed_System □□□ □□□□□ □□ □□□ □□□□ □□□
 □□□□ □□ □□□ □□□ □ □□□ Amazon SNS □□□ □□□ □□ □□□.

NEW QUESTION: 155

☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

B. ☐ ☐ ☐ ☐ ☐ ☐ ☐ CloudFront ☐ ☐ ☐ ☐ ☐ ☐.

C. [] [] IP [] [] CloudFront URL [] [] [] [] [].

D. S3:LocationConstraint □□□ □□ GetObject □□□ □□□□□ S3 □□ □□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 156

□□□ AWS Organizations□ □□□□ □□ □□□ □□□□ □□ AWS □□□ □□□□□. □□ □□ □□ □
□□□ □□ □□□□(RI)□ □□□ □□□□ □□ □□□ RI□ □□□□ □□□ □□□□.

☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐

A. □□□ □□□□ RI□ □□□□□. □□ □□□□ RI □□ □□□ □□□□□□□.

B. □□□ □□□□ RI□ □□□□□. □□□ □□□□ RI □□ □□□ □□□□□□□.

C. □□ □□ □□□□ RI□ □□□□□. □□□ □□□□ RI □□ □□□ □□□□□□□□.

D. □□ □□ □□□□ RI□ □□□□□. □□ □□□□ RI □□ □□□ □□□□□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 157

SysOps □□□□ Amazon EC2 □□□□□ □□□□□ □□□□ □□□ □□ Amazon GuardDuty□□□ □□ □□□□. GuardDuty □□□ □□□ □□ IP □□□ □□□ □□□□ □□□□□. SysOps □□□□ □□ IP □□□□ □□□□ □□□□. SysOps □□□□ GuardDuty□□□ □□□ □□ IP □□□ □□ □□□□ □□□□ □□□□ □□.

☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐

A. □□ IP □□□□ □□□□ □□□□ □□ □□□ □□ □□□ □□□□□. □ □□ □□□ EC2 □□□□□ □□□□□.

B. Amazon Athena ☐ ☐ VPC ☐ ☐ ☐ ☐ ☐ IP ☐ ☐ ☐ ☐ ☐.

C. □□□□ ACL□ □□□□□. □□ IP □□□ □□ □□□□ □□ □□□□□ □□ □□□ □□□□□.

D. □□ IP □□□□ □□□□ □□□□ □□ □□□ □□ □□□□ □□□□□. □ □□ □□□ □□ VPC□ □□ □□□.

Answer: C (LEAVE A REPLY)

<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-network-acls.html>

NEW QUESTION: 158

□□□□ Amazon EC2 Amazon □□ □□□(AMI)□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□□.

□□ □□□ □□ □□□□ Amazon DynamoDB□ □□□□□. □□□ □□□ Amazon S3□ □□□□□.

□□□ □□□□□ □□ 3□□ EC2 □□□□□ □□□□□. □□□ □□□ □□ □□ □□□□ □□□ □□ □
□□□ □□ □ □□□ 3□□ EC2 □□□□□ □□□□□ □□□. SysOps □□□□ □ □□□ □□□□ □□□
□ □□□□ □□□□□ □□□.

□□□□ □□ □□□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□?

A. □□ □□□ □□□□ Amazon EC2 Auto Scaling □□□ □□□□□. □□ □□□□ □□□ AMI□ □□□□ □. 3□□ □□□□ □□□□□ 3□□ □□ □□□□□ □□□□□. □□ □□□□ □□ □□ □□□□ □□□ □ □□□□.

B. □□ □□□□ □□□□ Amazon EC2 Auto Scaling □□□ □□□□□. □□ □□□□□ □□□ AMI□ □□ □□□. 3□□ □□□□ □□□□□ 3□□ □□ □□□□□ □□□□□. □□ □□□□□ □□ □□ □□□□ □ □□ □□□□□.

C. □□ □□□ □□□□ □ □□ Amazon EC2 Auto Scaling □□□ □□□□□. □□ □□□□ □□□ AMI□ □
□□□□. □□□ Auto Scaling □□□ □□ 3□□ □□□□ □□□□□ □□□□□. □□ Auto Scaling □□□
□□ 3□□ □□ □□□□□ □□□□□. □□ □□□□□ □□ Auto Scaling □□□ □□ □□□□ □□ □□ □
□□□□ □□□□ □□□□□.

D. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ Amazon EC2 Auto Scaling ☐ ☐ ☐ ☐ ☐ ☐. ☐ ☐ ☐ ☐ ☐ ☐ ☐ AMI ☐ ☐ ☐ ☐ ☐ ☐.3 ☐ ☐ ☐ ☐ ☐ ☐

Answer: C (LEAVE A REPLY)

□□□ Auto Scaling □□□ □□ □□□□. □□ Auto Scaling □□□ □□ 3□□ □□ □□□□□ □□□□□. □□ □□□□□ □□ Auto Scaling □□□ □□ □□□□□ □□ □□ □□□□ □□□ □□□□□.

NEW QUESTION: 159

□□□ AWS Organizations□ □□□ □□ □□ □□ □□□□ AWS □□□ □□□□□ □□□. □□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□□ □ □□□ □□□ □□□□. □□□□ □□ □□□ □□□ □ □□□□. □□ □□□□ IAM □□□ □□□□□.

□ □□□ □□□ □□□□□?

A. □□ □□□ □□ Amazon GuardDuty□ □□ □□□□.

B. □□□ □□ □□□ □□/□□□ □□ □□ □□ □□□ □□□□□ AWS Resource Access Manager(AWS RAM)□ □□□□ □□□□□.

C. □□□□ □□□ □□□□□□□ AWS Config □□□ □□□□ □□□□□.

D. □□/□□□ □□□ □□ □□□ □□□□ □□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 160

□□ AWS □□□ □□ □□□ AWS Lambda □□□ □□ □□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□. SysOps □□□□ □□□ □□ □□□ □□□ □□□□ □□□?

A. AWS Trusted Advisor□ □□□□ Lambda □□ □□ □□ □□□□

B. AWS Organization□ □□ □□□ □□□□□ AWS CloudTrail Insights□□ □□ □□□ □□□□□.

C. AWS Serverless Application Repository□ □□□□ Lambda □□ □□ □□□ □□□□□.

D. AWS Compute Optimizer □□□ □□□ □□□ □□ □□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 161

□□□□□□ A□ NLB(Network Load Balancer) □□ Amazon EC2 □□□□□□ □□□□□□. EC2 □□□□□□ Auto Scaling □□□ □□□ NLB□ □□□ □□□ □□□□ □□□□. □□□□□□ □□□ □□ □□□□□□□ □□ 8080□□ □□□□□□ A□ □□□ □□ □□□□.

□□□ □□□□ □□ SysOps □□□□ □□ □□□ □□□□□□. □□ □□□□ □□ □□□□ □□□□□□.

```
2 123456789010 eni-1235b8ca123456789 192.168.0.13 172.31.16.139 59003 8080 1 4 336 1432917027 1432917142 ACCEPT OK
2 123456789010 eni-1235b8ca123456789 172.31.16.139 192.168.0.13 8080 59003 1 4 336 1432917094 1432917142 REJECT OK
```

□□□ □□□□ □□□ □□□□□?

A. □□□□ □□□ □□□□ ACL□ □□ □□ □□□ □□ □□□□□ □□□□ □□□□ □□□□.

B. EC2 □□□□□ □□ □□□ NLB□ □□□□ □□ □□ □□□ □□□□.

C. NLB□ □□ □□□□ □□□□□ □□□ □□□□ □□ □□ □□□ □□□□.

D. □□□□□ □□□ ACL□ AWS □□□□□ □□□□ □□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 162

☐ ☐ ☐ AWS Organizations ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ SysOps ☐ ☐ ☐ ☐ ☐ AWS Business Support ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ SysOps ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐? (2 ☐ ☐ ☐ ☐.)

- A.** □□ □□□ □□ □□□ □□□□ □ □□□ □□□□□□. □□ □□□ □□□□□.
- B.** AWS Support API □ □□□□ □□ □□□ □□□□□□.
- C.** □□ □□ □□□□ □□□ □□□□□□.
- D.** □□ 1□ □□ □□□ □□□□ □ □□□ □□□□□□. □□ □□□ □□□□□.
- E.** □ □□□□ □□□ □□□ □□ IAM □□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 163

SysOps □□□□ □□□□□ □□□ Amazon S3 □□□ □□□□ □ □□ □□□ □□□□ □□□. SysOps □
 □□□□ □□ □□□ URL□ □□□□ □□□□□ URL□ □□□□□ □□□□□ S3 □□□ □□□ □□□□ □ □
 □□□. □□ □□□ URL□ □□□□ □□□□ □□ □□□ S3 □□□ □□□□ □□□□□.
 □□ □ □ □□□□ □□□□ □ □ □□ □□ □□□□□?

- A.** □□□□ □□□ □□ □□ □□□ □□ AWS CLI□ □□□ □□□□ □□□□□.
- B.** □□ □□□ URL□ □□□□ □□□ □□ □□□□□□□□ □□ □□□ URL□ □ □□ □□□□ □□□□.
- C.** SysOps □□□□□ □□□ S3 □□□ □□□□□ □ □□□ □□□ □□□□.
- D.** SysOps □□□□ □□□□ □□□ □□□□ □ □□□ □□ □□□ S3 □□□ □□□□ □□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 164

[illegible]

- A.** □□ □□ □□□□ RI□ □□□□□□. □□□ □□□□ RI □□ □□□ □□□□□□□.
- B.** □□ □□ □□□□ RI□ □□□□□. □□ □□□□ RI □□ □□□ □□□□□□□.
- C.** □□□ □□□□ RI□ □□□□□. □□□ □□□□ RI □□ □□□ □□□□□□□.
- D.** □□□ □□□□ RI□ □□□□□. □□ □□□□ RI □□ □□□ □□□□□□□.

Answer: A (LEAVE A REPLY)

https://aws.amazon.com/premiumsupport/knowledge-center/ec2-ri-consolidated-billing/ RI □□□ □□□ □□
RI □□□□ □□ □□□ □□□ □□ □□ □□□□ □□ □□□ □□□□□. □□□□□ □□□ □□
□□□ □□ RI □□□ □□ □□□□. □□□ □□□ □□□ □□□ □□ RI □□□ □□ □ □□□ □□□ □ □
□□□. RI□ □□ □□ □□□ RI □□□ □□ □□□ □□□ □□□□ RI□ □□□ □□□□ □□□□□.

NEW QUESTION: 165

□ □□□ □□□□ □□ □□□ Amazon S3 □□□ □□ □□□□ □□□□ □ □□ □□□ □□□□ □□ □□
 □ □ □□□□ □□□□□□. □ □□□□□ S3 □□□ □□□ AWS □□□□ □□□□□ □□ □□□ □□□
 □ □□□ □□□□. □□□□ □□□□ □□□□ □□□□□. SysOps □□□□ □□□ □□□ □□□□ □□
 □.

SysOps □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□?

- A. □□□□□ □ □□□ □□□ S3 □□□ □□□□ □□□□.
- B. AWS Global Accelerator□□ S3 □□□ □□□□□□□ □□□□□.
- C. S3 □□□□ S3 Transfer Acceleration□ □□□□□□.
- D. S3 □□□□ □□ □□ □□□ □□(CORS)□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

□□:

□□□ □□□ □□□□ Transfer Acceleration□ □□□ □ □□□□. -> □□□ □ □□□□ □□ □□□ □□□ □□□□□□. ->□□□ □□ □□□□□ □□□□□□□ □□□□□□ □□□□ □□□□□. ->Amazon S3□ □□□□ □ □□□□ □□ □□ □□□ □□ □□□□ □□□ □ □□□□."

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/transfer-acceleration.html>

NEW QUESTION: 166

□□□ □□□ □□□□ Amazon EC2 □ AWS Lambda□□ □□ 24□□ □□□□□ □□□□ □□ □□□□□ □□ □□□□. □ □□□ □□ □□ AWS □□□□ □□ □□ □□□ □□□□□. □□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□□ □□□□ □□□□.

□□□ □□ □□□ □□□□□ □□ □□□ □□□□□ □□ □□□ □□□ □□ □□□?

- A. □□□ □□□ □□□□ □□□□□. Compute Savings Plan□ □□□□□□.
- B. EC2 □□ □□□□□ □□□□ □ □□□□ □□□□ □□□□□ □□□□□□.
- C. □□□ □□□ □□□□ □□□□□. EC2 Instance Savings Plan□ □□□□□.
- D. □□□□ □□, □□ □□, □□ □ □□□□ □□ □□ □□□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

SOA-C02 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SOA-C02 □□! DumpTop □ □□ **SOA-C02** □□ □□□ □□□□□□, DumpTop SOA-C02 □□ □□□ □□□□□□□□ □□□ □□□□□ □□. □□□□ □□□ □□□□ □□ DumpTop SOA-C02 □□□ □□□□□.

<https://www.dumptop.com/Amazon/SOA-C02-dump.html> (745 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 167

SysOps □□□□ AWS □□ □□ □□□ □□ □□□ □□□□ □□□. SysOps □□□□ □□ □□□ □□ □ □□□ 75%□ □□□□ □□□ □□ □□□ □□□ □□□ □□□ □□□□ □□□□ □□□.

SysOps □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□?

- A. AWS □□ □ □□ □□□□ □□□□□. Amazon Athena□□ □□□ □□□□□. □□□ □□□□ 75%□ □ □□□ Amazon Simple Notification Service(Amazon SNS) □□□ □□□□ □□□□□ □□□ □□□□□. □ □□ □□ □□□ □□ □□□ □□□□□.
- B. Amazon CloudWatch □□ □□□ □□□□ □□□ □□□□ 75%□ □□□□ □□□ □□□□□. Amazon Simple Notification Service(Amazon SNS) □□□ □□□□ □□□□□ □□□ □□□□□. □□□ □□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 170

□□□□ IAM □□□□□ □□ □□□ □□□□□□.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "rds:Describe*",
      "Resource": "*"
    },
    {
      "Effect": "Allow",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    },
    {
      "Effect": "Deny",
      "NotAction": [
        "ec2:*",

```



```
{
  "Effect": "Allow",
  "Action": "ec2:*",
  "Resource": "*",
  "Condition": {
    "StringEquals": {
      "ec2:Region": "us-east-1"
    }
  }
},
{
  "Effect": "Deny",
  "NotAction": [
    "ec2:*",
    "s3:GetObject"
  ],
  "Resource": "*"
}
}
```

□□ □ IAM □□□□□ □□□□ □□□ □□□□□?

- A. eu-west-1 □□□ Amazon EC2 AttachNetworkinterface □□
- B. us-east-1 □□□ Amazon EC2 □□□□ □□ □□
- C. testbucket□□□ □□□□ Amazon S3 Putobject □□
- D. us-east-1 □□□ Amazon RDS DescribeDBInstances □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 171

SysOps □□□□ □□□ Amazon EC2 □□□□ □□□ □□□□ □□□ □□□ □□□□ □□ □□□ □□ □
□□□□ □□□ □□□ □□□ □□□ □□□. □□ □□□ □□□□ □□ □□□□□ □ □□□ □□□□□?

- A. □□□ EC2 □□□□ □□□□□ □□□□ □□ □□□□ □□□ □□
- B. AWS Management Console□ □□□□ □□□ □□ □□□ □□□ □□ □□□□□ □□□□□.
- C. Stopinstances API □□□ □□ AWS CloudTrail □□□□□
- D. AWS Personal Health Dashboard □□

Answer: D ([LEAVE A REPLY](#))

<https://docs.aws.amazon.com/health/latest/ug/cloudwatch-events-health.html>

NEW QUESTION: 172

□□□ □□□□ □□□□ □□ □□□ 0.0.0.0/0□ □□ □□□ □□□□ □□ AWS Organizations□□ □□□ □ □□ □□□ □□ □□□□ □□□□ □□□□ □□□. □□ □□□ □□ □□□□□ □□□□ □□ CIDR □□□ □□ □□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□□ □□□.

- A. □□ □□□ AWS Lambda □□□ □□□□ □□ □□ □□□ □□□ □□□□ □□ 0.0.0.0A □□ □□□ □ □□□ □□ □□□ □□□ CIDR □□□□ □□□□□.
- B. □□□ □□□□ □□ □□ □□□ □□□□ AWS Config □□□ □□□□□. 0.0.0.0/0 □□ □□□ □□□ CIDR □□□□ □□□□□ □□ □□□ □□□□□.
- C. □□ □□(OU)□ □□ □□□ □□ □□(SCP)□ □□□□ □□ □□□ 0.0.0.0/0□ □□ □□ □□□ □□□ □□. Vie 0.0.0.0/0 □□ □□□ □□□ CIDR □□□□ □□□□□ □□ □□□ □□□□□.
- D. □□ □□□ 0.0.0.0/0□ □□ □□□ □□□ □□□□ IAM □□□ □□□□□. □ 1AM □□□ □□□ □□ □ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 173

SysOps □□□□ AWS □□□□ □□ AWS CLI □□□ □□□ □ □□□□. □□ □ □ □□□ □□□ □□□□ □□?

- A. IAM □□□□□ □□□□ □□□□.
- B. □□□ □□ □□□□.
- C. SSH □ □□ □□□□ □□□□.
- D. □□ □□□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 174

SysOps □□□□ Amazon EC2 Auto Scaling □□□ □□ □□ □□□□ □□□□□□□. Amazon CloudWatch□ □ □□□ Application Load Balancer□ □□ RequestCount □□□ □□□ □□□□□. □□□□ □□ □□□ IP □□□ □□ □□□□□. □□□□ □□□□ □ □ □□□□? □ □□□ □□□□□?

- A. Auto Scaling □□
- B. AWS CloudTrail □□
- C. EC2 □□□□ □□
- D. Elastic Load Balancer □□□ □□

Answer: ([SHOW ANSWER](#))

□□:

Elastic Load Balancing□ □□ □□□□ □□□ □□□ □□ □□□ □□□ □□□ □□□ □□□□□. □ □□□□ □□□ □□ □□, □□□□□□ IP □□, □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□ □□. □□□ □□□ □□□ □□□□ □□□ □□□ □□□□ □□□ □□□ □ □□□□.

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-access-logs.html>

SOA-C02 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ SOA-C02 ☐☐! DumpTop ☐ ☐☐
SOA-C02 ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop SOA-C02 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐
☐☐. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop SOA-C02 ☐☐☐ ☐☐☐☐☐.
<https://www.dumptop.com/Amazon/SOA-C02-dump.html> (745 Q&As Dumps, **30%OFF** Special Discount:
KrDump)