

Appian.ACD101.v2026-06-29.q61

□□□□:	ACD101
□□□□:	Appian Associate Developer
□□□:	Appian
□□ □□ □□□:	61
□□:	v2026-06-29
# □□ □:	121
# □□ □□□:	610
https://www.krdump.com/Appian.ACD101.v2026-06-29.q61.html	

NEW QUESTION: 1

□ Appian □□□ □□ □□□ □□ □□□ □□ □□□ □□□□□.

□□: □ □□ □□□ □ □□ □□□□□ □□ □□□□ □□□□. □□□ □□□□□ □□ □□ □□□ □ □□□ □□□

□ □□□ □□□ □ □□□□.

Answer Area



Custom Data Type (CDT)

Store a reference to a group that will be assigned a task or receive a notification.

Connect Appian to a relational database, establishing relationships between custom data types in Appian and corresponding tables in the database.

Establish a data structure into which a process model can set values prior to writing to the database.

Establish a workflow in which results are written to a database after three (3) users receive a review task in a defined order.

Process Model

Store a reference to a group that will be assigned a task or receive a notification.

Connect Appian to a relational database, establishing relationships between custom data types in Appian and corresponding tables in the database.

Establish a data structure into which a process model can set values prior to writing to the database.

Establish a workflow in which results are written to a database after three (3) users receive a review task in a defined order.

Constant

Store a reference to a group that will be assigned a task or receive a notification.

Connect Appian to a relational database, establishing relationships between custom data types in Appian and corresponding tables in the database.

Establish a data structure into which a process model can set values prior to writing to the database.

Establish a workflow in which results are written to a database after three (3) users receive a review task in a defined order.

Answer:

Answer Area



Custom Data Type (CDT)

Store a reference to a group that will be assigned a task or receive a notification.

Connect Appian to a relational database, establishing relationships between custom data types in Appian and corresponding tables in the database.

Establish a data structure into which a process model can set values prior to writing to the database.

Establish a workflow in which results are written to a database after three (3) users receive a review task in a defined order.

Process Model

Store a reference to a group that will be assigned a task or receive a notification.

Connect Appian to a relational database, establishing relationships between custom data types in Appian and corresponding tables in the database.

Establish a data structure into which a process model can set values prior to writing to the database.

Establish a workflow in which results are written to a database after three (3) users receive a review task in a defined order.

Constant

Store a reference to a group that will be assigned a task or receive a notification.

Connect Appian to a relational database, establishing relationships between custom data types in Appian and corresponding tables in the database.

Establish a data structure into which a process model can set values prior to writing to the database.

Establish a workflow in which results are written to a database after three (3) users receive a review task in a defined order.

□□:

Appian □□: □□□ □□, □□□□ □□, □□

NEW QUESTION: 2

ACM□□□ □□□□ □□□□ □ □□□□□□□ □□□□ □□□□.

"□□□ □□□□ □□□□ □□ □□ □ □□ □□"□ □□□□ □ Appian□□ □□□□□ □□□□ □ □□ □□□ □□

□□□? (□ □□□ □□□□□□.)

A. ACM □□ □ □□

B. ACM □□□□□□ □□

C. ACM □□□

D. ACM □□□□ □□

E. ACM □□ □□

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 3

□□□ □□□□ □□□□ □□□□□ □□□□ □□□.

□□□□ □□ □□ □□ □□□ □□□□ □ □□□□ □□□ □□□ □□□□ □□□?

- A. □□ > □□ > □□□□ □□□□□. □□□□ □□ □□ □□□□ □□□□□.
- B. □□ > □□□□ □□□□□. □□□□ □□□□□ □□□ □ □□□ □□ □□□ □□□□ □□□□□.
- C. □□ > □□□□ □□□□□ □□□ □□□□□ □□ □□□ □□□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□□ □□ □□□ □□□□□□□□ □□□□ □□□□□. □□ □□ □ □□□□ □□ □□□□□□ □□□ □□□□□ □ □□.

Appian□□ □□ □ □□□ □□□□ □□□□? (□ □□□ □□□□□□□.)

- A. □□ □□
- B. □□ □□
- C. □□
- D. □□

Answer: A,C ([LEAVE A REPLY](#))

Appian□□ □□ □□□□ □□□ □□□ □□ □□□ □□□□□ □□ □□□ □□□□ □ □□ □□□ □□□□ □□□.

Appian□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□ □□□□ □□□ □□□. □□ □□ □□ □□□ □□□ □ □□□ □□ □□□ □□□□ □ □□□□□□□□ □□ □□□ □□ □□□□□□□□ □□ □□□ □□ □□□□□□. □□ □□ □□□ □ □□ □□ □□□ □□□ □□□□.

□□: Appian □□ - □□ □□ □ □□

NEW QUESTION: 5

□□□ □□□ □□ □□□ □□□□□□ □□□□□□□. □□□□ □□□ □□□□ □□□ □ □□ □□ □□□□ □□□□ □□□□□.

- A. "□□ □"□ "□□ □□" □□□□□ □□ □□□□□□□□.
- B. "refreshAfter" □□□□□ □□ □□□□□□□□.
- C. "readOnly" □□□□□ "True"□ □□□□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 6

□□□□□□ □□□□ □□□□ □□ ABC_Author□□ □□□ □□□ □□□□□.

□□□ □□□□ □□□□ □□ '□□□□ □□' □□□ □□□□ □□□□ □□□□□.

□□□□ □□ □□□ □□□□ □□□□ □□ □□ □□□□□ □□□□□□?

- A. □□ □□□ □□□ □□□□ □□□□.

```
a!entityDataIdentifiers(entity: cons!ABC_DES_AUTHOR, identifiers:
pv!author[recordType!SSH Author.fields.id])
```

- B. □□□ ABC_Author □□□□ □□□ □□□□□ □□□□.

Answer Area

Timer Event

Can accept multiple paths: when all paths arrive, all outgoing flows are executed at the same time.
Can be added to a flow or attached to a smart service to trigger an Exception Flow or an Escalation.
Can run automated activities.
Can accept one incoming path and select one outgoing path.

XOR Gateway

Can accept multiple paths: when all paths arrive, all outgoing flows are executed at the same time.
Can be added to a flow or attached to a smart service to trigger an Exception Flow or an Escalation.
Can run automated activities.
Can accept one incoming path and select one outgoing path.

Script Task

Can accept multiple paths: when all paths arrive, all outgoing flows are executed at the same time.
Can be added to a flow or attached to a smart service to trigger an Exception Flow or an Escalation.
Can run automated activities.
Can accept one incoming path and select one outgoing path.

AND Gateway

Can accept multiple paths: when all paths arrive, all outgoing flows are executed at the same time.
Can be added to a flow or attached to a smart service to trigger an Exception Flow or an Escalation.
Can run automated activities.
Can accept one incoming path and select one outgoing path.

Answer:

Which of the following is a valid Java identifier?

- A. 123456789 "1234"00 000000.
- B. 00 00000 0000000.
- C. 00 00000 000 000000 000000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following is a valid Java identifier?

00 0000 00 00 0000 0000 00000 0000.

- A. 0000 00000 00000 0 0000 0000 0000 00, 0 0000 00(ACME_Student 0 ACME_Class)00 0 00 0000 00000 0000 0000 000000.
- B. 0 0000 0000 00 0000 000000 000000 0 00000.
- C. ACME_Student 00 ACME_Class00 0000 0000 00 00 000000 000000 000000 00 00 000000.

Answer: ([SHOW ANSWER](#))

Appian00 0 0000 00 00 0000 0000 0000000 0000 00 0000 0000 00 00 00 0000 0000 00 00 0000. 0 0 0000 0000 00 0000 00(ACME_Student 0 ACME_Class) 0000 00 0000 00 0 00 00 0000. 0000 0000 00 0 0000 00 0000 0000 0 00, 0 0000 00 0000 0000 0 000000. 00: Appian 00 - 0000 00 00

NEW QUESTION: 14

Which of the following is a valid Java identifier?
displayvalue(1, {0, 1, 2}, {"Low", "Medium", "High"}, "Unknown")
displayvalue 0000 0000 00000.

0000 0000 00 00 0000 0000 000000 00 00 000000 000000 00 00, 00 0000 00 000000 00 000000.

- A. 00
- B. 00
- C. 00

Answer: ([SHOW ANSWER](#))

`displayvalue()` 0000 0000 00 0000 000000 000000 00 00, 000000 00 00 00 00 000000 00 00 000000 000000 000000. 00 00, `displayvalue(1, {0, 1, 2}, {"Low", "Medium", "High"}, "Unknown")` 000000 0 `1`0 00 `{0, 1, 2}`0 0000 10 00 00 000000. 0000 0000 00 `{"Low", "Medium", "High"}`0 0000 10 00 00 `Medium`0 000000. 00: Appian 00 00 00 - 00

NEW QUESTION: 15

Which of the following is a valid Java identifier?
00000 00 00 0000000 00 URL0 00000 0000.

Answer: (SHOW ANSWER)

Appian `local!username` variable is updated every time the user logs in, but the `local!usernameLastModified` variable is not updated. How can you ensure that `local!usernameLastModified` is updated every time the user logs in?

NEW QUESTION: 20

The following code snippet is used to update the `local!usernameLastModified` variable:

```
local!username,
local!usernameLastModified: a!refreshVariable(
  value: now()
)
```

Which configuration property should be added to the `a!refreshVariable` function to ensure that the variable is updated every time the user logs in?


- A. `refreshInterval: 0`
- B. `refreshOnVarChange: true`
- C. `refreshAlways: true`

Answer: B (LEAVE A REPLY)

The `a!refreshVariable` function is used to update the `local!usernameLastModified` variable. The `refreshOnVarChange` property is set to `true`, which ensures that the variable is updated every time the user logs in. The `refreshInterval` property is set to `0`, which means that the variable is updated immediately. The `refreshAlways` property is set to `true`, which means that the variable is updated every time the function is called.

NEW QUESTION: 21

The following diagram shows a process flow. The process starts with a User Input Task, followed by a Save task, and then an XDR task. The XDR task is connected to the Save task via a Save event. The XDR task is also connected to the User Input Task via a Save event. The XDR task is also connected to the Save task via a Save event.



Which configuration property should be added to the XDR task to ensure that the variable is updated every time the user logs in?

- A. `refreshInterval: 0`
- B. `refreshOnVarChange: true`
- C. `refreshAlways: true`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 22

□□□ □□□ □□ □□ □□ □□□□ □□ □ □□ □□□ □□□□?

A. □□ □□□ □□ □□□□ □□ □□ □□□ □ □□ □□, □□ □□□ □□□ □□ □□□□□ □□□.

"□□".

B. □□ □□□□ □□ □□□ □□□ □□□□ □□□. □□□ □□ □□□ □□(CDT) □□ □□□□ □□ □□□□ □□ □□ □□ □□□ □□ □□□ □□ □□□□ □□□.

C. □□ □□□ □□□ □□□ □□□ □□ □□□ □□(CDT)□ □□□□ □□□□ □□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

Appian □□□ □□□□□ □□ □□□ □□□ □□□□□ □□ □□□ □□□ □□□ □□□□ □□□? (□□□ □□□□ □ □□□□□.)

A. □□□

B. □□□

C. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

□□ □ Appian □□□ □□□□□ □□□ □□ □□□ □□□□ □□□ □□□□□?

A. □□□ □□□ □□□□□ □□□ □□□ □□□□□□.

B. □□□ □□□ □□□□□□ □□□□ □□□□□.

C. □□ □□□□ □□ □□ □□□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□□ □□ □□□ □□□□□□ □□□ □□□□.

□□ □ □□ □□ □□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□?

A. □□□ □□□ □□□ □ □□ □□□ □□□□□ □□□ □□□□□□. □□ □□ □□□□□ □□□ □□□ □ □□□ □ □□ □□□ □□□□□ □□ □□□□ □□ □□□□ □□ □□□ □□□ □□□ □□□□□.

B. □□□□□ □□□□ □ □□ □□□□ □□ □□ □□□□□ □□□ □□□□□□. □□ □□□□□□□ □□ □□□ □ □□□□ □ □□ □□ □□□□ □□ □□□ □□□ □□□□ □□ □□□□.

C. □□ □□□□ □□ □□□□ □□□□ □□ □□□ □□ □□□□□ □□□ □□□□□ □□□. □□□ □□ Appian□ □□ □□□□□ □□□ □□□ □ □□□□ □□ □□□ □□□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

□□ □□□□□ □□□ □ □□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□ □□□.

□□□□ □ □□ □□□ □□□ □□ □ □□ □□□ □□ □□□□ □□□□□ □□□ □□ □□□?

A. □□ □□□□ □□□ □□□□□ □□□□□.

B. □□ □□□□ □□□□□□.

C. □□□□ □□□ "□□□□"□□ □□□□□.

NEW QUESTION: 30

□□□□□ □□□ □□□ □□ □□□ □□ □ □□□□ □□□ □□□□□?

- A. Appian □□□□□□□ □□ □□□□□□ □□ □□□□ □□ □□□ □ □□ □□□□□□.
- B. □□ □□□□ Appian □□□□□□□ □□ □□□ □ □□ □□□ □□□□□.
- C. Appian □□□□□□□ □□□□□□□ □□ □□□ □ □□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

Appian□□ □□□□□ □□□ □□□ □□ □□□ □□ □□□□ Appian □□□□□□□ □□ □□□ □ □□ □□□ □ □□□ □□□□. □□□□□□ □□□□□□ □□□ □□□□ □□, □□ □ □□□ □ □□□ □□ □□□ □□□□□ □ □□□, □□□□ □□□ □□ □□□ □□□□ □□□.

□□:

Appian □□: □□□□□ □□□

NEW QUESTION: 31

□□□ □□□ □□□□ □□□□. □□□ □□□ □ □ □□ Appian □□□ □□□□ □□□ □□ □□□ □□□ □□□.

Appian □□□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□□?

- A. Appian □□□□□ □□□ □□□□□.
- B. Appian □□ □□ □□□ □□□□□.
- C. Appian □□□□ □□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

□□□ □□□ □ □ □□ □□ Appian □□ □□□ □□ □□□ □□□ □□, □□ □□ Appian □□□□ □□□□ □□□. □□□□□ □ □□□ □□ □□, □□□□, □□ □□ □ □□ □□□ □□□ □□□□ □□□ □□□□□, □□□□□ □ □□ □□□□ □□□□ □□□ □□□□□.

□□: Appian □□ - □□

ACD101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ ACD101 □□! DumpTop □ □□ **ACD101** □□ □□□ □□□□□□, DumpTop ACD101 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □ □□□ □□ DumpTop ACD101 □□□ □□□□□. <https://www.dumptop.com/Appian/ACD101-dump.html> (123 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

□□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□□.

Appian□ □□ □□□ □□□□ □□□□ □□ □□□ □□□□□ □□□. showSearchBox □□□□□ "True"□ □□□□ □ □□ □□□ □□□□ □□□□.

□□□□ □□□□ □□ □□□ □□□□□?

- A. showSearchBox □□□□□ □□□ □□□ □□□□ □□□ □□□□ □□□□□.
- B. □□□□ □□□ □□ □□ □□□□ □□ □□□□□□ □□□□.
- C. □□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□□.

Answer: (SHOW ANSWER)

- A. □□□ □□□ □□□ □□□□ □□□□□ □□□ □□□.
- B. □□□ □□□ □□□□ □□□ □□□ □□□ □□□.
- C. □□□ □□□ □□ Appian □□□□ □□□□□□□ □□□□□ □□□.

Answer: A ([LEAVE A REPLY](#))

Appian□□ □□□ □□ □□ □□□ □□□□□ □□ □□□ □□□ □□□ □□□□ □□□□□ □□□ □□□. □□ □□ □□ □□□□ □□ □□□□ □ □□□ □□□□ Appian□□ □□ □□ □□□□□ □□ □□ □□□□.

* Appian □□: □□□ □□ □□

NEW QUESTION: 36

Appian □□□□ □□□□ □□ Appian □□□□ □□□□ □□ □□□ □□□ □ □□□□?

- A. Appian Academy□ □□ Appian □□ □□
- B. Appian □□ □□
- C. Appian □□□□ □□

Answer: (SHOW ANSWER)

Appian □□□□ □□□ Appian □□□□□ □□ □□□□, □□ □□□ □□□□, □□□□ □□□ □□□□ □□□□□. □ □□□□□ □□□□□ Appian □□□ □□□ □□□ □□, □□□□ □□□□, □□ □□□ □□□ □ □□ □□□ □ □□□□. Appian Academy□ □□ □□□ Appian □□ □□□ □□ □ □□ □□□ □□□ □□□□□, □□□□ □□□ □□ □□□ □□ □□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 37

□□□ □□ □□□□ □□ □□□.
 □□□ □□□□ □□□ □□□□ □□□?

- A. □□
- B. □□□ □□
- C. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

□□□□ □□ □□ □□□□□ □ □□□□ □□□ □□□□ □□□□ □□ □□□□.
 □□□ □□ □□□?

- A. □□ □□□□ □□ □□ "□□" □□□□ "□□□" □□□ □□ □□ □□□ □□ □□□ □□□□□□.
- B. □□□ □□ □□□□□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□□ if □□ □□□□□□.
- C. □□□ □□□ if □□□□ □□□ □□ □□□□ □□ □□ □□□ □□ □□□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 39

□□□ □□ □□□ □□(CDT)□ ABC_book□ □□□, □ CDT□□ □□□ □□□ □□□□ ABC_DSE_BOOK□ □□□ □ □□□ □□□□.

□□□ "Guide"□ □□□ □□ ABC_book □□□ □□□□□ □□□ □□□□ □□□.

NEW QUESTION: 42

□□□□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□□ □□□□ □□□ □□ □□□?

- A. □□ □□ □□□□ □□□ □□ □□□□□.
- B. □□□ □□□ □□□□ □□□ □□ □□□□□.
- C. □□□□ □□□□ □□□□ □□□ □□□ □□ □□□ □□ □□□□□.

Answer: B (LEAVE A REPLY)

Appian□□ □□□□□ □□□ □□□□ □□ '□□□□' □□□ □□□□ □□ □□□ □□□ □□□□ □□□ □ □□□□.

□ □□□ □□□□ □□ □□□ □□ □□□□□□□ □□ □□□ □□□□□□□ □ □□□□ □□ □□□□□ □□□ □□

□ □□□ □□□□□ □□□ □ □□□□□.

□□:

Appian □□: □□□□□ □□□

NEW QUESTION: 43

□□□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□(□: □□□, □□ □□ □□)□ □□□ □□□□□?

- A. □□□□ □□ □□□□□ pp! □□□□ □□□□ □□□□ □□□□ □□□□□.
- B. □□□□ □□. pv! □□□□ □□□□ □□□□ □□ □□□□□ □□□□□.
- C. □□□□ □□ □□. pm! □□□□ □□□□ □□□□ □□ □□□□□ □□□□□.

Answer: C (LEAVE A REPLY)

Appian□□ □□□□ □□ □□□ □□□□ □□ □□□□□ `pm!` □□□ □□□□ □□□□ □□□□□. □□□□ □□

□□ □□□ □□□, □□ □□ □□□ □□ □□□□□□ □□□□□.

□□ □□

* Appian □□: □□□□ □□ □□

NEW QUESTION: 44

"□□□□ □□□□ □□ □□□□ □□ □□ □□□□□."□□ □□ □□□ □□□□□. □□ □□, □□□□□ □□□□

□□□ □□ □□□□ □□□□, □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□□□ □□ □□□□□□.

□□□ □□□□, □ □□□ □□□ □□□ □ □□□□?

- A. □□□□ □□ □□□ □ □□□□□ □□ □□□□□□□. □□ □□□ □□ □□ □□ □□□ □□□□ □□□.
- B. □□ □□□□ □□□ □□□ □□□□ □□□□. □□□□ □□□ □□□ □□□□ □□□.
- C. □□□□ □□□ □□ □□□ □□□□□ □□□□ □□□□ □□ □□□□. □□ □□□□ □□□ □□□.

Answer: A (LEAVE A REPLY)

□ □□□ □□□□□ □□□□ □□ □□□ □ □□□□□ □□□ □□ □□□□ □□ □□ □□ □□ □□ □□□ □□□

□ □□□□ □□□ □ □□□□□. □□□ □□□□□ □□□□□ □ □□□□□ □□□□ □□□□ □□□ □□□ □□

□□ □□□ □□□□□ □□□□ □□□.

□□: Appian □□ - □□□□ □□ □□ □□

NEW QUESTION: 45

□□□□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□ □ □□□□?

- A. □□□ □□ □□ □□□□□.
- B. □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□□□.

C. □□□ □□ □□□ □□□ □□□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

□□□ □□ □□□□ □□□ □□□ □□□□ □□□ □□□□ □ □□ □□ □□□ □□□ □□□ □□ □□□ □□□ □ □□□□ □□□□ □□□□. □□□ □□ □□□ □□□□ □□□□ □□□ □□□ □□□□□. □ □□□ □□□ □ □□□ □□ □□□ □□□ □□□ □ □□□□. □□ □□ □□□□ □□□ □□□ □□□□□□ □□ □□□ □□□ □ □□□ □□□□□.

□□ □□: Appian □□ - □□□ □□ □□

NEW QUESTION: 46

□□□□□□□ □□□□ Acme □□ □□□ □ □□□ □□□□ □□□.

□□□ □□ □□□?

A. □□□ □□□ □□□□ [□□ □□ □□]□ □□ □ □□□ □□□□□. [□□□□ □□□□] □□□□ □□□ □□□ □□ □ □□□□□.

B. □□□ □□□ □□□□ "□□ □□"□ □□□□ □ □□□ □□□□□. □□ □□□ □□□ □□□□ □□ □□□ □□ □□□.

C. ACME_Employee □□□□□□ □□□□ □ □□□ □□□□ □□□□ □□□□□□ □□□□□ □□□□□ Acme □□ □□□ □□ □□□□□□.

Answer: C (LEAVE A REPLY)

ACD101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ ACD101 □□! DumpTop □ □□ ACD101 □□ □□□ □□□□□□, DumpTop ACD101 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □ □□□ □□ DumpTop ACD101 □□□ □□□□□. <https://www.dumptop.com/Appian/ACD101-dump.html> (123 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 47

□□□□ □□ □□ □□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□□□□. □□ □□□□ □□□ □□□ □□ □□□□□□.

□ □□□ □□□ □□□ □□□□□?

A. □□ □□□□ □□□□ □□ □□□ □□ □□□ □□□ □□□ □□ □□ □□□□.

B. □□□ □□□□□□□ □□□□ □□□□ □□□□ □□ □□□ □□□ □□ □□ □□□□.

C. □□□ □□□ □□□□□ □□□□ □□ □□□□.

Answer: C (LEAVE A REPLY)

□□□□ □□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□ □□, □□ □□□ □□ □□ □□□ □□□□□ □□ □□ □□ □□ □□ □□ □□□□. □□ □□ □□□ □□□□□□ □ □□□ □□□□□, □□ □□ □□□ □□□ □□ □□ □□□□□ □□□□□. □ □□□ □□ □□ □□□ □□□ □□□□ □□□ □□□ □□□□ □□□□.

□□:

Appian □□: □□□□□□□□ □□ □□□□□

NEW QUESTION: 48

□□□□ □□□ □□□ □□□□□?

- A. □□□□ □□□□ □□□□□□□ □□□□ □ □□□ □□□.
- B. □□□□ □□□□□□□ □□□□□ □ □□□ □□□.
- C. □□□□ □□□□ □□□□□□□ □□ □□□ □□□ □ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

Appian□ □□□□ □□□ □□□□ □□□□ □□□□□□□□ □□ □□□ □□□ □ □□□ □□ □ □□□□□. □ □□ □ □□, □□□ □ □□□ □□□ □□□□□□□□ □□ □□□ □□ □□□ □□ □□□□ □□□□. □□ □□□□ □□□□ □□□□ □□□ □□□□□, □□□□ □□ □□□ □□□ □□□□□ □□□ □ □□ □□□□□□ □□□ □□□ □ □□ □□□□□.

□□ □□

* Appian □□: □□□□□□ □□

NEW QUESTION: 49

- □□□□ □□□□ □□□□□ □□□□ □□□.
- □□ □□ □□ □□□ □□□□ □ □□□□ □□□ □□□ □□□□ □□□?
- A. □□ > □□ > □□□□ □□□□□. □□□□ □□ □□ □□□ □□□□□.
 - B. □□ > □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□□.
 - C. □□ > □□□□ □□□□□. □□□ □□□□ □□□ □ □□□ □□ □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□ □□□□ □□□□ □□□□□ □□□□□ □□□□ □□□ □□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□. □□ □ □ □□□□ □□ □□ □□ □□□□ □□ > □□ > □□□□ □□□□ □□□ □□ □□ □□□ □□□□□. □□□□ □ □□□ □□□ □ □□□□□ □□□□ □□□ □□□ □□□ □ □□□□.

□□: Appian □□ - □□□□ □□□□ □□ □□

NEW QUESTION: 50

- "VIM □□ □□□□"□□ □□□□ □□□ □□□□ □□□□.
- "VIM Get Service Date"□□ □□ □□□□□ □□□□□ □□□, □ □□□□□ □□□□ □□□□□ pv!vehicleId□ □□ pv!serviceDate□ □□ □□□□□. VIM Update Vehicle□ □□ □□□ pv!serviceDate □□ □□ □□□□□.
- VIM Update Vehicle□□ "VIM Get Service Date"□ □□□□□ □□ □□□ □□□□ □□□?
- A. □□□ □□□ □□ □□□□
 - B. □□ □□□□ □□□□ □□□ □□□□□□
 - C. □□ □ □□ □□□ □□□ □□□ □□ □□□□

Answer: ([SHOW ANSWER](#))

□□□□ □□□ □□ □□□□□□ □□□ □□ □□ □□□□ □□, □□□ □□□□□□□□ □□□□ □□□. □□□ □ □□ □□□□(VIM □□ □□□□)□ □□□□□□(VIM □□□ □□ □□□□)□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□ □ □□ □□□ □□□ □ □□□□. □□□□□□ □□□ □□□ □□□□ □□□□ □□□□□ □□□□□ □□□□ □□□□ □□□□ □□□.

□□:

Appian □□: □□□□□□ □□

