

# CertNexus.ITS-110.v2023-08-02.q33

□□□□:	ITS-110
□□□□:	Certified Internet of Things Security Practitioner
□□□:	CertNexus
□□ □□ □□□:	33
□□:	v2023-08-02
# □□ □:	559
# □□ □□□:	330
<a href="https://www.krdump.com/CertNexus.ITS-110.v2023-08-02.q33.html">https://www.krdump.com/CertNexus.ITS-110.v2023-08-02.q33.html</a>	

## NEW QUESTION: 1

□□ □ IoT □□□□□□ □□ □□ □□ □□□□ □□□ □□□□ □ □□ □□□ □□□ □□?

- A. □□ □□□(VPN)
- B. □□ □□ □□(TLS)
- C. □□□□□□(ECC)
- D. □□□ □□□□ □□(IPSec)

Answer: A ([LEAVE A REPLY](#))

## NEW QUESTION: 2

□□□□ □□ □□□ □□□ □ □□□ □□ □ □□ □□□ □□□□□? (□ □□□ □□ □□□.)

- A. □□□
- B. □□ □□□ □□□□(XSS)
- C. □□□(MITM)
- D. SQL □□(SQLi)
- E. □□□ □

Answer: B,D ([LEAVE A REPLY](#))

## NEW QUESTION: 3

IoT □□□□□ □□□ □□□ □□□ □□□□□ □□□□ □□□□□ □□□□□□. □□ □ □□□□□ □ □□□ □□□□ □□ □□□ □ □□ □□□ □□□□□?

- A. □□ □□□ □□□□□ 256□□ □□□□ □□□□ □□□□□□.
- B. □□□ □□□□ □□(IPSec)□ □□□□ □□□ □□□□□ □□□□□ □□□□□.
- C. □□□ □ □□ □□□□ □□□ □□□□□ □□□ □ □□□ □□□.
- D. □□ □□□ □□□□□ □□□ □ □□ □□□□ □□□□□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 4**

IoT devices are often vulnerable to denial of service (DoS) attacks. Which of the following is a common method used to launch a DoS attack against an IoT device?

- A. Flooding the device with traffic
- B. Spoofing the device's IP address
- C. Sending a large volume of DNS requests
- D. Disabling the device's power supply

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 5**

IoT devices often use unsecured protocols for communication. Which of the following is a common unsecured protocol used in IoT devices?

- A. MQTT
- B. CoAP
- C. HTTP
- D. ZigBee

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 6**

IoT devices often use unsecured protocols for communication. Which of the following is a common unsecured protocol used in IoT devices?

- A. MQTT
- B. CoAP
- C. HTTP
- D. ZigBee

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 7**

IoT devices often use unsecured protocols for communication. Which of the following is a common unsecured protocol used in IoT devices?

- A. X.509
- B. CoAP
- C. MQTT
- D. ZigBee

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 8**

IoT devices often use unsecured protocols for communication. Which of the following is a common unsecured protocol used in IoT devices?

- A. MQTT

- B. □□ □□□ □□ □□□□.
- C. □□□□ □□□□.
- D. □ □□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 9**

□□□ □□□□ □□□ □□□ □□ □□□□ □□□□ □□□□. □□ □ □ □□□□ □ □□□ □□ □□□ □□□□□□?

- A. □□ □□
- B. □ □□ □□
- C. □□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 10**

□□□ IoT □□ □□□□ SSL(Secure Sockets Layer)/TLS(Transport Layer Security)□ □□□ □□□□ □□□□□□□□ □□ □□□□ IoT □□□ □□□□□□. □□ □□ □□ □□ □□□□ □ □□□□ □□ □□ □□□□ □□□□ □□□□□□?

- A. □□□□□□ □□
- B. □ □□ □□(KDC)
- C. □□□□ □□
- D. IoT □□□□□□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 11**

IoT □□□□ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□□□ □□□. □□□□ □□□ □□□□ □□□□ □□□□. □□□ □□ □ □□□□ □□□ □□□□ □□ □ □□□ □□□□□□?

- A. □ □□□□ □□□ □□ □□□ □□□□ □□ □ □□□ □□□□.
- B. □□ □□□□ □□ □□□ □□□ □□ □□□ □□□□.
- C. □□□ □□□□ □□□□ □ □□□ □□□□ □□ □□ □□□□□.
- D. □□ □□□□ □□□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 12**

IoT □□□□ □□□ □□ □□□ □□ □□□□□□ □□□□ □□ □□□ □□□□□ □ □□. □□ □ □□□□ □□□□ □□ □□□ □□□□□?

- A. □□□□ SMS□ □□ □□□□ □□□ □□ □ □□□ □□□ □□□□□ □□□□ □ □□□□□.
- B. □□□□ □□□□ □□□ □ □□ □□ □□□ □□□□ □□ □□□□□.

C. □□ □□□ □ □□□ □□□□ □□ □□□ □□□□□ □□ □ □□ □□□ □□□□ □□ □□□□□.

D. □□□ □□□ □□□, □□□ □ □□ □□□ □□□□ 12□□ □□□□□ □□□□ □ □□□□□.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 13

□□□ IoT □□□ □□□ □□□□ □□□ □□ □□□□ □□□ □□ □□□ □□□□□. □□ □□□ □□□ □□□□ □□□□□?

- A. □□□
- B. □□□(MITM)
- C. SSL □□ □□□□
- D. □□□ □

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 14

□□ □ IoT □□ □□□□ DDoS(□□ □□□ □□) □□□ □□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□ □□□□ □□ □□□ □□ □□□ □□□□ □□(IPSec) □□
- B. □□ □□□ □□ □□□ DNSSEC(Domain Name System Security Extensions) □□
- C. □□□□ □□□ □□□ □□□(ISP) □□□□ □□□ □□□□ □□
- D. □□ □□□□□ NAT-T(Network Address Translation Traversal) □□□□

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 15

IoT □□□□□□ □□□ Northbound □ Southbound □□□□□□□ □□□□ □□□□ □. □□ □□□□ □□□□ □□□□□□ □□□□ □□ □□□□□ □□□□□ □□ □□ □□ □□□□□□. □□□□ □□□□ □□ □ □□□ □□ □□ □□□ □□□ □□ □ □□□?

- A. □, □□□ □□□□ □□□□ □□□□ □□ □□□□□.
- B. □□□, □□□□ □□□□ □□ CPU□ □□ □□ □□ □□□□□.
- C. □, □□ □□ □□□□ □□□□ □□□□□.
- D. □□□, □□□□ □□ □□□ □□ □□ □□ □□□□□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 16

IoT □□□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□ □ □□ □□□□□ □□□ □□□□□□. □ □□□ □□□□ □□ □□□□ □□□ □□ □ □□?

- A. □□□□ □□ □□ □□□ □□

- B. □□□ □□ □□ □□
- C. □□ □□□ □□□□ □□□ □□
- D. URL □□□ □□

Answer: ([SHOW ANSWER](#))

**ITS-110** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ ITS-110 □□! DumpTop □ □□ **ITS-110** □□ □□□ □□□□□□, DumpTop ITS-110 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop ITS-110 □□□ □□□□□. <https://www.dumptop.com/CertNexus/ITS-110-dump.html> (102 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

**NEW QUESTION: 17**

IoT □□□□ □□□□□□ □ □□□ □□ □□□ □□□ □□□ □□ □□ □□ □□ □□□□ □□ □□ □□ □□□□ □ □□□ □ □□□ □ □ □□□□?

- A. □□ □□□□
- B. □□□ □□□ URL □□
- C. SSL □□□ □□□□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 18**

□□ □□□□□ □□ MITM(man-in-the-middle) □□□ □□□□□ □□□□ □□ □□ □ □□ □ □□ □□ □□□□□?

- A. □□□ □ □□ □□□□ □□ TLS(Transport Layer Security) □□□ □□□□ □□□.
- B. □□□□□□□ □□□□ □□□□ HTTP(Hypertext Transmission Protocol)□ □□□□ □□□.
- C. □□□ □□□ □□□ URL(Uniform Resource Locator) □□□ □□□□ □□□.
- D. □ □□□ X.509 □□□□ □□□□□ □□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

□□□□ □□□□□ □□ □□ IoT □□□□□□ □□□ □□□□ □□□□□ □□ □□□ □□□□□ □□□. □□ □ □ □□□ □□□□ □□ □□□ □ □□ □□□ □□□□□?

- A. □□□□ □□ □□
- B. OTA(Over-The-Air) □□□□ □□
- C. □□□ □□ □□ □□
- D. □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 20**

□□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □ □□□□□. □□ □ □□ □□□□ VPN□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □ □□ □ □□□□□ □□□□□? (3□□ □□□□□.)

- A. □□ □□ □□□□(PAP)
- B. □□□ □□□□ □□(IPSec)
- C. □□ □□□□ □□ □□□□(SNMP)
- D. □□□ □□□□□ □□ □□□□(CHAP)
- E. □□ □□□□□ □□□ □□□□(IGRP)
- F. □□□ 2 □□□ □□□□(L2TP)
- G. □□□ □□ □□□□□ □□□ □□□□(EIGRP)

**Answer: B,D,F (LEAVE A REPLY)**

**NEW QUESTION: 21**

IoT □□□□ □□□□ □□ □□□ □□□ □□□□□□ □□□□ □□□. □ □ □ □□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□ □ □□□□□?

- A. Message Digest 5(MD5)□ □□□□ □□ □□□ □□□□□.
- B. □□ □□□ □□ □□ □□□□ □□
- C. 128□□ Twofish□ □□□□ □□□ □□ □□□□ □□□
- D. 256□□ □□ □□□ □□(AES-256)□ □□□□ □□□ □□ □□□ □□□□□□.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 22**

□□ □ □□□□□ □□□□ □□□ □□□□ □□ □□□□□ □□□ □□□ □□□□ □ □□ □□□□ □□ □□□□ □□ □□ □□□ □□□□□?

- A. □□□
- B. □□□
- C. □□ □□□
- D. □□□□□□

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 23**

□□ □□□□ □□□ □□□ □□□□ □□□□□□ □□□. □□ □ □□□□□ □□ □ □□□ □□□□□?

- A. □□ □□□ □□
- B. DH(Diffie-Hellman) □□□□
- C. □□ □□ □□(ECC)
- D. □□□ □□□ □□

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 24**

Which of the following is a security protocol used for secure communication over a network?

- A. SSL/TLS
- B. 2FA
- C. SSO
- D. OAuth

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

Which of the following is a secure protocol for transmitting data over a network?

- A. MD5
- B. HTTPS
- C. IPSec
- D. 3DES

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 26**

Which of the following is a secure protocol for transmitting data over a network?

- A. SSH
- B. SFTP
- C. SCP
- D. Rsync

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 27**

Which of the following is a secure protocol for transmitting data over a network? ECDH(Elliptic Curve Diffie-Hellman) is a secure protocol for transmitting data over a network. Which of the following is a secure protocol for transmitting data over a network?

- A. BLE v4.2
- B. BLE v4.1
- C. BLE v4.0
- D. BLE v4.0

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 28**

Which of the following is a secure protocol for transmitting data over a network?

- A. TLS
- B. SSL
- C. SSH



