

# Cisco.100-140-KR.v2026-02-05.q296

□□□□:	100-140-KR
□□□□:	Cisco Certified Support Technician (CCST) IT Support (100-140 Korean Version)
□□□:	Cisco
□□ □□ □□ □:	296
□□:	v2026-02-05
# □□ □:	125
# □□ □□□:	2960
<a href="https://www.krdump.com/Cisco.100-140-KR.v2026-02-05.q296.html">https://www.krdump.com/Cisco.100-140-KR.v2026-02-05.q296.html</a>	

## NEW QUESTION: 1

□□□□ DVI □□□□ □□□□ □□□□ □□□□ □□ □□ □□□ DVI □□□□ □□□□.

IT □□ □□□□ □□□ □ □□□□ □□□ □□ □□□□ □□ □□ □□□ DVI □□□□ □□ □□ □□□?

- A. DVI-A
- B. DVI-D
- C. DVI-I
- D. DVI-X

**Answer: (SHOW ANSWER)**

Correct Answer. C. DVI-I DVI-I (Digital Video Interface-Integrated) supports both digital and analog video signals. This type of connector is versatile, making it suitable for a projector that may require either digital or analog input, depending on its specification and the compatibility with the computer's video card.

Option A is incorrect because DVI-A (Analog) only supports analog signals, which limits its utility to analog-only devices.

Option B is incorrect because DVI-D (Digital) supports only digital signals, not analog, and may not be compatible with projectors requiring an analog connection.

Option D is incorrect because DVI-X is not a recognized standard of DVI connectors.

## NEW QUESTION: 2

□□□□ □□□□ □□□ □□□ □□□ □□□ □, □□□ □□□ □□□ □□□□ □□ □ □□ □ □□□ □□□□□?

- A. □□ □□ □□(PSU)□ □ □□□ □□□ □□□ □□□□□ □□
- B. □□ □□□ PCI □□□ □□□ □□ □□

- C. Ensuring the power supply unit (PSU) provides adequate power for the new graphics card
- D. Ensuring the power supply unit (PSU) provides adequate power for the new graphics card

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Ensuring the power supply unit (PSU) provides adequate power for the new graphics card Graphics cards can consume a significant amount of power, especially high-performance models. Ensuring that the PSU can handle the power requirements of the new card is crucial to avoid system instability or damage.

Option B is incorrect because not all PCI slots are suitable for modern graphics cards, especially if they require a PCI Express x16 slot for optimal performance.

Option C is incorrect because using two different brands of graphics cards generally does not work for technologies like SLI or CrossFire, which require identical cards.

Option D is incorrect because graphics cards do not connect to USB ports for power; they connect directly to the PSU via PCIe power connectors.

**NEW QUESTION: 3**

A PC user reports that the system randomly reboots. The user has checked the power supply unit (PSU) and found it to be adequate. Which of the following is the most likely cause of the problem?

- A. Power supply unit (PSU)
- B. Keyboard
- C. Network interface card (NIC)
- D. Sound card

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. The power supply unit (PSU) Random reboots can often be attributed to issues with the power supply unit, which may be failing or inadequate to meet the system's power demands.

Option B is incorrect because peripherals like the keyboard and mouse are unlikely to cause system reboots.

Option C is incorrect because while network issues can disrupt connectivity, they do not typically cause reboots.

Option D is incorrect because a sound card malfunction would not usually lead to system reboots.

**NEW QUESTION: 4**

A user reports that their Windows 10 system is running slowly. The user has checked the task manager and found that the memory usage is high. Which of the following commands can be used to view the system's memory usage?

- A. tasklist /v
- B. tasklist /f
- C. tasklist /m
- D. tasklist /s

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Open Task Manager and select the "Performance" tab The "Performance" tab in Task Manager provides comprehensive details about memory usage, including total physical memory, available memory, and memory in use. This makes it a direct and informative tool for users to assess their memory status.

Option A is incorrect because the System section in the Control Panel shows basic system information and does not provide detailed memory usage statistics.

Option C is incorrect because the mem /show command does not exist in modern Windows systems; it is a DOS command and not applicable to Windows 10.

Option D is incorrect because Device Manager lists hardware components and their drivers but does not provide information about memory usage.

### NEW QUESTION: 5

□□□□ □□□□ □□□□□ □□ □□□□ □□ □□□□ □□□□ □ □□ 169.254□ □□□

□ IP □□□ □□□ □□ □□□□□□.

□ □□□ □□□□ □□□ □□□□□□?

A. □□□□□ □□□ □□□□ □□ □□□□□□□□.

B. DHCP □□□ □□□ □ □□□ □□□ □□□□ □□□□.

C. □□□□ □□ IP □□□ □□□□□□□□.

D. □□□□ DNS □□□ □□ □□□□□□□□.

**Answer: B (LEAVE A REPLY)**

IP addresses starting with 254 are APIPA addresses, which devices assign themselves when DHCP servers are unavailable to provide configuration.

Option A is incorrect. Incorrect subnet mask configuration would not cause APIPA addresses to be assigned.

Option C is incorrect. Static IP addressing would prevent a computer from seeking a DHCP server or using APIPA.

Option D is incorrect. DNS configuration errors affect name resolution, not IP address configuration.

### NEW QUESTION: 6

□□□□ □□ □□ □□□ □□ AI□ □□□□ □□ □□□ □□□□□ □ □□ □□ □□□ □□ □□□ □□□?

A. AI□ □□□□□ □□□ □□□ □□□□ □□□□□ □□□ □ □□□□.

B. AI□ □□□ □□□□ □□□□ □□□□ □□□ □□□□□ □ □□□□.

C. AI□ □□□ □□□□□ □□□□ □□□□ □□□□ □□ □□□ □□□ □□□□□.

D. AI□ □□□ □□ □□ □□ □□ □□□ □□□ □□□□ □□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. AI requires human oversight to ensure the relevance and accuracy of content updates AI can assist in updating documentation based on findings, but human oversight is essential to ensure that these updates are relevant, accurate, and reflect best practices accurately.

Option A is incorrect because AI lacks the capability to independently verify the accuracy of its findings without predefined parameters.

Option B is incorrect as AI does not inherently consider user feedback unless specifically designed to do so, and it cannot automatically update documentation without potential errors.

Option D is incorrect because AI does not inherently understand or integrate best practices without human input to guide and refine the process.

**NEW QUESTION: 7**

□□□ □□□□ □□ □□□ □□□ □□□ □□□ □, □□□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□ □□ □□□□□□.

□□□□ □□□□ □□□ □□ □□□?

- A. □□□ □□□ □□□□ □□□ □□□□ □□□□□□□□.
- B. □□□ □□□ □□□□ □□ □□□ □□ □□□ □□ □□□□□.
- C. □□□ □□□ □□ □□□ □□□□□ □□□ □□□□ □□ □□□□ □□□ □□□□□.
- D. □□□□ □□ □□□ □□ □□□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Conduct a systematic observation to assess if the new configuration correlates with the increase in errors Conducting a systematic observation helps the technician understand if the new firewall settings are directly causing the connectivity issues, and if so, what specific settings might be responsible. This measured approach allows for targeted adjustments rather than broad, potentially disruptive actions.

Option A is incorrect as disabling the firewall could compromise network security and is not a considered troubleshooting step.

Option B is incorrect because increasing security settings might exacerbate existing connectivity issues without addressing the root cause.

Option D is incorrect as suggesting users troubleshoot connection issues themselves does not address the potential configuration problem and can lead to increased frustration and downtime.

**NEW QUESTION: 8**

□□ □□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□ □, □□□□□ □□□□ □□□ □ □□ □□□ □□□□ □ □□ □□□ □□□ □□□□□?

- A. □□ □□□□□ □□□□□□□ □□□ □□
- B. □□□ □□□□ □□□□ □□ □□ □□
- C. □□□□ □□ □□□ □□□ □□□ □□□
- D. □□ □□□ □□ □□□ □□□□ □□ □□ □□

**Answer: (SHOW ANSWER)**

Including the diagnostic and resolution steps in the documentation is crucial as it provides a clear, factual account of the actions taken to resolve the issue. This not only aids in future troubleshooting efforts but also ensures a comprehensive record of the problem-solving process.

Option A is incorrect because while client communications are important, they do not provide a direct outline of the technical resolution process.

Option C is incorrect as customer satisfaction quotes do not offer a technical summary of the problem or its resolution.

Option D is incorrect because prevention recommendations, while useful, are not a summary of the interaction but rather advice for future action.

**NEW QUESTION: 9**

□□□□ □□□□□□ □□□□ Wi-Fi □□ □□□ □□□□□. □□ □ □□□ □□□□ □□ □ □□ □□□□□?

- A. □□□□□ □□ □□□□□
- B. □□□□□ □□□□□□
- C. □□□□ □□□□ □□□□□
- D. Wi-Fi □□□□ □□□□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Restart the smartphone Restarting the smartphone is a quick and simple first step that can resolve transient connectivity issues by refreshing the device's network settings and clearing potential software glitches that may be impacting the Wi-Fi connection.

Option A is incorrect because replacing the smartphone is a drastic measure that should be considered only after all other troubleshooting steps have failed.

Option C is incorrect because while updating the operating system is important, it should not be the first step before attempting more immediate and less invasive solutions.

Option D is incorrect because changing the Wi-Fi network password affects all devices on the network and does not address issues specific to the user's smartphone.

**NEW QUESTION: 10**

□□ □□ □□□ □□□ □□□ □□□ □□ □□□□. □□□ □□□ □□ □□□ □□□□ □□ □ □□ □□□□ □□□□□. □□ □□□□□ □□ □□□ □□□ □□□□□?

- A. □□ □□ □□□(100-240V)
- B. □□□ □□ □ □□
- C. □□□ □□□
- D. LED □□□ □□

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Universal voltage compatibility (100-240V) For an executive traveling between continents, it is crucial that their laptop power adapter supports universal voltage input (100-240V). This feature ensures that the adapter can be used safely in various countries that may have different voltage standards, without the need for a voltage converter.

Option B is incorrect because color and size of the adapter are irrelevant to its functionality across different power standards.

Option C is incorrect because while cable flexibility may be a convenience factor, it does not affect the adapter's ability to handle different voltages.

Option D is incorrect because the presence of an LED indicator light, while helpful for indicating that the adapter is working, does not relate to voltage compatibility.

**NEW QUESTION: 11**

Which of the following is a challenge with generative AI?

- A. Generative AI might produce novel solutions that, while innovative, may not always align with existing system protocols or tested solutions.
- B. One of the challenges with generative AI is that it can create solutions that are out of the box but may need adjustment or validation to ensure they fit within the operational parameters of existing systems or standards.
- C. Predictive AI is more accurate than generative AI.
- D. Generative AI can contribute to data analysis and prediction in its way.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Generative AI might produce novel solutions that, while innovative, may not always align with existing system protocols or tested solutions. One of the challenges with generative AI is that it can create solutions that are out of the box but may need adjustment or validation to ensure they fit within the operational parameters of existing systems or standards. Option A is incorrect because it incorrectly describes the capabilities of generative AI, which is actually capable of generating new data and ideas beyond past scenarios. Option C is incorrect as it inaccurately assesses the comparative accuracy of predictive and generative AI. Option D is incorrect because it underestimates the capabilities of generative AI, which can indeed contribute to data analysis and prediction in its way.

**NEW QUESTION: 12**

Which command is used to display all configurations, including IP addresses, for a specified network interface, in this case, eth0?

Which command is used to display all configurations, including IP addresses, for a specified network interface, in this case, eth0?

- A. ip add show dev eth0
- B. ip link set eth0
- C. ip route show eth0
- D. ip config eth0

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. ip add show dev eth0 The command ip add show dev eth0 (or ip addr show dev eth0) is used to display all configurations, including IP addresses, for a specified network interface, in this case, eth0. Option B is incorrect. ip link set eth0 is used to change settings of an interface, not to display its IP configuration. Option C is incorrect. ip route show displays the routing table; using eth0 with this command does not provide valid output. Option D is incorrect. ip config is not a valid command within the iproute2 suite or Linux.

**NEW QUESTION: 13**

Which of the following power cables is most commonly used for desktop computers?  
A. Two-prong power cable  
B. Standard three-prong power cable (PSU)  
C. USB power cable  
D. Proprietary laptop power adapter?

- A. Two-prong power cable
- B. Standard three-prong power cable (PSU)
- C. USB power cable
- D. Proprietary laptop power adapter?

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Standard three-prong power cable Most modern desktop computers require a standard three-prong power cable, also known as a C13/C14 coupler. This cable is suitable for connecting the desktop to an AC power source, providing a grounded and safe power connection necessary for the higher power requirements of newer desktop models.

Option A is incorrect because two-prong power cables typically do not provide grounding, which is essential for the safety and proper operation of desktop computers.

Option C is incorrect because USB power cables are not capable of delivering the required voltage and current for desktop computers.

Option D is incorrect because desktop computers do not use proprietary adapters similar to those used for laptops; they generally use standardized cables.

**NEW QUESTION: 14**

Which of the following commands is used to filter the output of the show command to only show connections to a specific destination port?  
A. ss dst :80  
B. ss src :80  
C. ss sport == :80  
D. ss dport == :80

- A. ss dst :80
- B. ss src :80
- C. ss sport == :80
- D. ss dport == :80

**Answer: D (LEAVE A REPLY)**

Correct Answer. D. ss dport == :80 ss dport == :80 filters the output to show all connections where the destination port is 80, useful for monitoring potential flooding or other issues on specific server ports.

Option B is incorrect. ss src :80 would incorrectly filter by source port, not the destination, which isn't useful for monitoring incoming traffic to a port.

Option C is incorrect. ss sport == :80 filters by source port, which isn't relevant for checking incoming connections on a specific port.

**NEW QUESTION: 15**

Which of the following commands is used to filter the output of the show command to only show connections to a specific destination port?  
A. ss dst :80  
B. ss src :80

- A. ss dst :80
- B. ss src :80

- C. Cross-reference multiple articles to ensure a comprehensive understanding of similar past issues Cross-referencing allows technicians to understand various angles and solutions that have been effective in the past, providing a thorough background for making informed decisions.
- D. Complexity does not inherently correlate with effectiveness, and simpler solutions may often be more appropriate.

**Answer: (SHOW ANSWER)**

Correct Answer. C. Cross-reference multiple articles to ensure a comprehensive understanding of similar past issues Cross-referencing allows technicians to understand various angles and solutions that have been effective in the past, providing a thorough background for making informed decisions.

Option A is incorrect because older solutions may not be relevant to current software environments or bug manifestations.

Option B is incorrect as recent articles alone may not capture the full context or range of solutions necessary for effective troubleshooting.

Option D is incorrect because complexity does not inherently correlate with effectiveness, and simpler solutions may often be more appropriate.

**NEW QUESTION: 16**

A technician is troubleshooting a network issue. The technician has verified that the router is powered on and has access to the command-line interface. The technician enters the following command:

`ping 10.10.10.1`

- A. The technician is verifying connectivity to the router's IP address from multiple network segments.
- B. The technician is verifying the router's interface configuration.
- C. The technician is testing telnet access to the router.
- D. The technician is verifying the router's IP address.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. ping the router's IP address from multiple network segments Ping is the ideal tool for verifying that the router is accessible from different parts of the network, allowing the technician to confirm basic connectivity and identify potential network partitioning issues quickly.

Option B is incorrect. ifconfig provides interface configuration but does not test connectivity from different network segments.

Option C is incorrect. telnet would be used for configuration checks and requires that the router is already reachable and configured for remote access.

Option D is incorrect. While traceroute provides a path that packets take, it's more detailed than necessary for a simple connectivity check and is better used after confirming the device is reachable via ping.

**100-140-KR** A technician is troubleshooting a network issue. The technician has verified that the router is powered on and has access to the command-line interface. The technician enters the following command: `ping 10.10.10.1`! DumpTop 100-140-KR A technician is troubleshooting a network issue. The technician has verified that the router is powered on and has access to the command-line interface. The technician enters the following command: `ping 10.10.10.1`! DumpTop 100-140-KR A technician is troubleshooting a network issue. The technician has verified that the router is powered on and has access to the command-line interface. The technician enters the following command: `ping 10.10.10.1`! DumpTop 100-140-

**NEW QUESTION: 17**

000 00000 00 0000 000 000 000 0000 000 00 00000  
0. 00 00000 00 00 00 000 0000 00000. 0 000 000 0000, 0  
000 000 00 000?

- A. 000 00000 00000 0000 0000. 00 000 00000000.
- B. 000 00000000000. 000 0000000.
- C. 00000 000 000 000 000 0000. 00000 00000000 00 0000  
0.
- D. 000 00000000. 000 000 000000.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. There is a problem with the drivers or a resource conflict; update or reinstall the drivers A yellow exclamation mark next to a device in Device Manager typically indicates an issue with the device's drivers or a possible resource conflict. The best course of action is to try updating the drivers first or, if that fails, uninstall and then reinstall the drivers to resolve any conflicts or corruption.

Option A is incorrect because the yellow exclamation mark does not indicate low efficiency, but rather a more significant issue like a driver problem or hardware conflict.

Option B is incorrect because a disabled device is typically indicated by a different icon (a down arrow), not a yellow exclamation mark.

Option D is incorrect because the presence of a yellow exclamation mark does not necessarily mean the hardware is outdated, but rather that there is an immediate issue with the device's software or configuration.

**NEW QUESTION: 18**

000 00000 00000 0 000000 0000000. 000 000 00 000 00000 0  
000 000000. 000 00000 000 00000 000 0000000.  
000 0 00 000000 00 000 000000 000 000.  
00000 00 00000 00 00 000 00000 0000 000 00000. 0 00 0000 0 0  
00 000000 00 00000 00 0 00000.  
00: 000 000 00 0000 00 0000.

**Components**

- CPU
- RAM
- Expansion Card
- Internal Disk Drive

**Answer Area**



**Answer:**

- CPU
- RAM
- Expansion Card
- Internal Disk Drive

**Answer Area**



Explanation:

Components


CPU

RAM

Expansion Card

Internal Disk Drive

Answer Area



NEW QUESTION: 19

□□□□ □□□□ □□□ □□□ □□□□□ □□ □□□ □□□□ □ □□ □□□ DHCP □□□  
 □ □□□ □□□ □□□ □□□□ IP □□□ □□□□ □□ □□ □□□□□□.  
 □□□□ □□□ □□ □□ □□□?

- A. DHCP □□□ □□□□□ IP □□ □□□ □□□□□□.
- B. IP □□□ □□□ □□□□□ □□ □□□□□.
- C. □□□ □□ □□□ DHCP □□□□ □□□□ IP □□□ □□□ □□□□□□.
- D. DHCP □□ □□□□ □□ □□□ IP □□ □□□ □□□□.

Answer: C (LEAVE A REPLY)

Correct Answer. C. Reconfigure the affected devices to receive IP addresses automatically from the DHCP server Ensuring that all devices are configured to automatically receive IP addresses from the DHCP server can eliminate issues with manual misconfigurations or static IP conflicts. Option A is incorrect. Rebooting the DHCP server might temporarily disrupt the network and is not guaranteed to resolve configuration errors on client devices. Option B is incorrect. While scanning the network can identify devices, it does not resolve the issue of devices being on the wrong subnet. Option D is incorrect. Expanding the DHCP range does not address why some devices are set with incorrect static IPs.

NEW QUESTION: 20

□□ □□□ □□□□ □□ □□□ IT □□ □□□□ □□ □□ □□□□ □□□ □ □□ □□□□  
 □ □□□□□?



- C. `cat /proc/cpuinfo | grep vmx`
- D. `uname -m`

**Answer: (SHOW ANSWER)**

Correct Answer. C. `cat /proc/cpuinfo | grep vmx` The command `cat /proc/cpuinfo | grep vmx` (for Intel processors) checks for the presence of "vmx" in the processor's capabilities, which indicates support for Intel VT-x hardware virtualization. For AMD processors, replacing `vmx` with `svm` in the command checks for AMD-V support.

Option A is incorrect because `lscpu | grep "Model name"` only provides the model name of the processor and does not indicate virtualization support.

Option B is incorrect because `dmidecode -t processor` gives detailed processor information but might not specifically show virtualization support unless the user knows what to look for in the output.

Option D is incorrect because `uname -m` displays the machine hardware name (architecture) of the system, which is unrelated to virtualization capabilities.

**NEW QUESTION: 23**

- □□□ □□ □□□ □□□□□□.
- □□□□□ □□□ □□□□ □□□ □□□□ □□ 256GB USB □□□□□ □□□□□□.
- □□□ □□□□ Sonoma□ □□□□, □□□ □□□□ Windows□ □□□□□. □□□ □□□ □□ USB □□□□□ □□□ □□□ □□ □□□, □□□ □□□□□□ USB □□□□□ □□□ □□□ □ □□□□.
- □□□ □□□□□ □□□ □□□ □□ □□□?
- A. USB □□□□□ □□ □□□□□.
  - B. USB □□□□□□ □□□ □□□□ □□ □□□□ □□□□□□ □□□□□.
  - C. □□□ □□ USB □□□□□ □□□□□.
  - D. USB □□□□□ exFAT □□ □□□□□ □□□□□.

**Answer: (SHOW ANSWER)**

The issue is likely caused by the USB drive being formatted in NTFS, which macOS Sonoma can read but not write to by default. Formatting the drive with the exFAT file system ensures full read/write compatibility between macOS and Windows.

**NEW QUESTION: 24**

- □□ □□□□ □□□□ □□□ □, IT □□ □□□□□ □□□ □ □□ □□□ □□□□□ □□ □□ □□□ □□□□□?
- A. □□□□ □□□□ □□□□□□ □□□□ □□□ □ □□□□ □□ □ □□□□ □□ □□□ □□□□.
  - B. □□ □□□ □□□□□ □□ □□□□ □□□ □□□□□ □□□□ □□ □ □ □□ □□□□ □□.
  - C. □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□ □□□□□□.
  - D. □□ □□□□ □□□ □□□ □□ □□□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Update the network topology diagrams and inventory lists with the new router's model and specifications immediately Immediate documentation of hardware changes, such as updating network topology diagrams and inventory lists, ensures that the IT infrastructure records are accurate and up-to-date. This facilitates quicker troubleshooting and maintenance in the future.

Option B is incorrect because delaying documentation risks the loss of important information and can create discrepancies in inventory during audits.

Option C is incorrect because documentation should occur regardless of the performance impact to maintain accurate records of IT assets.

Option D is incorrect because while involving new team members in documentation is valuable for training, it is critical that experienced personnel oversee such important updates to ensure accuracy and consistency.

**NEW QUESTION: 25**

□□□□ □□□ □□□□ □□ □□□ □□□ □□ □□ "□□ □"□□ □□□□□ □□□□□. □ □□□ □□□□ □□ □□ □□□ □ □□ □□□ □□□□□?

- A. □□□ □□□□□ □□ □□□□□
- B. □□ □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□□□.
- C. □□□□ □□□□ □□□□ □□□□□
- D. □□□ □□□ □□□□

**Answer: (SHOW ANSWER)**

Correct Answer. B. Cancel all documents in the print queue and restart the print spooler Clearing the print queue and restarting the print spooler service can resolve issues where documents are stuck and not printing, often clearing any errors or conflicts in the process.

Option A is incorrect. Reinstalling the printer drivers is more disruptive and not necessary unless driver corruption is suspected after other troubleshooting steps fail.

Option C is incorrect. A network cable issue would more likely prevent the printer from being available at all, rather than just stopping document printing.

Option D is incorrect. Firmware updates are important for long-term maintenance but would not typically resolve immediate issues with print jobs stuck in the queue.

**NEW QUESTION: 26**

TeamViewer □□ □□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□ □ □□ □□□ □□□□ □□□?

- A. □□ □□□ □□□□□ □□□□□ □□□ □□ □□□ □□□□□□.
- B. □□□□□ □□□ □□ □□□ □□□ □□ □□□ □□□□ □ □□ □□□ □□□□□.
- C. □□□ □□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□□.
- D. □□□ □□□ □□□□ □ □□□□ □□□□□ □□ □□ □□ □□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Informing the user and requesting permission not only adheres to ethical guidelines but also maintains transparency and builds trust during the remote support process.

Option A is incorrect because accessing sensitive files without user consent can violate privacy and trust.

Option C is incorrect because it may prevent the technician from fully resolving the issue if file access is crucial.

Option D is incorrect because recording the session without consent is unethical and could violate both legal and company policies.

**NEW QUESTION: 27**

□□□ □□ □□(MDM) □□□□ □□□□ □□ □□□ □□□□□?

A. □□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□.

B. □□□□ □□ □ □□□□ □□□ □□□□□.

C. □□□ □□□□ □□ □□ □□□□ □□□□ □□□□□.

D. □□□ □□□□ □□ □□□□ □□□ □ □□□ □□□□□.

**Answer: (SHOW ANSWER)**

MDM solutions let IT enforce security policies - such as requiring device encryption, up-to-date OS versions, PIN/passcode rules, and approved apps - before allowing mobile devices to connect to corporate networks or access company data.

**NEW QUESTION: 28**

□□□ □□□ □□□ □□ □□ □□□ □□□ □ □□□ □□□□□□. □□□ □□□□□ □□ □□□ □□□ □ □□□□□.

□□□ □□ □□□ □□□□ □□ □□□ □ □ □□ □□□ □□□□□?

A. □□□□ □□□□□ □□□□□□

B. □□ □□ □□□ □□□□ □□□□□.

C. □□□ □□□□ □□□□ □□□□□ □□ □□□□□

D. □□□ □□□ □□□ □□□□ □□□□□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Check her membership in the appropriate security group The first step should be to verify if Sarah is still a member of the security group that has permission to access the shared document folder, as changes or updates in group memberships might have inadvertently removed her.

Option A is incorrect because there is no indication that her password is the issue, as she can log in but cannot access specific resources.

Option C is incorrect as network driver issues would typically prevent her from accessing all network resources, not just a specific folder.

Option D is incorrect because upgrading her to administrative privileges can pose a security risk and does not address the underlying access issue.

**NEW QUESTION: 29**

□□□□ PII □□□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□□□. □□□ □□□ □ □□□□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□□ □□□?

- A. □□ □□□□ □□ □□□□□ □□ □□□□ □□ □□□□ □□□□.
- B. □□□□□ □□ □□□ □□□□ □□□□□ □□□□ □□ □□ □□□□ □□□□□.
- C. □□□□ □□□□ □□ □□ □□□□□ □□ □□□□ □□□□□.
- D. □□□ □□□□ □□□□ □□□□ □□□□ □□□□□ □□□ □□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Transmit the data through a secure, encrypted file transfer protocol Using encrypted file transfer protocols is essential to ensure the secure transmission of PII, protecting the data from unauthorized interception and access during transfer.

Option A is incorrect because sending PII via unencrypted email exposes the data to potential interception and is a violation of most data protection policies.

Option B is incorrect as transporting unencrypted sensitive data physically still poses significant security risks, such as potential loss or theft.

Option D is incorrect because posting sensitive data on a public cloud service without stringent access controls and encryption exposes the data to significant risks.

**NEW QUESTION: 30**

□□□ □□□□□ □□□□ □□□ □□□ □□ DVI □□□ □□□ □□ □□ □□□□ □□□□ □ □□□□ □□□.

□□□ □□□ □□□ □□□□ □□ IT □□ □□□□ □□□□ □□□ □ □□ DVI □□□ □□ □ □□□□□ □□□□ □□□?

- A. DVI-A
- B. DVI-D □□ □□
- C. DVI-I □□ □□
- D. DVI-D □□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. DVI-D dual link DVI-D dual link cables are designed for carrying a higher bandwidth graphic designer who needs fine detail and high resolution for their work.

Option A is incorrect because DVI-A carries only analog signals, which generally do not support high resolutions as well as digital signals.

Option C is incorrect because DVI-I single link, while capable of transmitting both analog and digital signals, does not support as high a resolution as the dual link due to its bandwidth limitations.

Option D is incorrect because DVI-D single link supports digital signals but has a lower maximum resolution and bandwidth compared to a dual link.

**NEW QUESTION: 31**

- □□□□ □□ □□ □□□ □□□□□ □ □□□□ □□□ □□ □□ □□□ □□□□□?
- A. □□□□ □□□□ □□ □□ □□□ □□ □□□□ □□□□□.
  - B. □□□ □□□ □□□ □□□ □□□□□ □□□□□□□ □□ □□ □□ □□ □□□ □□□ □ □□□□.
  - C. □□□ □□□ □□□□□ □□ □□ □□□ □□□ □□□ □□□□ □□□□□.

D. Implement role-based access controls to ensure that employees only access data necessary for their roles

**Answer: (SHOW ANSWER)**

Correct Answer. B. Implement role-based access controls to ensure that employees only access data necessary for their roles Role-based access control (RBAC) is crucial in protecting proprietary systems by limiting access to sensitive information based on the user's job responsibilities, enhancing data security.

Option A is incorrect as open access can lead to unnecessary exposure of sensitive data.

Option C is incorrect because providing universal administrator-level access increases security risks significantly.

Option D is incorrect because password frequency updates should balance security with user convenience, and biannual changes might not be sufficient for sensitive systems.

**100-140-KR** <https://www.dumpstopy.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 32**

A user reports that their MacBook is not recognizing an external hard drive. The user has already checked the physical connection and the drive is powered on. What should the user do next?

A. Reformat the external hard drive.

B. Check the external disk in the Finder preferences.

C. Restart the MacBook.

D. Replace the external hard drive.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Check Finder Preferences to ensure external disks are set to show on the desktop MacOS allows users to configure Finder to show or hide external drives on the desktop. Ensuring that this setting is enabled is a quick and essential check before proceeding with more complex troubleshooting steps.

Option A is incorrect because formatting the external hard drive is a drastic step that would result in data loss and should only be considered after other troubleshooting steps have failed Option C is incorrect because although restarting can sometimes resolve hardware detection issues, it's not the most direct first step if the drive isn't appearing Option D is incorrect because replacing the external drive is premature without first confirming that the issue is not related to MacOS settings

**NEW QUESTION: 33**

Which two file systems are supported by both Windows and macOS? (Select two)

- A. NTFS
- B. FAT32
- C. exFAT
- D. HFS+

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 34**

Which file system is compatible with both Windows and macOS, ensuring that all users, regardless of their operating system, can read and write to the shared drive without issues related to file system compatibility?

- A. NTFS
- B. FAT32
- C. exFAT
- D. Windows File System

**Answer: C (LEAVE A REPLY)**

Using a file system that is compatible with both Windows and macOS, such as exFAT, ensures that all users, regardless of their operating system, can read and write to the shared drive without issues related to file system compatibility.

Option A is incorrect because NTFS may not be fully compatible with macOS, especially for writing files without additional software.

Option B is incorrect because while case sensitivity can be an issue, it does not address the fundamental file system compatibility.

Option D is incorrect because while necessary for individual system navigation, it does not address the underlying file system compatibility issues.

**NEW QUESTION: 35**

Which adapter is required to connect a DisplayPort output from a laptop to an HDMI input on a projector?

- A. DisplayPort-DVI
- B. DisplayPort-VGA
- C. DisplayPort-HDMI
- D. DisplayPort-USB-C

**Answer: (SHOW ANSWER)**

Correct Answer. C. DisplayPort to HDMI adapter To connect a DisplayPort output from a laptop to an HDMI input on a projector, a DisplayPort to HDMI adapter is required. This adapter will convert the DisplayPort video signal into an HDMI signal compatible with the projector, ensuring the video output is transmitted correctly.

Option A is incorrect because a DisplayPort to DVI adapter would not fit an HDMI input as DVI and HDMI use different signaling and connectors.

Option B is incorrect because VGA is an analog signal, whereas HDMI is digital, making a DisplayPort to VGA adapter inappropriate for a digital-only HDMI input.

Option D is incorrect because a DisplayPort to USB-C adapter would not be suitable unless the projector specifically supports video input through USB-C, which is not indicated in this scenario.

**NEW QUESTION: 36**

□□□□ □□ □□ □□□ □□□□□ □□□□ □□□ IP □□□ □□□□□□□□.  
□□ □□□□ □□□ □□□□?

- A. □□ □□□ □□ IP □□□ □□□□□□□□.
- B. IP □□□ □□□□□ □□□□ □□ □□□□□□.
- C. IP □□ □□□□□ □□ □□□□□ □□□□.
- D. □ □□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Block the IP address from accessing the network Blocking an IP address that has been identified as a source of repeated unauthorized attempts is an effective way to prevent potential breaches.

Option A is incorrect because monitoring alone does not prevent further attempts.

Option C is incorrect because contacting the IP owner is not guaranteed to stop the attempts and may not reach the actual perpetrator.

Option D is incorrect as increasing bandwidth does not address the security risk posed by unauthorized attempts.

**NEW QUESTION: 37**

□□□□ □□□ □□□□ □□ □□□□□□□ □□□□□□ □□□ □□ □□□□ □□□□□□, □  
□□□□ □□□ □□□□ □□□ □□□ □□□□□.  
□□□□ □□□□ □□□ □□ □□□□?

- A. □□□□ □□ □□□□□ □□□□□ □□□ □□□□□ □□□□□.
- B. □□ □□□□ □□ □□□□ □□□ □□□□□ □□□□□.
- C. □□□□□ □□ □□ □□ □□□ □□□□ □□□□ □□ □□□ □□ □□□□□.
- D. □□□ □□□ □ □□□ □□□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Reassess the situation to determine if additional security measures are needed alongside the update When an update does not fully resolve a security concern, it is important to reassess the system for other potential vulnerabilities or gaps in the security setup that were not addressed by the initial update. This may involve additional security measures or patches.

Option A is incorrect as removing the update may leave the system more vulnerable to the threats it was supposed to mitigate.

Option B is incorrect because simply restarting the systems is unlikely to resolve underlying security issues.

Option D is incorrect because declaring the issue as irresolvable without exhaustive reassessment and attempts at mitigation overlooks potential solutions and compromises security further.

**NEW QUESTION: 38**

□□□□ □□□ Mac□ □□□□ □□ Mac□ □□ □□ □□□ □□□□□ □□□□□ □□□□.

□ □□□ □□□□ □□□□ □□ iCloud□ □□□ □□□□ □□□?

A. □□ Mac□□ □□ □□□□ iCloud□ □□□□ □□ □ Mac□□ □□□ Apple ID□ □□□□ □□.

B. □□ Mac□ □□ □□□□□ iCloud□ □□□□□.

C. AirDrop□ □□ □ Mac□□ □□□ □□□□□ □□□□□.

D. iCloud □□ □□ □□ □□□□□ □□□□□□ □□ □□

**Answer: (SHOW ANSWER)**

Correct Answer. A. Sync all data to iCloud from the old Mac, then log in with the same Apple ID on the new Mac Syncing all personal settings and data to iCloud from the old Mac and then logging in with the same Apple ID on the new Mac ensures that all iCloud-synced data, including settings, documents, and apps, are automatically available on the new device.

Option B is incorrect because copying an entire hard drive to iCloud is not feasible due to storage limitations and is not supported by iCloud's intended use Option C is incorrect as AirDrop is designed for transferring files and does not sync settings or system preferences Option D is incorrect because using Migration Assistant with an external drive, while effective, does not utilize iCloud's cloud-based capabilities

**NEW QUESTION: 39**

□ □□□ □□ WLAN SSID□ □ □ □□□ □□ □□□ □□ □□□□ □□□□□□.

□□□□ □□□ □□ □□□□ □□□?

A. □□ WLAN□ □□□ □ □□ □

B. □□□ SSID□ □□□ □□□ □□

C. WLAN□□ □□□□ □□ □□

D. □□□□ □□□□ □□□

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. The total number of devices currently connected to the WLAN High device load on a WLAN can significantly reduce performance and connectivity speeds for all connected devices.

Option B is incorrect. Bandwidth limits could affect speed but would be consistent regardless of the number of devices.

Option C is incorrect. The security type can affect connection processes but not the speed post-connection.

Option D is incorrect. Proximity to the server room impacts wired connectivity more significantly than WLAN speed, which is more about proximity to the access point.

**NEW QUESTION: 40**

□□ □□ □□ □□ □□□□ □□□ □□□ □ □□ □□ □□□ □□ □□□?

- A. □□□□□ □□ □□□ □□□ □□□□□.
- B. □□□ □ □□□ □□□ □ □□ □□□ □□□□□.
- C. □□□ □□ □□□ □□ □□□□□ □□□ □□ □□□□□ □□□ □□□□□.
- D. □□□□□ □□□□ □□□ □□□ □□□ □□ □□ □□ □□□ □□□ □□□□□ □□□ □□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Schedule a follow-up session after researching the issue further Scheduling a follow up session allows the technician to provide accurate and effective support after gaining additional insights or solutions to the problem.

Option A is incorrect because it does not provide good customer service or use the resources available to the support team.

Option C is incorrect because it involves unethical behavior and could compromise the trust and integrity of the support process.

Option D is incorrect because trying random settings could potentially worsen the issue and is not a methodical approach to problem-solving.

**NEW QUESTION: 41**

□□ □□□ □□□□ □□ □□□□□ □□□ □□□ □□ □□ □□□ □□□□□?

- A. □□ □□□□ □□□□ □□ □□□ □□□□□□.
- B. □□□ □□□□□ □□□ □□□ □□ □□□□□.
- C. □□□ □□□ □□□ □□□□□□ □□ □□□□□ □□□ □ □□□□.
- D. □□ □□ □□□ □□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Help desk technicians are trained to assist users and resolve issues efficiently, which can sometimes make them susceptible to social engineering if they prioritize helpfulness over strict adherence to security protocols.

Option A is incorrect because help desk technicians often have significant access, not limited.

Option B is incorrect because being a new employee is not a generalizable trait of help desk technicians.

Option D is incorrect because help desk technicians typically work in team environments and have access to support.

**NEW QUESTION: 42**

□□□□ □□□□□ □□□□ □□□ □□□ □□□ □□□□□□.

□□□ DNS □□□ □□□ □□□ □□□□□ □□ nslookup □□□□ □□ □□□□□?

- A. nslookup -type=mx website.com
- B. nslookup -debug website.com
- C. nslookup □□□□.com

D. nslookup -type=soa □□□□.com

Answer: (SHOW ANSWER)

Correct Answer. B. nslookup -debug website.com Using nslookup with the -debug option provides detailed query information about the DNS resolution process, which can help in diagnosing complex or intermittent DNS resolution issues.

Option A is incorrect. This command is used to look up mail servers associated with a domain and is not relevant for general access issues.

Option C is incorrect. While it performs a basic DNS lookup, it lacks the detailed output necessary for complex troubleshooting.

Option D is incorrect. The -type=soa option fetches the Start of Authority record, which is useful for DNS zone information but not for troubleshooting access issues.

**NEW QUESTION: 43**

□□□□□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□ □□□□ □□ □□□ □□ □ □□□ □□□ □□□□□?

A. □□□ □□ □ □□□□ □□□□□ □□ □□□□□ □□□□□.

B. □□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□□□□.

C. □□ □□□□ □□ □□□□ □□□ □□□□□ □□□□□.

D. □□□□ □□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

Correct Answer. B. Obtain explicit permission from the end-user before accessing their device  
Obtaining explicit permission from the user before initiating a Remote Desktop session is essential to ensure compliance with privacy and cybersecurity policies, safeguarding both the technician and the user against unauthorized access.

Option A is incorrect because setting up automatic connections at system startup may pose a security risk and does not necessarily comply with user consent requirements.

Option C is incorrect because while recording sessions may be part of security protocols, obtaining consent is a prerequisite and more critical for compliance.

Option D is incorrect as the presence of antivirus is secondary to user permission in the context of remote access.

**NEW QUESTION: 44**

□□□ □□ □□ □□ □□□□ □□ □□□ □□□ □ □□□ □□□□□. □, □□□□ □□ □ □□ □□ □□□ □□□□ □□□.

□□□□ 15□ □□ □□□□ □□□ □□□□□□ □□ □□□□□ □□□□ □□□.

□□□□ 30□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□□□ □□□.

□□□□ □□□ □□ □□ □□□ □□□□□□ □ □□□.

□□ □□□ □□□□□ □□□ □□□□ □□ □□□ □□□□ □□□.

□□ □□□ □□□□ □□ □ □□ □□ □□□ □□□ □□□ □□□□□.

**Answer Area**

**Power & sleep**

Screen

On battery power, turn off after

15 minutes  
30 minutes  
Never

When plugged in, turn off after

15 minutes  
30 minutes  
Never

Sleep

On battery power, PC goes to sleep after

15 minutes  
30 minutes  
Never

When plugged in, PC goes to sleep after

15 minutes  
30 minutes  
Never

**Answer:**

**Answer Area**

**Power & sleep**

**Screen**

On battery power, turn off after

15 minutes  
30 minutes  
Never

When plugged in, turn off after

15 minutes  
30 minutes  
Never

**Sleep**

On battery power, PC goes to sleep after

15 minutes  
30 minutes  
Never

When plugged in, PC goes to sleep after

15 minutes  
30 minutes  
Never

Explanation:

## Answer Area

### Power & sleep

#### Screen

On battery power, turn off after

	▼
15 minutes	
30 minutes	
Never	

When plugged in, turn off after

	▼
15 minutes	
30 minutes	
Never	

#### Sleep

On battery power, PC goes to sleep after

	▼
15 minutes	
30 minutes	
Never	

When plugged in, PC goes to sleep after

	▼
--	---

15 minutes
30 minutes
Never

**NEW QUESTION: 45**

Which of the following is the best way to store passwords?

- A. In a physical notebook.
- B. Using the same password for multiple accounts.
- C. In a password manager.
- D. Sharing passwords with trusted individuals.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Store them in a password manager Password managers encrypt passwords, offering a secure way to store and manage passwords for multiple accounts without the need to remember each one.

Option A is incorrect because physical copies of passwords can be lost or stolen Option B is incorrect as using the same password for multiple accounts increases vulnerability--if one account is breached, others are at risk too Option D is incorrect as sharing passwords, even with trusted individuals, increases the risk of unintentional disclosure or misuse

**NEW QUESTION: 46**

Which of the following is the best way to implement Multi-Factor Authentication (MFA)?

- A. Installing authenticator apps on corporate computers.
- B. Storing backup codes securely for authenticator apps.
- C. Synchronizing the app across multiple devices.
- D. Using Time-based One-time Passwords (TOTPs).

**Answer: B (LEAVE A REPLY)**

When using authenticator apps that generate TOTP, it's critical to prepare for situations where a user might lose access to their device. Storing backup codes securely ensures that users can regain access without compromising security.

Option A is incorrect because installing authenticator apps on corporate computers could expose them to additional risks if these computers are compromised.

Option C is incorrect because synchronizing the app across multiple devices could increase the risk of unauthorized access if one of the devices is compromised.

Option D is incorrect because TOTP naturally expire quickly (usually every 30 to 60 seconds)



shielding is important in environments where they are exposed to potential interference sources. Option A is incorrect because waterproof coating protects against moisture but does not prevent electromagnetic interference.

Option C is incorrect because bend radius affects the physical integrity of the cable but not its susceptibility to electromagnetic interference.

Option D is incorrect because while good insulation quality is important, it primarily protects the wires inside from physical damage rather than from EMI.

**NEW QUESTION: 49**

□□□□ □□ □□ □□ □□ □□□□ Windows □□□ DHCP □□□□□ IP □□□ □□□ □ □□□ □□□.

□□□□ □□ □□□ □□□□ □□ □□□□□ □□ ipconfig □□□ □□□□ □□□?

- A. ipconfig
- B. ipconfig /all
- C. ipconfig /displaydns
- D. ipconfig /showclassid

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. ipconfig /all The ipconfig /all command is the most comprehensive option for viewing network configuration details, including whether an IP address is obtained from a DHCP server. It shows each network adapter's DHCP status, making it ideal for verifying DHCP-based IP address allocation.

Option A is incorrect because running ipconfig without any options only displays basic IP address information, not DHCP-specific details.

Option C is incorrect because ipconfig /displaydns shows the contents of the DNS resolver cache and does not provide information about DHCP.

Option D is incorrect because ipconfig /showclassid displays the DHCP class ID for all adapters, which does not directly confirm DHCP IP allocation.

**NEW QUESTION: 50**

□□□□ □□□□□ □□□ □□□□ □□ AI□ □□□ □ □□□□ □ □□ □□□□□?

- A. AI□ □□ □□ □□□ □□□ □□□ □ □□□□.
- B. AI□ □□□ □□□ □□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□ □□□□ □ □ □□□□.
- C. AI□ □□□ □□ □□ □□□□□□ □□□□□ □□ □□□□□ □□□ □□□ □□□□.
- D. AI□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. AI can analyze and suggest solutions based on large data sets but may not understand context While AI is powerful in handling large volumes of data to identify patterns and propose solutions, it may lack the ability to understand the specific context or nuances of a problem like a human technician would.

Option A is incorrect because AI should complement, not replace, traditional diagnostic tools.

Option C is incorrect as AI, while helpful, may not always outperform human insight in complex or novel problem-solving situations.

Option D is incorrect because manual review is essential to validate AI-generated solutions, ensuring they are applicable and correctly interpreted.

**NEW QUESTION: 51** A technician is troubleshooting a monitor that displays a poor-quality image. The monitor is connected to a PC via a VGA cable. The technician notices that the cable is very long. What should the technician do to resolve the issue?

- A. VGA cable is too long, causing signal degradation. VGA cables are susceptible to signal degradation over long distances, particularly if the cable exceeds typical lengths (usually around 5-10 meters). Excessive length can lead to poor image quality and interference.
- B. Monitor does not support VGA. If the monitor did not support VGA, it would not display any image rather than a poor-quality one.
- C. VGA cable is too thick, causing signal reflection. The thickness of the VGA cable does not typically cause signal reflection; instead, shielding quality and cable construction are more relevant.
- D. Monitor is not configured for a lower resolution. While configuring a VGA port for a lower resolution might affect image clarity, it does not cause interference.

**Answer: (SHOW ANSWER)**

Correct Answer. A. The VGA cable is too long, causing signal degradation. VGA cables are susceptible to signal degradation over long distances, particularly if the cable exceeds typical lengths (usually around 5-10 meters). Excessive length can lead to poor image quality and interference.

Option B is incorrect because if the monitor did not support VGA, it would not display any image rather than a poor-quality one.

Option C is incorrect because the thickness of the VGA cable does not typically cause signal reflection; instead, shielding quality and cable construction are more relevant.

Option D is incorrect because while configuring a VGA port for a lower resolution might affect image clarity, it does not cause interference.

**NEW QUESTION: 52**

A Windows 10 PC is experiencing frequent crashes and errors. The technician has already checked the hardware and updated the BIOS. What should the technician do next to resolve the issue?

- A. Reinstall the operating system. Reinstalling the operating system is too drastic for an initial troubleshooting step.
- B. Boot the PC into Safe Mode. Booting into Safe Mode is an effective first step for troubleshooting frequent crashes and errors as it loads Windows with a minimal set of drivers and software, allowing the user to determine if the issue is software-related.
- C. Replace the hardware components. Replacing hardware components should only be considered after software causes have been ruled out.
- D. Update the BIOS. While important, a BIOS update should not be performed as a first step in troubleshooting system stability issues.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Boot the PC into Safe Mode. Booting into Safe Mode is an effective first step for troubleshooting frequent crashes and errors as it loads Windows with a minimal set of drivers and software, allowing the user to determine if the issue is software-related.

Option A is incorrect because reinstalling the operating system is too drastic for an initial troubleshooting step.

Option C is incorrect because replacing hardware components should only be considered after software causes have been ruled out.

Option D is incorrect because a BIOS update, while important, should not be performed as a first step in troubleshooting system stability issues.

**NEW QUESTION: 53**

□□ □ □□□□ □□□ WLAN□ □□□□□, □□□□ SSID□ □□ □□□□ □□□□ □□□ □ □□□□ □□□□□ □□□ □ □□□ □□□□□□. □ □□□ □□□□□ □□□□ □□ □□ □ □□□□ □□□?

- A. SSID□ □□□ □□ □□ □ □□□□□ □□□□□.
- B. □□ □□□□ □□ □□□ □□□□.
- C. □□ □□□ □□ □□□□ □□□□ □□□□□.
- D. SSID□ □□□□ □□ □□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Verify the security settings and password associated with the SSID Incorrect security settings or passwords are common issues preventing connection even when the SSID is visible.

Option B is incorrect. Signal strength affects range and quality but not the ability to connect with correct credentials.

Option C is incorrect. Replacing network adapters is an extreme measure not typically necessary if the SSID is visible.

Option D is incorrect. Changing the channel addresses interference issues but won't affect authentication failures.

**NEW QUESTION: 54**

□□□□ □□□ □□□ □□□□ □□ □□ □□□ PC□ □□□ □□ □□□ □□□□□□□□ □.

□□□□ IT □□□□ □□□ □□ □□ □□□ □□□ □□□ □□□?

- A. □□□□□□ □□ □□□ □□□ □□ □□□ □□□□□.
- B. □□ □ □□ □□□ □□□□ □ PC□ □□ □□ □□□□□ □□ □□□ IT □□ □□ □□□ □□□□□□□.
- C. □□□□□ □□ □□□ □□ □□ □□ □□□ □□□ □□ □□ □□□□ □□□□.
- D. □□ □□□□ □□□ □□□□ □□ □□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Update the IT asset management records with details of the operating system upgrade for each PC, including version and deployment date Thoroughly updating the IT asset management records with specific details of the upgrades ensures that all changes are tracked and traceable. This is crucial for compliance, security audits, and future troubleshooting.

Option A is incorrect because personal logs do not provide an official or reliable record accessible to the whole IT department.

Option C is incorrect because while thanking staff is a good practice, it does not serve as a record of the technical changes made.

Option D is incorrect because relying solely on automatic logs can lead to gaps in documentation if the logs fail or do not capture all necessary details.

**NEW QUESTION: 55**

- □□ □ □□□□ □□ □□□□□ □□□ □ □□□ □□□□□. □□□□ □□□ □□□ □ □□ □□ □□ □□□□ □□ □□□ □□ □□□ □□ □□□?
- A. "□□□□ □□□ □□ □□□□□?"
  - B. "□□ □□□□ □□□□ □□□□□ □□□ □ □□□?"
  - C. "□□□□ □□□□□ □□□□ □□□□?"
  - D. "□□ □□□□ □□ □□□ □□ □□□?"

**Answer: (SHOW ANSWER)**

Correct Answer. B. "Can you access other network resources or websites?" Explanation: Asking whether the user can access other network resources or websites helps determine if the issue is specific to the intranet or part of a larger connectivity problem. This information is critical in narrowing down the potential causes and guiding further troubleshooting steps. Option A is incorrect because although restarting may be a useful troubleshooting step, it does not gather any information about the nature of the issue. Option C is incorrect because resetting the intranet password assumes a specific problem without sufficient information. Option D is incorrect because while knowing if others are affected can be useful, it does not help understand this user's specific access issue.

**NEW QUESTION: 56**

- PC Anywhere□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□□ □□ □□□ □□□□□?
- A. □□□ □□ □□ □□ □□ □□□ □□□□□
  - B. □□□□ □□□□ □□□□□□ □□ □□ □□□□ □□□□□□□□ □□□□□.
  - C. □□ □□□□□ □□□□ □□ □□ □□ □□ □□□ □□□□□.
  - D. □□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□□□□ □□□□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Confirm that both the technician's and the user's software are updated to the latest version Ensuring that both the technician and the user are using the latest version of PC Anywhere is crucial to protect against vulnerabilities, as updates often contain important security patches. Option A is incorrect as setting up unattended access can pose significant security risks if not managed carefully. Option C is incorrect as using the fastest connection method may bypass necessary security checks, exposing both parties to potential risks. Option D is incorrect because disabling antivirus software compromises the user's security, especially during a remote session.

**NEW QUESTION: 57**

- □□□□ □□ □□□ □□ □□ □□□ □□□□ □□□ IPv6 □□ □□□□ □□□ □ □□□ □□□□.
- □□□ □□□ □□□ □□□ □□ □□ □□□ □ □ □□ □□□ □□□□□?



D. □□□□ □□ □□□ □□ □□□□.

Answer: (SHOW ANSWER)

Correct Answer. A. The computer is in sleep or standby mode A blinking power LED on a desktop computer often signals that the computer is in sleep or standby mode, reducing power usage while not in active use.

Option B is incorrect because a failing PSU typically causes the computer to shut down unexpectedly or not start at all, rather than causing the power LED to blink intermittently.

Option C is incorrect because overheating issues usually trigger other indicators, such as system shutdowns, error messages, or a constant on, not blinking, warning lights.

Option D is incorrect because processing tasks do not affect the power LED, which typically remains steady during normal operations.

**NEW QUESTION: 60**

□ □□□□□ □□□□ □□□□□ □□ Amazon S3 □□□ □□□□ □□□, □□□□□ □□ □□ □□□ □□□□ □□□□□ □□□□□ □□□□ □□□□.

□□□ □□ □ □□□ □□ IT □□□□ □□ □□□ □□□□ □□□□ □□□□?

A. AWS □□□ □□□□□(CLI)

B. Amazon S3 □□ □□□□□

C. AWS □□□□ □□□□□

D. Amazon DataSync

Answer: (SHOW ANSWER)

AWS Storage Gateway allows for the seamless integration of Amazon S3 buckets with on-premises environments by enabling users to connect and map cloud storage as a network drive. This facilitates straightforward access to cloud storage using familiar file-based interfaces.

Option A is incorrect because the AWS CLI is powerful for management tasks but does not facilitate the mapping of S3 buckets as network drives.

Option B is incorrect because while it could potentially be used for a similar function, S3 File Gateway is not as comprehensive in integrating S3 with on-premises file systems compared to Storage Gateway.

Option D is incorrect because Amazon DataSync is primarily used for data transfer between on-premises storage and AWS and does not support direct mapping as a network drive.

**NEW QUESTION: 61**

□ □□□□ □□ □□□ □□□□□ Google □□□□ □□□ □□□□ □□□□ □□ □□□□ □ □□ □□ □□□ □□□ □□□ □□□ □□□ □□□. IT □□□□ □□ □□□□□ Google □□□ □ □□□ □ □□□ □□□□□ □□ □□ □□ □□□ □□□ □□□ □□□ □□□?

A. □ □□□□ □□ □□ Google Drive □□□ □□□□ □□□□□.

B. Windows□□ □□ □□□ □□□□ Google □□□□ □□ □□

C. Google Drive□ Active Directory □□□ □□□□□ □□ □□ □□

D. □□□□□ □□ □□□ □□□ □□□□□ □□□□□.

Answer: C (LEAVE A REPLY)



- C. □□, □□□ □ □□ □□ □□, □ □□□ □□ □ □□ □□□□ □□□ □□□□ □□□□ □ □□□ □□□□□.
- D. □□□□ □□□□ □□□□ □□ □□ □□ □□ □□ □□ □□□□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Write a comprehensive report detailing the problem, each troubleshooting step attempted, the results of each step, and the final resolution This approach ensures the report is clear, concise, factual, and comprehensive, allowing anyone reviewing the document to understand the problem, the process undertaken to solve it, and the final outcome. It provides valuable information for future reference and potential training material.

Option A is incorrect. While it includes all steps, the lack of focus on the outcome makes it less useful for future reference.

Option B is incorrect. This skips important details about what did not work, which can be crucial for understanding the issue fully.

Option D is incorrect. Documenting only the final step omits the context and learning opportunities from earlier troubleshooting efforts.

**NEW QUESTION: 64**

□□□ □□□□□ □□□□ □□□ □□□ □□□□ '□□ □□' □□□ □□ □□□□□. □ □□ □ □□ □ □□□ □□□□, □□□□ □□□ □□□□ □□□□?

- A. □□ □□□ □□□ □□□□.
- B. □□□ □□□ □□ □□ □□ □□□ □□□□□.
- C. □□□□ □□□□□ □□□□□ □□□□□
- D. □□□□ USB □□□□ □□□□□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Change the paper type setting to match the loaded paper This error often occurs when the printer's settings do not match the paper loaded, causing the printer to not recognize the paper correctly. Adjusting the paper type setting ensures that the printer recognizes the paper, resolving the `Load Paper' error.

Option A is incorrect. Increasing the print resolution settings affects print quality, not the paper detection mechanism.

Option C is incorrect. While important, software updates typically do not address issues related to paper detection unless specifically noted in update logs.

Option D is incorrect. Replacing the USB cable would not solve an issue related to paper detection, as this is not a connectivity problem with data transfer.

**NEW QUESTION: 65**

(□□□□ PC□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□□□?)

- A. □□□ □□□□□ □□ □□□□□.
- B. □□□□ □□ □□□ □□□□□.
- C. □□ □□□□ □□□□□□ □□□□□□□.

D. □□□□□ □□/□□ □□□ □□□□□.

**Answer: (SHOW ANSWER)**

A printer driver failure indicates the software component that enables the OS to communicate with the printer is missing or corrupt. Updating (or reinstalling) the device driver software restores proper communication and resolves the issue.

**NEW QUESTION: 66**

□□□ □□□□□□□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□. □□ □□□□□ □□ □□ □□□ □ □□ □□□ □□ □□□ □□□ □□ □□□ □□□□□.

- A. □□□□ □□□□□□□□ □□ □□□□ □□□□□ □□□□□.
- B. □□□□□ □□ □□ □□□ □□ □□□□ □□□□ □□ □□ □□□□ □□□□□.
- C. □□ □□□ □□□□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□□□□□.
- D. □□□ □□□ □□□ □□ □□□□□ □□□□ □□□ □□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Read through the updated knowledge base article to understand the solution and guide the user accordingly By directly consulting the updated knowledge base article, you ensure that you are providing the most accurate and current information, which increases the effectiveness of the support provided.

Option A is incorrect. While this could be empowering, it may not be efficient if the user lacks technical skills.

Option C is incorrect. Guessing solutions can lead to further complications and is less professional than consulting reliable resources.

Option D is incorrect. Telling a user to wait for updates does not actively solve the problem and can lead to user dissatisfaction.

**NEW QUESTION: 67**

□□□ □□ □□□□□ □□□ □□□□□ □□ □□□ □□□□□□□ IP □□□ □□□□ □□□ □□□□□.

- A. □□□ DNS □□□ □□□□□ □□□□□ DNS □□□ □□□□□□□.
- B. □□ □□□□ □□□ □□□□□ □□□□□□□.
- C. □□ □□ □□□□□ □□ □□□□□ □□□□□□□□□□.
- D. □□□ □□□□ □□□ □□□□□ □□□□□.

**Answer: (SHOW ANSWER)**

Flushing the DNS cache can resolve issues caused by outdated or corrupted DNS data, which might be leading to intermittent access issues when resolving hostnames.

Option B is incorrect. Regular reboots might temporarily clear issues but do not address the underlying cause of DNS problems.

Option C is incorrect. Migrating to external hosting does not address internal DNS resolution issues and may introduce additional complexities.

Option D is incorrect. Enforcing network access protocols improves security but does not address DNS resolution problems.

**NEW QUESTION: 68**

□□□□ □□□□ □□□ □□□ □□□, □□□□ □□ □□□□ □□□ □□□ □□□□□. IT □□ □□□□ □□□□□ □□□ □□ □□□□ □□ □□□ □□ □□□□□ □□□□ □□ □?

- A. □□ □□□□ □□ □□
- B. □□□□ □□□ □□
- C. □□□ □□□□ □□
- D. □□□□ □□

**Answer: (SHOW ANSWER)**

Correct Answer. B. The physical condition of the cable The physical condition of the cable is the most likely cause of charging issues, as wear and tear can lead to fraying, breaks, or loose connections. Checking for visible damage or bends in the cable that could break internal wiring is a crucial first step in troubleshooting.

Option A is incorrect because the wattage rating of the adapter is unrelated to a sudden stop in charging unless the adapter has failed entirely.

Option C is incorrect because the color of the cable insulation is purely aesthetic and has no bearing on functionality.

Option D is incorrect because while extremely long cables can sometimes reduce charging efficiency due to voltage drop, they would not cause charging to suddenly stop unless damaged.

**NEW QUESTION: 69**

□□□□ □□ □□□ □□□□□ □ □□□ □□ □□□□□□ □□ □□□ □□□ □□ □□□ □□□.

□□□□ □□□ □ □ □□ □□□ □□□□□?

- A. □ □□ □□□□ □□□□ □□□ □□□□□ □□□□□.
- B. □□ □□□ □□□□□ □□ □□□□ □□□□□.
- C. □□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□ □□□□□.
- D. □□□ □□□ □□□□ □□□ □□□□.

**Answer: (SHOW ANSWER)**

Evacuate the area and immediately alert the fire department The first priority in the event of a fire is to ensure personal safety and that of others by evacuating the area and alerting the fire department, even if the fire appears small and contained.

Option A is incorrect because using a water-based extinguisher on potential electrical or chemical fires commonly found in office environments can be hazardous.

Option C is incorrect because attempting to move flammable materials could endanger the individual by exposing them to the fire.

Option D is incorrect because smothering the flames does not guarantee the fire will be controlled safely, and it can risk personal safety.

**NEW QUESTION: 70**

□?

- A. □□□ □□ □□□ □□□□□□□.
- B. □ □□ □□□□ □□□□ □□□ □□□□□.
- C. □□ □□□□ □□□ □□ □□□ □□□□.
- D. □□□ □□□□ □□□□ □□□ □□□□□.

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 71**

□□□□ Thunderbolt 3(USB-C) □□□□ □□ □□ □□□ □□□ □□□□ □□ □□□□□ □ □□□ □□□□. □□□□ □□, □□□□ □□, □□□ □□ □ □□ □□□ □□□□□ □□□□ □□□.

IT □□ □□□□ Thunderbolt 3 □□□□ □□□ □□□□ □□□□ □□□□?

- A. □□ 100W□ □□ □□
- B. HDMI □□□
- C. USB 2.0 □□□ □□ □□
- D. VGA □□

**Answer: A** ([LEAVE A REPLY](#))

Correct Answer. A. Power Delivery of at least 100W Thunderbolt 3 cables can support Power Delivery up to 100W, which is essential for charging laptops while simultaneously handling high-speed data transfer and video output. Ensuring the cable supports Power Delivery of at least 100W is crucial for a user who needs a single connection to manage power, display, and data. Option B is incorrect because HDMI compatibility is not necessary for Thunderbolt 3 cables, which can natively support video output without needing HDMI. Option C is incorrect because Thunderbolt 3 supports much faster data speeds than USB 2.0; specifically, it supports up to 40 Gbps, which is essential for high-performance tasks. Option D is incorrect because VGA support is not relevant for Thunderbolt 3 cables, which are designed to carry digital signals, not analog signals like VGA.

**NEW QUESTION: 72**

□□□□ IT □□□ □□ □□□ □□□□ □ □□ □□□□ □□□ □□ □□□□ □□□□ □□ □□ □□□ □□ □□ □□□□□□.

□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□□□□?

- A. □□ IT □□□□□ □□ □□□□ □ □□□ □□□□□.
- B. □□□ □□ □□□□ □□□□ □□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□ □ □□□□□.
- C. □□□ □□□ □□ □□□□ □□ □□□ □□□□□.

**Answer: (SHOW ANSWER)**

Replace the worn power strips and ensure no power strips are daisy-chained together Replacing worn power strips and correcting improper use, such as daisy-chaining, adheres to fire safety

guidelines by reducing the risk of electrical fires due to overloading and wear.

Option A is incorrect because ignoring the issue could lead to a serious fire hazard.

Option C is incorrect because using electrical tape is a temporary fix that does not address the fundamental safety risk of worn and improperly used power strips.

Option D is incorrect because simply rearranging equipment does not resolve the underlying safety issue of using worn and improperly connected power strips.

### NEW QUESTION: 73

□□□□ □□ □□□□ □□ □□□ □□□□ □□ Cisco Webex □□□ □□□ □ □□□ □ □ □□ □□□□□?

A. □□ □ □□□□□ □□ □□□□□ □□ □□□□□ □□□□□.

B. □□□□ □□□ □□□□ □□□ □□ □ □□ □□ □□□ □□□ □□□ □□□□□.

C. □□□□□ □□ □□ Cisco Webex □ □□ □□□ □□□□□□ □□□□□ □□□□□.

D. □□□ □□□□ □□□ □□□□□ □□□□ □□□□□□□ □□□□□.

Answer: (SHOW ANSWER)

Correct Answer. B. Verify the identity of the user and ensure they have the correct link and meeting credentials Before starting a support session, verifying the user's identity and ensuring they have the correct meeting credentials protects against unauthorized access and ensures that both parties are prepared for the session.

Option A is incorrect as sharing the entire desktop should only be done when necessary and with proper precautions.

Option C is incorrect because the technician should guide the user through any software installation or updates to avoid errors.

Option D is incorrect as disabling the firewall may compromise the user's network security and should not be recommended without thorough consideration.

### NEW QUESTION: 74

□□□ □□□ □□□□□ □□□ 3D □□□□ □□ □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□□□□□□ □□□.

□ □□□ □□□ □□□□ □ □□ □□□ GPU □□□ □□□□□?

A. GPU □□ □ □□

B. □ □□ GPU □□ □□

C. □ □□ VRAM □□

D. □□□ DirectX □□

Answer: C (LEAVE A REPLY)

Correct Answer. C. Higher VRAM capacity For real-time 3D rendering, having a higher VRAM capacity is crucial as it allows the GPU to store more texture and scene data, which significantly enhances rendering performance and detail at higher resolutions.

Option A is incorrect because while a higher core count improves general processing power, it is VRAM capacity that more directly impacts 3D rendering performance.

Option B is incorrect because higher clock speed can boost overall speed but does not

necessarily equate to better handling of large-scale 3D rendering tasks.

Option D is incorrect because

while enhanced DirectX support is beneficial for compatibility with rendering software, it does not inherently improve the handling of real-time 3D rendering data as much as VRAM capacity does.

**NEW QUESTION: 75**

A user reports that their smartphone-based authenticator app is not working. The user states that the app is not generating any codes. The user has already tried resetting the password and disabling MFA. What should the user do next?

Options:  
A. Reset the password.  
B. Disable MFA.  
C. Switch to a different MFA device.  
D. Synchronize the time on the device.

A. Reset the password.

B. Disable MFA.

C. Switch to a different MFA device.

D. Synchronize the time on the device.

**Answer: B (LEAVE A REPLY)**

Smartphone-based authenticator apps rely heavily on accurate time settings to generate valid TOTP. If there is a time-sync problem on the user's device, it can cause the TOTP to be out of sync with the server, leading to authentication failures.

Option A is incorrect because resetting the password does not address potential issues with the authenticator app.

Option C is incorrect because disabling MFA compromises security and should be avoided unless absolutely necessary.

Option D is incorrect because switching MFA devices does not address the underlying issue if it's related to time synchronization on the current device.

**NEW QUESTION: 76**

A user reports that their MacBook Pro is not displaying content on the external projector. The user states that the projector is connected to the MacBook Pro and is powered on. The user has already tried adjusting the brightness settings and the projector's input source. What should the user do next?

Options:  
A. Adjust the brightness settings.  
B. Make the projector the primary display.  
C. Set up the projector in extended desktop mode.  
D. Adjust the projector's input source.

A. Adjust the brightness settings.

B. Make the projector the primary display.

C. Set up the projector in extended desktop mode.

D. Adjust the projector's input source.

**Answer: (SHOW ANSWER)**

Correct Answer. C. Set up the projector in extended desktop mode Setting up the projector in extended desktop mode allows the user to use the laptop and projector as two separate displays, showing different content on each.

Option A is incorrect because Display Mirroring would show the same content on both screens, which is not suitable for this scenario Option B is incorrect because making the projector the primary display does not independently affect content shown on each screen Option D is incorrect because brightness settings affect visibility but not how content is displayed across multiple screens

**100-140-KR** <https://www.dumpstopy.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 77**

Which macOS tool is essential for analyzing RAM usage, including information on memory pressure, used memory, and available memory?

RAM usage, including information on memory pressure, used memory, and available memory. This can help determine if insufficient RAM is causing the performance issues when multiple applications are running.

- A. Activity Monitor
- B. CPU
- C. Disk Utility
- D. Network Utility

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Memory The Memory tab in the Activity Monitor is essential for analyzing RAM usage, including information on memory pressure, used memory, and available memory. This can help determine if insufficient RAM is causing the performance issues when multiple applications are running.

Option B is incorrect because the CPU tab, while important, does not provide information about memory usage which is critical for assessing performance issues related to multitasking.

Option C is incorrect because the Disk tab monitors disk activity, which may affect performance but is not the primary concern for issues related to RAM limitations.

Option D is incorrect because the Network tab focuses on network activity and will not provide information relevant to memory usage and application performance due to RAM constraints.

**NEW QUESTION: 78**

Which tool is used to monitor the device's CPU and memory usage during calls to help determine if the device is being overloaded, which is a common cause of performance issues if the device is already under strain?

- A. Activity Monitor
- B. Monitor the device's CPU and memory usage during calls
- C. Webex Desk Pro
- D. Webex Desk Pro

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Monitor the device's CPU and memory usage during calls Intermittent freezing can be caused by system resource limitations. Monitoring CPU and memory usage can help determine if the device is being overloaded, which is a common cause of performance issues if the device is already under strain.

Option C is incorrect. Replacing the unit is premature without first diagnosing the cause of the

freezing.

Option D is incorrect. Room lighting affects visibility but not the performance of teleconferencing hardware.

**NEW QUESTION: 79**

Which Windows Task Manager tab displays the network usage of each running application and background processes but also shows the network usage of each process. This allows users to easily identify which applications are currently using network resources and may be contributing to connectivity issues?

- A. Performance
- B. Networking
- C. Processes
- D. Users

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Processes The Processes tab in Task Manager not only displays a list of running applications and background processes but also shows the network usage of each process. This allows users to easily identify which applications are currently using network resources and may be contributing to connectivity issues.

Option A is incorrect because the Performance tab provides an overall view of system performance including network statistics, but it does not break down usage by application.

Option B is incorrect because there is no "Networking" tab in Windows Task Manager; network data is found under other tabs.

Option D is incorrect because the Users tab shows the users currently logged on to the system and the resources being used by their processes, but it is not specific to network activity by application.

**NEW QUESTION: 80**

Which method of contacting a bank directly via a verified phone number ensures that the employee does not fall prey to phishing by verifying the authenticity of the communication through secure means?

- A. Replying directly to the email
- B. Ignoring the email
- C. Forwarding the email
- D. Calling the bank

**Answer: C (LEAVE A REPLY)**

Contacting the bank directly via a verified phone number ensures that the employee does not fall prey to phishing by verifying the authenticity of the communication through secure means.

Option A is incorrect because replying directly to the email could lead to personal information being sent to phishers.

Option B is incorrect because while banks typically do not ask for sensitive information via email, ignoring the email does not confirm whether there is a genuine issue with the account.

Option D is incorrect because forwarding the email does not address the verification of the request and could potentially expose more people to the phishing attempt.

**NEW QUESTION: 81**

Which of the following is the primary function of Mobile Device Management (MDM)?

- A. Monitor personal activities on mobile devices.
- B. Encrypt data communication on mobile devices.
- C. Manage and secure corporate data on mobile devices.
- D. Increase the hardware capabilities of mobile devices.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. To manage and secure corporate data on employees' mobile devices MDM solutions are primarily used in corporate environments to ensure that all mobile devices are configured, managed, and secured in accordance with corporate policies, particularly concerning the access and storage of corporate data.

Option A is incorrect because MDM is not intended to monitor personal activities but to manage and secure devices.

Option B is incorrect as encryption of data communication is generally a feature within MDM but not its primary function.

Option D is incorrect because MDM does not affect the hardware capabilities or processing power of mobile devices.

**NEW QUESTION: 82**

Which of the following is a common indicator of a phishing email?

- A. Formal greeting.
- B. High-quality branding.
- C. Poor grammar and spelling errors.
- D. Standard discount offers.

**Answer: (SHOW ANSWER)**

Correct Answer. C. Poor grammar and spelling errors Phishing emails often contain poor grammar and spelling errors because they may be hastily put together by attackers who do not speak the language fluently or who overlook details in their rush to send out mass emails.

Option A is incorrect because a formal greeting can be a normal part of legitimate emails.

Option B is incorrect because high-quality branding can also be replicated by sophisticated phishers to appear legitimate.

Option D is incorrect because while offers can be used in phishing, a standard discount by itself is not a typical phishing indicator without other suspicious elements.

**NEW QUESTION: 83**

Which of the following is a common method for connecting a USB-A device to a laptop with a USB-C port?

- A. USB-A to USB-C adapter.
- B. USB-A to USB-A adapter.

C. Replace Bluetooth devices with

D. Use an Ethernet adapter to connect keyboard and mouse.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Use a USB-A hub to expand the number of available USB-A ports A USB-A hub is the most practical solution for connecting multiple devices to a single USB-A port. It allows multiple USB-A devices to be connected simultaneously, providing an efficient and cost-effective way to expand the connectivity without needing wireless technology or different adapters.

Option A is incorrect because a USB-A to USB-C adapter changes the port type but does not expand the number of devices that can be connected.

Option C is incorrect because replacing the keyboard and mouse with Bluetooth models involves additional cost and does not use the existing USB-A port.

Option D is incorrect because using an Ethernet adapter for connecting a keyboard and mouse is not feasible as these devices do not have Ethernet compatibility.

### NEW QUESTION: 84

macOS MacBook storage information.

Which of the following provides a visual and detailed summary of storage usage, categorized by file types across the drive, making it easy for users to understand their disk space status at a glance?

A. Spotlight search for "Storage" information.

B. Apple menu > "About This Mac" > "Storage" tab.

C. System Preferences > Network > Advanced deals with network settings and not storage.

D. Terminal df -h command.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Open the Apple menu and select "About This Mac," then go to the "Storage" tab The "Storage" tab under "About This Mac" provides a visual and detailed summary of storage usage, categorized by file types across the drive, making it easy for users to understand their disk space status at a glance.

Option A is incorrect because using Spotlight to search for "Storage" might not direct the user to the specific system information needed.

Option C is incorrect because System Preferences > Network > Advanced deals with network settings and not storage.

Option D is incorrect because while df -h in Terminal does show disk space, it might be less user-friendly for those unfamiliar with command-line interfaces.

### NEW QUESTION: 85

Which of the following commands displays the disk space usage for the root directory?

A. `df -h /`

B. `df -h`

C. `df -h /`, which shows disk space usage for the root directory.

D. `df -h /`, which shows disk space usage for the root directory.

D. `df -h /`

**Answer: C (LEAVE A REPLY)**

Asking when the problem began and what changes were made prior to the issue starting provides crucial context that can help identify the cause of the crashes. This question aims to gather a timeline and understand any recent modifications that could be impacting the application's stability.

Option A is incorrect because while the time of the crash might be useful for spotting patterns, it does not provide comprehensive information about the cause.

Option B is incorrect because suggesting a different application does not address or gather details about the current issue.

Option D is incorrect because offering to reinstall the application does not collect any information needed to diagnose the reason for the crashes.

**NEW QUESTION: 86**

□□□ □□□ □□□□ □□□ □, □□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□ □□ □□□□ □ □□□ □□□□□?

- A. □□□□ □□□ □ □□□ □□
- B. □□□ □□□□□ □□□
- C. □□ □□(VR) □□ □□ □□□ □□□
- D. □□□ □□ □ □□□□ □□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Compatibility with legacy systemsExplanation:

Compatibility with legacy systems ensures that the new ticketing system can seamlessly integrate with existing IT infrastructure, which is critical for maintaining continuity of operations and data integrity. This facilitates a smoother transition and reduces the risk of disruptions in service delivery.

Option A is incorrect because high-resolution media support is not typically crucial for ticketing system functionality.

Option C is incorrect as VR tools are not a standard requirement for ticketing systems and offer limited added value to basic ticket handling.

Option D is incorrect because playing background music is unrelated to operational efficiency or support capability.

**NEW QUESTION: 87**

□□□ □□□□ □□□□ □□□□ macOS □□□□ □□ □□ □□□ □□ □□ □□□□□□ □□□□.

□□□□□ □□□ □□ □□□ □□□□ □□□□ □□ □□ □□ □□ □□□ □□□□□?

- A. □□□ □□ □□□ □□□□ □□□□ □□□ □□□□.
- B. □□□ □□□ □□□
- C. True Tone □□□
- D. □□□□□ □□ □□

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Decrease the brightness using the control in System Preferences Decreasing

the screen brightness via System Preferences allows for a quick and effective adjustment tailored to personal comfort and environment needs.

Option B is incorrect because High Contrast mode is designed to enhance readability rather than adjust brightness Option C is incorrect as True Tone automatically adjusts white balance but may not sufficiently reduce brightness for user comfort Option D is incorrect because while calibrating display colors can affect visuals, it's not targeted at reducing brightness for eye comfort

**NEW QUESTION: 88**

IT professionals are planning to install a new network of 10Gb Ethernet switches. The switches will be connected to a central server rack. What type of Ethernet cable should be used to connect the switches to the server rack?

IT professionals are planning to install a new network of RJ-45 Ethernet switches. The switches will be connected to a central server rack. What type of Ethernet cable should be used to connect the switches to the server rack?

- A. Category 5
- B. Category 5e
- C. Category 6
- D. Category 3

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Category 6 Category 6 cables are designed to handle speeds up to 10 Gbps in network environments and are suitable for modern networks that demand high data transfer rates. These cables also offer improvements in shielding compared to lower categories, which reduces crosstalk and improves overall network stability.

Option A is incorrect because Category 5 cables support up to 100 Mbps, which is insufficient for 10 Gbps speeds.

Option B is incorrect because Category 5e cables support up to 1 Gbps, which is also inadequate for 10 Gbps requirements.

Option D is incorrect because Category 3 cables are outdated and only used for telephone wiring and data rates up to 10 Mbps.

**NEW QUESTION: 89**

A network administrator is planning to update the firmware on all affected switches. The administrator wants to ensure that the update process is completed with minimal disruption to network services. What is the best practice for updating the firmware on all affected switches?

A network administrator is planning to update the firmware on all affected switches. The administrator wants to ensure that the update process is completed with minimal disruption to network services. What is the best practice for updating the firmware on all affected switches?

- A. Replace all switches with new ones.
- B. Plan a schedule to update firmware on all affected switches.
- C. Update the firmware on all switches at once.
- D. Update the firmware on all switches during off-peak hours.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Plan a schedule to update firmware on all affected switches The appropriate response is to devise a plan for updating the firmware on all affected switches. This plan should include a schedule that minimizes disruption to network services while ensuring that all devices are updated to enhance stability and performance.

Option A is incorrect because replacing all switches is costly and may not be necessary if a

firmware update can resolve the issue.

Option C is incorrect because shutting down all network operations is excessively disruptive and should be a last resort.

Option D is incorrect as ignoring the identified problem does not resolve the intermittent outages and can lead to further issues.

**NEW QUESTION: 90**

Which of the following is the best practice for remote access to a system?

- A. Record the session without user consent.
- B. Utilize robust authentication methods before establishing a remote connection.
- C. Allow multiple technicians to join the session.
- D. Use the user's credentials to access the system.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Utilize robust authentication methods before establishing a remote connection. Strong authentication methods help prevent unauthorized access, ensuring that only the technician who is authorized to resolve the issue can access the system.

Option A is incorrect because recording the session without user consent may violate privacy policies.

Option C is incorrect because having multiple technicians join could complicate the session and potentially lead to security lapses.

Option D is incorrect as using the user's credentials can breach trust and contravene standard security protocols.

**NEW QUESTION: 91**

Which command is used to display IPv6 addresses associated with all network interfaces in Linux?

- A. `sudo dhclient -6`
- B. `hostname -I`
- C. `ip -6 addr`
- D. `netstat -rn`

**Answer: C (LEAVE A REPLY)**

`ip -6 addr` The `ip -6 addr` command is specifically designed to display IPv6 addresses associated with all network interfaces. It provides a clear and concise listing, making it ideal for users needing to verify or configure network settings related to IPv6.

Option A is incorrect because `sudo dhclient -6` is used to obtain or renew an IPv6 address from a DHCP server, not to display existing configurations.

Option B is incorrect because `hostname -I` shows all network addresses (both IPv4 and IPv6) without distinguishing between them, which can be confusing.

Option D is incorrect because `netstat -rn` displays routing tables, which focus more on routes than on displaying specific interface addresses.



confirms that your contact information is active.

**NEW QUESTION: 94**

□□□□ □□ □□□ □□□ □, □□□□ □□ □□ □□ □□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□?

- A. □□ □□ □□□□ □□ □□□□ □□□ □□□ □□□□□ □□□□□.
- B. □□□ □□□ □ □□ □□□□ □□□ □□□□ □□□□ □□ □□□ □□□□□.
- C. □□ □□□ □□□□□ □□□□ □□ □□ □□□ □□□ □□□□□ □□□□□□.
- D. □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Synthesize information from various credible articles to form a comprehensive response plan Combining insights from multiple credible sources can provide a more robust and effective solution, especially in complex scenarios like security breaches.

Option A is incorrect because the ease of implementation does not guarantee effectiveness, especially in security matters.

Option C is incorrect because length and detail do not necessarily equate to quality or relevance.

Option D is incorrect because recent articles may not always provide the best advice if not evaluated within a broader context of existing knowledge.

**NEW QUESTION: 95**

□□□ □□□ □□ □□□□ □□□□ □□□□ □□□ □□□□□.

□□□ □□□ □ □ □□ □□□ □□□□?

- A. □□□ □□□□ □□□□□ □□□ □□□ □□□□ □□□□□□□.
- B. □□ □□□□□ □□ □□□□□
- C. □□□□ □□□□□ □□□□ IT □□□□ □□□ □□□□□.
- D. □□ □□□ □□□□□ □□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Disconnecting the computer helps prevent any potential malware from communicating with its controller or spreading to other systems, and reporting to IT security allows for a proper response to the incident.

Option A is incorrect because continuing to work without taking action could allow potential malware or a breach to worsen.

Option B is incorrect because changing passwords immediately without first securing the system might not prevent further damage if malware has been installed.

Option D is incorrect because simply deleting the email does not mitigate the risk if the link has already been clicked.

**NEW QUESTION: 96**

□□□□ □□ □□ □□□□ DNS □□□ □□□□ □□ □□□ □ □□□□ □□□ □□□□□ □□□ □□□□□□.

□ □□□ □□□□ □□ □□□□ □□□ □ □ □□ □□□ □□□□□?



Fingerprint is a unique biometric identifier and qualifies as PII.

Email Address directly identifies or contacts an individual.

Date of Birth is a personal datum that, when combined with other data, identifies someone.

**NEW QUESTION: 99**

Which category of UTP cable is recommended for environments requiring up to 1 Gbps speed while also providing enhanced protection against crosstalk and electromagnetic interference compared to earlier categories. This makes it suitable for modern office environments that may have moderate EMI from various electronic devices.

IT department is planning to upgrade its network infrastructure. Which category of UTP cable is recommended for environments requiring up to 1 Gbps speed while also providing enhanced protection against crosstalk and electromagnetic interference compared to earlier categories. This makes it suitable for modern office environments that may have moderate EMI from various electronic devices?

- A. Category 3
- B. Category 5
- C. Category 5e
- D. Category 6

**Answer: (SHOW ANSWER)**

Correct Answer. D. Category 6 Category 6 UTP cable is recommended for environments requiring up to 1 Gbps speed while also providing enhanced protection against crosstalk and electromagnetic interference compared to earlier categories. This makes it suitable for modern office environments that may have moderate EMI from various electronic devices.

Option A is incorrect because Category 3 cables are outdated and only support speeds up to 10 Mbps.

Option B is incorrect because Category 5 cables are also outdated and were originally rated for up to 100 Mbps, not suitable for 1 Gbps networks.

Option C is incorrect because while Category 5e can support 1 Gbps, Category 6 offers better performance in terms of EMI protection and crosstalk.

**NEW QUESTION: 100**

Which of the following is a red flag indicating potential breaches of confidentiality guidelines?

- A. Regularly updating access controls
- B. Documentation of data access by unauthorized personnel
- C. Implementing multi-factor authentication
- D. Conducting frequent encryption audits

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Documentation of data access by unauthorized personnel Any instance of unauthorized data access is a significant compliance issue and a red flag indicating potential breaches of confidentiality guidelines.

Option A is incorrect because regularly updating access controls is a best practice, not a red flag.

Option C is incorrect because implementing multi-factor authentication enhances security.

Option D is incorrect as conducting frequent encryption audits is a proactive security measure.

**NEW QUESTION: 101**

Which of the following is a feature of Entra ID Conditional Access policies? (MFA) is a feature of Entra Identity Governance?

- A. Conditional Access policies
- B. Account expiration settings
- C. Data encryption protocols
- D. Firewall settings

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Conditional Access policies Entra Identity Governance allows administrators to set Conditional Access policies that can enforce security protocols such as multi-factor authentication. This is especially important for sensitive data and can be tailored based on user roles, location, device state, and other conditions.

Option B is incorrect because account expiration settings manage the lifecycle of user accounts but do not directly control authentication methods like MFA.

Option C is incorrect because data encryption protocols secure data at rest and in transit but do not dictate access controls or authentication methods.

Option D is incorrect because while firewall settings are crucial for network security, they do not govern user access and authentication within Entra ID.

**NEW QUESTION: 102**

Which of the following is the best way to identify applications that are consuming a high amount of CPU resources on a macOS system? IT professionals can use the Activity Monitor to check for applications that are consuming a high amount of CPU resources. The CPU tab in the Activity Monitor displays all active processes and the percentage of CPU that each process is using, which helps identify applications that might be causing system slowdowns.

- A. Memory tab
- B. CPU
- C. Energy tab
- D. Disk tab

**Answer: (SHOW ANSWER)**

Correct Answer. B. CPU The CPU tab in the Activity Monitor is the correct place to check for applications that are consuming a high amount of CPU resources. This tab displays all active processes and the percentage of CPU that each process is using, which helps identify applications that might be causing system slowdowns.

Option A is incorrect because the Memory tab focuses on RAM usage, which, while useful, is not directly related to CPU utilization.

Option C is incorrect because the Energy tab primarily shows the energy use of applications, which is helpful for identifying battery drain issues, not CPU performance issues.

Option D is incorrect because the Disk tab monitors disk activity, which does not directly indicate CPU usage.

**NEW QUESTION: 103**

□□□ □□□□ □□□ □□□□ □□□□ □□□ □ □□□ □□□□□□. □□ □□□□ □□ □□□□.

□□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□?

- A. □□□□ □□□□ □□□□□□
- B. □□□ □□□□ IP □□□ □□□□□
- C. □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□□.
- D. □□□ □□□□ □□□ □□□□□ □□□□ □□□□□

**Answer: D (LEAVE A REPLY)**

Correct Answer. D. Check if the printer driver on Lucas's computer is up to date The first step should be to verify that Lucas's printer driver is current, as an outdated or corrupt driver can prevent a single computer from connecting to an otherwise functional network printer.

Option A is incorrect because rebooting the computer may not resolve a specific connectivity issue related to the printer.

Option B is incorrect as incorrect IP configuration would likely affect more than just printer connectivity, such as general network access issues.

Option C is incorrect because a faulty network cable would generally affect all network access, not just to the printer.

**NEW QUESTION: 104**

IT □□ □□□□ Windows 10 □□□□ □□ □□□□□ □□□□ □□□□ □□□□. □□□□ □□ □□□□ □□□□□ □□□ □□□ □ □□□ □□□□□. □ □□□ □□□□ □□ □□□ □ □□□□□ □□□ □□□ □□ □□□ □□□□□ □□□□ □□□?

- A. □□□□□□ □□
- B. □□□ □□
- C. □□ □□
- D. □□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. System Logs System Logs in Event Viewer are essential for troubleshooting hardware and system errors, including driver failures. This log records events related to the operation of drivers, operating system components, and hardware devices, making it the right place to check for errors following a driver update.

Option A is incorrect because Application Logs mainly record events related to software applications rather than system-level hardware or driver issues.

Option C is incorrect because Security Logs track access and security-related events, which are unrelated to driver stability or system crashes.

Option D is incorrect because Setup Logs primarily capture events related to the installation of software and updates and not the operational errors potentially causing system crashes.

**NEW QUESTION: 105**

TeamViewer□□ □□ □□□ □□□□ □□ □□□□ □□□ □□ □□□ □□□ □□□□, □□ □□□ □□□□ □ □□□ □□□□□?

- A. Ensure both the technician and the user are using the latest version of TeamViewer
- B. Share the password for the user's TeamViewer account over the phone
- C. Allow the technician full control by default
- D. Use the same session ID for every session

**Answer: (SHOW ANSWER)**

Correct Answer. A. Ensure both the technician and the user are using the latest version of TeamViewer Ensuring that both parties are using the latest version of TeamViewer is essential for maintaining security, as updates often include patches for vulnerabilities that could be exploited during a remote session.

Option B is incorrect as sharing passwords over the phone can be insecure and violates basic security protocols.

Option C is incorrect because allowing full control by default can expose critical systems and data to unnecessary risks.

Option D is incorrect because using the same session ID repeatedly can compromise security, especially if the ID becomes known to unauthorized parties.

**NEW QUESTION: 106**

You receive an email from an unknown sender with a link to a website. The email contains a warning about a security issue. What should you do?

- A. Click the link to see if the website is legitimate
- B. Forward the email to your IT security team
- C. Report the email to the organization's IT security team
- D. Reply to the email asking for more information

**Answer: (SHOW ANSWER)**

Correct Answer. C. Report the email to the organization's IT security team Reporting the email to the IT security team is crucial for proper analysis and to prevent further spread or damage. The IT team can also take necessary actions to enhance filters or security measures.

Option A is incorrect as clicking links can validate an email address to attackers or potentially download malware.

Option B is incorrect because forwarding the email could spread potentially harmful links or information.

Option D is incorrect as replying could alert attackers that the email address is active, inviting more phishing attempts.

**100-140-KR** Cisco 100-140-KR Dumps Top 100-140-KR! DumpTop 100-140-KR Dumps, DumpTop 100-140-KR Dumps, DumpTop 100-140-KR Dumps, DumpTop 100-140-KR Dumps. <https://www.dumptop.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 107**

□□□□ □□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□. □□□ □□□□ □□ □□ □□□ □□ □□ □□□□□?

- A. □□□ □□□□ □□□□ □□□ □□□□□ □□ □□□□ □□□ □□□□□.
- B. □□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□.
- C. □□□ □□□ □□□ □□ □□□ □□ □□□ □□□□□.
- D. □□□ □□□ □□□□ □□□ □□ □□□ □□□ □□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Use appropriate signage to indicate maintenance is in progress and secure loose cables before beginning work. Using signage to indicate that maintenance work is being carried out helps prevent others from entering and possibly interfering with the equipment or tripping over unsecured cables. Securing cables also minimizes the risk of tripping, which is crucial in a cluttered environment.

Option A is incorrect because moving quickly can increase the risk of tripping or damaging equipment.

Option C is incorrect as additional lighting, while helpful, does not prevent tripping hazards or physical injuries from unsecured cables.

Option D is incorrect because keeping tools in a belt, although useful for organization, does not address the main safety concerns in a cluttered server room.

**NEW QUESTION: 108**

□□□□□ □□□□ 100GB□ □□ □□□ □□□ □□□ □□□ □□ □□□ □□□□□ □□ □□. □□ □□□□□□ □□ □□□ □□□ □□□ 85GB□ □□□□□. □□□ □□□ □□□ □ □□□ □□ □□ □□□ □□□ □□□□□?

- A. □□ □□□□□ □□ □□□□□ □□□□□.
- B. □□□ □□ □□□□□ □ □□ □□□ □□□ □□□□□□□□.
- C. □□□ □□ □□□ □□□□ □□ □□□ □□□□□.
- D. □□ □□ □□□□□ □□□□ □□ □□□ □□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Upgrade the physical hard drive to a higher capacity model. Upgrading to a higher capacity hard drive is the most straightforward and reliable solution to ensure that there is enough disk space for the new development environment, avoiding the risk of running out of space during critical tasks.

Option A is incorrect because archiving can take time and may not free up enough space quickly.

Option C is incorrect because while removing temporary files can free up some space, it is unlikely to recover 15 GB needed to meet the installation requirement.

Option D is incorrect because partitioning does not increase the total amount of available disk space; it merely allocates it differently.

**NEW QUESTION: 109**

□□ □□□ □□□ □□ IT □□□ □□□□ □□ □□ □□□ □□□ □, □□ □□□ □□□□ □□□□□ □□□ □□ □ □□ □□□ □□□□□ □□□?

- A. □□ IT □□□ □□□□ □□□ □□□ □□□□□.
- B. □□ □□□ □□ □□ □ □□ □□ □□□□□ □□□□□.
- C. □□□ □□□□□□ □□□□ □□ □□□ □□□□ □□□□□□□.
- D. □□□□ □□□□ □□ □□ □□ □□ □□ □□ □□ □□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Confirm that the changes align with company policies and security requirements Ensuring that all changes are compliant with company policies and security standards is crucial in the problem-solving process. This step prevents potential legal and security risks while ensuring that the changes made are suitable within the operational framework of the organization.

Option A is incorrect because adjusting firewall settings should be issue-specific and not a generalized first step.

Option C is incorrect as random testing is inefficient and can introduce new problems rather than solving the existing one.

Option D is incorrect because changes should ideally be implemented during off-peak hours to minimize disruption to business operations.

**NEW QUESTION: 110**

□□ □□ □□ □□□ □□□ □□□ □□ □□□ SLA □□□ □□□ □□□□ □□□ □□□ □□ □□□□□.

□ □□□ □□□□ SLA □□□ □□□ □□ IT □□□□ □□ □□□ □□ □□ □□□ □□□?

- A. □□□ □□□ □□ □□□ □□□ □□□□□.
- B. □□□□□□□ □□ □□□ □□ □□□□ □□□□ □□□□□.
- C. IT □□ □□□ □□ □□ □□ □□ □□
- D. □□□□ □□□ □□□ □ □□□ □□ □□□□□ □□□□□□.

**Answer: (SHOW ANSWER)**

Reviewing and adjusting resource allocation ensures that sufficient resources are directed toward resolving critical issues swiftly, thereby meeting or exceeding SLA commitments.

Option B is incorrect because requesting clients to lower their expectations is counterproductive and does not solve the underlying service delivery issues.

Option C is incorrect as increasing performance review frequency may help monitor staff performance but doesn't directly address resource allocation challenges.

Option D is incorrect because while simplifying the ticket submission process can improve user experience, it does not address the actual issue of meeting resolution times as per the SLA.

**NEW QUESTION: 111**

□□ □□□□ □□□□ □□□□□□ □□□□ □□□□□ □□□ □□ AWS □□□□ □□□□ □□□□?

- A. □□□ EC2
- B. □□□ S3
- C. □□□ RDS



and can lead to mistakes.

Option C is incorrect because using lubricant on screws is not a standard safety procedure and could damage the hardware.

Option D is incorrect as wearing gloves might hinder the ability to handle small components and does not protect against electrical hazards.

**NEW QUESTION: 114**

□□□ □□□ □□ □□ □□ □□□ □□□ □□□ □□□ □□□ □, □□□ □□□ □□ □ □□□□ □□□ □ □□□ □□□ □□□ □□□□ □□□?

- A. □ □□□ □□□ □□□□□ □□□ □□□ □□□□ □□□ □□ □□□□ □□ □□□ □□□ □□□□□.
- B. □□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□□□.
- C. □□□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□ □□ □□□□□□□.
- D. □□ □□□ □□□□ □□ □□ □□□ □□ □□ □□ □□□□ □ □□ □□□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. A. Create a step-by-step guide of the configuration process used, including the rationale behind each step and the impact on the network This method provides a clear, detailed roadmap of actions taken, making it easier for future technicians to understand both the how and the why of the process, which is critical for applying these steps to similar problems.

Option B is incorrect. While conciseness is valuable, overly brief documentation may not provide enough detail to replicate the process effectively.

Option C is incorrect. Documenting only final settings misses crucial troubleshooting steps that led to the resolution, limiting the educational value of the document.

Option D is incorrect. Ignoring the roles of secondary devices can lead to incomplete understanding and replication of the solution.

**NEW QUESTION: 115**

□□□□ □□□□ □□□□□ □□□ □□□ □□□□ □□ □□ □□ □□□ □ □□□ □□□ □□?

- A. □□ □□□ □□ □□□ □□□ □□□□□.
- B. □□□□ □□□□□ □□□□□
- C. □□□□ □□ □□□□□□ □□ □□□□ □□□□□.
- D. □□□□ □□ □□ □ □□□□□□ □□

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Ensure the antivirus software is updated Before running a malware scan, it is crucial to update the antivirus software to ensure that the scan can identify and mitigate the latest threats effectively.

Option A is incorrect because opening files could potentially activate malicious software.

Option B is incorrect as disconnecting from the internet should not be necessary before updating and running a malware scan.

Option D is incorrect as deleting files without proper analysis may result in the loss of important

data and does not guarantee the removal of malware.

**NEW QUESTION: 116**

macOS Bluetooth settings are located in the System Settings app. Which section of the System Settings app contains the Bluetooth settings? IT technicians need to know this information to troubleshoot connectivity issues with other Bluetooth devices.

- A. Network
- B. Bluetooth
- C. General
- D. Accessibility

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Bluetooth The Bluetooth section in the System Settings is the correct place to find detailed information about the macOS device's Bluetooth capabilities, including the version. This information helps users troubleshoot connectivity issues by verifying compatibility with other Bluetooth devices.

Option A is incorrect because the Network section focuses on settings for Wi-Fi, Ethernet, and other network connections, not Bluetooth specifics.

Option C is incorrect because the General section mainly deals with overall appearance settings, language, and text options.

Option D is incorrect because the Accessibility section is designed to adjust settings that help users with disabilities and does not cover Bluetooth settings.

**NEW QUESTION: 117**

Which of the following is the correct order of steps to troubleshoot a network connectivity issue?

- A. Verify network configuration, check physical connections, test network connectivity, and update network drivers.
- B. Check physical connections, verify network configuration, test network connectivity, and update network drivers.
- C. Update network drivers, check physical connections, verify network configuration, and test network connectivity.
- D. Update network drivers, test network connectivity, check physical connections, and verify network configuration.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 118**

Which of the following is the most effective method for preventing Electrostatic Discharge (ESD) damage to sensitive components during installation? IT technicians should be aware of this method to ensure proper handling and installation of sensitive components.

- A. Using anti-static mats and wrist straps.
- B. Grounding both the technician and the work surface.
- C. Using anti-static bags and containers.
- D. Using anti-static clothing and shoes.

**Answer: B (LEAVE A REPLY)**

Proper grounding of both the technician and the work surface is essential to prevent ESD, which can damage sensitive components like graphics cards. This method provides the most comprehensive protection against static discharge during the handling and installation process.



than via a computer.

**NEW QUESTION: 121**

Which of the following is the most secure way to store payment card data?  
A. In a database on a server in a data center.  
B. In a database on a server in a cloud provider's data center.  
C. In a database on a server in a cloud provider's data center, encrypted.  
D. In a database on a server in a cloud provider's data center, encrypted and accessible only by authorized personnel.

Which of the following is the most secure way to store payment card data?

- A. In a database on a server in a data center.
- B. In a database on a server in a cloud provider's data center.
- C. In a database on a server in a cloud provider's data center, encrypted.
- D. In a database on a server in a cloud provider's data center, encrypted and accessible only by authorized personnel.

**Answer: D (LEAVE A REPLY)**

Payment card data and other sensitive personal information must be protected according to security policies and compliance requirements (e.g., PCI DSS). Storing the data in approved encrypted storage ensures it remains secure and accessible only by authorized personnel.

**100-140-KR** Cisco 100-140-KR DumpTop Cisco 100-140-KR!  
DumpTop Cisco **100-140-KR** Cisco 100-140-KR, DumpTop 100-140-KR  
Cisco 100-140-KR. <https://www.dumpstump.com/Cisco/100-140-KR-dump.html> (649 Q&As  
Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 122**

Which of the following is the most secure way to store payment card data?  
A. In a database on a server in a data center.  
B. In a database on a server in a cloud provider's data center.  
C. In a database on a server in a cloud provider's data center, encrypted.  
D. In a database on a server in a cloud provider's data center, encrypted and accessible only by authorized personnel.

Which of the following is the most secure way to store payment card data?

- A. S3
- B. Amazon EC2 Auto Scaling
- C. Amazon S3
- D. AWS IAM

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Amazon EC2 Auto Scaling Amazon EC2 Auto Scaling helps ensure that the application has the correct amount of compute capacity to handle the demand by automatically adjusting the number of Amazon EC2 instances available.

Option A is incorrect because Amazon S3 is primarily for storage and would not directly handle compute capacity needs for web applications.

Option C is incorrect as Amazon Glacier is used for long-term archival storage and is not suitable for hosting applications.

Option D is incorrect because AWS IAM (Identity and Access Management) manages access to AWS services and resources securely, not compute capacity.

**NEW QUESTION: 123**

□ □□□□ □□□ □□□□□ □□ □□ □□□□□ □□□□ □□□□ □□□□□□. □□□□ □□ □□ □□□□ □ □□ □□□□□?

- A. □□ □□□□ □□ □□□ □□□
- B. □□ □□□ □□□□ USB □□ □□□ □□□ □ □□□□.
- C. □□□□ USB □□□ □□ □□ □□ □□
- D. □□□ □□ □□□ □□□ □□ □□□□□ □□□ □□□

**Answer: (SHOW ANSWER)**

Correct Answer. B. The USB port functionality by connecting a different device Checking the USB port functionality with a different device is a quick and effective way to rule out port issues, which is a common problem for connectivity.

Option A is incorrect. File system compatibility issues would not prevent the drive from being recognized at a hardware level.

Option C is incorrect. While power settings can affect device connectivity, they usually do not cause a device to not be recognized entirely.

Option D is incorrect. The partition table could cause the drive to not appear correctly in the OS, but this is more complex and assumes the drive is recognized by the system at a basic level.

**NEW QUESTION: 124**

Linux □□□□ □□□□ □□□□□□□□ □□□□ □□□□□ □□□ IPv4 □□□ □□□□ □□ □.

IT □□ □□□□ □□ □□□ □□□□□ □□□□ □□□?

- A. ifconfig
- B. □□□ □□ -l
- C. iwconfig
- D. sudo lshw -C □□□□

**Answer: A (LEAVE A REPLY)**

The ifconfig command is used to configure, or view the configuration of, network interfaces, which includes displaying the IPv4 address associated with each network interface. It provides a clear and comprehensive overview of network settings.

Option B is incorrect because hostname -l displays all network addresses on the host, which can be confusing if multiple addresses are returned.

Option C is incorrect because iwconfig is used for configuring wireless network interfaces and does not typically display IPv4 addresses for wired connections.

Option D is incorrect because sudo lshw -C network lists detailed information about network hardware and does not focus on displaying network configurations like IPv4 addresses.

**NEW QUESTION: 125**

□□□ □□□□ □□ □□□□ □□ □□□ □□□ □□ □□□ □□ □□□□ □□ □□□ □□□□□ □□□□ □□□□ . □□□ □□□ □□□□ □□ □□□□ STP □□□ □ □□ □□□ □□□□ □□□?

- A. □□ □□
- B. □□□
- C. □□ □□
- D. □□□ □□

**Answer: C ([LEAVE A REPLY](#))**

Correct Answer. C. Shielding effectiveness For environments such as manufacturing facilities, where environmental interference from machinery can be significant, verifying the shielding effectiveness of STP cables is crucial. Effective shielding ensures that the cables can resist external electromagnetic fields, maintaining the quality and speed of data transmission.

Option A is incorrect because waterproof rating is primarily concerned with moisture protection, which does not directly relate to electromagnetic interference.

Option B is incorrect because fire resistance, while important for safety, does not influence the cable's performance in terms of EMI resistance.

Option D is incorrect because while the connector type is important for compatibility and network design, it does not influence the cable's ability to resist interference; the shielding itself is the key factor.

**NEW QUESTION: 126**

□□□□ Windows 10 □□□□□ □□ □□□ □□□ □□□□ □ □□□□□□□ □□□ □□□ □□□□ □□□.

IT □□ □□□□ □□□□□ □ □□□ □□□ □□□□ □□ □□ □□□ □□□□□ □□□□ □□□?

- A. □□ □□□ □□□ □□□ □□□□ □□□□ "□□□□"□ □□□□□.
- B. □□ □□□□□ "□ PC"□ □□ □□□□□ □□□□□.
- C. □□ □□□□□□□ chkdsk □□□ □□□□□□.
- D. □□□ > □□ □□ > □□□ □□□ □□□□□□.

**Answer: B ([LEAVE A REPLY](#))**

Correct Answer. B. Open "This PC" in File Explorer to view the drives Opening "This PC" in File Explorer provides a clear and immediate overview of all connected drives and their available space, making it the simplest method for users to quickly check disk capacity.

Option A is incorrect because right-clicking on the Start button and selecting "System" brings up system information, but it does not include details about disk space.

Option C is incorrect because the chkdsk command is used to check the disk for errors, not to display disk space availability.

Option D is incorrect because while Computer Management provides tools to manage disks, it's more complex and less direct than simply using File Explorer for viewing available space.

**NEW QUESTION: 127**

□ □□□ □□ □□□□□□ □□ □□□ □□ □□ □□□□ □ □□ □□□ □□ □□□ □□ □□ □□ □□□□□□.

□ □□□ □□□□ □□ □□□ □ □ □□ □□□ □□□□□□?

- A. □□ □□ □□□ □□□ □□□ □□□□□.
- B. □□ □□□□□□ □□ □□ □□□□□
- C. □□□□□□ □□□□ □□□ □□□□□
- D. □□□□ □□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Check their user permissions within the collaboration tool Often, interaction issues in collaboration platforms can be due to user permissions that restrict certain actions during a conference.

Option B is incorrect because reinstalling the software should only be considered if simpler fixes, like checking settings or permissions, do not resolve the issue Option C is incorrect because purchasing a premium version without understanding the permission settings may not resolve the issue Option D is incorrect because restarting the computer does not address specific permission settings within the collaboration software

**NEW QUESTION: 128**

□□□ □□ □□□ □□□□□ □□ □□ □□ □□ SMB □□□□□ □□□ □, □□□ □□□ □□□□ □□ □□ □□□ □□□□□ □□□?

- A. SMB □□□ □□□□□ □□ □□□□□ □□□□ □□ □□□
- B. SMB □□□□□ □□ □□ □□□ □□□ □□□□□ □□□□□.
- C. □□□□ SMB □□ □□ □□□
- D. □□□ □□□ □□ SMB □□□ □□ □□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Optimizing SMB caching settings can significantly improve performance for users by reducing the load times and improving the responsiveness of the shared drive, especially when dealing with collaborative documents that require frequent access.

Option A is incorrect because enabling offline files might reduce real-time collaboration effectiveness as users might end up working on local copies instead of the server version.

Option B is incorrect because while encryption is important for security, it does not necessarily improve performance and can sometimes reduce it.

Option D is incorrect because while necessary for security, restricting access does not inherently improve the performance of an SMB share.

**NEW QUESTION: 129**

□□ □□□ □□□□ □□□ □□□ IP □□□ □□□□□. □□□ □□□ □□□□ □□□□ □ □□.

□□□ □□□ □□□□ □□□ □□□ □□□□□?

- A. □□ □□□□□ □□□ DHCP□ □□□□□.
- B. □□□ □□□ □□□□ □□ □□□ □□□ □□□□□.
- C. □□□□ □□□ NAT□ □□□□□.
- D. □□ □□ IP□ □□ IP□ □□

**Answer: (SHOW ANSWER)**



- A. USB-C 2.0
- B. USB-C 3.1 1□□
- C. USB-C 3.1 Gen 2
- D. Thunderbolt 3□ □□ USB-C

**Answer: D (LEAVE A REPLY)**

Correct Answer. D. USB-C with Thunderbolt 3 USB-C cables with Thunderbolt 3 technology are the best choice for connecting to a monitor that supports video through USB-C, as they can carry the highest data speed and support up to two 4K displays or one 5K display. Thunderbolt 3 cables provide superior bandwidth, essential for high-quality video transmission and data speed. Option A is incorrect because USB-C 2.0 cables are primarily for charging and data transfer at lower speeds and do not support video output capabilities.

Option B is incorrect because USB-C 3.1 Gen 1 supports data transfer up to 5 Gbps and limited video output, but not at high performance required for modern displays.

Option C is incorrect because while USB-C 3.1 Gen 2 supports faster data transfer up to 10 Gbps and better video quality than Gen 1, it does not match the superior performance of Thunderbolt 3.

**NEW QUESTION: 133**

□□□ □□□□ □□ □□□ □□□□ □ □□□ □□□ □□□□ □, □□ □□□□□□ □□ □ □□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□?

- A. □□ □□ □ IT □□□ □□ □□□ □□□□
- B. □□□ □□□ □□□□
- C. □□□□ □□ □□ □□□ □□
- D. □□□ □□ □□, □□ □ □□ □□□

**Answer: D (LEAVE A REPLY)**

Including detailed diagnostic processes and results, along with the final solution, ensures that the documentation is comprehensive and provides a reference point for troubleshooting similar issues in the future. This thorough approach aids in understanding both the problem and the resolution pathway, which can be crucial for addressing future occurrences efficiently.

Option A is incorrect because while a timeline is useful for context, it does not provide enough technical detail for troubleshooting future issues.

Option B is incorrect because documenting only the solution omits the diagnostic insights that could be critical for dealing with similar problems in the future.

Option C is incorrect as customer satisfaction is important but does not contribute technical knowledge for future technical interactions.

**NEW QUESTION: 134**

□□□□ MacBook□□ AirDrop□ □□□□ □□□ □□□ □□□ iPhone□□ □□□□ □□□, iPhone□ □□ □□□ □□□ □□□□ □□□□.

□□□□ □□□□□ □□□ □□ □□□□□ □□□□ □□□?

- A. □ □□□ □□□ Wi-Fi □□□□□ □□□□ □□□ □□□□□.
- B. □ □□ □□ Bluetooth□ □□□□□ □□□ □□□□□.

- C. □ □□□ □□ □□□□□.
- D. □ □□□ □□ □□ □□□ □□□□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Verify that both devices have Bluetooth enabled AirDrop requires both Bluetooth and Wi-Fi to be enabled to work correctly, but Bluetooth is essential for initiating the connection. Ensuring Bluetooth is enabled on both devices is a critical first check.

Option A is incorrect because AirDrop does not require devices to be on the same Wi-Fi network, it only requires both devices to have Wi-Fi enabled Option C is incorrect as restarting devices is more of a general troubleshooting step and should not be the first action Option D is incorrect because while updates can resolve some connectivity issues, they are not necessary for AirDrop to function if it was previously working

**NEW QUESTION: 135**

□□□□ □□□ □□□ □□□□ □□□ □□□□ □□ IT □□□□ □□□ □□(ESD) □□□ □ □□□ □ □□ □□ □□□□ □□□ □□□□□□?

- A. □□□ □□□□ □□ □□□ □□□ □□ □□□ □□ □□□□ □□□□□.
- B. □□ □□□□□ □□□ □□ □□□ □□ □□ □□□□□.
- C. □□□ □□□□□ □□□□ □□□ □□□ □□□□.
- D. □□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Using a grounded wrist strap is a fundamental safety measure to prevent ESD by safely discharging any static electricity that might have built up on the person. This is critical when handling sensitive electronic components such as memory modules.

Option A is incorrect because working on a carpeted surface actually increases the risk of generating static electricity.

Option C is incorrect because keeping the laptop plugged in poses a risk of electrical shock and does not address ESD effectively.

Option D is incorrect because handling components by the connectors can damage the connectors and does not prevent ESD.

**NEW QUESTION: 136**

□□□□ □□□□□ SATA SSD□ NVMe M.2 SSD□ □□□□□□□ □ □□ □□□ □□ □□□ □□□□□?

- A. NVMe□ □□□□ M.2 □□□ □□□□□ □□□ □□
- B. □□ SATA □□□□□ NVMe □□□□□ □□
- C. M.2 SSD□ □□□□□ □□□ □□□□□ □□□□□.
- D. □□□□□ □□ □□ □ □□

**Answer: (SHOW ANSWER)**

Correct Answer. A. Checking if the motherboard has an available M.2 slot that supports NVMe NVMe M.2 SSDs require a specific M.2 slot that supports NVMe protocol for maximum performance. Not all motherboards have M.2 slots, and not all M.2 slots support NVMe, making



□□□ □□□ □□ □□ □□?

- A. □□□□ □□ □□□□□.
- B. □□□ □□ □□□□□ □□ □□□ □□□□□.
- C. IT □□□ □□□□ □□□ □□□ □□□□□□.
- D. □□ □□ □□□□ □□ □□□□□ □□□□□

**Answer: (SHOW ANSWER)**

Correct Answer. B. Check if another instance of the document is open Often, a document will display a locked message if it is already open in another instance, either by the same user on a different device or by another user in a shared environment.

Option A is incorrect as restarting the computer does not resolve issues related to file access if the file is open elsewhere.

Option C is incorrect because user permissions generally do not change without administrative action and would not cause a document to be locked if previously accessible.

Option D is incorrect as installing a different application is an unnecessary escalation for an issue that likely involves file access and not application capability.

**NEW QUESTION: 139**

□□ □ □□ □□□□ □□□□□ □□□ □□□□ □□ □□ □ □□□ □□□□□? (□ □□□ □□□□□.) □□: □□□ □□□ □□□ □□□□ □□□□ □□ □□□.

- A. □□□ 11 □□
- B. Windows 10 □□□□□□
- C. □□□ 11 □
- D. □□□ 10 □

**Answer: A,B (LEAVE A REPLY)**

Windows 11 Pro and Windows 10 Enterprise include the Remote Desktop Host feature and fully support incoming Remote Desktop client connections.

The Home editions (Windows 11 Home and Windows 10 Home) can initiate Remote Desktop sessions as clients but cannot act as a host to accept incoming connections.

**NEW QUESTION: 140**

□□ □□ □□□□ □□□□□ Windows 10 □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□ □□□□.

□□□□ □□□□ □ □□□ □□ □□□□□ □□□□ □□ □□ □ □□ □□□ □□□□ □□ □□?

- A. □□ □□□□ □□ "□□□□" □□□ □□□□□.
- B. □□ □□□□□ □□□□ wmic cpu get name, CurrentClockSpeed□ □□□□□.
- C. □□□ > □□□ □ □□ > □□□□□ □□□□□.
- D. □□ □□□□ □□ "□□" □□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. D. Open Task Manager and click on the "Performance" tab The "Performance" tab in Task Manager provides a comprehensive view of the processor's characteristics, including

its name, its base speed, and how it's currently being used, which makes it ideal for users to quickly find detailed information about their processor.

Option A is incorrect because the Device Manager will show the processor but typically does not display detailed information such as clock speed.

Option B is incorrect because while the wmic command can retrieve this information, it is less user-friendly for typical end users compared to using graphical user interfaces.

Option C is incorrect because the System panel in the Control Panel displays basic information about the system but does not detail the processor speed.

**NEW QUESTION: 141**

□□□□ □□ □□□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□?

A. □□ □□□ □□□□ □□ □□ □□□□ □□ □□□ □□ □□□□ □□□□□□.

B. □□ □□□□ □□□□ □□ □□ □□ □□ □□□□ □□□□ □□□□□.

C. □□□□ □□ □□□ □□□ □□□□ □□□ □□ □□□□ □□ □ □□ □□ □□□□ □□ □□□.

D. □□□□ □□□ □□ □□ □□□ □□ □□□□ □□ □□□□ □□□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Summarize the insights gained and cite specific forum threads or posts where relevant Summarizing key points and citing sources maintains the integrity of the information while ensuring that the documentation is useful and traceable for future reference.

Option A is incorrect because direct copying may violate copyright and lacks context or adaptation to specific organizational needs.

Option C is incorrect as less popular solutions might still provide valuable insights, especially for complex or unusual problems.

Option D is incorrect because dismissing conflicting information can prevent a full understanding of the issue and potential solutions.

**NEW QUESTION: 142**

□□□□□ □□ □□ □□ □□□ □□ □□□ □□ □□ □□□□□ □□□ □□□, □□□□ □ □□□ □□ □□□□ □□□□□□.

□□ □□□ □□ □ □□ □□□ □□□□□ □□□?

A. □□□ □□□□□□ □□□ □□□ □□□ □□□ □□□ □□ □□□□□.

B. □□□ □□ □□□ □□□□ □□□□□.

C. □□ □□ □□□ □□□ □□□ □□□□□□□

D. □□ □□□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Verify his membership in the email distribution group First, ensure Tom is added to the email distribution group associated with receiving company-wide updates. This is a common oversight with new hires.

Option A is incorrect because manually adding his email to individual outgoing emails is not scalable or reliable as a solution.

Option C is incorrect as creating a new email account does not resolve the issue of him not being in the distribution group.

Option D is incorrect because while checking the spam folder is a good practice, it does not address whether he's properly included in the group.

**NEW QUESTION: 143**

□□□ □□□□□ MacOS□ □□ □□ □□□ □□□□ □□ □□ □□□□□□□ □□ □□ □□□. □□□ □□□□□□□□ □□□ □□□ □ □□□□□. □ □□□ □□□□□ □□□ □□ □□ □□□ □□□ □□□?

- A. □□□□□□ □□□ □□□□.
- B. □□ □ □□ □□ □□ □□□□ □□ □□ □□□ □□ □□
- C. □□ □□□□ □□ □□
- D. MacOS□ □□ □□□ □□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Grant the application access to Photos in the Security & Privacy settings For third- party applications to interact with MacOS Photos, the user must grant explicit access through the Security & Privacy settings, ensuring the app can retrieve and save photos as needed.

Option A is incorrect because clearing the cache does not influence application permissions  
Option C is incorrect because defragmenting the hard drive does not affect application permissions or access to specific MacOS features  
Option D is incorrect as restarting in safe mode is used to troubleshoot software conflicts and does not facilitate permission changes

**NEW QUESTION: 144**

□□□□ □□□□ □□ □□□□□ □□□□ □□□, □□□□ □□ □□ □□□□ □□ □□□ □ □□ □□□□□□.

□ □□□ □□□□ □□ □□□□ □□□ □□ □□□?

- A. □□ □□ □□□□□ □□ □□□□□
- B. □□ □□□□□ □□□□ □□□ □□□□□□ □□□□□.
- C. □□□□ □□□□ □□□ □□□□□□□.
- D. □□□ □□ □□□□ □□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Check if the toner cartridge is compatible and properly seated Ensuring that the toner cartridge is compatible with the printer and properly installed is crucial for the printer to recognize the new cartridge and reset the toner level indicator.

Option A is incorrect. Reinstalling the old toner cartridge does not address the issue if it's already low on toner.

Option C is incorrect. Network settings do not impact toner detection and will not resolve a low toner message.

Option D is incorrect. The print job queue has no relation to the toner level warnings.

**NEW QUESTION: 145**

□□□□□ VPN □□□□ □□□□ □□□□ □□□ □□□ □, □□ □□ □□□ □□□□ □ □□□□ □□ □□ □□□ □□□□ □□□□ □□□□?

- A. □□□ □□□ □□□ □□□ □□□□□.
- B. □□□ □□ □□□ □ □□□ □□ □□□ □□□ □□□ □□□□□.
- C. □□ □□□ □□□□ □□ □□□ □□□ □□□□□□.
- D. □□□□ □□ □□□ □□□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Providing a detailed chronological list of all troubleshooting actions and their results ensures the documentation is comprehensive and clear. This method allows other technicians to understand the process fully, facilitates future troubleshooting, and ensures consistent service quality.

Option A is incorrect because documenting only the final step omits crucial context and learning opportunities from earlier steps.

Option C is incorrect as focusing only on unsuccessful steps does not provide a complete picture of what was effective.

Option D is incorrect because using shorthand can lead to misunderstandings or omissions in the troubleshooting process documentation.

**NEW QUESTION: 146**

□□□ □□□ □□□ □□ □□□ □□□ □□□ □□□□ □□□ □□□ □□□□ □□□ □ □ □ □□ □□ □ □□ □□□□□?

- A. □□□ □□□□ □□□□ □□□□□.
- B. □□ □□□ □□□□ □□ □□□□ □□ □□□□□.
- C. IT □□□□ □□□□ □□□□ □□□ □□□□.
- D. □□□□ □□□□ □□□□ □□□ □□□□ □□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Report the email to the IT security team for verification Reporting suspicious emails to the IT security team allows for proper investigation and ensures that any action taken is safe and informed, particularly when the content seems relevant but potentially risky.

Option A is incorrect because clicking on links in suspicious emails can lead to security breaches or malware infections Option B is incorrect because immediate deletion prevents further analysis and might remove potentially useful information without a thorough check Option D is incorrect because forwarding potentially harmful emails could increase the risk of spreading malware or phishing attempts

**NEW QUESTION: 147**

□□□ □□ □□□□ □□ □□□ □□ □□□ □□□□□ □□ macOS □□□ □□□□ □□□. □□□□ □□ □□□ □□ □□□□□ □□□□ □□□□?

- A. □□ □□ □□
- B. □□□ □□□ □□□□□
- C. □□□ □□ □□ □□

D. □□□□ □□□□

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Increase the cursor size For users with low vision, increasing the cursor size can significantly improve their ability to navigate the computer screen effectively, making it a primary adjustment to consider.

Option B is incorrect because sound settings do not impact visual accessibility Option C is incorrect as keyboard preferences generally affect typing experience, not screen visibility Option D is incorrect because updating the operating system does not directly address specific accessibility needs unless the updates include specific enhancements for accessibility

**NEW QUESTION: 148**

□ □□□□ □□□□□□ □□□□ □□ □ □□ □□□□ □□□□□ □□□□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□ □□□□□□.

- A. □□ □ □□ □□□□□ □□ □□
- B. □□□□□ □□□□ □□□□ □□□□ □□□□□
- C. □ □□ □□□□ □□ □□□□ □□□□.
- D. □□ □□□□ □□ □□□□ □□□□.

**Answer: (SHOW ANSWER)**

Proper alignment of monitors in the display settings ensures that the mouse and applications can move seamlessly between screens, which is crucial for an effective extended desktop setup.

Option A is incorrect. Swapping display roles changes functionality but does not affect the smoothness of cursor movement between screens.

Option C is incorrect. Screen resolution should be consistent for a smooth experience but changing it on one monitor does not address cursor movement issues directly.

Option D is incorrect. Refresh rates impact visual performance but won't affect the cursor's ability to move between screens.

**NEW QUESTION: 149**

IT □□ □□ □□ □□ □□□□ □□□□ □□□□ □□ macOS □□□□ □□□ □□□ □□ □ □□ □□□□.

- A. □□□ □□ □□ > □□□□ □□□□□.
- B. Apple □□ > □ Mac□ □□□ > □□□ □□□□ □□□□□.
- C. Spotlight□ □□ "□□□□ □□"□ □□□□□.
- D. □□□ □□ □□ > □□□□ > □□□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Check under System Preferences > Sharing The hostname of a macOS device can be found under System Preferences > Sharing. This area provides system identification settings, including the device's hostname, which can be easily accessed and modified if necessary.

Option B is incorrect because going to Apple Menu > About This Mac > System Report primarily provides detailed information about hardware and system software, not the hostname directly. Option C is incorrect because typing "hostname" in Spotlight searches for files, folders, and applications with that name rather than displaying the system's hostname. Option D is incorrect because navigating to System Preferences > Network > Advanced provides network settings and configurations but not the hostname directly.

**NEW QUESTION: 150**

□□□□ □□□ □□ □□ □□ □□□ □□□ □ □□□, □□□ □□□ □ □□□ □□□ □□□ □□□ □□.

□□□□ □□□ □ □ □□ □□□ □□□□□?

- A. □□□□ □□□ □□□□ □□ □□□□ □□□□□□.
- B. □□ □□ □□□□ □□□□□□□□ □□□□□.
- C. □□□ □□ □□□ □□□□□.
- D. □□□ □□□ □□□ □□□□□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Ensure the app is updated to the latest version Updating the app to the latest version can resolve issues related to connectivity and compatibility, especially if the error indicates problems reaching the server.

Option A is incorrect because while resetting the router can solve general connectivity issues, it does not specifically address problems with app functionality.

Option C is incorrect as changing login credentials is unlikely to affect server connectivity issues unless the account is specifically being blocked.

Option D is incorrect because disabling firewall settings is a security risk and generally does not solve specific app connectivity problems unless the firewall is known to block the app.

**NEW QUESTION: 151**

□□ □□□ □□ □□□□ □□□ □□□□□ □□ □□ □□ □□□ □□□ □□ □□□□ □□ □□□□ □□?

- A. □□□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□□□ □□□□□.
- B. □□ □□ □□□ □□ □□□□□ □□□□ □□ □□□□□ □□□ □□□□ □□□□□.
- C. □□□ □□ □□□ □□ □□ □□□ □□□ □□□□□.
- D. □□□□□ □□□ □□ □□□□ □□□□□ □□□□ □ □□□□ □□□□ □□□□ □□□ □□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Periodically review and revise articles to reflect current best practices and technological updates Maintaining an up-to-date and accurate knowledge base by regularly reviewing and updating articles ensures that the information remains relevant and effective for current technological environments.

Option A is incorrect because older articles can still provide valuable insights, especially for legacy systems or recurring issues.

Option C is incorrect because without curation, the knowledge base can become cluttered with outdated or redundant information, reducing its utility.  
Option D is incorrect as documenting software issues is equally important; the approach to documentation should adapt to the variability of software environments rather than ignoring them.

**100-140-KR** <https://www.dumpstopy.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 152**

- □ □□ □□□ □ □□ □□□ □□ □□□ □□□ □□□ iOS□ iPhone □ □□□□ □□ □□□□□.
- □□□ □□ □□?
- A. □□ □□□□□ iPhone□ □□□□□.
  - B. □□□□ □□□□ □□ □□□□ iOS□ □□□□□□□.
  - C. □□ □□ iOS□ □□□□ □□□□ □□□□□□□□□.
  - D. □ □□ □□ □□□ □□□□ □□ □□□□ □□ □□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Update the iOS to the latest version supported by their device Updating the iOS to the latest version that their device supports can enable compatibility with newer apps and improve overall security and functionality.

Option A is incorrect because jailbreaking can void warranties and lead to security vulnerabilities.  
Option C is incorrect because users typically cannot downgrade apps to earlier versions directly from the App Store.

Option D is incorrect because the issue described is related to software compatibility, not storage capacity.

**NEW QUESTION: 153**

- Windows □□□□□ □ APK □□□ Android □□□□ □□ □□□ □□□□□□□. □□□ □□□□ □□ □□□□ □ □□□ □□□□□.
- □ □□ □□ □□□ □□□□□ □□□□ □□□□ □□□.
- □□□ □□□□ □□□?
- □□□ □□□ □□□□□.



**Answer:**



Explanation:





**Answer: B (LEAVE A REPLY)**

Streaming files directly from Google Drive instead of syncing them fully to local storage allows users to access large files more quickly and reduces local storage requirements, which can improve performance for teams dealing with large datasets.

Option A is incorrect because offline access involves syncing files locally, which could use significant disk space and might not improve performance for large files.

Option C is incorrect because while increasing cache size may help with smaller files, it does not fundamentally address the performance issues associated with accessing large files frequently.

Option D is incorrect because restricting file syncing to off-hours does not help with real-time access needs during business operations.

**NEW QUESTION: 157**

□□ □□ □ □ □□□□ □□□ □□□ □□□ □□□□ □□ □□□□□□. □□□□ □□ □□ □□□□□ CPU □□□□ □□ □□□ □□□□□□.

□□□□ □□□□□ □ □□□ □□□□ □□□□□ □□□ □□□□ □□□?

- A. □□ □□□□ □□ □□ □□ □□ □□□□□ □□ □□□ □□□□.
- B. □□ □□□□ □□ CPU □□□□ □□ □□□□□□□□ □□□□ □□ □□□□□ □□□□ □.
- C. □□□□□ □□□□ □□ □□□□□□□□ □□□□□□.
- D. □□□□ RAM □□□□□□□□□□

**Answer: (SHOW ANSWER)**

Correct Answer. B. Open Task Manager, identify any high CPU usage applications, and end those processes Task Manager allows users to view and manage running applications and processes, including those consuming high CPU resources, which can be terminated to free up system resources.

Option A is incorrect because changing the priority might not sufficiently mitigate the issue if other applications are using excessive resources Option C is incorrect as deleting applications does not address the immediate cause of system lag during a call Option D is incorrect because while adding RAM can help overall performance, it does not address immediate CPU usage issues by specific applications

**NEW QUESTION: 158**

□ □□□□ □□□□□□□ □□□□ □□□□□□, USB □ □□□ □□□□ □□ □□□□□ □□□ □□ □□□□ □□□□□□.

□ □□□ □□□□□ □□ □□ □ □□ □□ □□□ □□ □□□ □□□□□?

- A. □□□□ USB □□□□ □□□□□
- B. □□□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □□□ □□□ □□□□□.
- C. □□□□ BIOS □□□□
- D. □□ □□□ □□□□ □□□□□□□ □□□□□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Check the sound settings to ensure the headphones are set as the default

audio device Often, the issue is that the headphones are not set as the default playback device in the sound settings, preventing them from playing audio even though they are recognized by the system.

Option A is incorrect. If the headphones are recognized by the computer, the USB cable is likely functioning properly.

Option C is incorrect. BIOS updates are generally not related to specific peripheral issues like headphone functionality.

Option D is incorrect. The media player software would not affect the recognition or settings of headphones at the system level.

**NEW QUESTION: 159**

□□□□ □□□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□ □□□□□. IT □□ □□□□ □□□□□ RJ-45 □□□□ □□ □□□ □□□ □□ □□□□□ □□□□ □□ □?

- A. □□□□ □□
- B. □□□□ □□
- C. RJ-45 □□□□ □□ □□
- D. □□□ □□□ □□□

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. The security of the clip on the RJ-45 connector The clip on an RJ-45 connector plays a crucial role in ensuring a secure connection within the network port. If the clip is broken or loose, it can lead to intermittent disconnections and network issues. Checking the clip is a simple yet effective way to troubleshoot suspected connectivity problems caused by physical disconnections.

Option A is incorrect because while the length of the cable can affect signal quality, it does not typically cause intermittent issues unless the cable is excessively long, surpassing standard Ethernet limits.

Option B is incorrect because the color of the cable is usually for organizational purposes and does not affect the functionality.

Option D is incorrect because the transparency of the cable sheath has no bearing on the functionality of the cable and is more about aesthetic or design preferences.

**NEW QUESTION: 160**

□□□□ □□□ □□□□□ □□ □□□ □□□ □ □□ □□ □□ □□□ □□ □□□□□ □□ □□ □□□ □□□□□?

- A. □□□ □□□□ □□□□ □□ 5□ □□ □ □□□□ □□□□□.
- B. □□□ □□□□ □□□□ □□□□ □□ □□□□□ □□ □ □□□ □□□□□ □□□□□.
- C. □ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□□ □□□ □□□□□.
- D. □□ □□ □□ □□ □□□ □□□ □□ □□ □□□ □□ □□□ □ □□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Verify the relevance and recency of the articles to ensure they align with

current software versions and standards Ensuring that the information is current and relevant to the specific software versions and integration standards in question is crucial for effective troubleshooting.

Option A is incorrect because older articles may not reflect the latest software updates and practices.

Option C is incorrect because focusing solely on exact error codes might overlook broader systemic issues that could be impacting the software.

Option D is incorrect because search engine ranking does not necessarily correlate with the reliability or applicability of the content to specific troubleshooting scenarios.

**NEW QUESTION: 161**

□□□ □□□ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□ □□□□ □□□.

□□□ □□□□ □□ □□ □□ □□□ □□□□□ □□□□□□.

□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□□□?

A. □□ □□ □□□□ □□□□ □□ □□ □□□ □□□□□.

B. □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□□□.

C. □□□□ □□ □□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □□□□□.

D. □□□□ □□□ □□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Choose a solution that includes detailed explanations and user comments for validation Selecting detailed guides with user feedback ensures the solution is effective and has worked for others, providing a safer and likely more reliable approach to resolving the issue.

Option A is incorrect. The top search result is not always the most reliable or relevant, especially for technical issues.

Option C is incorrect. Implementing a seemingly related solution without proper validation can lead to improper fixes and more severe issues.

Option D is incorrect. Relying on unverified sources increases the risk of applying incorrect or harmful solutions.

**NEW QUESTION: 162**

□□□□ □□□□ □□□□ □□ □□□ □□ □□□□ □□□. □□ □□□□ □□□□ □□ □

□□□ □□□□ □□□□ Windows □□□□□ □□□□ □□□ □□□□ □□□?

A. □□ □□□□ □ □□ □□□□ □□□□□.

B. □□□□□ □□□ □ □□ □□□□ □□□□□.

C. □□□□□□ □□ □□□□ □□□□□.

D. □□□□ □□ □□□□ □□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Adjust the display scaling to a higher percentage Increasing the display scaling in Windows enhances the size of text, icons, and other items without altering the screen resolution, which can help improve readability for the user.

Option A is incorrect. Changing the resolution might make items larger but can also reduce the

sharpness and clarity of the display.

Option C is incorrect. Altering the color profile affects colors but does not impact the size of text and icons.

Option D is incorrect. The refresh rate impacts the smoothness of motion on the screen and does not influence the size of display elements.

**NEW QUESTION: 163**

□□□□ □□□□□□□□ □□□□ □□ □□□ □□□ □ □□□ □□□□□□.  
□ □□□ □□□□ □□□□ □□ □□□□ □□□□ □ □ □□ □□□ □□□□□□?

- A. □□□□ □□ □□□□□□
- B. □□ □□□□ □□ □□ □□□□ □□□□□□ □□□□□□.
- C. □□ □□□□□□ □□□□ □□ □□□□□□
- D. □□□□ □□□ □□□□□□

**Answer: (SHOW ANSWER)**

Correct Answer. B. End the application's process via Task Manager Using Task Manager to end the process of the unresponsive application is the quickest way to regain control without affecting other running applications or the need for a system restart.

Option A is incorrect because restarting the computer, while effective, is more disruptive and time-consuming compared to ending a specific process Option C is incorrect because uninstalling the application is an unnecessary step for an application that is simply unresponsive Option D is incorrect because running a virus scan is not a direct action to resolve an application freeze and can be time-consuming

**NEW QUESTION: 164**

□□□ □□ □□ □ □□□□□ □□ □□□ □□□□□ □□□ □□□□□□□□. □□□ □ □□□ □□  
□□ SSID□ □□□□□□ □□□□ □□□□□□ WLAN □□□ □□□□ □□□□□□□□.  
□ □□□ □□ □ □□□ □□□□□□?

- A. DHCP □□□ IP □□□ □□□□□□.
- B. □□□ □□□ □□□□□□ □□ □□□ □□□□□ □□□ □□□ □□□□□.
- C. □□ □□ □□□ □□□ □□□□□ □□□□□ □□□□□.
- D. □□□□ □□□ □□□ □□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. The new access points have overlapping channels with existing ones Overlapping channels can cause interference and connectivity issues in environments with multiple access points.

Option A is incorrect. A lack of IP addresses would prevent connections but would not typically cause intermittent connectivity.

Option C is incorrect. While important, firmware updates are less likely to cause intermittent issues specifically related to new expansion areas.

Option D is incorrect. Cable quality affects wired connections, not the wireless signal quality or connectivity.

**NEW QUESTION: 165**

□□ □□ □□ □ □□□□ □□□□ □ "□□□ □□□ □□□"□ □□□ □□□□□□.  
□□□□ □□ □□ □□□ □□□ □□□ □□ □ □□□ □ □□□?

- A. □ □□ □□□ □□□ □□□□□□□□ □□ □□□□□.
- B. □□□ □□ □□ □□□□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□.
- C. □□□ □□□□□ □□□□□ □□ □ □□□□□ □□□ □□□.
- D. □□□ □□□□□ □□□□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

To define the problem accurately, it's essential to gather specific information about when the issue occurs and if there are any noticeable patterns. This detailed data helps in understanding the underlying cause of the reported slow speeds and forms the basis for effective troubleshooting.

Option A is incorrect because recommending an upgrade without diagnosing the issue does not properly define what is causing the perceived slow speeds.

Option C is incorrect as changing browsers might mitigate the symptom without addressing the root cause of the slow speeds.

Option D is incorrect because while reducing device load might temporarily improve speeds, it does not help in accurately defining the internet speed problem.

**NEW QUESTION: 166**

Cisco Webex□ □□□□ □□ □□□ □□□□ □□□□□ □□□□ □□ □□□ □□□□□?

- A. □□□□ □□□ □□ □□□ □□□ □□□ □□□□□.
- B. □□ □□ □□□□ □□□□□□□□ □□□□□.
- C. □□□□□ □□□ □□ □□ □□□ □□ □□ □□□ □□□□□.
- D. □□□□ □□ □□ □□□□ □□ □□□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Ensure all session data is encrypted Encryption of session data in Cisco Webex protects the confidentiality and integrity of the information exchanged during the support session, safeguarding against potential data breaches.

Option A is incorrect because video quality settings do not directly impact the security of the session.

Option C is incorrect because recording sessions without user consent can violate privacy laws and corporate policies.

Option D is incorrect because allowing multiple participants without specific needs can increase the risk of unauthorized information disclosure.

**100-140-KR** <https://www.dumpstopy.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 167**

A wireless keyboard is not connecting to its receiver. The keyboard is plugged into the receiver and the receiver is plugged into the laptop. What should the technician do to resolve the issue?

What should the technician do to resolve the issue?

- A. Move the keyboard closer to the receiver.
- B. USB port is not working. Try a different USB port.
- C. Change the keyboard language settings.
- D. Management software is blocking the connection.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Move the keyboard closer to the receiver. Wireless keyboards can experience connectivity issues if the distance from the receiver is too great or if there are obstructions.

Moving it closer can help ensure a stable connection.

Option B is incorrect. While this could temporarily solve the problem, it doesn't address the wireless connectivity issue.

Option C is incorrect. Language settings would affect the input/output of the keyboard but not its connectivity.

Option D is incorrect. Management software typically does not affect basic connectivity issues.

**NEW QUESTION: 168**

A laptop's battery indicator light is not working. The battery is fully charged and the laptop is plugged into the power. What should the technician do to resolve the issue?

What should the technician do to resolve the issue?

What should the technician do to resolve the issue?

- A. Replace the battery.
- B. Test the laptop with a different charger.
- C. Update the BIOS.
- D. Update the display settings.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Test the laptop with a different charger. Testing the laptop with a different charger can help determine if the issue is with the charger or the laptop's charging port.

Option A is incorrect because the battery being unable to hold a charge would not affect the indicator light.

Option C is incorrect because BIOS updates typically do not address charging issues unless specifically related to power management, and no indication suggests this is the case.

Option D is incorrect because display settings have no impact on charging capabilities.



- B. □□ □□□
- C. □□□ □□ □□
- D. □□□ □□ □□

**Answer: D (LEAVE A REPLY)**

A Service Level Agreement (SLA) is the formal document that specifies the services provided, performance standards, and any penalties or compensation related to meeting those service milestones.

**NEW QUESTION: 172**

□□□□ □□□□ USB □□□□ □□□□ □□□ □□□□ □□□□ □□□□□ □□ □□, □□ □□□ □□□□ □□□□. IT □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□?

- A. Micro USB □□□□ USB 3.0 □□ □□□□□ □□□□□.
- B. □□□ □□□□ Micro USB□ □□ □□□ □□□ □□□□□ □□□□□.
- C. □□□□ USB □□□ □□□□□ □□□□□
- D. Micro USB □□□□ □□□ □□□□ □□□ □□□□□

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Verify that the Micro USB cable is a USB 3.0 compatible cable Micro USB cables can vary significantly in data transfer capabilities. A USB 3.0 compatible Micro USB cable offers faster data transfer rates compared to its USB 2.0 counterpart. Verifying that the cable is USB 3.0 compatible could resolve the issue of slower transfer rates.

Option B is incorrect because the question already implies that the digital camera supports data transfer via Micro USB.

Option C is incorrect because while a functional USB port is necessary, the slower transfer rate suggests a limitation with the cable's capabilities rather than the port's functionality.

Option D is incorrect because although ensuring a secure connection is important, it typically results in connection or no connection rather than a slower transfer rate.

**NEW QUESTION: 173**

□□□□□□ □□□ □□□ □□ □□ □□ □□□ □□ □□□ □□ □ □□□□ □□□ □□ □ □□?

- A. □□□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□.
- B. □□ □□ □□□ □□□□ □□ □□□□□□ □□□□□□□.
- C. □□□□ □□□□ □□□□ □□ □□ □□□ □□□□□.
- D. □□ □□ □□ □□□□ □ □□□ □□□□□ □□□□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. C. Conduct a security audit to identify and address any vulnerabilities A security audit helps to comprehensively assess and mitigate risks associated with unauthorized access attempts, identifying potential weaknesses in the system's security posture.

Option A is incorrect as ceasing all account usage is impractical and may hinder business operations.

Option B is incorrect because updating antivirus software, while important, does not directly address unauthorized access to accounts.

Option D is incorrect because merely using complex passwords is insufficient without a broader security review and response plan.

**NEW QUESTION: 174**

□□□□ □□ □□□ □□ □□□ □□□ □□□ □□□ □□□ □ □□ □□ □□ □□□ □□□ □□□ □□□□.

□□ □□ □□□ □□□□ □□□□□ □□ □□□□□ □□□□ □□ □□□□ □□□ □□□□ □□□□ □?

- A. □□ □□□ □□ □□ □□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□□□.
- B. □□ □□ □□□ □□□ □□□□ □ □□□□ □□□ □□□ □□□□□ □□□□□□□□.
- C. □□□ □□□□ □□□□ □□ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□.
- D. □□□□ □□□□ □ □□□ □□ □□□ □□□□ □□ □□ □□□□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Organize the update chronologically, detailing the troubleshooting steps taken and the outcomes observed at each stage Structuring the update chronologically with detailed steps and observed outcomes allows future technicians to follow the logical progression of the troubleshooting process, understand the context, and apply similar reasoning to related problems. Option A is incorrect because while listing components provides useful information, it does not give insight into how the issue was resolved or the interplay between the components. Option C is incorrect because overly concise summaries can omit critical details that are essential for understanding and replicating the troubleshooting process effectively. Option D is incorrect because excluding the diagnostic steps removes valuable learning opportunities and context that can aid in solving future variations of the issue or understanding related problems.

**NEW QUESTION: 175**

□□□□ □□ □□ □ □□ □□□□ □□□ □ AI □□ □□□ □□□ □□□□ □□□?

- A. □□□□ □□□ □□□□ □□ □□ □□ □□ AI □□ □□□ □□□□□.
- B. □□□ □□ □□□□□ □□□□ AI □□ □□□ □□□□ □□□□□.
- C. □□□□ □□ □□□ □□□□ □□ AI □□ □□□ □□□□□.
- D. □□ □□ □□ AI □□ □□□ □□□□ □□□ □□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Review and assess AI recommendations within the context of established security protocols Assessing AI recommendations against established security protocols ensures that any actions taken are both effective and compliant with organizational security standards. Option A is incorrect because immediate implementation without review can lead to errors or oversight of critical implications. Option C is incorrect because dismissing AI recommendations outright can prevent the utilization

of potentially innovative solutions.

Option D is incorrect as replacing existing protocols without thorough validation risks introducing new vulnerabilities.

**NEW QUESTION: 176**

□□□ □□□□ □□□□ □□□ □ IT □□□□ □□□ □□□□ □□ □□ □□□ □□□□□. □□ □□□ □ □□ □□□ □□□□□?

- A. □□□ □□□□ □□□ □□□ □□□ □□□□.
- B. □ □□□□ □□ □□ □□□ □□□ □□□□.
- C. □□□ □□□ □□ □□□□ □□ □□□ □□□□□.
- D. □□□□□ □□□ □□□ □□□□□ □□□ □□□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Immediately turn off the power to the device before proceeding further Turning off the power immediately is the safest approach when dealing with exposed wiring, as it eliminates the risk of electrical shock, allowing for safe subsequent handling of the wiring issue. Option A is incorrect because continuing to work near exposed wires without addressing the risk is unsafe.

Option C is incorrect as covering the wires with electrical tape does not address the potential hazard of the device being powered on.

Option D is incorrect because testing exposed wires while the device is powered could lead to electrical shock if the wires are live.

**NEW QUESTION: 177**

□□ □□ □□□□ □□□ □□□ □□□ □□□□□□ □□□□□ □□□ □□ □□□□ □□ □□ □□□ □□□ □□□□□ □□□□□□ □□□□ □□□□. □ □□□ □□□□□ □□□ □□ □□□?

- A. □□ □□□□□□ □□□ □□□ □□□□ □□□□□.
- B. □□ □□□□□□ □□ □□□ □□□□□.
- C. □□ □□□□□□ □□ □□□ □□□□□.
- D. □□ □□□□□□ □□ □□□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Setting the external display to duplicate (mirror) the laptop screen ensures that all content, including icons and applications, appears on both screens, which is necessary for presentations.

Option B is incorrect. Changing the wallpaper does not affect the display of icons or applications.

Option C is incorrect. Brightness settings affect visibility but not the content displayed.

Option D is incorrect. Making the external display the primary monitor would not solve the issue of missing icons or applications on the projected screen.

**NEW QUESTION: 178**

□□ □□ □□ □ □□□□ □□□□ □□□ □ □□ □□□ □□□□□ □□□□□□. □□□ □ □□ □□□ □□□□□□ □□□ □□ □□ □□□□□□□□. □ □□□ □□□□□ □□ □□ □□□ □□□□□?

- A. □□□□□ □□□ □□□□□ □□□□ □□□ □□□ □□□□□.
- B. □□□□ □□ □□, □□□ □□□□□ □ □□□ □□ □□, □□□□ □ □□ □□, □□ □□ □ □□ □□□□ □□□ □□□□ □□□□ □□□ □□□□□.
- C. □□□□□□ □□ □□□ □□□□ □□□□□ □□ □□□□□□□ □□□ □□□□ □□□ □□□ □□□ □□ □□□□□.
- D. □□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Create a document that outlines the user's complaint, the investigation into the email client and settings, the updates and corrections made, and the user's confirmation of the issue's resolution This documentation style is thorough and efficient, covering the initial problem, the investigative process, the solution, and the outcome, which provides a full picture of the incident for future reference or escalation.

Option A is incorrect. This misses the opportunity to document the diagnostic process that could inform future troubleshooting.

Option C is incorrect. While thorough, including too much communication detail can clutter the documentation and obscure key technical takeaways.

Option D is incorrect. This focuses too narrowly on technical details and omits the user experience and broader troubleshooting steps.

**NEW QUESTION: 179**

□ □□□□ □□□□□ □□ □□□□ □□□□ □□□ □□ □□□□ □□□□□□. □□ □□ □□□□ □□ □□ □□□ □□□□□?

- A. □□□□ □□□□ □□□□□
- B. □□ □□ □□□□ □□□□ □□□ □□□.
- C. □□□□□ □□ □□□□□□.
- D. □□□ □□□□□□ □□□□□□□□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Try a different charging cable and adapter The most common and easily addressable issue with charging problems is often related to faulty cables or adapters. Testing with a different charging cable and adapter can quickly determine if the issue is with the charging accessories rather than the phone itself.

Option A is incorrect because replacing the battery is a more invasive and costly action that should be considered only after simpler fixes have been ruled out Option C is incorrect because a factory reset is too drastic for an initial troubleshooting step and does not directly address hardware-related charging issues Option D is incorrect as software updates are less likely to impact charging unless the issue is specifically related to a known bug affecting the charging process

**NEW QUESTION: 180**

□□□ □□□ □□ □□□ □□□□□□□ □□□ □□□□ □□ □□ □□□ □□ □□□?

- A. □□ □□□ □□ □□□□ □□□□□ □□□□□.

- B. Report the incident to the company's data protection officer or relevant authority.
- C. Report the incident to the company's data protection officer or relevant authority.
- D. Forward the email to the affected employee.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Report the incident to the company's data protection officer or relevant authority. Reporting to the data protection officer or relevant authority ensures that the incident is handled according to the company's data protection protocols, which helps in mitigating any potential risks associated with unauthorized handling of PII.

Option A is incorrect because forwarding the email may increase the risk of further exposure of PII.

Option B is incorrect because deleting the email does not address the potential breach of data protection policies.

Option D is incorrect as contacting the affected employee does not appropriately manage the risk or comply with organizational procedures on data breaches.

**NEW QUESTION: 181**

You receive an email from an unknown sender, claiming to be from your company's IT department. The email asks you to click on a link to verify your account information.

What should you do?

- A. Click on the link to verify your account information.
- B. Verify the email by checking the sender's email address and contacting the IT department directly.
- C. Ignore the email.
- D. Forward the email to your supervisor.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Verify the email by checking the sender's email address and contacting the IT department directly. Verifying the legitimacy of the email through direct contact with the IT department helps avoid potential phishing attacks disguised as legitimate requests.

Option A is incorrect because clicking on links in unsolicited emails can lead to security breaches.

Option C is incorrect because ignoring potential security updates may also pose risks if the email is legitimate.

Option D is incorrect because forwarding suspicious emails can spread potential threats to more users.

**100-140-KR** PDF Dumps DumpTop 100-140-KR PDF!  
 100-140-KR PDF Dumps. 100-140-KR PDF Dumps DumpTop 100-140-KR PDF Dumps. <https://www.dumpst.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 182**

□□ 30□ □□ □□ □□□□ □□□□ □□ □□□□ □□□ □□ □□□ □□ □□□ □□□□ □□□□ □□.

□□□ □□□ □□ □□□□□ □□□□ □□□ □□□□□□ □□□□□□□□. □□□□□□ 60□ □□ □□□□ □□□□, □□□□□□ □□□□ □□ □□□□□.

□□□□ □□ □□ □□□ □□ □□ □□(MFA)□ □□ □□ □□□ □□□□□□□.

□□□ □□□□ □□ □□ □ □□ □ □□ □ □□ □□□□□□? (□ □□□ □□□□□□.)

□□: □ □□□ □□□ □□□□ □□□□□□.

A. □□□□□ □□□ □□ □□ □□□□□ □□□□□□.

B. □□□□ □□□□□ □□□□ □□□ □□□□□□.

C. SMS □□□ □□ □□□□□ □□□ □□□□□ □□□□□ □□□□□□.

D. □□□□□ □□□ □□ □□□ □□□□ □□□□□ □□□□□ □□□□□□.

E. □□□ □□□ □□□ □□□□□□.

**Answer: A,C (LEAVE A REPLY)**

Installing the company's authenticator app enrolls the user in MFA as now required.

Adding a phone number enables SMS-based second-factor validation.

### NEW QUESTION: 183

□□□□ □□□□ □□□□ □□□, □□ □□ □□□□ Windows 10 □□□ □□□□ □□ □ □□ □□ □□□□.

□□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□□□□?

A. □□□ □□□ □□ □□□ □□ □□□

B. □□ □□□ □□□□□ □□□ □□□□□□.

C. Windows □□ □□ □□ □□□ □□□

D. □□ □□ □□ □□

**Answer: B (LEAVE A REPLY)**

Manually adjusting the brightness through the settings application can significantly improve visibility, especially in brightly lit environments.

Option A is incorrect as High Contrast mode alters color schemes to improve readability but does not increase display brightness Option C is incorrect as the Night Light feature reduces blue light but does not increase overall visibility in sunlight Option D is incorrect although turning off automatic brightness control allows for manual adjustment, it does not itself increase brightness

### NEW QUESTION: 184

□□□□ □□□□ □□□ □□□ □□□ □□ □□ □□(PSU)□ □□□□ □□□□. □□ □□□ □□□□□ □□ □□ □□ □□□ □□□ □□□□?

A. □□□□□□ PSU□ □□□□□ □□□ □□ □□□□ □□□ □□□ □□□.

B. □□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□ □□ □□□ □□□□□.

C. □□ □□□ □□□□ □□□□ □□□□ □□ □□ □□ PSU□ □□□□□□□.

D. □□□□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□□ □□□ □ □□□ □□ □□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Ensure the computer is unplugged and press the power button to discharge any residual power Unplugging the computer and pressing the power button to discharge any stored energy in capacitors minimizes the risk of electrical shock when replacing the power supply unit. This procedure ensures that no residual power is present that could cause an electrical shock.

Option A is incorrect because leaving the computer plugged in poses a risk of electrical shock. Option C is incorrect as wearing rubber gloves does not eliminate the hazard of working on a powered device.

Option D is incorrect because using compressed air on a plugged-in computer does not adhere to safety standards and increases the risk of electrical discharge.

### NEW QUESTION: 185

macOS □□□□ □□ □□ □□□□ □□□ □□ □□□□□ □ □□ □□ □□□□ □□□□□ □□□.

□□ □, □ □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□ □□ □□□□□□. □ □□□ □□□□□ □□□□□ □□□□ □□□ □□□□ □□□?

- A. □□ □□□ □□ □□
- B. '□□□□□ □□□'□ □□□ □□ □□□ □□□□□.
- C. □□□□□ □□□□ □□□□□ □□□ □□□□□.
- D. □□□□ □□ □□□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

Correct Answer. C. Change the arrangement by dragging the display icons In MacOS, users can extend their workspace across multiple monitors by adjusting the arrangement of the display icons in System Preferences. This setting allows them to position the monitors correctly relative to how they are physically set up.

Option A is incorrect as switching the primary monitor does not affect whether the displays are mirrored or extended Option B is incorrect as simply toggling 'Mirror Displays' does not configure the extension of the desktop across multiple monitors Option D is incorrect because resetting the monitor to factory settings does not influence how MacOS manages multiple displays

### NEW QUESTION: 186

□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□ □□□ □□ □□□□ □□□ □□□□□□□□ □□□.

□□ □□□□ □□□□ □□□□ netstat □□□ □□□□□?

- A. netstat -s
- B. netstat -e
- C. netstat -c
- D. netstat -an

Answer: A ([LEAVE A REPLY](#))

Correct Answer. A. netstat -s netstat -s provides detailed statistics by protocol, including counts of packets and errors, offering comprehensive insight into network performance issues.

Option B is incorrect. netstat -e shows Ethernet statistics, which are limited to the physical layer and less detailed for comprehensive network troubleshooting.

Option C is incorrect. netstat -c continuously displays netstat information but does not provide more detailed statistics than a single snapshot.

Option D is incorrect. netstat -an shows all connections and listening ports numerically and does not provide the protocol-specific statistics needed for detailed performance analysis.

**NEW QUESTION: 187**

□□□□ □□□□ □ □□ □□□□□ □□□ □ □□□ □□□□□□ □□□ □□□□ □□ □ □□□ □□□ □□ □□ □□□?

- A. □□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□□□.
- B. □□ □□□□ □□ □□□ □□□□□.
- C. □□□□ □□ □□ □□□ □□ □□□ □□□□□.
- D. □□□ □□□□ □□ □□ □□□ □□ □□ □□□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Connecting to an anti-static mat effectively dissipates static charges, reducing the risk of ESD when handling and installing electronic components like a hard drive. This is a recommended practice in environments where electronic components are handled.

Option A is incorrect because insulating the work area with plastic sheets can actually increase the risk of static build-up.

Option B is incorrect as using tools with insulated handles protects against electrical shock but does not necessarily prevent ESD.

Option D is incorrect because while anti-static sprays can help reduce static build-up, directly grounding oneself with an anti-static mat is a more effective and controlled measure.

**NEW QUESTION: 188**

□□□ □□□□□ □□□ □□□□ □□□□□ □□□□ □□□, □□□□ □□ □□□□ □□□ □□ □□□ □ □□□ □□□□□.

□ □□□ □□□□ □□ □□□□ □□□ □□ □□□□ □□□?

- A. □ □□□ DNS □□ □□□ □□□□ □□□□ □□□
- B. □ □□□ □□ □□□□□□ □□□□ □□□□□□ □□
- C. □ □□□□ □□□ □□ □□
- D. □□□□ □□□□ □□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Whether each device's default gateway is correctly configured The default gateway allows devices on a network to communicate with devices on other networks (like the internet). Incorrect default gateway settings can prevent devices from accessing external networks.

Option A is incorrect. DNS settings affect domain name resolution but would not prevent external network access if the default gateway is misconfigured.

Option C is incorrect. Connection speed affects performance but not the ability to access external

networks.

Option D is incorrect. While firewall settings are important, the first check should be network configuration related to gateway settings.

**NEW QUESTION: 189**

sfc /scannow □□□ □□□□ □□ □□□ □□□ □ □□□□? (□ □□ □□)

- A. □□□□ □□□□ □□□ □□□□.
- B. □□□ □□□ □□
- C. □□ □□□□□ □□□□□
- D. □□□ □□□□□ □□

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 190**

□□□□ □□□□□□ □□ □□□□ □□□□ □□ □□□ □□ □□□□ □□□□ □□ □□□ □□□□ □□□.

□□□ □□□□ □□□□□ □□□□ □□ □□□ □□ □□□□□?

- A. □□□ □□
- B. □□□ □□
- C. □□□
- D. □□□ □□□

**Answer: C ([LEAVE A REPLY](#))**

Correct Answer. C. Shielding type When running network cables alongside power lines, it is crucial to use cables with adequate shielding, such as STP cables, to protect against EMI from the power lines. Shielding helps prevent data loss and errors by blocking unwanted interference. Option A is incorrect because while cable length can impact signal strength, shielding is more crucial for protecting against interference when cables are near power lines.

Option B is incorrect because the color of the cable has no effect on its performance or ability to resist interference.

Option D is incorrect because although cable flexibility may be important for the physical routing of cables, it does not affect the cable's ability to resist electromagnetic interference.

**NEW QUESTION: 191**

□□ □□ □□ macOS □□□□ □□ □□□□□ □□□ □□ □□ □ □□□ □□ □□□□□. □□□□ □□□ □□□□□ □□ □□□ □□□ □□ □□□ □□ □ □□□□. □ □□□ □□□ □□ □□□□ macOS □□□ □□□ □□□□ □□□?

- A. □□□ □□ □□□□ □□□ □□□ □□□□.
- B. □□ □ □□ □□ □□ □□□□ □□ □□ □□□ □□□ □□ □□
- C. □□□ □□ □□□□ □□ □□ □□
- D. □□ □□ □□ □□□□□

**Answer: ([SHOW ANSWER](#))**

Correct Answer. B. Grant the conferencing app access to the microphone in Security & Privacy

settings MacOS requires users to explicitly allow applications to access sensitive components like the microphone. Granting this permission in the Security & Privacy settings will enable the app to use the microphone.

Option A is incorrect because increasing the microphone volume does not address the permission issue Option C is incorrect because changing the output device affects speakers, not the microphone Option D is incorrect as the issue is not with the app itself but with the permissions granted to it

**NEW QUESTION: 192**

□□□□ □□ □□□ □□□ □ □□□□ □□□□ □□□□□ □□□□ □□□.  
□□ □□ □□□□□□ □□ □□□□□ □□□ □□□□□ □□ □□□□□ □□□.  
8~15□ □□□□□ □□□.  
□□□□ □□□□ □□□  
□□ 2□□ □□□ □□□□ □□□.  
□□□ □□□□ □□□ □□□ □□□.  
□□(-), □□(\_), □□□□(#), @ □□ □ □□□□□ □□□ □ □□□□. □□ □□□□□ □□□  
□□□ □ □□□□?

- A. dkku546@
- B. j546h!Gg
- C. ywm546q
- D. mkn546#f

**Answer: D (LEAVE A REPLY)**

mkn546#f is 8 characters long (within 8-15), begins with "m" and ends with "f" (letters), includes only lowercase letters, contains three numbers (5, 4, 6), and uses only the allowed special character "#."

**NEW QUESTION: 193**

Linux □□□ □□□□ □□□ □□□ □□□□ □□□□□□ MAC □□□ □□□□□□ □□□.  
IT □□ □□□□ □□□□ □□ □□□□ □□□ □□□□□?

- A. ifconfig -a
- B. ip □□ □□
- C. dmesg | grep MAC
- D. cat /sys/class/net/\*/address

**Answer: (SHOW ANSWER)**

Correct Answer. B. ip link show The ip link show command provides a concise list of all network interfaces and their properties, including MAC addresses. This command is part of the modern ip utility, making it preferable for current Linux distributions.

Option A is incorrect because ifconfig -a is considered deprecated in many modern Linux distributions, and while it still works, it's being replaced by the ip command suite.

Option C is incorrect because dmesg | grep MAC can show initial system messages related to network interfaces but is less reliable for documenting as it depends on the buffer's current state.

Option D is incorrect because although reading directly from the system's filesystem provides the MAC address, it's less practical for users who need to check multiple interfaces efficiently.

**NEW QUESTION: 194**

□□□□ □□□□ □□□ □□□□□□□ □□□□. IT □□□□ □ CPU□ □□□□□ □□□ □□□□ □ □□□ □□ □□□.

CPU □□ □□□□ □□□□ □ □□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□?

- A. □□□□□ CPU□ □□□ □ □□ □□ □□ □
- B. □□□□□ □□
- C. □□□□□ □□□ □□ □□
- D. □□□□□ USB □□ □

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. The maximum wattage the motherboard can provide to the CPU It's essential to verify the maximum wattage the motherboard can provide to the CPU, known as the Thermal Design Power (TDP) limit. This ensures that the new CPU will receive adequate power for optimal performance and prevents system instability or damage due to inadequate power supply. Option B is incorrect because the color of the motherboard is purely aesthetic and does not affect performance or compatibility. Option C is incorrect because while audio ports are an important feature for overall system capabilities, they do not impact CPU compatibility or performance. Option D is incorrect because the number of USB ports, while important for peripheral connectivity, does not affect the compatibility or performance of the CPU.

**NEW QUESTION: 195**

AWS IAM□□ □ □□□ □□□ □□□ □□□ □, □□ □□□ □□□ □□□□ □ □□□ □□□ □□□ □□ □□ □□ □□ □□□ □□□□□?

- A. □□ □□□ □□□ □□ □□ □□□ □□□□□.
- B. □□□□ □□□ □□□□ □□□ □□□□□.
- C. □□ □□□ □□□ □□ □□ □□
- D. □□ □□ IAM □□□ □□□□□

**Answer: B (LEAVE A REPLY)**

Using managed policies is a best practice for assigning permissions in AWS IAM. Managed policies are maintained by AWS and are designed to provide permissions that align with common job functions, which helps in applying the principle of least privilege effectively. Option A is incorrect because granting full administrative privileges can lead to excessive permissions beyond what is necessary for job responsibilities. Option C is incorrect because assigning permissions directly to users can lead to complicated and potentially insecure configurations. It is better to assign permissions to roles or groups and then associate users with these roles or groups. Option D is incorrect because relying solely on default IAM policies may not adequately match the specific security requirements of the organization or the principle of least privilege.

**NEW QUESTION: 196**

Which command in the Terminal provides a detailed overview of all network interfaces, including IPv6 addresses. This command is efficient for technical users who need a comprehensive display of all network configuration details.

Which command in the Terminal provides a detailed overview of all network interfaces, including IPv6 addresses. This command is efficient for technical users who need a comprehensive display of all network configuration details?

- A. `ifconfig`
- B. Apple > System Preferences > Network > Advanced > TCP/IP
- C. Spotlight search "Network Utility"
- D. Apple > System Preferences > Network > Details

**Answer: A (LEAVE A REPLY)**

The `ifconfig` command in the Terminal provides a detailed overview of all network interfaces, including IPv6 addresses. This command is efficient for technical users who need a comprehensive display of all network configuration details.

Option B is incorrect because while it does show some network information, the Advanced > TCP/IP section primarily focuses on IPv4 settings unless IPv6 is specifically configured and displayed.

Option C is incorrect because while Network Utility can show network details, it is not as straightforward or comprehensive as using Terminal commands.

Option D is incorrect because "Details" under Network preferences typically focuses on connection-specific issues and configurations, and might not display IPv6 unless explicitly set up to show it.

**100-140-KR** DumpTop **100-140-KR**!  
 DumpTop **100-140-KR**, DumpTop **100-140-KR**  
<https://www.dumptop.com/Cisco/100-140-KR-dump.html> (649 Q&As  
 Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 197**

Which of the following is a risk associated with using non-original power adapters for a laptop?

Which of the following is a risk associated with using non-original power adapters for a laptop?

- A. Potential overheating or damage to the laptop's battery
- B. Potential overheating or damage to the laptop's battery
- C. Potential overheating or damage to the laptop's battery
- D. Potential overheating or damage to the laptop's battery

**Answer: (SHOW ANSWER)**

Correct Answer. B. Potential overheating or damage to the laptop's battery Using non-original power adapters can pose risks such as potential overheating or damage to the laptop's battery,

especially if the adapters' output specifications do not precisely match the laptop's requirements. This can lead to issues such as battery degradation or hardware damage due to improper power delivery.

Option A is incorrect because power adapters do not influence data transfer speeds.

Option C is incorrect because using non-original adapters often does not enhance battery life and may actually shorten it if the adapters are incompatible.

Option D is incorrect because non-original adapters may reduce charging efficiency if they do not match the laptop's required specifications.

**NEW QUESTION: 198**

□□□ □□ □ □□□□ □□□□ □□□ □□□□ □□□□. □□□ □□ □□□□□ □□□□ □□ □□□ □□□□□.

□ □□□ □□ □ □□□ □□□□□?

- A. □□□ □□□ □□ □□ □□□□ □□□□.
- B. □□ □□□□□□□□ □□□□ □□□□□□□□.
- C. □□□□ □□□ □□□ □□□ □□□□.
- D. □□□□ □□□□ □□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. The microphone is muted in the meeting software If the microphone is active in system settings but not working in a specific application, it is likely muted or improperly configured within that software.

Option A is incorrect. Low volume would reduce sound level but not stop it from working entirely.

Option C is incorrect. An internet connection issue would affect all aspects of the meeting, not just the microphone.

Option D is incorrect. If the microphone shows as active, it is unlikely that the hardware needs replacement.

**NEW QUESTION: 199**

□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□□□□□□ □□ IP □□ □□□ □□ □□ □□□.

□□ iproute2 □□□□ □□□□ □□□?

- A. IP □□ □□
- B. ip □□ □□ veth □□
- C. IP □□
- D. IP □□ □□

**Answer: (SHOW ANSWER)**

Correct Answer. C. ip addr ip addr is a concise form of the ip addr show command and lists all network interfaces and their IP addresses, including virtual interfaces (veth), which is critical for troubleshooting complex network setups.

Option A is incorrect. While sounding plausible, ip addr list is not the correct syntax for displaying IP addresses.

Option B is incorrect. ip link show type veth specifically lists virtual ethernet interfaces but focuses on link status rather than IP configuration.

Option D is incorrect. ip route list displays the routing tables and does not provide direct information about interface IP configurations.

**NEW QUESTION: 200**

□□□□ □□ □□□□ □□□□ □ □□□□ □□□□ □□ □□□□□ □□□□□. □□□ □□□ □□□ □□□□□□□ □□□□ □□□ □ □□□□. □□□□ □□□□□□□□ □□ □□ □□□□ □□□?

- A. IP □□□ □□□ □□□ □□ □□□□.
- B. □□ □□□□□□ □□□□ IP □□□ □□□□□.
- C. □□□□ □□□□ □□ □□□□□.
- D. □□□□□□□ □□ IP □□□ □□□□ □□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. The default gateway is set to the router's IP address. To ensure the workstations can route internet traffic through the router, the default gateway on each workstation must be set to the router's IP address.

Option A is incorrect. Being within the correct subnet is necessary for local communication but doesn't directly affect internet access if the default gateway is incorrect.

Option C is incorrect. While important, router firmware being outdated would not directly prevent workstations from accessing the internet if the default gateway is set correctly.

Option D is incorrect. Whether IPs are static or dynamic doesn't directly impact internet access if the gateway setting is incorrect.

**NEW QUESTION: 201**

□□□□ □□□□ □□□ □ □□ □□ □□□□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□□□□.

□ □□□ □□ □□ □□□ □□ □□□ □□□□□?

- A. □□□□ □□ □□
- B. □□ □□□ □□□□
- C. □□□ □ □□ □□□□ □□□□ □□□ □□
- D. □□□ □□□□□ □□□ □□□

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. A spoofing attack mimicking the trusted system Spoofing attacks often involve the creation of traffic that appears to come from trusted, legitimate sources to deceive systems or individuals into granting access or revealing confidential information.

Option A is incorrect because network congestion typically does not mimic specific trusted systems.

Option B is incorrect as internal updates would be documented and known to administrators, and would not mimic external systems.

Option D is incorrect because new legitimate traffic sources would likely be communicated to

network administrators beforehand and would not typically mimic existing trusted systems.

**NEW QUESTION: 202**

□□□□ □□□□ □□ □□□□□□□ □□□ □□ □□ □□□ □□□□ □□ □□ □□ □□ □□ □□□□ □□ □□ □□□□□?

- A. □□ □□□ □□ □□ □□ □□□□ □□□□□
- B. □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□□.
- C. □□ □□ □□ □□ □□□□ □□□ □ □□ □□ □□□ □□□□□.
- D. □□□ □□ □□□□ □□□ □□□□ □□ □□□□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Verify the credibility of the sources before applying any suggested fixes When using search engines, it is crucial to assess the reliability and credibility of the source of the information to ensure the solution is appropriate and does not cause further issues.

Option A is incorrect because relying solely on the top search result may not always provide the most reliable or appropriate solution.

Option C is incorrect because using solutions from forums without validation can lead to incorrect or harmful actions.

Option D is incorrect as applying multiple solutions at once can complicate troubleshooting and potentially cause additional issues.

**NEW QUESTION: 203**

□□ □□□□ □□□□□ □□ □□□□□ □□□ □□□□□ □□□□ □□□□ □□ □□ □□ □□ □□□□□?

- A. □□ □□□ □□□□ □□ □□□ □□□□□.
- B. □□ □□□□□ □□□□□
- C. □□□□ □□□□□□
- D. □□□ □□□ □□ □□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Run a full system antivirus scan Running a full system scan with trusted antivirus software is the first investigative action to confirm the presence of malware and to identify and potentially remove any infections.

Option B is incorrect because formatting the hard drive is an extreme measure that should only be considered if all other remediation steps fail.

Option C is incorrect because simply rebooting the device does not address the root cause of the malware infection.

Option D is incorrect as transferring files could potentially spread the malware to other devices or backup locations.

**NEW QUESTION: 204**

□□□□ □□□□ □□□ □□ □□□ □□□□ □□, □□□□ □□ □□□ □□□□□ □□□□ □□□□.

Which type of Ethernet cable is best suited for environments with high electromagnetic interference (EMI)?

A. Unshielded Twisted Pair (UTP)

B. Shielded Twisted Pair (STP)

C. Coaxial

D. Fiber optic

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Shielded Twisted Pair (STP) STP cables are designed with a shielding that helps reduce electromagnetic interference, making them ideal for environments with high EMI, such as areas with heavy machinery and numerous wireless devices. The shielding helps maintain data integrity and network stability.

Option A is incorrect because UTP cables do not include additional shielding against EMI, making them less suitable for high-interference environments.

Option C is incorrect because while coaxial cables are more resistant to EMI than UTP, STP cables are specifically designed to combat interference in Ethernet networks.

Option D is incorrect because although fiber optic cables are immune to EMI, they are typically more expensive and complex to install compared to STP cables for typical Ethernet networks.

**NEW QUESTION: 205**

Which command is used to determine the route packets take to reach a specific destination across an IP network, showing each hop and the time taken to reach it?

A. `www.example.com ping`

B. `tracert www.example.com`

C. `ipconfig /all`

D. `netstat -r`

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. `tracert www.example.com` The `tracert` (or `tracert` on Unix/Linux systems) command is used to determine the route packets take to reach a specific destination across an IP network, showing each hop and the time taken to reach it.

Option A is incorrect. While `ping` can confirm reachability and measure round-trip time, it does not show the path that packets take.

Option C is incorrect. `ipconfig /all` provides configuration details about network interfaces, not routing paths or network performance.

Option D is incorrect. `netstat -r` displays the routing table, which shows possible paths but does not trace the actual route used for a specific destination.

**NEW QUESTION: 206**

Which command is used to display the routing table on a Windows system?

A. `netstat -r`

- B. Reviewing the server logs is a critical first step, as they can provide immediate insights into errors or warnings that coincide with the time the email system failed. This information is crucial for pinpointing the specific nature of the failure.
- C. Checking for storage space, while potentially valid, is less likely to cause an abrupt stop in email functionality without prior warning signs.
- D. Suggesting alternative temporary measures does not contribute to identifying the cause of the failure.

**Answer: A (LEAVE A REPLY)**

Reviewing the server logs is a critical first step, as they can provide immediate insights into errors or warnings that coincide with the time the email system failed. This information is crucial for pinpointing the specific nature of the failure.

Option B is incorrect because user preferences for email systems are irrelevant to troubleshooting a sudden operational problem.

Option C is incorrect as checking for storage space, while potentially valid, is less likely to cause an abrupt stop in email functionality without prior warning signs.

Option D is incorrect because suggesting alternative temporary measures does not contribute to identifying the cause of the failure.

**NEW QUESTION: 207**

You are troubleshooting a network connectivity issue on a Linux server. The server is configured with IPv6. You need to verify the IPv6 connectivity to a specific address. Which command should you use to test the IPv6 connectivity to the address 2001:db8::3257:9652?

- A. ping6 ::1
- B. ping6 2001:db8::3257:9652
- C. traceroute6 2001:db8::3257:9652
- D. nslookup 2001:db8::3257:9652

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. ping6 2001:db8::3257:9652 ping6 is specifically used to test IPv6 connectivity between source and destination addresses. This command helps verify that the IPv6 path to the specified address is clear and that the server is responsive.

Option A is incorrect. ping6 ::1 tests the loopback address and not the remote connectivity.

Option C is incorrect. While traceroute6 would provide the route packets take to the destination, it is more complex and not required just to check connectivity.

Option D is incorrect. nslookup is used for DNS resolution queries, not for checking direct connectivity.

**NEW QUESTION: 208**

You are configuring a MIDI interface on a Linux server. The server has a USB-B port and a MIDI interface. You need to connect the MIDI interface to the USB-B port. Which command should you use to connect the MIDI interface to the USB-B port?

Which command should you use to connect the MIDI interface to the USB-B port?

- A. modprobe usbhid
- B. modprobe usbhid
- C. modprobe usbhid
- D. modprobe usbhid

**Answer: (SHOW ANSWER)**

Correct Answer. B. The cable has the correct pin configuration for USB-B Ensuring that the USB-B cable has the correct pin configuration is crucial for compatibility, particularly with older devices like MIDI controllers, where physical connection compatibility must match the device's port.

Option A is incorrect because maximum data speed (USB 3.0) is not typically necessary for MIDI controllers, which do not transfer large amounts of data rapidly.

Option C is incorrect because shielding for outdoor use is irrelevant to the functionality of a MIDI controller in a typical indoor setting.

Option D is incorrect because while cable length can affect signal integrity, ensuring the correct physical connector configuration is more critical for basic compatibility.

**NEW QUESTION: 209**

□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□□□ □□□ □□ □□ IP □□□ □□□□ □□□ □□□□□□. □□□ □□□ □□□□ □□ □□□ □ □□ □□ □ □□□ □□□□□?

- A. □□□□ □ □□ □□□ □□□ □□□□□.
- B. □□□ □□□ □□ □□ □□ □□□ □□□ □ □□□□.
- C. □□□ □□□□ IP □□□ □□□□□.
- D. □□□□ □□□□ □□ □□□□□□ □□ □□ □□□□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. The devices will not be able to communicate with others outside their assigned range If devices are configured with IP addresses outside the intended subnet, they will fail to communicate effectively with devices on other subnets and potentially even with local devices, depending on the network configuration.

Option A is incorrect. Incorrect IP configuration would not lead to faster internet speeds.

Option C is incorrect. Static IP addresses do not adjust automatically; they need manual reconfiguration to correct the subnet mismatch.

Option D is incorrect. The ability to update antivirus software would not be directly affected by IP address misconfiguration unless it impacts overall network access.

**NEW QUESTION: 210**

□□ □□□□ □□ □□□□□□ □□□□ □□□□□. □□□□□ □□□ □□□ □ □□□ □□□ □□□ □□□ □□□□□ □□□ □□ □□□□.

- A. □□□□ □□ □□□□□ □□□□□.
- B. □□□□□ □□□□ □□□□ □□□ □□□ □□□□□.
- C. IT □□□ □□□□ □□□□ □□□□ □□□□□.
- D. □□□ □□□ □□□□ □□□□ □□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

This scenario is a classic example of email spoofing and a social engineering attack. You should contact the IT department immediately using internal communication methods to verify the legitimacy of the request.

Never respond or take action based on suspicious emails.

**NEW QUESTION: 211**

□ □□□□ □□□ □□□ USB □□□□ □□□□ □□□□ □ □□ □□□ □□ □□□□ □□ □□□□.

□ □□□ □□ IT □□ □□□□ □□□□ □ □□ □□□ □□ □□□ □□□□□?

- A. □□□□ USB □□□□ USB 1.0□□□ □□ □□ □□□ □□□□□.
- B. □□□ □□□ □□□□□ □□□□□ □□□□□.
- C. USB □□□□ □□ □□□□□.
- D. USB □□□□ □□□ □□□□ □□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. The computer's USB port is USB 1.0, providing lower power output. If a mobile device charges slowly when connected to a computer, the most likely cause is that the computer's USB port is an older version, such as USB 1.0, which provides less power compared to newer versions like USB 2.0 or 3.0. This lower power output results in slower charging. Option B is incorrect because while software updates can affect charging efficiency, they are less likely to be the cause of slow charging when the charging source is identified as a potential issue. Option C is incorrect because the thickness of the USB cable does not typically affect charging speed unless it is of poor quality or damaged. Option D is incorrect because the plating of the USB cable connectors (like silver) does not impact the charging speed; it's more about the cable and port specifications.

**100-140-KR** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 100-140-KR □□! DumpTop □ □□ **100-140-KR** □□ □□□ □□□□□□, DumpTop 100-140-KR □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 100-140-KR □□□ □□□□□. <https://www.dumptop.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 212**

□□□□ □□ □□ □□□ □□□□□ □□□□□□ □□ □□□ □□ □□ □□□ □□□□□ □ □□ □□□□ □□□□ □ □□□ □□□□□?

- A. □□□ □□□□ □□□□ □□ □□ □□ □□□□ □□ □□□□ □□□□□.
- B. □□ □□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□□ □□□□ □□□□□ □□ □□□.
- C. □□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□.
- D. □□ □□□ □□□ □□ □□□□□ □□□ □□□ □□□ □□□□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Selectively integrate insights from vetted articles while adapting the content to internal contexts and needs. It is important to critically evaluate and adapt external content to fit the specific operational context and documentation standards of the organization. Option A is incorrect because direct copying can lead to copyright issues and may not align

perfectly with internal needs.

Option C is incorrect because practical application examples are crucial for understanding and effectively implementing database management practices.

Option D is incorrect because exclusively using internally authored content may limit the scope and depth of technical knowledge available.

**NEW QUESTION: 213**

□□ □□ □□ □□ IT □□ □□□□ macOS □□□□□ □□□□□□□□ □□□□ □□□ □□ □□ □□□□ □□ IPv4 □□□ □□ □□□ □□□ □□□□.

□□□□ □□ □□□ □□□□ □□□□?

- A. □□□ □□ □□ > □□□□□ □□ □□ □□□ □□□ □□ "□□"□ □□□□□□.
- B. Apple □□ > □ Mac□ □□□ > □□□ □□□□ □□□□□□.
- C. □□□□ □□□□ netstat -nr | grep default□ □□□□□□.
- D. Apple □□ > □□□ □□ □□ > □□□ □□□□□□.

**Answer: A (LEAVE A REPLY)**

This method directs the user to the Network settings where they can easily see details of their active network connection, including the IPv4 address, under the TCP/IP tab after clicking "Advanced."

Option B is incorrect because "System Report" provides hardware and system software information, which does not include specific network connection details like an IPv4 address.

Option C is incorrect because netstat -nr | grep default shows routing tables and gateway information, which is not specific enough for finding an IPv4 address.

Option D is incorrect because the Sharing menu primarily deals with settings for file, screen, and device sharing, not network connection details.

**NEW QUESTION: 214**

□□□ □□ □□□ □□ □□□□ □□□□ □□□□ □ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□.

□ □□□ □□□□□ □□□ □□□□ □□□□?

- A. □□□□ UPS□ □□□□ □□□ □□□□□□.
- B. □□□ □□□□□ □□□□ □□□ □□ □□□ □□□□□□.
- C. □□□ □□□ □□ □□ □□□ □□ □□□ □□□□□ □□□□□□.
- D. □□□ □□□□ RAM□ □□□□□□

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Ensure the paper size settings in the printer properties match the document settings Incomplete or cut-off printouts can often be due to mismatches in paper size settings in the printer configuration compared to the actual document settings, causing improper formatting during printing.

Option A is incorrect as using a UPS would primarily protect against power fluctuations, not affect print quality or completeness.

Option B is incorrect because while network issues can affect printing, they typically do not result



**NEW QUESTION: 217**

□□□□ □□ □□ IT □□ □□□□ □□ □□□ □□□□ USB-A □□□ □□□ □□□□ □□ □□ □ □□□ □□ □□□ □□□□ □□□□ □□ □□□□□□.

□□ □□ □□□ □□□□□?

- A. USB-A □□□ USB 3.0□ □□□□ □□□□.
- B. USB-A □□□ □□□□ □□ □□ □ BIOS □□□□ □□□ □□□□□□□ □□□□ □□□ □.
- C. USB-A □□□ □□□ □□□ □□□□ □□□□.
- D. USB-A □□□ USB 1.1 □□□ □□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. The USB-A ports are configured to disable power in BIOS settings when the computer is off Some BIOS settings allow for configuration of USB ports to provide power even when the computer is off. If these ports do not charge devices when the computer is off, it is likely due to these BIOS settings being configured to disable power supply to USB ports.

Option A is incorrect because USB 3.0 compliance affects data transfer rates and has less to do with the ability to charge devices when the computer is off.

Option C is incorrect because the capability to support data transfer does not correlate directly with the ability to provide power when the computer is off.

Option D is incorrect because while USB 1.1 ports have lower data transfer rates, their ability to charge devices when off depends primarily on BIOS settings rather than USB version limitations.

**NEW QUESTION: 218**

□□ □□□ □□□ □□□□ □ □□ □□□□ □□□ □, □□□□□ □□ □□ □□ □□□ □□ □□□□.

□ □□□ □□ □□ □□□ □□ □□□□ □□□□□?

- A. □ □□□□ □□ □□□□ □□□ □□□□□□ □□□□□.
- B. □□□□ □□ □□□□ □□□□□□.
- C. □□ □□□□ □□□□□ □□□ □□□ □□□□□.
- D. □□□□ □□□□ IP □□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Realign both paper trays to ensure they are properly installed Improper installation of paper trays can lead to misalignment and subsequent feed errors. Ensuring both trays are correctly aligned often resolves these types of issues.

Option B is incorrect. Resetting the printer to factory settings is more disruptive and unnecessary unless configuration errors are suspected.

Option C is incorrect. While necessary, simply configuring settings without checking physical installation would not resolve mechanical feed issues.

Option D is incorrect. Network IP settings affect connectivity, not how paper is fed into the printer.

**NEW QUESTION: 219**

□□ □□□ □□ □ Windows □□□ □□□□ □□□ □□ □□□□□ □□ □□□□□.  
 □□: □□□ □□□ □□□ □□□□ □□□ □□ □□□.

Windows Tools	Usage Scenario	Windows Tool
Device Manager	The technician is helping a user set up multiple monitors so they can work more efficiently.	
Disk Management	The technician advises a user on how to prepare a new external hard drive for file backup by formatting it and assigning a drive letter.	
Display Settings	To address complaints of a sluggish computer, the technician guides the user through identifying programs that are consuming too much system resources.	
Task Manager	A user is having trouble with their newly connected webcam not functioning correctly, and the technician needs to verify the device's driver installation.	

**Answer:**

Windows Tools	Usage Scenario	Windows Tool
Device Manager	The technician is helping a user set up multiple monitors so they can work more efficiently.	Display Settings
Disk Management	The technician advises a user on how to prepare a new external hard drive for file backup by formatting it and assigning a drive letter.	Disk Management
Display Settings	To address complaints of a sluggish computer, the technician guides the user through identifying programs that are consuming too much system resources.	Task Manager
Task Manager	A user is having trouble with their newly connected webcam not functioning correctly, and the technician needs to verify the device's driver installation.	Device Manager

Windows Tools	Usage Scenario	Windows Tool
Device Manager	The technician is helping a user set up multiple monitors so they can work more efficiently.	Display Settings
Disk Management	The technician advises a user on how to prepare a new external hard drive for file backup by formatting it and assigning a drive letter.	Disk Management
Display Settings	To address complaints of a sluggish computer, the technician guides the user through identifying programs that are consuming too much system resources.	Task Manager
Task Manager	A user is having trouble with their newly connected webcam not functioning correctly, and the technician needs to verify the device's driver installation.	Device Manager

**NEW QUESTION: 220**

□□□□ USB □□□ □□ □□□ □□□□ □□□ PC□ □□□ □□□□ □□□□.  
 □□ □□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□□?

- A. "□ □□□ □□□□□ □□□□ □□□□."
- B. "Windows□ □ □□□□□ □□ □□ □□□□□ □□□ □ □□□□."
- C. "□ □□□ □□□□□□□□□□."
- D. "□ □□□ □□ □□□□□ □□□□ □□□□□."

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. "Windows cannot load the device driver for this hardware." This status message indicates that there is a problem with the device driver that could be causing the USB

ports not to recognize connected devices. It suggests that the driver may be corrupted or incompatible and needs updating or reinstalling.

Option A is incorrect because it indicates that the device is functioning correctly, which does not align with the symptoms described.

Option C is incorrect because it suggests the device has been manually disabled, which is unlikely without user intervention.

Option D is incorrect because it would typically prompt an immediate action to install drivers, and the technician would likely have already checked this.

### NEW QUESTION: 221

□□ □□□□ □□ □ □□□□□, □□ □□□□□□ □□ □□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□□□. □ □□ □□□ □□□ □□□ □ □□□ □□□□ □□ □□ □□□ □ □□□□?

- A. □□□ □□ □□□ □□□□ □□□ □□□ □□ □□□□ □□□□□□.
- B. □□ □□□□ □□□□ □□□□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□□□.
- C. □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□□.
- D. □□□ □□□ □□□ □□□□ □□□□ □□□□ □□□ □□□□□ □□□ □□ □□ □□ □□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Include a detailed account of all attempts, both successful and unsuccessful, with an emphasis on the final solution This approach ensures that the documentation is comprehensive, providing insight into what does not work as well as what does, which can be invaluable for troubleshooting similar issues in the future.

Option A is incorrect. Omitting unsuccessful attempts loses valuable troubleshooting information that might be useful for understanding the issue comprehensively.

Option C is incorrect. A lack of detailed description can hinder future troubleshooting efforts if the same problem arises again.

Option D is incorrect. Excluding the context of the problem makes the documentation less useful for understanding why the particular solution was effective.

### NEW QUESTION: 222

□□□□ □□□□ □□□ □ □□□ □□□ □□ □□□□□ □□□ □ □□□□.

□□□ □□ □□□ □□□ □□□ □□□□□ □□□ □, □□□□ □□□ □□□□ □□□□?

- A. □□□ □□□ □□□ Claire□ □□ □□□□ □□□□□.
- B. Claire□ □□□ □□□□□□ □□□□ □□□□□□ □□□□□.
- C. Claire□ □□□□ □□□ IP □□□□ □□□ □□□□□.
- D. Claire□ □□ □□□ □□□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Verify Claire's group memberships related to the marketing department After verifying that her account is active and her system is functioning normally, the next step is to check her group memberships to ensure she is still part of the groups that have access to the

marketing shared drive.

Option B is incorrect because email client configuration would not affect access to shared network drives.

Option C is incorrect as being on the wrong IP subnet might affect overall network connectivity, but if she's connected to the network and only has issues with the marketing drive, it's more likely a permissions issue.

Option D is incorrect because while important, an outdated operating system would not specifically prevent access to a network drive if other network functions are normal.

**NEW QUESTION: 223**

□ □□□□ □□□ □□□□□□□□ □□□□ □□□□ □□□□ □□□□□□. □□□□ □□ □□□□ □□□□□□.

□□□□ □□□ □□ □□□□ □□□□?

A. □□□ □□□□□□ □□□□□□□ □□□□ □□□□□□.

B. □□□□ □ □□□ □□□□□□

C. □□□□ USB □□ □□□□ □□□ □□□□ □□□□□□.

D. □□□ □□□□ □□□□□□ □□ □□□□□□□□

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Check the scanner's USB or network connection to ensure it is secure The first step should always be to check the physical connections as these are often the simplest and most common cause of connectivity issues. Loose or disconnected cables can prevent the scanner from being recognized.

Option A is incorrect. Rebooting the devices is a valid troubleshooting step but should follow checking the physical connections.

Option B is incorrect. Replacing the scanner is premature without first ensuring that simpler fixes, like checking connections, are not effective.

Option D is incorrect. Driver updates are important but typically not the first line of action unless there is indication that the device is recognized but malfunctioning due to software issues.

**NEW QUESTION: 224**

□□□□ MacOS□ □ □□□□□□□□ □□□□□□, □ □□□□□□□□ □□□ □□□□□□ □□ □□□□ □□□□□□ □□□ □□□□□□□□ □ □□□ □□□ □□□□ □□□□.

□ □□□ □□□□□□ □□□□ □□□ □□ □□□□?

A. □□□□ □□□□□□□□

B. □□□ □□ □□□□ □□□□□□□□ □□ □□□ □□□ □□ □□

C. □□ □□□□□□ □□ □□□□□□

D. MacOS □□□□□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Grant the application Full Disk Access in System Preferences MacOS security settings require users to manually grant permissions for applications to access certain protected areas like the Documents folder. Granting Full Disk Access allows the application to read and

write to the Documents folder.

Option A is incorrect because the firewall settings do not impact file access permissions on local folders Option C is incorrect because reinstalling the application does not change the permissions settings Option D is incorrect as updating MacOS does not automatically grant file access permissions to applications

**NEW QUESTION: 225**

□□□ □□□□□ □□ □ □□□□ □□□ □□□□□?

- A. □□□, □□□, □□, □□□ □□□□ □□□□□.
- B. □□□□ □□ □□□□ □□□ □□□ □□□□□.
- C. □□□□ □□□□□. 6□□ □□ □□□ □□□.
- D. □□□□□□ □□□ □□ □□ □□□ □□□□ □□□□ □□ □□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Use a mix of uppercase letters, lowercase letters, numbers, and symbols Using a combination of uppercase letters, lowercase letters, numbers, and symbols increases the complexity of a password, making it harder for attackers to crack.

Option B is incorrect as common phrases or words can be easily guessed or cracked with dictionary attacks Option C is incorrect because passwords should be lengthy to enhance security, typically recommended to be at least 12 characters long Option D is incorrect as personal information can often be easily found or guessed by attackers

**NEW QUESTION: 226**

□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□.

□□□□ □□ □□ □□□□ □ □□□ □□□□□?

- A. □□□□ □□ □□□ □□
- B. □□□ □□□□ USB □□□ □□□□ □□□□ □□□ □□□□□.
- C. □□□ □□□□□ □□□□□□□
- D. □□□□ □□□□□ □□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Ensure the mouse cable is securely connected to the USB port The most common and easiest issue to fix with wired peripherals like a mouse is to check if the connection to the computer is secure. A loose or partially connected cable can prevent the mouse from functioning properly.

Option A is incorrect. Replacing a wired mouse with a wireless one is unnecessary without first checking simpler issues.

Option C is incorrect. Updating drivers is a potential solution but only necessary if there are signs of device recognition without proper functionality.

Option D is incorrect. Display settings do not affect the functionality of a mouse.

**100-140-KR** <https://www.dumpst.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 227**

- Which of the following is the best practice for implementing tiered service levels?
- A. Implementing tiered service levels allows the SLA to be more tailored to specific client requirements and capacities, ensuring that service provision is consistent and meets varied client needs effectively.
  - B. SLA reviews should be performed quarterly to ensure compliance.
  - C. SLA scope should be reduced to only the most critical services to ensure consistent quality across the board.
  - D. SLA terms should be flexible to adapt to changes in demand but do not guarantee consistent service quality throughout different periods.

**Answer: A (LEAVE A REPLY)**

Implementing tiered service levels allows the SLA to be more tailored to specific client requirements and capacities, ensuring that service provision is consistent and meets varied client needs effectively.

Option B is incorrect because while more frequent reviews can help monitor SLA compliance, they do not inherently enhance service consistency.

Option C is incorrect as reducing the scope of services could limit client support rather than ensuring consistent quality across the board.

Option D is incorrect because flexible terms may help adapt to changes in demand but do not guarantee consistent service quality throughout different periods.

**NEW QUESTION: 228**

- Which of the following is the best practice for troubleshooting a network device that is not receiving an IP address from a DHCP server?
- A. Rebooting the network device.
  - B. Checking the status and configuration of the DHCP server.
  - C. Checking the network cable connections.
  - D. Checking the IP address configuration on the network device.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Check the status and configuration of the DHCP server When multiple devices receive an APIPA address, it often indicates a problem with the DHCP server, such as it being down or misconfigured.

Option A is incorrect. While rebooting might help, it's less targeted than checking the DHCP server directly.

Option C is incorrect. Cable issues would more likely result in no IP address being assigned, not an APIPA address.

Option D is incorrect. Manually assigning IP addresses is a temporary workaround, not a solution to DHCP server issues.

**NEW QUESTION: 229**

□□□ □□□□ □□□□□ □□□□□□ □□□□□□ □□□□, □ □□□□ □□□□□ □□ □□□□□ □□□□ □□□□ □□□□ □□□□□.

□□□□ □□□ □□ □□□□ □□ □□□ □□□□ □□ □□ □□ □□□ □□ □□□□?

- A. □□□□ □□ □ □□ □□□□□.
- B. □□□□ □□□ □□□ □□□□ □□ □□□□.
- C. □□□□ □□□□
- D. □□□□ □□ □□□□ □□□□□

**Answer: B (LEAVE A REPLY)**

Clearing the browser cache followed by refreshing the page ensures that the user's browser loads the most recent version of the web pages, reflecting the latest updates.

Option A is incorrect because simply refreshing the page may not always load new content if the browser is pulling data from the cache Option C is incorrect because an operating system update is unlikely to impact how individual web pages are cached or displayed Option D is incorrect because the issue is likely related to local caching on the user's browser, not a problem that the website's support team can resolve

**NEW QUESTION: 230**

□□□□ macOS□□ □□□ □□□□□□□□ □□ □□□□ □□□ □□□□ □□□ □□ □□ □□ □□ □□ □□□□ □□ □□□□□.

IT □□ □□□□ □□ □□□ □□□ □□ □□□ □□ □□ □□ □□ □□□ □□□□ □□□□ □□□?

- A. "□□□□□" □□ □□□ "□□□□ □□" □□□ □□□.
- B. □□□ □□ □□□ □□□□ □□□ □□□□□□□ □□□ □□□□□□□.
- C. □□ □□□ □□□ "□□□□□ □□"□□ □□□□□.
- D. □□□□ □□□ □□□ □□ "□□□□ □□□"□ □□□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Use the search function in Console to filter for the email application's name. Using the search function in the Console app allows the user to efficiently filter logs for specific terms, such as the name of the email application. This method quickly isolates relevant error messages or warnings associated with the app, aiding in diagnosing the issue.

Option A is incorrect because there is no dedicated "Email Errors" section under "Library" logs in the Console app.

Option C is incorrect because "Network Activity" focuses on network-related events and not on specific application errors.

Option D is incorrect because "User Reports" typically involves logs that are manually generated for specific incidents and may not contain automatic log entries for application errors.

**NEW QUESTION: 231**

- □□□□ □□ □□ □□□□ □□□ □□□□ □□ □□ □□□□□ □□□□□.
- □□□ □□□ □□□□ □□ Windows □□ □□□□ □□ □□□ □□□□ □□□?
- A. □□ □□ □□ □□
- B. □□ □□ □□ □□□ □□□ □□□□□□ □□□□ □□□□□.
- C. □□ □□□ □□□ □□□□□□□.
- D. □□□□□ □□ □□□ 100%□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Set the display to turn off after a shorter period of inactivity Adjusting the power settings to turn off the display after a shorter period of inactivity can significantly conserve battery life, as the display is one of the largest consumers of battery power on a laptop.

Option A is incorrect because increasing the screen brightness would actually consume more battery power Option C is incorrect because disabling sleep mode would lead to higher power consumption when the laptop is not actively used Option D is incorrect as setting the processor's minimum state to 100% would increase power consumption, not decrease it

**NEW QUESTION: 232**

- □□□□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □□
- □□□□ □□□□.
- □□ □□□□□ □□ □□□ □□□□ □□□?
- A. □□ □□□ □□ IP □□□ □□□□□.
- B. □□ □□□ □□ IP □□□ □□□□ □□□ □□□ □□ NAT□ □□□□□.
- C. □□ □ □□ □□ □□□ IPv6 □□□ □□
- D. DHCP □□ □□ □□ □□□ □□□□ IP □□□ □□□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Assign private IP addresses to all devices and use NAT for internet access Using private IP addresses for internal devices and NAT (Network Address Translation) for internet access is a standard practice. This configuration enhances security and conserves public IP addresses.

Option A is incorrect. Using public IP addresses for all devices is not secure or economical as it exposes devices directly to the internet.

Option C is incorrect. Using only IPv6 does not address the need for private addressing within the internal network.

Option D is incorrect. Without a DHCP server, managing IP addresses, especially in larger networks, would be inefficient and prone to errors.

**NEW QUESTION: 233**

- iPhone □□ □□□ □□□□□.
- □□ □□□ □□ □□□ □□□ □□□□ □□□.
- □□□ □□ □□□□ □□ □□□ □□ □□□ □□□ □ □□□ □□ '□'□ □□□□, □□□□
- □□□ '□□□□'□ □□□□□.
- : □□□ □□□ □□□ □□□□ □□□ □□ □□□.

Answer Area		
	Yes	No
Offload unused apps.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Empty the <b>Recently Deleted</b> album.	<input type="checkbox"/>	<input type="checkbox"/>
Enable <b>Optimize Photos</b> .	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

Answer Area		
	Yes	No
Offload unused apps.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Empty the <b>Recently Deleted</b> album.	<input type="checkbox"/>	<input type="checkbox"/>
Enable <b>Optimize Photos</b> .	<input type="checkbox"/>	<input type="checkbox"/>

Answer Area		
	Yes	No
Offload unused apps.	<input type="checkbox"/>	<input type="checkbox"/>
Empty the <b>Recently Deleted</b> album.	<input type="checkbox"/>	<input type="checkbox"/>
Enable <b>Optimize Photos</b> .	<input type="checkbox"/>	<input type="checkbox"/>

**NEW QUESTION: 234**

□□□□ □□□□ □□□□ USB □□□□ □□□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□□. □□□□ □□ □□□ □□□□ □□□□ □□□□□. □ □□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□□?

- A. □ □□ □□□□ □□ □□ Micro USB □□□□ USB-C □□□□ □□□□□.
- B. □□□ □□ □□□ □□□□ □ □□□ □□□ □□□□□ □□□□□.
- C. □□ Micro USB □□□□ □□□□ □□ □□□ □□□ □□□□□.
- D. □□□ □□ □□□ □□ □□□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

Correct Answer. B. Check if the power source delivers adequate amperage for charging multiple devices When multiple devices are charged from a single source using Micro USB cables, it is crucial to ensure that the power source can deliver adequate amperage to handle multiple devices. Insufficient power supply can result in some devices not charging properly.

Option A is incorrect because simply replacing Micro USB cables with USB-C cables does not address the issue if the devices specifically require Micro USB.

Option C is incorrect because it is not feasible to charge multiple devices simultaneously using a single Micro USB cable.

Option D is incorrect because the compatibility of devices with wireless charging does not solve the issue of charging with Micro USB cables.

**NEW QUESTION: 235**

□□ □□ □□ □□□□ □□□□ □□□ □□ □□□ □□□□, □□□□ □□ □□□□□.

□ □□□ □□ □□ □□□ □□ □□□□ □□□□□?

A. □□ □□□□□□□ □□□ □□□ □□□□□

B. □□□□ □□□□□□

C. □□□ □□□ □□□ □□□□□

D. □□□ □□□□□

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Adjust the video settings in the conferencing software Often, issues with video transmission during a conference can be resolved by checking and adjusting the video settings within the application, especially if the audio is still functioning.

Option B is incorrect. While rebooting can resolve some issues, it's less targeted than checking settings if only the video transmission stopped.

Option C is incorrect. If the microphone works, the physical connection of the webcam is likely intact, as most webcams use a single USB connection for both video and audio.

Option D is incorrect. Replacing the webcam is premature without first troubleshooting software settings or connection issues.

**NEW QUESTION: 236**

□□□ □□□□ □□ □□□□□ □□□□□□ □□□□□ □□□ □□□□ □□□ □□□□ □

□ □□□□ □□□□ □□□□.

□ □□□ □□ □ □□□ □□□□□?

A. □□□□ □□□ □□□□

B. □□□ □□ □□□ □□□□ □□ □□□□ □□□.

C. □□ □□□□ □□□ □□□□□ □□ □□□□ □□□.

D. □□□□ USB □□□□ □□□□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. B. The print spooler service on the server needs to be restarted If the printer shows as offline to all users but appears to be operational, it's likely a server-side issue such as a stalled print spooler service, which needs to be restarted to restore functionality.

Option A is incorrect because being out of paper would typically be indicated on the printer's display.

Option C is incorrect because it's unlikely that all users would need to reinstall their printer drivers simultaneously due to a single shared issue.

Option D is incorrect as it is described as a network printer, implying it is not connected via USB.

**NEW QUESTION: 237**

Which Windows 10 feature helps visually impaired users by enlarging parts of the screen, making text and other components easier to see?

- A. Filter Keys
- B. Windows Speech Recognition
- C. Magnifier
- D. Mouse settings

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Enable Magnifier The Magnifier feature in Windows 10 helps visually impaired users by enlarging parts of the screen, making text and other components easier to see.

Option A is incorrect because Filter Keys is designed for users who have difficulty with keyboard input timings, not for visual impairments Option B is incorrect while Windows Speech Recognition can assist with navigation, it does not enhance visual accessibility like the Magnifier does Option D is incorrect because adjusting mouse settings, although helpful, does not improve the visibility of screen content

**NEW QUESTION: 238**

Which OneDrive setting ensures files are stored locally and synced with the cloud, which can slow down file access if the local drive becomes overloaded. Adjusting this setting can help manage local storage and improve file loading times.

- A. Always keep on this device
- B. "Always keep on this device"
- C. Convert file formats
- D. Reinstall OneDrive

**Answer: B (LEAVE A REPLY)**

OneDrive's "Always keep on this device" setting ensures files are stored locally and synced with the cloud, which can slow down file access if the local drive becomes overloaded. Adjusting this setting can help manage local storage and improve file loading times.

Option A is incorrect because while bandwidth might be a factor, it's more efficient to first check settings that could be causing unnecessary data usage.

Option C is incorrect because converting file formats is a drastic step that doesn't directly address the potential causes of slow loading within OneDrive.

Option D is incorrect because reinstalling OneDrive should be a last resort after settings adjustments and other troubleshooting steps have been tried.

**NEW QUESTION: 239**

Which Windows 10 feature helps visually impaired users by enlarging parts of the screen, making text and other components easier to see?



Option A is incorrect because while device compatibility is important, it does not typically impact permissions-based access issues directly linked to directory services.  
Option C is incorrect because network speed would affect performance rather than access permissions.  
Option D is incorrect because while encryption standards are vital for security, they do not generally impede access if the user's role and permissions are configured correctly.

**100-140-KR** <https://www.dumptop.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 242**

A technician is configuring a Windows computer to access a shared folder on a network drive. The technician should map a network drive by choosing a drive letter and specifying the path (e.g., \\ServerName\SharedFolder). This enables easy and persistent access to the shared folder.

A. The technician should map a network drive by choosing a drive letter and specifying the path (e.g., \\ServerName\SharedFolder).  
B. The technician should map a network drive by choosing a drive letter and specifying the path (e.g., \\ServerName\SharedFolder).  
C. The technician should map a network drive by choosing a drive letter and specifying the path (e.g., \\ServerName\SharedFolder).  
D. The technician should map a network drive by choosing a drive letter and specifying the path (e.g., \\ServerName\SharedFolder).

**Answer: A (LEAVE A REPLY)**

To access a shared folder from a Windows computer, the technician should map a network drive by choosing a drive letter and specifying the path (e.g., \\ServerName\SharedFolder). This enables easy and persistent access to the shared folder.

**NEW QUESTION: 243**

A technician is configuring a DisplayPort connector on a computer. The technician should enable DisplayPort Multi-Stream Transport (MST) to allow multiple monitors to be connected to a single DisplayPort connector on a computer or graphics card. This feature is essential for setting up a daisy-chain of monitors, providing a

A. DisplayPort Multi-Stream Transport (MST)  
B. DisplayPort Multi-Stream Transport (MST)  
C. DisplayPort Multi-Stream Transport (MST)  
D. DisplayPort Multi-Stream Transport (MST)

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. DisplayPort Multi-Stream Transport (MST) DisplayPort Multi-Stream Transport (MST) allows multiple monitors to be connected to a single DisplayPort connector on a computer or graphics card. This feature is essential for setting up a daisy-chain of monitors, providing a

convenient and effective way to extend the workspace across several displays.

Option A is incorrect because Audio Return Channel (ARC) is a feature used primarily with HDMI connections to send audio back to a receiver or soundbar, which is unrelated to connecting multiple monitors.

Option C is incorrect because High-bandwidth Digital Content Protection (HDCP) is primarily a digital copy protection mechanism used to prevent copying of digital audio and video content as it travels across connections. It does not support the daisy-chaining of monitors.

Option D is incorrect because HDMI is a different type of video/audio interface and not a feature of DisplayPort.

**NEW QUESTION: 244**

□□□□ □□ □□ □ AI□ □□□ □□□□□ □□ □□□ □ □□ □□□ □□□ □□□□ □□ □□?

- A. AI□ □□□□□ □□□□□□ □□□ □□□□□□.
- B. □□□ □□□ □□□□ □□ AI □□□□□ □□ □□□□□.
- C. □□□ □□□ □□□ □□□□ □□□ □□ AI □□ □□□ □□□□□.
- D. □□□□ □□□ □□□ □□ AI □□□ □□□□□ □□□□ □□□□□.

**Answer: D (LEAVE A REPLY)**

Correct Answer. D. Regularly review and assess AI decisions for potential biases and errors Regular evaluation of AI outputs is essential to identify and correct any biases or inaccuracies, ensuring fair and effective solutions.

Option A is incorrect because AI systems can develop biases based on the data they are trained on; thus, they are not inherently objective.

Option B is incorrect as merely adjusting parameters may not adequately address underlying biases.

Option C is incorrect because blindly accepting AI recommendations can perpetuate biases.

**NEW QUESTION: 245**

□□□ □ □ □□ □□□ □□□□□□ □□□□□ □□□□□ □□ □□□□□ □□□ □□□ □□□□□□□.

□□□ □□□ □□ □□ □□ □□□ □ □□□ □□□□?

- A. □□□ □□□ □□□□□ □□□ □□□ □□ □□□□.
- B. □□□ □□□□□□ □□ □□□□□.
- C. □ □□ □□□□□□ □□□□ □□ □□ □□□ □ □□ □□□□ □□ □□□□□□ □□□ □□□.
- D. □□□□ □□ □□ □□□ □□□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Disconnect the device from the network immediately Disconnecting the device from the network helps prevent any potential malicious software from communicating with external servers or spreading to other devices on the same network.

Option A is incorrect because continuing to use the system could allow potential malware to

further damage or compromise data.

Option C is incorrect and impractical, as installing more untrusted software would likely exacerbate the problem.

Option D is incorrect as merely uninstalling the software does not guarantee that all components of malicious software are removed and the system is secure.

**NEW QUESTION: 246**

□□□ Windows □□□□□ □□□ □□□ □□□ □ □□□□. □□ □□□□ □□ □□□ □□ □□ □□ □□□ 600dpi □□□□ □□□□□.

- >  Audio inputs and outputs
- >  Computer
- >  Disk drives
- >  Display adapters
- >  DVD/CD-ROM drives
- >  IDE ATA/ATAPI controllers
- >  Imaging devices
- >  Keyboards
- >  Mice and other pointing devices
- >  Monitors
- >  Network adapters
- ▼  Other devices
  -  600dpi USB Scanner
- >  Ports (COM & LPT)
- >  Print queues
- >  Printers
- >  Processors
- >  Software devices
- >  Sound, video and game controllers
- >  Storage controllers
- >  System devices

□□□□ □□□□ □ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□.  
□□: □□□ □□□ □□□ □□□□ □□□ □□ □□□.

**Answer Area**

What is the problem?

- The scanner is not connected to the correct port.
- The appropriate device drivers are not installed.
- The scanner is not recognized by the operating system.

What should you do in Device Manager to resolve the issue?

- Disable the device.
- Update the driver.
- Connect the scanner to a different port.

**Answer:**

**Answer Area**

What is the problem?

- The scanner is not connected to the correct port.
- The appropriate device drivers are not installed.
- The scanner is not recognized by the operating system.

What should you do in Device Manager to resolve the issue?

- Disable the device.
- Update the driver.
- Connect the scanner to a different port.

**Answer Area**

What is the problem?

- The scanner is not connected to the correct port.
- The appropriate device drivers are not installed.
- The scanner is not recognized by the operating system.

What should you do in Device Manager to resolve the issue?

- Disable the device.
- Update the driver.
- Connect the scanner to a different port.

**NEW QUESTION: 247**

□□□□ □□□ □□ □ □□ □□□ □□□ □□□□□. □□□□ □□ □ □□□ □□ □□□□□ □□ □□ □□□ □□□□ □□□?

- A. □□□□ □□□ □ □□□ □□□□□.
- B. □□□□ □□ □□□ □□□□.
- C. □□□□ USB □□□□ □□□□□
- D. □□ □□□ □□□□□□ □□□ □□□ □□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. D. Adjust the sound settings to enable noise suppression Enabling noise suppression and echo cancellation in sound settings can significantly improve the clarity of audio recorded by reducing background noise and echo.

Option A is incorrect. While moving the microphone closer can help, it does not specifically



# Ticket Details

Unique Identifier: #00126

Customer Information: Joe P Public. jpp@sunsetweb.com

Date and Time: April 22, 2024, 11:15 AM

Issue Category: Network/Connectivity

Priority Level: Critical

Ticket Status: Open

A

## Problem Description:

Experiencing random internet dropouts on the third floor.

## Troubleshooting Steps Attempted:

B

Restarted the internet boxes a couple of times.

C

Checked if there were any updates needed, everything seems okay.

D

Confirmed stable internet access on other floors, isolated the issue to the third floor through a review of the system and application logs and interactions with other users throughout the building. Error code 101 seen on third floor distribution routers.

## Resolution Plan:

E

The issue is suspected to be related to the main router's capacity or a configuration error. Consultation with the network hardware vendor is underway for a deeper understanding of error codes.

## Attachments:

Screenshots of system logs with error messages.

## Resolution Summary:

(Pending detailed investigation and actionable steps.)

## Feedback and Follow-up:

Agreed to check back with the user tomorrow to get an updated status of the problem to ensure problem doesn't get any worse.

□ □□□ □□ □□ □□□ □□□ □□□ □□ □□ □□ □□□□  
 □□ □□□ □□ □□ □□□ □□□ □□□□.  
 □□: □□ □□ □□□ □□□ □□ □□□.

**Descriptions**

Follows Best Practice

Does Not Follow Best Practice



**Documentation Labels**

A

B

C

D

E

**Answer:**

**Descriptions**

Follows Best Practice

Does Not Follow Best Practice

**Documentation Labels**

A Follows Best Practice

B Does Not Follow Best Practice

C Does Not Follow Best Practice

D Follows Best Practice

E Follows Best Practice

Descriptions	Documentation Labels
Follows Best Practice	A Follows Best Practice
Does Not Follow Best Practice	B Does Not Follow Best Practice
	C Does Not Follow Best Practice
	D Follows Best Practice
	E Follows Best Practice

**NEW QUESTION: 250**

□□ □□ □□ □□□□ □□□□□□ □□ IPv6 □ □□□□□□ □ □□ □ □□□ □□ □□□

Which command is used to verify IPv6 connectivity to a remote host?

- A. ping6 www.example.com
- B. traceroute6 www.example.com
- C. ipconfig /all6
- D. arp -a6

**Answer: (SHOW ANSWER)**

Correct Answer. B. traceroute6 www.example.com traceroute6 enables the technician to view each hop the packets make on their way to the destination, along with the time taken at each hop, providing a detailed view of the path and performance.

Option A is incorrect. While ping6 provides latency data to the destination, it lacks detailed per-hop information.

Option C is incorrect. ipconfig /all6 does not exist as a command; ipconfig /all displays network configuration for interfaces but does not trace routes.

Option D is incorrect. arp -a6 is a fictitious command; arp shows the IP to MAC address mappings and does not support IPv6 or provide routing diagnostics.

**NEW QUESTION: 251**

Which command is used to display the current IP configuration on a Windows system?

Which command is used to display the current IP configuration on a Windows system?

- A. netstat -rn
- B. ipconfig /all
- C. ipconfig /all www.google.com
- D. ping 127.0.0.1

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. ipconfig /all The ipconfig /all command displays all current TCP/IP network configuration values, including the IP address, subnet mask, default gateway, and DNS servers, which are vital for troubleshooting connectivity issues.

Option A is incorrect. netstat -rn displays the routing table, which is more useful for troubleshooting route selection and gateway issues but not basic connectivity settings.

Option C is incorrect. traceroute is used to trace the path packets take to a destination, helpful for identifying network path issues but not for initial IP configuration checks.

Option D is incorrect. ping 127.0.0.1 tests the loopback address to confirm TCP/IP is installed and functioning on the local machine, but it doesn't provide IP configuration details.

**NEW QUESTION: 252**

Which command is used to display the current IP configuration on a Windows system?

Which command is used to display the current IP configuration on a Windows system?

- A. ipconfig /all

B. Monitor network performance and check for any reported issues After implementing a network-wide software upgrade, observing the results is critical. Monitoring the network's performance and actively checking for user-reported issues help identify any negative impacts the new software may have, ensuring that the upgrade enhances security without reducing performance.

C. Plan another upgrade without assessing the impact of the current one can lead to compounded problems.

D. Assume success without verification does not follow the problem-solving process of observation and can result in undetected issues persisting.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Monitor network performance and check for any reported issues After implementing a network-wide software upgrade, observing the results is critical. Monitoring the network's performance and actively checking for user-reported issues help identify any negative impacts the new software may have, ensuring that the upgrade enhances security without reducing performance.

Option A is incorrect because planning another upgrade without assessing the impact of the current one can lead to compounded problems.

Option C is incorrect as assuming success without verification does not follow the problem-solving process of observation and can result in undetected issues persisting.

Option D is incorrect because an immediate rollback should only be considered after confirming that the upgrade has definitively caused critical issues.

**NEW QUESTION: 253**

A laptop with USB-C ports is being connected to an older monitor that only supports VGA input. Which adapter is the most appropriate choice for this connection?

IT professionals are often asked to connect modern devices to older hardware. Which of the following is the most appropriate choice for connecting a laptop with USB-C ports to an older monitor that only supports VGA input?

A. USB-C to HDMI adapter

B. USB-C to VGA adapter

C. USB-C to DVI adapter

D. USB-C to DisplayPort adapter

**Answer: (SHOW ANSWER)**

Correct Answer. B. USB-C to VGA converter A USB-C to VGA converter is the most appropriate choice for connecting a laptop with USB-C ports to an older monitor that only supports VGA input. This converter will adapt the digital signal from the USB-C to the analog signal required by the VGA interface, ensuring compatibility between the devices.

Option A is incorrect because HDMI does not provide the analog output needed for a VGA-only monitor.

Option C is incorrect because DVI, like HDMI, primarily carries digital signals and would require additional conversion to analog for VGA compatibility.

Option D is incorrect because DisplayPort also primarily supports digital signals and would not interface directly with an older VGA monitor without additional conversion.

**NEW QUESTION: 254**

A network administrator is configuring a new server. The server has a network interface card (NIC) that supports 10 Gbps. Which of the following is the most appropriate choice for the network connection?

A network administrator is configuring a new server. The server has a network interface card (NIC) that supports 10 Gbps. Which of the following is the most appropriate choice for the network connection?

A. 10 Gbps Ethernet

B. Docker

C. VPN

D.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Hypervisor A hypervisor allows multiple virtual machines, each with their own operating systems, to run concurrently on a single physical server, thereby maximizing resource utilization and minimizing hardware costs.

Option B is incorrect because Docker containers are used for application virtualization rather than operating system virtualization and typically share the same operating system kernel.

Option C is incorrect because a VPN is used to create a secure network connection over the internet, not for running multiple operating systems.

Option D is incorrect as a load balancer distributes incoming network traffic across multiple servers, which does not involve virtualizing operating systems.

### NEW QUESTION: 255

.     
      ?

A.

B.

C.   .

D.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Check and replace the batteries in the wireless mouse Wireless mice often disconnect due to low battery power, making this the first and simplest thing to check and fix.

Option A is incorrect. Replacing a wireless mouse with a wired one does not address the root cause of the connectivity issue.

Option C is incorrect. Reinstalling the operating system is an excessive measure for a device connectivity issue.

Option D is incorrect. Upgrading the mouse is unnecessary without first checking simpler solutions like battery replacement.

### NEW QUESTION: 256

macOS      AirDrop      .

A.       .

B. "   "    AirDrop  .

C. Mac     .

D.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Set AirDrop to receive items from "Everyone" AirDrop has three visibility options:







public internet and does not manage application identity or access controls.

Option D is incorrect because Google Cloud Dataproc is a managed service for running Apache Hadoop and Apache Spark jobs and does not involve identity and access management.

**NEW QUESTION: 263**

Which Google Cloud Platform service is best suited for solving the problem of large-scale data processing very efficiently, making it suitable for running big data queries and analytics?

Which Google Cloud Platform service is best suited for solving the problem of large-scale data processing very efficiently, making it suitable for running big data queries and analytics?

- A. Google Compute Engine
- B. Google BigQuery
- C. Google Cloud Storage
- D. Google App Engine

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Google BigQuery Google BigQuery is an enterprise data warehouse that solves the problem of large-scale data processing very efficiently, making it suitable for running big data queries and analytics.

Option A is incorrect because Google Compute Engine provides virtual machines and is more general-purpose rather than specifically optimized for big data analytics.

Option C is incorrect because, while Google Cloud Storage is useful for storing large amounts of data, it does not offer data processing capabilities.

Option D is incorrect as Google App Engine is a platform for building scalable web applications and does not specialize in data analytics.

**NEW QUESTION: 264**

Which of the following is the best practice for ensuring data confidentiality and privacy when troubleshooting a remote session?

- A. Limit the scope of remote access to only those systems and files that are relevant to the issue at hand.
- B. Copy files without explicit user consent for troubleshooting.
- C. Ask the user to leave their workstation during the session.
- D. Leave the remote session open for future reference.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Limit the scope of remote access to only those systems and files that are relevant to the issue at hand Limiting access ensures that the technician does not expose or manipulate unnecessary files, thus maintaining data confidentiality and adhering to privacy standards.

Option B is incorrect as copying files without explicit user consent can breach confidentiality and may not be necessary for troubleshooting.

Option C is incorrect because asking the user to leave their workstation could undermine trust and does not effectively ensure data privacy.

Option D is incorrect as leaving a remote session open can pose a security risk and is not an efficient use of resources.



□ □□□ □□ □□□?

A. □□□□ USB □□□□ □□□□ □□□ □□□ □□□ □□□□□.

B. □□□ □□ □□□ □□□□□

C. □□ □□□ □□□ □□

D. □□□□ □□ □□□ □□□□□

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Check the keyboard's USB connection for any signs of damage or loose fit. Intermittent functionality often indicates a poor connection. Checking for damage or a loose connection can identify if the issue is physical, which is one of the simplest and most direct initial checks.

Option B is incorrect. Installing a new operating system is too drastic for what might be a simple connectivity issue.

Option C is incorrect. Cleaning the keyboard is beneficial for key function, not connectivity issues.

Option D is incorrect. Replacing the keyboard is premature without first confirming the source of the problem.

### NEW QUESTION: 268

□□ □□□ □□□□ □□□□ □□ □□□□ □□□ IPv6 □□□ □□□□ □□□.

IT □□ □□□□ Windows 10 □□□□ □□□□□ □□□ □□□ □□□□ □□□?

A. □□ > □□□□ □ □□□ > □□ > □□□□ □□□□□.

B. □□ □□□□□ □□ ipconfig□ □□□□□.

C. □□□ > □□□□ □ □□ □□ > □□□ □□ □□□□ □□□□□.

D. □□ □□□□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ "□□ □□"□ □□□□ □.

**Answer: B (LEAVE A REPLY)**

The ipconfig command in Command Prompt quickly provides detailed information on all network adapters, including the IPv6 address. This method is direct and provides comprehensive network configuration details, including IPv6, without navigating through multiple menus.

Option A is incorrect because while it provides some network settings, it does not typically display all detailed IP configuration data directly.

Option C is incorrect because this path leads to adapter settings, which require further navigation to view IPv6 addresses specifically.

Option D is incorrect because "Troubleshoot problems" is intended for resolving network issues and does not directly display network configuration details like IPv6 addresses.

### NEW QUESTION: 269

□□ □□□ □□ □□ □□□□ □□□□□ □□ □□□ □□□□ □□□□. □□ □□□□ □□

□ □□□ □□□ □□ □ □□□ □□□.

□ □□□ □□□□ □□ □□ □□□ □□□□□?

A. □□ □□□□ □□□ □□□□ □□ □ □□ □□□□ □□□□□.

B. □□ □□ □□□□ □□ □□ □□ □□□□□ □□□ □□□□ □□□□□□□.



- B. Check for debris under the keys affecting specific characters. If specific keys are not working, physical obstructions under the keys are a common cause. Checking for and removing debris is a simple first step before considering software issues.
- C. Update the keyboard firmware.
- D. Adjust the typing speed settings.

**Answer: (SHOW ANSWER)**

Correct Answer. B. Check for debris under the keys affecting specific characters. If specific keys are not working, physical obstructions under the keys are a common cause. Checking for and removing debris is a simple first step before considering software issues.

Option A is incorrect. Incorrect layout settings would affect the function of many keys, not just specific ones.

Option C is incorrect. Firmware updates for keyboards are rare and unlikely to affect individual key functionality.

Option D is incorrect. Typing speed settings affect the overall input response but not the function of specific keys.

**100-140-KR** <https://www.dumpstump.com/Cisco/100-140-KR-dump.html> (649 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 272**

- A. The user is unable to access the network. The user should check the network settings.
- B. The user is unable to access the network. The user should check the network settings.
- C. The user is unable to access the network. The user should check the network settings.
- D. The user is unable to access the network. The user should check the network settings.

**Answer: (SHOW ANSWER)**

Task Manager's Performance tab provides real-time details on total, used, and available RAM, allowing the user to see memory availability.

**NEW QUESTION: 273**

- A. The user is unable to access the network. The user should check the network settings.
- B. The user is unable to access the network. The user should check the network settings.
- C. The user is unable to access the network. The user should check the network settings.

D. The connection of the video cable from the panel to the system For a flat panel to be recognized by a computer, it is crucial that the video connection, such as HDMI or VGA, is secure and functional.

**Answer: D (LEAVE A REPLY)**

Correct Answer. D. The connection of the video cable from the panel to the system For a flat panel to be recognized by a computer, it is crucial that the video connection, such as HDMI or VGA, is secure and functional.

Option A is incorrect. Lack of power would prevent the panel from turning on, but the scenario implies it is powered but not recognized.

Option B is incorrect. Compatibility is typically confirmed before installation; also, this wouldn't stop the OS from recognizing a connected device.

Option C is incorrect. IP conflicts affect networked devices, not the basic recognition of connected hardware.

**NEW QUESTION: 274**

The Windows System Information tool is designed to provide information related to the cooling systems of the computer, such as fan statuses and thermal conditions, which can help in diagnosing overheating issues.

A. Components > Cooling

B. Components > Infrared

C. Components > Cooling

D. Hardware Resources > I/O

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Components > Cooling The "Components > Cooling" section of the Windows System Information tool is designed to provide information related to the cooling systems of the computer, such as fan statuses and thermal conditions, which can help in diagnosing overheating issues.

Option A is incorrect because System Summary does not provide specific details about the thermal or cooling status of the system.

Option B is incorrect because Components > Infrared relates to infrared device information, not cooling or thermal management.

Option D is incorrect because Hardware Resources > I/O deals with input/output settings and does not cover thermal management or cooling system statuses.

**NEW QUESTION: 275**

The Windows System Information tool is designed to provide information related to the cooling systems of the computer, such as fan statuses and thermal conditions, which can help in diagnosing overheating issues.

The Windows System Information tool is designed to provide information related to the cooling systems of the computer, such as fan statuses and thermal conditions, which can help in diagnosing overheating issues.

The Windows System Information tool is designed to provide information related to the cooling systems of the computer, such as fan statuses and thermal conditions, which can help in diagnosing overheating issues.

A. Components > Cooling

B. PC Settings > IP Settings

C. PC Settings > Network Settings

D. PC Settings > DHCP Settings

**Answer: A,C (LEAVE A REPLY)**

A manually assigned IP can conflict with the DHCP pool, causing another device that the DHCP server assigns the same address to lose connectivity.

If the static IP is outside the correct subnet or doesn't match the network's gateway/DNS settings, the PC may be unable to communicate on the network.

**NEW QUESTION: 276**

□□□□ HDMI □□□□ □□□□ □ □□ □□□ 4K TV□ □□□□□, □□□ TV □□ HDR(High Dynamic Range)□ □□□□□ □□□□ HDR □ □□□ □□□ □□□□. IT □□ □ □□□ □□□ □□□□ □ □□□ □□□□□?

- A. HDMI □□□ □□□ HDMI 1.4□ □□□□ HDMI 2.0 □□□ □□□□ □□□□.
- B. TV□ HDR□ □□ □□ □□□ □□□□ □□□□.
- C. □□ □□□ HDMI□ □□ HDR□ □□□□ □□□□.
- D. TV□ USB □□ □□□ □□ □□□□□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. The HDMI cable type is only HDMI 1.4 and not HDMI 2.0 or higher For HDR content, HDMI 2.0 or higher is necessary to support the wider color gamut and higher contrast ratio of HDR. If the HDMI cable is only HDMI 1.4, it will not support HDR features, leading to a lack of HDR color quality despite the capabilities of both the console and the TV.

Option B is incorrect because picture mode settings can affect display output, but the fundamental issue here is likely the cable's bandwidth capability.

Option C is incorrect because the premise states that both the console and TV support HDR, so the console's support for HDR over HDMI is assumed.

Option D is incorrect because USB port settings on a television have no effect on HDMI video quality or HDR capabilities.

**NEW QUESTION: 277**

□□ □□ □□ □□ macOS □□□□ □□□ □□□ DHCP□ □□ IP □□□ □□□ □□□□ □ □□ □□□□ □□□.

□□□□ □ □□ □□□ □□ □□ □□□□□ □□ ifconfig □□□ □□□□□ □□□□ □□□□ □□□?

- A. ifconfig getifaddr en0
- B. ifconfig en0
- C. ifconfig en1
- D. ifconfig □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. ifconfig en0 ifconfig en0 provides detailed information about the Ethernet interface (typically en0), including whether it is set to receive an IP via DHCP (look for "inet" which includes the IP address and "status: active" to indicate it is operational). This command targets the specific interface likely to be used for Ethernet connections.

Option A is incorrect because ifconfig getifaddr en0 retrieves only the IP address assigned to the Ethernet interface, without indicating whether it's obtained via DHCP.

Option C is incorrect because `ifconfig en1` might not be the correct interface for Ethernet if `en0` is the designated Ethernet interface; `en1` often refers to Wi-Fi.  
Option D is incorrect because `ifconfig list` is not a valid command to view detailed information about specific network interfaces in macOS.

**NEW QUESTION: 278**

□□□□ □□□□ □□□□ □□ □□□ □□□□□□. □□□□ □□ □□ □□□□ IP □□□□  
APIPA □□□ □□ □□□□ □□ □□□□□□.

□□ □□□ □□ □□□ □□□□□?

- A. □□□□ □□□□ □□□ □□□□□□.
- B. □□□□□□ □□ □□□ □□□□ □□□□.
- C. DHCP □□□ □□□□ □□□□ □□□□.
- D. □□□□□ □□ □□□ IP □□ □□□ □□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. The DHCP lease is expiring and not being renewed Intermittent switching to an APIPA address suggests that the DHCP lease is not successfully renewing, possibly due to temporary DHCP server outages or communication problems.

Option A is incorrect. A defective network card would more likely result in no connectivity, not intermittent APIPA assignment.

Option B is incorrect. While packet loss can affect connectivity, it does not directly cause APIPA assignments.

Option D is incorrect. IP address conflicts usually result in network errors or warnings but do not typically trigger APIPA assignments.

**NEW QUESTION: 279**

□□□□ □□□□ □□□□ □□□ □□□ □ □□ □□ □□ □□□ □□□□□□ □ □□□ □□  
□□ □□□?

- A. □□ □□□ □□□□ □□□ □□ □□□ □□□□□□□□.
- B. □□□ □□□ □□ □□ □□ □□□□ □□□□ □□□ □□□□□□□□.
- C. □□□ □□□ □□□□ □□□ □□ □□□□ □□ □□ □□□□□ □□ □□□ □□□ □□  
□□□.
- D. □□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□ □ □□□ □□□.

**Answer: (SHOW ANSWER)**

Correct Answer. C. Provide a detailed account of the troubleshooting process, including both failed attempts and successful strategies Detailing the entire troubleshooting process helps in future problem- solving by providing insights into what does and does not work, facilitating better understanding and quicker resolutions.

Option A is incorrect as documenting every attempted solution without context can lead to information overload and reduce the usefulness of the knowledge base.

Option B is incorrect because while it is important to highlight successful solutions, understanding the context and failure points can also be valuable.

Option D is incorrect because while accessibility is important, technical accuracy and specificity should not be sacrificed; technical terms can be defined within the article.

**NEW QUESTION: 280**

□□ □□ □□ □□ □□□□ □□□□ MacBook□ □□□ RAM□ □□□ □□□ □□□□□ □□□ □□□.

□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□□?

- A. Apple □□ > □ Mac□ □□□ > □□□ □□□ □□□□□.
- B. □□□□ □□□□ system\_profiler SPHardwareDataType□ □□□□□□.
- C. □□□ □□ □□ > □□□□ □□□.
- D. □□□ □ □□□ □□ □□□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Go to Apple Menu > About This Mac > Memory tab The Memory tab under About This Mac provides detailed information about the type, speed, and status of the RAM installed in the MacBook. This is the most straightforward and user-friendly option for users to obtain this information.

Option B is incorrect because system\_profiler SPHardwareDataType provides overall hardware information but does not specifically focus on RAM details like type and speed in a user-friendly format.

Option C is incorrect because System Preferences does not have a 'Memory' section that provides information on RAM.

Option D is incorrect because while the Activity Monitor does show how memory is being used, it does not provide specifications of the memory hardware itself, such as type and speed.

**NEW QUESTION: 281**

□□□□ □□□ □□□□ □ □□□(LED□ □□□ □□ □□□) □□□□ □□□ □□□□ □□ □□□□□□□ □□□ □□□□ □□□□.

□□□□ □□ □□□□□ □□ □□□□ □□□?

- A. □□□□ □□ □□
- B. □□□ □□□ □□
- C. □□□□□□□ □□□□
- D. RAM □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. The video cable connection When a computer powers on but does not display any output, the first step should be to check the video cable connections to ensure they are secure and undamaged.

Option A is incorrect because the monitor being powered on implies its power connection is likely fine.

Option C is incorrect because motherboard issues typically prevent a workstation from powering on at all.

Option D is incorrect because while RAM issues can prevent booting, they would not usually

allow the system to power on normally without any display.

**NEW QUESTION: 282**

□□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□. □□□ □□□ □□□□ □□ □□  
□ □□ □□□□ □□□?

- A. □□□□ □□ □□□ □□
- B. □□ □□ □□
- C. □□□□ □□□□ □□
- D. □□□ □□□ □□□□□

**Answer: D (LEAVE A REPLY)**

Correct Answer. D. Any recently installed software Checking recently installed software can help identify if new applications might be responsible for performance issues or if they might be disguised malware.

Option A is incorrect because while insufficient disk space can slow down a system, it is not directly related to malware.

Option B is incorrect as the operating system version, unless very outdated, is less likely to be the direct cause of sudden performance issues linked to malware.

Option C is incorrect as network settings, unless significantly altered, do not usually impact performance to the extent seen with malware infections.

**NEW QUESTION: 283**

□□□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□ □□□□  
□□□ □□ □□□?

- A. □□□□ □□□□ □□□ □□□ □□□ □□□ □□□□□.
- B. □□□□ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□ □□□□□.
- C. □□□ □□ □□□ □□□ □□□□ □□□□ □□□□□.
- D. □□□ □□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Verify the sender's email address and contact the company directly via official channels Verifying the sender's authenticity by contacting the company directly through official channels, such as their published customer service phone number or official email, is a secure way to avoid falling victim to a spoofing attack.

Option A is incorrect because providing sensitive information based solely on the appearance of legitimacy can lead to data breaches.

Option C is incorrect because responding could give more information to potential attackers and does not confirm the sender's identity.

Option D is incorrect as forwarding the email could spread a potential phishing attempt and does not solve the issue of verifying the sender's identity.

**NEW QUESTION: 284**

□□□ □□ □□(MDM) □□□□□□ □□□□□□ □□ □□□ □□□□□?

- A. □□ □□□ □□□ □□ □□
- B. □□ □□ □□□□ □□□ □□□□ □□□□ □□
- C. □□ □□ □□□□□□ □□
- D. □□ □□□□ □□□ □□□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Remote wiping of data on a lost or stolen device One of the key features of MDM software is the ability to remotely wipe data from devices that are lost or stolen, which helps protect sensitive corporate information.

Option A is incorrect because real-time location tracking may be a feature but is not as universally implemented due to privacy concerns.

Option C is incorrect as while MDM can restrict certain applications, blocking all third-party applications is not a typical or practical feature.

Option D is incorrect because data usage policies are controlled by network providers and corporate IT policies, not directly by MDM software.

**NEW QUESTION: 285**

□□ □□ □, □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□□ □□□ □□□□ □□ □□□□□□. □□□□ □□□ □ □□ □□□ □□ □□□ □□□□□□?

- A. □□ □□□□□ □□□□ □□□ □□ □□□ □□ □□□□.
- B. □□□ □□□□ □□ □□□ □□ □□□□□.
- C. □□ □ □□ □□ □□□ □□□□ □□□ □□□□ □□□□□□.
- D. □□□□ □□□ □□□□ □□ □ □□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. Observe and document the email system's performance over the next few hours Observation and documentation provide vital data to determine whether the delay is a transient issue or a persistent problem. This approach allows for a better understanding of the issue's nature and scope before taking further corrective actions.

Option A is incorrect because notifying users may cause unnecessary alarm before fully understanding the issue's extent.

Option B is incorrect as rolling back changes immediately can disrupt operations and might not be necessary if the issue can be resolved with minor adjustments.

Option D is incorrect because ignoring the issue risks exacerbating the problem and can lead to user dissatisfaction.

**NEW QUESTION: 286**

□□ □□□ □□ □□□□ MacBook□□ □□□ □□□□ □□□□ □ □□□□ □□□□.

□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□□ □□□□ □□□□ □□□?

- A. □□□ □
- B. □□ □□
- C. □□□□ □□□
- D. □□□ □□ □□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Voice Control Voice Control allows users to operate their Mac and dictate text through voice commands, significantly aiding those with mobility impairments by reducing the need for physical keyboard and mouse usage.

Option A is incorrect because Sticky Keys, while helpful, aids users who have difficulty pressing multiple keys at once, not in speeding up typing or reducing the physical need for typing Option C is incorrect as trackpad gestures still require manual dexterity that might be challenging for some users with mobility impairments Option D is incorrect because increasing mouse tracking speed helps with navigation speed but does not aid in input where typing is a challenge

**100-140-KR** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 100-140-KR □□!  
DumpTop □ □□ **100-140-KR** □□ □□□ □□□□□□, DumpTop 100-140-KR □□ □□□  
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 100-140-  
KR □□□ □□□□□. <https://www.dumptop.com/Cisco/100-140-KR-dump.html> (649 Q&As  
Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 287**

AI □□□□ □□□ □□□□ □□□ □□□ □ □□□□ □□ □□□ □□□□□ □□ □□□  
□ □□□ □□□□□?

- A. AI □□ □□□ □□□ □□ □□□ □ □□ □□ □□□ □□□□□.
- B. AI □□□ □□□□ □□□ □□□□ □□□□□ □□ □□□ □□□□□.
- C. AI □□□ □ □□□ □□□ □□□ □ □□ □□□ □□□□□.
- D. AI □□□ □ □□□□ □□□□ □□ □□□ □□ □□ □□□ □□□□.

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. Enter as many details about the issue as possible into the AI query tool Providing detailed, specific information to the AI helps to refine the search and increase the relevance of the solutions offered, leading to more effective troubleshooting.

Option B is incorrect because using general terms may result in too broad a range of answers, many of which might not be applicable. Option C is incorrect as relying on the first answer without further queries or validation can lead to missed better solutions. Option D is incorrect because using technical terms appropriately can enhance the accuracy and relevancy of the AI's response.

**NEW QUESTION: 288**

□□□ □□ □□□ □(WWW)□ URL□ □□□□ □ □□□ □□ □□□□. □□ PC□ □□ □□  
□ □□□□ □□□ □□□□.

```

ipconfig /all
Windows IP Configuration

Host Name . . . . . DESKTOP-487KTP9
Primary DNS Suffix. . . . .
Node Type . . . . . Hybrid
IP Routing Enabled. . . . . No
WINS Proxy Enabled. . . . . No

Ethernet adapter Ethernet 1:

Connection-specific DNS Suffix . :
Description . . . . . Realtek PCIe GbE Family Controller #2
Physical Address . . . . . D3-5E-D3-FF-24-45
DHCP Enabled . . . . . Yes
Autoconfiguration Enabled. . . . . Yes
Link-local IPv6 Address . . . . . fe80::7085:d65c:d62f:f4bc%19(Preferred)
IPv4 Address. . . . . 192.168.1.130(Preferred)
Subnet Mask . . . . . 255.255.255.0
Lease Obtained . . . . . Thursday, April 11, 2024 9:15:08 AM
Lease Expires . . . . . Friday, April 12, 2024
Default Gateway . . . . . 192.168.1.1
DHCP Server . . . . . 192.168.1.253
DHCPv6 IAID . . . . . 36169939
DHCPv6 Client DUID . . . . . 00-01-00-01-25-AE-E6-D2-60-F8-AF-74-0A-01
DNS Servers . . . . . 192.168.1.254
NetBIOS over Tcpi . . . . . Enabled

```

□□□ □□□□□ □□□□□ IP □□□ □□□□ □□□ PC□□ □□□□□ □ □ □□□ □□ □□□□.

□□□ □□□□ □□□□□ □□ IP □□□ ping□ □□□ □□□?

- A. 192.168.1.130
- B. 192.168.1.1
- C. 192.168.1.253
- D. 192.168.1.254

**Answer: (SHOW ANSWER)**

Since you can access websites by IP but not by name, the issue lies with name resolution. Pinging the configured DNS server (192.168.1.254) will verify whether the DNS service is reachable and functioning.

**NEW QUESTION: 289**

□ □□□ □□□□□ □□□ □□□□ □□ □□□□□ □□□□□□□ □□□□□ □□□. IT □ □□ □ □□□ □□□□ □ □□ □□□ □□□□□ □□□□ □□□. □□□ □□□ □□ □□ □ □□ □□□□□ □□□□□ □□□□ □□□?

- A. □□ □□ □□□ □□ □□ □□ □□□□
- B. □□□ □□ □□□ □□ □□ □□□□
- C. □□ □□ □□□ □□ □□ □□□□
- D. □□ □□□□ □□ □□□□

**Answer: C (LEAVE A REPLY)**

Correct Answer. C. A quad-core processor with high clock speed offers better multi-threading capabilities, allowing more efficient processing of applications optimized for multi-threading, thus enhancing performance.

Option A is incorrect because single-core processors, regardless of clock speed, do not handle multi-threading as effectively as multi-core processors.

Option B is incorrect because although better than single-core, dual-core processors still fall short in performance compared to quad-core processors for multi-threaded applications.

Option D is incorrect because integrated graphics do not contribute to processing power related to application multi-threading capabilities.

**NEW QUESTION: 290**

□□□ Webex Desk Pro □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□□. □□□□ □□□ □□ □□ □□□?

- A. Webex □□ □□□□ □□□ □□ □□□ □□□□□.
- B. Webex Desk Pro □□□ □□ □□□□ □□ □□ □□□ □□□□.
- C. □□□□□□ □□ HDMI □□□ □□□□□□
- D. □□ □ □□ □□□□□ □□ □□□□□□ □□□□□□□.

**Answer: (SHOW ANSWER)**

Correct Answer. A. Verify the device's registration status on the Webex administration portal. Ensuring the device is properly registered and recognized on the network is crucial for accessing company-specific services such as scheduled meetings.

Option B is incorrect. Restarting the device may be helpful in some scenarios but not before confirming the registration status.

Option C is incorrect. HDMI connections affect display output but would not impact network-based meeting connectivity.

Option D is incorrect. Updating software on computers does not directly address connectivity issues on a new teleconferencing unit.

**NEW QUESTION: 291**

□□ □□□□ □□ □□□ □□ □□□ IT □□ □□□□ IP □□ □□□ □□□ □□□ □□□□ □. □□□□ □□□□□ DHCP □□ □□ □ □□ □□□ □□□□ □□ □□□□ □□□□□□ □□ □□□ □□□ □□□□ □□ □□ ipconfig □□□ □□□□□ □□□□ □□□?

- A. ipconfig /all
- B. ipconfig /release
- C. ipconfig /renew
- D. ipconfig /flushdns

**Answer: A (LEAVE A REPLY)**

Correct Answer. A. ipconfig /all The ipconfig /all command provides a detailed view of the network configuration for all interfaces, including IP address, subnet mask, default gateway, and DHCP lease information. This command is essential for troubleshooting detailed connectivity issues.

Option B is incorrect because ipconfig /release is used to release the current DHCP configuration and does not display any information.

Option C is incorrect because ipconfig /renew renews the DHCP configuration, again without

displaying detailed interface information.

Option D is incorrect because ipconfig /flushdns clears the DNS resolver cache and is unrelated to displaying DHCP or IP configuration details.

**NEW QUESTION: 292**

gpupdate /force □□□ □□ □□ □□ □□□ □□ □□□ □□□ □ □□ □□ □□□ □□□?

- A. □□□ □□□ □□□ □□ □ □□□□□.
- B. □□□ □□□ □□ □□□ □□□□ □□ □□□□□.
- C. □□□ □ □□ □□□ □□□□ □□□□□.
- D. □ □□□ □□□ □□□□ □□ □□□ □□ □□□□□.

**Answer: (SHOW ANSWER)**

The command will log the issue and continue applying other policies When gpupdate /force encounters an error applying a policy, it logs the failure and continues with the next policy setting. This allows for the application of as many updates as possible, identifying specific issues without halting the entire process.

Option A is incorrect because gpupdate does not repeatedly attempt to apply a policy setting if it fails initially.

Option B is incorrect as it does not simply ignore failed settings; it logs them.

Option C is incorrect because the command does not halt at the first error; it continues with other policies.

**NEW QUESTION: 293**

□□□□ □□ □□□□ □□ □□□□ □□□□ □□□ □□□ □□□□□□. □□ □□ □□□ □□□ □□□□ □□□ □ □□□ □□□ □□□□□?

- A. □□□□ □□ □□□ □□ □□ □□□□ □□□ □□□□ □□□ □□□□□.
- B. □□ □□ □ □□□ □□□ □□□ □□ □□□□□ □□ □□□□□.
- C. □□□□□□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□□ □□□.
- D. □□ □□□ □□□□ □□ □□ □□□ □□□□□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Report the incident immediately to the designated data security team or superior Reporting security incidents promptly is critical to addressing potential breaches effectively and minimizing damage, in line with most company security protocols.

Option A is incorrect because ignoring unauthorized data disclosure fails to address potential security risks.

Option C is incorrect because merely advising individuals does not sufficiently address the protocol for handling data breaches.

Option D is incorrect as public reprimands can create legal issues and are generally not considered an appropriate first response.

**NEW QUESTION: 294**

□□□□ □□□□ □□□□ □□□ □□□□□□□□ □□ □□□ □□ □ □□□□□□□ □□

□□ □ □□□ □□ □□□□□□. □□ □□□□□□ □□ □□□□ □□ □□□ □□□□□ □□□□. □□□□ □□□□ □□□□ □□ □□□□ □ □□□ □□□□□?

- A. □□□□ □□ □□ □ □□□□ □□
- B. □ □□□ IP □ □□□□ □□□□ □□□□□ □□ □□□ □□
- C. □□□□ □□□□ □□ □□
- D. □□□□ □□□ □□ □□

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. The firewall rules to ensure traffic to the web server's IP and port is allowed. Firewalls control the flow of traffic based on security rules, and improperly configured rules can block access to certain services or servers within a network.

Option A is incorrect. While ensuring the firewall is powered and functioning is important, it does not directly address connectivity issues to a specific service.

Option C is incorrect. While antivirus settings are important for overall security, they are not directly related to allowing or blocking access to specific network services.

Option D is incorrect. Bandwidth management could affect performance but would not specifically block access to a network service unless configured to do so.

**NEW QUESTION: 295**

□□□□ □□□ □ □□ □□□□ □□□□□□□ □□□□□□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□□.

□□□ □□□ □□□□ □□□ □□ □□ □□□□□ □□ □ □□ □□□ □□□□□?

- A. □□□ □□ □□□ □□□□□.
- B. □□□ □ □□ □□□□ □□ □□□□□ □□□□ □□ □□□□□□□ □□□□ □□□□ □.
- C. □□□ □□□ RAM□ □□□□.
- D. □□ □□□ □□□□ □□ □□□□□.

**Answer: B (LEAVE A REPLY)**

Correct Answer. B. Use a trusted antivirus program to scan and remove the malicious application. Utilizing a robust antivirus program to scan for and remove any malicious applications can help restore system stability without the need for more drastic measures such as reinstalling the OS.

Option A is incorrect as defragmentation addresses disk organization, not malicious applications or system security issues.

Option C is incorrect as adding RAM won't solve software-related issues caused by malicious installations.

Option D is incorrect as it should be a last resort after less drastic measures have failed to resolve the issue.

**NEW QUESTION: 296**

□□ IT □□□ □□ □□□ □□□□□? (□ □□ □□)

- A. □ □□ □□ □□
- B. □□ □□□ □□

C. □□□ □□□□□ □□ □□

D. □□□□ □□ □□□ □□

Answer: ([SHOW ANSWER](#))

**100-140-KR** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 100-140-KR □□!  
DumpTop □ □□ **100-140-KR** □□ □□□ □□□□□□, DumpTop 100-140-KR □□ □□□  
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 100-140-  
KR □□□ □□□□□. <https://www.dumptop.com/Cisco/100-140-KR-dump.html> (**649** Q&As  
Dumps, **30%OFF** Special Discount: **KrDump**)