

Cisco.300-410.v2024-09-02.q223

□□□□:	300-410
□□□□:	Implementing Cisco Enterprise Advanced Routing and Services
□□□:	Cisco
□□ □□ □□□:	223
□□:	v2024-09-02
# □□ □:	684
# □□ □□□:	2230
https://www.krdump.com/Cisco.300-410.v2024-09-02.q223.html	

NEW QUESTION: 1

□□□ OSPF □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 2

□□□ □□□ □□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □ □□ □□□ □□□□□.

Answer:

NEW QUESTION: 3

□□□□ □□□□□. □□□□□ BGP□ □□□□□ □□ □□□ □□ □□ 10.77.255.57□ □□□ □□ □ □□□ □□□□□ □□□. □□ □□□ □□□ □□□□□?

- A. □□□ □□□ □□□ □□ AS_PATH □□ □□ □□
- B. □□ □□□ □□□ □□ AS_PATH □□ □□ □□
- C. □□□ □□□ □□□□□ □ □□ LOCAL_PREF□ □□□□□.
- D. □□□ □□□ □□□□□ □ □□ MED□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 4

□□□□ □□□□□.

□□ NetFlow □□□ NetFlow □□□□ □□□□ □□□ □□□ □□□□□?

- A. □□ □□□□ □□□ □□□□ □□□□□□□.
- B. □□ □□□□ □□□ □□□ □ □□□□.
- C. □□ □□□□□ □□□□□□ □□□□ □□□□.
- D. □□ □□□□ □□□ □□□□□□ □□□□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 5

□ □ □ □ □ □ □ □ □ .

MPLS VPN □□□□□□ imp-null □□□ □□□ □□□□□□?

- A.** □□ □□
- B.** □□□□ □□□□□.
- C.** EXP □□□ □□□□□.
- D.** EXP □□ □□

Answer: A (LEAVE A REPLY)

22

```
imp-null(□□□ null) □□□ □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□□
□ □□□□□.
```

□□: pop□ □□ MPLS □□□ □□□□□ □□□□□.

NEW QUESTION: 6

PE □□□□ MPLS VPN □□□ Ipv4 □□□□ □□□□ □□□□□?

- A.** 64□□ □□ □□□□ □□□ VPN-IPv4 □□□
- B.** IP□ PE □□□ ID□ □□□ 48□□ □□
- C.** ASN, PE □□□ ID □ IP □□□□ □□□ □□□
- D.** PE □□□ CE □□ □□ eBGP □□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 7

VRF-Lite □□ □□□ □□ □□ □□□□ □□□ □□□□□?

- A.** VRF-Lite □□□ □□ □□□□□ □□□ □□□□□ EGP □□□ □□□□ □□□ □□□□□□.
- B.** □ □□□ VRF □□□□ □ □□ □□□□ □ □□□□□ □□□□□.
- C.** IP □□□ □□□□ □□□ □□ VFP □□□□□ □□□□□.
- D.** VRF-Lite □□□ □□ □□□□□ □□□ □□□□□ IGP □□□ □□□□ □□□ □□□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 8

Cisco IOS ☐☐☐ SNMP ☐☐☐ ☐☐☐☐ ☐☐☐☐ SNMPv2c ☐☐ SNMPV3 ☐☐☐ ☐☐
☐☐.

Answer:

11

□□□ □□□ □□□□□, □□□□□□ □□□ □□□□ □□□

NEW QUESTION: 9

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

□□□ □□□□ □□ □□□□ □□□□ □□□ PC2, PC3 □ PC4□ PC1□ □□□ □ □□□□. □□
PC□ □□□ □ □□□ □□□ □□□□ □□ □□□□□ □□ □□□ □□ □ □□□□?

C. R1 can EIGRP and OSPF and R2 can OSPF and EIGRP, OSPF and EIGRP can be redistributed between R1 and R2.

D. EIGRP can be redistributed into OSPF and OSPF can be redistributed into EIGRP.

Answer: C (LEAVE A REPLY)

<https://www.cisco.com/c/en/us/support/docs/ip/enhanced-interior-gateway-routing-protocol-eigrp/8606-redist.html>

NEW QUESTION: 13

Which two OSPF parameters are used to determine the OSPF hello interval? (Choose two.)

A. OSPF MTU

B. MTU

C. OSPF ID

D. Hello interval

Answer: B (LEAVE A REPLY)

NEW QUESTION: 14

Which two commands are used to configure the IP SLA monitor?

Which two commands are used to configure the IP SLA monitor? (Choose two.)

A. ip sla icmp-echo

B. tcp

C. ip sla

D. ip sla Schedule

Answer: B (LEAVE A REPLY)

NEW QUESTION: 15

Which two commands are used to configure the SSH server?

Which two commands are used to configure the SSH server? (Choose two.)

A. ssh

B. ssh

C. ip ssh

D. IP SSH

Answer: A (LEAVE A REPLY)

https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst2960x/software/15-0_2_EX/security/configurati960-x_cg_chapter_01001.html

NEW QUESTION: 16

□□□□ □□□□□.

□□□□□ CoPP□ □□□□□ □□ □□□□ OSPF □□□□ □□ □□□□□. □□ □□□□ □□□□ □□□□□?

A. □□ □□ □□□ □□ □□ CoPP

B. IP □□□ □□ □□ OSPF □□ ospf any any

C. □□ □ CoPP □□□ OSFP □□ 8000 □□ □□ □□ □□ □□ □□ □□ □□ □□

D. □□□ □ □□ OSFP □□ □□□ □□ □□ OSPF

Answer: C ([LEAVE A REPLY](#))

300-410 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-410 □□! DumpTop □ □
□ **300-410** □□ □□□ □□□□□□, DumpTop 300-410 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-410 □□□ □□□□□.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ □□□□□.

□□□□ □□ □□ □□ □□□ □□□□ □□□ □□□□□?

A. vty 0 4 □□□ aaa □□ □□□ □□□ □□□□□.

B. □□ □□ 0□□ aaa □□ □□□ □□ □□

C. aaa □□ □□ □□ □□ □□

D. vty 0 4 □□□ aaa □□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

□□

□□□ □□□□□ □□(□□ □□)□ □□□□□ □□□□□ □□□ □□□□ □□□. □□□ □□□□

□□ □□ □□□ □□□□ □□□.

□□ "aaa □□ □□"□ □□□□□.

NEW QUESTION: 18

MPLS VPN □□ □□□ □□□□ □□□ □□□ □□□ □□□□.

Answer:

NEW QUESTION: 19

□□□ □□□ □□□□ □□□ IPv6 □□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 20

□□□□ □□□□□.

Which of the following Linux commands can be used to copy a file from a local host to a remote host?
A. scp

B. ip scp server

C. guestshell

D. ssh

Answer: B (LEAVE A REPLY)

"Router(config)#ip scp server" is the correct command to configure the SCP server.
Router(config)#ip scp server

NEW QUESTION: 21

MPLS VPN is used to connect multiple sites. Which of the following is not a requirement for MPLS VPN?

A. Each site must have a CE router.

B. VPN IPsec is required.

C. VPN is required.

D. RD is required.

Answer: (SHOW ANSWER)

VPN

VPN() is used to connect multiple sites. BGP(Border Gateway Protocol) is required for MPLS VPN. RD is required for MPLS VPN.

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/mp_l3_vpns/configuration/15-mt/mp-l3-vpns-15-mt-book/mp

NEW QUESTION: 22

R1 is connected to R2. R1 has the following configuration:

R1#show ip route 192.168.130.0/24

A.

B.

C.

D.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

MPLS is used to connect multiple sites. Which of the following is not a requirement for MPLS?

Answer:

NEW QUESTION: 24

VPN

□□□□ R2 □ R5□ □□ □□□□ □□□□ eBGP □□□ □□□ □□ □□ □□□ R1□ □□□ □□ □□□□ □□□ □□□□□. □□ □□□□□□ □□ □□□□ □□□□ □□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□ iBGP □□□□ □□□□□?

- A. R1 □ R4
- B. R1 □ R5
- C. R4 □ R5
- D. R2 □ R5

Answer: C ([LEAVE A REPLY](#))

R2 □ R5□ □□ □□□(RR)□ □□ R4 □ R8□ □□□ R5□ □□□□ R5□ R2□ □□□□□. □□□ R2□ RR□□ □□□ R2□ □□ □□□□□. □□□ eBGP □□□ □□□ □□ □□ □□□ R1□□ □□ □□□□□.

□□ □□□□:

<https://www.ciscolive.com/c/dam/r/ciscolive/emea/docs/2015/pdf/TECRST-2310.pdf> □□ □□□(RR)□ □□□ iBGP □□□□□□ □□□ R1 □ R1 □□□□ RR□ □□□ □ □□□□. R5. □□□□ RR□ □□(□ □□ R4 □ R5)□□ □□□□ □□□□ □□□.

NEW QUESTION: 25

□□□□ □□□□□.

□□ B□ □□□ □□□□ □□ MPLS B □□□□□ □□□□□ □□□ □□□□ □□□□□. □ □□ □ □□ □□□□ □□□ □□□□□?

- A. □□ A□□ MPLS B □□□□□ □□ □□ HQ □□□ 3□ □□ □□□□□ □□ A MPLS B □□□□ □□□ AS □□□ □□□□□.
- B. MPLS B □□□□□ □□ B□□ □□□ □□ HQ □□□□ □□ □□ □□ □□□ MPLS A □□□□□ □ □□□□ □□ □□ □□□□ □□ □□□□.
- C. MPLS B □□□□□ □□ B□□ □□□ □□ HQ □□□□ □□□□ MPLS A □□□□□□ □□□□ □□□□□ □□ □□□□□.
- D. □□ □□□□ BGP□ □□□□□ □□ A □□□□ AS □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□□ □□□□□.

Cisco DNA Center Assurance Dashboard□ AP □□□ □□□ □□□ □□□□□ G1/0/14□ □□ □□□ □□ □□□ □□□□□. □□□ □□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□□□?

- A. □□□ □□□ □□ tdr □□□□□ GigabitEthernet1/0/14
- B. □□□ □□ TDR □□□□□ GigabitEthernet1/0/14 □□
- C. □□□ □□ tdr □□□□□ GigabitEthernet1/0/14 □□
- D. □□□ □□ TDR □□□□□ GigabitEthernet1/0/14 □□

Answer: A ([LEAVE A REPLY](#))

TDR(Time Domain Reflectometer) □□□ □□□□ □□□□ □□□ □□ □ OPEN□□ SHORT□□ □ □□ □ □□□□.

TDR □□□□ □□□□□ □□ □□□ □□□□□□.

1□□(TDR □□□ □□): test cable-diagnostics tdr {interface {interface-number}} 2□□(TDR □□□ □□ □□ □□): show cable-diagnostics tdr {interface interface-number}

[https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst9600/software/release/16-](https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst9600/software/release/16-11/configuration_guide/int_hw/b_1611_int_and_hw_9600_cg/checking_port_status_and_connectivity.pdf)

[11/configuration_guide/int_hw/b_1611_int_and_hw_9600_cg/checking_port_status_and_connectivity.pdf](https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst9600/software/release/16-11/configuration_guide/int_hw/b_1611_int_and_hw_9600_cg/checking_port_status_and_connectivity.pdf)

NEW QUESTION: 27

□□□□□ □□□ □□□ □□ □□ □□□□ NON-CISCO □□□ □□□ □□□□□□.

□ □□ □ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. □□□ □□□ 10□□ □□□□ □□□□.

B. □□□ □□□ 10□□ □□□□□.

C. □□□ □□ □□□□□□ □□□□□.

D. □□ □□ □□□ □□□□ □□□ □□□□□.

E. □□□ □□□ □□ □□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

□□

<https://www.cisco.com/c/en/us/support/docs/ip/ip-routed-protocols/47121-pbr-cmds-ce.html>

NEW QUESTION: 28

□□□□ □□□□□.

OSPF □□□□ 5□ □□ □□□ EIGRP□ □□□□□□?

A. □□□ □□ TO-OSPF□ □□□□ E1 □ E2 □□□

B. □□□ listTO-OS1□ □□□□ E1 □□□□

C. □□□ □□ TO-OSPF□ □□□□ E1 □ E2 □□□

D. □□□ □□ TO-OSPF□ □□□□ E2 □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□□ OSPF □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

□□

□□□

□□ □ □□ OSPF □□ □□□□□. □□ □ □□□□□□ □□□ □□(hellos)□ □□□□ □□□□ □□□□□, □ □□□□□ □□□ hello □□□ □□□□ □□ □ □□□□.

□□□ □□□ □□ □□ □□ □□□□ □□□ □□ □□ □□(□□□□□ RouterDeadInterval =

4*HelloInterval) □□ □□□□□□□ hello □□□ □□□□ □□□ □□□□ □□□ □□□□ □□□□ □□

□□ □□, □□□□ □□□□ Full□□ Down□□ □□□□□.

□□

□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□□□. Attempt □□□□ □□□□ □□
□□□□ □□□□□ hello □□□ □□□□ □□□□, □□ □□ □□ hello□ □□□□ □□□□□.
□□□

□ □□□ □□□□ □□□□□□ hello □□□ □□□□□ □□ □□□□ ID□ hello □□□ □□□□ □
□□□ □□□□□. □□□□ □□□□□□ hello □□□ □□□□ □□□ hello □□□ □□□□□ □□
□□ hello □□□ □□ □□□ □□□ ID□ □□□□ □□□.

□□□
□ □□□ □ □□□ □□ □□□ □□□ □□□□□□ □□□□□□.
□□□□□□ □ □□□□□ □□□□□ hello □□□ □□□□□□ □□□□□□. □ □□□□ hello □□□ □□□□□
□□□□□ □□□□□ hello □□□□ □□ □□ □□□ □□□ □□□ □□□ ID□ □ □ □□□□□□. □ □□□□□ □□
□□ □ □□□ □□□□□ □□□ □□□□□□. □□ □□□□ □ □□□ □□ □□□ □□□□□□ □□□□
DR(□□ □□□) □ BDR(□□ □□ □□□)□ □□□□ □□ □□ □□□. □□ □□ □□□□□ □□□ □
□□ □□□□□. □□ □ □ □□ □ □□□□□□ □□□□ □□□ □□ □□□□ □□ □□ □□□.
□ □□□ □□□ □□□□□□□ □ □□□□□□□ □□□□□ □□□□□ □□ DR □ BDR□ □□□□□
□.

DR □□ □□□□□ □□ □□□ □□□ DR □□□ □□□□□□.
□□: □□□ □□□□ □□□□□□ □□□□□□ □□□(DBD) □□□ □□□□ □□□ □□□ □□□
□□.
□□

DR□ BDR□ □□□□ □□□□ □□ DR □ BDR □□ □□ □□ □□□ □□□□ □□ □□□□□ □□
□ □ □□□□. (□: □□ □□ NBMA □□□□)
□ □□□□ □□□□ □□ DR □ BDR□ □□□-□□□□ □□□ □□□□ □□ □□□ □□ □□ □□
□ □□□ □□□□□. □□□ ID□ □□ □□□□ □□□□ □□ □□□ □□□□□ □□□ □□□ □□
□□ □ □□ □□□ □□□□□□. □ □□□-□□□□ □□ □□□□ □□ □□ □□□ ID□ □□
DR/BDR□ □□□□ □ □□□□ □□□ □□□ □□ □ □□□□. DR/BDR □□□ □□□ □□ □□ □
□□ ID □□ □□□□ □□□ □ □□ □□ □□ □□□ □□□□ □ □□□ □□ □□□□□□. □□□
DR□ □□□□ □□□ □□ □□ □□□□. □□ □□□/□□□□□ □□□ □□□□ □□□□□□.

□□
□□ □□□□ OSPF □□□□ DBD(□□□□□□□ □□□) □□□ □□□□□. □□□□□□ □□□□
LSA(□□ □□ □□) □□□ □□□□ □□ □□ □□ □□□□□□□ □□□ □□□□□.
□ DBD □□□□ □□□□□ □□□□□ □□□ □□□□ □□□ □ □□ □□□ □□□ □□□□. □□
□□□□ □ □□□□ □□ □□ □□ □□□ □□ □□ □□□□ □□(□□ LSA □□)□ □□□□. □□
□ DBD□ □□□ □□□□ □□ □□ □□□□□□□ □□□ □□□ □□□□ □□□ □□□□ □ □□
□□ □□ □□ □□□ □□□ □□□□□.

□□ □
□ □□□□ □□ □□ □□ □□ □□ □□□□□. □□□□□ DBD□□ □□□ □□□ □□□□ □□ □
□ □□ □□□ □□□□. □□ □□ □□□ □□□ □□ □□ □□□ □□ □□ □□□□ □□□ □□□□
□. □□ □□ □□ □□□□ □□□□□□ □□□ LSA□ □□□□ □□ □□ □□ □□□ □□ □□ LSA
□ □□□□□. □□ □□ □□ □□□□ □□□ □□□□□.

□□□

□ □□□□□ □□□□ □□ □□□ □□□ □□□□. □□ □□□□ □□□□ LSA□ □□□□ □□□
□ □□□□□□□ □□□ □□□□□□□.

Full□ OSPF □□□□ □□ □□□□□□. □□□□ □□ □□□ □□ □□□ □□□ □□□ □□□
□□□□□. □□ □□ □□□ □□□ □□ □□□□□□ □□□□ □□□ □□□□□. □□□□ NBMA/
□□ □□□□ DR □ BDR□ □□□□ FULL □□□ □□□□ □□ □ □ □□ □ □□ □□□ □□ □□
□ □□□□ □□ □□□ □□ FULL □□□ □□□□□.

□□: □□□□□ □□ □□□□□ FULL □□□ □□□□ DR □ BDR□ DR □□ BDR□ □□□ □□□
□ FULL/DROTHER□ □□□□□. □□ □□□ □□□ DR □□ BDR□ □□□□ □□ □□□□□ □□
□ □□□ □□□□ DR □□ BDR□□□ □□□ FULL/DROTHER□ □□□□□.

NEW QUESTION: 30

MPLS VPN □□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 31

□□□□□ PBR en R5□ □□□□ 10.10.10.0/24□ □□□ □□□□ □□□□ 10.1.1 1□ □□□□ □□
□ □□□□□ □□□. □ □□□□ IP □□ □□□ 5□ □□□□□ □□□. □□ □□ □□□□ □□□□
□□□□□ □□□. 10.1.1.2□□ □□ IP □□ □□□ 0□□ □□□□ □□□□. □□ □□□ □□ □□□
□□□□□?

- A. □□ A
- B. □□ B
- C. □□ C
- D. □□ D

Answer: ([SHOW ANSWER](#))

300-410 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-410 □□! DumpTop □ □
□ **300-410** □□ □□□ □□□□□□, DumpTop 300-410 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-410 □□□ □□□□□.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 32

□□□□ □□□□□.

AS 690□ □□□□ □□ □□ □□ □□□□□□ BGP □□□ □□□□□ □□□□ □□□□□□.

□□□□ □□□ AS 690□□ □□□ □□□□ 10.222.10.1□ □□ □□□□ □□□ □□□ □□□□□?

- A. □□ □□ □□□ □□ 200□□ □□□□.
- B. □□ □□ □□ □□ □□ □□ □□□□ □□□ □□□ □□□□□ □□□.
- C. □□ □□□ □□□ □□□□ □□□□□□□.

Cisco > Catalyst 6500 Series Release 15.0SY ☐☐☐☐ ☐ ☐ ☐ > ☐☐ > IEEE 802.1X ☐☐ ☐
☐☐ Cisco > Catalyst 4500 Series Switch Cisco IOS ☐☐ ☐☐, 12.2(52)SG > aaa ☐☐ dot1x ☐☐☐☐
☐ ☐☐ ☐☐ ☐☐ ☐☐ > dot1x port-control Cisco > Catalyst 4500 Series Switch Cisco IOS
Command Reference, 12.2(52)SG > aaa ☐☐ dot1x ☐☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ > dot1x
port-control

NEW QUESTION: 35

☐☐☐☐ ☐☐☐☐☐. ☐☐☐☐☐ ☐☐ ☐☐ R6 ☐ ☐☐ ☐☐ R1, R2 ☐ R3 ☐☐ ☐☐ GRE ☐
☐☐☐☐ ☐☐☐. R1 ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐?

- ☐)
- ☐)
- ☐)
- ☐)

- A. ☐☐ C
- B. ☐☐ D
- C. ☐☐ B
- D. ☐☐ A

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

☐☐☐☐ ☐☐☐☐☐.

ACL ☐☐☐☐ ☐☐☐☐ Gigabit 0/1 ☐☐☐☐☐ ☐☐☐☐. ☐☐

192.168.10.10 ☐☐☐ ☐☐☐☐☐ 192.168.100.10 ☐☐☐☐ SSH ☐☐ ☐☐☐ ☐☐☐ ☐☐☐. ☐☐☐
☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐?

- A. SSH ☐☐☐ ACL ☐☐ ☐☐☐ ☐☐☐.
- B. ☐☐☐☐☐☐ ACL ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐.
- C. ☐☐ ☐☐☐☐ ☐☐ ☐☐ IP ☐☐ ☐☐ ACL ☐☐ ☐☐☐ ☐☐☐ ☐☐.
- D. SSH ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ show access-list FILTER ☐☐ ☐☐.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

IPv6 Source Guard ☐ ☐ ☐ ☐ ☐☐☐? (2 ☐☐ ☐☐☐☐.)

- A. IPv6 ☐☐ ☐☐ ☐☐☐ ☐☐☐.
- B. ☐ ☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐.
- C. ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐.
- D. ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.
- E. ☐☐ ☐☐ ☐ DHCP ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐.

Answer: B,C ([LEAVE A REPLY](#))

☐☐: ☐☐ ☐☐

NEW QUESTION: 38

MPLS □□□ 3 VPN□ □□□ □□□□□?

- A. □□ □□ □□□□ □□□ □□□□ □□□□□ □□ □□ □□□□ □□ □□ □□ □□ □□ □□□□.
- B. □□□ □□□ □□□ □□ □□ □□□□□ □□ □□□□ BGP□ □□□□□.
- C. □□□ □□ □□□□ □□ □□□□ □□ □□□□ □□□ □□
- D. □□ □□ □□□□ □□ □□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□□□ □□ □□ □□ □□□□.

Answer: D ([LEAVE A REPLY](#))

□□

MPLS(Multiprotocol Label Switching) □□□ 3 VPN(□□ □□□)□ MPLS □□□ □□ □□□□□ □□ □□ □□□ □□□□ □□□□□. □ □□ □□□□□ □□ □□□ CE(□□ □□) □□□□ □□ □□□ PE(□□□ □□) □□□□ □□□□□.

NEW QUESTION: 39

□□□□ □□□□□. □□□□□ R3 □□□ □□□ □□ R1□ □□□□□□ □□□. □□ □□□ □□□ □□□□□?

- A. □□ □□ SCP □□
- B. □□ □□ □□ □□
- C. Telnet□ □□□□ R1□□ IPv6 □□□ □□□ □□□□□.
- D. SSH□ □□□□ R1□□ IPv6 □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□□□ □□□□□.

□□□□ □□ □□□□ □□ EIGRP □□ □□□□□ □□□□ □□ GRE □□□ □□□□ □□□□. □ □ □□ □□□ □□ □□□□ □□□□. □□□ □□ □□□ □□□ □ □□□ □□□□ □□□□□□□. □ □ □□□ □□□ □□□□□?

- A. Tunnel0 □□□□□ □□□□□ □□□□□ □□□□ □□□ □□□□□.
- B. □□□ □□ R2□ Loopback0 □□□□□□ □□□□□.
- C. □□□ □□ □□ □□□ □□□□ □□ □□□ □□□□□.
- D. /31 □□□□□ □□□□ □ □□□ □□□ Tunnel0□□ IP □□□□□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

□ □□□□□ □□ IP □□ 192.168.12.2□ □□□□□ □□□□□. □□ □ □□ EIGRP □□□ □□□ □ EIGRP□ □□ □□ □□□□ □□□ □ □□□ □□□□□.

□, □□ □□□ □□ □□ □□□□ □□□□ □□□. -> □□ □□ "recursive Routing" □□□ □□□□ □.

□□: □ □□□ □□□□□ □□ □□□□□□ □□ □□ IP □□□ □□ □□ □□□ □□□□.

□□ □□ □□□ □□: <https://networklessons.com/cisco/ccie-routing-switching/gretunnel-recursive-routing-error>

NEW QUESTION: 41

□□□□ □□□□□.

AAA □□ 10.1.1.1□ □□ □□ □ □□ □□□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□□.
□ □□□ □□□□□ □□ □□□ □□□ □□□?

A. □□ □□□ □□

B. □□ □□□ □□

C. □□ □□ □□ □□□□□.

D. □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□ □□□

□□ □□: 1813

□□ □□: 1812

□□: □□□□

□□: □□□□

□□□ □□: 1

□□ □□: 0

□□ □□□□: □□□□□

□□ □□: 5□

□□□ □□□ □□: test

□□□ □□□□: □□□

□□:

https://www.cisco.com/c/m/en_us/techdoc/dc/reference/cli/n5k/commands/radius-server-host.html

□□□□□ RADIUS□ □□□ UDP □□ 1812□ □□□□ □□□ □□ 1813□ □□□□□.

□□ □□□□ □□ 1814□ □□ □□□ □□ 10.1.1.1□□ AAA □□□ □□ □□□ □□□□ □□ □ □
□□□□ □□ □□□ □□□ 1812□ □□□□ □□□.

NEW QUESTION: 42

□□□□ □□□□□.

□□□□□ SSH□ □□□□ □□□ □□□□□ □□□□□ □□□ □ □□□□. □□□□□ □□□ □□
□□ □□□□ □□ □□ □ □□□ □□□ □□□□. □□□□ SSH□ □□□□□□ □□ □□□□ □□
□□□ □□□□ □□□?

A. IP SSH □□□□ □□

B. □□□ □ □□ rsa

C. IP SSH □□□

D. IP SSH □□ 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

□□□□ □□□□□.

Which two statements are true regarding the configuration of an ACL on a Cisco router? (Choose two.)

- A. ACLs are applied to interfaces in the direction of traffic flow.
- B. Ethernet0/1 is the default interface for ACLs.
- C. ACLs are applied to interfaces in the direction of traffic flow.
- D. ACLs are applied to interfaces in the direction of traffic flow.
- E. ACLs are applied to interfaces in the direction of traffic flow.

Answer: (SHOW ANSWER)

NEW QUESTION: 44

Which two statements are true regarding the configuration of an ACL on a Cisco router? (Choose two.)

- A. icmp-echo is the default command for ping.
- B. ISP1 is the default interface for ping.
- C. The default command for ping is icmp-echo.
- D. ISP2 is the default interface for ping.

Answer: A (LEAVE A REPLY)

CC

<https://www.cisco.com/c/en/us/support/docs/ip/ip-routing/200785-ISP-Failover-withdefault-routes-using-l.html>

NEW QUESTION: 45

Which two statements are true regarding the configuration of an ACL on a Cisco router? (Choose two.)

- A. R5 is the default interface for ping.
- B. The default command for ping is icmp-echo.
- C. OSPF is the default protocol for ping.
- D. R5 is the default interface for ping.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 46

Which two statements are true regarding the configuration of an ACL on a Cisco router? (Choose two.)

- A. R1 is the default interface for ping.
- B. R2 is the default interface for ping.
- C. R1 is the default interface for ping.

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 50

□□□□ □□□□□.

□□ □□□ □□□□ □□□□. □□□□ □□□ □ □□ □□□ □□□□□? (2□ □□)

A. LA

□□□□□ E 0/0

ip ospf □□□-□□□□□-□ 1 md5 Cisco123

B. LA

□□□ ospf 1

□□ 0 □□ □□□ □□□□□

C. □□

□□□ ospf 1

□□ 0 □□ □□□ □□□□□

D. □□

□□□□□ E 0/0

IP ospf □□□-□□□□□-□ 1 md5 Cisco123 □□

ip ospf □□ □ Cisco123

E. LA

□□□□□ E 0/0

ip ospf □□ □ Cisco123

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

□□□□ □□□□□.

FastEthernet0/1□ □□□□ 192.168.253 2□ □□ 172.29.0 0/16 □□□ RIB□ □□□□ □□□□.

□□ □□□ □□□ □□□□□?

A. □□□ □□□ □□ □□□ □□□□ □□ □□□□□.

B. □□ □□□ □□ □□□ □□□□ □ □□ □□□ □□□ □□□□□.

C. □□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□.

D. □□□ □□□□ □ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□

□□□□□ □□□ □□□□ 172.29.0.0/16□ □ □□ □□□ □□ □□□□□□ □ □ □□□□.

+ 192.168.254.2□□ FD = 307200 □ AD = 281600

+ 192.168.253.2□□ FD = 410200 □ AD = 352300

□ □□ □□□ FD□ □□ □□□ □□ □□□ RIB□ □□□□□.

□ □□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□ □□□□.

□□□ □□□ □□□ □□ □□(AD, □□□ □□□□□ □)□ □□ □□ □□□ □□ □□□ □□□□ □

□□ □□ □□□□□.

NEW QUESTION: 52

□□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□□.

Answer:

□□

□□ □□□ □□□ 1. □□□ □□ □□□ □□□□ □□□ □□□□□.

2. PHP□ □□□□□

□□□ □□ □□□: 1 □□□ □ □□□□ □□ □□□ □□□□□.

2. □□ VPN □□ □□□□ □□□□□.

NEW QUESTION: 53

□□□□ □□□□□.

R1□ R2 □□□ OSPF □□□□ □□□□ □□□ □□□□□?

A. R2 Fa0/0□ IP MTU□ 1300□□ □□□□□.

B. R1 Fa1/0□ IP MTU□ 1500□□ □□□□□.

C. R1 Fa1/0□ IP MTU□ 1300□□ □□□□□.

D. R2 Fa0/0□ IP MTU□ 1500□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 54

□□□□ □□□□□.

R1□ GigabitEthernet0/0□ □□ R2□ □□□□ □□□ R2□ R1□ ping□ □ □□□□. □□ □□□ □□
□ □□□ □□□□□?

A. □□□□ □□□ □□ □□□ □□□□□.

B. □□□□ □□□□ SFP □□□ □□□□□□.

C. □□□□□□ □□□ IP □□□ □□□ □□□□□.

D. □□□ IP SLA □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□□□ □□□□□.

□□□□ □□□□□. □□□ □□□ □□ □□□□ □□ □□□□ □□□ □□ □□□ □□□□□. □□
□□□□ □□□ □□□□□?

A. □□ A

B. □□ B

C. □□ C

D. □□ D

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

_____.

_____ Cisco _____
_____. _____
_____?

A. _____

B. _____

C. _____

D. _____ 0.0

Answer: C ([LEAVE A REPLY](#))

"no exec" _____.
_____.

"exec 0 0" _____. IOS _____ "exec _____" _____.

15.4(2)T4.

_____ Telnet/SSH _____ "exec-timeout 0 0" _____.

NEW QUESTION: 57

_____.

_____ DMVPN _____ R2 _____ R3 _____ 10.1.1.0/24 _____ R3 _____
10 1.3.0/24 _____ R2 _____ R2 _____ 10.1,2.0/24 _____ R3 _____.
_____ _____?

A. _____ R1 _____ no ip
Split-horizon eigrp 10 _____.

B. _____ R2 _____ R3 _____ show ip eigrp neighbor _____
_____ DMVPN _____.

C. _____ R1 _____ Gi0/0 _____ no
ip Split-horizon eigrp 10 _____.

D. _____ DMVPN _____ R2 _____ R3 _____
_____ show ip eigrp neighbor _____.

Answer: A ([LEAVE A REPLY](#))

_____ R2 Spoke _____.
_____ R3 Spoke _____.
_____ R2 _____ R3 _____.
_____ (_____) _____
_____. _____ Splithorizon _____.

NEW QUESTION: 58

_____ EIGRP _____ Leak-map _____.

□□ □□□ □□ IP□ 10.1.1.1.255.255.255.252□ 0□□□. □□□ □□ □ □□□ □□ □□□ □□□
□□□ □□ □□□ □□ □□□□ □□□ □□□□□□. □□ □ □□ □□□□ □□□ □□□□□? (2□
□ □□□□□.)

- A. □□ □ □□ □□ □□ 20□ □□□□□.
- B. □□□ □□ 1 □□ 10.1.1.1.0.0.0.252□ □□□□□.
- C. □□□ □□ 1□ □□□□ □□ □ □□ □□□□ □□□□□□.
- D. □□□ □□ 1 □□ 10.1.1.0.0.0.0.3□ □□□□□.
- E. □□ □ □□ □□ □□ 10□ □□□□ □□□ □□ 1□ □□□□□□.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 59

MPLS □□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 60

□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

□□

□□□ □□□ □ □□ □□□ □□□ ISDN, □□□ □□□, ATM □□ □□ □□□□ □□□ □□ IP□ □
□ □□□ □□□ □□ □□□ □□□□□. □□□ □□□ □ □□□□ □□ IP □□□□ □□□ □ □□□
□□□□ □□□□ □□ □□□ □□□, □□ □□□ □ □□ □□□ □□□ □□□ □ □□□ □□□. IP
□□□ □□□ □□□□ □□□ 4□□ □□□ □□□ □□□□ □□ □ □□□□. 1. □□□ □□□ □□ -
□□□□ □□□□ □□ □□ □□ □□ □□□□ □□□ □□□□ □□ □□□□, □□□ □□ □□□□□. □
□□□ □□□ □□□□ □ □ □□□ □□ □□□ □□ □□ □□ IP □□□ □□□ □□□□ □□ IP □
□ □□ □□ □□□□□ □□□ □ □□□□.2. □□ □□ □□ - □□□□ □□□ □□ □ □□□ □□□
□ □□□□ □□□□ □□□□□ □□□ □□□□□. □□□□ □□□ □□□□ □ □ □□ □□ □□□
□□ □□ □□ IP □□□ □□□ □□□□ □□ □□ □□□□□ CPU□ □□ □□□□□. □□□ ARP,
BGP, OSPF □□ □□□□□ □□□□□ □□ □□□□ □□ □□□□□ □□□□.3. □□ □□□ □□ -
□□□□ □□□ □□□□□ □□□ □□ □□ □□ □□□□□ □□□□□ □□□ □□□□ □□□□□
□□□□ □ □□□□□. □□□□ □□□□□ □□□□ □ □ □□□ □□□□ □□ □□ □□ IP □□□
□□□ □□□□ □□□□ □□ □□□□□ CPU□ □□ □□□□□. □□□ Telnet, SSH(Secure Shell),
TFTP, SNMP, FTP, NTP □ □□ □/□□ □□□□□ □□□□ □ □□□□ □□ □□□□□ □□ □□□
□□ □□□□.4. □□□ □□□ □□ - □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□
□ □□□□ □□ □□ □□□□ □□□□ □□□□□ □□□□ □□(□□ □ □ □□)□ □□ □□ □□
□□□ □□□ □□□ □□ □□□□□ □□□. □□, □□ IP □□ □□ □□ □□) □□□ □□□□□. □□□
□ □□□ □□□ GRE □□□, QoS, MPLS VPN, SSL/IPsec □□□/□□□ □□ □□□ □□□□. □□
□□ □□□ □□□□ □□□ □□ □□□ □□ □□ IP □□□ □□ □□ □□ □□ □□ IP □□□ □□
□□ □□□□. □□ □□ IP □□(□: VPN □□ □□□ □□)

NEW QUESTION: 61

□□□ □□□ □□□□ □□□ IPv6 □□ □□□ □□□ □□□□.

Answer:

300-410 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-410 □□! DumpTop □ □
□ **300-410** □□ □□□ □□□□□□, DumpTop 300-410 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-410 □□□ □□□□□.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 62

□□□ □□ RP□ □□ RP□ □□□□ □ MPLS □□ □□□ □□□ □ □□ □□ □□ □□□□□ □□
□□□?

- A. LDP□ SSO□ □□□□ □□ □□□ □□□ □□□□□.
- B. LSP□ NSF□ □□□□ □□ □□ *i □□ □□ □□□
- C. MP-BGP□ MPLS □□ □□□□ □□□ □□□ □□□□ □□ □□ □□□□ □□□□□.
- D. FEC□ □□ □□ □□□□ □□□□ □□ □□□□□ □□ □□□□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

□□□□ □□□□□.

□□□□□ R1□ □□ □□□ □□□ □□ □ GRE VPN□ □□□□ □□□. □□ □□□□ □□ □□□
□□□□ □□□ □□□□□?

- A. □□□□□ □□
□□ □□ 199.1.1.1
□□ □□ 200.1.1.3
IP □□ 192.168.1.1.255.255.255.0
- B. □□□□□ □□1
□□ □□ 200.1.1.3
□□ □□ 199.1.1.1
IP □□ 192.168.1.3.255.255.255.0
- C. □□□□□ □□1
□□ □□ 200.1.1.3
□□ □□ 199.1.1.1
IP □□ 192.168.1.1.255.255.255.0
- D. □□□□□ □□1
□□ □□ 199.1.1.1
□□ □□ 200.1.1.3
IP □□ 192.168.1.3 255.255.255.0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

□□□□ □□□□□.

□□ □□□□□ □□□□ □□□ □□□ □ □□ □□□ □□□□ HQ R1□ □□ □□□□□□ □□□.
□□□□□ HQ_R1 □□□□ □□ BRANCH □□□□ □□□□□□ □□□□ □ □□□ □□□□□□
192.168.20.0/24□ □ □□ □□ □□□□□ □□□ □ □□□□. □□ □□ □□□ □□□ □□□□□?

A. HQ_R1(config)# ip sla □□□

HQ_R1(config)# ip sla □□□ icmp-echo 172.16.35.2

B. □□(□□)# ip sla 1

□□(config-ip-sla)# icmp-echo 172.16.35.1

C. HQ_R2(config)# ip sla □□□

HQ_R2(config)# ip sla □□□ icmp-echo 172.16.35.5

D. □□(□□)# ip sla 1

□□(config-ip-sla)# icmp-echo 172.16.35.2

Answer: ([SHOW ANSWER](#))

□□

□ □□□□ □□□□□ □□ □□(172.16.35.2)□ □□□□ □□ 172.16.35.6(□□ □□)□ □□□□ □
□□ □□□ □□□□□. □□□ □□ □□ □□□ □□□□ □ □□ 1□ □□□ □□ □□□□ □□□□
□□□ □□ □□□ □□□□□□. -> □□□□□□.
□ □□□ □□□□□ □□ □□□ □□ □□□□□□ □□□□□ □□ □□□.

NEW QUESTION: 65

□□□□ □□□□□.

SanFrancisco□ Boston □□□□ □□ □□□ □□ □□□□ □□□□ □□ □□□□ □□ □□ □□□
□□□□ □□□□. □□ □□□□ □□□ □□□□□?

A. □□ D

B. □□ C

C. □□ B

D. □□ A

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

□□□□ □□□□□.

□□□ □□□□ □□ □□□□ □□□□ □ PC2, PC3 □ PC4□ PC1□ □□□ □ □□□□. □□ PC□
□□□ □ □□□ □□□ □□□□ □□ □□□□□ □□ □□□ □□ □ □□□□?

A. R2□ □□ □□□ □□□□□□ □□□□□□.

B. RIP□□ EIGRP□ □□□□ □ □□□ 10.1.1.0/24□ □□□□□□.

C. OSPF□□ EIGRP□ □□□□ □ □□□ 10.1.1.0/24□ □□□□□□.

D. R2□ RIP □□□□□□ □□ □□□ 100□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□□□ □□□□□.

2001:db8:0:4::/64 □□ □□□□□ □□□□ □□□□ □ □□□ □□□□□. □ □□□ □□□
□ □□ IPv6 □□□ EIGRP 100 □□ □□□□ □□ □□□ □□□□□?

- A. R1□□ eigrp stub □□□ □□□□□.
- B. R2□□ eigrp □□□ □□□□□.
- C. R2□□ no neighbor stub □□□ □□□□□.
- D. R1□□ no eigrp stub □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

MPLS VPN □□ □□□ □□□□ □□□ □□□ □□□ □□□□.

Answer:

□□

□□□ □□□ □□□□□, □□□□□□ □□□ □□□□ □□□

NEW QUESTION: 69

IP/VPN Hub □ Spoke □□ □□□□□□ AS_PATH □□ □□□□□ □□□□□ □□□□ □□□□□
□□□ □□□□ □□□?

- A. PE_Hub□□ □□□□ □□
- B. PE_Hub□□ Allowas □□
- C. PE-Hub□□ □□ □ □□□□ □□□□□.
- D. □□ Pes□□ in □ as-override□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

□□□ MPLS □□□ □□□□ □□□ □□□ □□□ □□□□.

Answer:

NEW QUESTION: 71

R1□ R2□ eBGP □□ □□□□ □□□□, R1□ AS100□, R2□ AS200□ □□□□. R2□ □□ □□□
□□ R1□ □□□□□.

R1□ □□□□ □□□□ □□□□ 23□□ □□ 172.16.0.0/16 □□ □□□□□ □□ □□□□ □□□□
□□ □□□□ □□□ □□□□ □□□. R1□□ □□□ □□□□ □□ □□□ □□□□□?

- A. ip prefix-list PL-1 □□ 172.16.0.0/16 □□ 23
IP □□□ □□ PL-1 □□ 0.0.0.0/0 □□ 32

!

□□□ bgp 100

```

192.168.100.2 200
192.168.100.2 200 200 PL-1
B. IP 200 200 PL-1 200 172.16.0.0/16 ge 23
IP 200 200 PL-1 200 0.0.0.0/0 200 32

```

```

!
200 200 bgp 100
200 192.168.100.2 200-200
200 192.168.100.2 200 200 PL-1
C. 200 200 1 200 172.16.0.0 0.0.254.255
200 200 1 200 200

```

```

!
200 200 bgp 100
200 192.168.100.2 200-200
200 192.168.100.2 200 200 1
D. IP 200 200 PL-1 200 172.16.0.0/16
IP 200 200 PL-1 200 0.0.0.0/0

```

```

!
200 200 bgp 100
200 192.168.100.2 200-200
200 192.168.100.2 200 200 PL-1

```

Answer: (SHOW ANSWER)

```

200
"200 200 23 200 200 172.16.0.0/16 200 200 200 200 200 200 200 200"
172.16.16.0/20 200 200.
200 200 200 200 "ip prefix-list PL-1 200 172.16.0.0/16 le 23" 200 "172.16.0.0/16 200 200 200
200 200 /23 200 200 200 200" 200 200 200 200.
200 200 200 200 "ip prefix-list PL-1 allowed 0.0.0.0/0 le 32" 200 200 200 200 200 200 200
200.

```

NEW QUESTION: 72

```

200 200 200 200.
200 200 200 200 200 200 200 200 200 200 200 200 200 200 200.
200 200 200 200 200 200 200 200 200 200? (20 20)
A. 200 200 200 200 200 5 Cisco@maedeh motamedi
B. 200 200 200 200
C. 200 200 200 aes
D. 200 200 200 200 200 Cisco@maedeh motamedi
E. 200 200 200 200 200
F. 200 200 200 200 200 Cisco@maedeh motamedi

```

Answer: (SHOW ANSWER)

NEW QUESTION: 73

Which of the following is a valid BGP community?

- A. 100:100 BGP 100 100 100 100
- B. 100:100 BGP 100 100 100 100
- C. 100:100 100 100 100 100 BGP 100 100 100 100
- D. 100:100 "BGP" 100 100 100 100 BGP 100 100 100 100

Answer: A ([LEAVE A REPLY](#))

100:100 3 100

NEW QUESTION: 74

Which of the following is a valid EIGRP network?

EIGRP OSPF 10.1.4.0/24 10.1.2.0/24 10.2.3.0/26 10.2.2.0/24

- A. 10.1.4.0/24
- B. 10.1.2.0/24
- C. 10.2.3.0/26
- D. 10.2.2.0/24

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which of the following is a valid EIGRP network?

10.1.4.0/24 10.1.2.0/24 10.2.3.0/26 10.2.2.0/24

- A. R4 E0/1 120
- B. 208 on R3 E0/0
- C. 120/R3 E0/1
- D. R4 E0/1 2200

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 76

Which of the following is a valid EIGRP network?

10.1.4.0/24 10.1.2.0/24 10.2.3.0/26 10.2.2.0/24

- A. 10 C
- B. 10 B
- C. 10 A
- D. 10 D

Answer: B (LEAVE A REPLY)

300-410               

NEW QUESTION: 77

☐☐☐☐ ☐☐☐☐☐.

```

Cisco DNA Center Cisco Catalyst 9300 Cisco WLC 3504
. Catalyst 9300 Cisco DNA Center WLC [ "uncontactable" Cisco DNA Center WLC
?

```

- A.** Catalyst 9300 □□ □□□ □□ □□ □□□ WLC 3504□ □□□□□.
- B.** Cisco DNA Center□ .cert □□□ USB□ □□□□ WLC 3504□ □□□□□□.
- C.** Cisco DNA Center□ .pern □□□ USB□ □□□□ WLC 3504□ □□□□□□.
- D.** Cisco DNA Center□□ WLC 3504□ □□□□□ Cisco DNA Center□ □□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 78

IPv6 ND ☐☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐?

- A. □□□ 3 □□ □□□□ □□ □□□ □□ □□ □□□□ □□ □□□□ □□□□.
- B. □□□ 2 □□ □□□□ □□ □□□ □□ □□ □□□ □□ □□□□ □□□□ □□□□.
- C. □□□ 3 □□ □□□□ □□ □□ □□ □□ □□□ □□ □□□□ □□□□ □□□□.
- D. □□□ 2 □□ □□□□ □□ □□ □□ □□ □□□ □□ □□□□ □□□□ □□□□.

Answer: B (LEAVE A REPLY)

IPv6 ND □□□ □□□ 2 □□ □□□□ □□ □□□ □□ □□ □□□□ □□□□ □□□□
 □. IPv6 ND □□□ □□□ □ □□ □□□ □□□ □□□□□□□ □□□□ □□ □□ □□ □□□□ □
 □□□, □□□ □□□□ □□ IPv6 □□ □□ □□□□ □□□□□. IPv6-MAC □□□ □□ □□□ □□
 □□ □□ □□□□ □□□ □ □□ □□□ □□□□□.

□ □□□ DAD(□□ □□ □□), □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□ □□ □□ □□□
 □□ □□ □□□ □□□ □ □□□ □□□□□.

NEW QUESTION: 79

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

□□□ □□□□ OSPF □□□□ □□□□ □□□□. □□ □□□ □□□□ □□□□□?

- A.** R2 □□ □□□□ 20□□ □□□□□.
- B.** R1 □□ □□□□ 20□□ □□□□□.

C. R1 20 .

D. R2 hello 20 .

Answer: B (LEAVE A REPLY)

NEW QUESTION: 80

□ □ □ □ □ □ □ □ □ .

□□□□ DMVPN□ □□□ R2 □ R3□□ □□ □□□ 10.1.1.0/24□ □□□□. R3 □□□
10.1.3.0/24□ R2□□ □□□□ □□□□. R2 □□□ 10.1.2.0/24□ R3□□ □□□□ □□□□. □□ □□
□ □□□ □□□ □ □□□?

A. `no ip Split-horizon eigrp 10`

B. [] [] [] [] []. R2 [] R3 [] [] [] show ip eigrp neighbor [] [] [] []
[] [] [] [] DMVPN [] [] [] [].

C. `ip Split-horizon eigrp 10` `R1` `Gi0/0` `no`

D. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ DMVPN ☐ ☐ R2 ☐ R3 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
☐ show ip eigrp neighbor ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

22

[illegible]

NEW QUESTION: 81

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

```
R1# GigabitEthernet0/0 # R2 # R2# R1# ping . # #  
# # #?
```

A. □□□□ □□□ □□ □□□ □□□□□.

B. □□□□ □□□□ SFP □□□ □□□□□□.

C. IP .

D. □□□ IP SLA □□□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 82

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

□□□□□ □□ □□□ □□□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. snmp ☐☐☐ ☐☐

B. snmp ☐☐ ID ☐☐☐

□□□□□ □□□ □ □□ □□ □□□□ □□□ □ □□□□. □ □□ "FLOW-MONITOR-1"□ □□□
□ □□□□□□ □ □□ "v4_r1"□ □□ □□ □□□□□ E0/0.1□ □□ □□□□ □□□□. □□□ □□
□□□ NetFlow □□□□ □□□□ □□□□.

NEW QUESTION: 86

□□□□ □□□□□.

R6□ R5>R2>R1□ □□ R1□ □□□□ □□□. □□ □□□ □□□ □□□□□?

- A. R6-R5-R2 □□□□ □□□ 2□ □□□□.
- B. R2-R3-R1 □□□□ □□□ 61□ □□□□.
- C. R2□ R3 □□□□ □□□ 61□ □□□□.
- D. R2□ R1 □□□□ □□□ 41□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 87

□□□□□ □□□ □□□□ DES□ □□□□ □□□□□ □□ □□□ □□□□ SNMP □□□ □□□□
□□. □□ PDU□ □□□ "UNKNOWNUSERNAME. WRONGDIGEST"□ □□□□□. □□ □□□ □□
□ □□□□□?

- A. SNMPv3 authPriv □ □□□□ □□□ □□ □□□□□ □□□□□.
- B. SNMPv3 authNoPriv□ □□□□ □□□ □□ □□□□□ □□□□□.
- C. SNMPv3 authNoPriv□ □□□□ □□□ □□ □ □□ □□ □□ □□□□□ □□□□□.
- D. SNMPv3 authPriv□ □□□□ □□□ □□ □ □□ □□ □□ □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

<https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/snmp/configuration/xe-3se/3850/snmp-xe-3se-3850-book/nm-snmp- snmpv3.html>

NEW QUESTION: 88

CE □□□□□ □□□□ □□□ VPN □□□□ □□□□ □□□□ □□□□□?

- A. PE □□□
- B. □□ □□□
- C. CE □□□
- D. P □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□□□ □□□□□.

□□□□□ R1□ PBR□ □□ □□□ R3 AS64513□ □□ 10.2.2.0/24□ □□□□ R2 AS64513□ □□
□□ □□□ □□ □□ □□□ □□□□ □□□. □□ BGP □□□ R1□ □□□ □□□□ □□□□. □□
□ □□ □□ □□□ BGP □□□□ □□ □□□□□. □□ PBR □□□ □□□ □□□□□?

- A. □□ D
- B. □□ A

C. ☐ ☐ B

D. □□ C

Answer: C (LEAVE A REPLY)

NEW QUESTION: 90

MPP(□□ □□□ □□)□ □□ □ □□ □□□□ □□ □□□□ □□□ □□□□□? (3□□ □□□□□.)

A. SFTP

B. SSH

C. HTTP □ HTTPS □□

D. FTP

E. HTTP

F. OSPF

Answer: (SHOW ANSWER)

□□ MPP □ TFTP, Telnet, SNMP(Simple Network Management Protocol), SSH(Secure Shell) □ HTTP
□ □□ □□□□□ □□ □□□□ □□ □□□ □□□□□.

□□□ MPP □□□ □□□□ □□ □□□□□□□. □□□ □□ □□□□□ MPP□ □□□□ □ □□□
□□ □□□ □□□□□□□ □□□.

□□ □□ □□ □□□□(BEEP)□ □□□□□.

FTP

HTTP

HTTPS

SSH, v1 ☐ v2SNMP, ☐ ☐ ☐ ☐

22

TFTP

□□: https://www.cisco.com/c/en/us/td/docs/ios/security/configuration/guide/sec_mgmt_plane_prot.html

NEW QUESTION: 91

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

□□□□□ □□□□ 10□□ □□□□ □□□□ □□ □□□□ □□□□□ □□□ □□ □□□ □□□□
 □. □□ □□□ □□□ □□□□□?

A. ☐ ☐ ☐ ☐ Ip prefix-list EIGRP seq 10 allowed 10.0.0.0/8 le 32 ☐ ☐ ☐ ☐ ☐ ☐.

B. IP EIGRP seq 20 10.0.0.0/8 ge 9

C. Ip EIGRP seq 20 allowed 0.0.0.0/0 le 32 .

D. ip prefix-list EIGRP seq 10 allowed 10.0.0.0/8 le 9 ☐☐☐ ☐☐☐☐.

Answer: (SHOW ANSWER)

300-410 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-410 □□! DumpTop □ □

[illegible]

□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-410 □□□ □□□□□.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 92

□□□□□ □□□□ □□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□. □□ □□□ □□□□
□□□□□□ □□□ □□□□ □□ □□ □□□ □□□ □ □□□ □□□ □□□ □□□□ □□ □ □□
□□. □□□□□ □□□ □□□ □□□ □□□□□ □□□ □□ □□□ □ □ □□ □□□ □□□ □□□
□□?

- A. □□ □□ □□ □□
- B. □□ □□ □□ □□□ □□□ □□□□□ □□□□□.
- C. □□ □□ □□ all □□ □□
- D. no mon □□ □□□ □□□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

□□

"logging synchronous" □□□ □□ □□□ □□ □□□ □□□□□□□□□.
□ □□□ □□□ □□□□ □□□ □ □□□ □□ □□□□ □□ □□ □□□ □□□□□ □ □ □□□□.
□□□ □□□□(□□□□□) □□ □□ □□□□ □□□□ □□□ □□□ □□□.
□ □□□ □□□□□ □□□□ □□□ □ □□ □□□ □□□ □ □□ □□□□ □□□.

NEW QUESTION: 93

□□□□ □□□□□ NTP □□□ □□□□ □□ □□□□ □□□(□/□□) □□□□□ □□□ □□□□
□□□□. □□ □□ □□□□ □□ □□□ □□□□ □□□□. □□□□ □□□ □□ □□□ □□□ □□
□□ □□□ □□□ □ □□ □□□ □□□□□?

- A. □□ □□□□ mst □□ 3□ 2□ □□□ 2:00 11□ 1□ □□□ 2:00
- B. □□ □□ □□□
- C. □□□ □□□□□ □□ □□/□□ □□ □□ □□-□□□
- D. □□□ □□□□□ □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 94

□□□□ □□□□□.

IPsec□ □□□ □ □□□□□□ DMVPN □□□ □□□□ □□□ □ □ □□□ □□ □□□□ □□ □□ □
□□□□□. □□ □ □□ □□□ □□□ □□□□□□? (2□□ □□□□□.)

- A. R2□ □□ □□□□ □□ □□□ □□□ □□□□□.
- B. □□□ isakmp □ Cisco □□ 10.1.1.1□ □□□□□. R2□ R3□□.
- C. □□ □□□□ R3□ □□ □□□ □□□ □□□□□.
- D. R2 □ R3□□ □□□ isakmp □ Cisco □□ 0.0.0.0□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

Which two statements are true?

OSPFv3 is implemented on the IPv6 interface. OSPFv3 is implemented on the IPv4 interface. OSPFv3 is implemented on the IPv6 interface. OSPFv3 is implemented on the IPv4 interface.

A. OSPFv3 is implemented on the IPv6 interface.

B. OSPFv3 is implemented on the IPv4 interface.

C. OSPFv3 is implemented on the IPv6 interface. OSPFv3 is implemented on the IPv4 interface.

D. OSPFv3 is implemented on the IPv6 interface. OSPFv3 is implemented on the IPv4 interface.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 96

IPv6 addresses are represented by eight groups of four hexadecimal digits.

Answer:

True

False, IPv6 addresses are represented by eight groups of four hexadecimal digits.

NEW QUESTION: 97

Which two statements are true?

Answer:

True

False, IPv6 addresses are represented by eight groups of four hexadecimal digits.

HTTP is implemented on the TCP port 80. HTTP is implemented on the TCP port 443.

Syslog is implemented on the UDP port 514. Syslog is implemented on the UDP port 123.

2001:d88:800:200c::c/126 is a valid IPv6 address. 2001:d88:800:200c:0:0:0:c is a valid IPv6 address.

2001:d88:800:200c:0:0:0:c is a valid IPv6 address. 2001:d88:800:200c:0:0:0:c is a valid IPv6 address.

2001:0D88:0800:200c::1f is a valid IPv6 address. 2001:D88:800:200c::e/126 is a valid IPv6 address.

2001:d88:800:200c:0:0:0:c ~ 2001:d88:800:200c:0:0:0:f is a valid IPv6 address. 2001:0D88:0800:200c::1c is a valid IPv6 address.

True

NEW QUESTION: 98

Which two statements are true?

Answer:

NEW QUESTION: 99

Which two statements are true?

True

A. VPNv4 is a valid IPv6 address.

B. RD is a valid IPv6 address.

C. RT

D. □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 100

□□□□ □□□□□.

EIGRP□□ OSPF □□□ □□□□□ □□□□□ □□□□ □□□□□?

A. 10.1.2.0/24

B. 10.1.4.0/26

C. 10.2.2.0/24

D. 10.2.3.0/26

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

□□□□ Gi0/0 □□□□□□ □□ TFTP□ □□□□ CPE □□□□□ □□ □□□ NBAR2 □ □□□ □
□□□□□□ □□□. CPE□ □□□ □□ □□□□□.

□□□ □□□□□. □□ □□□ □□□ □□□□□?

A. □□ □□□ 8+3 □□ □□□□ □□□□.

B. □□ UDP □□ □□ □□□ □□□□□ WAN ACL□ □□□□□.

C. UDP □□ 69□ TFTP□ □□□□□ WAN ACL□ □□□□□.

D. udp any eq tftp any □□□ WAN ACL□ □□□ □□□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

□□□□ □□□□□.

□□□ □□ □□□ □□□ □□ □□□□□. IT □□□□□□ □□ □□□ □□□□ □□ □□□ □□□
□ □□□ □□ □ □□□ □□□ □□□□□□□□. □ □□□ □□□□ □□□ □□□□□?

A. vrf □□ □□

□□ □□ IPv4

!

□□□□□ E 0/2

IP □□ 192.168.1.1 255.255.255.0

□□ □□

!

□□□□□ E 0/3

IP □□ 192.168.2.1 255.255.255.0

□□ □□

B. vrf □□ □□

!

□□□□□ E 0/2

IP 192.168.1.1 255.255.255.0

!

E 0/3

IP 192.168.2.1 255.255.255.0

C. vrf

IPv4

!

E 0/2

IP 192.168.1.1 255.255.255.0

vrf

!

E 0/3

IP 192.168.2.1 255.255.255.0

vrf

D. vrf

IPv4

!

E 0/2

vrf

IP 192.168.1.1 255.255.255.0

!

E 0/3

vrf

IP 192.168.2.1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 103

R1 SP1 . R1 .
SSH SP2 . . ?

A.

B.

C.

D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

□□□□ □□□□□. ISP □□□□ VRF-Lite □□□ □□□□ □□ A□ □□ B□ □□ □□□ □□□□ □□□. □□ A□ □□□ A1□ A2 □□ □□□□ □ □□□ □□ □□□ □□□□□?

A. A1

□□□□□ fa0/0

□□ To->ISP

IP □□ 172.31.100.1 255.255.255.0

□□ □□

!

□□□ ospf 100

□ 172.31.100.1 0.0.0.255 □□ 0

A2

□□□□□ fa0/0

□□ To->ISP

IP □□ 172.31.200.1 255.255.255.0

□□ □□

!

□□□ ospf 100

□ 172.31.200.1 0.0.0.255 □□ 0

B. A1

□□□□□ fa0/0

□□ To->ISP

IP VRF □□□ A

IP □□ 172.31.100.1 255.255.255.0

□□ □□

!

□□□ ospf 100

□ 172.31.100.1 0.0.0.255 □□ 0

A2

□□□□□ fa0/0

□□ To->ISP

IP VRF □□□ A

IP □□ 172.31.200.1 255.255.255.0

□□ □□

!

□□□ ospf 100

□ 172.31.200.1 0.0.0.255 □□ 0

C. A1

□□□□□ fa0/0

□□ To->ISP

IP < > 172.31.200.1 255.255.255.0
< <

!

<<< ospf 100
< 172.31.200.1 0.0.0.255 < < 0

A2

<<<<< fa0/0

<< To->ISP

IP < > 172.31.100.1 255.255.255.0
< <

!

<<< ospf 100
< 172.31.100.1 0.0.0.255 < < 0

D. A1

<<<<< fa0/0

<< To->ISP

IP VRF <<< A

IP < > 172.31.100.1 255.255.255.0
< <

!

<<< ospf 100 vrf A
< 172.31.200.1 0.0.0.255 < < 0

A2

<<<<< fa0/0

<< To->ISP

IP VRF <<< A

IP < > 172.31.100.1 255.255.255.0
< <

!

<<< ospf 100 vrf A
< 172.31.200.1 0.0.0.255 < < 0

Answer: C (LEAVE A REPLY)

A1 < A2 <<<< <<< VRF A< << <<< <<< <<<<.

A1 < A2< <<< ISP< < <<<<<<< <<< << <<<<< <<<(<<< <<< <<<<< <<< <<<<<<).

ISP <<<:

<<<<< g0/0

<< ISP->To_CustomerA

IP VRF <<< A

IP < > 172.31.100.2 255.255.255.0

ospf 100 vrf A
172.31.200.2 0.0.0.255 0

NEW QUESTION: 105

IP VPN IP MPLS VPN
?

- A. VPNv4
- B. RD
- C. RT
- D.

Answer: (SHOW ANSWER)

NEW QUESTION: 106

MPLS VPN .

Answer:

300-410 DumpTop 300-410 ! DumpTop
300-410, DumpTop 300-410
. DumpTop 300-410 .

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

.

. show IPv6 DHCP
?

- A. R1 IPv6 DHCP
- B. DHCP IPv6 DHCP
- C. e0/0 IPv6 DHCP H1
- D. R1 DHCP 2001:DBB:BAD:C0DE::/64

Answer: D (LEAVE A REPLY)

NEW QUESTION: 108

:

AS 111 AS 200 172.20.5.0/24 AS 100
AS 100 .

- A. mmap SETLP 10

□□□□ □□□□ □□□ □ □□ □□□ □□□ □□ DMVPN □□□□□ □□□□□ □□□□□□.

C. 00 B

D. 00 A

E. 00 C

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

00 00 00 00 0000 000~000 0 0000 00 0000(Eth0/0)00 0000 000
00 000 0000 00 00 000 000 000000. 00 0000 000 00000?

A.

B.

C.

D.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 116

000 MPLS 000 0000 000 000 000 0000.

Answer:

NEW QUESTION: 117

000 00 MPLS VPN 00 000 000 000 000 0000.

Answer:

NEW QUESTION: 118

0000 00000. FTP 000000 00 FTP0 0000 FTP 000 00000 00 00 000
00000. 0 000 00000 00 000 000 000?

A. 00 FTP 0000 00000.

B. 000 00 FTP-SERVER0 00000 0000 00000.

C. 102300 00 TCP 000 00000 00000.

D. 0000 000 000 00 FTP-SERVER 000 000 00000.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 119

0000 00000.

000 R10 10.0.0.0/80 00000 0000 0000. 00 0000 000 R10 00 00000.

Fast Ethernet0/0 000000 00 R10 000 000000 10.0.0.0/8 00 000 000 0000
000?

A. 00 000 00000 0000. 0000 10.1.100.0/240 0000 0000 000.
172.16.0.0/24.

B. 00 000 00000 00000. 000 10 1 100.1000 null 00 0000 10 0.0.0/80 00 000
00000.

C. R1# Fast Ethernet 0/0 # ip summary-address eigrp <AS number> 10.0.0.0.255.0.0.0
#

D. R1# Fast Ethernet 0/0 # ip summary-address eigrp <AS number> 10.0.0.0 0.0.0.255
#

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 120

MPLS VPN # # # #

Answer:

#

NEW QUESTION: 121

10.1.1.1 # # # # #. # # # # #
VRF # # # # #. # # # VRF # # # # #
VRF # # # # #. # # # # #?

)

)

)

)

A. # A

B. # B

C. # D

D. # C

Answer: A ([LEAVE A REPLY](#))

300-410 # # # # # DumpTop # # # # # 300-410 # #! DumpTop # #
300-410 # # # # #, DumpTop 300-410 # # # # # # # #
#. # # # # # DumpTop 300-410 # # # # #.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 122

DHCP # # # # # # # # # #.

Answer:

NEW QUESTION: 123

#.

Which two statements are true regarding the configuration of R1 and R2 for EIGRP? (Choose two.)

- A. R1 and R2 must be in the same autonomous system.
- B. R1 and R2 must be in the same VRF.
- C. R1 and R2 must be in the same VRF.
- D. R1 and R2 must be in the same VRF.

- A. R1 B
- B. R1 D
- C. R1 A
- D. R1 C

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 124

Which two statements are true regarding the configuration of Cisco DNA Center? (Choose two.)

- NTP is configured on Cisco DNA Center. 17:15 Cisco DNA Center NTP is configured. Which two statements are true? (Choose two.)
- A. WLC NTP is configured on Cisco DNA Center.
 - B. NTP is configured on Cisco DNA Center.
 - C. Cisco DNA Center NTP is configured on Cisco DNA Center.
 - D. WLC NTP is configured on Cisco DNA Center.

Answer: D ([LEAVE A REPLY](#))

Which two statements are true regarding the configuration of Cisco DNA Center? (Choose two.)

Cisco DNA Center is configured on Cisco DNA Center. Which two statements are true? (Choose two.)

Cisco DNA Center is configured on Cisco DNA Center. Which two statements are true? (Choose two.)

Which two statements are true regarding the configuration of Cisco DNA Center? (Choose two.)

<https://www.cisco.com/c/en/us/td/docs/cloud-systems-management/network-automation-and-management/dna-c>

NEW QUESTION: 125

Which two statements are true regarding the configuration of Cisco DNA Center? (Choose two.)

- Which two statements are true regarding the configuration of Cisco DNA Center? (Choose two.)
- A. BGP is configured on Cisco DNA Center.
 - B. MPLS B is configured on Cisco DNA Center.
 - C. A MPLS B is configured on Cisco DNA Center.
 - D. MPLS B is configured on Cisco DNA Center.

Answer: A ([LEAVE A REPLY](#))

□□□□ □□□□□, □□ □□□□ □□□□, AS □□ □□□ □□□□ MPLS A□□ MPLS B□ □□□ □ □□ □ □□□□.

□□□ MPLS B□ □□□□ □ □□□ □□ □□□ □□□□ □□ MPLS A□ □□□□□.

AS □□ □□□□ □□□□ □□ AS□ □□□□ □□□□ □□ B□ HQ□ □□□□ □□ MPLS A□ □□ □□ □□□ □ □ □□□□.

NEW QUESTION: 126

□□□ □□ □□□□□ □□□ □□ □□□□ □□□□ □ □□ □□□ □□ □□□ □□□□□ □□ GRE □□□ □□□□□□. R2□ □□ □□□ R1□ □□□ □□□□□?

A. R2(config)# □□□□□ □□ 1

R2(config-if)# IP □□ 172.20.1.2 255.255.255.0

R2(config-if)# ip mtu 1400

R2(config-if)# ip tcp □□-mss 1360

R2(config-if)# □□ □□ 192.168.20.1

R2(config-if)# □□ □□ 192.168.10.1

B. R2(config)# □□□□□ □□ 1

R2(config-if)# IP □□ 172.20.1.2 255.255.255.0

R2(config-if)# ip mtu 1400

R2(config-if)# ip tcp □□-mss 1360

R2(config-if)# □□ □□ 10.10.2.2

R2(config-if)# □□ □□ 10.10.1.1

C. R2(config)# □□□□□ □□ 1

R2(config-if)# IP □□ 172.20.1.2 255.255.255.0

R2(config-if)# ip mtu 1500

R2(config-if)# ip tcp □□-mss 1360

R2(config-if)# □□ □□ 192.168.20.1

R2(config-if)# □□ □□ 10.10.1.1

D. R2(config)# □□□□□ □□ 1

R2(config-if)# IP □□ 172.20.1.2 255.255.255.0

R2(config-if)# ip mtu 1500

R2(config-if)# ip tcp □□-mss 1360

R2(config-if)# □□ □□ 10.10.2.2

R2(config-if)# □□ □□ 10.10.1.1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 127

□□□ □□□ □□□□ □□□ IPv6 □□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 128

□□□□ □□□□□.

EIGRP □□ □□ □□□ □□□□ □□ □□□□ □□□□□ □□ □□□□□□

EIGRP □□□□□ □□□□ □□□□ □□□ □□□□□□. □□ □□□ □□□ □□□□□?

- A. □□□□ □□□ □□□□ 172.16.0.1 0.0.0.0□□ □□□□□.
- B. EIGRP □□ □□ vrf CLIENT1□□ □□□□ □□□ □□□□□.
- C. FastEthernet0/3 □□□□□□□ EIGRP □□□□ □□
- D. EIGRP □□ □□ ipv4□□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

□□□ eigrp 1

!

□□-□□ ipv4 vrf CLIENT1

□□□□ 172.16.0.0 0.0.0.255

□□ □□ □□

□□ □□□ 1

□□ □□ □□

NEW QUESTION: 129

□□□□:

□□ □□□ □□□□□ □□ □□□ □□□ □□□?

- A. TACACS+ □□□□ □□□ □□□ □□□□□.
- B. TACACS+ □□□□ □□□□□ UDP □□ 1812□ □□□□□.
- C. □□□□ □□□ □ □□□ TCP □□ 49□ □□□□□.
- D. TACACS+ □□□ □□□ □□ □□□ □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□

□□□ □□□ □□□ □□□ "□□□ AUTHEN □□"□□ □ □ □□□□. □□□ □□□ □□□□ □□

□□□ □□□ □□□□.

NEW QUESTION: 130

□□□□ □□□□□.

AS 690□ □□□□ □□ □□ □□ □□□□□□ BGP □□□ □□□□□ □□□□ □□□. □□□□ □

□□ AS 690□□ □□□ □□□□ 10.222.1.1□ □□ □□ □□ □□□□ □□□ □□□ □□□□□?

- A. □□ □□ □□ □□ □□ □□ □□ 250□□ □□□□.
- B. □□ □□ □□ □□ □□ □□ □□□□ □□□ □□□ □□□□□ □□□.
- C. □□ □□□ □□□ □□□□ □□□□□□□.
- D. □□ □□ □□ □□□ □□ 200□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 131

Which two statements are true about the DHCP process? (Choose two.)

Answer:

NEW QUESTION: 132

Which two statements are true about the DHCP process? (Choose two.)

Answer:

□□:

DHCPINFORM: When a client has a valid IP address and receives a new DHCPINFORM message from the DHCP server, it updates its IP address and other configuration information. The DHCPINFORM message is sent to the DHCP server and the DHCP server responds with a DHCPACK message.

DHCPNAK: When a client has a valid IP address and receives a DHCPNAK message from the DHCP server, it knows that its IP address is no longer valid. The DHCPNAK message is sent to the DHCP server and the DHCP server responds with a DHCPREQUEST message.

DHCPACK: When a client has a valid IP address and receives a DHCPACK message from the DHCP server, it knows that its IP address is still valid. The DHCPACK message is sent to the DHCP server and the DHCP server responds with a DHCPACK message.

DHCPDECLINE: When a client has a valid IP address and receives a DHCPDECLINE message from the DHCP server, it knows that its IP address is no longer valid. The DHCPDECLINE message is sent to the DHCP server and the DHCP server responds with a DHCPREQUEST message.

<https://www.cisco.com/c/en/us/support/docs/ip/dynamic-address-allocation-solution/27470-100.html>

NEW QUESTION: 133

Which two statements are true about the DHCP process? (Choose two.)

Which two statements are true about the DHCP process? (Choose two.)

- A. The DHCP server sends a DHCPACK message to the client.
- B. The DHCP server sends a DHCPNAK message to the client.
- C. The DHCP server sends a DHCPREQUEST message to the client.
- D. The DHCP server sends a DHCPDECLINE message to the client.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 134

Which two statements are true about the DHCP process? (Choose two.)

- A. R1 □□□ □□□□□ R2 □□□□ □□ □□□□□ □□□ □□□□□.
- B. R2 □□□ □□□□□ R1 □□□ □□ □□□□□ □□□ □□□□□.
- C. R1 □□□ □□□□□ R2 □□□ no auto-summary □□□ □□□□□.
- D. □□□ □ □□□□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 135

- □□□□□.
- □□□ □□□ □□□□ □□□ □□□□□ 192.168.2.2□ □□ □□□ □□□□□ □□□.
- □□□ □□□ □□□□ OSPF □□□ □□□□□. □□ □□□ □□□ □□□□□?
- A. □□ □□□ □□□ □□ □□ □□□ □□□ □□□□□.
 - B. □□ □□ □□ □□ □□□□□. □□ □ RM-OSPF-DL □□ 20.
 - C. Route-map □□□ □□□ 10□ □□□□ □□□ □□□□□.
 - D. □□ □□□ □□ □□ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

- □□□□□. R1 □□□ □□□□□ FTP1 □ FTP2 □□ □□□ □□ □□□□ □□□□. □□□
- □□□□□ □□ □□ □□□ □□ R1□ □□□□ □□□.
- * Host1□ FTP1 □□□□□ □□□□ □□□.
- * Host2□ FTP2 □□□□□ □□□□ □□□.
- R1□ □□ □□□ □□□□ □□□ □□□□□?
- A.
 - B.
 - C.
 - D.

Answer: ([SHOW ANSWER](#))

300-410 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-410 □□! DumpTop □ □

□ **300-410** □□ □□□ □□□□□□, DumpTop 300-410 □□ □□□ □□□□□□□□ □□□ □□

□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-410 □□□ □□□□□.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 137

- □□□□□.
- DMVPN□ □□□ □□ □□□□ □□ □□□ □□□□ □□□ □ □□□ □□□□ □□□ □□□□□?
- A. □□□□ □□□ isakmp □ Cisco □□ 0.0.0.0□ □□□□□.
 - B. □□□□ □□□ isakmp □ Cisco □□ 200.1.0.0 255.255.0.0□ □□□□□.

C. `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

D. `ip nat source static 0.0.0.0 isakmp Cisco`

Answer: D ([LEAVE A REPLY](#))

https://www.cisco.com/en/US/technologies/tk583/tk372/technologies_white_paper0900aecd802b8f3c.html

NEW QUESTION: 138

Which command is used to configure the router to use the local user database for authentication?

A. `aaa authentication login default local`

B. `aaa authentication login default exec`

C. `aaa authentication login default local`

D. `aaa new-model`

Answer: (SHOW ANSWER)

Answer: `aaa authentication login default local`

NEW QUESTION: 139

Which command is used to configure the router to use the local user database for authentication?

A. `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

B. `ip nat source static 0.0.0.0 isakmp Cisco`

C. `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

D. `ip nat source static 0.0.0.0 isakmp Cisco`

Answer: (SHOW ANSWER)

Answer: `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

NEW QUESTION: 140

Which command is used to configure the router to use the local user database for authentication?

A. `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

B. `ip nat source static 0.0.0.0 isakmp Cisco`

C. `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

D. `ip nat source static 0.0.0.0 isakmp Cisco`

Answer: (SHOW ANSWER)

Answer: `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

NEW QUESTION: 141

Which command is used to configure the router to use the local user database for authentication?

A. `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

B. `ip nat source static 0.0.0.0 isakmp Cisco`

C. `ip nat source static 200.1.0.0 255.255.0.0 isakmp Cisco`

D. `ip nat source static 0.0.0.0 isakmp Cisco`

- A. IP 10.10.10.10 60
- B. snmp 10.10.10.10
- C. snmp 10.10.10.10 10
- D. snmp 10.10.10.10

Answer: (SHOW ANSWER)

NEW QUESTION: 142

MPLS VPN 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10.

Answer:

10.10.10.10:

<https://www.rogerperkin.co.uk/featured/route-distinguisher-vs-route-target/>

NEW QUESTION: 143

10.10.10.10 10.10.10.10.

10.10.10.10 10.10.10.10. R1 10.10.10.10 FTP1 10.10.10.10 FTP2 10.10.10.10 10.10.10.10 10.10.10.10. 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10 R1 10.10.10.10 10.10.10.10.

Host1 10.10.10.10 10.10.10.10 10.10.10.10.

Host2 10.10.10.10 10.10.10.10 10.10.10.10.

R1 10.10.10.10 10.10.10.10 10.10.10.10?

- A.
- B.
- C.
- D.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 144

Cisco IOS 10.10.10.10 SNMP 10.10.10.10 10.10.10.10 10.10.10.10 SNMPv2c 10.10.10.10 SNMPV3 10.10.10.10 10.10.10.10 10.10.10.10.

Answer:

NEW QUESTION: 145

10.10.10.10 10.10.10.10. 10.10.10.10 10.10.10.10. GigabitEthernet0/3 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10? (20.10.10.10.)

- A. SCP
- B. TFTP
- C. CDP
- D. 10.10.10.10
- E. SMTP

Answer: B,D (LEAVE A REPLY)

□□/□□:

https://www.cisco.com/c/en/us/td/docs/ios/security/configuration/guide/sec_mgmt_plane_prot.html

NEW QUESTION: 146

□□□ □□ MPLS VPN □□ □□□ □□□ □□□ □□□□.

Answer:

NEW QUESTION: 147

□□□□ □□□□□.

□□□ BGP □□□ □□ □□ □□ □□□□ □□ □□□ A ISP-1□ □□□□ □□□. □□□ □
□□ □□ □□□ □□□□ ISP-2□ □□□□ □□□. □□□□ BGP□ OSPF □□□ □□□□ □□□ □
□□□ □□□ □□□□ □□□□ □□□□. □□ □□□ □□□ □□□□□?

- A. □□□ A RTR1□ □□□□ □□ 2□ □□□□ □□□ B RTR2□ □□□□ □□ 1□ □□□□□.
- B. □□□ A RTR1□□ OSPF □□ 100□ □□□□ □□□ B RTR2□□ OSPF □□ 200□ □□□□□.
- C. □□□: A RTR1□□ OSPF □□ 200□ □□□□ □□□ B RTR2□□ OSPF □□ 100□ □□□□□.
- D. □□□ A RTR1□ □□□□ □□ 1□ □□□□ □□□ B RTR2□ □□□□ □□ 2□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□

OSPF □□ 1 □□□ □□□ □□□ □□ □□ 2 □□□□ □□ □□□□□ □□□ A RTR1□□ □□□
□□ 1□ □□□□ □□□ B RTR2□□ □□□□□ □ □ □□□□.

□□:

- OSPF□□ □□ 1(E1) □□ □□ □□ 2(E2) □□□ □□□□□ □□ 2□ □□□□□□.
- □□ 1 □□□□ □□ OSPF □□□ □□ □□□ □□□ □□ □□□□ □□□□.
- □□ 2 □□□□ □□□ □□□ □□□ □□□□ □□□□.
- □□□ □□ 2□ OSPF□ □□□□□ OSPF □□□□ □□ □□□□ □□ □□□□□ □□□□ □ □□
□ □□□ □□□□□.
- □□□ □□ 1□ OSPF□ □□□□□ □□ □□ □□□□□ □□□□ □ □□ □□□ □□□□□ □□
□ □□□□.

NEW QUESTION: 148

□□□□□ TFTP□ □□□□ □ □□□□□ □□ □□□□□ IOS □□□ □□□□□ □□□. □□ □□□
□□□□□ □□ □ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. copy tftp: flash: □□□ □□□□ □□□ □□ □□□□ □□□□□.
- B. □□ IOS □□□□□ TFTP□ □□□□ □□□□ □□ □□□ □□□□ □□□.
- C. tftp-server flash:<filename> □□□ □□□□ □□ □□□□□ TFTP □□□ □□□□□□.
- D. tftp-server □□ □□ □□□ □□□□ □□ □□□□□ TFTP □□□ □□□□□.
- E. □□□ □□ tftp □□□□□ tftp □□□ □□□□ □□ □□□□□ □□□□ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 149

□□□□ □□□□□.

□□□□ □□□□□. □□□□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□ □
□□ □□□□□□. □□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□□□ □□□□ □ □
□□□□ □□ □□□ □□□ □□□?

A. □□□ □□ □□ □□ □□

B. msec □□ □□

C. □□ □□ □□ □□ □□

D. □□□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 150

□□□□ □□□□□.

ACL□ □□□□ □□□□ Gigabit 0/1 □□□□□□ □□□□□. □□

192.168.10.10□□□ □□□□□□ 192.168.100.10 □□□□ SSH□ □□ □□□ □ □□□□. □ □□□
□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□□ □□ □□□ □□□ □□□?

A. SSH □□□ ACL□ □□ □□□□ □□□□□.

B. □□□□□□□ ACL□ □□□□□ □□□□ □□□ □□□□□ □□□□□.

C. □□□ □□□□□ □□□□ □□ □□ IP □□ □□ ACL□ □□ □□□□ □□□□□ □□□□□.

D. SSH □□□ □□□ □□ □□□ □□□ □□□□□ show access-list FILTER □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 151

□□□□ □□□□□.

□□□ □□□□ □□ □□□□ □□□□ □ PC2, PC3 □ PC4□ PC1□ □□□ □ □□□□. □□ PC□
□□□ □ □□□ □□□ □□□□ □□ □□□□□ □□ □□□ □□ □ □□□□?

A. RIP□□ EIGRP□ □□□□ □ □□□ 10.1.1.0/24□ □□□□□□.

B. R2□ RIP □□□□□□□ □□ □□□ 100□□ □□□□□.

C. R2□ □□ □□□ □□□□□□□ □□□□□□.

D. OSPF□□ EIGRP□ □□□□ □ □□□ 10.1.1.0/24□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

300-410 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-410 □□! DumpTop □ □
□ **300-410** □□ □□□ □□□□□□, DumpTop 300-410 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-410 □□□ □□□□□.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 152

□□□□ □□□□□.

□□□□□ 10 1.80.65/32 □□□ 30□□□ □□□ □□□□□ □□□ □□□□□□□. □□□ □□□ □□ □□□?

- A. □□□ □□ ccnp3□ □□□□ 10.1.64.0/20 □□ 24□ □□□□□.
- B. □□ □ ospf-to-igrp □□ 10□ □□□□ □□□ □□ ccnp2□ □□□□□.
- C. □□ □ ospf-to-igrp □□ 30□ □□□□ □□□ □□ ccnp2□ □□□□□□.
- D. □□□ □□ ccnp3□ □□□□ 10.1.64.0/20 ge 32□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 153

R2□□ □□□□ □□□ □□□ 192.168.130.0/24□ □□□ □□□ □□ □□□ □□□□.

Neighbor 1.1.1.1 Route-map OUT out □□□ □□□□ eBGP neighbor R1(1.1.1.1)□ □□ Route-map OUT □□□ □□□□ □□□ □□□□□?

- A. R1□ 192.168.130.0/24□ □□□ AS □□ □□ □ □□ AS □□□ □□□□□.
- B. R1□ 192.168.130.0/24 □□□ □□□ □□□□ □□□□.
- C. R1□ 192.168.30.0/24□ □□□ □□□□ □□□□ □□□□.
- D. □□□□ 192.168.130.0/24□ R1 □□□□□ □□□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

□□: □□□ 3 □□

□□/□□:

NEW QUESTION: 154

□□□□ □□□□□.

□□ □□□□ BGP □□ □□□ □□ □□□ □□□□□?

- A. BGP □□□□□ □□□□ □□□□ □□ □□
- B. □□□□ □□ □□□ □□□ □□
- C. □□□□ □□□ □□□ □□□ □□□ □□
- D. □□□□ □□ □□□ □□□□ □□

Answer: D ([LEAVE A REPLY](#))

□□

<https://www.cisco.com/c/en/us/support/docs/ip/border-gateway-protocol-bgp/25160-bgp-maximum-prefix.html#>

NEW QUESTION: 155

MPLS VPN □□□ □□□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

□□:

<https://www.rogerperkin.co.uk/featured/route-distinguisher-vs-route-target/>

NEW QUESTION: 156

□□□□ □□□□□.

192.168.130.0/24 □□□□□□ 17.20.20.0/30 □□□□□ □□□□ □□ □□□□ □□□□□ R1□ □
□□ □□□□ □□□ □□□□□?

□)

□)

□)

□)

A. □□ D

B. □□ B

C. □□ A

D. □□ C

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 157

□ □□□ □□□□ □□ 35□ □□□ □□□ □□□ □□□□ □□. □□□□ □□□□□ □□ □□□□
□ DMVPN□ □□□□ □□ □□□□ □□□□ NHRP□ □□□□ □□□□□ NHRP □□□ □□□ □
□□□ □□□□ □□□ □ □□□ □□ □□□. □□ □□□□□ □ □□ □□□ □□□□ □□□ □□□
□□?

□)

□)

□)

□)

A. □□ A

B. □□ B

C. □□ C

D. □□ D

Answer: C ([LEAVE A REPLY](#))

"ip nhrp map multicastdynamic" □□□ □□□□ NHRP□ □□□□□ NHRP □□□ □□□ □□□□ □
□□□ □□□ □ □□□□.

NEW QUESTION: 158

□□□ □□ MPLS VPN □□ □□□ □□□ □□□ □□□ □□□□.

Answer:

NEW QUESTION: 159

□□□□ □□□□□. □□□□ conf Me □□□□ FTP □□□ □□□□□ □□□. □□□ FTP □□□ □
□ □□□□ □□□□ □□□□□ □□□ □□□□□□. □ □□□ □□□□ □ □□ □□□ □□□□□?
(2□□ □□□□□.)

A. FTP □□ □□ □□□ □□ □□□□□. FTP URL□ □□□ □□□□□.

ftp://□□□ □□:passwordQ192.0.2.40/ □□.

B. `copy flash:packages.conf scp: 192.168.1.100 FTP 10 10 100 100`
`10`.

C. `copy FTP 10 10 100 100000` is ftp 100 10 1 ip ftp 1000 10 100 1000
`1`.

D. `copy flash-packages conf ftp: 192.168.1.100 FTP 10 credent-ais 10`
`100`.

E. FTP 100 100 10 1 100000 10000 10 10000 10000 100 10000 10 10
`10000`.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 160

10000 100000. 100000 10 10000 10 100 100000 10000 100 100
TACACS+ 10 10000 100 10000 10000. 10 100 100 100 100000?

A. `aaa 10 1000 10 10 1000 10 100 100000`.

B. `aaa 10 1000 10 10 10000 100 "C" 10 100 "c" 10 1000`.

C. `aaa 10 1000 10 10 tacacs+ local-case 100 10 100 100000`.

D. `10 1000 100 10 10 1000 100000`.

Answer: D ([LEAVE A REPLY](#))

10: 1000 10

NEW QUESTION: 161

10000 100000. 10000 100000 100 S1 10 Telnet 10000 R3 10000 10000
1 10000. 10 1000 100 100000?

A. `R3 10 exec 100 10 10000 100 100000`.

B. `10000 1000 10 1000 100000`.

C. `R3 10 10 10 10 1000 100000`.

D. `100000 ssh -l admin 10.0.0.1 100 100000 100000`.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 162

A. `snmp-server 10 NETVIEW v2c priv 10 NETVIEW 100 20`

B. `snmp-server 10 NETADMIN v3 10 10 NETVIEW 10 NETADMIN 100 22`

C. `100 10 20 10 10.221.10.12`

D. `100 10 20 10 10.221.10.11`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 163

10000 100000.

NTP 10000 10000 Cisco DNA Center 100 10 100000. 17:15 Cisco DNA Center

NTP 1000 100000000. 10 1000 1000 100000?

- A. WLC□ NTP □□ □□ □□ □□□□ □□□□ □□□□□.
- B. □□ □□□ □□□ □□□ □□□□□ NTP □□□ □□□□□□□.
- C. Cisco DNA Center□ NTP □□ □□ □□ □□□□ □□□□ □□□□□.
- D. WLC□□ NTP□ □□ □ □□□□ Cisco DNA Center□ □□□□□□□.

Answer: D ([LEAVE A REPLY](#))

Cisco DNA Center□ □□ □□ □□□ □□ □□: Cisco DNA Center□ □□ IP □□ □□ □□ □□□ □ □□ □□□ □□□□. □□ □□□ 3□□ □□□□ CiscoDNA Center□ □□□□ □□□□ □□□□ □□□□ □ □□□□.

NEW QUESTION: 164

- □□□□□. □□□□□ □□□ 10.10.10.0/24□ OSPF□□ EIGRP R1□ □□□□□□ □□□ R3□ □□□□□ □□□□ □□ □□□ □□□□. R1□□ □□□ □□□ □□□□□ □□□ □□□□□?
- A. R1 □ R3□ □□□ □□□ ID□ □□□□. R1□ □□ □□□ ID□ □□□□□ □□□.
 - B. R3□ TTL□ 1□ 10.20.20 0'24 □□□□ □□□□ □□□, R3□ □ □□□□ □□ TTL□ 2□ □□□□ □□□.
 - C. R1 □□□ R2□ □□ □□□ □□□□. EIGRP □□□□□ R1□□ □□□□ □□□.
 - D. R1□ R3□ □□ □ IP □□□ □□□□ □□□□. R2□ EIGRP □□□ □□□□ 10 20.20.0V24□ □ □□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 165

- □□□□□.
- OSPFv3 □□□□□ □□ □□ □□□□ □□□ □□□□ SW101□ □□□□□. □□□ □□ OSPFv3 □□□ □□□□□. □□ □□□ ..□ □□□□□?
- A. snmp-server-enable □□ ospfv3 □□ □□ if-state-change neighbor-state-change
 - B. snmp-server-enable □□ ospfv3 □□ □□ □□□-□□-□□
 - C. snmp-server-enable□ ospfv3 □□ □□ □□ □□ □□□ □□□□□.
 - D. snmp-server □□□ □□ ospfv3 □□ □□ if-state-change

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 166

- □□□□□.
- AS65510 iBGP□ □□ □□□ □□□ □□ □□□□□. R4□ □□□□□ □□□□ □□□ □□□ □ □□□ 192 168.100.0/24 □□ □□□ □□□ □ □□□ □□□□□?
- A. R1□ □□ □□□□ □□□ □□□□ R2 □ R3□ □□ □□□□ □□□□□□ □□□□□.
 - B. R4□ □□ □□□□ □□□ □□□□ R2 □ R3□ □□ □□□□ □□□□□□ □□□□□.
 - C. R1□ □□ □□□□ □□□ □□□□ R4□ □□ □□□□ □□□□□□ □□□□□.
 - D. R4□ □□ □□□□ □□□ □□□□ R1□ □□ □□□□ □□□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

300-410 PDF Dumps PDF DumpTop PDF PDF PDF 300-410 PDF! DumpTop PDF
PDF **300-410** PDF PDF PDF PDF PDF, DumpTop 300-410 PDF PDF PDF PDF PDF PDF PDF
PDF PDF PDF. PDF PDF PDF PDF PDF DumpTop 300-410 PDF PDF PDF PDF.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 167

mGRE PDF PDF PDF PDF PDF NBMA PDF PDF PDF PDF PDF PDF PDF PDF PDF?

- A. MP-BGP
- B. NHRP
- C. OSPF
- D. IPsec

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 168

PDF PDF PDF PDF. PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF
PDF PDF PDF PDF PDF PDF PDF PDF PDF.
PDF PDF PDF PDF PDF?

- A. PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF.
- B. OSPF PDF PDF PDF PDF PDF PDF PDF PDF PDF.
- C. PDF PDF PDF PDF PDF AD PDF OSPF PDF AD PDF PDF PDF.
- D. PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF.

Answer: ([SHOW ANSWER](#))

PDF: PDF 3 PDF

NEW QUESTION: 169

PDF PDF PDF PDF.
vty PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF
PDF PDF PDF. PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF PDF.

Answer:

PDF:

VTY 0:

+ PDF

+ 0csic

vty 1:

+ PDF PDF PDF

+ PDF PDF PDF

```
"aaa 00 000 000 00" 000 00/VTY/AUX0 00 000 0000 0 000 00000 00
0 00000. 000 000 0000000 00 000 00 00("0000 00 ..." 0000 00)0 00
00 000 000 0000 000000 00000 00 00000 0 00000. 0 00 VTY 10 00 0
0 0000 0000 00000 00000 00 00(0 00 "00")0 000000.
```

NEW QUESTION: 170

□ □ □ □ □ □ □ □ □ □ .

□□□□□ R1 □□□ □□□ □□ □□□□□□□□ □□ □□□ m-□□□ □□□□□□ □□ □ □□ □
□□□ □□□□□. □ □□□ □□□□□ R1□ □□ □□□ □□□□□?

- A.** ☐ ☐ A
- B.** ☐ ☐ B
- C.** ☐ ☐ C
- D.** ☐ ☐ D

Answer: (SHOW ANSWER)

```
https://community.cisco.com/t5/other-network-architecture/out-of-band-router-access/td-p/333295 "□□
□□ □□" □□□ R1□□ □□□□ □□ □□□□ □□□ □□□□□.
□□□ 192.168.12.2□ □□ SSH □□□ □□□□□□□. □ □□□ □□□□ □□ R1□ "□□ □□ 0"
□□□ "□□ □□ ssh"□ □□□ □ □□□□.
□□: "-l" □□□□□ □□ □□□□ □□□□□□ □ □□□ □□□ □□□ □□□□□□.
```

NEW QUESTION: 171

```

0000 ICMPv6 00 00 0000 0000 000 000000 0000 0000.

```

Answer:

NEW QUESTION: 172

□ □ □ □ □ □ □ □ □ .

Router R1 EIGRP Router ID is 1.1.1.1. Router R3 R2 Router ID is 3.3.3.3.

R2 □□□□ R3 □□□ □□□□ □□□ □□□ □□□□□?

- A.** R1 □ R2 □□□ □□□ □□ □□ □□□ □□□□ □□ R3□ □□□ □□ □□□□□□.
- B.** □□ □□□□ □□□□ R1□□ □□ □□ □□□□ R3□ □□ □□ □□ □□□ □□□□ □□□□ □□.
- C.** R1□ R2 □□□ □□□ □□ □□ null □□□ □□□□ R3□ □□□ □□ □□□□□□.
- D.** □□ □□□□ □□□□ R3□ □□ □□ □□□□ □□ EIGRP □□ □□□ □□ □□□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 173

[illegible]

IT □□□ □□ □□ □□□ □□□□ □□□ SSH□ □□ □□□ □□□□ □ □□□□. □ □□□ □□□
□□ □□ □□□ □□□ □□□?

- A.** □□□ IP □□□ □□□□□ □□□ □□□ □□□□□.
- B.** □□□ □□ □□□ □□□□□.
- C.** □□□ □□□ □□□□□ □□□ □□□□□ □□□□□.
- D.** □□□□□ □□□ □□□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

```
ACL[] tcp 101 10.1.1.1 0.0.0.0[] [][] [][].
```

NEW QUESTION: 174

☐☐☐☐ ☐☐☐☐☐.

□□□□□ □□□□□ □□ □□□ □□□□□ □□□□□ □□□□□ □□□ □□□ □ □□ □□ □□
□□□□□. □ □□□ □□□□□?

- A.** □□ □□□ □□□□□ □□ □□ □□□□ □□□□□ □□□□.
- B.** OSPF □□□ □□□□ □□ □□□ □□□□□ □□□□.
- C.** □□ □□□ □□ □□□ AD□ OSPF□ AD□□ □□□□.
- D.** □□ □□□ □□□ □□□□ □□□□ □□□ □□□□ □□□□.

Answer: C (LEAVE A REPLY)

11

□□ □□□ AD□ OSPF □□□□ AD□□ □□ 130□□ □□□□ □□□□□.
110.

NEW QUESTION: 175

☐☐☐☐ ☐☐☐☐☐.

□□□□ □□ □□ IP □□ 10.1.1.1□ □ SLA □□□ □ □□□ HTTP □□□ □□□□□ □□□□□ □
 □ IP SLA □□□□ □□□□□□. □□□□ □□□ □□□□□□. □□□□ □□□□□ □□□□ □□□
 □ □□ □□□ □□□□ □□□□ □□□□?

- A.** ☐☐☐☐ ☐☐ icmp-echo ☐☐☐ ☐☐☐☐☐.
- B.** ip sla Schedule ☐☐☐ ☐☐ ☐☐☐☐☐.
- C.** IP sla ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐.
- D.** tcp ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 176

□□□□ □□□□□ NTP □□□ □□□□ □□ □□□□ □□□(□/□□) □□□□□ □□□ □□□□
□□□□. □□ □□□□ □□ □□□ □□□□ □□□□.

□□□ □□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□□□?

- A.** □□□ □□□□□ □□ □□ □□
- B.** □□ □□ □□□
- C.** □□ □□□□ mst □□ 3□ 2□ □□□ 2:00 11□ 1□ □□□ 2:00
- D.** □□□ □□ □□□ □□ □□/□□ □□ □□ □□-□□□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 177

□□□□ □□□□□.

□□□ □□□□ □□ □□□□ □□□□ □ PC2, PC3 □ PC4□ PC1□ □□□ □ □□□□. □□ PC□ □□□ □ □□□ □□□ □□□□ □□ □□□□□ □□ □□□ □□ □ □□□□□?

A. OSPF□□ EIGRP□ □□□□ □ □□□ 10.1.1.0/24□ □□□□□□.

B. R2□ RIP □□□□□□□ □□ □□□ 100□□ □□□□□.

C. RIP□□ EIGRP□ □□□□ □ □□□ 10.1.1.0/24□ □□□□□□.

D. R2□ □□ □□□ □□□□□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 178

□□□□ □□□□□.

R5□ □□ □□ □□□□ □□□□□ □□□ □□□□□. □ □□□ □□□□ □□□ □□□□□?

□)

□)

□)

□)

A. □□ A

B. □□ B

C. □□ C

D. □□ D

Answer: ([SHOW ANSWER](#))

□□

□□□ □□□□ □□□ R2□ 10.1.1.1□ □□□ □□□ R1 □□ R4□ □□□□ □□□□□. □□ OSPF □□□ □□□ BW □□□□ □□ □ □□ □□□ □□ 1□□ □□□□□. □□□ R2□ 10.1.1.0/24 □□ □□ □□ R1 □□ R4□ □□□□ □□□ □□□□□□□. □□ R5□ R3□□ 10.1.1.0/24□ □□□□ R4□ EIGRP□□ □□ □□□□□ □□□ □□□ R4□ □□□□. R3□ OSPF□ EIGRP□ □□□□□ □□ □ □ 1□ □□□□ R4□ □□□□□ □□ □□ 1□ □□ □□ OSPF □□□ □□□□ □□ 10.1.1.0/24□ EIGRP□ □□ □□□ □□□□. □□□ □□□ □□□□□.

NEW QUESTION: 179

□□□□ □□□□□.

198A:0:200C::1/64□□ □□□ 2□□ Telnet □□□□ □□□□ □□□ □□□□□?

□)

□)

□)

□)

A. □□ A

B. □□ B

C. ☐ ☐ **D**

D. □□ C

Answer: A (LEAVE A REPLY)

NEW QUESTION: 180

□ □ □ □ □ □ □ □ □ □ .

□□□ □□□□□ □□□□ □□□ SNMP □ □□□□□□. □□□□ □□□□ SNMP □ TFTP □□□

□□□□ □□□□ □□□ □□□ □□□ □□□□□□□□.

□□□□ □□ NMS □ TFTP □□□ □□□ □□□□ □□□ □□□□□?

A. 20 10.221.10.11

access-list 20 ☐☐ ☐☐ ☐☐

B. 20 10.221.10.11

access-list 20 ☐☐ ☐☐ ☐☐

!

```
snmp-server ☐ NETVIEW v3 priv ☐ NETVIEW ☐ 20
```

```
snmp-server ☐ NETADMIN v3 priv ☐ NETVIEW ☐ NETADMIN ☐ 20 snmp-server ☐
```

Cisc0Us3r RO 20 snmp-server ☐☐☐☐ Cisc0wrus3r RW 20 snmp-server tftp-server-list 20

C. 20 10.221.10.11

D. 20 10.221.10.11

access-list 20 ☐☐ ☐☐ ☐☐

!

```
snmp-server ☐ NETVIEW v3 priv ☐ NETVIEW ☐ 20
```

```
snmp-server ☐ NETADMIN v3 priv ☐ NETVIEW ☐ NETADMIN ☐ 20 snmp-server ☐
```

Cisc0wrus3r RO 20 snmp-server ☐☐☐☐ Cisc0Us3r RW 20 snmp-server tftp-server-list 20

Answer: B (LEAVE A REPLY)

NEW QUESTION: 181

□□□□ □□□□ OSPF □□□□ 1Mbps□ □□□□□ Control Plane Policing□ □□□□ □□□□□

.

☐ ☐☐☐ ☐☐☐☐.

□□□ □□ 100 □□ ospf □□ □

!

☐☐☐ ☐ CM-OSPF

□□□ □□ 100 □□

!

□□ □ PM-COPP

□□□ CM-OSPF

□□ 1000000 □□□ □□

!

☐ ☐ ☐ ☐

□□□ □□ □□ PM-COPP

Control Plane Policing □ OSPF □□□□ □□□□□□ □□□□ □□□□□. □□ □□□□ □ □□□
□□□□□?

A. □□ C

B. □□ D

C. □□ A

D. □□ B

Answer: C ([LEAVE A REPLY](#))

300-410 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-410 □□! DumpTop □ □
□ **300-410** □□ □□□ □□□□□□, DumpTop 300-410 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-410 □□□ □□□□□.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 182

□□□□ □□□□□.

□□□□□ □□□ □□□□ DMVPN□ □□□□□□. DMVPN □□□□ □ □□ □□□ □□□□ WAN
IP □□□ □□□□□?

A. 172.18.46.2

B. 192.168.1.4

C. 172.18.16.2

D. 192.168.1.1

Answer: A ([LEAVE A REPLY](#))

□□

□□□□ 2□□ NHRP □□□ □□□ □□□ □ □□□□. NBMA □□□ □□□ □□ □ □□ □□

172.18.16.2 □ Static(S)□ "□□"(Attrb)□ □□ □□ □□□□ □□□ □ □□□□.

□□□ □ □□ □□□ □□(D) □□□ □□ □□□ Spoke □□□□ □□□.

--> S - □□, D - □□, I - □□□

N - NATed, L - □□, X - □□ □□

Ent --> □□□ NBMA □□□ □□ NHRP □□ □

NHS □□: E --> □□ □□, R --> □□, W --> □□

UpDn □□ --> □□□ □□ □□ □□ □□ □□

□□□□□: Tunnel1, IPv4 NHRP □□□□

□□:□□□, NHRP □□:2,

Ent Peer NBMA Addr Peer Tunnel □□ □□ UpDn Tm Attrb

1 44.44.44.4 192.168.100.254 □ 00:03:40 S

1 12.12.12.2 192.168.100.2 00:03:20

NEW QUESTION: 183

R2 is configured with the following configuration:

```
Neighbor 1.1.1.1 Route-map OUT out
eBGP neighbor R1(1.1.1.1)
Route-map OUT
```

- A. R2 will advertise 192.168.130.0/24 to R1.
- B. R1 will advertise 192.168.130.0/24 to R2.
- C. R1 will advertise 192.168.130.0/24 to R2.
- D. R1 will advertise 192.168.30.0/24 to R2.

Answer: (SHOW ANSWER)

NEW QUESTION: 184

LA is configured with the following configuration:

```
EIGRP
LA NewYork
LA
```

- A. D
- B. C
- C. B
- D. A

Answer: C (LEAVE A REPLY)

NEW QUESTION: 185

LA is configured with the following configuration:

```
LA NewYork
LA
```

- A. syslog 5
- B. syslog 2
- C. syslog 4
- D. syslog 3

Answer: A (LEAVE A REPLY)

NEW QUESTION: 186

LA is configured with the following configuration:

```
LA NewYork
LA
```

- A. /19

B. ☐ ☐ ☐ ☐ ☐ ☐ 192.168.32.0 ☐ ☐ ☐ ☐ ☐ ☐ EIGRP ☐ ☐ ☐ ☐ ☐.

C. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ 192.168.32.0 ☐ ☐ ☐ ☐ ☐ ☐ ☐ EIGRP ☐ ☐ ☐ ☐ ☐.

D. /24 192.168.32.0 EIGRP .

Answer: D (LEAVE A REPLY)

NEW QUESTION: 187

□□□ □□□□□ LVPN MPLS □□□□□□□ □□□□□ □□ □ □□ □□ □□□ □□□□□? (2□
□ □□□□□.)

A. PE ☐☐☐☐ ☐☐ MP-iBGP ☐ ☐☐ P ☐☐☐☐ ☐☐☐ ☐☐.

B. P RSVP .

C. PE □□□□ □□ PE □□□□ □□ MP-iBGP□□□□ □□□□□□ □□□.

D. CE ☐ ☐ ☐ ☐ ☐ MP-eBGP ☐ ☐ PE ☐ ☐ ☐ ☐ ☐ ☐.

E. P □ PE □□□□ LDP □□ RSVP□ □□□□□ □□□.

Answer: C,E (LEAVE A REPLY)

MPLS □□□□ □□□□

+ IGP: ☐ ☐ ☐ ☐ ☐ ☐ ☐ OSPF, EIGRP, IS-IS ☐ ☐ ☐ ☐ ☐ ☐ ☐ RSVP ☐ ☐
☐ LDP ->

+ PE 111 MP-iBGP(MPLS 1111), MP-BGP: MPLS L3 VPN1 1111 11 1111 11 11
1111 1111 -> .

NEW QUESTION: 188

□□□□ □□□□□. □□□□□ □□□□ 10.0.0.0/8 □□ OSPF□□ □□ □□□ □□□□□ □□□
□□ □□ □□□ □□□ □□□□ □□□□ □□□□. □□ □□□ □□□ □□□ □□□□□?

A. summary-address ☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

B. □□ □□□ □□□ □□□□ □□ OSPF □□□□□□□□ □□□□□.

C. 10.0.0.0/8 ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

D. □□ □□□ □ □□□□□□ □□□□ □□□ □□□ □□ OSPF □□□□□□ □□□□□□.

Answer: C (LEAVE A REPLY)

□□ : □□□ 3 □□

NEW QUESTION: 189

☐☐☐☐ ☐☐☐☐☐.

2001:db8:0:4::/64 □□ □□□□□ □□□□ □□□□ □□□□ □ □□□ □□□□□. □ □□□ □□□
□□□ IPv6 □□□ EIGRP 100 □□ □□□□ □□ □□□ □□□□□?

A. R1□□ no eiarp stub □□□ □□□□□.

B. R2 **eigrp stub** .

C. R2 ☐ ☐ no eigrp stub ☐ ☐ ☐ ☐ ☐ ☐.

D. R1□□ eigrp stub □□□ □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 190

□□□□ □□□□□.

□□□□ □□ □□ □□ □□□ □□□ □□ □□□□□ □□□□□□□□ □□□. □□□□□ □ □□□ □□ □□□ □□□ □□□□ □□□□. SSH□ □□ □□ □□□□ □□□ □□□□ □□□ □□□□□?

A. con 0 □□□□ □□ exec-timeout □□□ □□□□□.

B. con 0 □□□□ □□ □□ □□ □□□ □□□□□.

C. con 0 □□□ no exec-timeout □□□ □□□□□.

D. con 0 □□□□ exec □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 191

□□□□ □□□□□.

□□□ BGP □□□ □□ □□ □□ □□□ □□ □□□ A ISP-1□ □□□□ □□□. □□□ □ □□ □□ □□□ □□□□ ISP-2□ □□□□ □□□. □□□□ BGP□ OSPF □□□ □□□□ □□□ □ □□□ □□□□ □□□□ □□□□. □□ □□□ □□□ □□□□□?

A. □□□ A RTR1□ □□□□ □□ 2□ □□□□ □□□ B RTR2□ □□□□ □□ 1□ □□□□□.

B. □□□ A RTR1□□ OSPF □□ 100□ □□□□ □□□ B RTR2□□ OSPF □□ 200□ □□□□□.

C. □□□: A RTR1□□ OSPF □□ 200□ □□□□ □□□ B RTR2□□ OSPF □□ 100□ □□□□□.

D. □□□ A RTR1□ □□□□ □□ 1□ □□□□ □□□ B RTR2□ □□□□ □□ 2□ □□□□□.

Answer: ([SHOW ANSWER](#))

OSPF □□ 1 □□□ □□□ □□□ □□ □□ 2 □□□□ □□ □□□□□ □□□ A RTR1□□ □□□ □□ 1□ □□□□ □□□ B RTR2□□ □□□□□ □ □ □□□□.

□□:

□□□ OSPF□□ □□ 1(E1) □□ □□ □□ 2(E2) □□□ □□□□□ □□ 2□ □□□□□□.

- □□ 1 □□□□ □□ OSPF □□□ □□ □□□ □□□ □□ □□□□ □□□□.

- □□ 2 □□□□ □□□ □□□ □□□ □□□□ □□□□.

- □□□ □□ 2□ OSPF□ □□□□□ OSPF □□□□ □□ □□□□ □□ □□□□□ □□□□ □ □□ □ □□□ □□□□□.

- □□□ □□ 1□ OSPF□ □□□□□ □□ □□ □□□□□ □□□□ □ □□ □□□ □□□□□ □□ □ □□□□.

NEW QUESTION: 192

□□□□ □□□□□.

□□□□□ BGP□ □□□□□ □□ □□□ □□ □□ 10.77.255.57□ □□□ □□□ □□□ □□□□□ □□□. □□ □□□ □□□ □□□□□?

A. □□ □□□ □□□ □□ AS_PATH □□ □□ □□

B. □□□ □□□ □□□□□ □□ MED□ □□□□□.

C. □□□ □□□ □□□ □□ AS_PATH □□ □□ □□

D. □□□ □□□ □□□□□ □ □□ LOCAL_PREF□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□

□□□□ □□ □□□ □□□ 10.57.255.11("...valid, confed-external, best" □□)□□ □ □□□ 2 AS □
□□ □□(64955 65003)□ □ □ □□□□. AS□ 1□□ □□□ □□ □□(□: 172.16.254.234□ □□)□
□□□ □□□ □□□ □□□□ □□□□□ AS_PATH□ □□□ □□□ □□□□ □ □□□□ □□□□
□. -> □□ A□ □□ C□ □□□□ □□□□.
□□□ □□ □□□□ 0□□□ □□□□ □□□ □□ □ □□□ □□ □□ □□(□□) □□□□. □ □□
MED□ □□□□ □□ □□□□ □ □□□□□. -> □□ B□ □□□□ □□□□.
□□ D□ □□□□ □□□□□ LOCAL_PREF □□□ □ □□ □□□ □□□□ □□□ □□□
"LOCAL_PREF□ □□"□ □□ □ □□ □□ □□□□□ □□□□. □□□ □□□ □□ □□ □□□□□.

NEW QUESTION: 193

□□□□ □□□□□.

□□□□ DHCP □□□□ IP □□□ □□ □ □□□ □□□□□. DHCP □□□ □□□ □□ □□□□□.
□ □ 300□□ □□□ □□□□ □ DHCP □□□ □□□□ □□□ □□ □ □□□ 2□□ □□ □□ □□
□ □□□□ □□□□. □□ □□□ □□ □□□ □□□□ □□□ □□□□□?

- A. DHCP □□ □□□ □ □ □□□ □□□□□.
- B. DHCP □□□ □□□□ 192.168.1.0 255.255.254.0 □□□□ □□□ □□□□ □□□□□.
- C. DHCP □□ □□□□ 192.168.2.0 255.255.255.0 □□□ □□□□□.
- D. DHCP □□ □□□ □ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 194

□□□□:

□□ □□□ □□□□□ □□ □□□ □□□ □□□?

- A. TACACS+ □□□□ □□□ □□□ □□□□□.
- B. TACACS+ □□□□ □□□□□ UDP □□ 1812□ □□□□□.
- C. □□□□ □□□ □ □□□ TCP □□ 49□ □□□□□.
- D. TACACS+ □□□ □□□ □□ □□□ □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□

□□□ □□□ □□□ □□□ "□□□ AUTHEN □□"□□ □ □ □□□□. □□□ □□□ □□□□ □□
□□□ □□□ □□□□.

NEW QUESTION: 195

□□□ □□□ □□□□ □□□ IPv6 □□ □□□□ □□□ □□□□.

Answer:

□□

□□□ □□□ □□□ □□ □□□□□□□□□□.

HTTP□ HTTP□ □□ TCP □□ 80□ 443□□ □□□□□ □□ □□□□ □□□.

Syslog UDP 514 NTP UDP 123 2001:d88:800:200c::c/126 2001:d88:800:200c:0:0:0:c 2001:d88:800:200c:0:0:0:f (4). 2001:0D88:0800:200c::1f 2001:D88:800:200c::e/126 2001:d88:800:200c:0:0:0:c ~ 2001:d88:800:200c:0:0:0:f 2001:0D88:0800:200c::1c

NEW QUESTION: 196

AS64512 BGP AS A ASN R1 BGP

- A.
- B.
- C.
- D.

Answer: (SHOW ANSWER)

300-410 DumpTop 300-410! DumpTop 300-410 DumpTop 300-410, DumpTop 300-410 DumpTop 300-410

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 197

R5

-)
-)
-)
-)

- A. C
- B. D
- C. A
- D. B

Answer: (SHOW ANSWER)

NEW QUESTION: 198

□□□□ □□□□□.

□)

□)

□)

□)

A. □□

B. □□

C. □□

D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 199

□□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□□.

Answer:

NEW QUESTION: 200

Hello □ Dead □□□□ □□□ □□□ CPU □□□□ □□ □□ □□ 407173257□□ OSPF□ □□ □□
□ □□□ □□□□□□ □□ □□□□□ □□□□ □□□?

A. OSPF □□ □□

B. Dead Peer □□ □□ □□

C. SSO

D. BFD

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 201

□□□ □□ MPLS VPN □□ □□□ □□□ □□□ □□□ □□□□.

Answer:

NEW QUESTION: 202

□□□□ □□□□□.

□□□□ ISP1□ □□□□ □ ISP2□ □□□□ □□ □ ISP □□□ □□□ □□□□□□ □□□ □□□
□□□. □□ □□□ □□□ □□□□□?

A. icmp-echo □□ □□□ □□ □□□□□ □□□□ □□□□□.

B. ISP1 □□ ISP2□ □□ □□ □□□□ □□ □□ 1□ □□□□□.

C. □□ □□ □□□ □□□□□□ □□ □□□□□ □□ □□□ □□□□□.

D. ISP2 □□□ □□ □□□ □□□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

<https://www.cisco.com/c/en/us/support/docs/ip/ip-routing/200785-ISP-Failover-withdefault-routes-using-l.html>

NEW QUESTION: 203

Which two protocols can be used to advertise default routes into an MPLS network using MD-5 authentication?

- A. OSPF
- B. MP-BGP
- C. LSP
- D. IS-IS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 204

Which two commands can be used to configure NTP authentication on a router (R1) to authenticate with a peer (R2)?

- A. R1# clock timezone EST 3
- B. R1# clock mst 3 2:00 11 1 2:00
- C. R1# clock timezone EST 3 show-timezone
- D. R1# clock timezone

Answer: C ([LEAVE A REPLY](#))

Output: R1#

NEW QUESTION: 205

Which two commands can be used to configure R2 to advertise the 172.16.25.0/24 network to R3?

- A. R2# ip route 172.16.25.0 255.255.255.0 R3
- B. R2# ip route 172.16.25.0 255.255.255.0 IBGP R3
- C. R2# ip route 172.16.25.0 255.255.255.0 R3
- D. R2# ip route 172.16.25.0 255.255.255.0 R3

Answer: A ([LEAVE A REPLY](#))

Output: R2#

R2#

NEW QUESTION: 206

Which two commands can be used to configure R1 to advertise the 172.16.25.0/24 network to R2?

Output: R1#

A.

- B.
- C.
- D.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 207

□□□□ □□□□□.

AS64512□ □□□□ □□□□□ □□ A□ □□ ASN□ □□ □□ □□□ □□ □□□□□ BGP □□□
 □□ □□ □□ □□ □□ □□ A□□ □□□□ □ □□□□□ □□□□ □□□□ □□□. R1□ □□
 BGP □□□ □ □□□ □□□□□?

-)
-)
-)
-)

- A. □□ D
- B. □□ C
- C. □□ A
- D. □□ B

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 208

□□□□ □□□□ Cisco Catalyst 6509 □□□□□ □□□ □□□ □□□ □□□□□□ □□□□□□.
 □□ □□□□□□ □□□□ □□□□□□□ □□□□□□ □□□□□ □□□□ □□□ SNMP□ □□□
 □ □□ □□ □□□□□ □□□□□. □□ □□ □□□□ □□□ □□□□□?

- A. snmp ifindex □□
- B. snmp-server ifindex □□
- C. snmp-server ifindex □□
- D. snmp ifindex □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 209

□□□□ □□□□□.

mGRE □□□ MVPN□ □□□□□□ □□ □□□□□ □□ □□□□□ □□□ □□□□ □□□?

- A. □□ A
- B. □□ B
- C. □□ C
- D. □□ D

Answer: C ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/15-mt/sec-conn-dmvpn-15-mt-book/sec-conn-dmvpn-dmvpn.html

NEW QUESTION: 210

Which two Cisco DNA Center components are used to create and manage network policies?

A. Policy Center and Policy Manager

B. Sudo and Policy Manager

C. Sudo and Policy Center

D. Sudo and Policy Manager

Answer: (SHOW ANSWER)

NEW QUESTION: 211

Which two commands are used to configure a VRF?

A.

B.

C.

D.

Answer: D (LEAVE A REPLY)

300-410 Cisco dumps are available at DumpTop. 300-410 Cisco! DumpTop is a website that provides Cisco dumps, including 300-410 Cisco dumps. DumpTop 300-410 Cisco dumps are available at DumpTop. DumpTop 300-410 Cisco dumps are available at DumpTop.

<https://www.dumpstop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 212

Which two commands are used to configure a VRF?

mGRE and MVPN are used to configure a VRF.

A. A

B. B

C. C

D. D

Answer: C (LEAVE A REPLY)

CC

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/15-mt/sec-conn-dmvpn-15-m

NEW QUESTION: 213

□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 214

□□□□ □□□□□.

□□□□ 10 □□□□ □□□□ EIGRP □□□□□ □□ □□□□ □□□ □□□□□ □□ □□□ □□ □□□□□. □□□ □□□ □□□ □□□ EIGRP□ □□□ □□□□ □□□□ 10 □□□□ □□□□ □□□□. □□ □□□□ □□□ □□□□□?

- A. IP □□□ □□ EIGRP seq 20 □□ 10.0.0.0/8 ge 9.
- B. ip □□□ □□ EIGRP seq 20 □□ 10.0.0.0/8 ge 9 ip □□□ □□ EIGRP seq 10 □□ 0.0.0.0/0 le 32
- C. IP □□□ □□ EIGRP seq 10 □□ 0.0.0.0/0 □□ 32
- D. IP □□□ □□ EIGRP seq 5 □□ 10.0.0.0/8 ge 9 IP □□□ □□ □□ EIGRP seq 20 □□ 10.0.0.0/8

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 215

□□□□□ EIGRP □□□ □□□□ □□ □□□□ □□□ □□ Leak-map □□□ □□□□□□□.

□□ □□□ □□ IP□ 10.1.1.1.255.255.255.252□ 0□□□□. □□□□ □□ □□□□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □□□□□□□. □□ □ □□ □□□□ □□□ □□□□□□? (2□ □□□□□□.)

- A. □□□ □□ 1 □□ 10.1.1.0.0.0.0.3□ □□□□□□.
- B. □□□ □□ 1 □□ 10.1.1.1.0.0.0.252□ □□□□□□.
- C. □□□ □□ 1□ □□□□ □□ □□ □□□□□□□.
- D. □□ □ □□ □□ □□ 10□ □□□□ □□□ □□ 1□ □□□□□□□.
- E. □□ □ □□ □□ □□ 20□ □□□□□□.

Answer: A,D ([LEAVE A REPLY](#))

□□

EIGRP □□ □□□ □□□□ □□ □□ □□ □□ □□ □□□□□ □□□□ □ □□ □□□□□□ □□ □□ □□□□. □□ □□□ □□□□□. □□□ □□ □□□ □□ □□□ □□□□□ □□□□□ □□ □□ □□□ □□□ □□□□□. □□ □□□ □ □□□ □□□ □□□□□.

R1(config)#access-list 1 □□ 10.1.1.0 0.0.0.3

R1(config)#route-map Leak-Route □□ 10 // □ □□□ "route_map Leak-Route □□ 10" □□□ □□□ □□.

R1(config-route-map)#ip □□ 1 □□

NEW QUESTION: 216

□□□□ □□□□□.

□□□□□ □□□ □□□ □□□□ □□□ □□□□□ 192.168.2.2□ □□ □□□ □□□□□ □□□. □□□ □□□□□ □□□ OSPF □□□ □□□□ □□□ □□□□. □□ □□□ □□□ □□□□□?

- A. Route-map 100 100 100 100 100 100.
- B. 100 100 100 100 100 100 100 100.
- C. 100 100 100 100 100 100. Route-map RM-OSPF-DL 100 20
- D. 100 100 100 100 100 100 100 100.

Answer: (SHOW ANSWER)

NEW QUESTION: 217

10000 100000.

10000 10000 100 100 100 100 10000 10000 10000 ASBR 1000 100 100
1000 100 100000. 1000 10000 100 100 100000?

- A. 100 A
- B. 100 B
- C. 100 C
- D. 100 D

Answer: D (LEAVE A REPLY)

NEW QUESTION: 218

10000 100000.

10000 Core_SW1 100 SNMP 100000 100000 SNMP 1000 Core_SW1 100 100 100
10000. 100 10000 100 100 100000?

- A. 1000 100 20 100 10.221.10.12
- B. snmp-server 100 NETVIEW v2c priv 100 NETVIEW 1000 20
- C. 1000 100 20 100 10.221.10.11
- D. snmp-server 100 NETADMIN v3 100 100 NETVIEW 100 NETADMIN 1000 22

Answer: C (LEAVE A REPLY)

NEW QUESTION: 219

10000 100000.

1000 10000 100 10000 100000000 100 PC2 PC3 100 PC4 100 PC1 1000 100 10000. 100
100 10000 100 10000 1000000? (200 100000.)

- A. R2 100 RIP 10000 100 RIP 1000 100 RIP 1000000.
- B. R2 100 RIP 10000 100 OSPF 1000 EIGRP 100 RIP 1000000.
- C. R2 100 EIGRP 10000 100 RIP 1000 1000 100 1000 1000000.
- D. R2 100 OSPF 10000 100 RIP 1000 OSPF 1000 EIGRP 100 100 OSPF 1000000.
- E. R3 100 OSPF 10000 100 EIGRP 1000 1000 100 1000 1000000.

Answer: A,B (LEAVE A REPLY)

100

PC2 100 PC1 1000 100 10000 R2 100 RIP 10000 1000 10000. RIP 100 OSPF, EIGRP 100
AD(Administrative Distance) 100 100 1000 100 1000 100 1000 1000000.

NEW QUESTION: 220

□□□□ □□□□□.

□□□□□ R9 □ R10□□ OSPF□ □□□□ □□□ □□□ □□□□□ OSPF□ RIP □□ □□□□ □
□□□ □□□. R9 □ R10□ □□ □□□ □ □□□ □□□□□?

A.

B.

C.

D.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 221

□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

□□

□□□ □□□ □ □□ □□□ □□□ ISDN, □□□ □□□, ATM □□ □□ □□□□ □□□ □□ IP□ □
□ □□□ □□□ □□ □□□ □□□□□. □□□ □□□ □ □□□□ □□ IP □□□□ □□□ □ □□□
□□□□ □□□□ □□ □□□ □□□, □□ □□□ □ □□ □□□ □□□ □□□ □ □□□ □□□. IP
□□□ □□□ □□□□ □□□ 4□□ □□□ □□□ □□□□ □□ □ □□□□. 1. □□□ □□□ □□ -
□□□□ □□□□ □□ □□ □□ □□□□ □□□ □□□□ □□ □□□□, □□□ □□ □□□□□. □
□□□ □□□ □□□□ □ □ □□□ □□ □□□ □□ □□ □□ IP □□□ □□□ □□□□ □□ IP □
□ □□ □□ □□□□□ □□□ □ □□□□.2. □□ □□ □□ - □□□□ □□□ □□ □ □□□ □□□
□ □□□□ □□□□ □□□□□ □□□ □□□□□. □□□□ □□□ □□□□ □ □ □□ □□ □□□
□□ □□ □□ IP □□□ □□□ □□□□ □□ □□ □□□□□ CPU□ □□ □□□□□. □□□ ARP,
BGP, OSPF □□ □□□□□ □□□□□ □□ □□□□ □□ □□□□□ □□□□□.3. □□ □□□ □□ -
□□□□ □□□ □□□□□ □□□ □□ □□ □□ □□□□□ □□□□□ □□□ □□□□ □□□□□
□□□□ □ □□□□□. □□□□ □□□□□ □□□□ □ □ □□□ □□□□ □□ □□ □□ IP □□□
□□□ □□□□ □□□□ □□ □□□□□ CPU□ □□ □□□□□. □□□ Telnet, SSH(Secure Shell),
TFTP, SNMP, FTP, NTP □ □□ □/□□ □□□□□ □□□□ □ □□□□ □□ □□□□□ □□ □□□
□□ □□□□.4. □□□ □□□ □□ - □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□
□ □□□□ □□ □□ □□□□ □□□□ □□□□□ □□□□ □□(□□ □ □ □□)□ □□ □□ □□
□□□ □□□ □□□ □□ □□□□□ □□□. □□, □□ IP □□ □□ □□ □□) □□□ □□□□□. □□□
□ □□□ □□□ GRE □□□, QoS, MPLS VPN, SSL/IPsec □□□/□□□ □□ □□□ □□□□. □□
□□ □□□ □□□□ □□□ □□ □□□ □□ □□ IP □□□ □□ □□ □□ □□ □□ IP □□□ □□
□□ □□□□. □□ □□ IP □□(□: VPN □□ □□□ □□)

NEW QUESTION: 222

□□□□ □□□□□.

MPLS VPN □□□□□□ imp-null □□□ □□□ □□□□□?

A. □□ □□

B. □□□□ □□□□□.

D. EXP ☐☐ ☐☐

11

□□: pop□ □□ MPLS □□□ □□□□□ □□□□□.

.

A. summary-address □□□ □□ □□ □□□□ □□□□ □□□□ □□□□□.

C. 10.0.0.0/8 ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

D. □□ □□□ □ □□□□□□ □□□□ □□□ □□□ □□ OSPF □□□□□□ □□□□□□.

22

□□ □□ □□□□ □□□□□ □□□□□ □□□□ □□□ □□□□□ □□□ NSSA □□□ □□ □□
ASBR□□□ □ □□□ □□□□ □□ □□□□□. □□□ □□□ □□□ □□□□ □□ □□ □□□ □
□□ □□□□.

ASBR 1 10.1.1.1 10.1.1.1 ASBR 2 OSPF 1 10.1.1.1 10.1.1.1 10.1.1.1 10.1.1.1 (10.1.1.1 10.1.1.1 10.1.1.1) 10.1.1.1. 10.1.1.1 10.1.1.1 10.1.1.1 10.1.1.1 ASBR 1 10.1.1.1 10.1.1.1.

<https://www.dumptop.com/Cisco/300-410-dump.html> (615 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)