

Cisco.300-615.v2023-10-07.q161

□□□□:	300-615
□□□□:	Troubleshooting Cisco Data Center Infrastructure
□□□:	Cisco
□□ □□ □□□:	161
□□:	v2023-10-07
# □□ □:	1048
# □□ □□□:	1610
https://www.krdump.com/Cisco.300-615.v2023-10-07.q161.html	

NEW QUESTION: 1

□□□□□ Cisco UCS Director□ □□□ □□□□ □□□□. □□□□ □□□ □□□ □□□□ □□□ □□□ □□□□ □□□□.

Answer:

NEW QUESTION: 2

□□ □□ □□□□□□ □□□ □□□ □□□□□□□□. □□□ □□□ □□□□ □□□ □□□□□□?

- A. □□ □□ □□□ □□□□□□.
- B. □□ □□□ □□□□ □□□ □□□ □□□□□.
- C. □□ □□□□□□□ □□ □□□□□□ □□ □□□□ □□□ □□□□.
- D. □□□ □□ □□□□□□□ □□□ □□□□□□ □□□□□.

Answer: (SHOW ANSWER)

□□: □□ □ □□

NEW QUESTION: 3

□□□□ □□□□□□.

FCoE □□□□ vfc2 □□□□□□ □□□□ □□□□. VSAN 102□ vfc2□□□ □□□□□□. □□ □□□ □□□ □□□□□□?

- A. □□ □□□□□ LLDP □□□
- B. □□□□□ vfc2□□ LLDP □□□
- C. N9K □□□□□ DCBX □□□
- D. □□□□□ e101/1/2□□ DCBX □□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 4

□□□□ □□□□□□.

□□□□□ □ □□ □□ □□□ Cisco MDS 9000 □□□ □□□□ SAN □□□ □□□□□□. □□□□□ □□ □□□ □□□□□ □□ □□ □□□ □□□ □□ □□□□□. □□ □□□ □□□ □□□□□□?

- A. □□□□ □□□□□ □□ □□□ □□ □ □□□ □□□□□ □□□□□.

- B. 100 100 1000 100000 100 1 1000 1000 100000.
- C. 1000 100 1000 1000 100000.
- D. 100 10000 1000 1000 1000000.

Answer: D (LEAVE A REPLY)

https://www.cisco.com/en/US/docs/storage/san_switches/mds9000/sw/rel_3_x/troubleshooting/guide/ts_guide.pdf

NEW QUESTION: 5

10000 10000000. Virtual SAN 10000 10000 1000000 10000. 1000 1000000 100 1000 1000 1000?

- A. 100 100 1000 1000
- B. 1000 1000000 Hello 1000 100
- C. 801000 1 1000 FSPF 100 1000 1000000.
- D. 1000-2 1000 1000 1000

Answer: B (LEAVE A REPLY)

100:

https://www.cisco.com/en/US/docs/switches/datacenter/nexus5500/sw/troubleshooting/guide/n5500_ts_sans.html

NEW QUESTION: 6

10000 1000000 Cisco ACI 10000 10000 1000 Leaf-1 10000 10000 100 1000 10000 1000 APIC100 1000 100 10000 100 1000000. 100 100 1 100 10000 1000 100 Cisco ACI 10000 1000 100 1000000000. 100 100 1 1000 1000000?

- A. apic 1 10 Leaf-1 1000 ISIS 1000000 1000 IP 100 100
- B. apic 1 10 Leaf-1 1000 100 10000 10000 10000 100
- C. Leaf-1 10 100 10 TEP 100 100
- D. Leaf-1 10000 1000000000.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 7

10000 10000000.

switch1 10 switch2 1000 vPC1 100000 100000. 1000 1000000 100 1 100 1000 1000000? (10 1000 1000000.)

- A. vPC100 VLAN10 10000000.
- B. 1000000000 IP 1000 1000000.
- C. 1 100 100 vPC 1000 ID10 10000000.
- D. vPC 100 100 1 vPC 100 keepalive10 10000 1000000.
- E. 1000 1 1000 vPC1 100000 1000000.

Answer: (SHOW ANSWER)

NEW QUESTION: 8

100 100000 1000 1000 A1 100000 100000.

MAC 100000 100 1000 B1 100 Nexus 70001 OTV VDC100 MAC 1000 100000 1000 B100 1 10000 100 10000 100 100000. OTV VDC100 Nexus 7000100 1 10 100 1000000 MAC10 100000 100000 1000 1000000?

A. route-map □ □□□ □ MAC □ □□□ □□□ ISIS □ □ □□□□□□.

B. otv flood mac <> □□□ □□□□ □□□ MAC□ □□ □□□□ □□□□□ □□□□□□.

C. otv isis bfd <> □□□ □□□□ BFD □□□□□ □□□□□.

D. □ □ □□ □□□□ □□□□ □□□□ □□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

□ □ □ □ □ □ □ □ □ □ □ .

[illegible]

□□ □□□ □□□ □□□□□?

A. N9K-1 □ N9K-2 □□ □□□ □□□□□ □□□□□ □□□ □□□ □□□□□.

B. ☐ Cisco Nexus ☐☐☐☐ ☐☐☐☐ e1/1 ☐ OSPF ☐☐☐ ☐☐☐

C. N9K-1 □ N9K-2 □□ □□□ □□□□□ □□□□□ □□□ □□□ □□□□□.

D. ☐ Cisco Nexus ☐☐☐☐ ☐☐☐☐ e1/1 ☐ MTU ☐☐ ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

☐☐☐☐ ☐☐☐☐☐.

□□□□□ □□ □□□□ □□□□ □□□□ □□□ □□□ N5K1□ □□□ □□□□□. □ □□□ □□□□ □□□ □□□ □□□
□□?

A. fc2.1 - 2 VLAN 10 VLAN 10 .

B. ☐ ☐ VLAN 10 ☐ Ethern10/1/1 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ VLAN 10 ☐ ☐ ☐ ☐.

C. ☐ ☐ VLAN 10 ☐ Ethern1/10 ☐ ☐ ☐ ☐ ☐ ☐ ☐ VSAN 101 ☐ ☐ ☐ ☐.

D. vfc111 VLAN 10 VLAN 1101 .

Answer: C (LEAVE A REPLY)

NEW QUESTION: 11

[illegible]

□□□□ □□□□□ □□ □□ □ syslog □□□ □□□ EEM □□□□□ □□□□□. □ □□□□ □□□□□ □ □□□□ □ □□
□ □□□□ □ □ □□□□□. □□□□ □□□□□ □□ □□□□□ □□□□□ □□ □□□ □□□□□□□?

A. $\square\square 2.0 \square\square\square + \square\square\square$

B. `□□□ cli □□ '□□□ □□'`

C. `syslog 10`

D. $\square\square\square \square\square + \square\square \square\square 1\square 100$

Answer: A (LEAVE A REPLY)

NEW QUESTION: 12

□ □ □ □ □ □ □ □ □ □ .

□□□□□ Cisco UCS Manager □□ □□□□ □□□□ □□□□□. Cisco APIC□ UCS Manager □□ □□ □□ □ IP □□□ □□ □□ □□□□□. □□ □□□ □□□ □□□□□?

- A.** ☐ ☐ ☐ ☐ ☐ Cisco UCS Manager ☐ FQDN ☐ ☐ ☐ ☐ ☐.
- B.** Cisco UCS Manager ☐ ☐ JSON API ☐ ☐ ☐
- C.** APIC ☐ ☐ ☐ ☐ ExternalSwitch ☐ ☐ ☐
- D.** Cisco UCS Manager ☐ ☐ HTTP ☐ ☐ HTTPS ☐ ☐ ☐ ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

□ □ □ □ □ □ □ □ □ □ □ .

switch1 switch2 vPC . . . ? ()

- A.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ IP ☐ ☐ ☐ ☐ ☐.
- B.** vPC☐ ☐ VLAN☐ ☐ ☐ ☐ ☐.
- C.** ☐ ☐ ☐ ☐ ☐ vPC☐ ☐ ☐ ☐ ☐ ☐.
- D.** vPC ☐ ☐ ☐ ☐ vPC ☐ ☐ keepalive☐ ☐ ☐ ☐ ☐.
- E.** ☐ ☐ ☐ ☐ vPC ☐ ☐ ID☐ ☐ ☐ ☐ ☐.

Answer: D,E (LEAVE A REPLY)

11

"vPC □□ □□" □ "□□ keepalive □□"□ □□ □□□□□□□□. □□□ D□ □□□□.

SW1 vPC ID 500 SW2 20 . . . E

NEW QUESTION: 14

□□□□□ Cisco 9000 Series □□□□□ □□□ □□(FC) □□□ □□□□ □□□ "FC □□□□ □□□□ □□ □□□□□ □□□
□."□□ □□□□ □□ □□□ □□□□□. □□ □□□ □□□ □□□□□?

- A.** fc1/12 □ □ □ □ VSAN ID 10 □ □ □ □ □.
- B.** IVR □ □ □ □ FSPF □ □ □ □ □ □ □ □ □ 30,000 □ □ □ □ □ □ □ □ □.
- C.** fc12 □ □ □ □ □ NX9k-01-LAB □ □ □ □ □ FSPF Hello □ □ □ □ □ □ □ □ □.
- D.** NX9k-01-LAB □ □ □ □ □ VSAN 10 □ FSPF □ □ □ □ □ □.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

□ □ □ □ □ □ □ □ □ □ .

□□□□□ vPC □□ □□□ □□□□ VLAN 20□ □□ □□□ □□□ □□ □□□□□□ □□ □□□ □□□□□ □□□ □□□□□
□□. □ □□□ □□□□ □□□ □□□□□?

- A.** vPC □□ □□ □□ □□□ 3 □□ □□
- B.** vPC □□ □□□□ □ vPC VLAN □□
- C.** □ vPC □□ □□□ □ □□ □□□□□ □ vPC VLAN □□
- D.** □□ □□ □□ VLAN □□□ □ vPC SVI □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

□ □ □ □ □ □ □ □ □ □ .

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/6-x/system_management/configuration/guide/b_Cisco_Nexus_9000_Series_NX-OS_System_Management_Configuration_Guide/sm_12eem.html

NEW QUESTION: 20

Which command is used to configure the local AAA database for the local user?

Which command is used to configure the local AAA database for the local user?

A. `avpair include/corp/admin/`

B. `APIC RADIUS`

C. `RADIUS`

D. `UNIX ID`

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Which command is used to configure the local AAA database for the local user?

Which command is used to configure the local AAA database for the local user?

A. `BB_credit`

B. `NPIV`

C. `fc2/10 SFP`

D. `E`

Answer: (SHOW ANSWER)

NEW QUESTION: 22

Which command is used to configure the local AAA database for the local user?

Which command is used to configure the local AAA database for the local user?

A. `vrf`

B. `stack`

C. `TFTP`

D. `stack`

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

Which command is used to configure the local AAA database for the local user?

Which command is used to configure the local AAA database for the local user?

A. `FSM`, `InternalBackup`

B. `InternalBackup`

- C. `pollIntervalBackup`
- D. `FSM`, `pollIntervalBackup`
- E. `InternalBackup`.

Answer: A,C ([LEAVE A REPLY](#))

`:`
`/`:

NEW QUESTION: 24

`event snmp` `oid` `1.3.6.1.4.1.9.9.109.1.1.1.1.6.1` `get-type` `exact` `entry-op` `ge` `entry-val` `50` `poll-interval` `1`
`switch(config-apple) # action 0.2 cli enable switch(config-apple)# action 0.5 cli switchto vdc Core switch(config-apple)# action 0.8 cli switchto vdc Distribution`

A. `switch(config-apple)# event snmp 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1 switch(config-apple) # action 0.2 cli enable switch(config-apple)# action 0.5 cli switchto vdc Core switch(config-apple)# action 0.8 cli switchto vdc Distribution`

B. `switch(config-apple)# event snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1 switch(config-apple) # action 0.2 cli enable switch(config-apple)# action 0.5 cli switchto vdc Core switch(config-apple)# action 0.8 cli switchto vdc Distribution`

C. `switch(config-apple)# event snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1 switch(config-apple) # action 0.2 cli config t switch(config-apple)# action 0.5 cli switchto vdc Core switch(config-apple)# action 0.8 cli switchto vdc Distribution`

D. `switch(config-apple)# event snmp 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1 switch(config-apple) # action 0.2 cli config t switch(config-apple)# action 0.5 cli switchto vdc Core switch(config-apple)# action 0.8 cli switchto vdc Distribution`

Answer: ([SHOW ANSWER](#))

`event snmp` `oid` `1.3.6.1.4.1.9.9.109.1.1.1.1.6.1` `get-type` `exact` `entry-op` `ge` `entry-val` `50` `poll-interval` `1`
`switch(config-apple) # action 0.2 cli config t switch(config-apple)# action 0.5 cli switchto vdc Core switch(config-apple)# action 0.8 cli switchto vdc Distribution`

NEW QUESTION: 25

`event snmp` `oid` `1.3.6.1.4.1.9.9.109.1.1.1.1.6.1` `get-type` `exact` `entry-op` `ge` `entry-val` `50` `poll-interval` `1`

Answer:

NEW QUESTION: 26

`event snmp` `oid` `1.3.6.1.4.1.9.9.109.1.1.1.1.6.1` `get-type` `exact` `entry-op` `ge` `entry-val` `50` `poll-interval` `1`
`switch(config-apple) # action 0.2 cli config t switch(config-apple)# action 0.5 cli switchto vdc Core switch(config-apple)# action 0.8 cli switchto vdc Distribution`

A. `IOM` `1.3.6.1.4.1.9.9.109.1.1.1.1.6.1`

B. `1.3.6.1.4.1.9.9.109.1.1.1.1.6.1`

- C. IOM □□□ □□□□□
- D. Fabric Interconnect □□□ □□□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□□□ □□□□□□.
Router-A□ Router-B □□□ OSPF □□□□ FULL □□□ □□□ □ □□□□. □□ □□□ □□□ □□□□□?
A. OSPF □□□ □□□ □□□□□ □□□□□.
B. Router-A□ MTU□ 1600□□ □□□□□.
C. MTU □ □□□ □□□□□□□.
D. Router-B□ MTU□ 1604□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

Cisco UCS C-Series Rack Server□ □□ □□□□ □□ □□□□□ vKVM □ □□□ □□□□ "□□ □□" □□□□ □□□□□. □
□ □□□ □□□ □□□□□?
A. 1- □□ □□ □□
2- □□ □□□ □□□ □□ □□ □□□ □□
3- □□ □□□ □□□□ □□ □□□ □□□.
B. 1- □□ □□□ □□ □□ □□ □□
2- □□ □□□ □□□ □□ □□ □□□ □□
3- □□ □□□ □□□□ □□ □□□ □□□.
C. 1- □□ □□□ □□ □□ □□ □□
2- □□ □□□ □□□ □ □□□ □□
3- □□ □□□ □□□□ □□ □□□ □□□.
D. 1- □□ □□ □□
2- □□ □□□ □□□ □□□□□□ □□
3- □□ □□ □□

Answer: ([SHOW ANSWER](#))

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/ts/guide/b_C-Series_Troubleshooting_Guide.pdf

NEW QUESTION: 29

□□□□ □□□□□□.
RBAC□ □□□ SAN □□□ □□□□□ FSPF □□ □□□ □ □ □□□ MDS □□□□ □□□□□. □□□ □□□ □□□ □□□
FSPF_Admin □□□ □□□ □□□□□ □□ □□□ □□□ □ □□□□. □□ □□□ □□□ □□□□□?
A. □□□ □□ □□
B. RBAC□ □□ □□□ □□□□ □□
C. □□□□ □□ 1□ □□□□□.
D. □□ 1□□ □□ □□ 2□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Two switches are connected via their Ethernet interfaces. The switches are configured as follows:

Switch 1: HSRP group 100, priority 100, IP 10.10.10.10, interface Ethernet1/0/24.

Switch 2: HSRP group 100, priority 110, IP 10.10.10.11, interface Ethernet1/0/24.

What is the status of the HSRP group?

A. The HSRP group is in a Standby state.

B. N9K-A is the active switch and N9K-B is the standby switch.

C. The HSRP group is in a Split state.

D. HSRP is not configured on either switch.

Answer: (SHOW ANSWER)

NEW QUESTION: 31

Cisco UCS SNMP is configured to send traps to a network management station (NMS) at 10.10.10.10.

Answer:

300-615 PDF Dumps available at DumpTop. 300-615 PDF! DumpTop has **300-615** PDF dumps available. DumpTop 300-615 PDF dumps are available for purchase. <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

Cisco Nexus 9000 is configured with the following IP address: 172.20.50.213/24. The Cisco Nexus 9000 is connected to a network with the following IP address: 172.20.50.254/24. The Cisco Nexus 9000 is configured with the following command: ip address 172.20.50.213/24. What is the status of the IP address?

A. The IP address is in a Standby state.

B. The IP address is in a Split state.

C. The IP address is in a Standby state.

D. The IP address is in a Split state.

Answer:

NEW QUESTION: 33

Cisco UCS C-Series Rack Server is configured with the following vKVM configuration: vKVM 1, vKVM 2, vKVM 3. The Cisco UCS C-Series Rack Server is configured with the following command: vKVM 1, vKVM 2, vKVM 3. What is the status of the vKVM configuration?

A. 1- vKVM 1, vKVM 2, vKVM 3

2- vKVM 1, vKVM 2, vKVM 3

3- vKVM 1, vKVM 2, vKVM 3

B. 1- vKVM 1, vKVM 2, vKVM 3

2- vKVM 1, vKVM 2, vKVM 3

3- vKVM 1, vKVM 2, vKVM 3

C. 1- vKVM 1, vKVM 2, vKVM 3

2- vKVM 1, vKVM 2, vKVM 3

3- vKVM 1, vKVM 2, vKVM 3

- D. 1- 00 00 00
2- 00 000 000 000000 00
3- 00 00 00

Answer: ([SHOW ANSWER](#))

00

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/ts/guide/b_C-Series_Troubleshooting_Guide.pdf

NEW QUESTION: 34

- 0000 000000.
00000 fc1/50 00000000. 000 000000 00 000 000 000?
A. 0000 000 00 000 VSAN 1000 000 00000.
B. VSAN 1000 000 00000 FCN 00000000 00000000.
C. VSAN 1000 00 000 0 000 0000000.
D. VSAN 1000 000000 fc1/50 00 FLOGI 000 000000 FLOGI 00000000 00000000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

- Cisco Unified Computing System Manager 00000 000 000 0 FCoE VLAN 000 00000 000 00 00000 00
000. 000 VLAN 00 000 00000 000000. 00 000 000 000000?
A. vNIC 00 VLAN 000 000000.
B. vHBA00 PIN 000 000000.
C. FCoE VLAN 000000.
D. FCoE VLAN 00 00000 00 VLAN00 000000.

Answer: ([SHOW ANSWER](#))

00: 000 000

NEW QUESTION: 36

- 00000 0000000.
00000 000000 Cisco UCS B-Series 000 IOM 000 000000 Eth1/1/230 00000 VM00 00000 00000 000.
000 00000 00 Fabric Interconnect 0 Eth1/4 00000000 00000 00000 0 000000. 00000 000000 000
000000 00000 00000 000 000000. 00 000 000 000000?
A. 00 000 00000000 Eth 1/400 00000 000000.
B. 00 000 00000000 Eth 1/400 00000 000000.
C. 00 000 00000000 Eth 1/200 00000 000000.
D. 00 000 00000000 Eth 1/200 00000 000000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

- 00000 00000000. PC 0 VLAN 680 00 00000. 00000 VLAN 68 0000 00 00000 0000 0 0000 00 0000 0
00000. 0000 00000 000 0000000?

- A. HSRP GLBP □□□□□.
- B. HSRP □□□ □□□□□.
- C. □□ □□□□□ □□□ □□□□□□.
- D. □ □□□□□ ip arp □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□: □□□□

□□

□□/□□: <https://community.cisco.com/t5/networking-documents/peer-gateway-feature-on-the-nexus-7000/ta-p/3113290>

NEW QUESTION: 38

□□□□ □□□□□□. □□□ □□□□□□ vFC□ □□□□□□ □□□ □□□□□□. □□ □□□ □□□ □□□□□□?

- A. FCoE VLAN□ □□□ VLAN □□□ □□□□□□.
- B. vFC VSAN□ □□□□ FCoE VLAN□ □□ VLAN□□ □□□□□.
- C. □□□□□□ □□□ □□□ □□□□□□.
- D. □□□ □□□ □□ VLAN□ □□□□□ □□□□□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

□□: □□□□ □□□□

NEW QUESTION: 39

□□□□ □□□□□□.

□□□□□ HSRP □□ □□□ □□□□ □□ □□□ HSRP □□ 1□ □□□□□ □□□ □□□□□□. □□□□□ □□ HSRP□ □□ 1□ □□□□□ □□□ □□□□□□. □□ □□□ □□□ □□□□□□?

- A. □□ □□ □□□ 255 □□□ □□□□ □□ □□□ □□□ □□ □□□□ □□□□□ □□□□□□.
- B. □□ □□□ □□ □□□□ □□ □□ □□□ 300□□ □□
- C. □□ □□□ □□□ VLAN300□□ □□ 1 □ □□ 2 HSRP□ □□□□□.
- D. □□ HSRP□ □□ □□□ 100 □□□□ □□□ □□ HSRP□ □□□ □□ □□□ □□ □□ □□□ □□ 1□ □□□□□□.

Answer: ([SHOW ANSWER](#))

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/ipapp_fhrp/configuration/xr-16/fhp-xr-16-book/fhp-hsrp-v2.pdf

NEW QUESTION: 40

□□□□ □□□□□□□. □□□ □□□ □ □□□ □□ □□□□ 2% CPU□ □□□□□□. □□ □□□ □□□ □□□□□□?

- A. □□□□□□ □□□□□
- B. □□□ □□ □□ □□□□.
- C. □□□ □□ □□□□□□□.
- D. □□□ □□□□

Answer: C ([LEAVE A REPLY](#))

□□: □□□□

□□/□□:

NEW QUESTION: 41

Cisco UCS Manager □□□□□□□□□□□□□□□□□□□□ FSM□□□□□.□□□□□□□□□□□?

- A.** □□ □□□ □□ □□ □□□ □□□□.
- B.** □□ □□□ □□□□□□ □□□□□.
- C.** □□ Fabric Interconnect□□ □□□ □□ □□□□□.
- D.** □□ □□□ □□□□ □□□ □□□□ □□□□ □□□□□□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 42

□ □ □ □ □ □ □ □ □ □ □ □ .

PC VLAN 68 □□ □□□□. □□□□ VLAN 68 □□□ □□ □□□□ □□□ □ □□□ □□ □□□ □□□□□. □□□ □□□
□ □□□ □□□□□?

- A.** HSRP □ GLBP □ □ □
- B.** □ □ □ □ □ □ □ □ □ □ □ □
- C.** HSRP □ □ □ □
- D.** □ □ □ □ □ □ ip arp □ □ □ □ □ □ □ □ □ □.

Answer: B (LEAVE A REPLY)

22

PC ☐ Nexus ☐☐☐ ☐☐☐☐ ☐ MAC ☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐. ☐ ☐☐ ☐ ☐☐☐ ☐ ☐☐ ☐☐ ☐☐.

NEW QUESTION: 43

Chassis Management Controller □ Cisco UCS Manager □□ □□ □□□ □□□□ □□□□ □□□ □□□□□. □□□ □□□□ □
□□ □□□□□?

- A.** 1) IOM □□□□ Cisco UCS Manager□ □□ □□ □□□□□ □□□ □□□ □□□□□.
2) IOM□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □□□□□.
3) □□□ □□ □□ □□□ □□□□□.
4) □□□ □□ IOM□ □□□□□□.
- B.** 1) IOM □□□□ Cisco UCS Manager□ □□□ □□□□□ □□□□ □□□□□.
2) IOM□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □□□□□.
3) □□□ □□ □□ □□ □□
4) □□□ □□ IOM□ □□□□□□.
- C.** 1) IOM □□□□ Cisco UCS Manager□ □□ □□ □□□□□ □□□ □□□ □□□□□.
2) IOM□ □□□ □□□□□ □□□ □□□ □□□□ 2□ □□ □□□ □□□□□ □□□□□.
3) □□□ □□ □□ □□ □□
4) □□□ □□ IOM□ □□□□□□.
- D.** 1) IOM □□□□ Cisco UCS Manager□ □□□ □□□□□ □□□□ □□□□□.
2) IOM□ □□□ □□□□□ □□□ □□□ □□□□ 2□ □□ □□□ □□□□□ □□□□□.
3) □□□ □□ □□ □□□ □□□□□.
4) □□□ □□ IOM□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 44

□□□□ □□□□□□.

OTV □□□□□ □□□□□ □□□ □□□□□. N7K-SITE1-OTV1□ □□□ □□ □□ □□□ □ □□□□ □□□□ N7K-SITE1-OTV2□□ OTV □□□ □□□□ □□□ □□□ □□ □□ □□□□□□. □□ □□□ □□□ □□□□□?

A. N7K-SITE1-OTV1□ □□ □□□□□□□ IP IGMP □□ 3□ □□□□□□.

B. N7K-SITE1-OTV1□□ □□□ □□□□ 0002.0002.0002□ □□□□□.

C. N7K-SITE1-OTV2□ □□□□□ N7K-SITE1-OTV1□ □□□□□ □□□ □□□ □□□□□.

D. N7K-SITE1-OTV2□ □□□-VLAN □ VLAN 1□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

□□□□ □□□□□□.

□□□□□ Cisco Nexus 9000 bash □ □□□ Docker □□□□□ □□□ □ □□□ □□□□□. □□ □□□ □□□ □□□□□?

A. □ □□□□ □□

B. □□ □□□□ bash□ □□

C. VRF□ □□□ □□

D. mgmt0 □□□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□□□ □□□□□□. □□□ □□□□□ □□□□□ □□□ □□□□□. □□ □□□ □□□ □□□□□?

A. □□ □□□ □□□□ □□□□□.

B. □□□ □□□□ □□□□ □□ □□□ □□□□□ □□ □□□ □□□□□.

C. □□ □□□□ □□□□ □□□□□□.

D. □□□ □□□□□ □□ □□□ □□□□ □□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

□□: □□ □ □□

□□/□□: https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus1000/sw/4_2_1_s_v_1_4_a/Troubleshooting/configuration/guide/n1000v_trouble/n1000v_trouble_5upgrade.html

300-615 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-615 □□! DumpTop □ □□ **300-615** □□ □□□ □□□□□, DumpTop 300-615 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-615 □□□ □□□□□. <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

Which two Cisco IMC KVM components can CAPE use to connect to a remote host? (Choose two.)

- A. Cisco IMC KVM console
- B. Cisco IMC KVM RSA console
- C. Cisco IMC KVM AES console
- D. SAN Cisco IMC KVM IP console

Answer: A ([LEAVE A REPLY](#))

CAPE: console

NEW QUESTION: 52

Which two statements are true?

Which two statements are true? (Choose two.)

- A. FCoE VLANs are VLANs that are used for FCoE.
- B. vFC VSANs are used for FCoE VLANs that are used for FCoE.
- C. FCoE VLANs are used for FCoE.
- D. FCoE VLANs are used for FCoE.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which two Cisco ACI components are used to connect to a remote host? (Choose two.)

- A. MP-BGP components.
- B. Cisco ACI components.
- C. Cisco ACI L3out components.
- D. Cisco ACI VTEP components.
- E. Cisco ACI MP-BGP AS components.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Which two Cisco UCS components are used to connect to a remote host? (Choose two.)

- A. Cisco UCS components 1/O components.
- B. Cisco UCS components components.
- C. Cisco UCS components components.
- D. Cisco UCS components 4x10G components.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which two Cisco UCS Manager components are used to connect to a remote host? (Choose two.)

- A. Cisco UCS Manager components components.
- B. Cisco UCS Manager vNIC components.

NEW QUESTION: 59

- □□□□□□. □□□□□ □□□□ □□□□□ □□ □□□ □□□□ □□□□. □□ □□□ □□□ □□□□□?
- A. □□□ □□□□ NVRAM□ □□□□□.
- B. □□□□ □□□□ □□□ □□□ □□□□ □□□□□.
- C. □ □□□ □□□□ □□□□□.
- D. □□□ □□□ □□□□ □□ □□□□□.

Answer: C (LEAVE A REPLY)

□□: □□ □ □□

NEW QUESTION: 60

□□□□ □□□□ □□□ □□□ □□□ □□□□ □□□□.

Answer:

NEW QUESTION: 61

- □□□□□□.
- □□□ □□□ □ □□ □□ □□□ □□□□ □□ Switch-A□ □□□□ □□ Switch-B□□ □□□□ □□ □ □□ □□□ □□□ □□? (□ □□□ □□□□□.)
- A. vPC □□ □□□ □□□□□□□□ □□ □□□□□□.
- B. vPC □□ □□ □□ □□ □□□□□□□□ □□ □□□□□□.
- C. □□ vPC □□ □□ □□□ Switch-A□ □□□ □□ □□□ □□□□□.
- D. □□ vPC □□ □□ □□□ Switch-A□□ □□ □□ □□□ □□□□□.
- E. □□□ A□□ □□ □□ □□□ □□ vPC □□ □□ □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

300-615 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-615 □□! DumpTop □ □□ **300-615** □□ □□□ □ □□□□□, DumpTop 300-615 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-615 □□□ □□□□□. <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

- □□□□□□.
- □□□□ HSRP □□□□□ □□□□ □□□□□. □□ □□□ □□□ □□□□□?
- A. □□□ □□ VLAN 100□ □□□□□.
- B. HSRP □□□□ □□□□ □□□□□.
- C. N9K-A□ □□□ □□□□□ N9K-B□ IP □□□ □□□□□.
- D. □□□ □ □□□□□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 63

Which two statements are true about the Cisco Nexus 5000 series switches?

A. They support 10GbE ports.

B. They support 40GbE ports.

C. They support 100GbE ports.

D. They support 200GbE ports.

Answer: A (LEAVE A REPLY)

Which two statements are true about the Cisco Nexus 5000 series switches?

NEW QUESTION: 64

Which two statements are true about the Cisco Nexus 5000 series switches?

A. They support 10GbE ports.

B. They support 40GbE ports.

C. They support 100GbE ports.

D. They support 200GbE ports.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 65

Which two statements are true about the Cisco IMC KVM console?

A. It supports 10GbE ports.

B. It supports 40GbE ports.

C. It supports 100GbE ports.

D. It supports 200GbE ports.

Answer: A (LEAVE A REPLY)

Which two statements are true about the Cisco IMC KVM console?

NEW QUESTION: 66

Which two statements are true about the Cisco UCS Director?

A. It supports 10GbE ports.

B. It supports 40GbE ports.

C. It supports 100GbE ports.

D. It supports 200GbE ports.

NEW QUESTION: 67

Which two statements are true about the Cisco Nexus 5000 series switches?

A. They support 10GbE ports.

B. They support 40GbE ports.

C. They support 100GbE ports.

D. They support 200GbE ports.

C. 1) IOM □□□□ Cisco UCS Manager□ □□□ □□□□□ □□□□ □□□□□.

2) IOM □ □ □ □ □ □ □ □ □ □ □ □ 2□ □ □ □ □ □ □ □ □ □ .

3) □□□ □□ □□ □□□ □□□□□.

4) IOM .

D. 1) IOM ☐☐☐☐ **Cisco UCS Manager** ☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐.

2) IOM □ .

3) □□□ □□ □□ □□□ □□□□□.

4) IOM .

Answer: B (LEAVE A REPLY)

11

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ts/guide/UCSTroubleshooting/UCSTroubleshooti

NEW QUESTION: 72

□□□□ □□□□□. □ □□□□□ Cisco MDS 9000 □□□ □□□□ □□□□ SAN□ □□□□ □□□□□. □□□□ □□□ □ □□
□□□□ □□□□ □□□□ □□□□□. □□ □□□ □□□ □□□□□?

A. VSAN 101 ☐ **MDS-1** ☐☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐

B. MDS-1 □□□□ □□ □□□□ World Wide Name □□

C. MDS-1 □□□□□ □□ □□ □□ □□

D. ☐ ☐ MDS 2 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ VSAN 101 ☐ ☐

Answer: ([SHOW ANSWER](#))

□ □ :

<https://overlaid.net/2014/08/22/fc-security-for-ccie-dc-fabric-binding/>

NEW QUESTION: 73

□ □ □ □ □ □ □ □ □ □ .

□□□□□ fc1/5□ □□□□□□□. □□□ □□□□□ □□ □□□ □□□ □□□?

A. VSAN 100 □ □ □ □ □ fc1/5 □ □ FLOGI □ □ □ □ □ FLOGI □ □ □ □ □ □ □ □ □ □ □ □ □ □ .

B. VSAN 100□ □□ □□□ □ □□□ □□□□□□.

C. VSAN 100 .

D. VSAN 100 □ □ □ □ □ □ □ FCN □ □ □ □ □ □ □ □ □ □ □ □ □ .

Answer: C (LEAVE A REPLY)

NEW QUESTION: 74

□ □ □ □ □ □ □ □ □ □ □ □ .

□□ □□ □□□□ SW-1□ SW-2 Cisco Nexus □□□ □□ HSRP □□□□ □□□□□□□□. □□□□ □□ □ □□□□ □□□ □
□□□□ □□□□ □ □□ □□□. VLAN 13□□ □□ □□□□ □□□□ □□□□ □□□□□□?

A. SW-2 HSRP .

B. SW-2□□ HSRP □□□ □□□□□□.

C. SW-1□□ HSRP IP □□□□□ □□□□□□□□.

D. SW-1 HSRP 70 .

Answer: B (LEAVE A REPLY)

NEW QUESTION: 75

□□□ □□□□□□ □□□ □□□□□□ □□□□□. bootflash□□ □□□ □□□□ □□□□ □□□□. □□ □□□ □□□□ □
□□□ □□□ □□□ □□□ □□□□.

Answer:

NEW QUESTION: 76

SW-1 SW-2 Cisco Nexus HSRP .
VLAN 13 .

- A.** SW-1□□ HSRP IP □□□□□ □□□□□□□.
- B.** SW-2□□ HSRP □□□ □□□□□□.
- C.** SW-1□□ HSRP □□□□□ 70□□ □□□□□.
- D.** SW-2□ HSRP □□□□□ □□□□□.

Answer: B (LEAVE A REPLY)

300-615     DumpTop   300-615 ! DumpTop   **300-615**              

Discount: **KrDump**)

NEW QUESTION: 77

□ □ □ □ □ □ □ □ □ □ .

□□□□□ □ □□ □□ □□□ Cisco MDS 9000 □□□ □□□□ SAN □□□ □□□□□. □□□□□ □□ □□□ □□□□ □□
□□ □□□ □□□ □□ □□□□□. □□ □□□ □□□ □□□□□?

- A.** □□□□ □□□□□ □□ □□□ □□ □ □□□ □□□□□ □□□□□.
- B.** □□ □□ □□□ □□□□□ □□ □ □□□ □□□ □□□□□.
- C.** □□□ □□ □□□ □□□ □□□□□.
- D.** □□ □□□□ □□□ □□□ □□□□□□.

Answer: A (LEAVE A REPLY)

11

https://www.cisco.com/en/US/docs/storage/san_switches/mds9000/sw/rel_3_x/troubleshooting/guide/ts_guide.pdf

NEW QUESTION: 78

□□□□ □□□□□□. □□□□□ □□□□ □□ □□ □□□ □□□□ □□□□. □□□□ □□□ "corp" □□□ IP □□□ □ □ □
□□ □□□□□□. □□ □□□ □□□ □□□□□□?

- A. RADIUS □□□ □□□□ □□□□□.

- B. UNIX ID
- C. APIC RADIUS
- D. avpair include/corp/admin/

Answer: C (LEAVE A REPLY)

:

NEW QUESTION: 79

-
- vFC
- A. VLAN
 - B. vFC VSAN FCoE VLAN
 - C.
 - D. FCoE VLAN

Answer: C (LEAVE A REPLY)

NEW QUESTION: 80

-
- Cisco Nexus N9K-1 N9K-2
- A. N9K-1 N9K-2
 - B. Cisco Nexus e1/1 OSPF
 - C. Cisco Nexus e1/1 MTU
 - D. N9K-1 N9K-2

Answer: D (LEAVE A REPLY)

NEW QUESTION: 81

- Cisco UCS B-Series SAN EMC VNX VMware ESXi
- SAN
- A. LUN
 - B. LUN
 - C. vHBA WWNN
 - D. vHBA WWPN

Answer: (SHOW ANSWER)

:

NEW QUESTION: 82

-
- guestshell 2%CPU
- A.

- B. ☐☐☐☐☐☐ ☐☐☐
- C. guestshell ☐☐☐
- D. guestshell ☐☐☐

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 83

☐☐☐ ☐☐☐☐☐ ☐☐☐☐☐☐. bootflash☐☐ ☐☐☐ ☐☐☐☐☐☐. ☐☐ ☐☐☐☐ ☐
☐☐☐ ☐☐☐ ☐☐☐☐.

Answer:

NEW QUESTION: 84

☐☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

Answer:

NEW QUESTION: 85

☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐. ☐☐ ☐☐ ☐☐☐ ☐☐.

Answer:

NEW QUESTION: 86

- ☐☐☐☐ ☐☐☐☐☐.
- ☐☐☐☐ DHCP☐☐ ☐☐☐ Nexus ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ Python ☐
☐☐ ☐☐☐☐ ☐☐ ☐☐☐. ☐☐☐☐ Nexus ☐☐☐☐ google.com☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ Python
☐☐☐ ☐☐☐☐☐☐. ☐☐ ☐☐ ☐☐☐☐☐?
- A. ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐☐ Cisco Nexus ☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐.
 - B. Cisco Nexus ☐☐☐☐ ☐☐ Python ☐☐☐☐☐☐.
 - C. DHCP☐☐ ☐☐ Cisco Nexus ☐☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ DNS☐☐☐.
 - D. ☐☐☐ ☐☐ NTP☐☐ ☐☐☐ ☐☐☐.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 87

- ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ AV ☐
☐☐ ☐☐☐☐. ☐☐ AV ☐☐ ☐☐ ☐☐☐☐?
- A. shell=Security_Domain_1/Read_Role_1|Read_Role_2
 - B. shell:domains=Security_Domain_1/Read_Role_1|Read_Role_2
 - C. shell:domains=Security_Domain_1//Read_Role_1|Read_Role_2
 - D. shell:domains=Security_Domain_1/Write_Role_1|Read_Role_2

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 88

☐☐☐☐ ☐☐☐☐☐.

□□□□□ Cisco Nexus 9000 bash □ □□□ Docker □□□□□ □□□ □ □□□ □□□□□. □□ □□□ □□□ □□□□□?

A. VRF□ □□□ □□

B. □□ □□□□ bash□ □□

C. mgmt0 □□□□□ □□

D. □ □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□□□ □□□□□□.

□□□□ □□□□□□. Nexus □□□□ □□ □□ □□ □□ □□ Cisco Nexus □□ □ □□□ □□ □□□ □□ □□□□ □□□ □□ □□□. □□ Cisco Nexus □□□□ □□ □□ □□ □□ □□□□□□□□. □□□□ □□□ □□ □ □□□□ □ □□ □□□□ □□ □ □□□ □□□□ □□□□. □□□□ □□□□ □ vPC□□ □□□ □□□ □□ □□□□ □□□ □□□□□□. □□□□□ □□□ □□ □□ □□ □□□ □□ vPC □□□□ □□□□ □□□□ □□□. □□ □□□ □ □□□ □□□□□?

A. □□ □□□□ □ □□ □□□ □□□ □□ □□ □□□□ □□□□□.

B. □□ □□□□ □□ □□ □□ □□ □□□□ □□□□ □□□ □□ □□□ □□ □□□□□□.

C. □□ □□□ □□□□□ □□□□ □□ □□□ □□□□□□.

D. □□ □□ □□□ □□□ □□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

□□ □□ □□□□□□ □□□ □□□ □□□□□□□□. □□□ □□□ □□□□ □□ □□ □□□ □□□□□?

A. □□ □□ □□□ □□□□□□.

B. □□ □□□□□□□ □□ □□□□□□ □□ □□□□ □□□ □□□□.

C. □□□ □□ □□□□□□□ □□□ □□□□□□ □□□□□.

D. □□ □□□ □□□□ □□□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 91

□□□□ □□□□□□.

□□□□ □□□□□□. Virtual SAN □□□□ □□□□ □□□□□ □□□□. □□□ □□□□□ □□ □□□ □□□ □□□?

A. □□ □□ □□□ □□□

B. □□□ □□□□□ Hello □□□ □□

C. 80□□□ □ □□□ FSPF □□ □□□ □□□□□.

D. □□□-2□ □□□ □□□ □□□

Answer: ([SHOW ANSWER](#))

□□:

https://www.cisco.com/en/US/docs/switches/datacenter/nexus5500/sw/troubleshooting/guide/n5500_ts_sans.html

300-615      DumpTop    300-615 ! DumpTop   **300-615**       , DumpTop 300-615             DumpTop 300-615    . <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 92

□□ □□ □□□□□□ □□□ □□□ □□□□□□□□. □□□ □□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□ □□ □□□ □□□□□□.
- B. □□ □□□ □□□□ □□□ □□□ □□□□□.
- C. □□ □□□□□□□ □□ □□□□□□ □□ □□□□ □□□ □□□□.
- D. □□□ □□ □□□□□□□ □□□ □□□□□□ □□□□□.

Answer: (SHOW ANSWER)

□□: □□ □□□□

NEW QUESTION: 93

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

□□□□ HSRP □□□ □□□□ □□□□. □ □□□ □□□□ □□□ □□□□□?

- A.** IP 10.10.10.10.
- B.** HSRP 20 10.10.10.10.
- C.** 10.10.10.10 HSRP 20 10.10.10.10.
- D.** MTU 1500 10.10.10.10.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 94

Cisco UCSB □□□ □□□□ □□□ □□□ □□ SAN□ □□□□ EMC VNX □□□□ □□□□□ VMwareESXi □□□□ □□□□
 □ □□□□□. □□ □□□ □□□□ □□□ □□□ □□□□□□ □□□ SAN□□ □□□□ □□□□. □□ □□□ □□□ □□□□
 □?

- A.** □□ LUN□ □□□□ □□□□□ □□ □□ LUN ID□ □□□□□.
- B.** □□ LUN□ □□□□ □□□□□ □□ □□ LUN ID□ □□□□□.
- C.** vHBA □□□□ □□ □□□ WWPN □□ □□□□□.
- D.** vHBA □□□□ □□ □□□ WWNN □□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 95

Cisco Nexus □□□□ Cisco NX-OS□ □□□□ □□ □□ □□□□ □□□□ □□□□. □□□□ □□ □□□ □□□□ □□□□ □
□ □□ □□□ □□□□□□□. □ □□□ □□□□□ Cisco Nexus □□□ □□□□ □□ □□□ □□□□ □□□□ □□□□?

- A.** lacp suspend-individual ☐ ☐ ☐ ☐.
- B.** lacp graceful-convergence ☐ ☐ ☐ ☐.
- C.** lacp suspend-individual ☐ ☐ ☐ ☐.
- D.** lacp graceful-convergence ☐ ☐ ☐ ☐.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 100

[illegible]

- A.** APIC1 □ □ □ □ □ □ □ □ TEP □ □ □ □ □ □ □ □ □ □ □ □ .
- B.** □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ APIC1 □ □ □ □ □ □ □ □ □ □ .
- C.** □ □ □ □ □ □ □ □ □ □ □ □ □ □ Fabric Name □ □ □ □ □ □ □ □ □ □ .
- D.** □ □ □ □ APIC □ .

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

□□□□ □□□□□□.

□ □□□□ HSRP □□□□□ □□□□ □□□□□. □□ □□□ □□□ □□□□□?

- A.** HSRP □□□□ □□□□ □□□□□.
- B.** N9K-A□ □□□ □□□□□ N9K-B□ IP □□□ □□□□□.
- C.** □□□ □□ VLAN 100□ □□□□□.
- D.** □□□ □ □□□□□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 102

Cisco UCS SNMP ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐.

Answer:

NEW QUESTION: 103

□□□□ □□□□□□.

FC ID□ 0x970102□ □□□□ FC ID□ 0x970200□ □□□ □□□□ □□□□. □□□ □□□□ □□□ □□□□□?

- A.** FC ID 0x970102 □ FC ID 0x970200□ □□ □□□ □□□□□ □□□□ □□□□□□.
- B.** □□□□□□□ □□□ □□□ □□□ □□□ □□□□□□.
- C.** □ □□□ □□□□□□□.
- D.** FC ID 0x970209 □ FC ID 0x9700c2□ □□ □□□ □□□□□ □□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 104

Cisco UCSB 1000 1000 1000 1000 SAN 1000 EMC VNX 1000 10000 VMwareESXi 1000 1000
10000. 1000 1000 1000 1000 10000 1000 SAN 1000 10000. 100 1000 1000 1000
10?

- A. vHBA** **WWNN**

- B. vHBA □□□□ □□ □□□ WWPN □ □□
- C. □□ LUN□ □□□□ □□□□□ □□ □□ LUN ID□ □□□□□.
- D. □□ LUN□ □□□□ □□□□□ □□ □□ LUN ID□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 105

□□□ □□□□□ □□ IOM□ □□□□ □□□□ □□□□. □□□ □□□□ □□□ □□□□□□?

- A. □□□□ UCSM □□□ □□□□□.
- B. □□ □□□□ □□□□□.
- C. □□ IOM□□ □□□ □□ □□□ □□□□□□.
- D. AutoInstall□ □□□□ □□□□ □□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

□□□□ □□□□□□.

□□□□□ Cisco UCS C220 □□□□ Cisco IMC □□□□ □□□□ □ □□□□. □□ □□□ □□□ □□□□□□?

- A. Cisco IMC□ □□□ □□ □□□ □□□□ □□□□□ □□ □□□□□ □□□ □□ □□□□ □□□□□.
- B. □□□ □□□ □□ IP □□ □□ Cisco IMC □□□□ □□□ □□□□ DNS□ □□□□□.
- C. □□□ □□□ □□ IP □□ □□ Cisco IMC □□□□ □□□ □□□□ FQDN□ □□□□□.
- D. Cisco IMC□ □□□ □□ □□□ □□□□ □□□□□ □□ □□□□□ □□□ □□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

300-615 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-615 □□! DumpTop □ □□ **300-615** □□ □□□ □□□□□, DumpTop 300-615 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-615 □□□ □□□□□. <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 107

□□□□ □□□□□□.

□□□□ □□□□□ DHCP□ □□□□ Nexus □□□ □□ □□□ □□□□ □□□□ □□□□□ □□ □□ □□□ □□ Python □□□ □□□□□ □ □□□ □□□□. □□□□□ Nexus □□□□□ google.com□ □□□□□ □□ □ □□□ □□□ □□ Python □□□□ □□□□□□ □□□□□. □□ □□□ □□□ □□□□□□?

- A. Cisco Nexus □□□□□ □□ Python □□□□ □□□□□□□.
- B. DHCP□ □□ Cisco Nexus □□□□□ □□□ □□□□ □□□ □□□ □□□□ DNS□ □□□□□.
- C. □□□ □□ □□□ □□□ □□□□□□ □□□□ Cisco Nexus □□□ □□□ □□□□□ □□□ □ □□□□.
- D. □□□ □□□ NTP□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 108

□□□□□ □□□ □□□□ □□□□□□ □□ □□ □□□ □□□□ □□□□. □ □□□□ □□□□ EVPN □□□ □□□□□?

A. EVPN □□ 0,9,15

B. EVPN □□ 1-5

C. EVPN □□ 0,16

D. EVPN □□ 9-15

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 109

□□□□ □□□□□□.

FC ID□ 0x970102□ □□□□ FC ID□ 0x970200□ □□□ □□□□ □□□□. □□□ □□□□ □□□ □□□□□?

A. FC ID 0x970209 □ FC ID 0x9700c2□ □□□ □□□□□ □□□□ □□□□□□.

B. □□□□ □□□ □□□ □□□ □□□ □□□□□□.

C. □ □□□ □□□□□□□.

D. FC ID 0x970102 □ FC ID 0x970200□ □□ □□□ □□□□□ □□□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 110

□□□□ □□□□□□. □□□□□ N2K-Fex-1□ N5K-Core-1□ □□□□ □ □□ □□ □□□ □□□ □□ □□□□ □□□□□ □ □□□. □□ □□ □□□□□□ □□□ □□□ □ □□□□□ □□□ □□□ □□□□□ □□□ □□□□. □□ □□□ □□□ □ □□□□?

A. □ □□□□ □□□ LACP □□ □□□ □□□□ □□□ □□□□□.

B. □□ □□ □□□ 2□ □□□□□.

C. N5K-Core-1□□ destination-mac □□ □□□□ □□□□□.

D. N5K-Core-1□□ □□-□□ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□: □□□□

NEW QUESTION: 111

□□□□ □□□□□□.

□□□□ □□□□□. □ □□□□□ Cisco MDS 9000 □□□ □□□□ □□□□ SAN□ □□□□ □□□□. □□□ □□□ □ □□ □□□ □□□ □□□ □□□□□. □□ □□□ □□□ □□□□□?

A. VSAN 101□ MDS-1 □□□□ □□□ □□□ □□□□□□□ □□

B. MDS-1 □□□□ □□ □□□□ World Wide Name □□

C. MDS-1 □□□□□ □□ □□ □□ □□

D. □□ MDS 2 □□□ □□□ □□□□□□□ VSAN 101 □□□

Answer: B ([LEAVE A REPLY](#))

□□:

<https://overlaid.net/2014/08/22/fc-security-for-ccie-dc-fabric-binding/>

NEW QUESTION: 112

NEW QUESTION: 117

Which two statements are true regarding the configuration of a Cisco Nexus 5000 switch to support a Fibre Channel (FC) storage area network (SAN)?

A. The switch must be configured with a VSAN.

B. The switch must be configured with a FC domain ID.

C. The switch must be configured with a BB_credit value.

D. The switch must be configured with a NPIV profile.

Answer: (SHOW ANSWER)

NEW QUESTION: 118

Which two statements are true regarding the configuration of a Cisco ACI fabric?

(Select two.)

A. MP-BGP is used for leaf-to-leaf connectivity.

B. The fabric is configured with a single IP address for all leaf nodes.

C. The fabric is configured with a single MAC address for all leaf nodes.

D. MP-BGP is used for spine-to-spine connectivity.

E. VTEP is used for leaf-to-spine connectivity.

Answer: (SHOW ANSWER)

NEW QUESTION: 119

Which two statements are true regarding the configuration of a Cisco Nexus 5000 switch to support a Fibre Channel (FC) storage area network (SAN)?

A. The switch must be configured with a VSAN.

B. The switch must be configured with a FC domain ID.

C. The switch must be configured with a BB_credit value.

D. The switch must be configured with a NPIV profile.

Answer: B (LEAVE A REPLY)

00: 0000

NEW QUESTION: 120

Which two statements are true regarding the configuration of a Cisco Nexus 5000 switch to support a Fibre Channel (FC) storage area network (SAN)?

A. The switch must be configured with a VSAN.

B. The switch must be configured with a FC domain ID.

C. The switch must be configured with a BB_credit value.

D. The switch must be configured with a NPIV profile.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 121

Which two statements are true?

1. OSPFv2 is supported on MP-BGP. 2. OSPFv2 is supported on Cisco Nexus Switch. 3. BGP RIB is supported. 4. OSPFv2 is supported on Cisco Nexus Switch.

A. OSPF is supported on 2200 series.

B. OSPF BGP is supported.

C. OSPF is supported on Cisco Nexus Switch.

D. OSPF is supported on Cisco Nexus Switch.

Answer: A (LEAVE A REPLY)

300-615 PDF Dumps DumpTop PDF Dumps 300-615 PDF! DumpTop PDF **300-615** PDF Dumps PDF Dumps, DumpTop 300-615 PDF Dumps PDF Dumps PDF Dumps. PDF Dumps PDF Dumps PDF Dumps DumpTop 300-615 PDF Dumps PDF Dumps. <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, **30%OFF Special**

Discount: **KrDump**)

NEW QUESTION: 122

Which two statements are true? 1. EEM is supported on VDC. 2. VDC is supported on Cisco Nexus 7000. 3. CPU is supported. 4. EEM is supported on VDC.

A. switch(config-applet)# event snmp 1.3.6.1.4.1.9.9.109.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1

switch(config-applet)# action 0.2 cli t

switch(config-applet)# action 0.5 cli switchto vdc Core

switch(config-applet)# action 0.8 cli switchto vdc Distribution

B. switch(config-applet)# event snmp 1.3.6.1.4.1.9.9.109.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1

switch(config-applet)# action 0.2 cli t

switch(config-applet)# action 0.5 cli switchto vdc Core

switch(config-applet)# action 0.8 cli switchto vdc Distribution

C. switch(config-applet)# event snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1

switch(config-applet))# action 0.2 cli config t switch(config-applet)# action 0.5 cli switchto vdc Core switch(config-applet)# action 0.8 cli switchto vdc Distribution

D. switch(config-applet)# event snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.6.1 get-type exact entry-op ge entry-val 50 poll-interval 1

switch(config-applet))# action 0.2 cli enable switch(config-applet)# action 0.5 cli switchto vdc Core switch(config-applet)# action 0.8 cli switchto vdc Distribution

Answer: D (LEAVE A REPLY)

PDF: PDF

PDF/PDF: <https://community.cisco.com/t5/networking-documents/eem-script-on-nexus-7000-switches-to-monitor-cpu-utilization/tap/3120112>

NEW QUESTION: 123

□ □ □ □ □ □

□□□□ □□□ □□□□□ □□□□ □□□□ □□□ □□□□. □□ □□□ □□□□ □□ □□□□.

□ □ □ □ □ :

Answer:

□ □ : □ □ □ □ □ □

NEW QUESTION: 124

☐☐☐☐ ☐☐☐☐☐☐.

switchM □ switch2 □□□ vPC □□□□ □□□□. □□□ □□□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

A. vPC □□ □□ □ vPC □□ keepalive□ □□□ □□□□□.

B. vPC ID .

C. □□□□□□□ IP □□□ □□□□□.

D. □□□ □ □□□ vPC□ □□□□ □□□□□.

E. vPC□□ VLAN□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

□ □ □ □ □ □ □ □ □ □ □ □ .

□□□□ □□□□□ □□ □□ □ syslog □□□ □□□ EEM □□□□□ □□□□□. □ □□□□ □□□□□ □ □□□□ □ □□
□ □□□□ □ □ □□□□□. □□□ □□□□ □□ □□□□□ □□□□□ □□□□□ □□ □□□ □□□□□?

A. □□□ □□+□□ □□ 1□ 100

B. `□□□ cli □□ '□□□ □□'`

C. `syslog 10`

D. $\square\square 2.0 \square\square\square + \square\square\square$

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

□□□□ □□□□□□. □□□□□ Microsoft Active Directory□ STORAGE-ADMINISTRATOR □□□ □□ □□□ 1, □□□ 2 □ □
□□ 3□ Cisco MDS SSH CLI□ □□□□□ □ □□ □□□ □□□□□. □□ □□□ □□□ □□□□□?

A. Microsoft Active Directory □ □□ □□□ □□□□□ □□ □□□ □□□□□.

B. Cisco MDS ☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐.

C. Cisco MDS ☐☐☐☐☐ SSH ☐☐☐☐ ☐☐☐☐.

D. Cisco MDS ☐ **Microsoft Active Directory** ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

□ □ : □ □ □ □ □ □ □ □

NEW QUESTION: 127

□□□ Chassis Management Controller □ Cisco UCS Manager □□ □□ □□□ □□□□ □□□□□. □□ □□□ □□□
□□□□□?

- A.** 1) IOM 1000 Cisco UCS Manager 100 100 10000 1000 1000 100000.
2) IOM 1000 100000 1000 100 10000 20 10 1000 100000 100000.
3) 1000 10 10 10 10
4) 1000 10 IOM 1000000.

- B.** 1) IOM 1000 Cisco UCS Manager 1000 100000 10000 100000.
2) IOM 1000 100000 1000 10 1000 1000 10000 1000 100000 100000.
3) 1000 10 10 10 10
4) 1000 10 IOM 1000000.

- C.** 1) IOM 1000 Cisco UCS Manager 1000 100000 10000 100000.
2) IOM 1000 100000 1000 100 10000 20 10 1000 100000 100000.
3) 1000 10 10 1000 100000.
4) 1000 10 IOM 1000000.

- D.** 1) IOM 1000 Cisco UCS Manager 100 10 100000 1000 1000 100000.
2) IOM 1000 100000 1000 10 1000 1000 10000 1000 100000 100000.
3) 1000 10 10 1000 100000.
4) 1000 10 IOM 1000000.

Answer: B ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ts/guide/UCSTroubleshooting/UCSTroubleshooting_chapter_01001.html

NEW QUESTION: 128

1000 1000000 1000 1000000 100000. bootflash 10 1000 10000 10000. 10 1000 10000 1000 1000 1000 1000 10000.

Answer:

NEW QUESTION: 129

10000 1000000.

10000 100000 10 10 10 syslog 1000 1000 EEM 100000 100000. 10 10000 100000 10 10000 10 10000 10 100000. 1000 10000 10 100000 100000 10000 10 1000 100000?

- A.** 10 2.0 1000-1000
B. 1000 10 - 10 10 10 100
C. 1000 cli 10 '1000 10'
D. 1000 syslog 10 10

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 130

10000 1000000.

10000 1000000. UCS-10 10000 10000 10000 10000. 10 1000 1000 100000?

- A.** FI-A 10 N-10 ID 10000 100000.
B. N9K-10 N-10 10000 100000.
C. FI-A 1000 FC End Host 1000 100000.

D. N9K-1 000 N-00 ID 0000 000000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 131

0000 000000.

0 00000 Cisco UCS Manager 0 000000 0000 0 "000" 00 0000 00000. 00 000 000 000 00?

A. 0000 UCS Manager 000 0000000.

B. 0000 0 00000 00000.

C. 00 0000 UCS Manager 0 00000.

D. HTTPS 0 000 TCP 000 000000.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 132

0000 000000.

00 0000 000 00 0000 00 0000 000000000 0000. 0000 000000000 0 00 0000 00 0 0000. 00 000 000 00000?

A. 00 0000 00000.

B. 0000 00 00000.

C. 0000000 000 0 ISSD 0 000000.

D. FEX 0 00 000000 0000 0000 0000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 133

0000 000000. 00000 ACI 00 000 0000 0000. 00000 000 1/11 00 0000 00 00?

A. 000000 0000 0000 000 00000 00 00 0000.

B. 00000 000 00 0000000.

C. "out-of-service" 0 ACI 00 000000 00000.

D. "out-of-service" 0 0 000000 00 00 000 0000 000 00000.

Answer: B ([LEAVE A REPLY](#))

00: 000 000

NEW QUESTION: 134

0000 000000.

00000 ACI 00 000 0000 0000. 00000 000 1/11 00 0000 00 00?

A. 00000 000 00 0000000.

B. "out-of-service" 0 0 000000 00 00 000 0000 000 00000.

C. "out-of-service" 0 ACI 00 000000 00000.

D. 000000 0000 0000 000 00000 00 00 0000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 135

- □□□□□□.
- □□□ □□□□ □□□□. □□ □□□ □□□ □□□□□?
- A. □□ □□ □□□ □□□□□.
 - B. TFTP □□ □□□ □□□□□.
 - C. □□ □□□ □□□□□.
 - D. RBAC □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

- □□□□□□.
- □□□□ Cisco Nexus 5000 □□□ □□□□□ □□ □□□ □□□□ □□□. □□ □□□ □□□ □□□□□?
- A. □□ □□ □□ □□ □□□ no role □□□□ □□□ □□□□□.
 - B. □□ □□ □□ □□□ no rule □□□□ □□ □□
 - C. □□ □□ □□ □□□ no role □□□□ □□ □□
 - D. □□ □□ □□ □□□ no rule □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

300-615 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-615 □□! DumpTop □ □□ 300-615 □□ □□□ □□□□□, DumpTop 300-615 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-615 □□□ □□□□□. <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 137

- □□□□□□. switch1□ switch2 □□□ vPC□ □□□□ □□□□. □□□ □□□□□ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)
- A. □ □□ □□ vPC □□□ ID□ □□□□□□.
 - B. □□□□□□□ IP □□□ □□□□□.
 - C. vPC□□ VLAN□ □□□□□□.
 - D. vPC □□ □□ □ vPC □□ keepalive□ □□□□ □□□□□.
 - E. □□□ □ □□□ vPC□ □□□□ □□□□□.

Answer: A,C ([LEAVE A REPLY](#))

□□: □□□□

NEW QUESTION: 138

□□□□□ Cisco UCS domain□ □□ □□ □□□ □□□ □□□ □□□□□□□ □□□ □□□□□ □□□□□ □□□□□ □□□□□. □□ □□ □□ □□ □□□ □□□ □□□□□?

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 143

□□□□ □□□□□□.

□□□□□ N2K-Fex-1□ N5K-Core-1□ □□□□ □ □□ □□ □□□ □□ □□□□ □□□□□ □□ □□□. □□ □□ □□ □□□□ □□□ □□□ □ □□□□□ □□□ □□□ □□□□□ □□□ □□□□. □□ □□□ □□□ □□□□□?

A. N5K-Core-1□□ □□-□□ □□ □□□□ □□□□□.

B. □ □□□□ □□□ LACP □□ □□□ □□□□ □□□ □□□□□.

C. □□ □□ □□□ 2□ □□□□□.

D. N5K-Core-1□□ destination-mac □□ □□□ □□

Answer: C ([LEAVE A REPLY](#))

□□

https://www.cisco.com/c/m/en_us/techdoc/dc/reference/cli/n5k/commands/pinning-max-links.html

NEW QUESTION: 144

□□□ □□□ □ □□□ □□□□ □□□ □□□ □□□□□□□□. □□ □□□ □□□ □□ □□□□.

Answer:

NEW QUESTION: 145

□□□□ □□□□□□.

□□□□ □□ □□□ □□□□□ □□ EEM □□□□□ SNMP □□□ □□□ □□□□. □□□□□□ □□□ □□□ □□□□□?

A. □□-□□ □□ □□

B. □□□-□□ □□□

C. □□□ □

D. SNMP □□□ IP □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 146

□□□□ □□□□□□.

switch1□ switch2 □□□ vPC□ □□□□ □□□□. □□□ □□□□□ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

A. □□□ □ □□□ vPC□ □□□□ □□□□□.

B. □□□□□□□ IP □□□ □□□□□.

C. vPC □□ □□ □ vPC □□ keepalive□ □□□□ □□□□□.

D. □ □□ □□ vPC □□□ ID□ □□□□□□.

E. vPC□□ VLAN□ □□□□□□.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 147

□□□□ □□□□□□.

□□□□□ Cisco UCS C220 □□□ Cisco IMC □□□□ □□□□ □ □□□□. □□ □□□ □□□ □□□□□?

- A. sAMAccountName=\$company□ □□ □□ □□
- B. sAMAccountName=\$company□ □□ □□ □□
- C. □□□ □□ □□ □□□ □□□□□.
- D. □□□ □□ □□ □□

Answer: A ([LEAVE A REPLY](#))

300-615 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-615 □□! DumpTop □ □□ **300-615** □□ □□□ □□□□□, DumpTop 300-615 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 300-615 □□□ □□□□□. <https://www.dumptop.com/Cisco/300-615-dump.html> (243 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 152

- VXLAN EVPN □□□ □□□ □□□ □□□□□. □□□ □□□ □□□□□□□ IP 10.10.10.10□ □□ DNS □□□ □□ □□ □□□□. □□□□□ BGP EVPN □□□ □□□□ □□□□ DNS □□□ □□□□ IP □□□ □□□ □□□□□□ □□□□□. □□ □□□ □□□ □□□□□?
- A. □□□ □□□□□ [5]:[0]:[0]:[32]:[10.10.10.10]/224□ □□□□□ IP □□□ □□□ □□□□□.
 - B. □□□ □□□□□ [2]:[0]:[0]:[48]:[0050.569f.1285]:[0]:[0.0.0.0]/216□ □□□□□ IP □□□ □□□ □□□□□.
 - C. □□□ □□□□□ [2]:[0]:[0]:[48]:[0050.569f.1285]:[32]:[10.10.10.10]/272□ □□□□□ IP ARP □□□ □□□□□.
 - D. □□□ □□□□□ [4]:[0300.0000.00fc.bd00.0309]:[32]:[10.10.10.10]/136□ □□□□□ IP ARP □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

□□: □□□□

NEW QUESTION: 153

□□□ □□□ □ □□□ □□□□ □□□ □□□ □□□□□□□□. □□ □□□ □□□ □□ □□□□.

Answer:

NEW QUESTION: 154

- □□□□□□□.
- Microsoft Active Directory□ STORAGE-ADMINISTRATOR □□□ □□ user1, user2 □ user3□ Cisco MDS SSH CLI□ □□□□ □ □□ □□□ □□□□ □□□□. □□ □□□ □□□ □□□□□?
- A. Microsoft Active Directory□ □□ □□□ □□□□□ □□ □□□ □□□□□.
 - B. Cisco MDS□ Microsoft Active Directory□ □□□□□.
 - C. □□ □□□□ MDS □□ □□□ □□□□□.
 - D. Cisco MDS □□□□□ SSH □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 155

Which Cisco uCs C-Series Server can support 3 full-width 10Gb Ethernet ports? (2000)

- A. Cisco UCS C220 M3
- B. Cisco UCS C240 M3
- C. Cisco UCS C260 M3
- D. Cisco UCS C280 M3
- E. Cisco UCS C300 M3

Answer: (SHOW ANSWER)

NEW QUESTION: 156

Which two options are valid for the IOM module? (Choose two)

- A. Cisco UCS C220 M3
- B. Cisco UCS C240 M3
- C. AutoInstall
- D. IOM module

Answer: B (LEAVE A REPLY)

Tags: Cisco UCS

NEW QUESTION: 157

Which vNIC option is valid for the Cisco UCS C-Series? (Choose two)

- A. Cisco UCS C220 M3
- B. Cisco UCS C240 M3
- C. Cisco UCS C260 M3
- D. Cisco UCS C280 M3

Answer: D (LEAVE A REPLY)

Tags: Cisco UCS

NEW QUESTION: 158

Which two options are valid for the FCoE module? (Choose two)

- A. Cisco UCS C220 M3
- B. Cisco UCS C240 M3
- C. Cisco UCS C260 M3
- D. Cisco UCS C280 M3

Answer: C (LEAVE A REPLY)

NEW QUESTION: 159

Which Cisco Nexus 2248PQ FEX can support Cisco UCS C-Series? (Choose two)

Cisco UCS Manager can support FEX modules. Which two options are valid for the FEX module? (Choose two)

