

# Cisco.300-635.v2022-02-03.q70

□□□□:	300-635
□□□□:	Automating Cisco Data Center Solutions (DCAUTO)
□□□:	Cisco
□□ □□ □□□:	70
□□:	v2022-02-03
# □□ □:	934
# □□ □□□:	700
<a href="https://www.krdump.com/Cisco.300-635.v2022-02-03.q70.html">https://www.krdump.com/Cisco.300-635.v2022-02-03.q70.html</a>	

## NEW QUESTION: 1

Kubernetes □□□ Cisco ACI□ □□□ □ □□□ Kubernetes □□□□□□ □□□ □□□□ □□□?

- A. □□□□□□□ ACI EPG □□□ □□□□□ □□□.
- B. □□□□□□ □□□ □□□ □□□ □□□□□□ □□□□ □□ □□□ Cisco ACI□□□  
Kubemetes □□□ □□□□ □□□□.
- C. □ □□□ □□□□ □□ □□□ □□□ □□□□.
- D. □□□□□ □□□□ Cisco APIC □□ IP□ □□□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

## NEW QUESTION: 2

Cisco UCS Manager □□□ □□□□ Cisco UCS PowerTool □□□ □□□□□?

```
$ucsm_creds = New-Object -TypeName System.Management.Automation.PSCredential "admin", $(SecureString -PlainText "MySecretPassword")  
Connect-Ucs -Name myucsm.example.com -Credential $ucsm_creds
```

```
$ucsm_creds = New-Object -TypeName System.Management.Automation.PSCredential -ArgumentList "admin", $(ConvertTo-SecureString -Force -AsPlainText "MySecretPassword")  
Connect-Ucs -Name myucsm.example.com -Credential $ucsm_creds
```

```
$ucsm_creds = New-Object -TypeName System.Management.Automation.PSCredential -ArgumentList username:"admin", password:$(ConvertTo-SecureString "MySecretPassword")  
Connect-Ucs -Name myucsm.example.com -Credential $ucsm_creds
```

```
$ucsm_creds = New-Object -TypeName System.Management.Automation.PSCredential -ArgumentList $(ConvertTo-SecureString -Force -AsPlainText "admin:MySecretPassword")  
Connect-Ucs -Name myucsm.example.com -Credential $ucsm_creds
```

A. □□



**NEW QUESTION: 5**

Cisco NX-OS      ? (2  )

- A.
- B. DHCP
- C. PNP
- D.
- E. iPXE

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 6**

Cisco Nexus 9000    .     
Cisco NX-OS  Bash    ?

- A. bash
- B. bash
- C. bash-shell
- D. bash-shell

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 7**

Cisco NX-OS   Cisco Nexus 9500     Docker    
  ?

- A.     Docker  .
- B.    dockerpart     .
- C.    dockerpart     .
- D.    .

**Answer: C ([LEAVE A REPLY](#))**

:

**NEW QUESTION: 8**

ACI      Ansible   ?



- A.
- B.
- C.
- D.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 9**

Which two REST API endpoints are used to create and update EPGs? (Choose two.)

- A. REST API RSA Cisco Intersight Web
- B. REST API base64
- C. SHA256 API ID
- D. REST API SHA384 API ID
- E. Cisco Intersight API ID RSA

Answer: (SHOW ANSWER)

**NEW QUESTION: 10**

ACI MIT ? (2.)

- A. URL
- B. DN
- C.
- D. RN
- E. NI

Answer: B,D (LEAVE A REPLY)

**NEW QUESTION: 11**

myfunc.py. Git



Answer:



- name: Add a new AP

host: apic

username: admin

password: SomeSecretPassword

description: default ap



tenant\_name: MyCompany

app\_name: DbApp

ap: DbApp

state: present

application\_name: DbApp

aci\_ap:

tenant: MyCompany

state: query

**Answer:**

- name: Add a new AP

aci\_ap:

host: apic

username: admin

password: SomeSecretPassword

tenant: MyCompany

ap: DbApp

description: default ap

state: present

tenant\_name: MyCompany

ap: DbApp

application\_name: DbApp

tenant: MyCompany

app\_name: DbApp

state: present

aci\_ap:

state: query






□□□□:



□□□ □□□□□. Cisco Intersight□□ □□ NTP □□ □ □□ "pool.ntp"□ □□□□  
My\_NTP\_Policy□□ NTP □□ □□□ □□□□ □□□□. My\_NTP\_Policy □□ □□□ □□  
NTP □□(10.20.0.1)□ □□□□ Cisco Intersight API □□□ □□□□□?



- A. □□
- B. □□
- C. □□
- D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21



```
aci_epg:
  epg: "{{ item.epg }}"
loop:
  epg: "{{ epg1 }}"
  epg: "{{ epg2 }}"
  epg: "{{ epg3 }}"
```

- A.
- B.
- C.
- D.


Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 23**

Which of the following is a valid Cisco Intersight API endpoint for Cisco UCS? (Select two.)

The screenshot shows a configuration window for an API endpoint. The URL field is populated with "https://www.intersight.com/api/v1/". Below the URL field, there are two columns of buttons. The left column contains buttons for "asset", "UpgradeStatuses", and "GET". The right column contains buttons for "RunningFirmwares", "POST", and "firmware".

Answer:



**NEW QUESTION: 24**

□□□ □□:

```

from cobra.mit.access import MoDirectory
from cobra.mit.session import LoginSession
from cobra.model.pol import Uni
from cobra.model.fv import Tenant
from cobra.mit.request import ConfigRequest

uri = 'https://APIC_IP/'
user = 'APIC_USERNAME'
pw = 'APIC_PW'

ls = LoginSession(uri, user, pw)
md = MoDirectory(ls)
md.login()

topMo = Uni('')

c = ConfigRequest()
c.addMo(fvTenant)
md.commit(c)

md.logout()

```

□□□ □□: □□□ APIC □□□□□□ □ □□□□□ □□□ □ □□□□ Cobra SDK □ □□  
 Cisco□□ □ □□□□ □□□□ □□□.

□ □□□□ □□□□ □□□ □□□ □□ □□□□ □□□□ □□□?

- A. □□□ = □□□(topMo, name='Cisco')
- B. □□□ = NewTenant(□□='Cisco')
- C. □□□ - □□□(topMo, name-Cisco')

D. `ansible` = `ansible('Cisco')`

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

Which of the following Ansible playbooks will create a new tenant on an APIC? (Choose two.)

```
- name: Add a new tenant
  hosts: all
  tasks:
    - name: Create tenant
      aci_tenant:
        host: apic
        username: admin
        password: SomeSecretPassword
        description: MyCompany tenant
```

- |                                     |                                |
|-------------------------------------|--------------------------------|
| <code>Tenant_name: MyCompany</code> | <code>state: absent</code>     |
| <code>state: query</code>           | <code>tenant: MyCompany</code> |
| <code>aci_tenant:</code>            | <code>state: present</code>    |
| <code>state: create</code>          | <code>aci_tenant_name:</code>  |

Answer:

- name: Add a new tenant

aci\_tenant:

host: apic

username: admin

password: SomeSecretPassword

tenant: MyCompany

description: MyCompany tenant

state: present

Tenant\_name: MyCompany

state: absent

state: query

tenant: MyCompany

aci\_tenant:

state: present

state: create

aci\_tenant\_name:

- name: Add a new tenant

aci\_tenant:

host: apic

username: admin

password: SomeSecretPassword

tenant: MyCompany

description: MyCompany tenant

state: present

Tenant\_name: MyCompany

state: absent

state: query

tenant: MyCompany

aci\_tenant:

state: present

state: create

aci\_tenant\_name:

\* aci\_tenant

\* □□□ : □□□□□

\* □□: □□

### NEW QUESTION: 26

NX-API CLI JSON-RPC □□□□□□ □□□□ SVI□ □□□□ □ □□ Python □□□ □□ □

□□ □□□ □□□□□?

(2□□ □□□□□.)

```
requests.post(url, data=json.dumps(payload), headers={'content-type': 'application/json-rpc'}, auth=(username, password))
```

```
requests.post(url, data=json.dumps(payload), headers={'content-type': 'application/json'}, auth=(username, password))
```

```
payload = {  
    "jsonrpc": "2.0", "method": "cli_conf",  
    "params": {  
        "command": "conf t; interface vlan " + id,  
        "version": 1},  
    "id": 1  
}
```

```
payload = [  
    {  
        "jsonrpc": "2.0", "method": "cli",  
        "params": { "cmd": "conf t; interface vlan " + id, "version": 1},  
        "id": 1  
    },  
    {  
        "jsonrpc": "2.0", "method": "cli",  
        "params": { "cmd": "interface vlan " + id, "version": 1},  
        "id": 2  
    }  
]
```

```
payload = {  
    "jsonrpc": "2.0", "method": "cli_conf",  
    "params": { "cmd": "interface vlan " + id, "version": 1},  
    "id": 1  
}
```

- A.
- B.
- C.
- D.

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 27**

:

```
switch(config)# telemetry  
switch(config-telemetry)# sensor-group 100  
switch(config-tm-sensor)# path sys/intf/phys-[eth1/1] depth 0  
switch(config-tm-sensor)# destination-group 100  
switch(config-tm-dest)# ip address 1.2.3.4 port 50004  
switch(config-tm-sensor)# destination-group 200  
switch(config-tm-dest)# ip address 5.6.7.8 port 50001 protocol HTTP encoding JSON  
switch(config-tm-dest)# ip address 1.4.8.2 port 50003  
switch(config-tm-dest)# subscription 100  
switch(config-tm-sub)# snsr-grp 100 sample-interval 10000  
switch(config-tm-sub)# dst-grp 100  
switch(config-tm-sub)# dst-grp 200
```

10000 40000. 1000 1/10 1000 10000 10000 1000 1000 10000?  
10000?

- A. 10000 4000 10000
- B. 10000000 4000 10000
- C. 100000000000 4000 10000
- D. 100000000 4000 10000

Answer: C (LEAVE A REPLY)

**NEW QUESTION: 28**

Switch(config)# 1000 100 - 600 100 1800 100 100

Switch(config)# 1000 100 1000 1000 acl

1000 100000. 10000 10000 Cisco NX-OS 10000 1000 1000 100 1000 100 10000 100 100 100?


- A. 1800 1000 1000 1000 100 10000 ACL 10000 100000.
- B. 1000 1000 100 100 10000 ACL 100 10000 100000.
- C. ACL 10000 1800 1000 1000 1000 100 10000 100000.
- D. 1800 100 ACL 100000 1000 1000 100 10000 100 10000 100000.

Answer: C (LEAVE A REPLY)

"loginquiet-mode access-class acl "1000 1000 1000 100 1000 100 1000 1000 1000 1000 1000000 10000 100 10000. 1000 acl 100000 100000 100 10000 100 100 100 100000 cisco 10000 100000 1000000.

**NEW QUESTION: 29**

10000 1000 100 startup-config 1000 100 10000. 100 1000 10000 10000 100 Power-On Auto Provisioning 1000 1000 10000 10000 1000 1000 1000 10000. 100 1000 10000 100 10000.



Answer:



- C. DCNM REST API □□□□□ □□□□□ □□□□□.
- D. DCNM REST API □□□□□.
- E. DCNM XML □□ SOAP API □□□□□.

Answer: D ([LEAVE A REPLY](#))

300-635 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 300-635 □□!  
 DumpTop □ □□ 300-635 □□ □□□ □□□□□□, DumpTop 300-635 □□ □□□ □□□  
 □□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop 300-635 □□□  
 □□□□□. <https://www.dumptop.com/Cisco/300-635-dump.html> (76 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

**NEW QUESTION: 32**

□□□ □□□□□.

```

1 dnQuery = DnQuery('uni/tn-companyXYZ')
2 dnQuery.subtree = 'parent'
3 tenantMo = moDir.query(dnQuery)
4 defaultBDMo = tenantMo.BD['default']
  
```


□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□ □□□□□?

- A. 2□□ □□□□□.
- B. 2□□ □□□ □□□ □□□□□.
- C. 1□□□ dnQuery□ classQuery□ □□□□□.
- D. 2□□□ □□□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 33**

□□□ □□□□□.



ACI APIC □□ □ API GET □□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. API □□□ □□ □□□□□ □□□ □□□□□.
- B. API □□□ JSON□□ □□□□□□□.
- C. API □□□ XML□ □□□□□□□.
- D. API □□□ □□ □□□□ □□□ □□□□□.
- E. API □□□ APIC□□ □□□ 10G □□□□□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 34**

gRPC □□ □ □□ □□□□ □□ □□? (2□ □□)

- A. HTTPS □ □□ □□

- B. IETF □□□□□.
- C. SSH□ □□ □□
- D. IETF □□□□□.
- E. □□ □□ □□□□□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 35**

□□□ □□□□□.

```

1 dnQuery = DnQuery('uni/tn-companyXYZ')
2 dnQuery.subtree = 'parent'
3 tenantMo = modif.query(dnQuery)
4 defaultBDMo = tenantMo.BD['default']

```

□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□ □□□□□□?

- A. 2□□ □□□ □□□ □□□□□.
- B. 2□□□ □□□ □□□□ □□□□□.
- C. 1□□□ dnQuery□ classQuery□ □□□□□.
- D. 2□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 36**

□□□ □ □□

□□□ □□□ □□ Cisco Intersight API□□ Cisco UCS □□□ □□ □□□□ □□□□□ □□□ □□□□□. □□ □□□ □□□□ □□ □□□□.

□□ □ □□:

"https://intersight.com/api/v1  
 /  "

asset	RunningFirmwares
UpgradeStatuses	POST
GET	firmware

Answer:

```
GET "https://intersight.com/api/v1
firmware / RunningFirmwares "
```

```
asset RunningFirmwares
UpgradeStatuses POST
GET firmware
```



□□: □□□ □□ □□□□  
 □□/□□: <https://developer.cisco.com/codeexchange/github/repo/CiscoUcs/intersight-python/>

**NEW QUESTION: 37**

□□□□ □□:



□□□□ Cisco NX-OS □□□□ □□□□ Ansible □□□□ □ □ □□□□ □□□□ □□□□ □□□□  
 □. □□□□□□ □□ "msg"□ □□ □□□□□□□. "□□ □□ <urlopen □□ [Errno 61] □□□□ □□  
 □□□□□□.>\ 'status\* -1 " url" "http://192.168.251.129:80/ins" □ □□□ □□□□ Cisco NX-OS  
 □□ □□□ □□□□□□?

- A. □□□□□ mgmt0; ip □□□ □□ allow\_http\_traffic in
- B. nxapi □□
- C. □□ http
- D. http-□□ □□□□

**Answer: A (LEAVE A REPLY)**

NEW QUESTION: 38

□□□ □□□□□.

```
def add_tenant():
    token = apic_login.aaaLogin()
    for tenant in range (1,10):
        try:
            response = requests.post(
                url=constant.APIC_URL + "/api/node/mo/uni/tn-exam%s.json" % (tenant),
                headers={
                    "Cookie": "APIC-cookie=" + token,
                    "Content-Type": "application/json; charset=utf-8",
                },
                data=json.dumps({
                    "fvTenant": {
                        "attributes": {
                            "status": "created",
                            "dn": "uni/tn-exam%s" % (tenant),
                            "name": "exam%s" % (tenant),
                            "rn": "tn-exam%s" % (tenant)
                        },
                        "children": [
                        ]
                    }
                })
            )
            print('Response HTTP Status Code: {status_code}'.format(
                status_code=response.status_code))
            print('Response HTTP Response Body: {content}'.format(
                content=response.content))
        except requests.exceptions.RequestException:
            print('HTTP Request failed')
    add_tenant()
```



krdump.com

□ ACI □□□□□ □□□ □ □ □□□□□ □□□ □□ □□□ □□□□□?

A. 10□□ □□□ □□□ □ □□□□□.

B. 9□□ □□□ □□□□□.

C. □□□ □□□□□□.

D. 10□□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□: □□□□ □□ □□□ □□ □□□□

**NEW QUESTION: 39**

□□□□ Cisco CUCM(Unified Communications Manager)□ Cisco VCS □□□□ □□ □□□ SIP □□□□ □□□□. Cisco VCS□ □□□ Cisco TelePresence System EX60□□ CUCM□ □□□□ Cisco IP Phone 9971□ □□□ □□ □□ □□□□. □□□ □□□ □□□ □□ □ □□□□ □□□□. □ □□□ □□□□□ □□□ □□□□ □□□□?

- A. SIP □□□ □□.
- B. SIP □□□□ □□ □□□□□.
- C. Cisco VCS□ CUCM □□□□□.
- D. SIP □□□ □ □□ □□ □□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

□□ □□ □□ □□□ □□□ □□□□□?

- A. □□□□□□ □□□□□ □□□□ □□□□□.
- B. □□□□□□ □□□□ □□□□□□□.
- C. □□□□□□ □□□□ □□□□□ □□□□□
- D. □□□□□ □□□□ □□□□ □□□□□

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

□□□ □□□ □□ □ □□□□ □□□□ Ansible □□□□□ □□□□□. □□ □□□ □□□□□ □□ □□□□.

- name: Add a new tenant

host: apic  
 username: admin  
 password: SomeSecretPassword

description: MyCompany tenant

Tenant\_name: MyCompany

state: absent

state: query

tenant: MyCompany

aci\_tenant:

state: present

state: create

aci\_tenant\_name:

Answer:

- name: Add a new tenant

Tenant\_name: MyCompany

host: apic  
 username: admin  
 password: SomeSecretPassword

tenant: MyCompany

description: MyCompany tenant

aci\_tenant\_name:

Tenant\_name: MyCompany

state: absent

state: query

tenant: MyCompany

aci\_tenant:

state: present

state: create

aci\_tenant\_name:

**NEW QUESTION: 42**

□□ □□□ □□ CUCM □□ □□□□ 8851 □□□ □ 8851 □□ □□□□ □□□□□. □□□□  
 □□□□ Cisco 8841□ □□□□□□ □□ □□ □□□□ □□□□□□?

A. 8841 □□ □□ □□□

B. □□ □□ □□□













- name: Add a new AP

aci\_ap:

host: apic

username: admin

password: SomeSecretPassword

tenant: MyCompany

ap: DbApp

description: default ap

state: present

tenant\_name: MyCompany

app\_name: DbApp

ap: DbApp

state: present

application\_name: DbApp

aci\_ap:

tenant: MyCompany

state: query

□□: □□□□ □□ □□□ □□ □□□□

□□/□□:

[https://docs.ansible.com/ansible/latest/modules/aci\\_ap\\_module.html](https://docs.ansible.com/ansible/latest/modules/aci_ap_module.html)

### NEW QUESTION: 56

□□□ □□:

```
switch#
switch#
switch#
switch# run bash
      ^
% Invalid command at '^' marker.
switch#
switch#
```

□□□ □□□□□. □ □□□ □□□□□ Cisco NX-OS □□□□ □□ □□ □□ □□□ □□□

□ □□□?



Answer Area

ETR	receives packets from site-facing interfaces
ITR	receives packets from core-facing interfaces
PETR	provides connectivity between non-LISP sites and LISP sites by advertising coarse-aggregate prefixes for the LISP EID namespace into the RLOC namespace and forwarding this non-LISP traffic to LISP sites
PITR	allows IPv6 LISP sites without native IPv6 RLOC connectivity to reach LISP sites that have only IPv6 RLOC connectivity

Answer:

Answer Area


	ITR
	ETR
	PITR
	PETR

□□:

□□: [https://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/nx-os/lisp/configuration/guide/b\\_NX-OS\\_LISP\\_Configuration\\_Guide/b\\_NX-OS\\_LISP\\_Configuration\\_Guide\\_chapter\\_01.html](https://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/nx-os/lisp/configuration/guide/b_NX-OS_LISP_Configuration_Guide/b_NX-OS_LISP_Configuration_Guide_chapter_01.html)

NEW QUESTION: 59

□□□ □□:



Which two commands can be used to retrieve the Dn paths of the blades in the chassis? (2 correct answers)

- A. Get-UcsBlade | `show Dn`
- B. Get-UcsSystems | `show Dn`
- C. Get-Ucs | `show Dn`
- D. Get-UcsRackUnit | `show Dn`
- E. Get-UcsRackSystems | `show Dn`

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 60**

Which two commands can be used to retrieve the Dn paths of the blades in the chassis? (2 correct answers)

- A. `show Dn` | `show Dn`
- B. `show Dn` | `show Dn`
- C. `show Dn` | `show Dn`
- D. `show Dn` | `show Dn`

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 61**

Which two commands can be used to retrieve the Dn paths of the blades in the chassis? (2 correct answers)



Special Discount: **KrDump**)

**NEW QUESTION: 62**

□□□ "WEST15"□ □□ □□ □□□□ "WEST15" □□□□ "LXT14"□ □□□□□ □□□. □□ □□ □□ □□□ "Vmhost-west 15-01"□ "VMHOST-LXT 14-01"□ □□□□ □□□. Python □□ □□□□ Cisco Intersight REST API□ □□□□ □□□ □□□□□□ □□ API □□□ □□□ □□ □□□ "WEST 15" □□□□ □□ □□ □□□□ □□□□ □ □□□□ □ □□ GET API □ □□ □□□□□? "sp\_name" □□□ □□□ □□ □□□□ □□□ □□□□ □□□ □□□□□. (2□□ □□□□□.)

- A. ('WEST15')□□ [https://intersight.com/api/v1/server/Profiles?\\$select=Name&filter=Name](https://intersight.com/api/v1/server/Profiles?$select=Name&filter=Name) □□ □□
- B. GET [https://intersight.com/api/v1/server/Profiles?\\$select=Name&\\$filter=startswith\(□□, 'WEST15'\)](https://intersight.com/api/v1/server/Profiles?$select=Name&$filter=startswith(□□, 'WEST15'))
- C. GET [https://intersight.com/api/v1/server/Profiles?\\$select=Namefilter=contains\(□□, 'WEST15'\)](https://intersight.com/api/v1/server/Profiles?$select=Namefilter=contains(□□, 'WEST15'))
- D. BODY = {"□□": sp\_name.format('WEST15','LXT14')}
- E. BODY = {" □□": sp\_name.replace('WEST15','LXT14')}

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 63**

□□□ "WEST15"□ □□ □□ □□□□ "WEST15" □□□□ " LXT14"□ □□□□□ □□□. □ □□ □□ □□□ "Vmhost-west 15-01"□ "VMHOST-LXT 14-01"□ □□□□ □□□. Python □ □□□□□ Cisco Intersight REST API□ □□□□ □□□ □□□□□□ □□ API □□□ □□□ □□□ □□□ "WEST 15" □□□□ □□ □□ □□□□ □□□□ □ □□□□ □ □□ GET API □□□ □□□□□? "sp\_name" □□□ □□□ □□ □□□□ □□□ □□□□ □□□ □□□□ □. (2□□ □□□□□.)

- A. [https://infrsight.com/apiAv1/servirtProfiles?\\$select=Name&filter=□□\('WEST15'\)](https://infrsight.com/apiAv1/servirtProfiles?$select=Name&filter=□□('WEST15')) □□□□
- B. BODY = {" □□": sp\_name.replace(WEST15','LXT14')}
- C. [https://infrsight.com/apiAv1/servirtProfiles?\\$select=Name&filter=contains □□□□\(□□, 'WEST15'\)](https://infrsight.com/apiAv1/servirtProfiles?$select=Name&filter=contains □□□□(□□, 'WEST15'))
- D. BODY = {"□□": sp\_name.format('WEST15','LXT14')}
- E. GET [https://intersight.com/api/v1server/Profiles?\\$select=Name&\\$filter=startswith\(□□, 'WEST15'\)](https://intersight.com/api/v1server/Profiles?$select=Name&$filter=startswith(□□, 'WEST15'))

Answer: E ([LEAVE A REPLY](#))

**NEW QUESTION: 64**

Cisco Nexus □□□ □□□□□□ □□□□□ □□ □□□ □□□ □□□□□ EEM Python □□ □ □□□□ □□□□□ □□□ □□□ □□□□□ □□□. □□□□□ □□□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□.

event syslog pattern "IF_UP"	step 1
exit	step 2
event manager applet link monitor	step 3
conf t	step 4
action 1 cli command "source cdp_description.py"	step 5

**Answer:**

event syslog pattern "IF_UP"	conf t
exit	event manager applet link monitor
event manager applet link monitor	event syslog pattern "IF_UP"
conf t	action 1 cli command "source cdp_description.py"
action 1 cli command "source cdp_description.py"	exit

□□:

conf

□□□ □□□ □□□ □□ □□□

□□□ □□□ □□ □□ "IF\_UP"

□□ 1 cli □□ "□□ cdp\_description.py"

□□

□□:

<https://www.slideshare.net/CiscoDevNet/automating-with-nxos-lets-get-started>

**NEW QUESTION: 65**

□□□ □□□□□.





D. fvTenant = `fvTenant('Cisco')`

Answer: ([SHOW ANSWER](#))

`fvTenant: fvTenant('Cisco')`

**NEW QUESTION: 68**

Which of the following Ansible playbooks is correct for querying EPGs from an ACI fabric?



- A.
- B.
- C.
- D.

Answer: (SHOW ANSWER)

NEW QUESTION: 69

Which of the following is the correct order of objects to be created in Cisco ACI?

A. Tenant, VRF, Bridge Domain, Subnet, EPG, AppProfile

B. Tenant, VRF, Subnet, Bridge Domain, EPG, AppProfile

C. Tenant, VRF, EPG, Subnet, Bridge Domain, AppProfile

D. Tenant, VRF, Subnet, EPG, AppProfile, Bridge Domain

Answer: (SHOW ANSWER)

Correct Answer: C

Explanation: In Cisco ACI, the objects are created in the following order: Tenant, VRF, EPG, Subnet, Bridge Domain, and AppProfile.

NEW QUESTION: 70

Which of the following is the correct order of objects to be created in Cisco ACI?

```

from acitoolkit.acitoolkit import (
    AppProfile, BridgeDomain, Context,
    EPG, Session, Subnet, Tenant
)

def create_tenant():
    session = Session(
        "https://apic", "admin", "cisco123"
    )
    session.login()
    my_tenant = Tenant("DevNet_Tenant")
    my_vrf = Context("DevNet_VRF", my_tenant)
    my_bd = BridgeDomain("DevNet_BD", my_tenant)
    my_bd.add_context(my_vrf)
    my_subnet = Subnet("DevNet_Subnet", my_bd)
    my_subnet.set_scope("public")
    my_subnet.set_addr("10.10.10.1/24")
    my_app = AppProfile("DevNet_App", my_tenant)
    my_epg = EPG("DevNet_EPG", my_app)
    my_epg.add_bd(my_bd)
    session.push_to_apic()
    my_tenant.get_url()
    my_tenant.get_session()

if __name__ == "__main__":
    create_tenant()

```

Which of the following is the correct order of objects to be created in Cisco ACI? (2 marks) ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" Bridge Domain "DevNet\_BD" EPG "DevNet\_EPG" AppProfile "DevNet\_App" Subnet "DevNet\_Subnet".

A. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" Bridge Domain "DevNet\_BD" EPG "DevNet\_EPG" AppProfile "DevNet\_App" Subnet "DevNet\_Subnet".

B. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" EPG "DevNet\_EPG" Bridge Domain "DevNet\_BD" AppProfile "DevNet\_App" Subnet "DevNet\_Subnet".

C. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" Bridge Domain "DevNet\_BD" EPG "DevNet\_EPG" AppProfile "DevNet\_App" Subnet "DevNet\_Subnet".

D. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" EPG "DevNet\_EPG" AppProfile "DevNet\_App" Subnet "DevNet\_Subnet".

E. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" Subnet "DevNet\_Subnet" Bridge Domain "DevNet\_BD" EPG "DevNet\_EPG" AppProfile "DevNet\_App".

F. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" Subnet "DevNet\_Subnet" EPG "DevNet\_EPG" AppProfile "DevNet\_App" Bridge Domain "DevNet\_BD".

G. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" EPG "DevNet\_EPG" Subnet "DevNet\_Subnet" AppProfile "DevNet\_App" Bridge Domain "DevNet\_BD".

H. ACI Tenant "DevNet\_Tenant" VRF "DevNet\_VRF" AppProfile "DevNet\_App" EPG "DevNet\_EPG" Bridge Domain "DevNet\_BD" Subnet "DevNet\_Subnet".

