

□□

<https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus5000/sw/command/reference/security/n5k-sec-c> □□ □□□□□□ □□□ □□□□□□. □□□ □□ □□ □□□□□ □□ □□□ □□□ □□□□ □□□□ □□□ □ □□□□. □□ □□□ □□□□ "file" □□□□ □□□□ □□□□.

NEW QUESTION: 4

□□□□ □□□□□ Cisco UCS □□□ □□□□ □□□□□□ □□□□□ □□□ □□□□□. □□□□ □□□□□ □□□ □□□□ □□□ □□□□ □□□□ □□□□□. □□□□ Cisco UCS □□□ □□ □□ □□ □□□□□ □□□. □□ □□□□ □□ □□□□ □□□□ Cisco UCS C-Series □ □□□ □□□□ □□□. □□ □□□ □□□ □□ □□□ □□□□□?

- A. □□□
- B. Python □□□□
- C. □□□ DCNM
- D. Bash □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

□□□ □□□□□□. □□ □□□ 10.10.10.10□ □□□□ □□□□□ □□ 239.1.1.1□ □□□□ □□□□. vPC □□□□ □□□□□ □□□□ □□□ □□□□□□? A. □□□□□ □□□□ Po10 Switch1□□ □□□□ □□□□ Po1 □ Po20□□ □□□□□. B. □□□□□ □□□□ Po11 Switch2□□ □□□□ □□□□ Po20□□□□ □□□□□. C. □□□ 1□□ vPC □□ □□□ □□ □□□□□ □□□□ □□□□ □□□□ □□□□□. D. Po11 Switch2□□ □□□□□ □□□□ □□□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#)) <https://www.cisco.com/c/en/us/support/docs/ip/multicast/214140-multicast-forwarding-in-vpc-based-on-loc.html#anc8>

NEW QUESTION: 6

□□□ □□□ □□□□ NAS □□□□□ □□□ □□□□. □□ □□□ □ □ □□ □□□□□.

Answer:

NEW QUESTION: 7

□□□ □□□□□. □□□□□ □□□□□□□ VSAN□ □□□□ □□□□. VSAN□ □□□□□ □□ □□□ □□□□ □□□? A. □□□ B B. FC □□ □□□□ C. □□ A D. □□/□□

Answer: C ([LEAVE A REPLY](#)) https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/nx-os/configuration/guides/fabric/fabric_fm_4_2_published/fm_fabric/vsan.html https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-central/GUI-User-Guides/Storage-Mgmt/1-5/b_CiscoUCSCentral_Storage_Management_Guide_1-5/b_CiscoUCSCentral_Storage_Management5_Guide_1-5/b_CiscoUCSCentral_Storage_Management_Guide PDF

NEW QUESTION: 8

Which is correct?

Cisco NX-API Python can be used to retrieve configuration from a switch?

- A. JSON NX-API can be used to retrieve configuration from a switch.
- B. "cli" can be used to retrieve configuration from a switch.
- C. NX-API can be used to retrieve configuration from a switch.
- D. cli can be used to retrieve configuration from a switch.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

Which of the following is a valid OTV configuration command?

- A) ip address
 - B) ip address
 - C) ip address
 - D) ip address
- A. ip address
- B. ip address
- C. ip address
- D. ip address

Answer: C (LEAVE A REPLY)

NEW QUESTION: 10

Which of the following is a valid Nexus CLI command to retrieve configuration from a switch? (2 correct answers)

- A. NX-OS JSON-RPC
- B. NX-API
- C. NX-OS
- D. NX-OS

Answer: B (LEAVE A REPLY)

Which of the following is a valid Nexus CLI command to retrieve configuration from a switch?

https://developer.cisco.com/docs/nx-os/#!/nx-api-cli-developer-sandbox

NEW QUESTION: 11

FCoE can be used to connect a switch to a switch. Which of the following is a valid FCoE configuration command? (2 correct answers)

- A. FCoE can be used to connect a switch to a switch.
- B. FCoE can be used to connect a switch to a switch.
- C. PAUSE can be used to connect a switch to a switch.
- D. PAUSE can be used to connect a switch to a switch.
- E. FCoE can be used to connect a switch to a switch.

Answer: A,B (LEAVE A REPLY)

□□□□ Cisco Nexus 9500 □□□ □□□□ □□□□□□□ □□□. □□ □□□ □□ □□□ □□ □□□ □□□□□□ □□□□. □□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□ □□ □□□□□□□ □□ □□□□ □□□ □□□□□(□□□). □□ □□ □□□ □□□□ □□ □□□□.

Answer:

NEW QUESTION: 16

□□□□ □□□□ 10.0.0.0/8 □□□□□ □□ IP □□□ ping□□ □□□□□ □□□□□ □□□.

□□□□ Cisco Nexus □□□□ ARP □□□□ □□ □□□□. bash □□□ □□□ □□ □□□ □□□ □□□□□. □□ □□□ □□□□ □□ □□□□.

Answer:

□□

□□□ □□□ □□□□□, □□□, □□□□□□□ □□□ □□□□ □□□

350-601 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-601 □□! DumpTop □ □□ **350-601** □□ □□□ □□□□□□□, DumpTop 350-601 □□ □□□ □□□□□□□□□ □□□ □□□□□□□ □.

□□□□ □□□ □□□□ □□ DumpTop 350-601 □□□ □□□□□□. <https://www.dumptop.com/Cisco/350-601-dump.html> (307 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□ □ Cisco IMC □□□□□□ □□□□ □ □□□□ □□ □□□ □□□□□?

A. □□□ □□□ □□

B. □□□□□□ □□□ □□

C. BIOS □□□□□ □□

D. Cisco IMC □□□□□ □□

Answer: A (LEAVE A REPLY)

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/CLI-User-Guides/Firmware-Mgmt/4-0/b_UCSM_CLI_Firmware_Management_Guide_4-0/b_UCSM_CLI_Firmware_Management0.Guide_Firmware_Management_Guide.html# □□□ □□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □ □□□ □.

□□□ □□□ □□□□ □□ □□ □□ □□□ □□□□□□ □□□ □□□□ □□□□ □□□□□. □ □ □□□ □□□□ □□□ □□□ □□□ □□□ □□ □□□□□□□□□.

NEW QUESTION: 18

□□ □□□□□ □□□ 2□□ I/O □□□ □□ Cisco Nexus 7000 □□□ □□□□□ ISSU□ □□□□ □ □□□ □□□ □□□ □□□ □□□□□?

A. □□ epfd bootflash □□:<□□□>

B. □□ □□□□ <□□□>□□□<□□□>□□ □□

C. □□ epfd bootflash □□:<□□□>

D. □□ □□□□<□□□>□□□<□□□> □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

□□□ □□□□□.

vPC □□□□□□ □□□ □ □□ VLAN□ □□□□□?

A. 100-103

B. 100-102

C. 100-104
D. 100-105
Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which two statements are true regarding vPC keepalive? (Choose two.)
vPC keepalive is supported between Cisco Nexus 3000 and 7000 series switches. vPC keepalive is supported between vPC peers with IP addresses in the same subnet.

- A. 192.168.254.4
 - B. 239.255.70.83
 - C. 192.168.254.1
 - D. 192.168.254.2
- Answer: A ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus3000/sw/interfaces/92x/b-cisco-nexus-3000-nx-os-interfaces-configuration-guide-92x/b-cisco-nexus-3000-nx-os-interfaces-configuration-guide-92x_chapter_0110.html

NEW QUESTION: 21

Which two statements are true regarding EPLD? (Choose two.)
A. EPLD is supported in Cisco DCNM GUI.
B. EPLD is supported on Cisco MDS NX-OS.
C. EPLD is supported on Cisco MDS NX-OS.
D. EPLD is supported on Cisco MDS NX-OS.

Answer: ([SHOW ANSWER](#))

Which two statements are true regarding EPLD? (Choose two.)
https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/6_2/release/notes/epld/epld_rn.htm

NEW QUESTION: 22

Which two statements are true regarding NX-API? (Choose two.)
A. NX-API is supported on Cisco NX-OS.
B. NX-API is supported on Cisco NX-OS.
C. NX-API is supported on Cisco NX-OS.
D. JSON is supported on NX-API.

Answer: ([SHOW ANSWER](#))

Which two statements are true regarding NX-API? (Choose two.)
A. NX-API is supported on Cisco NX-OS.
B. NX-API is supported on Cisco NX-OS.
C. NX-API is supported on Cisco NX-OS.
D. JSON is supported on NX-API.

```
"ins_api": {
  "□□": "1.0",
  "□□": "cli_conf",
  "□□□": "0",
  "□□": "1",
  "□□": "□□□ □□ ; hsrp □□",
  "□□ □□": "json"
}
}
200□□ □□□ □□□□.
{
  "ins_api": {
    "□□": "eoc",
    "□□": "cli_conf",
    "□□": "1.0",
    "□□": {
      "□□": [
        {
          "□□": "200",
          "msg": "□□",
          "□□": {}
        },
        {
          "□□": "200",
          "msg": "□□",
          "□□": {}
        }
      ]
    }
  }
}
CLI □□:
nxos9kv# □ □□ | Inc hsrp
□□ hsrp
```

NEW QUESTION: 23

□□□ □□□□□□.

□□□□□ Cisco MDS 9700 □□□ □□□□□ □□□□ □□□□□ Cisco Nexus 5672UP □□□□ □□□□ □□□□. □□□ □□□□□ □□ □□ □□□ □□□□ □□□?

A. □□ C

B. □□ D

C. ☐ B

D. ☐ A

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which two commands are required to configure a Cisco MDS 9000 switch to support a Fibre Channel SAN? (Choose two.)

(2 correct answers.)

A. ☐ `switchport mode fc`

B. ☐ `switchport mode ether`

C. ☐ `switchport mode trunk`

D. ☐ `switchport mode access`

E. ☐ `switchport mode dot1q`

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which two commands are required to configure a Cisco Nexus 5500 switch to support a Fibre Channel SAN? (Choose two.)

Answer:

☐ `switchport mode fc`

☐ `switchport mode ether`

☐ `switchport mode trunk`

☐ `switchport mode access`

☐ `switchport mode dot1q`

☐ `switchport mode access`

☐ `switchport mode dot1q`

NEW QUESTION: 26

Which two commands are required to configure a Cisco UCS Manager to support a Fibre Channel SAN? (Choose two.)

A. ☐ `switchport mode fc`

B. ☐ `switchport mode ether`

C. ☐ `switchport mode trunk`

D. ☐ `switchport mode access`

Answer: C ([LEAVE A REPLY](#))

Which two commands are required to configure a Cisco Nexus 5500 switch to support a Fibre Channel SAN? (Choose two.)

https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/gui/config/guide/141/UCSM_GUI_Configuration_Guide_141_chapter43.html#concept_D789E16C90724AEFB99D565574E45AD5

NEW QUESTION: 27

Which two commands are required to configure a Cisco Nexus 9000 switch to support a Fibre Channel SAN? (Choose two.)

☐ `switchport mode fc`

□□□ □□□ □□□ □□ 1800 □□ □□□

□□□ cli □□ "□□ □□ □□ □□ □□"

□ □□□ □□□ □□□ □□□□□?

A. □□□ □□□ □□ □□□ □□□ □□□□□.

B. □□ □□ □□□ 1800□□□ □□□□□.

C. running-config startup-config □□ □□□ □□□□□.

D. copy running-config startup-config □□□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/93x/system-management/b-cisco-nexus-9000-series-nx-os-system-management-configuration-guide-93x/b-cisco-nexus-9000-series-nx-os-system-management-configuration-guide-93x_chapter_0100010.html

NEW QUESTION: 28

□□□□□ Cisco UCS Manager□□ SAN □□□ □□□□ □□□. □□ □□□ □□□□ □□□□ WWPN□ □□□□ □□□ □□□ □□ □□□□□□ □□ □□□□ □□□□ □□□□. □□□□□ vHBA □□□□ □□ □□□□ □□ □ □□□□ □□□□ □□□. □□□□ □□□□ □ □□□□ □□ □ □□ Cisco UCS □□□ □□□□□? (2□□ □□□□□.)

A. vHBA □□

B. □□□ □□ □□□ □□

C. □□ □□

D. □□□□ □□ □□

E. SAN □□ □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□□ □□□□□.

□□□□ □□□□□ SSH□ □□ Cisco MDS 9000 □□□ □□□□ □□ □□□□□ □□□. □□□□ □□□□□ RADIUS □□□ □□□ □ □□ □ □□ □□□ □□□□□□□ □□□□ □□ □□□□ □□□□ □ □□. □□□ □□ □□□ □□□□ □□□ □□□□□?

A. aaa □□ □□

B. aaa □□ □□□ □□ □□ □□

C. aaa □□ □□□ □□ □□ □□

D. aaa □□ □□□ □□ □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/6_2/configuration/guides/security/nx-os/sec_cli_6-x/cradtac1.html

NEW QUESTION: 30

□□□ □□□□□.

□□□ □□□□□. □□□□□ AAA □□□ □□□□ Cisco Nexus 9000 □□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□. RADIUS □□□ □□□□ □□□ □□□ 2 □□□□□ □□□ □□□ □□□□□ □□□□ □□□ □□□. □□□□ □□ □□ □□□ □□ □□□□ □ □□□ □□□.

□□□ □□ □□□□□□ RADIUS □□ 1□ □□□□ □□□.

SSH□ □□ □□□□□□ RADIUS □□ 2□ □□□□ □□□.

□□ □ □□ □□□ □□□ □□ □□□ □□□□□?

A. □□ □□□□ □□□□ □□ RAD1 □ RAD2□ □□ □□ □□□ □□□□□□.

B. RADIUS ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ RAD1 ☐ ☐ mgmt0 ☐ ☐ ☐ ☐ ☐ ☐ RAD2 ☐ ☐ VLAN 22 ☐ ☐ ☐ ☐.

C. □□□ □□ RAD1□ □□ □□□□ □□ RAD2□ □□□□□ □□ □□□□ □□□□□.

D. RAD1 □ RAD2□ □□ □□□□ 1□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

☐ Cisco Nexus 9000 ☐☐☐☐☐☐☐ EEM☐☐☐☐☐☐☐☐☐☐ Backup-config event timer watchdog time 1800 name timer event cli match "copy running-config startup-config ☐☐☐☐☐☐

A. ☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐☐.

B. running-config startup-config □□ □□□ □□□□□.

C. copy running-config startup-config ☐☐☐ ☐☐☐☐.

D. □□ □□ □□□ 1800□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

350-601    DumpTop   350-601 ! DumpTop   **350-601**    , DumpTop 350-601      

.    DumpTop 350-601  . <https://www.dumptop.com/Cisco/350-601-dump.html> (**307** Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

□ □ □ □ □ □ □ □ □ □ .

□□□ □□□ □□ □ Cisco UCS □□ □□□ □□□□□□□□□? (2□□ □□□□□.)

A. IOM

B. Cisco UCS ☐☐☐

C. ☐☐ ☐☐☐☐

D. ☐ ☐ ☐

E. BIOS

Answer: A,C (LEAVE A REPLY)

□ □ : □ □

NEW QUESTION: 33

Cisco Nexus 7000 □□□ □□□□ VXLAN□ □□□□ □□□□□ □□□ 7/30□ □□□ □□□□□□□□. VLAN 50□ □□□□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□□□?

□□□□□ □□□7/30

□ □ □ □ □ □ □

□ □ □ □ □

□□□ □□□□ 1 vni

□ □ □ □ □

A. ☐☐☐ ☐☐☐ vni VSI_50_TO_500

dot1q 500 vni 50

□□□ □□□ 500

□□ vni 50

□□□□□ Bdi500
 jp □□ 10.50.50.51/24
B. □□□ □□□ vni VSI_50_TO_500
 dot1q 500 vni 50
 □□□ □□□ 500
 □□ vni 50
 □□□□□ Vlan500
 IP □□ 10.50.50.51/24
C. □□□ □□□ vni VSI_50_TO_500
 dot1q 50 vni 500□□□ □□□ 50
 □□ vni 500
 □□□□□ Bdi50
 IP □□ 10.50.50.51/24
D. □□□ □□□ vni VSI_50_TO_500
 dot1q 50 vni 500
 □□□ □□□ 50
 □□ vni 500
 □□□□□ Vlan50
 IP □□ 10.50.50.51/24

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□□ □□□□□.
 □ □□□ □□□ □□□ □□□□□?
A. TACACS+ □□□ □□ 6 □□□ □□□ □□□□□.
B. □□□□ □□ □□□ PAP □□□□ □□□□ TACACS+ □□□ □□□□□.
C. TACACS+ □□□ □□□□ □□ 10□□□□□.
D. □□□□ □□□□ □□□ PAP □□□□ □□□□ TACACS+ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□
<https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/93x/security/configuration/guide/b-cis> □□ "□□□□"□ □□□ □□□ □ □□□□□. □.

NEW QUESTION: 35

NFS□ □□□ □□□□□ □□ □□□ □□ □□ □□□ □□□□□?
A. SSC
B. XDR
C. □□
D. □□□□

Answer: (SHOW ANSWER)

<https://www-uxsup.csx.cam.ac.uk/pub/doc/redhat/WS2.1/rhl-rg-en-7.2/ch-nfs.html>

NEW QUESTION: 36

Which two statements are true?

ERSPAN can be configured on a switch interface.

- A. ERSPAN can be configured on a switch interface.
- B. ERSPAN can be configured on a switch interface.
- C. B can be configured on a switch interface.
- D. A can be configured on a switch interface.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 37

Which two statements are true? Cisco UCS Manager can be accessed via HTTPS. Cisco UCS Manager can be accessed via HTTP. Cisco UCS Manager can be accessed via SSH. Cisco UCS Manager can be accessed via Telnet.

- A. Cisco UCS Manager can be accessed via HTTPS.
- B. Cisco can be accessed via HTTP.
- C. can be accessed via SSH.
- D. can be accessed via Telnet.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 38

Which two statements are true?

Cisco MDS 9000 can be configured to support FCIP. Cisco MDS 9000 can be configured to support iSCSI.

- A. Cisco MDS 9000 can be configured to support FCIP.
- B. Cisco MDS 9000 can be configured to support iSCSI.
- C. Mode2 can be configured to support FCIP.
- D. Mode2 can be configured to support iSCSI.

Answer: (SHOW ANSWER)

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/8_x/config/ip_services/ipsvc/cfcip.html

NEW QUESTION: 39

Which two statements are true? OTV can be configured on a switch interface. OTV can be configured on a switch interface.

- A.
- B.
- C.
- D.

Answer: B (LEAVE A REPLY)

:

NEW QUESTION: 40

□□□ □□□□□.

□□□ □□□ □□□ □□ □□?

A. PIM □□ □□□□ □□ □□□□□.

B. □□□□□ □□□ □□□□ □□ □□□□□□□.

C. PIM □□□□□□□ □□□□□.

D. MRIB□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

EPG □□□□□□ □□□□ EPG □□ □ □□□ □□□□□ □□□□. □□ □□□ □□□ EPG □□□□□□ EPG □ □□ □□□□ □□□□□□ TCP □□ □□ 80□ □□□□ □ □□□ □□ □□□ TCP □□□ □□□□□.

□□ □□ □□□□?

A. EPG □□□□□□ □□□□ EPG □□ □ □□□□ TCP □□ □□ 80□ □□□ □ □□□□. □ □□□ TCP □□ □□ 80□ □□□□ □□□ □□□ □□ □□□ TCP □□□ □□□ □ □□□□.

B. EPG □□ □□ □□ □□□□ □□ EPG □□□□□□ □□□□ EPG □□ □ □□□ □□□□ □□ □ □□ EPG □□□□□□ EPG □ □□ □□□ □□□□ □□□□.

C. vzAny□ "□□ □□" □□□ □□□□ □□□□□ □□□ □□ EPG □□□□□□ EPG □ □□ □□□□ □ □□ □□□□ □□□□.

D. EPG □□□□□□ □□□□ EPG □□ □ □□□□ TCP □□ □□ 80□ □□□ □ □□□□. □ □□□ TCP □□ □□□ 80□ □□□ □□□ □□ □□□ TCP □□□ □□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

□□□ □□□□□. □□□□□ □□ □□ □□□ □□ □□□ □□□□□. □□□□□ □□□ □□□□□ □□□□ □□□ □□□□□ □ □ □□ □□ □□□□ □□□□ □□□.

1/1. □□□ □□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□?

A. □□ D

B. □□ B

C. □□ C

D. □□ A

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

□□□□ □□□□□ □□□ □□□□ □□□(CNA)□ □□□□ □□ □□□ □□ 7 □□□□□□ VSAN 7□ □□□□ □□□. □□□□□ Eth1/7 □ VLAN 700□ □□□ CAN□ VSNA□ □□□□□.

□□ □□□ □□ □□□□□□ □□□□ □□□ □□□ □□□□□□ □□□□□ □□ □□□ □□□□ □□□?

A.

B.

C.

D.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

□□□□□ Cisco NX-OS Data Management Engine □□□ □□□□ □□□ □□□ □□□ □□□□ □□ Cisco NX-OS □□□□ □□□ □□□□□ □□□ □□□□□. □ □□□ □□□□□ □□ □□□ □□□□ □ □□?

A. NX-API REST

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/7-x/programmability/guide/b_Cisco_Nexus_9000_Series_NX-OS_Programmability_Guide_7x/b_Cisco_Nexus_9000_Series_NXOS

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus5000/sw/fcoe/513_n1_1/b_Cisco_n5k_fcoe_co

https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/gui/config/guide/141/UCSM_GUI_Configuration_Guide_141_chapter43.html#concept_D789E16C90724AEFB99D565574E45AD5

350-601 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ 350-601 ☐☐! DumpTop ☐ ☐☐ **350-601** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop 350-601 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐
☐. ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop 350-601 ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Cisco/350-601-dump.html> (**307 Q&As Dumps**, **30%OFF Special Discount: KrDump**)

A. ☐☐☐ ☐☐

- B. 100 100
- C. 1000 100
- D. 100 100

Answer: A (LEAVE A REPLY)

100

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/cli/config/guide/1-0-2/b_CLI_Config_Guide_

NEW QUESTION: 48

Which of the following is a cloud-based operating system (OS)?

- A. PaaS
- B. MaaS
- C. IaaS
- D. SaaS

Answer: C (LEAVE A REPLY)

Which of the following is a cloud-based operating system (OS)? IaaS = Infrastructure as a Service - OS, storage, network, and other infrastructure. SaaS = SaaS(Software as a Service) - applications and services. PaaS = Platform as a Service - provides a platform for developers to build and deploy applications.

NEW QUESTION: 49

Which of the following is a Cisco network architecture?

- A. Cisco SD-WAN
- B. Cisco SD-WAN
- C. Cisco ACI
- D. Cisco UCS

Answer: B (LEAVE A REPLY)

SD-WAN

NEW QUESTION: 50

Which of the following is a Cisco network architecture?

Which of the following is a Cisco network architecture?

- A. PIM
- B. MRIB
- C. MRIB
- D. PIM

Answer: (SHOW ANSWER)

NEW QUESTION: 51

Which of the following is a Cisco network architecture?

Which of the following is a Cisco network architecture?

- A. IP

B. ☐ ☐ ☐ ☐ ☐ ☐

C. $\square\square$ FQDN

D. □□ ID

E. ☐☐ ☐☐☐ ☐☐

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 52

□□□□ □□□□ Cisco AMP□ □□ Cisco ESA□ □□□□ □□□ □□ □□□□□ □□□ □□□□□ □□□□. □□□□□ □□□□ □□□ □□□ □□□ □□□□. Cisco ESA□ □□□ □□□ □□□ □□□ □
□□□□?

A. ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐.

B. Cisco AMP ☐ SHA-256 ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

C. ☐☐ ☐☐☐☐ ☐☐☐☐☐☐.

D. Cisco ESA □ □ □ □ □ □ □ □ □ □ □ □ .

Answer: B (LEAVE A REPLY)

NEW QUESTION: 53

[illegible]

A. □□

B. POST

C. ☐ ☐

D. □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 54

Cisco UCS Manager □ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□□ □□□ □□□□?

A. □□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□

B. □□□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□

C. □□□ □□□ □□□ □□□□ □□ □□ □□□ □□□

D. ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

Answer: A (LEAVE A REPLY)

□ □ : □ □

NEW QUESTION: 55

□ □□□□ Cisco MDS 9000 □□□□ □□□ □□□□ □□□□.

□□□ □□□ □□□□ □□□ □□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 56

□□□□□ Nexus 5000 □□□ □□□□□ SPAN □□□ □□□□□. SPAN □□ □□ □□□□ □ □□□ □ □□ □□□ □□□□□? (2□ □□)

A. □□□□□ fc2/2□□ □□□ □□ □□□ □□

B. ☐☐☐☐☐ tc2/1 ☐☐ ☐☐☐ ☐☐ SD ☐☐☐☐☐.

C. $\square\square\square\square$ fc2/2 $\square\square$ $\square\square\square$ $\square\square$ $\square\square$ 4000 $\square$ $\square\square\square\square$.

D. □□□ □□ 1□□ □□ □□ fc□ □□□□□.

E. ☐☐☐☐☐ *fc2/2* ☐☐ ☐☐ ☐☐ ☐☐ SD ☐☐☐☐.

Answer: C,E (LEAVE A REPLY)

<https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus5000/sw/configuration/guide/cli/CLIConfigurationGuide/Span.html>

NEW QUESTION: 57

□ □ □ □ □ □ □ □ □ □ .

□ □□□ □□□ □□□ □□□□□?

A. Fibre Channel □□□□□□ □□□ □□□ □□ □□□□□□□.

B. □□□ □□ □□□□□□ □□ □□□ □□ □□□□□.

C. ☐☐☐ ☐☐ ☐☐☐☐ FSPF ☐☐☐ ☐☐☐☐☐.

D. □□□ □□ □□□□□□ SPAN□ □□ □□□□□□□□.

Answer: ([SHOW ANSWER](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus5000/sw/san_switching/421_n1_1/b_Cisco_n5k_nxos_sanswitching_config_guide_rel421_n1_1/Cisco_n5k_nxos_1

https://www.cisco.com/en/US/docs/switches/datacenter/nexus5000/sw/configuration/guide/cli_rel_4_1/Cisco_Nexus_5000_Series_Switch_CLI_Software_Configuration_Guide_chapter50.html

NEW QUESTION: 58

□ □ □ □ □ □ □ □ □ □ .

□ □□□ □□□ □□□ □□□□□?

A. ☐☐☐☐ ☐☐☐☐ ☐☐ PAP ☐☐☐☐ ☐☐☐☐ TACACS+ ☐☐ ☐☐☐☐.

B. TACACS+ □□□ □□ 6 □□□ □□□ □□□□□.

C. ☐ ☐ ☐ ☐ PAP ☐ ☐ ☐ ☐ TACACS+ ☐ ☐ ☐ ☐.

D. TACACS+ □□□ □□□□ □□ 10□□□□.

Answer: ([SHOW ANSWER](#))

□ □ : □ □

NEW QUESTION: 59

☐ REST API ☐ cisco APIC ☐

A)

B)

C)

D)

A. ☐☐ A

B. □□ B

C. ☐ ☐ C

D. □□ D

Answer: C (LEAVE A REPLY)

11

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/2-x/rest_cfg/2_1_x/b_Cisco_APIC_REST_API_Configuration_Guide/b_Cisco_APIC_REST_API_Configuration_Guide_chapter_

NEW QUESTION: 60

PortLoopback □□□□ □□ Cisco Nexus □□□ □□ □□□ □□ □□□ □□ □□□□ □□□ 10□□ □□ □□□ □□□□□. □□□ 5□ □□ □□□ □□□□□ □□□. □□ 1□ □□□□ □□ □□□ □□□□
□□□ □□□□□?

- A.** ☐ ☐ D
- B.** ☐ ☐ A
- C.** ☐ ☐ B
- D.** ☐ ☐ C

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

☐ Python ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐☐?

- A. ☐ ☐
- B. ☐ ☐
- C. ☐ ☐
- D. ☐ ☐

Answer: C (LEAVE A REPLY)

350-601    DumpTop   350-601 ! DumpTop   **350-601**    , DumpTop 350-601      

.    DumpTop 350-601  . <https://www.dumptop.com/Cisco/350-601-dump.html> (**307** Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

□□□□□ □□□ 4/5 □□□□□ □□□ □□□□ □□□ 1/2 □□□□□□ □□□□ □□□ . □ EEM□ □□□□□ □□□ CLI □□□ □□□□ □□□□ □□□ □□□□. □□ □□□ □□□□ □□ □□□□.

Answer:

22

□ □ □ □ □ □ □ □ □ □

NEW QUESTION: 63

□ □ □ □ □ □ □ □ □ □ .

□ □□□ □□□ □□□ □□□□□?

- A.** □□□ □□ □□□□□□.
- B.** □□□ □□□ □□□□□ □□□□□.
- C.** □□ □□□ □□ □ □□□□ □□□□□□.
- D.** □□□ 1/1/1□ □□□□ □□ □□□□□□□□.

Answer: C (LEAVE A REPLY)

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/CLI-User-Guides/Firmware-Mgmt/4-0/b_UCSM_CLI_Firmware_Management_Guide_4-0/b_UCSM_CLI_Firmware_4Management01ch.html

NEW QUESTION: 64

□□□□□ Cisco ACI □□□□ □□□□ □□□ □□ □□□ A□ B□□ □ □□ □□ □□ vPC□ □□□□ □□□. vPC□ □□□ □□ □□□□□.

* vPC 1□ □□ A □ B□ □□ Eth 1/1□ □□□□ □□ 1□ □□□□□.

* vPC 2□ □□ A □ B□ □□ Eth1/2□ □□□□ □□ 2□ □□□□□.

A□ B□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□. □□□ □□ □□□ □□□□□ □□ ACI □□□ □□□□ □□□?

A. □□□ □□□ □□ □□□□□ □□ □□

B. □□□ vPC □□□□□ □□ □□

C. 2□□ PortChannel □□□□□ □□ □□

D. 2□□ vPC □□□□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

□□□□□ Cisco UCS Manager□□ □□□□ □□□ □□□□ □□□□.

□ □□□ □□□□ □□ □□□ □□□□?

A. □□□ □□ □□□□□ □□□□□.

B. □□ □□□□□ □□ □□□□ □□□ □□□□□.

C. □□□□ □□□ □□□ □ □□□□.

D. □□□ Cisco UCS Manager□□ □□□ □□ □□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#)**)**

□□: □□

NEW QUESTION: 66

□□□□□ □ □□□□□ □□ Cisco UCS □□□ □□□□ □□□□. Cisco UCS Manager □□□□□□□ □□□ □□ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. AAA □ RBAC □□ □□

B. □□ □□□ □□□□ □□□□ .tgz□ □□□ □□□□□.

C. □□ □□ □ □□□□ □□□□□.

D. □□ □□□ □□□□□.

E. VLAN □ VSAN □□ □□

Answer: ([SHOW ANSWER](#)**)**

□□

□□□ □□ - □□□ □□□, VLAN, VSAN, □ □ □□□ □□ □□ □□□ □□ □□□ □□□□ XML □□□□□. □ □□□□ □□□ □□□ □□□□ □□□ □□ □□□ □□ Fabric Interconnect □□ □□ Fabric Interconnect□ □□□ □ □□□□. □ □□□ □□□ □□□ □□□ □ □□□□.

NEW QUESTION: 67

Cisco MDS □□□□□ □□□□□□ □□□□ □□ □□□ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. Cisco Fabric Services □□□□

B. show install all impact □□□ □□□□ □□□□□□□ □□□ □□□□□.

C. □□□ Cisco NX-OS □□□ □□□ □□□□ USB3 □□□ □□ □□

D. □ □□□□□□ □□ □□□□□□□ □□□□.

E. 00 00

Answer: B,E ([LEAVE A REPLY](#))

00: 0000 0000

00/00:

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/5_2/upgrade/guides/nx-os/upgrade.html

NEW QUESTION: 68

000 00000.

00 0000 000 0000 0000 0 000 00000? (200 00000.)

A. 00 10.20.1.07240 00 0 10.0.8.650 ACI00 00 000 TEP 00000.

B. 172.16.100.0/240 ACI0 BD 000000.

C. 00 172.16.99.0/240 00 00 0 10.0.1.140 ACI00 00 000 TEP 00000.

D. 10.20.1.0/240 ACI0 BD 000000.

E. 00 172.16.100 0/240 00 00 0 10.1.168.950 ACI00 00 000 TEP 00000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

000 00000.

00000 0000 0000 000 A0 00 LAN 0000 000000 000. 0 000 00000 000 00 000 0000 00 000 0000 000?

A. 0 000 0000 000 0000 00 vHBA

B. 00 000 FCoE 00

C. 00 000 000 00

D. 0 000 0000 000 0000 00 vNIC

Answer: D ([LEAVE A REPLY](#))

https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/gui/config/guide/141/UCSM_GUI_Configuration_Guide_141_chapter45.html

NEW QUESTION: 70

APIC EPG Resolution Immediacy0 "Immediate"0 000 EPG0 000 VMM 0000 00 0000 00 0000 00 00 00?

A. "00" 0 "00 0" 000 00000 VDS00 00 000 0000 000.

B. "immediate"0 0000 000 0000 00 00000 000 00000000.

C. "On demand"0 0000 000 000 00 0 00 000 000 00 00000 000 00000000.

D. "On demand"0 0000 APIC0 EPG00 000 VM0 000 0000 00000 000 00000000.

Answer: C ([LEAVE A REPLY](#))

"00 0 00 00 - 000 000 00 0 00 000 000 00 0000 00 CAM0 000 000000000 00000."

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/aci-fundamentals/b_ACI-Fundamentals/b_ACI-Fundamentals_chapter_01011.html#concept_7A9DDA4325815

NEW QUESTION: 71

000 00000.

Cisco Fabric Services0 000000 000000. Cisco Fabric Services 00000 00 000 IP 000 00000?

A. IPv4 00000 00

- B. IPv4 00000 00
- C. IPv4 00000 00
- D. IPv4 00000 00

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

00000 000 cisco C-000 000 00 cisco UCS cisco 00 00 0000 0000 0000 000 00000. vNIC0 Fallback Timeout0 60000 00000000. 000 0000 0. 00 000000
0 000 00 00 000000 00 000 0 00 00 00000 000.
000 00 000 00000 00 000 0 000 000000?

- A. VNTAG 0000 00000000.
- B. 000 600 0000000.
- C. 000 00 000 0000000.
- D. 0000 00 VLAN0 000000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

200 Cisco HyperFlex Edge 0000 000 000 000000?

- A. 00 00000 000000
- B. HyperFlex Edge0 00 00000 00000 00 00 000
- C. HyperFlex Edge 200 000000
- D. Cisco Intersight0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

00000 Cisco UCS Manager00 0 00000 000 000000. 000 00 00000 vHBA, vNIC 0 00 00 000 000 0 000 000. 000000 0 000 000000 00 000 00000 000?

- A. 00000 000
- B. 00
- C. 00 000
- D. AAA 000

Answer: ([SHOW ANSWER](#))

00
https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/gui/config/guide/1-4/UCSM_GUI_Configurat
https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucsm_privileges/3-1/UCSM-Privileges-3_1.pdf

NEW QUESTION: 75

000 000000.
HA NOT READY 000 000 00 000 00 000000?

- A. 00000 000
- B. 000 1-000 2 00
- C. 00 00

D. 00 00

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 76

0000 00000 cisco MDS 9000 000 0000 0000000 FCoE 0000 000. Vlan 600 Vsan 6 00 000 0000 000. FCoE 0000 0 0000 000 00 000 000 0000. 00 000 0000 00 0000.

Answer:

00

fcoe vsan 6

VLAN 1,600 00

vsan 6 00000 vfc 6

350-601 00 000 00000 00 DumpTop 00 0000 000 350-601 00! DumpTop 0 00 **350-601** 00 000 000000, DumpTop 350-601 00 000 00000000 000 000000 0. 0000 000 0000 00 DumpTop 350-601 000 00000. <https://www.dumptop.com/Cisco/350-601-dump.html> (307 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

0000 MDS 00000 000 0000 000 0 000 00000 0000 000 0000 000. 00 000 0000 000?

A. RMON

B. EEM

C. 00

D. 0000

Answer: ([SHOW ANSWER](#))

00: 000

NEW QUESTION: 78

000 00000.

000 00000. 0000 00000 00 00 000 0000 bootftash 0000 0000 000 Cisco Nexus 9000 Series Switch 000 0 syslog 0000 0000 EEM 00000 0000 00 0. 00 000 0000 000 00000?

A. 00 00

B. 000 000

C. 00 000

0. 000 00 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

00000 Cisco UCS Manager 00 Cisco UCS C480 ML M5 000 00000. 000 000 000 0000 00000 iSCSI bool 0000 000. 00 000 0000 00 00 000 SAN 0000 0 000 00 000 00000?

A. 00 iSCSI vNIC 00

- B. WWPN 0 00
 - C. IQN 000 0 00
 - D. 000 SAN 0 000
- Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 80

00000 Cisco MDS 9000 000 0000 AAA 000 0000 000. 0000 00 000 0000 000.

* 000 0000 MD5 000 0000 00-00 00 00000 0000 000.

* RADIUS 000 000 00 MDS 0000 0000 00000 000.

RADIUS 000 00 0000 0000. 000 0000 00 000 00000?

- A. 00 A
- B. 00 D
- C. 00 C
- D. 00 B

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

0000 MDS 00000 000 0000 000 0 000 00000 0000 000 0000 000. 00 000 0000 000?

- A. 00 00
- B. EEM
- C. RMON
- D. 0000

Answer: B ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/6_2/configuration/guides/interfaces/nx-os/cli_interfaces/intf.html

NEW QUESTION: 82

200 Cisco HyperFlex Edge 0000 000 000 00000?

- A. 00 0000 0000
- B. HyperFlex Edge0 00 0000 000 000 00 00 000
- C. Cisco Intersight0
- D. HyperFlex Edge 200 00000

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 83

000 00 0000 NSSA ASBR0 00 00 00 0000 00000 00000. 00 000 OSPF 0000 0000 LSA 000 00000?

- A. 00 7 LSA
- B. 00 1 LSA
- C. 50 LSA
- D. 00 3 LSA

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 84

□□□ □□□□□.

system-fm-vrrp □□□□□□ □□□ □□□ □□□□□?

A. VRRP □□□□□ □□□□ □□□□□□ □□□□ □□□□□□□.

B. □□□□ □□□□ □□□□ □□□□□□.

C. VRRP □□□□ □□ □□□□ □□□□□□ □□□□ □□□□□□□.

D. VRRP □□□ □□□ □□□□□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 85

□□□ □□□□□.

Cisco Nexus 9000 □□□ □□□□□ EPLD□ □□□□□ □ □ □□□ □□□ □□□□□?

A. EPLD□ □□□□□□ □□□□□□ □□□□□.

B. □□□□ EPLD□ □□ □□ □□□□□□□□□.

C. □□□ □□□ □□ □□□□□□ □□□ □□□□□.

D. EPLD □□□□□□ □□□□ □□ □□□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 86

□□□ □□□□□.

□□□□□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□.

* Cisco ACI □□□□□□ □□□□ □□ □□□□□ □□□ □□□□□

* □□□□ □□□ □□ VRF□□ □□□ □□□ □□

□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□?

A. □□□□□□ eth 1/2 □□ 101

B. □□□□□□ epg epg1 app1

C. □□□□□□ eth 1/2 □□□ 101

D. □□□□□□ app1 epg epg1

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 87

□□□ □□□□□.

□□□ □□□□□□. Cisco Nexus 9000 □□□ □□□□□□ POAP □□□ □□□□□□ □□□□□ □□ □□□ □□□□ □□□?

A. □□ A

B. □□ C

C. □□ B

D. □□ D

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which two statements are true about the Cisco IMC? (Choose two.)

- A. It is a web-based interface.
- B. It is a command-line interface.
- C. It is a GUI.
- D. It is a CLI.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 89

Which two statements are true about the Cisco IMC? (Choose two.)

Which two statements are true about the Cisco IMC? (Choose two.)

- A. LOM
- B. LOM
- C. LOM
- D. LOM EXT

Answer: (SHOW ANSWER)

LOM: LOM

NEW QUESTION: 90

PortLoopback is a feature on Cisco Nexus switches that allows you to configure a loopback address on a port. Which two statements are true about PortLoopback? (Choose two.)

- A. Nexus(config)# port-loopback *port-loopback* *port-loopback* __PortLoopback Nexus(config-applet)# port-loopback *port-loopback* *port-loopback* 5 Nexus(config-applet)# 1 *port-loopback*
- B. Nexus(config)# port-loopback *port-loopback* *port-loopback* __PortLoopback Nexus(config-applet)# port-loopback *port-loopback* 1 *port-loopback* PortLoopback *port-loopback* *port-loopback* 5 Nexus(config-applet)# 1 *port-loopback*

- C. Nexus(config)# port-loopback *port-loopback* *port-loopback* __PortLoopback Nexus(config-applet)# port-loopback *port-loopback* *port-loopback* PortLoopback *port-loopback* *port-loopback* 5 Nexus(config-applet)# 1 *port-loopback*
- D. Nexus(config)# port-loopback *port-loopback* *port-loopback* __PortLoopback Nexus(config-applet)# port-loopback *port-loopback* 1 *port-loopback* PortLoopback *port-loopback* *port-loopback* 5 Nexus(config-applet)# 1 *port-loopback*

Answer: D (LEAVE A REPLY)

LOM: LOM

LOM/LOM:

<https://www.ciscolive.com/c/dam/r/ciscolive/us/docs/2017/pdf/BRKDCN-3234.pdf>

NEW QUESTION: 91

Fibre Channel is a protocol that allows you to connect storage devices to a server. Which two statements are true about Fibre Channel? (Choose two.)

- A. NFS LUN is a type of storage device.
- B. NFS IP is a type of storage device.
- C. NFS is a type of storage device.

Answer: A ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus1000/sw/4_2_1_s_v_1_5_1/system_management/configuration/guide/n1000v_system/n1000v_system_13iscsi.html#wp3105281

NEW QUESTION: 100

Cisco UCS 6332 Fabric Interconnects are connected to a Cisco UCS 6300M Fabric Controller. Which of the following is a requirement for the Fabric Interconnects to be connected to the Fabric Controller?

- A. The Fabric Interconnects must be connected to the Fabric Controller via FCoE.
- B. The Fabric Interconnects must be connected to the Fabric Controller via vHBA.
- C. The Fabric Interconnects must be connected to the Fabric Controller via Fibre Channel.
- D. The Fabric Interconnects must be connected to the Fabric Controller via VSAN.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which of the following is a requirement for the Fabric Interconnects to be connected to the Fabric Controller? The Fabric Interconnects must be connected to the Fabric Controller via FCoE. The Fabric Interconnects must be connected to the Fabric Controller via vHBA. The Fabric Interconnects must be connected to the Fabric Controller via Fibre Channel. The Fabric Interconnects must be connected to the Fabric Controller via VSAN.

- A. The Fabric Interconnects must be connected to the Fabric Controller via FCoE.
- B. The Fabric Interconnects must be connected to the Fabric Controller via vHBA.
- C. The Fabric Interconnects must be connected to the Fabric Controller via Fibre Channel.
- D. The Fabric Interconnects must be connected to the Fabric Controller via VSAN.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which of the following is a requirement for the Fabric Interconnects to be connected to the Fabric Controller? The Fabric Interconnects must be connected to the Fabric Controller via FCoE. The Fabric Interconnects must be connected to the Fabric Controller via vHBA. The Fabric Interconnects must be connected to the Fabric Controller via Fibre Channel. The Fabric Interconnects must be connected to the Fabric Controller via VSAN.

- A. FCNS must be enabled on the Fabric Interconnects.
- B. The Fabric Interconnects must be connected to the Fabric Controller via FCoE.
- C. The Fabric Interconnects must be connected to the Fabric Controller via vHBA.
- D. The Fabric Interconnects must be connected to the Fabric Controller via Fibre Channel.

Answer: D ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/5_0/configuration/guides/int/nxos/cli_interfaces/npv.html

NEW QUESTION: 103

Cisco UCS Manager is used to manage the Cisco UCS 6300M Fabric Controller. Which of the following is a requirement for the Fabric Interconnects to be connected to the Fabric Controller?

- A. The Fabric Interconnects must be connected to the Fabric Controller via FCoE.
- B. The Fabric Interconnects must be connected to the Fabric Controller via vHBA.
- C. The Fabric Interconnects must be connected to the Fabric Controller via Fibre Channel.
- D. The Fabric Interconnects must be connected to the Fabric Controller via VSAN.

Answer: ([SHOW ANSWER](#))

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Firmware-Mgmt/3-1/b_UCSM_GUI_Firmware_Management_Guide_3_1/b_UCSM_GUI_Firmware_3_Management1_Guide_Firmware_Management1_Guide

NEW QUESTION: 104

Which two statements are true?

SSH is supported on Cisco MDS 9000 switches. RADIUS authentication is supported on Cisco MDS 9000 switches. RADIUS authentication is supported on Cisco MDS 9000 switches. RADIUS authentication is supported on Cisco MDS 9000 switches.

- A. aaa is supported.
- B. aaa is supported.
- C. aaa is supported.
- D. aaa is supported.

Answer: D (LEAVE A REPLY)

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/6_2/configuration/guides/security/nx-os/sec_cli_6-x/cradtac1.html

NEW QUESTION: 105

Which two Cisco NX-OS Data Management Engine (DME) components are supported on Cisco NX-OS switches? (Choose two.)

- A. NX
- B. JSON-RPC
- C. NX-API REST
- D. NETCONF

Answer: C (LEAVE A REPLY)

NEW QUESTION: 106

Which two statements are true?

PCs can be configured to use DHCP on Cisco Nexus 2000 switches. Cisco Nexus 2000 switches support DHCP. Cisco Nexus 2000 switches support DHCP. Cisco Nexus 2000 switches support DHCP.

- A. DHCP is supported.
- B. DHCP is supported.
- C. DHCP is supported.
- D. DHCP is supported.

Answer: (SHOW ANSWER)

350-601 PDF Dumps by DumpTop is available for 350-601 PDF! DumpTop is a leading provider of 350-601 PDF Dumps, DumpTop 350-601 PDF Dumps are available for 350-601 PDF Dumps. <https://www.dumptop.com/Cisco/350-601-dump.html> (307 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 107

Which two statements are true? (Choose two.)

- A. Cisco MDS 9000 switches support SSH.
- B. Cisco MDS 9000 switches support SSH.

□□ □□□ □□□ - □□□ □□□ □□
□□ □□ - □□ □□
□□ □□□ □□ □□ □□

NEW QUESTION: 108

□□□□□ VLAN 100□□ HSRP□□□ Nexus 7000 □□□ □□□□ □□□□ □□□. □□□ □□□ □ □□□□ □□ □□□□□ □□□. □□□□□ □□□□□ □□ □□ □□□ □□□□ □□□□ □□□?

- A. □□ D
- B. □□ A
- C. □□ B
- D. □□ C

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 109

□□□ EPG □□□□□□ EGP □□ □ □□□ □□□□□ □□□. □□ □□□ □□ □□□ EPG □□□□□□ EPG □ □□ □□□□ □□□, □□ □□ □□□□□□ TCP □□ □□ 80□ □□□□ □ □□□ □□ □ □□ TCP □□□ □□□□□. □□ □□ □ □□ □□ □□?

- A. EPG □□ □□ □□ □□□□ □□ EPG □□□□□□ □□□□ EPG □□ □ □□□ □□□□ □□ □ □□ EPG □□□□□□ EPG □ □□ □□□ □□□□ □□□□.
- B. vzAny□ "□□ □□" □□□ □□□□ □□□□□ □□□ □□ EPG □□□□□□ EPG □ □□ □□□□ □ □□ □□□□ □□□□.
- C. EPG □□□□□□ □□□□ EPG □□ □ □□□□ TCP □□ □□ 80□ □□□ □ □□□□.
- □□□ TCP □□ □□□ 80□ □□□ □□□ □□ □□□ TCP □□□ □□□ □ □□□□.
- D. EPG □□□□□□ □□□□ EPG □□ □ □□□□ TCP □□ □□ 80□ □□□ □ □□□□.
- □□□ TCP □□ □□□ 80□ □□□ □□□ □□ □□□ TCP □□□ □□□ □ □□□□.

Answer: D ([LEAVE A REPLY](#))

□□
□□□ □□□ □□ □ □□□ □□ □□□ □□ □□□□□. □ □ □□□ □□□□□ □□□□□ □□□□...□, □□□ EPG□ □□□ EPG□ □□□□ □□□□ □□ Cisco ACI □□□□ □□ □□□ 80□ □□ □□ □□ □□□ □□ □□□□ □□□□□.

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/Operating_ACI/guide/b_Cisco_Operating_ACI/b_Cisco_Operating_ACI_chapter_01000.html □□□ □□□ □ □□ □□□□□□□. □□□ □□ □□□ □□□□ □□□ □□(□: 8888)□□ □□□□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□□□□ □□□□ □□(□: TCP □□□) □□□ □□ □□□□ □□□ □□□ □ □□□□. □□□ □□ □□□□ □□□□ □□ □□□□□ □□□ □□□□ □□□□ □□ 8888□ □□□□ □□□□□ TCP □□□ □ □ □□□□.

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/Operating_ACI/guide/b_Cisco_Operating_ACI/b_Cisco_Operating_ACI_chapter_01000.html

NEW QUESTION: 110

□□□ □□□□ □□□ □□□□ □□□ □□□□ □□□ □□□□.

Answer:

NEW QUESTION: 111

□□□□□ ACI □□□□ □□ □□□ VMM□ VMware vCenter□ □□□□ □□□ vCenter VM □□□ □□□□ □□□□ □□□□ □□□□□□ □□□. □□□□□□□□□□□□ □□ □□□□ □□ □□?

- A. ACI□ vCenter VM □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□. mircosegmentation□□ □□□□ □□□ □□□□ □□□.
- B. ACI □□□□ □□□□□□□ EPG□ VMware vCenter □□ □□ □□□□ □□□ □□ VLAN□□ □□ □□□ □□□□ □□□□□.
- C. □□□□□□ □□□□ □□□□ ESXi □□□□□□ □□ □□□ □ □□□□ □□□□□.
- D. Microsegmentation□ AVE □□ AVS□ □□□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

<https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/4-x/virtualization/Cisco-ACIVirtualizatio>

NEW QUESTION: 112

□□□□□ □□□ □□ □□□ □ rootfs□ □□ □□□□□ □□□□□□. □□□□ □□□□ □□□□ □□□□ □□□□ □□□□.

Answer:

□□

□□□ □ rootfs □□□□ 1□□

□□ □□□ □□ 2□□

□□□ □ rootfs □□□ □□ 3□□

□□□ □ rootfs□ □□ □□□□□ □□□□ 4□□

□□ □□□ □□□ □□ □□□ □ □□ 5□□

NEW QUESTION: 113

□□ □□□ Cisco MDS 9000 □□□ □□□□□□ □□□□□□□. □□ □□ □□□□?

A. □□ □□□ □□□□□□ □□ □□□ □□ □□□□ □□□□□□□.

B. □□ □□□□ □□ □□□ □□□□□□□□ □□ □□□ □□□□ □□□□ □□□.

C. □□ □□□ □□□□□□ □□ Cisco Fabric Services□ □□□□□□□ □□□.

D. □□ □□□ □□□□□□□ □□□□ □ □□□ □□ VSAN□ □□□ □□□.

Answer: A ([LEAVE A REPLY](#))

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/8_x/config/security/cisco_mds9000_security_config_guide_8x/configuring_port_security.html

NEW QUESTION: 114

□□□□□ Cisco MDS 9000 □□□ □□□□□□ NPV □□□ □□□ □ □□□ □□□□ □□□□ □□□.

□□□□ □□□□□ □□□□□ □□□ □□□□□?

A. TE □□□ □□□□ □□□□ □□□□ □□□□□.

B. □□□□ □□□□ □□ □□□ □□□□□.

C. □□ FLOGI □□□□□□□ □□□□□ □□□□□ NPV □□□ □□□□□.

D. NPV □□□ □□ □□□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□: □□□□ □□□□

□□/□□: https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/5_0/configuration/guides/int/nxos/cli_interfaces/pc.html

NEW QUESTION: 115

□□□□□ UCS C □□□ □ □□□ □□□ BIOS □□□ □□□□□ □□ □□□ □□□□□ CPU □□□ □□ □□□□.

□□ □□□ □ □□□ □□□ □□□□?

A. C6 □□

B. C6 □□□

C. C2 □□

D. C0/C1 00

Answer: A ([LEAVE A REPLY](#))

00: 00

NEW QUESTION: 116

B5108 00 1 00 10 00 UCS B 0000 0000 00 0000 0 00000. 0000 0000 0 00 00 00 0000 00000 00000 0000. 0 0000 000000 00 00 0000 0000 0000 00000 00 00?

A. 00 0

B. 00

C. 0000 00

D. 00000000 00

Answer: C ([LEAVE A REPLY](#))

00

https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/gui/config/guide/141/UCSM_GUI_Configuration

NEW QUESTION: 117

000000 00 000000 Cisco UCS 00000 00000 0000. 00 00 0 0000 SAN 0000 000000 00000. 00000 00000 00 WWPNO 0000 LUN0 000000.

Cisco0000 SAN 0000 00000 00 00 0000 000000?

A. vHBA0 00 0000 0000 00000 00 00 0000 00 0000.

B. 00 000000000 00 00 LUN0 00000 SAN 00 0000 00000.

C. vHBA0 00 0000 0000 00000 00 00 0000 000000 0000 0000.

D. 00 000000000 0000 00 LUN0 00000 SAN 00 0000 00000.

Answer: D ([LEAVE A REPLY](#))

00: 00000 00000

00/00:

NEW QUESTION: 118

0000 000000.

ID 00 0000 00000 00 00 00 0000 000000?

A. 0000 00

B. 0000 00

C. 00 00

D. 00 00

Answer: C ([LEAVE A REPLY](#))

0 00000 00 00 0 0000 0000 00 0000 0000 000000. 00 00 00000 0000 ID 0000 00000.

00 00, 00 0 0000 0000 "ID 00"0 00000 0000 00000.

<https://books.google.pt/books?id=5VXUDwAAQBAJ&pg=PT699&lpg=PT699&dq=Preserve+Identities>

+00+00+ucs&source=bl&ots=daWxti4DV&

sig=ACfU3U3X8UIPtS8EewzRIqTxqpyNVqOaNQ&hl=es419&

sa=X&ved=2ahUKEwiYhtaxyMDqAhXFziUKHXl8CzoQ6AEwC3oECAoQAQ#v=0 000&q=00

%20Identities%20feature%20backup%20ucs&f=□□

NEW QUESTION: 119

□□□ □□□□□.

ID □□ □□□ □□□□ □□ □□ □□ □□□ □□□□□?

- A. □□□ □□
- B. □□□ □□
- C. □□ □□
- D. □□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 120

□□□□ MDS □□□□□ □□□ □□□□ □□□ □ □□□ □□□□□ □□□□ □□□ □□□□ □□□. □□ □□□ □□□□ □□□?

- A. EEM
- B. □□□□
- C. □□ □□
- D. RMON

Answer: A (LEAVE A REPLY)

NEW QUESTION: 121

CPU □□□□ 60%□□ □□ □ syslog □□□□ □□□□ □□□ □□□□□?

- A. □□□ □□□ □□□ HIGH-CPU
□□□ snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type exact entry-op gt 60 poll-interval 5 action 1.0 syslog □□ □□ □□ msg "cpu high"
- B. □□□ □□□ □□□ HIGH-CPU
□□□ snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type exact entry-op lt 60 poll-interval 5 action 1.0 syslog □□ □□ □□ msg "cpu high"
- C. □□□ □□□ □□□ HIGH-CPU
□□□ snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type next entry-op gt 60 poll-interval 5 action 1.0 syslog □□ □□ □□ msg "cpu high"
- D. □□□ □□□ □□□ HIGH-CPU
□□□ snmp oid 1.3.6.1.4.1.9.9.109.1.1.1.1.6.1 get-type next entry-op lt 60 poll-interval 5 action 1.0 syslog □□ □□ □□ msg "cpu high"

Answer: A (LEAVE A REPLY)

https://www.cisco.com/c/en/us/support/docs/ip/internet-protocol-ip/200931-EEM-Subsystem-in-Order-to-Monitor-CPU-Tr.pdf

https://blog.ipspace.net/2008/06/generate-snmp-trap-on-high-cpu-load.html

350-601

□□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-601 □□! DumpTop □ □□ **350-601** □□ □□□ □□□□□□, DumpTop 350-601 □□ □□□ □□□□□□□□ □□□ □□□□□□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□□□. <https://www.dumptop.com/Cisco/350-601-dump.html> (307 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 122

□□□□□ Intersight □□ □□□□□□□ □□□□ 200□ □□□ □□□ □□□□ □□□. □□□□□ □□□ □□ □□□ □□□□□. □□□□□ □□□ □□□□□□□□ □□ □ □□ □□□ □□□ □ □□□ □□ □□□□.

NEW QUESTION: 126

Which two Cisco Nexus 5000 switches support VSAN 120? (Choose two.)
Cisco Nexus 5000 switches support VSAN 120 if they are running NX-OS 5.0(2) or later. Cisco Nexus 5000 switches support VSAN 120 if they are running NX-OS 5.0(2) or later.

- A. Cisco Nexus 5000
- B. Cisco Nexus 5000
- C. Cisco Nexus 5000
- D. Cisco Nexus 5000

Answer: (SHOW ANSWER)

NEW QUESTION: 127

Which two Cisco UCS Fabric Interconnects support DNS? (Choose two.)

- A. Cisco UCS Fabric Interconnect
- B. Cisco UCS Fabric Interconnect
- C. Cisco UCS Fabric Interconnect
- D. Cisco UCS Fabric Interconnect

Answer: A (LEAVE A REPLY)

Which two Cisco UCS Fabric Interconnects support DNS? (Choose two.)
https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/cli/config/guide/1-3-1/b_CLI_Config_Guide_1_3_1/CLI_Config_Guide_1_3_1_chapter11.pdf

NEW QUESTION: 128

Which two Cisco Nexus switches support ARP? (Choose two.)
Cisco Nexus switches support ARP if they are running NX-OS 5.0(2) or later. Cisco Nexus switches support ARP if they are running NX-OS 5.0(2) or later.

Answer:

NEW QUESTION: 129

Which two Cisco UCS C-Series switches support BIOS? (Choose two.)

- A. BIOS
- B. BIOS
- C. PSU
- D. CIMC
- E. CIMC

Answer: B,D (LEAVE A REPLY)

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Firmware-Mgmt/4-0/b_UCSM_GUI_Firmware_Management_Guide_4-0/b_UCSM_GUI_Firmware_4Management01ch.html

NEW QUESTION: 130

Which two Cisco UCS C-Series switches support TACACS+? (Choose two.)
Cisco UCS C-Series switches support TACACS+ if they are running NX-OS 5.0(2) or later. Cisco UCS C-Series switches support TACACS+ if they are running NX-OS 5.0(2) or later.

D. VSAN □□□□ VLAN 11□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 139

□□□□□ MP-BGP(□□ □□□□ □□ □□□□□ □□□□) □ EVPN□□ □□□□ □□□□□ □ VRF(DC DC)□ □□□□ □□□. □ VRF□ □□ □□ □□□ PE1□ PE2 □□ □□□□ □□□ □□□ □□□□ □□□□. VRF □□□ □□□□□ □□ □ □□ □□□ □□□□ □□□? (2□ □□)

- A. □□ A
- B. □□ C
- C. □□ D
- D. □□ B
- E. □□ E

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 140

Cisco UCS □□□ □□□ □□ □□□ □□ □□□□ □□ □□□ □□□□□?

- A. □□□ □□□□ □□□□□□ □ □□□ □□□□□.
- B. □□□ □□ □□□□□.
- C. □□□ □□□□□.
- D. □□□ □□□□ □□ □ □□ □□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

NEW QUESTION: 141

□□□□ □□□□ □□ □□ ACI REST API □□ □□□ □□□□ □ □□□ □ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. aaaUserLogin□ POST
- B. aaaListDomains□ □□□□
- C. GET aaaRefresh
- D. aaaLogout□□ □□
- E. aaaLogin□ POST

Answer: C,E ([LEAVE A REPLY](#))

□□: □□□

NEW QUESTION: 142

PortLoopback □□□□ □□ Cisco Nexus □□□ □□ □□□ □□ □□□ □□ □□□□ □□□ 10□□ □□ □□□ □□□□□. □□□ 5□ □□ □□□ □□□□□ □□□. □□ 1□ □□□□ □□ □□□ □□□□ □□□□□□□?

- A. □□ A
- B. □□ B
- C. □□ C
- D. □□ D

Answer: ([SHOW ANSWER](#))

"mod 1test" . "mod 1test" . "mod 1test" .

"mod 1 test" . "mod 1 test" .

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus7000/sw/system-management/guide/ b_Cisco_Nexus_7000_Series_NX-OS_System_Management_Configuration_Guide-
Rl/configuration_online_diagnostics.html

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/93x/system-management/bcisco-nexus-9000-series-nx-os-system-management- configuration-guide-93x/b-cisco-nexus-9000-seriesnx-os-
system-management-configuration-guide-93x_chapter_011010.html

https://www.ciscolive.com/c/dam/r/ciscolive/us/docs/2017/pdf/BRKDCN-3234.pdf

NEW QUESTION: 143

.

?

A. .

B. MRIB .

C. PIM .

D. PIM .

Answer: C ([LEAVE A REPLY](#))

:

NEW QUESTION: 144

.

Answer:

NEW QUESTION: 145

.

? (2 .)

A. 10.20.1.0/24 ACI BD .

B. 172.16.99.0/24 10.0.1.14 ACI TEP .

C. 172.16.100.0/24 ACI BD .

D. 172.16.100.0/24 10.1.168.95 ACI TEP .

E. 10.20.1.0/24 10.0.8.65 ACI TEP .

Answer: ([SHOW ANSWER](#)**)**

:

NEW QUESTION: 146

Cisco IMC ?

A.

B.

C. BIOS

D. Cisco IMC

Answer: D ([LEAVE A REPLY](#))

□□: □□

NEW QUESTION: 147

□□□□□ Ethemet1/1 □□□□□□ □□□□ □□□□ □□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□. □□□ □□□ □□□ □□□□□ □□□□□□□. □□ □□□ □□□□ □□□?

- A. □□ C
- B. □□ D
- C. □□ B
- D. □□ A

Answer: A (LEAVE A REPLY)

NEW QUESTION: 148

□□□□ MDS □□□□□ □□□ □□□□ □□□ □ □□□ □□□□□ □□□□ □□□ □□□□ □□□. □□ □□□ □□□□ □□□?

- A. □□ □□
- B. □□□□
- C. RMON
- D. EEM

Answer: D (LEAVE A REPLY)

NEW QUESTION: 149

□□□ □□□□ □□□□□□□ □□ □□□ □□□□ □□□□. □□ □□□□ □□□□□□ □□□ □□□□ □□ □□ □□□□□ □□□ □ □□□ □□□. □□ □□ □□ □□□□ □□ □□, Python □□□□□□ □ □□ □□□□□□ □□□□ □□ □□□ □□□ □□□□ □□□. □□□ □□ □□□ □□□□ □□□□ □□ □□□□ □□□□□?

- A. □□□□□ □□□□ □□□□□□ □□□□□□
- B. □□□ □□□□ □□□□□□ □□□□
- C. □□□□ □□□□ □□□□□□ □□□
- D. □□□□ □□□□ □□□□□□ □□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 150

□□□□□ VLAN 100□□ HSRP□□□□ Nexus 7000 □□□ □□□□ □□□□ □□□. □□□ □□□ □ □□□□ □□ □□□□□ □□□. □□□□□ □□□□□ □□ □□ □□□ □□□□ □□□?

- A. □□ A
- B. □□ B
- C. □□ C
- D. □□ D

Answer: A (LEAVE A REPLY)

NEW QUESTION: 151

- □ □□□□□ □□ Cisco UCS □□□ □□□□ □□□□.
- Cisco UCS Manager □□□□□□□ □□□ □□ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)
- A. VLAN □ VSAN □□ □□
 - B. □□ □□□ □□□□ □□□□ tgz□ □□□ □□□□□.
 - C. □□□ □□ □ □□□□ □□□□□.
 - D. AAA □ RBAC □□ □□
 - E. □□ □□□ □□□□□.

Answer: A,D ([LEAVE A REPLY](#))

350-601 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-601 □□! DumpTop □ □□ **350-601** □□ □□□ □□□□□□□, DumpTop 350-601 □□ □□□ □□□□□□□□□ □□□ □□□□□□□ □. □□□□ □□□ □□□□ □□ DumpTop 350-601 □□□ □□□□□. <https://www.dumptop.com/Cisco/350-601-dump.html> (307 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 152

- □□□□□ □□□ 2□□ I/O □□□ □□ Cisco Nexus 7000 □□□ □□□□□ ISSU□ □□□□ □ □□□ □□□ □□□ □□□ □□□□□?
- A. □□ □□□□ <□□□□> □□□□ <□□□□> □□ □□
 - B. □□ epld bootflash:<image> □□ □□
 - C. □□ epld bootflash □□: <□□□□>
 - D. □□ □□□□ <□□□□> □□□□ <□□□□> □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 153

- cisco Nexus □□□ □□□□□ install all □□□□ □□□□ □□□□□?
- A. □□ □□□ □□□□□
 - B. □□□ □□□ □□ □□
 - C. □□□ □□□ □□□□ □□
 - D. □□□□ □□ □ □□□□ □□□□ □□□□□ □□□□□ □□□□□.
- Answer: B ([LEAVE A REPLY](#))
- [https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/7-x/upgrade/guide/](https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/7-x/upgrade/guide/b_Cisco_Nexus_9000_Series_NX-OS_Software_Upgrade_and_Downgrade_Guide_Release_7x/b_Cisco_Nexus_9000_Series_NX-OS_Software_Upgrade_and_Downgrade_Guide_Release_7x_) b_Cisco_Nexus_9000_Series_NX-OS_Software_Upgrade_and_Downgrade_Guide_Release_7x/b_Cisco_Nexus_9000_Series_NX-OS_Software_Upgrade_and_Downgrade_Guide_Release_7x_

NEW QUESTION: 154

- □□□□□.
- □□□ □□□ □□□□□?
- A. RADIUS □□ □□ □□ □□ 15□□□□□□□.
 - B. RADIUS □□□ □□□ □□□□□.
 - C. RADIUS □□□□ VLAN 200 □□□□□□□□ □□□□□.
 - D. □□□□ □□□□ □ RADIUS □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 155

□□□ □□□□□.

ID □□ □□□ □□□□ □□ □□ □□ □□□ □□□□□?

A. □□□ □□

B. □□ □□

C. □□ □□

D. □□□ □□

Answer: (SHOW ANSWER)

□ □□□□ □□ □□ □ □□□ □□□ □□ □□□ □□□ □□□□□. □□ □□ □□□□ □□□ ID □□□ □□□□.

□□ □□, □□ □ □□□ □□□ "ID □□"□ □□□□ □□□ □□□□.

<https://books.google.pt/books?id=5VXUDwAAQBAJ&pg=PT699&lpg=PT699&dq=Preserve+Identities>

+□□+□□+ucs&source=bl&ots=daWxti4DV&

sig=ACfU3U3X8UIPtS8EewzRIqTxqpyNVqOaNQ&hl=es419&

sa=X&ved=2ahUKEwiYhtaxyMDqAhXFzIUkHXl8CzoQ6AEwC3oECAoQAAQ#v=□ □□□&q=□□

%20Identities%20feature%20backup%20ucs&f=□□

NEW QUESTION: 156

□□□ □ □□□□ □□ □□ □ □□ □□ □□ □□□□ □□□□ □□□□ □□□□□?

A. □□□□ □□ □□□□

B. □□ □□ □□□□

C. □□□□ □□ □□□ □□

D. □□ □□ □□□□

Answer: (SHOW ANSWER)

NEW QUESTION: 157

EPLD(Electronic Programmable Logic Device) □□□□□ □□□□□□ □□□ □□□□□?

A. EPLD □□□□□□ Cisco TAC□□ □□□ □□□□ □□□□□□□ □□□.

B. ELPD □□ □□□□□□ □□□

C. □□□ □ □□ □□ □□ □□□ □□ ELPD □□□□□□ □□□□□.

D. Cisco MDS NX-OS□ □□□□□□ □ EPLD □□□□□□ □□□□□□□ □□□.

Answer: D (LEAVE A REPLY)

□□

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/6_2/release/notes/epld/epld_rn.html

NEW QUESTION: 158

□□□ □□□□ □□□, □□□ □ Cisco ACI □□□□□ □□□ □□□□□□□□□□ □□□□ □□□□□. □□ □□□□□□□ □□□ □□□ □□□ □ □□□ □□□□□ □□□□ □□□. □□ □□□□ □□□

□□ □□□ □□□□□?

A. Cisco UCS □□

B. □□□ □□□□□

- C. Cisco ☐☐☐ ☐☐ ☐☐☐ ☐☐
- D. Cisco Workload Optimization Manager

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 159

- Cisco ☐☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐?
- A. ☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐ ☐ ☐☐☐ ☐☐ ☐☐ ☐☐.
 - B. JSON☐☐ ☐☐☐ ☐☐ ☐☐ gRPC ☐☐☐☐ ☐☐☐ ☐☐☐.
 - C. ☐☐☐ ☐☐ ☐☐ ☐☐☐☐ JSON ☐☐ GPB ☐☐ ☐☐☐ ☐☐.
 - D. ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐.

Answer: C ([LEAVE A REPLY](#))

<https://developer.cisco.com/docs/nx-os/#!telemetry/streaming-telemetry>
<https://developer.cisco.com/docs/ios-xe/#!streaming-telemetry-quick-start-guide/streaming-telemetry>

NEW QUESTION: 160

☐☐☐ ☐☐☐☐ Cisco MDS 9000 Series ☐☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

Answer:

- ☐☐
- A, B, F, D, C, E

NEW QUESTION: 161

☐☐☐ 1☐ DataCenter 1☐ ☐☐ VLAN 100☐ ☐☐ Host2☐ DataCenter2☐ ☐☐ VLAN200☐ ☐☐☐☐. ☐ ☐ ☐☐☐ ☐☐☐ 2 ☐☐☐ ☐☐☐ OTV VLAN ☐☐ ☐☐ ☐☐☐☐?

- A. ☐☐ B
- B. ☐☐ A
- C. ☐☐ D
- D. ☐☐ C

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 162

Cisco UCS C-Series ☐☐☐ ☐☐☐ ☐☐☐☐☐. ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐ Cisco UCS Manager☐☐ ☐☐☐ ☐☐. ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐?

- A. UCS-A# ☐☐ ☐☐ 1
UCS-A /☐☐# ☐☐ cimc
UCS-A /server/cimc # ☐☐ mgmt-conn ☐☐☐
UCS-A /server/cimc # mgmt-conn-state ☐☐☐☐
UCS-A /server/cimc/mgmt-conn* # ☐☐ ☐☐
- B. UCS-A# ☐☐☐ ☐☐ 1
UCS-A /☐☐# ☐☐ cimc
UCS-A /chassis/cimc # ☐☐ mgmt-conn ☐☐☐
UCS-A /chassis/cimc/mgmt-conn # mgmt-conn-state ☐☐☐☐
UCS-A /chassis/cimc/mgmt-conn* # ☐☐ ☐☐

□□□□□ IP 192.168.20.1 □□ Cisco Nexus 9000 □□□ □□□□□ □□□ □□ □□□ HTTP□□ □□□□ □□□ □□□ □□□□ □□□. RDP. ICMP □□□□ □□□ 192.168.10.0/24□□ □□□□ □□.

□□□ □□ □□□ 54000pps□□ □□□.
□□□ □□□ 128 □□□□□ □□□.
□□ □□ □□□□ □□□□□ □□□.
□□□ □□ □□□ □□□ □□ □□□□ □□□ □□ □□□ □□□□□. □□ □□ □□□ □□□□ □□ □□□□.

Answer:

NEW QUESTION: 166

□□□ □□□□□.
□□□ □□□□□□. vPC □□ □□□ □□ □□ □□ □□□ □□□ □□□ □□ □□□ □□□□. □□ □□ □□□□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□?
A. vPC □□□□ vPC ARP □□□□ □□□□□□□.
B. Cisco Nexus □□□ □□□□ □□□ □□□ □□□ □□□□□.
C. vPC □□ □□ □□□□ □□□□.
D. OSPF □□ □ □□ □□□ □□□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

350-601 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-601 □□! DumpTop □ □□ **350-601** □□ □□□ □□□□□□, DumpTop 350-601 □□ □□□ □□□□□□□□ □□□ □□□□□□
□. □□□□ □□□ □□□□ □□ DumpTop 350-601 □□□ □□□□□. <https://www.dumptop.com/Cisco/350-601-dump.html> (307 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 167

□□□ □□□□□.
Cisco Fabric Services□ □□□□□□ □□□□□□. Cisco Fabric Services □□□□□ □□ □□□ IP □□□ □□□□□?
A. IPv4 □□□□□ □□
B. IPv4 □□□□□ □□
C. IPv4 □□□□□ □□
D. IPv4 □□□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 168

□□□ □□□□□.
□□□ □□□□□. ID □□ □□□ □□□□ □□ □□ □□ □□□ □□□□□?
A. □□□ □□
B. □□ □□
C. □□□ □□
D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 169

AN □□□□□ FCNS □□□□□□ □□□ □□ □□□□ □□□□ □□□□ □□□ □□□□□ □□□ □□□□□.

1500 0000 00000. 0 000 0000 000 000000?

- A)
- B)
- C)
- D)
- A. 00 C
- B. 00 D
- C. 00 A
- D. 00 B

Answer: (SHOW ANSWER)

NEW QUESTION: 170

000 000000.
0 00000 200 Cisco MDS 00000 0000 0000 0000. 000 0000 0 Cisco MDS 0000 0000 E 000 000000. 000 00 0000 00 00 00?
A. 0 MDS 0000 00 00 00 00 000 0000 000.
B. E 000 00000 0 MDS 00000 00 000 000 000.
C. 0 MDS 0000 E 000 000 00000 F 000 000000 000.
D. 000 MDS 0000 0000 E 00 00 000 0000000 00 0000 0000 000.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 171

000 000 0000 NAS 00000 000 0000. 00 000 0 0 00 000000.

Answer:

NEW QUESTION: 172

000 000000.
00000 00 00 000 0000 00 0000 000 0000 000.
* Cisco ACI 0000000 0000 00 000000 000 0000
* 000 000 00 VRF00 000 000 00
000 00 000 000000 00 000 00000 000?
A. 000000 eth 1/2 000 101
B. 000000 eth 1/2 00 101
C. 0000000 app1 epg epg1
D. 0000000 epg epg1 app1

Answer: C (LEAVE A REPLY)

NEW QUESTION: 173

000 000000.
vPC 0000000 000 0 00 VLAN0 000000?
A. 100-103

- B. 100-105
- C. 100-104
- D. 100-102

Answer: B (LEAVE A REPLY)

NEW QUESTION: 174

Which two Cisco MDS features are supported by the Cisco MDS 9000 NX-OS software?

- A. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.
- B. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.
- C. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.
- D. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.

Answer: C (LEAVE A REPLY)

https://www.cisco.com/c/en/us/support/docs/storage-networking/mds-9000-nx-os-san-os-software/118952-technote-mds9k-00.html#:~:text=On%20a%2095xx%20or%2097xx,%20the%20new%20standby%20202020.202020.

NEW QUESTION: 175

- Which two Cisco MDS 9000 NX-OS software features are supported by the Cisco MDS 9000 NX-OS software?
- Which two Cisco MDS 9000 NX-OS software features are supported by the Cisco MDS 9000 NX-OS software?
- B)
- C)
- D)
- A. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.
- B. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.
- C. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.
- D. Cisco MDS 9000 NX-OS software supports the Cisco MDS 9000 NX-OS software.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 176

- Which two Cisco UCS Manager XML files are supported by the Cisco UCS Manager XML files?
- Which two Cisco UCS Manager XML files are supported by the Cisco UCS Manager XML files?
- A. Cisco UCS Manager XML files supports the Cisco UCS Manager XML files.
- B. Cisco UCS Manager XML files supports the Cisco UCS Manager XML files.
- C. Cisco UCS Manager XML files supports the Cisco UCS Manager XML files.
- D. Cisco UCS Manager XML files supports the Cisco UCS Manager XML files.

Answer: C (LEAVE A REPLY)

https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/cli/config/guide/1.4.1/CLI_Config_Guide_1_4_1_

NEW QUESTION: 177

Which two Cisco Nexus 7000 features are supported by the Cisco Nexus 7000 features?

11

2- □□ □□□□

4- $\square\square\square\square\square < \square\square\square\square\square >$

cisco UCS flmware ☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐ ☐☐ ☐☐ ☐☐☐☐?

B. ☐ ☐ ☐ ☐ ☐

D. ☐ ☐ ☐ ☐ ☐

E. ☐ ☐ ☐ ☐ ☐ ☐

11

E. ☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐

[illegible]

D. UCS-A /eth-traffic-mon/fabric/eth-mon-session # ☐☐☐

E. UCS-A /eth-traffic-mon/fabric/eth-mon-session' # 00 000000 00 2 12

Answer: B,E (LEAVE A REPLY)

https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/cli/config/guide/1.4.1/ CLI_Config_Guide_1_4_1_chapter42.html

NEW QUESTION: 181

00000 Cisco Nexus 7000 000 0000 NetFlow0 0000 0000. NetFlow 000 0000 0000 0000 00 000 000 000 0000.

Answer:

00

1- 00 0000

2- 00 0000

3-00 000

4- 00000<00000>

350-601 00 000 00000 00 DumpTop 00 0000 000 350-601 00! DumpTop 0 00 **350-601** 00 000 000000, DumpTop 350-601 00 000 00000000 000 000000
0. 0000 000 0000 00 DumpTop 350-601 000 00000. <https://www.dumptop.com/Cisco/350-601-dump.html> (307 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 182

00 00000 000 200 I/O 000 00 Cisco Nexus 7000 000 00000 ISSU0 0000 0 000 000 000 000 00000?

A. 00 0000 <000>000<000>00 00

B. 00 epld bootflash 00:<000>

C. 00 epld bootflash 00:<000>

D. 00 0000<000>000<000> 00

Answer: A (LEAVE A REPLY)

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus7000/sw/upgrade/guide/cisco_nexus7000_software_upgrade_and_downgrade_guide_8x.html

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/7_x/nx-os/upgrade/guide/ b_Cisco_Nexus_7000_Series_NX-OS_Software_Upgrade_and_Downgrade_Guide_Release_7- x.html#d54e307

NEW QUESTION: 183

0000 00000 Cisco UCS C-Series 0 000 00 00 000 0000 000. PCIe 000 00 000 0 00 0000 00000. 000 0 000 00 000 0000 000?

A. 00 D

B. 00 B

C. 00 A

D. 00 C

Answer: C (LEAVE A REPLY)

NEW QUESTION: 184

000 EPG 000000 EGP 00 0 000 00000 000. 00 000 00 000 EPG 000000 EPG 0 00 0000 000, 00 00 000000 TCP 00 00 800 0000 0 000 00 0
00 TCP 000 00000. 00 00 0 00 00 00?

A. EPG 000000 0000 EPG 00 0 0000 TCP 00 00 800 000 0 0000. 0 000 TCP 00 000 800 000 000 00 000 TCP 000 000 0 0000.

