

## Cisco.350-801.v2024-05-21.q189

□□□□:	350-801
□□□□:	Implementing and Operating Cisco Collaboration Core Technologies
□□□:	Cisco
□□ □□ □□□:	189
□□:	v2024-05-21
# □□ □:	535
# □□ □□□:	1890
<a href="https://www.krdump.com/Cisco.350-801.v2024-05-21.q189.html">https://www.krdump.com/Cisco.350-801.v2024-05-21.q189.html</a>	

### NEW QUESTION: 1

□□□□ □□□ □□□ □□□□ Cisco IP □□□□ □□ □□ □ 10□□ □□□ □□□□ □□□□ □□ □□□ □□ □□□ E.164 □□□□ □□□□□ □□ □ □□□ □□ □□□?

- A. □□□ 10□□□□ □□□□ □□□ □□ □□□ □□□□□.
- B. XXXXXXXXXXXX□ □□ □□ □□ □□□□ □□ □□ □□□ □□□□□.
- C. □□□□ SIP □□□□□ □□ □□□ 10□□ □□□□□.
- D. □□□ □□□□ Apply Transformations On Remote Number□ True□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□□□□ □□□ □□□ □□ CSS(□□□□ □□ □□ □□ □□ □□ CSS□□□□ □)□ □□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□.

□□ □□□□□□□ □□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□□ □□□.

### NEW QUESTION: 2

Cisco IP □□□□□ □□ □□□ □□□□□ □□□ □□□ □□□□□?

- A. □□ □□ □□□ □□□□ □□ □□ □□□□□ □□□□□.
- B. □□□ □□ □□□□□ □□ □□ □□□ □□□□ □□□□ □□□□.
- C. □□ □□ □□□ □□□□ IP □□□□ □□□□ □□□□.
- D. □□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

### NEW QUESTION: 3

□□□ □□□ □□□ □□□ □□□□ □□□□ □□ □□□□ □□ Cisco IOS XE □□□□□□□ IP □□□ □□□ □□□□ □□□□. DNS SRV □□ A □□ □ □□□ □□□□□ □□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. IP DHCP □
- B. ip dhcp-sip
- C. IP □□□ □□
- D. ip dhcp □□ □□
- E. □□ □□ □□

Answer: C,E ([LEAVE A REPLY](#))

**NEW QUESTION: 4**

Which two Cisco Unified Communications Manager call routing patterns are valid? (Choose two.)

- A. PreDot . . . . .
- B. . . . .
- C. . . . .
- D. . . . .

Answer: ([SHOW ANSWER](#))

<https://www.cisco.com/c/en/us/support/docs/voice-unified-communications/unified-communications-manager-callmanager/13920-call-routing.html#bcr>

**NEW QUESTION: 5**

Which two Cisco Unified Border Element dial patterns are valid? (Choose two.)

- A. 1 1 / ^9.+ / //
- B. 1 1 / ^9(.....) / //
- C. 1 1 / ^9..... / //
- D. 1 1 / ^9 / //

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 6**

Which two Cisco Unified Communications Manager protocols are used for InformRequests? (Choose two.)

- A. TCP 161
- B. UDP 162
- C. TCP 80
- D. UDP 161

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

Which two Cisco Unified Communications Manager MGCP commands are valid? (Choose two.)

- A. ccm-manager . . . . .
- B. Cisco Unified CM TFTP . . . . .
- C. Cisco Unified CM > . . . . .
- D. . . . . VoIP Cisco Unified CM IP . . . . .

Answer: C ([LEAVE A REPLY](#))

Command: Cisco IOS XE . . . . .

**NEW QUESTION: 8**

Which two Cisco Unified Communications Manager SIP dial patterns are valid? (Choose two.)

- A. . . . . DN . . . . . SCCP . . . . .

B. Cisco Unified Communications Manager can be used to manage SIP endpoints.

C. Cisco Unified Communications Manager can be used to manage SIP endpoints.

D. DHCP can be used to assign IP addresses to SIP endpoints.

E. Cisco Unified Communications Manager can be used to manage SIP endpoints.

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 9

□□

A. TCP

B. AXL

C. QBE

D. SOAP

E. XMPP

Answer: D,E ([LEAVE A REPLY](#))

#### NEW QUESTION: 10

Cisco Unity Connection can be used to manage SIP endpoints.

A. Cisco Unity Connection can be used to manage SIP endpoints.

B. Cisco Unity Connection can be used to manage SIP endpoints.

C. Cisco Unity Connection can be used to manage SIP endpoints.

D. Cisco Unity Connection can be used to manage SIP endpoints.

Answer: A ([LEAVE A REPLY](#))

□□: □□ □□□□□□

#### NEW QUESTION: 11

□□□□ □□□□□. □□ □□□□□ Cisco UCM can be used to manage SIP endpoints.

□ □□□ □□□□ □□ □ □□ □□□ □□□□□?

A. Cisco UCM can be used to manage SIP endpoints.

B. Cisco UCM can be used to manage SIP endpoints.

C. Cisco UCM can be used to manage SIP endpoints.

D. Cisco UCM can be used to manage SIP endpoints.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 12

Cisco TelePresence SX80 can be used to manage SIP endpoints.

□□ SX80 admin CLI can be used to manage SIP endpoints?

A. xStatus can be used to manage SIP endpoints.

B. xCommand can be used to manage SIP endpoints.

C. xConfiguration can be used to manage SIP endpoints.

D. xStatus HDMI can be used to manage SIP endpoints.

Answer: C ([LEAVE A REPLY](#))

□□: □□□ □ □□

**NEW QUESTION: 13**

□□□□ □□□□□.

□ "debug isdn q921" □□□ □□□□ PRI□ □□□□ □□□□□?

A. PRI□□ □□□□□□ □□□ IP □□□ □□□□.

B. □□□□□□ □□□ 2□ □□□□□□□□.

C. PRI□ Keepalive□ □□□ □□□□.

D. □□□□□□ □□□ 1□ □□□□□□□□.

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 14**

□□□□ □□□□□.

□□□□ □□□□□. □□□□ T1 □□□ E1 □□□ □□□□ □□□. □□□□□ 12□□ □□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□□□?

A.

B.

C.

D.

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 15**

□□□□ □□□□□.

□□□□ □□□□□. DNIS□ □□□□ □□ □□ □□□□□□ □□ □□□ □□□□ □□□□. □□□□□□ DNIS□ 0255-343-1234□ □□□□ □□□ □□ □□□□?

A. DNIS□ "-"□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□.

B. □□ □□□ □□□□ □□□ □□□ 025553431234□□□□.

C. □□ □□□ □□□□ □□□ □□□ 02553431234□□□□.

D. DNIS□ "\$"□ □□□ □□ □□□ □□ □□□ □□□□ □□□□.

Answer: [C \(LEAVE A REPLY\)](#)

**NEW QUESTION: 16**

□ □□□□□ □ □□ Cisco Unified Border Element □□□□ □□ □□□□ □ □□ □□ □□□□ □□□□ □□□□.

□ □□ □□□(cube1.abc.com)□ □□□ 60%□ □□□□ □ □□ □□□(cube2.abc.com)□ □□□ 40%□ □□□□□. □□ DNS A □□□□ □□□□□□ □□□□□. □□ □□ □□□□□ □□ SRV □□□ □ □□ □□□□□? (2□□ □□□□□.)

A. \_sip.\_udp.abc.com 60 IN SRV 3 60 Cube2.abc.com

B. \_sip.\_udp.abc.com 60 IN SRV 1 60 Cube1.abc.com

C. \_sip.\_udp.abc.com 60 IN SRV 2 60 Cube1.abc.com

D. \_sip.\_udp.abc.com 60 IN SRV 1 40 Cube2.abc.com

E. \_sip.\_udp.abc.com 60 IN SRV 60 1 Cube1.abc.com

Answer: [B,D \(LEAVE A REPLY\)](#)



**NEW QUESTION: 21**

Which protocol is used for WAN signaling between two Cisco routers, and is used for VoIP signaling between two Cisco routers?

- A. G.729A
- B. G.722.1
- C. iLBC
- D. G.711alaw

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 22**

Which Cisco Unity Connection feature is used to allow a user to call a contact and leave a message for that contact?

- A. Call Forwarding
- B. Call Forwarding No Answer
- C. Call Forwarding Busy
- D. Call Forwarding No Answer and Forward to Voicemail

Answer: C ([LEAVE A REPLY](#))

Which Cisco Unity Connection feature is used to allow a user to call a contact and leave a message for that contact?

Call Forwarding No Answer and Forward to Voicemail, Call Forwarding No Answer, Call Forwarding Busy, Call Forwarding No Answer and Forward to Voicemail and Call Forwarding No Answer.

Call Forwarding No Answer:

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/10x/administration/guide/10xc\\_ucsag/10xcucsag080.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/administration/guide/10xc_ucsag/10xcucsag080.html)

**NEW QUESTION: 23**

Which Cisco Server Recovery Manager feature is used to allow a user to call a contact and leave a message for that contact?

- A. Call Forwarding No Answer and Forward to Voicemail
- B. Cisco Presence Engine
- C. Call Forwarding No Answer and Forward to Voicemail and Call Forwarding No Answer
- D. Call Forwarding No Answer and Forward to Voicemail

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 24**

Which Cisco Unity Connection feature is used to allow a user to call a contact and leave a message for that contact? +13135551212 SIP ciscocm1.jupiter.com 192.168.1.3 IPV4

- A. A
- B. C
- C. D
- D. B

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

Which Cisco Unity Connection feature is used to allow a user to call a contact and leave a message for that contact?

MRA ABC

- A. SIP TCP/TLS +SIP TCP/TLS(B) + SIP TCP/TLS(C)
- B. IP TCP/TLS(A) +SIP TCP/TLS(B) +TLS(C)
- C. SIP TLS(A) +SIP TLS(B) +SIP TLS(C)
- D. SIP TCP/TLS(A) + SIP TLS(B) + SIP TLS(C)

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 26**

□□□□ □□ ISDN T1 PRI□ □□ LINECODE□ □□□□□ □□□. □□ □□□ □□□ □□□□□?

- A. □□□□ esf
- B. □□□□ ami
- C. □□□□ hdb3
- D. □□□□ b8zs

Answer: ([SHOW ANSWER](#))

□□/□□: [https://www.cisco.com/en/US/docs/ios/dial/configuration/guide/dia\\_cfg\\_isdn\\_pri\\_external\\_docbase\\_0900e4b1806c752c\\_4container\\_external\\_docbase\\_0900e4b18216dd1b.html](https://www.cisco.com/en/US/docs/ios/dial/configuration/guide/dia_cfg_isdn_pri_external_docbase_0900e4b1806c752c_4container_external_docbase_0900e4b18216dd1b.html)

**NEW QUESTION: 27**

QoS □□ □□□ □□ □□□ □□□□□□□ □□□□ □□□ □□ □□ □□□ □□□ □□□□.

Answer:

- 
- = EF
- □□ = AF41
- □□□ = AF11
- □□ = AF31/CS3
- □□ = CS2

[https://www.cisco.com/c/en/us/td/docs/solutions/Enterprise/WAN\\_and\\_MAN/QoS\\_SRND/QoS-SRND-Book/QoS](https://www.cisco.com/c/en/us/td/docs/solutions/Enterprise/WAN_and_MAN/QoS_SRND/QoS-SRND-Book/QoS)

**NEW QUESTION: 28**

Cisco Unified Border Element□ □□ Session Border Controller□ □□□□ □□□□□?

- A. SIP □□
- B. □□ □□□
- C. DTMF □□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 29**

□□□□ □□□□□.

□□□□□ □□□ □□ □□□□□. □ □□□ □□□□□ □□ □□□ □□□ □□□?

- A. □□□ □□□□ □□ 011□ □□□□□.
- B. □□□□□□ MRGL□ □□□□□□ □□□□□.

C. □□ □□□□□□ isdn □□□ □□ primart-dms100 □□□ □□□□□.

D. □□ □□□ Bearer-cap □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 30

□□□□ □□ □□□ □□□□ ID012345678□ □□ □□□□□ Manager □□□ □□□□□.

Cisco □□ Recovery Manager□ □□ □□□□ □□ □□ □□□□□?

A. □□ □□□ □□ □□□□ □□□ □□ □□□□ □□ □□□□□ □□□.

B. Cisco Presence Engine□ □□ □□□□□.

C. □□ □□□□ □□□ □□□□ □□ □□□□□.

D. □□ □□□ □□ □□□□ □□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 31

QoS □□ □□□ □□ □□□ □□□□□□□ □□□□ □□□ □□ □□ □□□ □□□ □□□□.

Answer:

□□

□□□ = EF

□□□□□ □□ = AF41

□□ □□□ = AF11

□□ □□ = AF31/CS3

□□□□ □□ = CS2

[https://www.cisco.com/c/en/us/td/docs/solutions/Enterprise/WAN\\_and\\_MAN/QoS\\_SRND/QoS-SRND-Book/Qo](https://www.cisco.com/c/en/us/td/docs/solutions/Enterprise/WAN_and_MAN/QoS_SRND/QoS-SRND-Book/Qo)

**350-801** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-801 □□! DumpTop □ □□ **350-801** □□ □□□ □□□□□□, DumpTop 350-801 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 350-801 □□□ □□□□□.

<https://www.dumptop.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF Special Discount: KrDump**)

#### NEW QUESTION: 32

□□□□□ □□□□□□ □□□□□□ QoS□ □□□□□. Cisco IOS □□□□□ □□ □ □□□ □□□□ □ □□□□ □□□ □□□□□?

A. □□ □ □□

B. □□□ □□ □□

C. □□□ □ □□□□□ GigabitEthernet 1/0/1 □□

D. □□ □ □□□□□ GigabitEthernet 1/0/1 □□

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 33

□□□□□ □□□□ □□ QoS □□□ □□□□ □□ □ □□□ □□□□□□ □□ □□□□ □□□□ □□□□. □□□ □□ □ □□□□□ □□ DSCP □□ □□□□□?

- A. EF □ AF21
- B. EF □ CS6
- C. EF □ CS3
- D. EF □ AF41

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 34**

□□□□ □□□□□. Cisco Unified Communications Manager□ □ □□ □□ □□□ □□ □□□□□□□□ □□□□□. Bangalore GeoLocation□ IP □□□□ San Jose GeoLocation□ FXS □□□ □□ MGCP □□□□□□ □□□ □□ □□□ □□□ □□□□□?

- A. □□ □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□.
- B. □□□□ □□□ □□ □□ □□ □ □□□ □□□ □□ □□□ □□□ □□ □□□□□ □□□ □□□□□.
- C. □□□□ □□□ □□ □□ □□ □□□□□ □□□ □□ □□□ □□□ □□ □□□□□ □□□ □□□□□.
- D. □□□ □□ □□□ □□ □□□ □□□□□ □□□ □□□□□.
- E. □□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 35**

□□□□□ □□□□ □□□ □□□ □□□□□. □□□□□ □□□□ □□ □□□ G.711□□□ □□□□□ G.729□ □□□□□ □□ □□□□□□□. □□ □□□ □□□□ □□ □□□□□ Cisco Unified Border Element □ Cisco Unified Communications Manager□□ □□ □□□ □□□□ □□□□ □□□□ □□□?

- A. □□□□□
- B. CFB
- C. MOH
- D. MTP

Answer: A ([LEAVE A REPLY](#))

□□

**NEW QUESTION: 36**

- □ □□ □□□ □□□ □□□ □□□□□?
- A. □□□ CoS 5□ □□□□ □□ □□□ CoS 4□ □□□□□.
- B. □□ □ □□ □□□ □□ CoS 3□□ □□□□□.
- C. □□ □□□ CoS 1□ □□□□ □□□ CoS 2□ □□□□□.
- D. □□□ CoS 4□ □□□□ □□ □□□ CoS 5□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 37**

Cisco Prime Collaboration Assurance□ □ □□ □□ □ □□ □□□□□ g□ □□□ □□ □□□□□□? (2□□ □□□□□.)

- A. □□□ □□ □□□□
- B. □□□ □□ □□□ □□□
- C. □□□ □□
- D. □□ □□□□ □□

E.

Answer: D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 38**

Which two protocols are supported by Cisco Unified Border Element for SIP to SIP calls? (Choose two.)

- A.  H.323
- B.  SIP
- C.  MGCP
- D.  SCCP

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 39**

Which two statements are true regarding PRI signaling? (Choose two.)

1. PRI signaling is supported on all Cisco routers.

2. PRI signaling is supported on all Cisco switches.

3. PRI signaling is supported on all Cisco gateways.

4. PRI signaling is supported on all Cisco gateways.

- A.  PRI signaling is supported on all Cisco routers.
- B.  PRI signaling is supported on all Cisco switches.
- C.  PRI signaling is supported on all Cisco gateways.
- D.  PRI signaling is supported on all Cisco gateways.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 40**

Which two statements are true regarding Cisco UCM? (Choose two.)

1. Cisco UCM supports up to 1000 users.

2. Cisco UCM supports up to 1000 users.

- A.  150
- B.  100
- C.  50
- D.  200

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

Which two statements are true regarding Cisco UCM? (Choose two.)

1. Cisco UCM supports up to 1000 users.

2. Cisco UCM supports up to 1000 users.

- A.  Block OffNet calls to OffNet numbers.
- B.  Block OffNet calls to OffNet numbers.
- C.  Block OffNet calls to OffNet numbers.
- D.  Block OffNet calls to OffNet numbers.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

Which command is used to configure DTMF relay on a Cisco IOS SIP endpoint?  A. sip-relay dtmf-relay rtp-nte  B. dtmf-relay sip-kmpl cisco-rtp  C. dtmf-relay cisco-rtp  D. dtmf-relay rtp-nte sip-relay

- A. sip-relay dtmf-relay rtp-nte
  - B. dtmf-relay sip-kmpl cisco-rtp
  - C. dtmf-relay cisco-rtp
  - D. dtmf-relay rtp-nte sip-relay
- Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 43**

Which command is used to configure MGCP DTMF relay on a Cisco IOS SIP endpoint?  A. sip-relay dtmf-relay rtp-nte  B. dtmf-relay sip-kmpl cisco-rtp  C. dtmf-relay cisco-rtp  D. dtmf-relay rtp-nte sip-relay

- A. sip-relay dtmf-relay rtp-nte
  - B. dtmf-relay sip-kmpl cisco-rtp
  - C. dtmf-relay cisco-rtp
  - D. dtmf-relay rtp-nte sip-relay
- Answer: C ([LEAVE A REPLY](#))**

Which command is used to configure MGCP DTMF relay on a Cisco IOS SIP endpoint?  A. sip-relay dtmf-relay rtp-nte  B. dtmf-relay sip-kmpl cisco-rtp  C. dtmf-relay cisco-rtp  D. dtmf-relay rtp-nte sip-relay

**NEW QUESTION: 44**

Which command is used to configure MGCP DTMF relay on a Cisco IOS SIP endpoint?  A. sip-relay dtmf-relay rtp-nte  B. dtmf-relay sip-kmpl cisco-rtp  C. dtmf-relay cisco-rtp  D. dtmf-relay rtp-nte sip-relay

- A. sip-relay dtmf-relay rtp-nte
- B. dtmf-relay sip-kmpl cisco-rtp
- C. dtmf-relay cisco-rtp
- D. dtmf-relay rtp-nte sip-relay

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 45**

Which command is used to configure MGCP DTMF relay on a Cisco IOS SIP endpoint?  A. sip-relay dtmf-relay rtp-nte  B. dtmf-relay sip-kmpl cisco-rtp  C. dtmf-relay cisco-rtp  D. dtmf-relay rtp-nte sip-relay

D. □□□ DN□□ □ □□□□ □□□ □□ □□>□□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□ □□□ 1111□ □□□□ □□□□□. □□ □□ □ □□□□ □□□□ □□□□□.

Answer: (SHOW ANSWER)

#### NEW QUESTION: 46

□□□□ □□□□□.

UC □□□□ □ SIP INVITE□ □□□ DTMF □□□ □□□ □ □□□ □□□□ □□ □□□□ □□□□□? (2□□ □□□□ □.)

A. □□□□□

B. □□

C. □□□□

D. □□

E. □□

Answer: (SHOW ANSWER)

**350-801** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-801 □□! DumpTop □ □□ **350-801** □□ □□□ □□□□□□, DumpTop 350-801 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 350-801 □□□ □□□□□.

<https://www.dumptop.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

#### NEW QUESTION: 47

□□□□ □□□□□.

□□□□□ □□□ □□□ □ □□□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□□. □□ 1□ □ □□ □□ □□□ □□□□□ □□ □□□ □□□□□?

A. G.722

B. G.711u

C. G.711a

D. G.729

Answer: (SHOW ANSWER)

#### NEW QUESTION: 48

Cisco Expressway □□□ □□ □□□ □ □□ □□□□ □□□ □□□ □□□ □□□□□?

A. □□□□ □□ □□□ □ □□□□ Expressway-E□ Expressway-C□ □□ □□□ □□□□ □□□□. Expressway-E□ IP □□ □□□ □□ NAT□ □□□□ □□ Expressway-C□□ □□ NAT □□□ □□□□□ □□□□□□. □□□ □□□ IP □□□ □□□□ □□□□. □□ NAT□ □□□□ □□□□.

B. □□ □□□□ Expressway: SIP: TCP 5061□ □□ □□□□ □□□ □□□□ □□□. HTTPS: TCP 8443: XMPP: TCP 5222; □□□: UDP 36002~59999.

C. □□ □□□□ Expressway-C□ Expressway-E □□ □□□□ □ □□□□□ □□□ □□□□ □□□. SIP: HTTPS(C□ E □□□□ □□□□ SSH□ □□ □□□□): TCP 2222; TCP 7001; □□ □□□: UDP 2776~2777(□□ □□□ VM/□□□□□□□ □□ 36000~36011): XMPP: TCP 7400.

D. Expressway-C□ □□ □□□ Expressway-E □□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□ Expressway-E□ □□□□□. □□ NIC □□□ □□ □□ □□□□□□ IP □□□ □□□□ FQDN□ □□□□ Expressway-E □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 49**

□□□□ IP □□□ 172.16.1.1 □□ □□□□ □□ □□□□ □□□□□ DHCP □□□ □□□□ □□□.  
IP □□ □□ 172.16.1.103 ~ 172.16.1.106 □ DHCP □□□□ □□□□□ □□□.  
□□□□□ □□ □□ □□□ □□□□ □□□?

- A.
- B.
- C.
- D.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 50**

□□□□ □□□□□. EARLY □□□ □□ □□□ □ cisco UCM □□□□ □□ SIP INVITE SDP □ □□ □□ □□ □□□□□?

- A. m=□□□ 16444 RTP/AVP 9 18 101
- B. m=□□□ 16444 RTP/AVP 0 8 18 101
- C. m=□□□ 16444 RTP/AVP 18 101
- D. m=□□□ 16444 RTP/AVP 9 0 8 18 101

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 51**

□□□□ □□□□□. □□ □□□□□ DHCP □□ □□□ □□□ Cisco UCM □ □□□□□.  
DHCP □□□ □□□□□ □□□□ □□□ □□□□ □□□?

- A. Cisco Unified Serviceability □□ TFTP □□□□ □□ □□□□□.
- B. Cisco UCM □□□□ DHCP □□□ DHCP □□□□ □□□□□.
- C. Cisco Unified Serviceability □□ Cisco DHCP □□□ □□□□ □□ □□□□□.
- D. □□ DNS □□□ □ DHCP □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

<https://www.ccexpert.us/cisco-unified/cucm-initial-configuration.html#:~:text=%20the%20DHCP%20server%20from%20the%20CUCM%20000,%2000000%20000000.%2000%20%2000%200%2000>

**NEW QUESTION: 52**

□□□□ PSTN □□□□ □□□ IP □□□ □□□□ □□□ □□ □ □□□ □□ PSTN □□□ □□□ □ □□□ □□□□□. □ □□□ □□□ □□□□□?

- A. IP □□□ □□□ □□□□ □□□□□□□.
- B. □□□□□□ □□□ □□ □□ □□□□□□□.
- C. SIP □□□□ □□ □□ □□ □□□□ IP □□□□ □□ □□□□ □□□□ □□□□.
- D. fnet to Offnet Call Transfer □□ □□□ □□□□□ TRUE □ □□□□□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 53**

□□□□ □□ □□□ □□□□ ID012345678□ □□ □□□□□ Manager □□□ □□□□□. Cisco □□ Recovery Manager□ □□ □□□□ □□ □□ □□ □□□?

- A. □□ □□□ □□ □□□□ □□□ □□ □□□□ □□ □□□□□ □□□.
- B. □□ □□□ □□ □□□□ □□□ □□□□.
- C. Cisco Presence Engine□ □□ □□□□□.
- D. □□ □□□□ □□□ □□□□ □□ □□□□□.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 54**

□□□□□ □□ □□ □□□ □□ □□□ Cisco UCM □□ □□ □□ □□□□ □□□□□.

- □□ □□□ □□□□ □ □□□□ □□□□ □□□ □□□□□.

□□□

- G.736 □□□ □□□□□.

- □□ □□□□ 64kbps□□□.

- □□ □□ □□□ 10ms□□□.

- □□ □□□□ □□□ 20ms□ 160□□□□□□□.

□□□ □□□ □□□□ □□□ □□□□ □□□?

- A. 31.2kbps
- B. 38.4kbps
- C. 55.2kbps
- D. 87.2kbps

**Answer: D (LEAVE A REPLY)**

□□ □□ □□□ G711 □□□□□ □□□□ □□□ □□□ □□□□.

$(160+(40+18))/160 \times 64 = 87.2\text{kbps}$

<https://www.cisco.com/c/en/us/support/docs/voice/voice-quality/7934-bwidth-consume.html> □□ □□ □□□ □□ □□ □ □□ □□□(Kbps) □□ □□ □□(□

□□) □□ □□ □□(ms) □□ □□ □□(MOS) □□ □□□□ □□(□□□) □□ □□□□ □□(ms) □□ □□(PPS) □□□ MP □□ FRF.12(Kbps) cRTP □□

□□□ MP □□ FRF.12(Kbps) ) □□□ □□□(Kbps)

G.711(64Kbps) 80□□□ 10ms 4.1 160□□□ 20ms 50 82.8Kbps 67.6Kbps 87.2Kbp

**NEW QUESTION: 55**

□□□□□ □□ □□□ □□□□ □□ Cisco UCM□ □□□□□. □ □□□ □□□□ □□ □□□□□ □□ □ □□□□ Cisco UCM□ □□□ □□□□□? (2 □□ □□□□□.)

- A. □□ □□
- B. □□□
- C. CSS
- D. □□ □□
- E. □□ □□

**Answer: D,E (LEAVE A REPLY)**

**NEW QUESTION: 56**



□□□□ □□□ □ □□□□□ □□ Cisco Jabber □□□□□ □□ □□ □□□□□ □□□□□?

- A. □□
- B. SIP/□□
- C. P2P
- D. XMPP

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 61**

ID□ 378163512□ □□□□□ □ □□ 4□ □□, □□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□ □□□□. □ □□□□□□ □□  
Microsoft Lync □□□□ □□□□□ □□□. □□□□□ □□□□ □□□ □□ □□□ □□□□□?

- A. SIP URI
- B. E.164
- C. H.323
- D. □□

Answer: ([SHOW ANSWER](#))

**350-801** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-801 □□! DumpTop □ □□ **350-801** □□ □□□ □□□□□□, DumpTop  
350-801 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ □□□□□□.

<https://www.dumptop.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 62**

□ H.323 □□□□□ □□□ Cisco □□ □□□ □□□□ □□□ ISDN □□□ □□□ □□□□□ □□□ □□□ □□ □□□ □□□ □□ □□□?

- )
- )
- )
- )
- A. □□ B
- B. □□ A
- C. □□ C
- D. □□ D

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 63**

□□□□ □□□□□. □ □□□ □□□□ □□□ □□□ □□□□□ □□□□□ □□□ □□ □□□ □□□□□?

- A. □□ □□
- B. □□□□□□ □□ Cisco Unified Border Element
- C. □□ □□ □□□□ 50
- D. □□□ □□ h264

Answer: (SHOW ANSWER)

□□: □□□□, □□ □ □□□□□

NEW QUESTION: 64

Cisco Unity Connection □□ □□□□ □□□ □□□□□?

- A. □□□ □□□ □□ □□□ □□□□□ □□□□□□.
- B. □□□ □□□□ □□□□.
- C. IVR □□□ □□ □□□ □□ □□□□□ □□□□□.
- D. □□□ □□ □□□ □□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

Cisco Unity Connection □□ □□□□ □□□ □□□□, □□□□ □□□□, □□□ □□□ □□ □□□□□ □□□ □□□□□ □□□□□ □□□□□□□□□□ □. □□ □□□□ □□□□ □□ □□ □□, □□ □□ □ □□ IVR(□□□□ □□ □□) □□□□□□□□ □□ □ □□□□□.

□□ □□□□ Cisco Unity Connection □□ □□□□□□ □□□□ □□ □ □□□□□□. □□ □□□□ □□□ □ □□□□ □□□, □□ □□□ □□□ □□ □ □, □□□ □□□□□ □□ □ □□□ □□□ □□□ □ □□□□.

□□ □□□□ □□□ IVR □□□□□□□□ □□□ □ □□□ □ □□ □□□ □□□□□. □□ □□□□ □□□□ □□□ □□ □□□□ □□□□ □□□□□ □ □□ □□□ □□□ □ □□□□.

□□□ □□ □□□ □□□ □□ □ □□ □□ □□□□.

□□ □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □ □□ □□ □□ □□□ □□□□.

□□ □□□□ □□□□ □□□□□ □□□ □□□ □□□ □ □□ □□ □□□ □□□□.

□□ □□□□ □□□□ □□□□□□ □□□ □□□□ □□□ □□□ □ □□ IVR(□□□□ □□ □□) □□□□□□□□ □□□□.

NEW QUESTION: 65

□□□□ Cisco Unified Communications Manager □ □□ □□ □□□ □□ OPUS □□□ □□□□ □□ □□□ □□□ □ □□□□?

- A. Cisco Unified CM □ OPUS □ □□□□ □□ □□ □□□□ □□□□□.
- B. CUCM □□□ □□□□□□ "Opus □□ □□□" □ □□ □□□ □□□ □□ □□□ □□ "□□□" □ □□□□□.
- C. □□□□ □□ □□□□ □□□□ "OPUS □□ □□" □ "false" □ □□□□□.
- D. □□□□ OPUS □ □□□□ □□ □□□ Cisco Unified Border Element □ □□ □□□ □□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 66

□□ □□□□ □□ □□ □□□□□ □□□ □□□ □ □□□□ □□□□□□□□□ □□ □ □□□ □□□□ □□□? (2□□ □□□□□□.)

- A. □□□□ □□□□□ □□□□□□.
- B. □□□□ □□ □□□ □□□□ \* ,\*,#(□, □, □□□) □ □□□□.
- C. Cisco UCM □□□□□ □□□□□ □□ □□□□ □□□□□ □□□□□.
- D. □□ □□□ □□ □□□ □□□ □□ □□□□ □□ □□□□□ □□□□□.
- E. □□ □□□□□ IVR □□ □□□ □□□ □□ □□□□ □□ □□□□□ □□□□□.

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 67

MGCP □□□□□ □□□□ □□ Cisco Unified Communications Manager □□□ □□□□ □□□ □□□□□?



```

!
□□□□-□□□□□□+1
□□ 1 □□
!
D. □□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□□ □□□□□□ □□□□□□. □□□□ □□ □□□□ □□□□□□.
!
□□ □□ □□ 1
□□ 1 /^1917!/ //
□□ 2 /^[+]1917!/ //
!
□□□□-□□□□□□+1
1□□□ □□□
!
E. □ □□ □□□ □□ □□□ □□□□□□.
\+1917.XXXXXXXX, □□□ □□□□□, □□ □□□ □□: □□□
\+1.!, □□ □ □□, □□ □□□ □□: □□□
Answer: B,D (LEAVE A REPLY)

```

**NEW QUESTION: 71**

Cisco Unity Connection □ □□ □□□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□ □□□□□□?

- A. □□
- B. □□
- C. □□
- D. □□□□

**Answer: B (LEAVE A REPLY)**

```

□□: □□ □□□□□□
□□:
□□□ □□
□□, □□ □ □□□ □□ □□□ □□ □□□□□□. □□ □□□□ □□ □□ □□□□□□ □□ □□□□□□.
□□:
https://www.cisco.com/c/en/us/td/docs/voice\_ip\_comm/connection/10x/administration/guide/10xcucsagx/10xcucsag080.html

```

**NEW QUESTION: 72**

□□□□□ RFC2833 □ □□ □□□ □□□□□□ □□□□ KPMLO □□ □□ □□□ □□□□□□ □□□□ Cisco Unified Border Element □□ DTMF □□ □□ □□□□ □□□. □□□□□ CUBE □ □□□□□ □□□-□□ □□ □□□□ □□□□□□. □□□-□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□□?

- A. dtmf-relay sip-kvmi rtp-nte
- B. dtmf- □□□ rtp-nte sip-kpml
- C. dtmf-relay sip-kgml rtp-inband
- D. dtmf-relay rtp-inband sip-kvmi

**Answer: B (LEAVE A REPLY)**

dtmf-relay □□□ Cisco Unified Border Element□□ DTMF □□□□ □□□□ □ □□□□□. rtp-nte □□□ RFC2833□ □□ □□□ □□□□□□ □□□□  
sip-kpml □□□ KPML□ □□ □□ □□□ □□□□□□ □□□□□□.

**NEW QUESTION: 73**

□□□□ □□□□□.

□ SIP □□ □□ □□□ □□□□ □□□□. □□□ □□□ □ SDP□ □□□□□. □ □□□ □□□□ SDP □□□□□ □□□□□?

- A. □□ □□□ ptime □□ □□□□ □□□□□.
- B. RTP □□□ 0□□ □□□□□.
- C. G.711ulaw□ □□□□□ 18□□□□ □□□.
- D. □□□ □□□□ □□ □□□□ □□□□□□□□.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 74**

Cisco UCM□ □□□ □ '□□□□□ □□ □□□ □□□ □ □□□□□ Cisco UCM □□□□ □□□□ □□□□□□□ □□ □□□ □□□□□□?

- A. SRST
- B. □□ □□
- C. Cisco UCM
- D. □□ □

**Answer: A (LEAVE A REPLY)**

SRST(Survivable Remote Site Telephony)□ Cisco UCM □□□□ □□ □□□ □□□ □□□□□ Cisco IP □□□□ □□ □□□ □ □□□ □□ □□□□□.

SRST□ □□□□ □□□ □□□ □ □□□□ □□□□ □□□□ □□ □□□□□.

□□ □□□ □□□□□ □□□□□ □□ □□□ □□ □□□ □□ □□□□ □□□□□ □ □□□□□. Cisco UCM□ IP □□□□ □□□□ □□ □□ □□□□ □□. □□ □□ □□ □□□□ □□□□ □□□□□ □ □□□□□.

**NEW QUESTION: 75**

□□□□ □□□ □□□□□(iOS □ Android)□□ □□□□□ □□ Cisco Jabber □□ □□□□□ □□□□□ □□□. □□□□□ Cisco Jabber 12.9 □ Cisco UCM 12.5□ □□□□ □□ □□□ □□□□□?

- A. Jabber □□□□ □□□ □□□□ □□□□□.
- B. jabber-config.enc □□□ TFTP□ □□□□□□□.
- C. □□□ □□□□□ "□□□□" Jabber □□□□□ □□□ □□□ □□ □□□ □□□□□.
- D. iOS □ Android □□□ jabber-config-user.xml□ □□□□□.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 76**

□□□ □□ □□□□□ CISCO Webex Control Hub□ □□□□ □□ □□□ □□□ □□□□□ □□□□□ □□ □□□ □□□ □□□ □□□. □□□□□□ □□□□□ □□□□□ □□□□□ □□□ □□ □□□□□ □□□ □ □□ □□□ □□□□□.

Control Hub□ □□□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□?

- A. □□□□ Control Hub □□ ID□ □□□□□.
- B. □ □□□ □□ □□□□□ □□□□□.
- C. □ □□□□ Control Hub□□ HTTP □□□□□ □□□□□.



**NEW QUESTION: 79**

□□□□□ A□ □□□□□ B□ □□□ □□□□ □□□□.  
□□□□□ A□ 20ms□ □□□ □□□ G.711ulaw□ □□□□, □□□□□ B□ G.711ulaw□ □□ 30ms□ □□□ □□□ □□□□□. □□□ □□ □□□ □□  
□ □□□□□ □□ □□□ □□□□ □ □□ □□□□□□?

- A. Cisco Unified Communications Manager□ □□□□□ □□□□□□
- B. Cisco IOS □□□□□□ □□□□□ MTP
- C. Cisco Unified Communication Manager□ □□□□□ MTP
- D. Cisco IOS □□□□□□ □□□□□ □□□□□□
- E. Cisco IOS □□□□□□ □□□□□□ MTP

**Answer: B,C (LEAVE A REPLY)**

**NEW QUESTION: 80**

□□□□ □□□□□□.  
□□□□ □□□□□□. □□□□ □□ □□□□□□ □□□□□□ □□ Cisco Unified Border Element□□ Cisco Unity Connection□ □□ □□□ □□□□□□. □ □  
□ □□ □□□□ □□□ □□□□□□?

- A. Cisco Unity Connection□ G.729□□□□ □□□□□□. iLBC□ □□□□□□ Cisco Unity Connection□ □□□□□□ □□□□.
- B. Cisco Unity Connection □□ □□□□ "□□□□□ □□□" □□ □□□□ □□□□□□□□□□. Cisco Unity Connection □□ □□□□ □□ □□□ □□□□□□□□□□□□.
- C. Cisco Unified Border Element□ □□□ □□□ IP □□□□ □□□ □□□□□□. □□□ □□□□□□□□ IP □□□□ SDP□ □□□□ □□□□.
- D. Cisco Unified Border Element□ DTMF□ □□ □□□□ □□□ □□□□□□. OTMF □□□ □□□ □□□ □□□ □□□□□□ □□□□.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 81**

□□□□□ □□ □□□□□□ □□ Cisco □□ □□□ □□ □□□ □□□ □□□□□□ □□□□. □□□□□ Cisco □□□□ □ □□ □□□□□ □□□□□□□□ □□ □□□□□□□□.

- A. Cisco Expressway-E Cisco Expressway-C □ Cisco UCM
- B. Cisco Expressway-E, Cisco IM and Presence □□ □ Cisco □□□□ □□ □□
- C. Cisco □□ □□ □□. Cisco UCM □ Cisco □□□□ □□□□□□□□ □□
- D. Cisco Unified Border Element, Cisco IM and Presence Server □ Cisco Video Communication Server

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 82**

□□□□□ IOS □□ □□□□□□□□ □□□□□□ □□□□ □□□□ 9□ □□□□□ □□□□□ 911 □□ □□□ □□□□□□ □□□□□ □□□□. □ □□□□ □□□□□□ □□□□□□□□□□.

- )
- )
- )
- )
- A. □□□ C
- B. □□□ A





□ □□□ □□□□□ □□□□□ □□ □□□□ □□□□ □□□?

- A. □□□□ = 100. □□□ = 90
- B. □□□□ = 10. □□□ = 10
- C. □□□□ = 5. □□□ = 70
- D. □□□□ = 10. □□□ = 5

Answer: C ([LEAVE A REPLY](#))

**350-801** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-801 □□! DumpTop □ □□ **350-801** □□ □□□ □□□□□□, DumpTop 350-801 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 350-801 □□□ □□□□□□.

<https://www.dumptop.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 92**

□□□□ □□□□□.

□ "debug isdn q921" □□□ □□□□□ PRI□ □□□□ □□□□□?

- A. PRI□ Keepalive□ □□□ □□□□□.
- B. PRI□□ □□□□□□□ □□□ IP □□□□ □□□□□.
- C. □□□□□□□ □□□ 1□ □□□□□□□□□.
- D. □□□□□□□ □□□ 2□ □□ □□□□□□□□□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 93**

□□ □□□□□ Cisco UCM□ □□ □□□□□□□ □□□□□□. □□□□□□ Cisco UCM□□ □ □□□□□□ □□□ □□□□□, □□ □□□□□ VG320□ □□□□□, □□□□□□ MGCP□ □□□□□□□. □□□□□□□ Cisco UCM □□□□□□□□□ □□□□□□ □□□ □□□□□ □□ □□□ □□□□□□?

- A. □□□□□□□ □□ DTMF □□□□ □□□ □□□□□□.
- B. □□□ FQDN □□ □□□ □□□ □□□□□□.
- C. □ □□□□□□□ □□ □□ □□ □□□□□□.
- D. □ □□□□□□□ □□ 0□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 94**

□□□□ □□□□□.

Cisco Telepresence SX80□ □□□□ HDMI□ □□ □□□□□□□ □□ □□□□□ □□□□ □ □□□ □□□□□□□. □□□□□ □□ □□□ □□ □□□ □□□□□ □□□□□ SX80 admin CLI□□ □□ □□□ □□□□ □ □□□□□?

- A. xStatus HDMI □□
- B. xcommand □□□ □□
- C. xconfiguration □□□ □□
- D. xStatus □□□ □□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 95**

TFTP □□ IP □□□ □□□□ □ □□□□ □□ DHCP □□□ □□□□ □□□?

- A. □□ 15
- B. □□ 66
- C. □□ 6
- D. □□ 120

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 96**

□□ □□□□□□ □□□□ □□□ □□□ □□□□□□□□?

- A. Cisco Discovery Protocol □□□□ □□ □□ □□□□□□.
- B. Ping Sweep□ "□□□□ □□' □□ □□□ □□□□□□.
- C. □□□ □□□ Cisco Prime Collaboration Server□□ □□□□□□.
- D. □ □□□□□ Simple Network Managed Protocol□ □□□□□□ □□ □□ □□□□□□ □□□□□□.

Answer: [\(SHOW ANSWER\)](#)

□□ □□ □□(□: □□ □□, □□ □)□ Prime Collaboration □□□□□□□ □□□□□□ SNMP □□ HTTP□ □□□□□ □□□□□□□ □□□□ □□□□□□.

**NEW QUESTION: 97**

□□□□□ cisco UCM□□ MGCP □□ □□□ □□□□□□□□ Cisco ISR 4000□ MGCP □□□□□□□ □□□□ □□□. □ □□□ □□□□□ Cisco IOS □□ □□□ □□□□□□?

- A. □□ A
- B. □□ D
- C. □□ B
- D. □□ C

Answer: A [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 98**

Cisco Prime Collaboration Assurance□ □ □□ □□ □ □□ □□□□□□ □□□ □□ □□□□□□?  
(2□□ □□□□□□.)

- A. □□□ □□
- B. □□□ □□ □□□□
- C. □□ □□□□ □□
- D. □□ □□ □□□□
- E. □□□ □□ □□□ □□□

Answer: C,D [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 99**

□□□ □ □□ □□□□ □□ □□□ □□□□ □□□ □□□□□□?

- A. Cisco Unified Presence □□
- B. □□□□-E



- C. sip\_udp.abc.com 60 IN SRV 2 60 5060 Cube1.abc.com
- D. sip\_udp.abc.com 60 IN SRV 3 60 5060 Cube2.abc.com
- E. sip\_udp.abc.com 60 IN SRV 1 40 5060 Cube2.abc.com

Answer: B,E ([LEAVE A REPLY](#))

**NEW QUESTION: 104**

Jabber IP address is 10.10.10.10. Which DNS record is used to resolve Jabber IP address to DNS record? (2 correct answers.)

- A. Cisco Unified Communications Manager IP address \_cisco-uds.\_tls.cisco.com
- B. IM&P IP address \_cuplogin.\_tcp.cisco.com
- C. IM&P IP address \_cuplogin.\_tls.cisco.com
- D. Cisco Unified CM IP address \_cisco-uds.\_tcp.cisco.com
- E. IM&P IP address \_xmpp.\_tls.cisco.com

Answer: ([SHOW ANSWER](#))

CC/CC: [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/jabber/Windows/9\\_7/CJAB\\_BK\\_C606D8A9\\_00\\_cisco-jabber-dns-configuration-guide/CJAB\\_BK\\_C606D8A9\\_00\\_cisco-jabber-dns-configuration-guide\\_chapter\\_010.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/Windows/9_7/CJAB_BK_C606D8A9_00_cisco-jabber-dns-configuration-guide/CJAB_BK_C606D8A9_00_cisco-jabber-dns-configuration-guide_chapter_010.html)

**NEW QUESTION: 105**

Which CSS is used to resolve Cisco UCM IP address to DNS record? (2 correct answers.)

- A. CSS <None>
- B. Partition\_A
- C. Partition\_B
- D. CSS <None>

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 106**

Which CUBE is used to resolve G.729r8 IP address to DNS record? (2 correct answers.)

- A. CUBE\_1
- B. CUBE\_1 dtmf-relay sip-notify
- C. CUBE\_2
- D. CUBE\_1

Answer: D ([LEAVE A REPLY](#))

**350-801** IP address is 10.10.10.10. Which DNS record is used to resolve IP address to DNS record? (2 correct answers.)  
**350-801** IP address is 10.10.10.10. Which DNS record is used to resolve IP address to DNS record? (2 correct answers.)

<https://www.dumptop.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

**NEW QUESTION: 107**

Which of the following is a Cisco Expressway-E supported protocol? Expressway-E supports which of the following protocols?

- A. PSTN
- B. VTC
- C. H.323
- D. SIP

Answer: C (LEAVE A REPLY)

**NEW QUESTION: 108**

Which of the following is a valid SIP URI? Which of the following is a valid SIP URI?

- A. sip:0110
- B. sip:0110@0110
- C. sip:0110@0110.com
- D. sip:0110@0110.org

Answer: A (LEAVE A REPLY)

**NEW QUESTION: 109**

Which of the following is a valid DNS record for a Cisco Unified Communication Manager? Which of the following is a valid DNS record for a Cisco Unified Communication Manager?

- A. 4.2.2.2
- B. \_cisco-uds.\_tcp.example.com
- C. DNS \_collab-edge.\_tcp.example.com
- D. DNS SRV A

Answer: C (LEAVE A REPLY)

URL: [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/jabber/Windows/9\\_7/CJAB\\_BK\\_C606D8A9\\_00\\_cisco-jabber-dns-configuration-guide/CJAB\\_BK\\_C606D8A9\\_00\\_cisco-jabber-dns-configuration-guide\\_chapter\\_010.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/Windows/9_7/CJAB_BK_C606D8A9_00_cisco-jabber-dns-configuration-guide/CJAB_BK_C606D8A9_00_cisco-jabber-dns-configuration-guide_chapter_010.html)

**NEW QUESTION: 110**

Which of the following is a valid SIP URI? Which of the following is a valid SIP URI?

- A. sip:0110
- B. sip:0110@0110
- C. sip:0110@0110.com
- D. sip:0110@0110.org

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 111**

□□□□ □□□□□.

□□□ Cisco IOS □□□□□ □□□ □ □□□ □□□□□. MGCP □□□□□□ ISDN BRI □□□□□□ □□□□□□ □□□ □ □□ BRI □□ □□□□ □□ □□□□□□?

- )
- )
- )
- )

- A. □□ C
- B. □□ A
- C. □□ B
- D. □□ D

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 112**

Cisco UCM□ □□□ □ □□□□ □□ □□□ □□□ □ □□□□ Cisco UCM □□□□ □□□□ □□□□□□ □□ □□□ □□□□□□?

- A. SRST
- B. □□ □□
- C. □□ □
- D. Cisco UCM □□

Answer: A ([LEAVE A REPLY](#))

□□: □□□ □ □□

□□:

Cisco Unified SRST□ □□ □□□□□ Cisco □□□□ □□□ Cisco Unified IP Phone□ □□ □□ □□□ Cisco Unified CM□ □□□□□. Cisco Unified SRST□ □□□□ □□□□ □□ □□, □□ □□ 3□ Cisco Unified CM □□□ □□ □□□ □□□□□ WAN □□□ □□□ □□ Cisco Unified IP □□□ □□ □□ □□ □□□ □□□ □ □□□□.

□□:

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cusrst/admin/sccp\\_sip\\_srst/configuration/guide/SCCP\\_and\\_SIP\\_SRST\\_Admin\\_Guide/srst\\_overview.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cusrst/admin/sccp_sip_srst/configuration/guide/SCCP_and_SIP_SRST_Admin_Guide/srst_overview.html)

**NEW QUESTION: 113**

IM and Presence □□□□ □□ □□□ □□ □□ □□ □□ □ □□□□?

- A. 6
- B. 10
- C. 2
- D. 4

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 114**

□□□□ □□□□□.

DNIS□ □□□□ □□ □□ □□□□□□ □□ □□□ □□□□ □□□□. □□□□□□ DNIS□ 0255-343-1234□ □□□□ □□□ □□□ □□□□?

- A. DNIS□ "-"□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□.
- B. □□ □□□ □□□□ □□□ □□□ 02553431234□□□□.
- C. DNIS□ "\$"□ □□□ □□ □□□ □□ □□□ □□□□ □□□□.
- D. □□ □□□ □□□□ □□□ □□□ 025553431234□□□□.

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 115

□□□□ □□□□□. □□□□□□ Cisco □□□□□□□□ VoIP □□□□ □□□ □□□□□□. □□ □□□ □□□□□□?

- A. G.711ulaw
- B. □□□ □□□□ □□□□(□□ □□ □□).
- C. G.711alaw
- D. G.729r8

Answer: A ([LEAVE A REPLY](#))

□□: Cisco IOS XE □□□□□□ □ □□□ □□□□

□□/□□: <https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/voice/dialpeer/configuration/15-mt/vd-15-mt-book/vd-dp-cfg-examp.pdf>

#### NEW QUESTION: 116

Cisco UCM□□ "sip" □□□□ URI□ □□□□ SIP □□□□ □□□□□□ □□□ □□□□□□?  
2001@cucmpub.cisco.com"?

- A. Cisco UCM□ □□ □□□□ □□□□ □□□□ □□□ □□□ □□□□□□.
- B. □□ □□□□ SIP □□□□ □□□□ □□□ □□□□ □□□□□□.
- C. CallManager □□□ □□□□□□□ SIPS URI □□□□ True□ □□□□□□.
- D. □□□□□□ □□□□□□ □□□□ □□□□ □□□ □□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/admin/12\\_0\\_1/systemConfig/cucm\\_b\\_system-configuration-guide-1201/cucm\\_b\\_system-configuration-guide-1201\\_chapter\\_0101.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/12_0_1/systemConfig/cucm_b_system-configuration-guide-1201/cucm_b_system-configuration-guide-1201_chapter_0101.html)

#### NEW QUESTION: 117

Collaboration Edge□□ Cisco Expressway□ □ □□ □□□ □□□□□□? (2□□ □□□□□□.)

- A. Expressway-E□ □□□□□□ □□□□□□ □□□□□□ □□□□ □□ □□□□□□ □□□□□□.
- B. Expressway-C □ Expressway-E □□ □□□□ H.323-SIP □□□□ □□ □□□□ □ □□□□□.
- C. Expressway-C□ □□□(□□ □□□ □ □□ □□□□ □□□□□□ □□□ □□(□□ B2B □□)□ □□□□□□.
- D. Expressway-E□ □□□ □□ □□□ □□□□□ Cisco AnyConnect □□□□□□ □□ Cisco IP □□□ □□ VPN □□□□ □□□□□□.
- E. Expressway-C □ Expressway-E □□ T1/E1 □□□□ □□ □□ □□□□□□□□ PSTN□□□□ □□□ □□□□ □ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

#### NEW QUESTION: 118

□□□□ □□□□□. □ INVITE□ G.729□ □□□□ □□□□□□ □□□□□.

□ □□□ □□□□□ □□□ □□ □□□?

A. □□: □□ □□ G.729□ □□□□□.

B. G.711ualw □ G.729□ □□□□ □□□□□□ □□□□□.

C. G.711ulaw □ G.729□ □□□□ □□□ □□ □□□ □□□□□.

D. □□: □□ □□ □□□□ □□ 101□ □□□□□.

**Answer: (SHOW ANSWER)**

□□□□□□ □ □□□ □□□ □□□□ □□□□ □□ □ □□ □□□□ □□ □□ □□□□ □□□□□(□□)□□□□. □□ □□, G.711 □□□□ □□□□ □ □□ □□□□□ G.729 □□□□□ □□□□□(□□)□ □ □□□□. □□ □□ □□□ □□□□□ □□□□ □□□ MTP/TRP □□□ □□□ □□ □□□□.

### NEW QUESTION: 119

□□□□ □□□□□. □□□□□□ □□ □□□□ □□ LLQ□ □□□□ □□ □□ QoS □□ □ □□□ □□□□ □□□. □□□□□□ □□□□ □□ □□□ □□□?

A. □□□ 170~LLQ 170

B. □□□ 170~□□□□ 170

C. □□□ 170 ~ □□ 170

D. □□□ 170~170%

**Answer: (SHOW ANSWER)**

[https://www.cisco.com/c/en/us/td/docs/ios/qos/configuration/guide/12\\_2sr/qos\\_12\\_2sr\\_book/llq\\_f or\\_ipsec.html](https://www.cisco.com/c/en/us/td/docs/ios/qos/configuration/guide/12_2sr/qos_12_2sr_book/llq_f or_ipsec.html)

### NEW QUESTION: 120

Cisco Unity Connection□ □□ □□□ □□□ □□ □□□□ □□ □□ □□□□□ ?

A. Cisco Unity Connection□ □□ □□, □□□□□□ □□□ □□ □ □□ □□□ □□ □□□ □ □□ □□□ □□□ □ □□□ □□ □□□ □□□□□.

B. □□□ □□□ □□□□ □□□ □□□□ □□□□□□ □□□ □□□□□.

C. □□□ □□, □□□□ □□, □□ □□□ □□□□□.

D. □□□□ □□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□□□□ □□ □□□□ □□□□□.

**Answer: C (LEAVE A REPLY)**

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/10x/administration/guide/10xc\\_ucsagx/10xcucsag080.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/administration/guide/10xc_ucsagx/10xcucsag080.html)

### NEW QUESTION: 121

□□□□ □□ ISDN T1 PRI□ □□ LINECODE□ □□□□□ □□□. □□ □□□ □□□ □□□□□?

A. □□□□ esf

B. □□□□ ami

C. □□□□ hdb3

D. □□□□ b8zs

**Answer: B (LEAVE A REPLY)**





D. □□□□□

E. □□

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 127**

□□□□ □□ PBX□ □□□ ISDN PRI□ □□□□□. ISDN □□□ □□□ □□□□□. □□□□ □□ PBX□ OSIG □□ □□□ □□□□ □□□ □□□□□□□. Cisco IOS □□□□□□□ ISDN □□□□□ QSIG □□□ □□□ □ □□ □□□ □□□□□□□?

A. isdn □□ □□ □□

B. isdn □□□ □□ □□-ni

C. isdn □□□ □□ □□-qsig

D. isdn □□□ □□ □□-qsig

Answer: [C \(LEAVE A REPLY\)](#)

**NEW QUESTION: 128**

ID392116981□ □□□□ □□□□ □ Cisco UCM □□□□ □□ WAN □□□ □□ □□□□ □□ 1Mbps□ □□□□ □□□□□ □□ □□□□□□□. G.711□ □□□ □□□□□ □□□□ □□ □ □□□ □ □□ □□□ □□□□□□□?

A. 13

B. 12

C. 16

D. 15

Answer: [B \(LEAVE A REPLY\)](#)

**NEW QUESTION: 129**

□□□□ □□□□□.

□□□□ □□□ 4401□ Cisco UCM □□□□ 5507□ □□□ □□ □□□ Cisco Unified Border Element□ □□□□□□□. □□□ □□ IP □□□ □□□□□□□?

A. 10.0.0.3

B. 10.0.0.4

C. 10.0.0.1

D. 10.0.0.2

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 130**

□□ □□□□ □□□ □□ □ □□□ □□□ □□□□ □□ Cisco Unified Communications Manager □□□ □□□□□ □□□□□ □□□□?

A. OffNet□□ OffNet□□□ □□□ □□□□□□.

B. H.225 □□ □□ □□

C. □□ □□ □□

D. □□□ □□□□□□ □□ □□□ □□

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 131**

IP □□□□ 101110□□ □□□□ DSCP □□□ □□□□□□?

- A. AF41
- B. AF31
- C. CS3
- D. EF

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 132**

□□□□□ A□ □□□□□ B□ □□□ □□□□ □□□□. □□□□□ A□ □□□ □□□ □□□ G.711 ulaw□ □□□□□. 20ms, □□□□□ B□ G.711ulaw□ □□ 30ms□ □□□ □□□ □□□□□. □□□□ □□ □□□ □□□ □□□□□ □ □□ □□□□ □ □□ □□□□□ □□?

- A. Cisco Unified Communication Manager□ □□□□□ MTP
- B. Cisco IOS □□□□□□ □□□□ MTP
- C. Cisco IOS □□□□□□ □□□□ □□□□□
- D. Cisco Unified Communications Manager□ □□□□□ □□□□□
- E. Cisco IOS □□□□□□ □□□□□ MTP

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 133**

□□□□ DNA UI□□ □□□ □□□ □□□□ □□□□□□□□?

- A. □□□ -> □□ □□
- B. □□□ -> □□□□□□ □□□□
- C. □□□ -> □□□ □□□□
- D. □□□ -> □□ □□ -> DNA

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 134**

□□□□□ □□□ □□□ □□□□□ □□ □□ □□ □□ □□□ □□□□□. □□□□□ □□□ □□ □□ □□ □□□ □□ □□ □□□ □□□ □□□□□?

- A. □□ □□
- B. □□ □
- C. □□ □□
- D. CSS

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 135**

□□□□ □□□□□.  
□□ □□□ □□□□□?

- A. ILBC
- B. G.711ulaw
- C. G.728
- D. G.729

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 136**

Cisco IP Voice Streaming Application □□ □□□□ □□□□□ □□ □□□ □□□□ □□□□□?

- A. □□ □□ □□□
- B. □□□□□
- C. □□□
- D. □□ □□

**Answer: C (LEAVE A REPLY)**

□□ □□□ □□□□□ □□□□□ □□ □□□□ □□□ □□ □□ □□□□ □□□□□□ □□□ □□□□ Cisco IP □□ □□□ □□□□ □□□□□□□ □□□□□ □□□□□.

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/srnd/collab11/collab11/media.html#32774](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/srnd/collab11/collab11/media.html#32774)

**350-801** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-801 □□! DumpTop □ □□ **350-801** □□ □□□ □□□□□□, DumpTop 350-801 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 350-801 □□□ □□□□□.

<https://www.dumpst.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 137**

□□□□□ □□ □□ □ □□ □□□ □□□□ Cisco IM and Presence □□□□ □□□□□?

- A. XCP □□□
- B. XCP □□□ □□□□
- C. Cisco □□ □□ □□□
- D. Cisco XCP □□ □□□

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 138**

Cisco IM and Presence □ Jabber □ □□□□ □□ □□ □□□□□ □□□□□?

- A. XMPP
- B. □□
- C. TCP
- D. LDAP
- E. QBE

**Answer: A,B (LEAVE A REPLY)**

□□: □□ □□□□□□

**NEW QUESTION: 139**

SIP □□□ MAC □□ 0030.96D2.D5CB □□□□ □□□□□□□□. □□□□ Cisco UCM □□ □□ □□□ □□□□□. □□□□□□ □□□ □□ □□ □□ □□ □□□□□?

- A. SEP003096D2D5CB.cnf.xml

- B. SIP003096D2D5CB.cnf.xml
- C. SEP003096D2D5CB.cnf
- D. SIP003096D2D5CB.cnf

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 140**

□□□□ □□□□□.

UC □□□□ □ SIP INVITE□ □□□ DTMF □□□ □□□ □ □□□ □□□ □□ □□□ □□□□ □□ □ □□□□ □□□□□? (2□□ □□□□ □.)

- A. □□
- B. □□
- C. □□
- D. □□□□□
- E. □□□□

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 141**

Cisco Prime Collaboration□ □□ □□□□□ □□ □□□ □□ □□□ □□ □□□□ □□ □□□□ □□□□□ □□(□□ □ InformRequests)□ □□ □□□?

- A. UDP 162
- B. TCP 80
- C. UDP 161
- D. TCP 161

Answer: A ([LEAVE A REPLY](#))

□□: □□□□, □□ □ □□□□□

□□/□□: [https://www.cisco.com/c/en/us/td/docs/net\\_mgmt/prime/collaboration/12-1/assurance/advanced/guide/cpco\\_b\\_cisco-prime-collaboration-assurance-guide-Advanced-12-1/cpco\\_b\\_cisco-prime-collaboration-assurance-guide-advanced-12-1\\_chapter\\_01111.html](https://www.cisco.com/c/en/us/td/docs/net_mgmt/prime/collaboration/12-1/assurance/advanced/guide/cpco_b_cisco-prime-collaboration-assurance-guide-Advanced-12-1/cpco_b_cisco-prime-collaboration-assurance-guide-advanced-12-1_chapter_01111.html)

**NEW QUESTION: 142**

□□ □□ □ □□ □□□ □□□□ □□ □□□□ □□□□ □□□ □□□□□?

- A. QoS□ □□ □□□□□□□.
- B. 100Mbps □□□□ □□ □□ 1Gbps □□□□ □□□ □□□□□.
- C. Cisco Unified Communications Manager□ G.729 □□ G.711□ □□□□□ □□□□□.
- D. □□□□ RTP □□□ □□□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 143**

□□□□ □□□□□. □□□□□ MGCP □□□□□□ □□□ □□□□□. □□□ □□ □□□□ □□□□.

MGCP□ □□□□□□ □□ □□□ □□□□□?

- A. □□(config)# mgcp □□□

- B. `CC(config)# ccm-manager CC`
- C. `CC(config)# com-manager CC`
- D. `CC(CC)# mgcp`

**Answer: D (LEAVE A REPLY)**

<https://www.cisco.com/c/en/us/support/docs/voice-unified-communications/unified-communications-manager-callmanager/42105-vg200-cfg.html>

**NEW QUESTION: 144**

Cisco Telepresence SX80 `show xstatus` command displays the status of the HDMI connection. Which command displays the status of the HDMI connection?

- A. `xstatus HDMI`
- B. `xstatus CC`
- C. `xconfiguration CC`
- D. `xcommand CC`

**Answer: (SHOW ANSWER)**

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/sx-series/tc7/api-reference-guide/sx80-api-reference-guide-tc71.pdf>

**NEW QUESTION: 145**

Which command displays the status of the FAC and CMC ports on a Cisco T302 IP Phone? (2 correct answers)

- A. `show port status`
- B. `show port status FAC CMC`
- C. `show port status`
- D. `FAC CMC show port status #`
- E. T302 `show port status 15000 5000 Interdigit`

**Answer: C,E (LEAVE A REPLY)**

**NEW QUESTION: 146**

Which command displays the status of the Cisco UCM ports on a Cisco T302 IP Phone? (2 correct answers)

- A. `show port status`
- B. `show port status`
- C. `show port status`
- D. `show port status`

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 147**

Which command displays the status of the WFQ ports on a Cisco T302 IP Phone?

- A. `show QoS`



□□□ □□ □ DTMF □□□□ □□□□□ □□ □ DTMF □□□□ □ □□ □□ □□□□ □□□□ □□□ □□ SIP IOS □□□□□□ □□□□ □□□□. □□ □□□□□ □□□□ 10\$ □□□ □□□□□?

- A. dtmf-relay sip-kpml cisco-rtp
- B. dtmf-relay cisco-rtp
- C. dtmf-relay rtp-nte sip-□□
- D. sip-□□ dtmf-relay rtp-nte

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 151**

□□□□□ Cisco UCM□□ □ □□□□ □□□□□. □□□□ □□□□□ □□□ □ □□□□ IP□ □□□ □□□□□ CISC0 UCM□ □□□□ □□□□. □□ □□□ □□□□ CISC0 UCM□□ □□□ □□□□ □□□□□. □□ □□□□ □ □□ 'Mien□ □□□ □□□□ □□□?

- A. Cisco UCM□□ □□ □□□ □□□□□□□ □□
- B. □□□□ □□ □□ □□ □ □□□ □□ □□ □□□ □□□□ □□
- C. □□□ □□□ VLAN□ □□□ □□
- D. Cisco UCM□□ □□□□ MAC □□□ □□□□ □□

Answer: ([SHOW ANSWER](#))

b) □□□□ □□ □□ □□ □ □□□ □□ □□ □□□ □□□□ □□□□ □□ □□ □□ □□□□ □□ □□□□, □□□□ □□□ □□□□ □□ □□□□□ ITL □□□ □□ □□ □□□ □□□ □ □□□□. Cisco UCM2□ □□. □ □□□ □□□□□ ITL □□□ □□□□□ □□□□□ □□□□ □□ □□□□ □□ □2.

c) □□□□ □□□ VLAN□ □□□ □□□ □□ □□ □□ □□ □□□□, □□□□ Cisco UCM □□□ □□□ VLAN□ □□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□ □□□ □ □ □□□□3 . □ □□□ □□□□□ □□□□ □□ □ VLAN □□□ □□□□ □□□□ □□□3.

d) Cisco UCM□□ □□□□ MAC □□□ □□□□ □□□ □□ □□ □□□ □□ □□□□, □□□□ MAC □□□ Cisco UCM□ □□□ □□□ □□□□ □□ □□ □□□ □□ □ □□□□. □ □□□ □□□□□ Cisco UCM□□ MAC □□□ □□□□ □□□□□□□ □□□.

□□:  
Cisco UCM1□□ □□ □□□ □□□ □□□ □□□□ □□□ □□□ □ □□ □□ □□□□ □□ □□□□□. □□ □□□ □□□□ □□ □□ □□ □ □□□ □ Cisco UCM□ □□□ □ □□□□1. □□ □□□ □□□□□ □□ □□□□ □□□ □ □□□ □□□ □□1□ □□□□□. □□ □□□ □□□ □□□ □ □□ □□ □□□□ □□ □□□ □□□□.

**350-801** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-801 □□! DumpTop □ □□ **350-801** □□ □□□ □□□□□□, DumpTop 350-801 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 350-801 □□□ □□□□□.

<https://www.dumptop.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 152**

□□□□□ Cisco UCM□□ □□ □□ □□ □□□ □□□□ □□□. □ □□□ □□□□□□ □□ □□□ □□□ □□□?

- A. □ □□ □□□ □□ □□ □□ □□□ □□□□□.
- B. □ □□ □□□ □□ □□ □□ □□ □□□ □□□□□.
- C. □ □□ □□ □□. □□ □□ □□ □□ □□ □□ □□□□ □□□ □□ □□ □□
- D. □ □□ □□□ □□ □□ □□ □□□□ □□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 153**

Jabber □□□□□ □□ □□ □ □□ □□□□ Presence Server□ □□□□ □□□□□?

- A. Cisco XCP XMPP □□□□□ □□□
- B. Cisco SIP □□□
- C. Cisco XCP □□□
- D. Cisco XCP □□□ □□ □□□

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 154**

□□□□ Cisco UCM□□ □□ □□ □□□ □□□ □□□ □□□□□□.  
□ □□□□□ □□□□ □ □□ □□□ □□□□□□?

- A. Cisco □□ □□□□
- B. Cisco □□ □□□ □□□□ □□
- C. Cisco UCM □□□ □□□
- D. Cisco UCM □□□ □□ □□ □□ □□

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 155**

QoS □□□ □□□□ DiffServ □□□ □□ □□□ □□□□□?

- A. □□ □ □□ □□□ □□ DSCP □□□ □□□□ □□ □□□□ □□□□□.
- B. AF41□ AF42□□ □□ □□□□□ □□□□. AF43□□ □□ □□□□□ □□□□.
- C. □□ □ □□ □□□ RTP □□□□ EFO □□□□ □□□ □□□□ □□□□□.
- D. AF43□ AF42□□ □□ □□ □□□ □□□ AF41□□ □□ □□ □□□ □□□□.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 156**

Cisco □□ □□□□□□ □□ □□□□ sip-kpml DTMF □□□□ □□□□□ □□□□□. □□ □ DTMF □□□□ □□□□ □□ □□□□□□□ □□ □ SIP □□□ □□□ □□□□□. □□□□□ □□□ □□□□ □□ □□□ □□□□ □□□?

- A. dtmf-□□□ rtp-net
- B. dtmf-relay sip-□□
- C. dtmf-relay sip-notify
- D. dtmf-relay sip-kpml □□

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 157**

Cisco Unified Communications Manger□ □□□□ □□ □□□ □□□□ E.164 □□□ □□□ □□□ □□□□□□?

- A. PSTN □□□ □□ SIP □□□□ □□ □□ □ □□□□ □□□□ □□□□ □□□□□.
- B. □□□□ □□□□ □□□□.
- C. □□□ □□□□□ □□ □□ □□□ □□□□□ □□□.
- D. □□□ □□□ □□□□□ □□□□ □□□□ □□□□□.



D. □□ C

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 162**

□□□□ □□□□□. □ dspfarm□□□ □□ □ □□ □□□□□□□ □□□? (2□□ □□□□□.)

A. G.722 ~ G.729r8

B. iLBC□□ G.711ulaw□

C. G.728br8 ~ G.711alaw

D. G.729ar8 ~ G.711alaw

E. G.729r8 ~ G.711ulaw

Answer: D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 163**

□ □□□□□ □ □□ Cisco Unified Border □□□□ □□ □□ □□□ □□□□ □□□□. □ □□ □□□(cube1.abc.com)□ □□□ 60%□ □□□

□ □ □□ □□□(cute2.abc.com)□ □□□ 40%□ □□□□□. □□ DNS A □□□□ □□□□□□ □□□□□.

□□ □□ □□□□□ □□ SRV □□□ □ □□ □□□□□? (2□□ □□□□□.)

A. sip\_udp.abc.com 60 IN SRV 3 60 5060 Cube2.abc.com

B. sip\_udp.abc.com 60 IN SRV 1 60 5060 Cube1.abc.com

C. sip\_udp.abc.com 60 IN SRV 60 1 5060 Cube1.abc.com

D. sip\_udp.abc.com 60 IN SRV 2 60 5060 Cube1.abc.com

E. sip\_udp.abc.com 60 IN SRV 1 40 5060 Cube2.abc.com

Answer: B,E ([LEAVE A REPLY](#))

**NEW QUESTION: 164**

DiffServe □□□□ □□ DS □□□ □□□ □ □□□ □□□ □□□□□?

A. INC

B. RMI

C. AFxy

D. ECN

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 165**

□□□□□ Cisco □□ □□□□ Cisco Jabbar □□□□□□ □□□□□ □□ □□□□□ □□□□□?

A. Cisco Expressway-C

B. Cisco UCM IM □ □□ □□

C. Cisco Unity □□

D. Cisco UCM

Answer: D ([LEAVE A REPLY](#))

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/jabber/14\\_0/cjab\\_b\\_deploy-jabber-on-premise-14\\_0/cjab\\_b\\_deploy-jabber-on-premise-129\\_chapter\\_010000.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/14_0/cjab_b_deploy-jabber-on-premise-14_0/cjab_b_deploy-jabber-on-premise-129_chapter_010000.html)





**NEW QUESTION: 174**

Which two DNS records are required for Jabber on Windows? (Choose two.)  
Cisco Unified Communications Manager

- A. \_cisco-uds\_tcp.example.com DNS SRV record
- B. DNS record \_collab-edge.\_tcp.example.com and \_collab-edge.\_tls.example.com.
- C. DNS SRV record A record
- D. IP 4.2.2.2 DNS record

**Answer: (SHOW ANSWER)**

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/jabber/Windows/9\\_7/CJAB\\_BK\\_C606D8A9\\_00\\_cisco-jabber-dns-configuration-guide/CJAB\\_BK\\_C606D8A9\\_00\\_cisco-jabber-dns-configuration-guide\\_chapter\\_010.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/Windows/9_7/CJAB_BK_C606D8A9_00_cisco-jabber-dns-configuration-guide/CJAB_BK_C606D8A9_00_cisco-jabber-dns-configuration-guide_chapter_010.html)

**NEW QUESTION: 175**

Which two CSS values are required for Cisco UCM to support CSS 2143? (Choose two.)

- A. CSS <None>
- B. CSS <any>
- C. Partition\_A
- D. Partition\_B CSS

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 176**

Which two Cisco Telepresence 1X5000 features are supported? (Choose two.)

- A. Cisco Webex Meetings
- B. Cisco UCM
- C. Cisco
- D. Cisco PVD4-128

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 177**

Which two Cisco Unified Communication Manager Jabber features are supported? (Choose two.)

- A. SIP
- B. iPhone Cisco
- C. Android Cisco
- D. Cisco

**Answer: (SHOW ANSWER)**

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/jabber/11\\_5/CJAB\\_BK\\_D00D8CBD\\_00\\_deployment-installation-guide-cisco-jabber115/CJAB\\_BK\\_D00D8CBD\\_00\\_deployment-installation-guide-cisco-jabber115\\_chapter\\_0100\\_0.HTML](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_5/CJAB_BK_D00D8CBD_00_deployment-installation-guide-cisco-jabber115/CJAB_BK_D00D8CBD_00_deployment-installation-guide-cisco-jabber115_chapter_0100_0.HTML)

**NEW QUESTION: 178**

Which of the following is a valid SIP URI? (2 correct answers)  
A. sip:1234@10.10.10.10  
B. sip:1234@10.10.10.10:5060  
C. sip:1234@10.10.10.10:5060;transport=tcp  
D. sip:1234@10.10.10.10:5060;transport=udp

- A.
- B.
- C.
- D.

Answer: (SHOW ANSWER)

**NEW QUESTION: 179**

Which of the following is a valid SIP URI? (2 correct answers)  
A. sip:1234@10.10.10.10  
B. sip:1234@10.10.10.10:5060  
C. sip:1234@10.10.10.10:5060;transport=tcp  
D. sip:1234@10.10.10.10:5060;transport=udp

- A. SIP INVITE request contains SDP information.
- B. SIP INVITE request contains SDP information.
- C. SIP INVITE request contains SDP information.
- D. Cisco Unified Border Element (CUBE) can be used to connect VoIP networks.
- E. SIP INVITE request contains SDP information.

Answer: B,C (LEAVE A REPLY)

**NEW QUESTION: 180**

Which of the following is a valid SIP URI? (2 correct answers)

- A. sip:1234@10.10.10.10
- B. sip:1234@10.10.10.10:5060
- C. sip:1234@10.10.10.10:5060;transport=tcp
- D. sip:1234@10.10.10.10:5060;transport=udp
- E. sip:1234@10.10.10.10:5060;transport=tcp;transport=udp

Answer: D,E (LEAVE A REPLY)

[https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/qos\\_conmgt/configuration/xr-16-5/qos-conmgt-xr-16-5-book/qos-conmgt-overview.html#:~:text=to%2064%20classes-,4%20queues,-Kind%20of%20Service](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/qos_conmgt/configuration/xr-16-5/qos-conmgt-xr-16-5-book/qos-conmgt-overview.html#:~:text=to%2064%20classes-,4%20queues,-Kind%20of%20Service)

**NEW QUESTION: 181**

Which of the following is a valid SIP URI? (2 correct answers)  
A. sip:1234@10.10.10.10  
B. sip:1234@10.10.10.10:5060  
C. sip:1234@10.10.10.10:5060;transport=tcp  
D. sip:1234@10.10.10.10:5060;transport=udp

- A. SIP INVITE request contains SDP information.
- B. SIP INVITE request contains SDP information.
- C. SIP INVITE request contains SDP information.
- D. Cisco Unified Border Element (CUBE) can be used to connect VoIP networks.

Answer: C (LEAVE A REPLY)



□□□ □□□□ □□□ □□□□□ VM□ □□□□□.  
VM□ □□□ □□□□□□ VM□ □□□ □□□□ □□□ □□□□□.

**NEW QUESTION: 184**

□□□ □□□ □□□□ □□ □□□ □□□ □□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□□□□?

- A. G.729
- B. G.711
- C. G.722
- D. G.723

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 185**

□□□□ □□ □□□□□ □□□□ Cisco UCM□□ □□ □□ □□□ □□□□ □□□.  
□□ □□□ □□□ □□□□ □□□?

- A. □□ = 3.800xxxxxx
- B. □□ = 1122113.8005551212
- C. □□ = 8005xxxxxx
- D. □□ = 8005551212.1122113

Answer: **C** [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 186**

QoS □□ □□□ □□ □□□ □□□□□□□ □□□□ □□□ □□ □□ □□□ □□□ □□□□.

Answer:

**NEW QUESTION: 187**

□□□□ □□□ □□□ Cisco Unified IP 8831 □□□ □□□□ □□□□□□.  
□□□ □□□□ □□ □□□ □ □□ □□□ □□□□□? (2□ □□)

- A. □□□□ □□□□□ □□ 150 □□□ □□□□ □ □□□ □□□□□□.
- B. RJ-65 □□□□ □□□□□.
- C. □□□ □□ □□□□□ HSRP□ □□□□□□□.
- D. □□□□ □□□ □□□ □□□□□ □□□ □□□□□□.
- E. RJ-11 □□□□ PC □□□ □□□□ □□□ □□□□□□.

Answer: **A,D** [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 188**

□ SIP □□□ Cisco Unified Communications Manager□ □□□□ □□ □□□□ □□□ □□□□□□ "□□□□□□□□ □□" □□ □□□□ □□□□□. □  
□□□ □□□ □□□ □□□□□?

- A. Cisco Unified Communications Manager □□□□ □□ □□□ □□□□□□ □□□ □□ □□□ □□□ DNF □□□□.
- B. DHCP □□□ □□□□□□ □□□□ □□ TFTP□ □□□□ □□ □□□□.
- C. □□□□ □□ □□□□ □□□□□□ □□□ □ □□□□.

- D. □□□□ □□□ DN□ □□ □□ SIP □□□□□ □□ □□□□.
- E. □ □□□□ DN □□□ □□□□ □□ SCCP □□□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

<https://community.cisco.com/t5/ip-telephony-and-phones/how-can-i-registration-a-sip-phone-without-dn/td-p/2765543>

**NEW QUESTION: 189**

- Cisco Unified Communications Manager□ □□ □□ □□ CAC □□□ □□ □□□ □□□ □□□ □ □□□□?
- A. Cisco Unified Border Element □□□□□ □□ □□ □□ □□□□ □□□ □□□ □□□□□.
  - B. □□□ □□ □□□□□ □□□□ □□ □□ □□ □□□ □□□□□.
  - C. □□□ □□□□□ □□□□□ □□□□□.
  - D. □ □□□ □ □□□ □□□ □□ □□ □□□ □□□□ □□ □□ □□ □□□□□.

**Answer: C (LEAVE A REPLY)**

**350-801** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 350-801 □□! DumpTop □ □□ **350-801** □□ □□□ □□□□□□, DumpTop 350-801 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 350-801 □□□ □□□□□.

<https://www.dumptop.com/Cisco/350-801-dump.html> (364 Q&As Dumps, **30%OFF Special Discount: KrDump**)