

Cisco.400-007.v2025-08-11.q188

□□□□:	400-007
□□□□:	Cisco Certified Design Expert (CCDE v3.0) Written Exam
□□□:	Cisco
□□ □□ □□□:	188
□□:	v2025-08-11
# □□ □:	155
# □□ □□□:	1880
https://www.krdump.com/Cisco.400-007.v2025-08-11.q188.html	

NEW QUESTION: 1

IT □□□ □□□□□ PCI □□ □□□ □□□□□ □□□□ □□□□□□□ □□□□. □□ □□ □□ □□ □□□ □□□ □□□ □□□ □□□ 802.1X □ VPN □□□ □□□ □ □□□ □□ □□□□□□.

□□ □□ □□□ □□ □□□ □□□□□?

- A. □□ □□□□□ EAP-MD5□ □□ □□ □□ □□ □□□ □□□□□ □□□□□.
- B. □□□□ □□□□ □□ □□□□ □□□ □□ □□□ □□ □□□□ □□□□□ □□□□□.
- C. □□ □□□□ □□□ □□□ □□□□□ □□□□ □□ VPN □□□ □□□□□□□.
- D. □□□□ □□□ □ □□□□□ TLS 1.0□□□□ □□□ □□□ □□ □□ □□□□□ □□□□□□ □□□□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□. □□ □□□ □□□□ □□ □ DCI□□ FCoE□ □□□□□ □□□. □□□ □□□ □□ □□□ □□ □□□□ □□ FCoE□ □□□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□□□.)

- A. MPLS
- B. SONET/SDH
- C. DWDM
- D. □□□□ □□ □□ □□ EtherChannel
- E. VPLS

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□□ □□□□ ASN □□□ □□□□ □□□ □□ GLOP IP □□□ □□□□ □□□. □□ □□□ □□ □□ □□□ □□□□ □□□?

- A. H233.0.0 0 ~ 233.255.255 255

- B. 239000 ~ 239255255.255
- C. 224000 ~ 2240.0 255
- D. 232.0.0.0 ~ 232 255.255.255

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□□□ □□□ IPSEC□□ □□ □□□ □□□□□ □□□. □□□ □□□ □□□ □□ □□□ □□□ □□□□. □□□ □ □ □□ □□ □□□□ □□□□ □□□□. □ □□□ □□□□ □□ □□ □□ □ □□□□ □□□□ □□□?

- A. QoS □□ □□□ □□□□□.
- B. IPSEC □□□ □□□□ □□□□□.
- C. □□□ □□□ □□□ □□□□ □□□□□.
- D. □□□□ □□ □ 4096□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5


XYZ □□□ OSPF□ □□□ □□□ □□□ □□□□□ □□□□□. BFD□ □□□ □□□ □□□ □□ □ □□□□□ □□□□□ □□□ □□□□□ □ □ □□□ □□ □□□□. □□ □□□ □□□ □□□□ □?

- A. OSPF hello □ dead □□ □□
- B. BF□□
- C. □□□□□ BGP□ □□□□□
- D. OSPF □□ hello


Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6


□ □□□□ □□ MPLS □□□ □□□□ □□□ WAN □□□ □□□□ □□□, □□□ □□□□ □□ □□ □□□ SD-WAN □□□□ □□□□ □□ □□□□ □□□□. □□ □□□ □□□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□.



Answer:



□□:
 □□ □□□□ □□ □□□ □□□ □□



NEW QUESTION: 7

Which two WAN architectures are best suited for a multi-branch environment with a central cloud-based application? (Choose two.)

- A. SD-WAN with a central cloud-based application
- B. SD-WAN with a central on-premise application
- C. SD-WAN with a central cloud-based application and a central on-premise application
- D. SD-WAN with a central on-premise application
- E. SD-WAN with a central cloud-based application


Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which two protocols are used for IPv4 and IPv6 multicast traffic? (Choose two.)

- A. PIM-SM

□□□ □□□□□ □□□□□ □□□□ □□□□□ □□□□□□□□□□ □□, □□□□ □□ □□□□
 □□□ □□□□□ □□□□□ □□□□□. □□□□ □□□□ □□□□ □□□□ □□□□ □□□□.



Answer:




NEW QUESTION: 20

VLAN □□□□ □□□□□ □□□□ □□□□ □ □□ □□□ □□□□□? (□ □□ □□)

- A. PIM □□
- B. IGMP □□□
- C. ...
- D. MLD □□
- E. □□□□

Answer: (SHOW ANSWER)



ACME Mining is a multinational company with offices in Santiago, Cape Town, Mumbai, and Beijing. Each office has a local 400 Mb/s EVF-LAN. The offices are connected via a central cloud service. The cloud service has a bandwidth of 2 Mb/s (250 KB/s) and a latency of 100 ms. The cloud service is connected to each office via a 400 Mb/s link with a ping time of 100 ms.

	Santiago	Cape Town	Mumbai	Beijing
Santiago	-	280 ms	378 ms	409 ms
Cape Town	280 ms	-	185 ms	445 ms
Mumbai	383 ms	176 ms	-	443 ms
Beijing	430 ms	448 ms	442 ms	-

What is the total bandwidth of the cloud service?

- A. 400 Mb/s
- B. 800 Mb/s
- C. 1600 Mb/s
- D. 1600 Mb/s
- E. 1600 Mb/s
- F. 1600 Mb/s

Answer: E (LEAVE A REPLY)

NEW QUESTION: 23

What is the total bandwidth of the cloud service?

protocol based on HTTP for configuring data defined in YANG and supports operations such as GET, PUT, POST, PATCH, and DELETE	NETCONF
provides mechanisms to install, manipulate, and delete the configuration of network devices; uses XML for data encoding and the operation is realized as RPC	RESTCONF
application program interface that uses HTTP requests to GET, PUT, POST, and DELETE data	ANSIBLE
open-source software provisioning, configuration management, and application-deployment tool	YANG
data modeling language used to model configuration data, state data, remote procedure calls, and notifications for network management protocols	REST API

Answer:

protocol based on HTTP for configuring data defined in YANG and supports operations such as GET, PUT, POST, PATCH, and DELETE	provides mechanisms to install, manipulate, and delete the configuration of network devices; uses XML for data encoding and the operation is realized as RPC
provides mechanisms to install, manipulate, and delete the configuration of network devices; uses XML for data encoding and the operation is realized as RPC	protocol based on HTTP for configuring data defined in YANG and supports operations such as GET, PUT, POST, PATCH, and DELETE
application program interface that uses HTTP requests to GET, PUT, POST, and DELETE data	open-source software provisioning, configuration management, and application-deployment tool
open-source software provisioning, configuration management, and application-deployment tool	data modeling language used to model configuration data, state data, remote procedure calls, and notifications for network management protocols
data modeling language used to model configuration data, state data, remote procedure calls, and notifications for network management protocols	application program interface that uses HTTP requests to GET, PUT, POST, and DELETE data

NEW QUESTION: 24

□□□ □□□□□.

- A. □□□□ □□□□ □□□□ □□2 □□□, □□ □□□□ □□1 □□□□ □□□ □□□□□ □□ □□□.
- B. □□ □□□□ □□ 2 □□□□ □□□□□. □□□ □□ □□□ □□□ □□ □□ 1□ □□□□□.
- C. □□□□ □□□□ □□□□ □□1/□□2 □□□, □□ □□□□ □□1 □□□□ □□□ □□□□□ □□□□.
- D. □□ □□□□ □□ 1 □□□□ □□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

□□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□.

* □□□□ □□ □ □□ □ □□□□ □□□□ □□

* □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□ □□□ □□□□□ □□ □□ □□ □ □□□ □□□□□ □□ □□□□ □□□ □□□ □□□□ □□□□ □□ □ □□ □□□ □□□□□?

(□ □□ □□□□□.)

- A. □□□□ □ □□□□ □□□
- B. □□□□ □□□ □□ □□ □□□ □□□□ □□
- C. □□□□ □□□
- D. □□□□ □□□ □□□ □□□□ □□□
- E. □□□ □□

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 28

□□ □□ □□□□ □□□ □□□□ □□ □□□ □□□□□□ BGP-LS□ □□ □□□ □□□□ □□ □□□?

- A. □□ □□ □□ □□
- B. TCP □□ □□ □□
- C. □□□□ □□ □□
- D. □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

□□ □□ □□□ □□ □□□ □□□□□?

- A. IPv6 Neighbor Discover Protocol□ □□□□ □□□ □□□ □□ □□□□ □□ □□□
- B. IP □□□ □□ IP □□□ IP □□□ □□□□ □□□□□□.
- C. □□□ □□□□ □□ MAC □□□□ MAC □□ □□□□ □□□□□□.
- D. □□□ □□ □□□□ □□ □□□ □□ □ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

* Which of the following is a WAN routing protocol?
WAN routing protocols are used to route traffic across wide area networks.

- A. VRF DMVPN
- B. EIGRP
- C. GRE BGP MPLS
- D. VRF GRE

Answer: C (LEAVE A REPLY)

NEW QUESTION: 39

Which of the following is a WAN routing protocol?

- A. VRF DMVPN
- B. EIGRP
- C. GRE BGP MPLS
- D. VRF GRE

Answer: D (LEAVE A REPLY)

NEW QUESTION: 40

Which of the following is a WAN routing protocol?

- A. VRF DMVPN
- B. EIGRP
- C. GRE BGP MPLS
- D. VRF GRE

Answer: (SHOW ANSWER)

NEW QUESTION: 41

Which of the following is a WAN routing protocol?

- A. EIGRP ID
- B. OSPF
- C. GRE BGP MPLS
- D. VRF GRE
- E. AD
- F. AD

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 42

Which of the following is a WAN routing protocol?

- A. VRF DMVPN
- B. EIGRP

C. □□□ □□ □□

D. □□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 43

CWDM □□ □ □□ □□ □ □□ □□ □□□□□? (□ □□ □□)

A. □□ CWDM □□□□ □□□ □□□□ □□□□.

B. □□□□□ □□□□ □□□□□ □□ □□□ □□□□□.

C. □□ 32□□ □ □□□□ □□ □□□□ □□□□ □ □□□□.


D. DWDM □ □□□ □□ □□ □□□□□.

E. 850nm □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 44

□□□ □□□□□.



OSPF □ □□ AS100 □□□□□ □□ □□□□ □□□□ □□ IGMP □□□□ □□□□. R3 □ R4□ □□ OSPF Area0 □ Areal □□□ □□ ABR□□□. □□ BGP□ R1 □ R2□ □□□ eBGP □□(□□ □ □□□)□□□ □□□ □□□ □□□□ □□□□ AS 100 □□ □□□□□ □□□. □ □□□□ BGP □ □□ □□□□ BGP□□ □□□ □□□ OSPF□ □□□□□ □□ □□□ □□□□ □□□□□?

A. □□ □□□ □□ □□ □□□ □□□□ R1 □ R2□□ □□ □□□□ □□□□ □□□.

B. R1, R2, R3 □ R4□ □□ □□□ □□□□□ □□ R5□□ □□ □□□□□ □□□□ □ □□□.

C. R5□ R1, R2, R3 □ R4□ □□ □□ □□□□ □□□□□ □□□. BGP □□□ R1 □ R2□□ OSPF □ □□□□□□ □□□.

D. R1□ R2, □□□ R3□ □ □□ AS□ □□, R4□ □□ □□ AS□ □□□ □□□ □□□□, R1□ R2 □□ □□□□□ □□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 45

□□□ □□□□□.

XYZ DMVPN OSPF. -
 A. IP
 B.
 C.
 D.

Answer: (SHOW ANSWER)


400-007 DumpTop 400-007! DumpTop 400-007, DumpTop 400-007
<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 47

20
 *
 *
 *
 A.
 B.
 C.
 D.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 48





- Which of the following is the correct configuration for LHR to receive traffic from the multicast source?
- A. `ip multicast-routing`
 - B. `ip rpf`
 - C. `ip rpf`
 - D. `ip rpf`

Answer: (SHOW ANSWER)

NEW QUESTION: 52

Which of the following is the correct configuration for FabricPath?

- A. FabricPath is enabled on all interfaces connected to TRILL.
- B. FabricPath is enabled on all interfaces connected to TRILL.
- C. FabricPath is enabled on all interfaces connected to TRILL.
- D. FabricPath is enabled on all interfaces connected to TRILL.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 53

Which of the following is the correct configuration for FabricPath?

Answer Area

Possible convergence difficulties, N instances to configure and manage.

Easy to horizontally scale, just deploy a new instance.

Canonical approach, one instance of control plane per device (logical or real).

Most often used only in experimental SDN controllers.

Single point of failure and difficult to horizontally scale.

Resilient to many failure points, but still susceptible to issues around synchronization of state.

Strictly Centralized Control Plane

option A

option B

Semi or Logically Centralized Control Plane

option A

option B

Fully Distributed Control Plane

option A

option B

Answer:

Answer Area

Possible convergence difficulties, N instances to configure and manage.

Easy to horizontally scale, just deploy a new instance.

Canonical approach, one instance of control plane per device (logical or real).

Most often used only in experimental SDN controllers.

Single point of failure and difficult to horizontally scale.

Resilient to many failure points, but still susceptible to issues around synchronization of state.

Strictly Centralized Control Plane

Single point of failure and difficult to horizontally scale.

Most often used only in experimental SDN controllers.

Semi or Logically Centralized Control Plane

Resilient to many failure points, but still susceptible to issues around synchronization of state.


Easy to horizontally scale, just deploy a new instance.

Fully Distributed Control Plane

Possible convergence difficulties, N instances to configure and manage.

Canonical approach, one instance of control plane per device (logical or real).

Answer Area



NEW QUESTION: 54

Which of the following is a characteristic of a centralized control plane?

- A. Single point of failure
- B. Easy to horizontally scale
- C. Resilient to many failure points
- D. Canonical approach

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 55


Which of the following is a characteristic of a distributed control plane?

- A. Single point of failure
- B. Easy to horizontally scale
- C. Resilient to many failure points
- D. Canonical approach
- E. Possible convergence difficulties

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which of the following is a characteristic of a distributed control plane?



Which of the following is not a valid adjacency type for IS-IS? (Choose two)

- A. BFD
- B. Hello
- C. LSP
- D. LSP

Answer: A (LEAVE A REPLY)

NEW QUESTION: 57

Which of the following are valid IPv6 multicast addresses? (Choose two)

- A. FF02::1
- B. MSDP
- C. BSR
- D. MLD
- E. FF02::2

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 58


Which of the following are valid IPv6 multicast addresses? (Choose two)

- A. FF02::1
- B. MSDP
- C. BSR
- D. MLD
- E. FF02::2


Answer: (SHOW ANSWER)

NEW QUESTION: 59

Which of the following are valid IPv6 multicast addresses? (Choose two)



Answer:



NEW QUESTION: 60

XYZ is a large company with a complex network architecture. The network is divided into several regions, each with its own set of devices and protocols. The network is currently experiencing a significant performance degradation, and the IT team is unable to identify the cause of the problem. The network is currently using a legacy protocol that is no longer supported by the latest hardware. The IT team is considering upgrading the network to a modern protocol that is supported by the latest hardware. Which of the following protocols is the most appropriate for this scenario?

- A. LDAP
- B. EAP
- C. RADIUS+
- D. RADIUS

Answer: D (LEAVE A REPLY)

<https://www.networkstraining.com/what-is-cisco-ise/>

NEW QUESTION: 61

Agile is a project management methodology that emphasizes flexibility and collaboration. Waterfall is a project management methodology that emphasizes sequential steps and rigid planning. Which of the following is a key difference between Agile and Waterfall?

- A. Agile allows for frequent releases, while Waterfall requires a single release at the end of the project.

- B. □□ □□□ □□ □□ □□
- C. □□□□ □□□ □□ □□ □□□
- D. □□□□ □□□□□ □□, □□□□ □□□□

Answer: C ([LEAVE A REPLY](#))

400-007 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 400-007 □□! DumpTop □ □□ 400-007 □□ □□□ □□□□□□□, DumpTop 400-007 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 400-007 □□□ □□□□□□.

<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

□□□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□. □□ □□□ □□□□ □ □□□□.



Answer:

XYZ □□□ □□ □□□ □□□□□ □□ Edge □□□□□ □□□ □□□ □□□ □□□□ QoS □□ □□□ □□□ □□□□. □□ QoS □□□ □□□□□ □□□ □ □□□□?

- A. □□
- B. □□□□□
- C. □□ □□
- D. □□□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

□□□ □□□□ □ □□ □□□□□ □□□.
□ □□□□□ □ □□□□ □□□□ □□ □□□□ □□ □□□□□ □□□□□?

- A. VLAN ID
- B. STP □□
- C. VTP □□□□
- D. VTP □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

SDWAN □□□□□ □□ MPLS □□□□□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□. □□□ □□ □□□□ □□□□ □□□□ □□ NAT □□□□□ □□ □□□ □ SDWAN □□ □□ □□ □□□ □□□□ □□□□ □□ □□□□□□□. NAT □□□□□ □□ □□ □□□ □ □□ □□□□□ □□□□□□ □□□ □□□ □□□ □ □□ □□□□ □□□ □□□□□?

- A. TLS
- B. □□
- C. DTLS
- D. IPsec

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□□ □□ □□□□ □□□□□□□□ □□□ □□□□□□ □□□□□□ □□□□. □□□□□□□□ □□ □□□ □ □□□ □□□□ □□□ □ □□□□□□ □□□□□□ □□□□ □□□ □□□□ □□□□□. □□□ □□□□□□ □□□ □□□□ □□□□□□□ □□□□□ □□□□. □□□ CyberOps □□ □□ □□□□□ □□□ □□□ □□□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□□□□ □□□□ □□□ □□□□□□□?

- A. □□□□ □□□□
- B. PaaS
- C. □□□□□ □□□□
- D. □□□ □□□□
- E. IaaS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Which of the following OSPF options is not supported by DMVPN? (Choose two)

- A. 0-bit option
- B. 1-bit option
- C. 2-bit option
- D. 255-bit option
- E. 3-bit option

Answer: (SHOW ANSWER)

NEW QUESTION: 69

Which of the following is not a characteristic of SDN? (Choose two)

- A. Centralized control
- B. Programmability
- C. Decoupled control and data plane
- D. Open API

Answer: D (LEAVE A REPLY)

NEW QUESTION: 70

Which of the following is not a characteristic of SDN? (Choose two)

- A. Centralized control
- B. Programmability
- C. Decoupled control and data plane
- D. Open API

Answer: D (LEAVE A REPLY)

NEW QUESTION: 71

XYZ is a network of 30 routers. Which of the following is not a characteristic of WAN? (Choose two)

- * High bandwidth
- * Low latency
- * High reliability

Which of the following is a Cisco VPN solution? (Choose two.)

- A. S-VTI
- B. IPsec
- C. DMVPN
- D. PPTP
- E. VPN

Answer: (SHOW ANSWER)

NEW QUESTION: 72

Which of the following QoS mechanisms is used to reserve bandwidth?

low latency queuing	allows you to buffer traffic so that it adheres to the bandwidth provided by the service provider
CB-WFQ	used for scavenger traffic when it exceeds a specified limit
policing	allows you to prioritize traffic
traffic shaping	allows you to reserve bandwidth

Answer:

low latency queuing	traffic shaping
CB-WFQ	policing
policing	low latency queuing
traffic shaping	CB-WFQ

- A. □□□
- B. □□□
- C. □□
- D. □ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 76

□□ □ □□ □□□ □□□ □□ □□□ □ □□ □□□□□ EIGRP □□□□□ □□□ □ □□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□ □□□□ □□□□□.
- B. □□□ □□□ □□ □□□□ □□□□□.
- C. □□ □□□□ □□ □□□□ □□□□□.
- D. □□ □□□ □□□□ □□ □□□□ □□□□□.
- E. □□□ □□□□ □□ □□□□ □□□□□.

Answer: E ([LEAVE A REPLY](#))

400-007 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 400-007 □□! DumpTop □ □□ **400-007** □□ □□□ □□□□□□, DumpTop 400-007 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 400-007 □□□ □□□□□.


<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

□□□ □□□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□.




Answer:




NEW QUESTION: 78

□□□ □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□. □□ □□□ □□□□
 □□ □□□□.



Answer:



NEW QUESTION: 79

Which of the following are characteristics of Zero Trust? (Choose two.)

- A. It requires manual configuration.
- B. It is a dynamic filter.
- C. It is used as a filtering technique for Martian IP addresses.
- D. It is used to prevent spoofing attacks when there are alternate routes to a given IP address.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 80

Which of the following are characteristics of Zero Trust? (Choose two.)

- A. Enterprise NAT/Static IP address
- B. L3VPN VRF ID
- C. IP/MPLS IP address


- B. OSPF 1000 10 10000 1000000.
- C. EIGRP 1000 10 10000 1000000.
- D. EIGRP 1000 20 10000 1000000.

Answer: B (LEAVE A REPLY)

<https://www.ciscopress.com/articles/article.asp?p=27573&seqNum=4#:~:text=Routes%20are%20redistributed%20in%20OSPF,shown%20in%20Figure%2014%2D2.>

NEW QUESTION: 85

1000 100000.



1000 10 10000 10 1000 1000 Area 5 OSPF 1000000. 10000 10000 1000 1000 10. Area 5 SPF 100000 Area 5 100 1000000 100 1000000 100 1000 1000 100. 100 1000000 10000 1000 100 1000000 1000000 1000 1000 B 100 1000 1000000 10000 10000 10000 1000. 10000 1000 1000 1000000?*

- A. Area 5 100 100000 LSA 1000 1000.
- B. 1000 A 1000 B 1000 100 100000 10000000.
- C. 1000 B 100 ABR Area 0 100 100 1000 1000000.
- D. ABR LSA 10000 10000 100 1000 10000 Area 5 100 100 10000 1000 1000000.
- E. 1000 ABR 100 Area 5 stubby 1000000

Answer: D (LEAVE A REPLY)

NEW QUESTION: 86

1000 100000.

	Equipment Cost	ISP Cost	Licenses Cost
SD-WAN over L3VPN	SS	SS	SSS
SD-WAN over L2VPN	SS	S	SSS
Managed SD-WAN	S	SSS	-
DMVPN over L3VPN	SS	SS	S

1000 100000 WAN 1000000 100 100 1000000000. 1000 100 100000 1000000 1000 100 100 100000. 1000 100000 1000 1000 100 1000 WAN 1000000 100000 1000 1000 1000 1000 1000 100 10000000 100000000 10000000. 100 1000000 100 1000

□ □□□□□□□ □□□ □□□□□. CTO□ □□□ □□ □□□ OPEX □□□□□ □□□□. □□□ □ □□□□□ □□ □□ □□□ □□□ □□□□ □□ □□ □□□□□. □□□□ □□ WAN □□□ □ □□ □ □□□□?

- A. L2VPN□ □□ SD-WAN
- B. □□□ SD-WAN
- C. L3VPN□ □□ SD-WAN
- D. L3VPN□ □□ DMVPN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

□□□ □□□ □□□□ □□□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□□ □□□ □□□ □□□□?

- A. □□□
- B. □□□ □□□
- C. □□
- D. □□□ □□□
- E. □□


Answer: ([SHOW ANSWER](#))

□□□ □□□□ □□ □□□□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□ □□□ □□□□ □□□□□. □□□ □□□□ □□□□□ □□ □□□□(SDN) □□□□□ □□□ □□□□ □□□, □ □□□, NAT □ □□ □□□ □□ □□□ □□□□ □□□ □□□ □□□□. □□□ □□□□ □□, □□ □□ □□ □□□ □□(QoS)□ □□ □□□ □□□ □□ □□□ □□ □□□□ □□□□□□□ □□□□□ □□□□ □ □□□□. □□□ □□□□ □□ SDN □□ □ □□ □□□ □□□□ □□□ □ □□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□□□ □□□□ □□□ □□□□□ □□□□ □□□ □□□□□ □□□ □□□□ □ □□□□. □□□ □□□□ □□□ □□, □□□ □□□□ □ □□ □ □□□ □□ □□ SDN □ □□□□ □□ □□□(NFV) □□ □□□ □□□□ □□□□ □□□□123. □□:

- * 1: □□□□ □□□ □□□ □□ □□□ □□ □□□□□ □□□□□ - SDxCentral
- * 2: □□□□ □□ □□□□ □□□□□ □□ □□□□ □□□ □□□ □□□ □□□ | IEEE □□□□ □□□ | IEEE Xplore
- * 3: □□□ □□ □□□ - Gini5

NEW QUESTION: 88

□□□ □□□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□□.



Answer:



NEW QUESTION: 89

Which of the following are valid IPv4 multicast addresses? (Choose two.)

- A. 224.0.0.1
- B. 224.0.0.255
- C. 224.0.0.1, 224.0.0.255, 224.0.0.1, 224.0.0.255
- D. 224.0.0.1, 224.0.0.255, 224.0.0.1, 224.0.0.255
- E. 224.0.0.1, 224.0.0.255, 224.0.0.1, 224.0.0.255

Answer: (SHOW ANSWER)

NEW QUESTION: 90

Which of the following are valid IPv4 multicast addresses? (Choose two.)

- A. 224.0.0.1
- B. 224.0.0.255
- C. 224.0.0.1, 224.0.0.255
- D. 224.0.0.1, 224.0.0.255

Answer: (SHOW ANSWER)

NEW QUESTION: 91

UDLD is used to detect and prevent STP loops. Which of the following are valid IPv4 multicast addresses? (Choose two.)

- A. 224.0.0.1
- B. BPDUs

C. BPDU □□□

D. □□ □□

Answer: A ([LEAVE A REPLY](#))

400-007 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 400-007 □□! DumpTop □
□□ **400-007** □□ □□□ □□□□□□, DumpTop 400-007 □□ □□□ □□□□□□□□ □□□
□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 400-007 □□□ □□□□□.

<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 92


□ □□□ □□□□□ □□ □□□□ WAN □□□ □□□□ □□ SD-WAN □□□□□ □□□□□□□□
□□□. SD-WAN □□□ □□ □□ □ □□□ □□ □□□ □□□ □□ □□□□ □□□ □□□□□□
□□□□. □□ □□□ □□□ □□□□□?

- A. □□ □□□□ □□□ □ □□ □□ □□□ □□□□ □□ □□□□ □□□□□.
- B. □□□□ □□□□ □□ □□□ □□□□□□□□ □□□□ □□□□□.
- C. □ □□□ SD-WAN □□□ □□ □□□□□□□ □□ □□
- D. □□□ □□□ □□□□□□□ □□□□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

□□□ □□□□□.



AS 111 is a stub AS. Which of the following is the correct configuration for AS 111 to connect to AS 100, AS 1000, and AS 200?

- A. AS 111 is configured as a stub AS. AS 1000 is configured as a stub AS. AS 100 is configured as a stub AS. AS 200 is configured as a stub AS.
- B. AS 111 is configured as a stub AS. AS 1000 is configured as a stub AS. AS 100 is configured as a stub AS. AS 200 is configured as a stub AS.
- C. AS 111 is configured as a stub AS. AS 1000 is configured as a stub AS. AS 100 is configured as a stub AS. AS 200 is configured as a stub AS.
- D. AS 111 is configured as a stub AS. AS 1000 is configured as a stub AS. AS 100 is configured as a stub AS. AS 200 is configured as a stub AS.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 94

Which of the following is the correct configuration for AS 111 to connect to AS 100, AS 1000, and AS 200? (Choose two)

- A. AS 111 is configured as a stub AS.
- B. SNMPv3
- C. AS 1000 is configured as a stub AS.
- D. AS AAA
- E. AS
- F. AS 1000 is configured as a stub AS.
- G. AS ACL

Answer: F,G (LEAVE A REPLY)

NEW QUESTION: 95

XYZ □□□ IPv6 □□□ □□ □□□□□ □□□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□ □□.

* □□□ □□ □□□□ □□□ □□□□□ □□□□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□□.

* □□□ □□□ □□□□□ □□ □ □□ □□ □□□ □□ Neighbor Discovery Protocol □□□ □□□ □□□□.

□ □□□ □□□□ IPv4 □□ □□ □ □□□ □□□□□? (□ □□ □□)

- A. IPv6 □□□ □□
- B. IPv6 DHCP □□
- C. IPv6 □□ □□
- D. IPv6 RA □□
- E. IPv6 □□□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 96

□□□ QoS □□□ □□□□ □□□ □□□□ □□□ □□□□.

low latency queuing	allows you to buffer traffic so that it adheres to the bandwidth provided by the service provider
CB-WFQ	used for scavenger traffic when it exceeds a specified limit
policing	allows you to prioritize traffic
traffic shaping	allows you to reserve bandwidth

Answer:

low latency queuing	traffic shaping allows you to buffer traffic so that it adheres to the bandwidth provided by the service provider
CB-WFQ	policing scavenger traffic when it exceeds a specified limit
policing	low latency queuing allows you to prioritize traffic
traffic shaping	CB-WFQ allows you to reserve bandwidth

NEW QUESTION: 97

□□ □□□□ □□ □□□ □□ □□□□□ □□□ □□□ □□□ □□□□□. □□ □□□□ □□□ □□□□□ □□ □□ □□ □□ □□□□□□□? (□ □□□ □□□□□.)

- A. 2.4GHz □ 5GHz □□□□ 802.11n □□ □□□ □□□□□ □□ □ □□ □□□□ □□□□.



OSPF is configured in AS 100. R3 and R4 are in OSPF Area 0. R1 and R2 are ABRs. BGP is configured on R1 and R2 as eBGP peers (AS 100). R3 and R4 are BGP peers. R5 is an OSPF neighbor of R4. What is the BGP status of R5?

- A. R1 and R2 are BGP peers of R3 and R4.
- B. R1, R2, R3, and R4 are in AS 100, R5 is in another AS. R1 and R2 are BGP peers of R3 and R4.
- C. R5, R1, R2, R3, and R4 are in AS 100. BGP is configured on R1 and R2. OSPF is configured on R3 and R4.
- D. R1, R2, R3, and R4 are in AS 100. R5 is in another AS. R3 and R4 are BGP peers of R5.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 101

Which of the following is a cloud service model? SaaS, PaaS, IaaS, or FaaS?

- A. SaaS
- B. PaaS
- C. IaaS
- D. FaaS

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 102

Which of the following is a valid IPv6 address?
 * 2001:0db8:0000:0000:0000:0000:0000:0000
 * 2001:0db8:0000:0000:0000:0000:0000:0000:0000
 * 2001:0db8:0000:0000:0000:0000:0000:0000:0000:0000
 * 2001:0db8:0000:0000:0000:0000:0000:0000:0000:0000:0000
 Which of the following is a valid IPv6 address?

- A. 2001:0db8:0000:0000::1
- B. uRPF
- C. ACL
- D. uRPF

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 103

□□ □□ □□□ □□□□ □□□□ IT □□□□ □□□□ □□□□. IT □□ Define Strategy □□□ □ □□□ □□ □□ □□□ □□ □□ □□□□ □□□□. □ □□□□□ IT □□, □□□□□□ □ □□ □□ □□□□□. Define Strategy □□□□ □□□□ □ □□□ □□□□□?

- A. □□ □ □□ □□□□
- B. □□□□ □□ □□ □□
- C. □□ □ □□□□ □□
- D. □□□ □□ □□□□ □□□□□ □□□□□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 104

□□□□ □□ □□ □□□ □□□□, □□□□□□ □ □□□ □□□ □□□□□□ □□ □□ □□□ □□□□□. □ □□ □□ □□□ □□□□□ □□□□ □□□ IPFIX □□□ □□□□ □□□ □□□ □□ □□□□ □□□□□. □□□ □□□□ □□□□ □□ □□□ □□ □ □□□□?

- A. □□ □□ □ □□ □□ □□
- B. □□ □□ □ □□□ □□
- C. □□ □□ □□□□ □□
- D. □□ □□ □□ □□ □ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 105


□□□□ □□□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□□ □□□□□. IEEE 802 1AE MACsec □□□□ DCI □□ □□□□ □□□□□ □□□□□ IPS □□□ □□□□□ □□ □. □□ □ □□ □□ □□ □□□ MACsec □□□□□? (□ □□□ □□□□□□□.)

- A. DMVPN
- B. MPLS □□□ 3 VPN
- C. KVPLS
- D. MPLS
- E. VPN □ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

□□□ □□□□□.



□□□ □□□□□□. □□□ □□□□ SP-SW1□ SP-SW2 □□ □□ □ □□ □□□□ □□ □
 □□ OAM□ □□□□ □□□. □ □□□□ □□□□ □ □□ □□ □ □□ □□□□□? (□ □□
 □□)

- A. MEP □□ □□□□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□.
- B. VPLS□ □□ LLD PDU □□
- C. SP □□□□□ □□ □□ □□ □□□□□ □□
- D. SP □□□□□ □□ □□ □□ □□□
- E. VPLS□ □□ E-LMI PDU □□

Answer: ([SHOW ANSWER](#))


400-007 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 400-007 □□! DumpTop □
 □□ 400-007 □□ □□□ □□□□□□□, DumpTop 400-007 □□ □□□ □□□□□□□□ □□□
 □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 400-007 □□□ □□□□□.

<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, 30%OFF Special

Discount: **KrDump**)

NEW QUESTION: 107

□□□ □□□□□



□□□ □□□□ SP-SW1□ SP-SW2 □□ □□□ □□ □□□ □□□□ □□ □□□ OAM□ □□□□
 □□□. □ □□□□ □□□□ □ □□ □□ □ □□ □□ □□□□□? (□ □□ □□)

- A. SP □□□□□ □□ □□ □□ □□□□□ □□
- B. MEP □□ □□□□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□.
- C. VPLS□ □□ LLD PDU □□
- D. SP □□□□□ □□ □□ □□ □□□150
- E. VPLS□ □□ E-LMI PDU □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 108


□□□□ □□□□ ASN □□□ □□□□ □□□ □□ GLOP IP □□□ □□□□ □□□, □□ □□□
 □□ □□ □□□ □□□□□?

- A. 239.0.0.0 ~ 239.255.255.255
- B. 232.0.0.0 ~ 232.255.255.255

- C. 233.0.0.0 ~ 233.255.255.255
 - D. 224.0.0.0 ~ 224.0.0.255
- Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 109

□□□□□ □□ □.



□□□□□ □□□ EIGRP □□□□ □□ □□□□□□ □□ □□ □□ OSPF □□□□□ □□□□ □□□□. EIGRP □□□ OSPF□ □□□□□, OSPF □□ 20□□ □□□□ CPU □□□□ □□□ □□ □□□□. □□□□□ EIGRP 111□ □□□ □□ 20□□ □□□□ □□ □□□□ EIGRP 222 □□ □□ 20□□ □□□□ □□ □□□□□ □□□. □□ OSPF □□ □□□ □ □□ □□ □□□ □□□ □□?

- A. □□ □□□□□□ □□ 20
- B. EIGRP 111□ □□ a □□□ ASBR□ □□ □□ 5 LSA □□□
- C. ABR □□ 0□ □□ 20 □□□ □□ 3 LSA □□□
- D. NSSA □□□□□□ □□ 20

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 110

□□□ □□□ □□□□ □□□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□□ □□□ □□□ □□□□?

- A. □□□
- B. □□□ □□□
- C. □□
- D. □□□ □□□

C. □□ □□□□ □□□□ □ □□ □□ □□□□ □□□□ □□□□□□.

D. □□□ □□□ □□□□□□ □□□□ □□ □□□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 114

□□ □□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□□□□□□□ □□ □□□□ □
□ □□□□ □□ □□ □□□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□□□ □ □□ □□ □□
□□□ □□□□ □□□.

* □□□ □□□ □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□ □ □□ □□□ □□ □□

3□ □□ CapEx □□□ □□□ □□□ □□ □□□ □□□.

* □□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□□.

* □□□ □□□ □□□□□ □□ □□□ □□□□□ □□□□ □□□□ □□ □□□□ □□□ □□□ □
□ □□□ □□□□□?

A. □□□□□□

B. □□


C. □□□

D. □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

□□□ □□□□□.



- Which of the following statements are true? (Select two)
- A. RPF check is performed on LHR for all traffic.
- B. RPF check is performed on LHR for traffic from the multicast source.
- C. RPF check is performed on RP for traffic from the multicast source.
- D. RPF check is performed on RP for traffic from the multicast destination.

Answer: A (LEAVE A REPLY)

<https://www.cisco.com/c/en/us/support/docs/ip/ip-multicast/16450-mcastguide0.html>

The diagram shows a network topology for multicast traffic. The multicast source is connected to FHR, which is connected to LHR and RP. LHR is connected to the multicast destination. The IGP cost for all links is 10. LHR has the configuration (*,G) only. The RPF check is performed on LHR for all traffic.

Which of the following is a cloud-based service? (Select one)

- A. PaaS
- B. IaaS
- C. SaaS
- D. DaaS

Answer: A (LEAVE A REPLY)

400-007 Cisco DumpTop Cisco 400-007! DumpTop Cisco 400-007 Cisco, DumpTop 400-007 Cisco Cisco. Cisco Cisco Cisco Cisco DumpTop 400-007 Cisco Cisco.

<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, 30%OFF Special

Discount: **KrDump**)

NEW QUESTION: 122

Which of the following is a cloud-based service? (Select one)

CONNECTIVITY	CAPEX	OPEX ANNUAL	INSTALLATION FEE	TERM
DWDM over dark fiber	\$200,000	\$100,000	\$30,000	12 months
CWDM over dark fiber	\$150,000	\$100,000	\$25,000	18 months
MPLS wires only	\$50,000	\$180,000	\$5,000	12 months
Metro Ethernet	\$65,000	\$100,000	\$5,000	36 months

Which of the following is a cloud-based service? (Select one)

DCI is a cloud-based service. Cisco 2010 Cisco Cisco Cisco 10 Cisco Cisco. Cisco Cisco Cisco ROI Cisco Cisco?



- A. MPLS
- B. IaaS
- C. CWDM
- D. DWDM

Answer: B (LEAVE A REPLY)

NEW QUESTION: 123

Which of the following is a cloud-based service? (Select one)

- A. IaaS



NEW QUESTION: 127

□□□ □□□□□.



□□□□□ □□□ □□□ □□□ □□□□ □□ □□ □□□ SW1□ SW2□ □□□ 3 □□ □□ □□
□□ □□□□ □□□ □□□□□□. □ □□□ □□□ □□□□□□ □□□□ □□□□ □□□ □□□
□ □□□□ □□ □□ □□□ □□ □□ □ □□□ □□□□ □□□□□. □□ □□ □□□□ □ □□□
□□□□□?

- A. □□ □□ 2□□ □□ □□.
- B. SW2□ □□ □□□□ □□ □□ □□□ □□□□□.
- C. □□ □□□ □□ □ □□ □□□ □□□□□.
- D. SW1□ □□ □□□□ □□ □□ □□□ □□□□□.
- E. □□□□ □□□□ □□□□ IGMP □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 128

□□ □□□□□ □□□□ □□ □□□□ □□ □□□□ □□□ □□ □□ □□ □□□ □□□ □□□
□□□ □ □□□□?

- A. UDLD
- B. BPDU □□
- C. □□ □□
- D. □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

□□ □□ □□ DMVPN □□□□ □□□□□ □□□ □ □□ □ □□ □□□ □□□□□? (□ □□ □
□)

- A. □□ □□ □□□□ □□□□□□□ □□□□□.
- B. □□ □□□□ □□ □□□ □□□ □□□□□.
- C. □□□□□ □□ □□□
- D. □□ □□□□ □ DMVPN □□□□□ □□ □□□□□ □□□.
- E. □□□ □ □□□□ □□□□ □□ □□□□ □□ □□□□ □□ □ □□□ □□□□□.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 130

□□□ FCAPS □□□□ □□ □□ □□□ □□□□ □□□ □□ □□ □□□ □□□□.

Which of the following is a cloud service model?

- A. IaaS
- B. PaaS
- C. SaaS
- D. BaaS

Answer: (SHOW ANSWER)

IaaS, PaaS, SaaS are cloud service models. IaaS provides virtual machines, storage, and networking. PaaS provides a platform for developing and running applications. BaaS provides backup and recovery services.

<https://www.ibm.com/topics/iaas#:~:text=IaaS%20abstracts%20away%20the%20physical,system%2C%20>
BaaS.

NEW QUESTION: 133

Which of the following are characteristics of a cloud service model? (Select two.)

- A. On-demand self-service
- B. Broad network access
- C. Resource pooling
- D. Rapid elasticity
- E. Measured service

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 134

Which BGP extension is used for multi-protocol BGP?

- A. BGP FlowSpec
- B. BGP PIC |
- C. BGP-EVPN
- D. BGP-LS

Answer: B (LEAVE A REPLY)

NEW QUESTION: 135

Which of the following is a cloud service model? (Select two.)

- A. IaaS
- B. FCAPS
- C. SaaS
- D. ITIL

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 136

Which of the following is the most secure VPN solution? (Choose two.)

- A. Cisco Duo VPN
- B. SSL VPN
- C. VPN
- D. IPsec VPN
- E. Cisco Duo VPN
- F. IPsec VPN

Answer: ([SHOW ANSWER](#))

400-007 Cisco dumps PDF, Cisco 400-007 PDF! DumpTop PDF **400-007** Cisco dumps PDF, DumpTop 400-007 PDF! DumpTop PDF **400-007** Cisco dumps PDF, DumpTop 400-007 PDF! DumpTop PDF. <https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 137

Which of the following is the most secure VPN solution? (Choose two.)

- A. Cisco Duo VPN
- B. SSL VPN
- C. VPN
- D. IPsec VPN
- E. CPU

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 138

Which of the following is the most secure VPN solution?



SW1 and SW2 are connected via a 3-port link. Host 1 and Host 2 are connected to SW1. The Video Server is connected to SW2. The link between SW1 and SW2 is labeled with ports A, B, C, and D. What is the correct configuration for the link between SW1 and SW2?

- A. SW1 and SW2 are connected via a 3-port link.
- B. SW2 is connected to the Video Server via a 3-port link.
- C. SW1 is connected to the Video Server via a 3-port link.
- D. SW1 and SW2 are connected via a 3-port link. IGMP is enabled on the link.
- E. SW1 and SW2 are connected via a 2-port link.

Answer: (SHOW ANSWER)


NEW QUESTION: 139

XYZ has 1 SAN (100 km) and 2 SANs (160 km). The RPO/RT0 is 3 hours and 24 hours. XYZ wants to ensure that the data is available in the event of a disaster. What is the correct configuration for the SANs?

- A. SAN 1 and SAN 2 are connected via a 3-port link.
- B. SAN 1 and SAN 2 are connected via a 3-port link. VSAN is enabled on the link.
- C. SAN 1 and SAN 2 are connected via a 3-port link.
- D. SAN 1 and SAN 2 are connected via a 3-port link. VSAN is enabled on the link.
- E. SAN 1 and SAN 2 are connected via a 3-port link. VSAN is enabled on the link.

Answer: (SHOW ANSWER)

XYZ has 1 SAN (100 km) and 2 SANs (160 km). The RPO/RT0 is 3 hours and 24 hours. XYZ wants to ensure that the data is available in the event of a disaster. What is the correct configuration for the SANs?



Cisco FabricPath is a multi-rooted Layer 2 fabric. It is a type of Ethernet fabric that uses a multi-rooted spanning tree protocol (MRSTP) to provide a single active path between any two devices in the fabric. This is achieved by using a set of root bridges (R1, R2, R3, R4) that are interconnected in a mesh topology. Each root bridge is responsible for a different tree (Tree 1, Tree 2, Tree 3, Tree 4). Traffic from a source device (A) to a destination device (C) is forwarded through the fabric using a single active path.

(Select two)

- A. Server (SG) traffic is forwarded through the fabric using a single active path.
- B. Traffic from a source device (A) to a destination device (C) is forwarded through the fabric using a single active path.
- C. Server (SG) traffic is forwarded through the fabric using a single active path.
- D. Traffic from a source device (A) to a destination device (C) is forwarded through the fabric using a single active path.
- E. Server (SG) traffic is forwarded through the fabric using a single active path.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 143

Which of the following are characteristics of SDN? (Select three)

- * SDN separates the control plane from the data plane.
- * SDN uses a centralized controller to manage the network.
- * SDN uses a software-defined network (SDN) controller to manage the network.
- * SDN uses a centralized controller to manage the network.
- * SDN separates the control plane from the data plane.

Which of the following are characteristics of SDN? (Select three)

- A. SDN separates the control plane from the data plane.
- B. SDN uses a centralized controller to manage the network.
- C. SDN uses a software-defined network (SDN) controller to manage the network.

D. □□□□ □□□□ □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 144


□□□□ □□□□□ VoIP, □□□, □□□ □□□□□□ □ □□□ □□□ □□□□ □□□□ □□
WAN □□□□□ □□ □□□ □□ □□ □□ □□□□ □□ □□□ □□□□ □□ □□, □□ □ □□
□□ □□ □□□ □□ □□□ □□□ □□□ □□□□?

- A. □□□ □□ □□
- B. □□□□□ □□□□ □□□□ □□□□ □□□ □□□ □ □□□ □□□.
- C. □□□ □□ □□□ □□ □□□□ □□□□ □□□?
- D. □ □□□ □□ □□□ □□□ □□ □□ □□□□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 145

□□□ □□□□□.



□□□□□ □□□ □□□□□ DB □□ □□□□□□ □□□□□□□□.
□ □ □□□ □□□□□□□ □□□ □□ □□ □□□□ □□ □□ □□□ □□□□□.
□□ □□□□ □□□ □□ □□□ □□□□□?

- A. SW1□ SW2 □□□ □□ REP □□□□□ 1□ 2□ □□□ □ □□ □ □□□ □□□□□.
- B. REP □□□□□ 1 □ 2□ □□ □□ □□
- C. STP□ □□□□□ LACP □□□□ □□□ □□□ SW1□ SW2 □□□ □ □□ □ □□□ □□□□□.
- D. REP □□□□□ 3□□ □□□ □□□ SW1□ SW2 □□□ □ □□ □ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 146

□□□□ □□□ □□□ □□□ □□□□□ □□□ □□ □□ □□□ □□ □□ □□□□ □□ □□□□
□□□ □□□□□ □□ □□□ □□□□□?

- A. SPF □□ □□
- B. □□□□□ □□

- C. C2 C4 GRE
- D. CE1 CE2 DMVPN(2547o DMVPN) MPLS VPN
- E. PE1 PE2 GRE Draft Rosen

Answer: C (LEAVE A REPLY)

NEW QUESTION: 149

XYZ MPLS DMVPN(2547o DMVPN) MPLS VPN PE1 PE2 GRE Draft Rosen

- A.
- B.
- C.
- D.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 150

NETCONF SNMP

- A.
- B.
- C.
- D.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 151

BFD BGP EIGRP IS-IS

- A.
- B.
- C. BGP
- D. EIGRP
- E. IS-IS

Answer: A,C,D,E (LEAVE A REPLY)

400-007 DumpTop 400-007! DumpTop 400-007, DumpTop 400-007

Discount: **KrDump**)

NEW QUESTION: 152

IP □□ □□□ □□□ □ □□ □□□ □□□ □□□□ □□□□. □□□ □ NAT □□□□ □ □□ □ □□ □ □□ □□ □□□□ □□□?

- A. □□□ □ □□□□ □□□ NAT□□ □□□ □□□□□.
- B. □□□ □□ □□□ NAT□□ □□ NAT□□ □□□ □□□□□.
- C. □□ □□ □□□ □□ □□□□ □□□ NAT□□ □□□ □□□□□.
- D. □□ □□ □□□ □ □□□ NAT□□ □□ NAT□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 153

□□□ □□□□□ MPLS □□ □□□□ □□□ □□□ □ □□□ QoS □□□ □□□□ □□□ □□□ □□. □□□□ 6□ □□□□ □□ MPLS □□□□□ □□□□ □□, CEO □□□ □□□□□ □□□ □□ □□ QoS □□□ □□□□ □□□?

- A. IP □□ □□ □□□ DSCP □□□ □□□□□.
- B. IP CoS □□□ IP □□□□ □□□ □□□□□.
- C. DSCP □□□ Exp □□□ □□□□□.
- D. □□ □□□ □□□ Exp □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 154

IBGP□ □□ □□□ □□□□ □□ □□□ □□ □□□□?

- A. iBGP□ □□ IGMP□ □□□□ □ □□□□ □□□□□□□ □□□□ □□□□.
- B. iBGP □□ □□□□ □□□□□ □□□ □□□ □□□□ □□□□□ □□□□□.
- C. iBGP □□ □□ □□ □□□ □□ □□□□ □□□□□ □□□□ □□□□.
- D. iBGP□ OSPF □□ IS-IS□ □□ □□ □□ □□□□□ □□□□ □ □□□□ □□□□□□□ □□ □□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 155


□□□□□□ □ □□ □□□ □□ □ □□ □□ □□□ □□ □□□□ □□ □□ □□ □□□□□? (□ □□ □□)

- A. □□□□ □□□□ □□
- B. □□
- C. □□ □□□
- D. IoT □□□□
- E. WiFi □□□□

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 156

□□□ □□□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□□.



Answer:



NEW QUESTION: 157

□□□□ □□□ IP □□□ □□ □□□ □□□□ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□ □ □□ □□□□ □□□□□.
- B. □□□ □□ □□□ □□□ □□□□.
- C. □□ □□ □□ □□□ □□□□□.
- D. □□□□ □□□□ □□□□ □□□□□.
- E. □□□ □□□□□ □□□□□.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 158

□□ □□□□ □□ □□□□□□ □□ ID □ □□□ □□□ □□ XYZ□ □□□□ □□□□ □□□ □□□□ □□□ □□ □□ □□□ □□□□□. □□ □□□□ □□ □□ XYZ □□□□□ □□□□□ ID □□□□ □□□□ □□□□□□□□ □□□□ □□ □□ □□□ □ □□ □□ □□□□□□. □□ XYZ□ □□ □ □□ □□ □□□□ □□□□ □□ □□□ □ □□ □□□□□ □□□□□?

- A. SAML2.0
- B. OpenID □□
- C. OAuth2
- D. □□□□□

- B. DDoS □□
- C. □□ □□
- D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 162

XYZ □□□ IPv6 □□□ □□ □□□□□ □□□□ □□□ □□□ □□ □□ □□ □□□ □□□ □□ □□.

□□□□ □□□□ □□□ □□□ □□□ □□□ □□□□□ □□□ □□□□ □□ □□□□ □□ □□ □□ □□□□ □□□. □□□ □□□ □□□□□ □□ □ □□ □□ □□□ □□ Neighbor Discovery Protocol □□□ □□□□ □□□.

□ □□□ □□□□ IPv4 □□ □□ □ □□□ □□□□□? (□ □□ □□)

- A. IPv6 DHCP □□
- B. IPv6 □□ □□
- C. IPv6 □□□ □□
- D. IPv6 □□□ □□
- E. IPv6 RA □□

Answer: ([SHOW ANSWER](#))

https://www.cisco.com/c/dam/global/ja_jp/td/docs/ios-xml/ios/ipv6_fhsec/configuration/xe-16/ip6f-xe-16-book.pdf

NEW QUESTION: 163

□□ □□ □□□ □□□□ □□□□□□ □□□ □□□ □ □□ □□□□ □□□□ □ □□□ □□□□ □□?

- A. RPO □ RTO □□ □□ □□
- B. WAN □□ □□□
- C. □□ □□□ □□
- D. SASE □□□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 164

□□□ IPFIX □□□□ □□ IPFIX □□□ □□□ □□□□ □□□□ □□□□ □□□□ □□ □□ □ □□□□. IPFIX □□□□ □□□□□ □□□ □□ □□□ □□□□□?\

- A. □□
- B. □□□ □□ □□
- C. □□ □□
- D. □□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 165

□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□ □□ □□□□ □□□□ □□□□.

* VLAN □ VRF□ □□□□ □□□ □□□□ □□ □□□□ □□□□□ □□□ □□□□□ □□□.

* □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□ □□□.

* □□□ □□□□ □□ □□□ □□□ □□□

□ □□□□ □□□ □□□ □□□ □ □□ □ □□ □□ □□□□□? (□ □□ □□)

- A. □□ □□
- B. □□ □□
- C. □□ □□□
- D. □□ □□
- E. □□□ □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 169

□□ □□□□□.

CONNECTIVITY	CAPEX	OPEX ANNUAL	INSTALLATION FEE	TERM
DWDM over dark fiber	\$250,000	\$100,000	\$30,000	60 months
CWDM over dark fiber	\$150,000	\$100,000	\$25,000	60 months
MPLS	\$50,000	\$150,000	\$75,000	12 months
Metro Ethernet	\$45,000	\$125,000	\$5,000	36 months

□□□ □ □□□□ □□□ □□ □□ DCI□ □□ □□ □□□ □□□□□. □□□□ 1□□ □□□ □□ □□ □□ □□□ □□ □□ □□ □□ 10G □□□ □□□□ □□□. □□ 2□□□ □□ 20□□ □□□ □□ □□□ □□□□ IP□ □□ □□□ SAN□ □□□ □□ □□ IP □□□ □□□ □ □□ □□□ □□ □□□ □□□. □□ □□ □□□ □□ 10Gbps□□□. □ □□□□□□□ 2□ □□ □□□ □□ □□ □□ □□ □□□□□?

- A. □□□ □□□
- B. MPLS
- C. CWDM
- D. DWDM

Answer: D (LEAVE A REPLY)

NEW QUESTION: 170


□□□□□□ □□□□□□ 200□□ □□ □□□□ □□□□ 2□□ □□ □□□□ □□□, □□□ □□ □ □□ □ □□ IBGP □□□□ □□□ □□□□ □□□□□. □□ □□□□ BGP □□□□□ □□ CPU □□□□ □□□□. □□ □□ □□□□ □□ □□ □□□□□□?

- A. □□ □□□□ □□□□ □□□□
- B. □□ □□□ □ □□□□ □□□□□□.
- C. □ □□ □□ □□□□ □□ □□□□□ □□□□□.
- D. □□ □□□□ □□□□ □□□□
- E. □□ □□□□ □□ □□□ □□□ BGP□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 171

□□□ □□□□□.



□□□□ 10.10.0.0/16 □ OSPF □□□□□ □□□□□□ R1□□ □□□□□□ □□ □□□ R1-R2-R3 □□ □□□□□□□. R2□ R3 □□□ □□□ □□□ □□□□ □□□ R1-R4-R5-R3□□ □□□□□ □□. R2□ R3 □□□ □□□ □□□□ □□□ □□□?


- A. □□ R1-R4-R5-R3□ □□□□ □ □□ □□□ □□□□ □□□ □□□□□.
- B. □□ □□□ E1□□□□ □□□ R1-R2-R3□□ □□□□□.
- C. OSPF□ □ □□□ □□ □□□□ □□□□ □□ □□□ □□ R1-R4-R5-R3□ □□□□ □□□ □□ □□□□□.
- D. □□ □□ □□□ R1-R2-R3□□□□ □□□ □□□ R1-R2-R3□□ □□□□□.

Answer: D (LEAVE A REPLY)

R2□ R3 □□□ □□□ □□□□ □□□ □□□ □□ □□□□ R1-R2-R3□□ □□□□□□□. □□ OSPF□ Dijkstra □□□□□□ □□□□ □□ □□ □□(SPT)□ □□□□ □□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□ □□ R1-R2-R3□ □□□ □□ R1-R4-R5-R3□ □□□□ □□□ □□□ R1-R2-R3□ □□ □□□□ □□□□□. OSPF□ □□ □□ □, □□ □, □□ □□ 1, □□ □□ 2, NSSA □□ 1, NSSA □□ 2□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□. □□□ □□ □□□ OSPF□ □□□□ □□□ □□ □□□ □□□ □□ □□□ □□□□ □ □□□ □□□□□. □ □□□□□□ □ □□ □□ □□ □□ 2 □□□□□□ □□ □□□ □□ □□□ □□□ □□□ □□□ □□□ □.

NEW QUESTION: 172

□□□ □□□□□.



□□□ □□□□□ □□□□ □□□□□ □□□ □□□□ □□□. □□ □□(*,G)□□ □□□ □□□□ □ □□□□ □□□ LHR □□□□□*□□ □□□□ □□□ □□□□?

- A. □□□□□ □□□ □□ RP□ □□□ □□□□□□□□.
- B. RP□ □□□ □□□□ □□□ □□□□□□□□.
- C. □□□ □□□□ □□ RP□ □□□ □□□□ □□□□□□□□.
- D. □□□□□ □□□□ □□ RPk8t8ck□ □□□□ □□□□□□.

Answer: A (LEAVE A REPLY)

<https://www.cisco.com/c/en/us/support/docs/ip/ip-multicast/16450-mcastguide0.html> □□□□□ □□□ □□□□□□ □□□□ RP□ □□□□□ □ □□□□ □□□□□□ □□□□□ □□□ □□□ □□□ □ □□ □□□□□ □□□□□ □□□□ □□□□□□□□ □□□□□□. □ RP□ □□ □□□□□□

□□□ □□□□□. □□□□□ □□□□ □□□ □□□ RPF □□□ □□□□ □□ □ □□□ □□□□ □□□□. □□□ □ RPF □□□ □□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □.

NEW QUESTION: 173

□□□□ □□□□ □□□ □□ □□□□ □□□ □□ □□□□ □□□□□ □□ □□□□□□ □□□ □□□□□.

- * □□□ □□□□ □□□□ □□□□ □□□ □□□□□.
- * □□□ □ □□□ □□ □□□ □□□□□ □□□□ □ □□□□.

Zero Trust □□□□□□ □□□□□□ □□□ □□□ □ □□ □□□ □□□□□?

- A. □□□ □ □□ □□□ □□
- B. □□□ □□□□□□□□□□□□ □□□□□.
- C. □□□ □□ □□□ □□□□□.
- D. □□□□ □□□□ □□□□□.

Answer: B (LEAVE A REPLY)

<https://www.cisco.com/c/en/us/solutions/coltral/enterprise/design-zone-security/zt-arch-guide.html>

NEW QUESTION: 174

XYZ □□□ □□ WAN□ □□ □□□□ □□□□□. □□□□ □□□□□ □□ □□□□ □□□ □□□□□ □□□□□. □□□ □□□□□ □□□□□ □□□□ □□□ □□□□□. □□□□□ □□□ □□□ □□□ □□□□ □□□?


- A. □□□ RPF □□ PIM □□ □□
- B. □ □□ □□□□ RPF □□ PIM □□□ □□
- C. □□□ RPF □□ PIM □□□ □□
- D. □ □□ □□□□ RPF □□ PIM □□ □□

Answer: C (LEAVE A REPLY)

<https://www.ccexpert.us/routing-switching-2/dynamic-multipoint-vpn.html>

NEW QUESTION: 175

□□□ □□□□□.




Which of the following is not a function of the ABR?

- A. Floods LSAs from Area 1 into the Backbone.
- B. Floods LSAs from the Backbone into Area 1.
- C. Floods LSAs from Area 1 into the Backbone.
- D. Floods LSAs from the Backbone into Area 1.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 176

Which of the following is not a function of the ABR?



Answer:



NEW QUESTION: 177

Which of the following is a characteristic of SDN?

- A. Open API
- B. Centralized control
- C. Open API
- D. SDN controller

Answer: (SHOW ANSWER)

NEW QUESTION: 178

XYZ is a company with a WAN network. The network is currently using PPTP for VPN. The network administrator wants to migrate the network to a more secure VPN solution. Which of the following is a characteristic of IPsec?

- * IPsec is a protocol suite for securing IP communications.
 - * IPsec is used for WAN connections.
 - * IPsec is used for WAN connections.
- Which of the following is a characteristic of IPsec? (Choose two.)

- A. PPTP
- B. S-VTI
- C. IPsec
- D. DMVPN
- E. VPN tunnel

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 179

Which of the following is a characteristic of SDN?

- A. Open API. NAT VRF is used for SDN.
- B. Open API. NAT VRF is used for SDN.
- C. Open API. NAT VRF is used for SDN.
- D. Open API. NAT VRF is used for SDN.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 180

- □□□ SDN□ □□□□ □□ SDN □□□□□ □□□□□, □□ □□□□ □□ □□ □□□□□□ □□□□□. □□□□□ □□ □□□ □□□ □□□ □□□ □□ □□□ □□□ □□□ □□□□□ □□ □□□. □□□□□ □□□□ □□ □□□ □□□□□?
- A. □□□□□ □□□ □□□ □□ □□□ □□□ □ □□□□□.
 - B. □□□□□ □□□ □□□ □□ □□ □□□ □□ □□ □□□□□.
 - C. □□□ □□□□ □□ □□□ □□□ □ □□□□.
 - D. □□□□□ □□□ □□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 181

- SD-WAN □□□□□ □□ □□□□ □□ Microsoft 365 □□□□□ □□□□□ □□ MPLS□ □□□ □□□ □□□□□□. □□□ □□□□□ MPLS □□□□□ □□□ □□ □□ □□ □□□□□□ □□ □ □□□□. □□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□□ □□□ □□□ □□□□□? □ ISPO □□□□□ □□□ □□ □□?
- A. □□□□ □□□ SWG
 - B. □□□□ □□□ SaaS
 - C. □□□□ □□□
 - D. Cloud onRamp □□□□□ □□□

Answer: B ([LEAVE A REPLY](#))

400-007 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 400-007 □□! DumpTop □ □□ **400-007** □□ □□□ □□□□□□□, DumpTop 400-007 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 400-007 □□□ □□□□□.

<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 182

- LAN □□□□□ □□□□□ □□□ □□□ □□ □□□ □□□□ □□ □□□□□ □□□□ □□ □ □□ □ □ □□ □□□□□? (□ □□□ □□□□□.)
- A. □□□□ □□□
 - B. □□ □□□
 - C. □□□□ □□
 - D. □□ □□
 - E. □□□□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 183


Which two SDN components are used to manage network devices? (Choose two.)

- A. OpenFlow
- B. SDN controller
- C. Network controller
- D. Network controller
- E. OpenFlow

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 184

Refer to the exhibit.



AS 500 is connected to AS 111, AS 100, and AS 200. AS 111 is connected to AS 100 and AS 200. AS 100 is connected to AS 200. AS 100 has a loopback address of 91.7.0.0/16. AS 100 is the source of the traffic. AS 200 is the destination. What is the BGP path?

111 is the source of the traffic. BGP AS 500 has a loopback address of 91.7.0.0/16. What is the BGP path?

- A. 91.7.0.0/16 is the source of the traffic. AS 100 is the destination. AS 200 is the source of the traffic.
- B. 91.7.0.0/16 is the source of the traffic. AS 100 is the destination. AS 200 is the source of the traffic.
- C. 91.7.0.0/16 is the source of the traffic. AS 100 is the destination. AS 200 is the source of the traffic. MED is used.
- D. AS 500 is the source of the traffic. AS 111 is the destination. R1 is the source of the traffic.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 185


□ □□□ □□□ □□ BFD□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□□. IPS□ □□□ □□ □□□□ □□□□□. □□ □□□ □□ □□□□ BFD□ □□□□□ IPS□ □□□□ □□ □□?

- A. □□□□□ IP □□ □□□ □□□ IP □□
- B. □□□□□□ IP □□ □□□ □□ IP □□
- C. □□□□□ IP □□ □□□ □□ IP □□
- D. □□ IP □□□ 0.0.0.0□ IP □□.
- E. □□□ □□ □ □□ IP □□□ □□ IP □□
- F. □□ □□ □□□ □□□ □□ □□

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 186

□□□ □□□□□.



□□□ □□□□□ □□□□ □□□□□ □□□ □□□□ □□□. □□ □□(*,G)□□ □□□ □□□□ □ □□□□ □□□ LHR □□□□□*□□ □□□□ □□□ □□□?

- A. □□□□□ □□□ □□ RPF □□□ □□□□ □□□□□□□□.

- B. RPF □□□ □□□□ □□□ □□□□□□□.
- C. □□□ □□□□ □□ RPF □□□ □□□□ □□□□□□□.
- D. □□□□□ □□□□ □□ RPK8t8ck□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

<https://www.cisco.com/c/en/us/support/docs/ip/ip-multicast/16450-mcastguide0.html> □□□□□ □□□ □□□□□□ □□□□ RPF □□□□□ □ □□□□ □□□□□□ □□□□□ □□□ □□□ □□□ □ □□ □□□□□ □□□□□ □□□□ □□□ □□□□□□□ □□□□□. □ RPF □□ □□□□□ □□□ □□□□□. □□□□□ □□□□ □□□ □□□ RPF □□□ □□□□ □□ □ □□□ □□□□ □□□□. □□□□ □ RPF □□□ □□□□ □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □.

NEW QUESTION: 187

□□□□□ □□□□□ □□□ PIM□□□□. □□ □ □□ □□□ □□□ □□□ □□□□ □□ □ RPF □□ □□□□ □□□ □ □□□ □□□□□ □□□□□? (□ □□ □□)

- A. □ □□ □□ RP □□□ □□□□□
- B. □ RPF □□ □□□□□ □□□ □□ □□□ □□□□□.
- C. □ RPF □□ □□ mroutes□ □□□□ □□□□□ □□□ □□□□ □□□□□.
- D. □□□ □□□□□□ □ □□ RP □□□ □□□□□.
- E. □ RP □ MSDP □□□□ □□□□ □□□□□ RPF □□□□□.
- F. □□ □ □□ □□□□ □□ □ RPF □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

<https://community.cisco.com/t5/networking-knowledge-base/rp-redundancy-with-pim-bidir-phantom-rp/ta-p/3117191>

NEW QUESTION: 188

□ □□□ □□□ □□□ □□□ WAN□ □□ □□□□ □□□. □□ □ □□□ □□ □□□□ □□□ □.

200□ □□□□□ □□□□ □□□ □□□ □□□□□□. □□□□ □□□ □□ □□ □□□□ □□□ □ □ □□ □□□ □□ □□ □□□□ □□□ □ □□□ □□ □□ □□□□. □ □□□ □□□□ □□ □□ □□□ □□□□ □□□?

- A. □□□2VPLS
- B. □□□ 3 MPLS VPN □□ □ □□□
- C. □□□□ □□ DMVPN 1□□ □□□□
- D. □□□ 3 MPLS VPN □ □□

Answer: D ([LEAVE A REPLY](#))

400-007 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 400-007 □□! DumpTop □ □□ **400-007** □□ □□□ □□□□□□□, DumpTop 400-007 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 400-007 □□□ □□□□□□.

<https://www.dumptop.com/Cisco/400-007-dump.html> (400 Q&As Dumps, 30%OFF Special Discount: **KrDump**)