

NEW QUESTION: 7

□□□□ "□□□ ID 1022: Citrix □□□□ □□□□ □□□□ □□□□ □□□□"□ □□□
□ Citrix □□□□ □□ □□□ □□□□ □□□□?

- A. HDX □□□
- B. VDA □□ □□□□
- C. □□□□ □□□□
- D. Citrix □□ □□□

Answer: B (LEAVE A REPLY)

□□/□□: <https://support.citrix.com/article/CTX133769>

NEW QUESTION: 8

□□□□: Citrix □□□□ □□□ □□□ □□□□□ □□□□□ Citrix Virtual Desktops □□□□
□□□□□□. □□ □□ □□□□ Citrix License Server□ □□□ □□ □□□□□ □□□□ □□
□□□ □□□□ □□□ □□□□ □□□□□ □□□□□□. □□□ □□□□ □□□ □□□□ □
□□□ □□ □□□ □□□□□. □□□ □□□□□ □ □□□□□ □□ □□□□ □□□□□ □
□□□□.

□ □□□ □□□□□ □□□□ □□□ □□ □□□□?

- A. Citrix Studio□□ □□ □□□ □□□□□.
- B. □□□□ □□□□ □□ □□□□□□.
- C. □□□□ □□□□ □□□ □□ □□□ □□□□□□.
- D. □□□ □□□□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 9

Citrix □□□□ Citrix Cloud Connector□ □□□□ □□□□ □□□ □□□□□□.

□□□□□ Citrix Cloud Connector □□□ □□□□ □□□ □□□□□□?

- A. □□ □□□ □□ UTC □□□□ □□□□□□.
- B. □□□□ □□□□ □□ □□□□.
- C. □□ □□□□ □□□ □□□ □□□□□□ □□□ □ □□□□.
- D. □□ □□ □□(ESC)□ '□□'□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

□□□□: Citrix □□□□ □□□ □□□□□ □□□ □□□ □ □□ □□□□ □□□□ □□ Citrix
□□□□ □□□ Citrix Virtual Apps and Desktops □□□□ □□□□□□. □□□□□□ StoreFront
□□ □□□ □□□ □□□□ □□□□□ □ □□□□□. □□□ □□ □□□ □□ □□□□ □□
□□□□□ □□□ Citrix Cloud □□ □□□□ □□□ □ □□ □□ □□□□□□.

□□ □ □ □□□□□□ □□□ □□ □□□□ □□□ □□□□□□?

- A. □□□ □□□ □□ Citrix Cloud Connector □ □□□ □□ □□□□ □□□□ □□ □□□ □
□□ □□□□ □ □□□ □□□□ □□ HDX □□□ □□□□□.

- B. □□ □□□ □□□ ADML □□□□ □□□□ □□□ □□□ □□□ □□□□□.
- C. □□ □□□ □□□ ADML □□□□ □□□□ □□□ □□□□ □□□ □□□ □□□□□.
- D. □□ □□□ □□□ ADMX □ ADML □□□□ □□□□ □□□ □□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

VDA(Virtual Delivery Agent) □□□ □□□□ □□□ □ □□ □□□ □□□□□? (3□□ □□□ □□.)

- A. □□ □□(OU) □□ □□□□ □□
- B. CONFIG.XML □□
- C. MCS □□ PERSONALITY.INI
- D. DHCP □□
- E. □□ □□ □□(GPO)

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 15

Citrix □□□□ □□ □□□□ □□ □□□ □ □□□□ □□□□□□□ □□□ □□□ □□□□ □□.

□□□ □□□ □□□ □ □ □□ □□□□□ □□ □ □□□ □□□□ □□□ □□□□□□.

□□□□□ □□□ '□□' □□□ □□□□□.

```
>
>
> add responder action rs_redirect_home_act redirect "\ http://server1.training.lab/home.php
\" -responseStatusCode 302
Done
> add responder policy rs_redirect_home_pol HTTP.REQ.IS_VALID res_redirect_home_act
Done
> bind lb vserver lb_vsrv_www -policyName rs_redirect_home_pol -priority 100 -
gotoPriorityExpression END -type REQUEST
Done
>
>
```



This page isn't working

server1.training.lab redirected you too many times.

Try clearing your cookies.

ERR_TOO_MANY_REDIRECTS



Which of the following is a valid URL?

- A. http://www.example.com/
- B. http://www.example.com/
- C. http://www.example.com/
- D. http://www.example.com/

Answer: B (LEAVE A REPLY)

NEW QUESTION: 16

Which of the following are valid Citrix HDX session names? (Select three.)

- A. Citrix
- B. Citrix
- C. Citrix
- D. Citrix
- E. Citrix
- F. CPU

Answer: A,B,D (LEAVE A REPLY)

C. 00

D. 0000

Answer: D ([LEAVE A REPLY](#))

00/00: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/citrix-vdi-best-practices/monitor.html>

NEW QUESTION: 19

0000: Citrix 0000 000 0000000000 0000 0000. 0000 000 2400
00 00 000 000000 00000 00 000000 0000 0 00 000. 00 00 0000
0 000 000000. 00000 000000 00000 0000 00 000000.
00 0000 00 000000 0000?

A. ICA 0 00000

B. 00 000000 0000

C. 00 00

D. 00 0000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

0000: Citrix 00000 00000 00000000 0 0000000 00000 0 0000 Citrix
Workspace 00 00000 00000. 00000 00 00 00 00 00 00 00000 0000 0
00000000 0 0000 0000.
00000 00000 00 00 0000 00000000000 00000 Citrix Workspace Control 00
____ 0(0) 00000 0000. (0000 0000 000000 0000 00000000.)

A. Citrix Studio 00 0000 00000

B. Citrix Workspace 0000

C. StoreFront 00000

D. 00 00 0000 00

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

0000: Citrix 00000000 400 VPX 0000000 0000 Citrix ADC SDX0 00000. SDX0
0 0 0000000 00 2GB0 00 0000000 0000 10GB 0000 0000000 00000. 0000
00000 0 00 0000000 0000 0000 000000 00 00 0 0000000 0000 00000
0000 0000 0000 00000 00 1GB0 00 000000 000000 00000000.
0000 00 0000 000000 00 0 00 000000 0000 000000000 00000 0000 0 0
0 00 0000000?

A. 00000 1000 1GB0 0000 0000 0000000.

B. LA 0000 000000 000000 000000.

C. 0000 00 0000 00 1GB0 000000 000000 000000000 0000 0000 0000000.

D. 0000000 000000 000000 SDX 00000000 000000000.

Answer: A ([LEAVE A REPLY](#))

- B. Citrix ADC SDX 14100 □□ □□ □□□□ □□□□□□
- C. Citrix ADC MPX 5650 □□ □□□□ □□□□□ □□
- D. □□ MPX 5550 □□


Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□□□: Citrix □□□□ □□□□ □□ □□□ □□ □□ □□ Delivery Controller □□ Get-BrokerSite PowerShell □□□ □□□□□□.

□□□□ □□□□ □□□ □□ □□□ □□□□□□.

□□ □□□ □□□□ □□□ □□□□□□.



□□□□□ □ PowerShell □□□□ □□□□ □□□□□□□?

- A. Get-BrokerSite PowerShell □□□ Add-PSSnapin Citrix* □□□ □□□□ □□ □□□□□□□ □.
- B. Get-BrokerSite PowerShell □□□ PowerShell □□ □□□ □□ □□ □□□□□□□□.
- C. □□□ □□ □□□ □□ □□□ PowerShell □□□ □□□□□□□□.
- D. Get-BrokerSite PowerShell □□□ □□ □□□ □□ □□□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

□□□□: Citrix □□□□ □□□□□□□□ □□□□ □□ 7.15 LTSR VDA(Virtual Delivery Agent) □□□□ Citrix Cloud □ □□□□□□□□□ □□□□ □□□□. □□□□ Citrix Cloud □□ □ □□ □ □□ □□□□ □ □□ □□□ □□□ Citrix Provisioning □□ □□ □□ □□□□ □□□□□□□.

□□□□ VDA □□□□ □□ □□□□□□□.

VDA □□□□ Citrix Cloud □ □□□□ □□ □□□ □□□□□□?

- A. □ □□ □□□□ □□□ □ □□□ □□□□ □□□□ □□□□.
- B. Citrix □□□ Citrix Cloud □ □□□□□□□□□ □□□□□.
- C. VDA □□□ □□□□ Cloud Connector □ □□□□□ □□□□□□□ □□□□□.
- D. □□□ □□□□ VDA □ □□ □□□□ □□□□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

First-Time □□□□ □□□□ □□□□ □□ □□□□ □□ Citrix □□□□ □□□□ □□ □ □□ □□□ □□□□□□? (□ □□□ □□□□□□.)

□□□□: □□□□ □□□ □□□□□□□□ □□□ □ □□ □□□ □□ □□□□ □□□ □□□.
□□□□ □□□ □□□ □□ □□□□. □□□ Citrix □□□□ 150□ □□□ □□□ □□ □□□
□ □□□ □□□□□.

□□ □□□□ Citrix □□□□ □□□ □□□□ □□ □□□□ □□□ □ □□ □□□ □□□□□?

- A. Citrix □□
- B. Citrix PowerShell SDK
- C. StoreFront
- D. □□□□ □□□□

Answer: ([SHOW ANSWER](#))

1Y0-204 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1Y0-204 □□!
DumpTop □ □□ **1Y0-204** □□ □□□ □□□□□□□, DumpTop 1Y0-204 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□□ □□ DumpTop 1Y0-204 □□□
□□□□□. <https://www.dumptop.com/Citrix/1Y0-204-dump.html> (183 Q&As Dumps, **30%OFF**
Special Discount: **KrDump**)

NEW QUESTION: 32

Citrix Profile Streaming□ □□□ □ □□□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□□ □□□□□ □□□□□ □□□□□□ □□□□.
- B. □□ □□□ □□□□□ □□ □ □□□ □□□□ □ □□□□□.
- C. □□□ □□□□□ □□□ □□□□□ □□□□□□.
- D. □□ □ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

Citrix □□□□ GSLB(Global Server Load Balancing) □□□□ □□ □□□ □□□□□□□.
gslb □□□ SiteB □□ -triggerMonitor MEPDOWN

- □□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□□□?
- A. □□□ □□□□ MEP(Metric Exchange Protocol)□□ □□□□□.
- B. GSLB □□□□ □□□ □□ MEP(Metric Exchange Protocol)□ □□ □□□□□.
- C. MEP(Metric Exchange Protocol)□ □□ □□□□ □□□□ DOWN□□ □□□ □□□□ □□
□ □□□□ □□□□□.
- D. □□□ □□□□ SiteA□ SiteB □□ MEP(Metric Exchange Protocol) □□□ □□□ □□□□
□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

Cloud Connector□ □□□□ □□□□□ Citrix □□□□ □□□ □□ □□□ □□□□□?

- A. 80

- A. `LB_vserver1` `Get-BrokerSite`.
- B. `LB_vserver2` `Get-BrokerSite`.
- C. `lb_vsrv_www` `Get-BrokerSite`.
- D. `CS vServer` `Get-BrokerSite`.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Scenario: Citrix Delivery Controller `Get-BrokerSite` PowerShell command.

PowerShell command to run `Get-BrokerSite`.

PowerShell command to run `Get-BrokerSite`.



PowerShell command to run `Get-BrokerSite`?

- A. `Get-BrokerSite` PowerShell `PowerShell` `PowerShell` `PowerShell`.
- B. `Get-BrokerSite` PowerShell `PowerShell` `PowerShell` `PowerShell`.
- C. `Add-PSSnapin Citrix*` `Get-BrokerSite` PowerShell `PowerShell` `PowerShell`.
- D. `PowerShell` `PowerShell` `PowerShell` `PowerShell`.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 44

Citrix StoreFront `Get-BrokerSite` PowerShell command.

PowerShell command to run `Get-BrokerSite`? (PowerShell command.)

- A. `PowerShell` `PowerShell` `PowerShell` `PowerShell`.
- B. `PowerShell` `PowerShell` `PowerShell`.
- C. Citrix ADC `PowerShell` `PowerShell`.
- D. `PowerShell` `PowerShell` `PowerShell`.
- E. `PowerShell` `PowerShell` `PowerShell` `PowerShell`.
- F. `PowerShell` `PowerShell` `PowerShell`.

Answer: ([SHOW ANSWER](#))

URL: <https://www.citrix.com/blogs/2016/06/01/whats-new-in-storefront-3-6/>

NEW QUESTION: 45

Which command is used to configure Citrix ADC to bind the Citrix ADC to the Citrix ADC?

- A. bind ip 10.10.10.10
- B. bind ip 10.10.10.10
- C. bind ip 10.10.10.10
- D. bind ip 10.10.10.10

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

Which command is used to configure Citrix ADC to bind the Citrix ADC to the Citrix ADC?

- A. bind ip 10.10.10.10
- B. bind ip 10.10.10.10
- C. bind ip 10.10.10.10
- D. bind ip 10.10.10.10

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which command is used to configure Citrix ADC to bind the Citrix ADC to the Citrix ADC?

- A. bind ip 10.10.10.10
- B. bind ip 10.10.10.10
- C. bind ip 10.10.10.10
- D. bind ip 10.10.10.10

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which command is used to configure Citrix ADC to bind the Citrix ADC to the Citrix ADC?

- A. bind ip 10.10.10.10
- B. bind ip 10.10.10.10
- C. bind ip 10.10.10.10

D. `1/1 VLAN 20` `VLAN 20`.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

Citrix Virtual Apps and Desktops `Citrix XML Service` `Citrix` `Set-BrokerSite` `TrustRequestsSentToTheXMLServicePort $true PowerShell`?

- A. `StoreFront XML Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.
- B. `Virtual Delivery Agent(VDA) Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.
- C. `Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.
- D. `Citrix Studio HDX XML Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.

Answer: C ([LEAVE A REPLY](#))

`https://docs.citrix.com/en-us/storefront/current-release/plan/user-authentication.html`

NEW QUESTION: 52

Citrix `StoreFront` `Citrix Virtual Apps and Desktops` `Citrix Workspace` `StoreFront` `Set-BrokerSite` `TrustRequestsSentToTheXMLServicePort $true PowerShell`?

- A. `Citrix Workspace Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.
- B. `StoreFront Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.
- C. `Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.
- D. `StoreFront Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.
- E. `Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell`.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Citrix `CloudServices.AgentHub.Api` `Set-BrokerSite` `TrustRequestsSentToTheXMLServicePort $true PowerShell`?

- A. `Citrix.CloudServices.AgentHub.Api`
- B. `Set-BrokerSite`
- C. `ID`
- D. `Active Directory`

Answer: ([SHOW ANSWER](#))

`Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell` `Citrix Cloud` `Set-BrokerSite` `TrustRequestsSentToTheXMLServicePort $true PowerShell` `ID` `CC` `Set-BrokerSite` `TrustRequestsSentToTheXMLServicePort $true PowerShell`?

NEW QUESTION: 54

`Citrix PowerShell` `Windows` `Set-BrokerSite` `TrustRequestsSentToTheXMLServicePort $true PowerShell`?

Citrix Virtual Desktops "Win2016-ServerOS" 2016 OS .
 OS .
 PowerShell ?

- A. New-BrokerRebootSchedule -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016- ServerOS -Frequency Daily -StartTime "11:00" -Enabled \$true - RebootDuration 30
- B. New-BrokerRebootScheduleV2 -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016- ServerOS -Frequency Daily -StartTime "23:00" -Enabled \$true - RebootDuration 30
- C. Set-BrokerRebootScheduleV2 -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016- ServerOS -Frequency Daily -StartTime "11:00" -Enabled \$true - RebootDuration 30
- D. Set-BrokerRebootSchedule -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016- ServerOS -Frequency Daily -StartTime "23:00" -Enabled \$true - RebootDuration 30

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Citrix StoreFront .
 ? (.)

- A. .
- B. .
- C. .
- D. Citrix ADC .
- E. .
- F. .

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 56

: Citrix Citrix ADC HTTP_Callout .
 HTTP .
 ' ' .

```
>
> add policy httpCallout myCallout
Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" \" -urlStemExpr "\"/cgi-bin/check_clnt_from_database.pl
lout Request") -parameters cip (CLIENT.IP.SRC) -resultExpr "HTTP.RES.BODY(100) "
Done
> add responder policy Poll "SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")" RESET
Done
> bind responder global Poll 100 END -type OVERRIDE
```

?

- A. HTTP - "cip(CLIENT.IP.SRC) .

&&HTTP.REQ.HEADER(\" \").EQ(\" \")
- B. "HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\").NOT &&

SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP \")

Citrix _____ Citrix Workspace _____
StoreFront Delivery Controller _____ (_____.
_____.)

- A. Set-BrokerSite TrustManagedAnonymousXmlServiceRequests=\$true; _____
- B. Set-BrokerSite TrustManagedAnonymousXmlServiceRequests=\$true; StoreFront
- C. _____TrustRequestsSentToTheXmlServicePort=\$true; StoreFront
- D. _____TrustRequestsSentToTheXmlServicePort=\$true; _____

Answer: ([SHOW ANSWER](#))

_____/_____: <https://support.citrix.com/article/CTX133982>

NEW QUESTION: 66

_____: Citrix _____ MCS(Machine Creation Services) _____
Windows 10 _____/_____ _____
Microsoft Office 2016 _____
Microsoft Office _____ _____?

- A. _____
- B. _____
- C. _____
- D. _____

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

_____: Citrix _____ Citrix Virtual Apps and
Desktops _____ HDX _____
_____ HDX _____
_____?

- A. _____
- B. _____
- C. _____
- D. _____

Answer: D ([LEAVE A REPLY](#))

_____/_____:

<https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/printing/printing-policies-preferences.html>

NEW QUESTION: 68

_____: Citrix _____ Citrix Virtual Apps and Desktops _____ HDX _____
_____. _____
_____ HDX _____
_____.

□□□□ □□ □□□□ □□□□ □□□□ □□ □□□ □□ □ □□ □□□ □□□ □□□□□□
□?

- A. □□□□ □□ □□□ □□ □□□ □□ □□□ □□□□□.
- B. □□ □□□ □□□ □□□ □□□□ HDX □□ □□□ □□.
- C. □□ VDA(Virtual Delivery Agent) □□□□□ □□□□ □□.
- D. HDX □□ □□□ □□ □□□□□□ □□ □□ □□□.

Answer: A (LEAVE A REPLY)

□□

□□/□□: <https://support.citrix.com/article/CTX227534>

NEW QUESTION: 69

□□□□: Citrix □□□□ □□□ □□□ □□□ □□□□□□.

```
bind lb vserver VPN_http-policyName POL_1-priority 120 -gotoPriorityExpression END -type REQUEST
bind lb vserver VPN_http-policyName POL_2-priority 90 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_3-priority 100 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_4-priority 110 -gotoPriorityExpression END -type REQUEST
□□□ □□ □□□ □□□□□?
```

- A. POL_2, POL_3
- B. POL_2
- C. POL_2, POL_3, POL_4, POL_1
- D. POL_2, POL_3, POL_4

Answer: C (LEAVE A REPLY)

□□/□□:

NEW QUESTION: 70

□□□□ □□□□ □□ □□□ □□□ □ Citrix □□□□□□ □□□ □□□ □□□□□□?

- A. Citrix.CloudServices.AgentHub.Api
- B. □□ □□□□ □□
- C. □□□ □□ ID
- D. Active Directory □□□

Answer: C (LEAVE A REPLY)

□□

□ □□□ □□□ □□□ □□ □ Citrix Cloud □□□□ □□□□ □□□□□□ □□ □□□ □□□
ID□ □□ □□□□□□ □□□□ □□□□ □□□□ □□□□. □ ID□ CC □□□ □□□□□□□□ □□□ □
□□□ □□□ □ □□□ □□□□□□ □□□□ □□□□ □□ □□□□□□□□.

□□: <https://developer.cloud.com/services/get-details-about-resource-locations-within-customer>

NEW QUESTION: 71

□□□□: Citrix Studio□ □□□□ □ □□ □□□ □□□ □□ Citrix □□□□ □□□ □□□ □
□□□□ □ □ □□□ □□ □□□□ □□□□. □□□□ Citrix Studio□ □□□ □□□□ □□□□
□□□□ □□□□□ □□□ □□□□□□ □□□□□□□□.

□□□□: Citrix □□□□ Citrix ADC□ DNS □□□ □□□ □□□□□□. □□□□ □□□ □□
□□□□ □□□□ Citrix ADC□ □□□□□ □□ □□□ □□□□□□.
□□□ □□□□□□ □□□□□ □□□ '□□' □□□ □□□□□□.

```
>  
>add responder action Act_1 respondwidth DNS.NEW_RESPONSE(true, true, NOERROR)  
Done  
> add responder policy Pol_1 dns.REQ_TRANSPORT.EQ(udp) Act_1  
Done  
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

□ □□□ □□□ □□□□□?

- A. DNS □□□ DNS □□□□ TC □□ □ rcode□ NOERROR□ □□
- B. TC □□□ □□□ DNS □□□ □□□□ NOERROR□ rcode□□□.
- C. TC □□□ □□□ DNS □□□ □□□ NOERROR□ rcode□□□.
- D. □□□□□□ DNS □□□□ TC □□ □ rcode□ NOERROR□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 76

Citrix Virtual Apps and Desktops□ □□□□□ □□□ □□ □□□□ □ □□ □□□□□□ □□
□□ □□□ □□□□□? (3□□ □□□□□.)

- A. Always On □□□ □□
- B. □□ □□□□ □□
- C. □□□
- D. □□□□□ □□□□
- E. □□□□

Answer: ([SHOW ANSWER](#))

□□/□□:

□□: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/technical-overview/databases.html#high-availability>

1Y0-204 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1Y0-204 □□!
DumpTop □ □□ **1Y0-204** □□ □□□ □□□□□□, DumpTop 1Y0-204 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop 1Y0-204 □□□
□□□□□. <https://www.dumptop.com/Citrix/1Y0-204-dump.html> (183 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 77

□□□□: Citrix □□□□ □□□ □□□ □□□ □□□□□□.

```
bind lb vserver VPN_http-policyName POL_1-priority 120 -gotoPriorityExpression END -type REQUEST
bind lb vserver VPN_http-policyName POL_2-priority 90 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_3-priority 100 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_4-priority 110 -gotoPriorityExpression END -type REQUEST
```

□□□ □□ □□□ □□□□□?

- A. POL_2, POL_3, POL_4, POL_1
- B. POL_2
- C. POL_2, POL_3, POL_4
- D. POL_2, POL_3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 78

□□□□: Citrix □□□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□. □□□□ □□□ □ □□ □□□□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□□ □□□.

□ □□□ □□□□ □□ □□□□ □□□□ □□ □ □□ □□□ □□□□□? (□ □□□ □□□ □□.)

- A. □□ □□□ □□ □□
- B. □□□□□ □□□ □□ □□
- C. □□□ □□ □□
- D. □□ □□□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 79

Citrix □□□□ Citrix Virtual Apps and Desktops □□□□ □□ □□ □□ □□□□ □□□□□ □ □ STA(Secure Ticket Authority) □□ □□□ □□□□ □□ □ □□ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□ □□□□(VDA)
- B. □□ □□□□
- C. Citrix Workspace □
- D. □□□□ □□□□□
- E. StoreFront

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 80

VDA(Virtual Delivery Agent) □□□ □□□□ □□□ □ □□ □□□ □□□□□? (3□□ □□□ □□.)

- A. CONFIG.XML □□
- B. □□ □□ □□(GPO)
- C. □□ □□(OU) □□ □□□□ □□
- D. DHCP □□

- A. Citrix Virtual Apps and Desktops □□□, Citrix Gateway, □□□ □□□□
- B. Citrix Virtual Apps and Desktops □□□, Citrix Gateway, □□□□□ □□□
- C. Citrix Virtual Apps and Desktops □□□, Citrix Gateway □□□, □□□ □□□□
- D. Citrix Virtual Apps and Desktops □□□, Citrix Gateway □□□, □□□□□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 85

NTUSER.DAT □□□ □□□ □□ □□□□ Citrix □□□ □□ □□□ □□□□□?

- A. □□□ □□
- B. □□ □□□
- C. □□□ □□
- D. □□□ □□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 86

□□□□: Citrix □□□□ □□□□ □□□□□□ □ □□□□□ □□□□ □ □□□ Citrix
 Workspace □□ □□□□ □□□□. □□□□ □□ □□ □□ □□ □□ □□ □□□□ □□□ □
 □□□□□□ □ □□□ □□□.
 □□□□ □□□□ □□ □□ □□□ □□□□□□□□□ □□□□ Citrix Workspace Control □□
 _____□(□) □□□□ □□□. (□□□□ □□□□ □□□□ □□□□□□□.)

- A. Citrix Studio □□ □□□ □□□□
- B. Citrix Workspace □□□
- C. StoreFront □□□□
- D. □□ □□ □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

□□□□ □□ □□□ □□□□□□□□ □□ □□□ □□□□ □□ Citrix □□□□ □□□□ □ □
 □ □ □□ □□□ □□□□□? (□ □□□ □□□□□□.)

- A. □□□□□□ □□ □□
- B. ICA □ □□□□
- C. □□ □□□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

□□

NEW QUESTION: 88

Citrix Cloud □□□□□ □□□ □ Citrix Cloud□□ □□□□□ □□□ □ □□ □□□ □□□□
 □?

- A. □□□
- B. □□□

- C. □□□□
- D. □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□□□: Citrix □□□□ Citrix ADC□ DNS □□□ □□□ □□□□□□. □□□□ □□□ □□ □□□□ □□□□ Citrix ADC□ □□□□□□ □□ □□□ □□□□□□. □□□ □□□□□□ □□□□□□ □□□ '□□' □□□ □□□□□□.

```
>
>add responder action Act_1 respondwidth DNS_NEW_RESPONSE(true, true, NOERROR)
Done
> add responder policy Pol_1 dns.REQ_TRANSPORT.EQ(udp) Act_1
Done
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

- □□□ □□□ □□□□□□?
- A. TC □□□□ □□□□ rcode□ NOERROR□ □□□□ DNS □□□ □□□□□□.
- B. TC □□□□ □□□□ DNS □□□□ □□□□ NOERROR□ rcode□□□□.
- C. □□□□□□□ DNS □□□□□□ TC □□ □□ rcode□ NOERROR□ □□
- D. DNS □□□□□□□ DNS □□□□□□ TC □□□□ rcode□ NOERROR□ □□

Answer: ([SHOW ANSWER](#))

□□/□□: <https://docs.citrix.com/en-us/netscaler/12/appexpert/responder/dns-support-responder.html>

NEW QUESTION: 90

Citrix □□□□ StoreFront □□ □□□□ □□ □□□ □□(□□ □□□)□ □□□□□□□□□□. □□□□ □□ □□□□ □□ Citrix Virtual Apps and Desktops □□□□ □□□ □ □□ □□ □□ □□ □□□□□□? (□ □□□ □□□□□□.)

- A. □□□□ □□□ □□ □□ StoreFront □□□□ □□□□ □□□ □ □□□□.
- B. □□□□ □□□ Citrix Workspace □□□ □□□□□□□□ □□□ □ □□□□.
- C. □□□□ □□□□□□ □□□ □□□□□□□□□ □□□ □ □□□□.
- D. □□ □□□□□□ □□ □□□ □□□□ □□□□□□.
- E. □□□□ □□□□□□ □□□ □□□□□□□□□ □□□ □ □□□□.

Answer: B,D ([LEAVE A REPLY](#))

□□/□□: <https://docs.citrix.com/en-us/storefront/current-release/configure-user-access.html>

NEW QUESTION: 91

□□□□: Citrix □□□□□ □□□□□ □□□□□□□ □ □□□□□ □□□□□ □ □□□□ Citrix Workspace □□ □□□□□ □□□□□. □□□□□ □□ □□ □□ □□ □□ □□ □□□□□ □□□□ □□□□□□□ □ □□□ □□□.

□□□□□ □□□□□ □□ □□ □□□ □□□□□□□□□□ □□□□□ Citrix Workspace Control □□ _____□(□) □□□□□ □□□□. (□□□□ □□□□ □□□□ □□□□ □□□□□□□□.)

- A. Citrix Studio □□ □□□ □□□□□

- B. StoreFront □□□□
- C. □□ □□ □□□ □□
- D. Citrix Workspace □□□

Answer: ([SHOW ANSWER](#))

□□

□□/□□:

https://www.citrix.com/blogs/2016/05/02/workspace-control-when-you-dont-want-to-roam/?_ga=2.128113484.1931410663.1574163418-1307916011.1522390933

1Y0-204 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1Y0-204 □□!
 DumpTop □ □□ **1Y0-204** □□ □□□ □□□□□□, DumpTop 1Y0-204 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 1Y0-204 □□□
 □□□□□. <https://www.dumptop.com/Citrix/1Y0-204-dump.html> (183 Q&As Dumps, **30%OFF**

Special Discount: **KrDump**)

NEW QUESTION: 92

□□□□: Citrix □□□□ □□□ □□ □□□ □□ □□ □□□ □□□□□ Citrix Gateway□ □□
 □□□. □□□□ VPN □□□□ □□□□ Citrix Gateway□ □□ □□ □□□□ 300□□ □□□
 □ □□□□ □□□.

□□□□ □ □□□ □□ □□□ □□□□ □□ □□□□□ □□□□□?

- A. Citrix Gateway □□ □□□□
- B. Citrix Gateway □□□□□ □□□□□
- C. Citrix ADC □□□ □ □□□□
- D. Citrix ADC □□□□□ □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 93

□□□□ Citrix Receiver□ □□□□□ □□□□□□ LOB(□□ □□) □□ □□□□□ □ □ □□□
 □□ □□□□□ □□ □□ □□ □□□□ □□ □□□ □□□.

□□□ □□ □□□□□ □□□□□ □□□□ □□□□ □□□□□□ □□ □□□□□ □□□ □
 □□□ Citrix □□□□ □□ □□□□ □□□ □□□ □ □□ □□□ □□□□□?

- A. "□□□: □□"
- B. "□□□: □□"
- C. "□□□: □□"
- D. "□□□: □□"

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

□□ □□□□ □□□ □□□ □ □□□ □□ □□ □□ □□ □□ □□□ □□□□□?

- A. □□□ □□□
- B. □□ □□ □□□
- C. □□ □□□ □□□
- D. □□ □□□□ □□□

Answer: B (LEAVE A REPLY)

□□/□□: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/director/permissions.html>

NEW QUESTION: 95

Citrix Virtual Apps and Desktops □□□□ □□□ □ Citrix Cloud □□ □□ □□ □□□□ □□□□ □□□□ □ □□ □□ □□□ □□□□□?

- A. □□□ □□□□□□
- B. Citrix □□□□ □□
- C. □□□□ □□□□□
- D. □□ □□ □□□□(VDA) □□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 96

□□ □□□ □□ □□□□ □□ □□□ □□□ □□ HDX □□ □□□ □□□□ □□ Citrix □□ □□ □□□ □ □□ □ □□ □□ □□□□□? (3□□ □□□□□.)

- A. □□□ □□ □□
- B. □□□□□□ □□ □□ □□ □□
- C. □□□□□ □□ □ □□ □□
- D. □□ □□ □
- E. CPU □□□
- F. □□ □□□ □□ □ □□ □□

Answer: A,B,F (LEAVE A REPLY)

NEW QUESTION: 97

Citrix □□□□ _____ □□□ □□ "□□□ □□" □□□ □□□□ □□□. (□□□ □□□ □□□□ □□□ □□□□□□.)

- A. □□ □□□□ □□ □□□ □□□□ □ □□ Windows □□ □□□ □□□□□.
- B. □□□ □□ □□□ □□□ Citrix Studio □□□ □ □ □□ □□ □□□□□.
- C. □□□ □□□□ □□ Citrix Workspace □□□ □□□ □□□□□□ □□□
- D. VDA(Virtual Delivery Agent) □□□□ □□□ □□□□□□□ □□ □□ □□□ □□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 98

□□□□: Citrix □□□□ □□□ □□□ □□□□□ □□□□□ Citrix Virtual Desktops □□□□ □□□□□□.

Which Citrix License Server can be used to license Citrix Studio?
A. Citrix License Server
B. Citrix License Server
C. Citrix License Server
D. Citrix Studio

- A. Citrix License Server
- B. Citrix License Server
- C. Citrix License Server
- D. Citrix Studio

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 99

Which Citrix ADC command is used to configure the Nsconfig file?

- A. nsconfig
- B. Nstrace
- C. Nsconfig
- D. nsconfig

Answer: D ([LEAVE A REPLY](#))

nsconfig

NEW QUESTION: 100

Citrix Studio can be used to manage Citrix Receiver for Web site groups. (3 correct answers.)

- A. Citrix License Server
- B. Citrix License Server
- C. Citrix License Server
- D. Citrix License Server
- E. Citrix License Server

Answer: ([SHOW ANSWER](#))

Citrix Studio can be used to manage Citrix Receiver for Web site groups. (3 correct answers.)

Citrix Studio can be used to manage Citrix Receiver for Web site groups. (3 correct answers.)

URL: <https://docs.citrix.com/en-us/storefront/current-release/manage-citrix-receiver-for-web-site/manage-app-groups.html>

NEW QUESTION: 101

Which Citrix feature is used to manage Citrix Receiver for Web site groups?
A. Citrix License Server
B. Citrix License Server
C. Citrix License Server
D. Citrix License Server
E. Citrix License Server

```
sh gslb vserver gslb.outscale.cloud
gslb.outscale.cloud-SSL    State: UP
DNS Record Type: A
Last state changed was at Tue May 16 23:47:54 2017
Time since last state change: 16 days, 16:13:23.390
Configured Method: RTT
BackupMethod: LEASTCONNECTION
No. of Bound Services: 2(Total)    1(Active)
Persistence: NONE
Disable Primary Vserver on Down: DISABLED
Site Persistence: ConnectionProxv
```

□□□□ □□□ □□□ □□ □□□□ □□□□ □□□?

- A. □□□□□
- B. □□ □□□
- C. □□ □□□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

□□□□□ □□□ □□□ □□ □□ Citrix □□□□ □□□ □ □□ FEO(Front-End Optimization)
 □□□ □□□□□?
 □□□□□ □□□ □□□ □□□ □□□□□□.

