

# Citrix.1Y0-241.v2022-08-23.q27

□□□□:	1Y0-241
□□□□:	Deploy and Manage Citrix ADC 13 with Traffic Management
□□□:	Citrix
□□ □□ □□□:	27
□□:	v2022-08-23
# □□ □:	822
# □□ □□□:	270
<a href="https://www.krdump.com/Citrix.1Y0-241.v2022-08-23.q27.html">https://www.krdump.com/Citrix.1Y0-241.v2022-08-23.q27.html</a>	

## NEW QUESTION: 1

□□□□: Citrix □□□□ □□□□ □□□□ GSLB(□□□ □□ □□ □□□) vServer□□ □□□□ □□□□ □□□. □□□□ □□□□ □□□□□ □□□ □□□□□□ □□□ □ □□□□ □□□. □, □□□□ □□□□ □□□□ □ □□□□ □□□ □□□□ □□□. □□□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□ □□ □□ □□□ □□□□.

□□□ □□ □□□ □□□□ □□ □□□□ □□□□□□ □□ □□□□ □□□ □ □□ □□□□□ □□□□□?

- A. □□ □□□
- B. □□□ □□□
- C. □□ □□ □□
- D. □□ □□

Answer: C ([LEAVE A REPLY](#))

## NEW QUESTION: 2

Citrix □□□□ Active Directory(AD) □□□ □□□□□ □□ □□□□ □□□□ □ □□□ □ □□ Citrix ADC □□□□ □□□□□?

- A. □□ □□□□□□ □□□ LDAP Base DN□ □□□□ TCP □□□□□□.
- B. □□ □□□□□ AD □□□ □□□□□ IP □□□□ □□ □ □□□
- C. □□ □□□□□ LDAP □□□□ □□, □□□□ □□ DN, □□□□ DN, □□, □□ □ □□ □□ □□□□□ □□ LDAP □□□.
- D. □□ □□□□□ □□□ □□ DN, □□□□ DN, □□, □□ □ □□□□ □□□□□ □□ MySQL-ECV □□□

Answer: C ([LEAVE A REPLY](#))

## NEW QUESTION: 3

0000: Citrix 0000 000 00 URL 000 "/mytraining" 0000 000000 00  
0 000 0000 000.

0000 00 000 00000 00 00000 000.

> 000 00 00 Redirect\_Act 0000 "HTTP.REQ.URL.PATH\_AND\_QUERY+  
\"mytraining\"" - responseStatusCode 302

>000 00 00 Redirect\_Pol\_\_\_\_\_Redirect\_Act

>bind lb vServer lb\_vsrv\_www -policyName Redirect\_Pol -priority 100 -

gotoPriorityExpression END - type\_\_\_\_\_(00 0000 000000 000 0000 000  
000.)

A. "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))"

RESPONSE

B. "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))"

REQUEST

C. "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))"

RESPONSE

D. "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))"

REQUEST

**Answer: A (LEAVE A REPLY)**

00 00: 1

0000: 00 0000 vServer0 00 0000 00 0000 0000 000000 000000.

0 vServer0 0000 00000 00000 00 00 00 0000 000.

vServer 00 0 000000 00000 00 0000 0000 000000?

<A>: 00 0000

<B>: 0000 00

<C>: 0000 00 00

<D>: 00 00

0: 0

00 00: 2

Citrix ADC SDX 000000 000000 000000 \_\_\_\_\_ 0 \_\_\_\_\_0(0) 0000

0 00000. (0000 000000 00 0 00 0000 0000 00000000.)

<A>: CPU

<B>: 0000 000000

<C>: 0000

<D>: 00

0: A,C

00 00: 3

0000: Citrix 00000 0 0000 00 0000 000000 0000. 00 00000 0 0000

0 00000 0 00 GIF 0000 0000 0000 000000 0000, 00 00 0000 00 0

00 0000 0000.

□□□□ □ □□□ □□□ □□□□ □□ □□□□ □ □□ Citrix ADC □□□ □□□□  
□?

<A>: □□□ □□  
<B>: □□□ □□ □□  
<C>: □□□ □□□  
<D>: □□□ □□ □□

□: C  
□□  
□□ □□: 4

Citrix □□□□ Active Directory(AD) □□□ □□□□□ □□ □□□□ □□□□ □ □□□  
□ □□ Citrix ADC □□□□ □□□□□?

<A>: □□ □□□□□ AD □□□ □□□□□ IP □□□ □□ □ □□□  
<B>: □□ □□□□□ □□□ □□ DN, □□□ DN, □□, □□ □ □□□□ □□□□□ □  
□ MYSQL-ECV □□□  
<C>: □□ □□□□□□ □□□ LDAP Base DN□ □□□□ TCP □□□□□□□.  
<D>: □□ □□□□□ LDAP □□□□ □□, □□□ □□ DN, □□□ DN, □□, □□ □ □  
□□□ □□□□□ □□ LDAP □□□.

□: □  
□□ □□: 5

Citrix □□□□ www.citrix.com□ □□ GSLB(□□□ □□ □□ □□□)□ □□□□□ □□  
□□ Citrix ADC 1 □ Citrix ADC 2□□ □ □□ ADNS □□□□ □□□□□□□.

www.citrix.com□ □□□ Citrix ADC 1 □ Citrix ADC 2□ □□□□ □□ □□□□ □□  
DNS □□□ □□□□ □□ □□□□ □□□□□□?

<A>: □□ □□(CNAME)  
<B>: □□(A) □□□  
<C>: □□□□(NS) □□□  
<D>: □□□ □□□(PTR)

□: C  
□□/□□: <https://docs.citrix.com/en-us/citrix-adc/current-release/dns/configure-citrix-adc-adns-server.html>

□□ □□: 6

□□□□: Citrix □□□□ Citrix ADC□ Junior Citrix □□□□□ □□□ □□□ □□□□□□  
□□□.

□□□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□ □□□□□ □□□□□ □□□.  
□ □□□ □□  
□□□ □□  
□ □□□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□□?

<A>: □□□□  
<B>: □□□  
<C>: □□□□





<C>: TTL(Time to Live)

<D>: IP (MIR)

:

: 15

Citrix ADC (HA) vServer NSIP 192.168.20.10 192.168.20.11 NSIP 192.168.20.10

Citrix vServer HA Citrix ADC

Citrix ADC ?

<A>: HA Citrix ADC NSIP

<B>: Citrix ADC

<C>: HA Citrix ADC

<D>: Citrix ADC

: C

: 16

Citrix IP 192.168.10.200 Citrix ADC ACL

<A>: ns acl6

<B>: ns acl

<C>: ns simpleacl

<D>: ns simpleacl6

:

: 17

Citrix syslog TCP

<A>: syslog

<B>: TCP

<C>: syslog

<D>: syslog

:

: 18

Citrix ADC 1/1 VLAN 40 Citrix

> VLAN 10 -ifnum 1/1

Citrix ADC ?

<A>: 1/1 VLAN 20 VLAN 20

<B>: 1/1 VLAN 20 VLAN 1

<C>: 1/1 VLAN 20 1/1 VLAN 40

<D>: 1/1 VLAN 20 1/1 VLAN 40

C

19

Citrix ADC Citrix  
?

<A>:

<B>: (CRL)

<C>: (CSR)

<D>:

:

<https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/how-to-articles/create-and-use-ssl-certificates-on-a-citrix-adc-appliance.html>

20

vServer Citrix  
.

> CSV CSV

CSV(10.1.100.100:443) - HTTPS :

UP

2020 6 29 15:20:43

1, 06:47:58 610

180

:

vServer :

Appflow :

:

:

URL

vServer IP :

NONE : http://www.site1.com/mysite1/maintenance

vServer-LB-2

:

IcmpResponse: :

RHI: :

:

?

<A>: http://www.site1.com/mysite1/maintenance

<B>: vServer

<C>: vServer-LB-2

<D>: 10.1.100.100:443



□□□ □□ □□□ □□□□ □□ □□□□ □□□□□□ □□ □□□□ □□□ □ □□  
□□□□□ □□□□□?

<A>: □□ □□□  
<B>: □□□ □□□  
<C>: □□ □□  
<D>: □□ □□ □□

□: □  
□□ □□: 25

□□□□: Citrix ADC□ Citrix ADC□ □□□ MAC □□□ □□□ □□□ □□□□□. □□  
□ □□ IP □□□ Citrix ADC□ □□□ □□□□. □□ 3 □□□ Citrix ADC□□ □□□□□  
□□□□□ □□□□.

Citrix ADC□ □ □□□□□□ □□□ \_\_\_\_\_□□□. (□□□ □□ □□ □□□ □□  
□□□.)

<A>: □□  
<B>: □□□□  
<C>: □□□  
<D>: □□

□: □□  
□□/□□:

□□: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/configure-system-settings/configure-modes-packet-forwarding.html>

□□ □□: 26

Citrix □□□□ □□□ □□□ □□□□ □□ HTTP □□□ □□ □□□ □□□□ □□□.  
□ □□□ □□□□ □□ □□□□ Citrix ADC □□□ □□□ □ □□ □□ □□ □□ □□  
□ □□□□□?

<A>: □□  
<B>: REPLACE\_HTTP\_REQ  
<C>: REPLACE\_ALL  
<D>: CORRUPT\_HTTP\_HEADER

□: □□  
□□ □□: 27

□□□□: Citrix □□□□ □□□ □□ URL □□□ "/mytraining" □□□□ □□□□□ □□  
□ □□□ □□□□ □□□.

□□□□ □□ □□□ □□□□ □□ □□□□ □□□.  
> □□□ □□ □□ Redirect\_Act □□□□ "HTTP.REQ.URL.PATH\_AND\_QUERY+  
\"mytraining\" - responseStatusCode 302  
>□□□ □□ □□ Redirect\_Pol \_\_\_\_\_Redirect\_Act  
>bind lb vServer lb\_vsrv\_www -policyName Redirect\_Pol -priority 100 -  
gotoPriorityExpression END - type \_\_\_\_\_(□□ □□□ □□□□□ □□□ □□□ □□□  
□□□.)

<A>: "(HTTP.REQ.URL.STARTSWITH("\mytraining\"))"

<B>: "! (HTTP.REQ.URL.ENDSWITH("\mytraining\"))"

<C>: "! (HTTP.REQ.URL.ENDSWITH("\mytraining\"))"

<D>: "(HTTP.REQ.URL.STARTSWITH("\mytraining\"))"

:

**NEW QUESTION: 4**

□□□□: □□ □□□ vServer□ □□ □□□ □□ □□□ □□□ □□□□□ □□□□□.  
□ vServer□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□.  
vServer □□ □ □□□□□ □□□□ □□ □□□ □□□ □□□□□?

- A. □□ □□□
- B. □□ □□
- C. □□□ □□
- D. □□□ □□ □□

Answer: [\(SHOW ANSWER\)](#)

**NEW QUESTION: 5**

Citrix ADC SDX □□□□□ □□□□ □□□□□ \_\_\_\_\_ □ \_\_\_\_\_ □(□) □□□  
□ □□□□. (□□□ □□□□ □□ □ □□ □□□ □□□ □□□□□□□.)

- A. □□
- B. □□□ □□□□□
- C. CPU
- D. □□□

Answer: C,D [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 6**

Citrix □□□□ □□□ □□□ □□□□ □□ HTTP □□□ □□ □□□ □□□□ □□□.  
□ □□□ □□□□ □□ □□□□ Citrix ADC □□□ □□□ □ □□ □□ □□ □□ □□  
□ □□□□□?

- A. REPLACE\_ALL
- B. CORRUPT\_HTTP\_HEADER
- C. REPLACE\_HTTP\_REQ
- D. □□

Answer: D [\(LEAVE A REPLY\)](#)

**NEW QUESTION: 7**

□□□□: HTTPS□ □□□□ Citrix ADC□ □□ □□ □□□□ □ □□□ □□□□□□ □  
□ □□ □□□□ □□ □□□□ □□□□□.

SSL/TLS □□: □□ □□ □□□□ "□□ □□"□ □□□□□ □□□□ □□□□□□.  
□□□□ □ □□□□ □□ □□□□ □□□ Citrix □□□□ □□□ □ □ □□□□?

- A. □□□□□ □□□□□ □□ □□ □□□ □□□□□□.
- B. □□ □□□□ □□□ □□ □□ □□ □□□□ □□□□ □□□ □□□□□.
- C. □□□□□ □□ □□□□ □□□□ □□□ □□□□□.
- D. □□□□□ □□□□ □□ □□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 8**

□□□□ □□□□ □□ Citrix ADC□ □□ □□ □□□□ □□□ □ Citrix □□□□ □□  
□□ □□□□ □□ □□ □□□□□?

- A. □□ □
- B. □□□ □□ □□(CRL)
- C. □□□ □□ □□(CSR)
- D. □□□ □ □

Answer: ([SHOW ANSWER](#))

□□/□□: <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/how-to-articles/create-and-use-ssl-certificates-on-a-citrix-adc-appliance.html>

**NEW QUESTION: 9**

□□□□: Citrix □□□□ GSLB(□□□□ □□ □□ □□) □□□□ □□ □□□ □□□□□□  
□.

gslb □□□ SiteB □□ -triggerMonitor MEPDOWN  
□ □□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□□?

- A. □□□ □□□□ MEP(□□□□ □□ □□□□)□□ □□□□□.
- B. MEP(Metric Exchange Protocol)□ □□□□ DOWN□□ □□□ □□□□ □□□ □□  
□□ □□□□□.
- C. □□□ □□□□ □□□ A□ □□□ B □□ MEP(□□□□ □□ □□□□) □□□ □□□  
□□□□ □□□□□.
- D. GSLB □□□□ □□□ □□ MEP(Metric Exchange Protocol)□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 10**

□□□□: Citrix □□□□ □ □□□ □□ □□□ □□□□ □□□. □□ □□□□ □ □□□  
□ □□□□ □ □□ GIF □□□ □□□ □□□ □□□□ □□□, □□ □□ □□□ □□ □  
□□ □□□ □□□.

□□□□ □ □□□ □□□ □□□□ □□ □□□□ □ □□ Citrix ADC □□□ □□□□  
□?





Appflow 00: 0000  
 00 000: 00000  
 00 0000: 000000  
 000: 000 00 00: URL  
 vServer IP 0 00 00: 00  
 000: NONE 0000: http://www.site1.com/mysite1/maintenance  
 00: vServer-LB-2  
 00 00: 00  
 lcmpResponse: 00  
 RHI00: 00  
 000 000: 0  
 0 000 0000 00 000 000 000000000?

- A. 00 000 00 vServer
- B. vServer-LB-2
- C. http://www.site1.com/mysite1/maintenance
- D. 10.1.100.100:443

Answer: (SHOW ANSWER)

**1Y0-241** 00 000 000000 00 DumpTop 00 0000 000 1Y0-241 00!  
 DumpTop 0 00 **1Y0-241** 00 000 0000000, DumpTop 1Y0-241 00 000  
 000000000 000 000000000. 00000 0000 00000 00 DumpTop  
 1Y0-241 000 000000. <https://www.dumptop.com/Citrix/1Y0-241-dump.html> (113  
 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 17**

0000: Citrix 0000 000 000 00000 00 0 000 00000 Citrix ADC0  
 0000000. 00 00000 00 0000 0 00 00000 00 000 0000000.  
 Citrix ADC 0000 00000.  
 000 00000 00000 00 00000 0000 00 0000?

- A. 000 000 00 00 000 000000.
- B. 0000(HA) 00 00000 000000.
- C. 00 00000 000000.
- D. Citrix ADC0 00 000000.

Answer: C (LEAVE A REPLY)

**NEW QUESTION: 18**

0000: Citrix 0000 00000 Citrix ADC0 00 00000 0 0000 AAA(00, 00  
 00 0 00) 0000 00000000. 00000 0000 00 vServer0 000000000.  
 00 00000 vServer0 00 00000 0 0000 00000 00 00000 0000000?

- A.
- B. ns\_false
- C. ns\_true
- D.

Answer: (SHOW ANSWER)

**NEW QUESTION: 19**

Scenario: Citrix ADC Junior Citrix ADC. Citrix ADC is configured with a Citrix ADC VPX instance. Citrix ADC VPX is configured with a Citrix ADC VPX instance.

Citrix ADC VPX is configured with a Citrix ADC VPX instance. Citrix ADC VPX is configured with a Citrix ADC VPX instance.

Citrix ADC VPX is configured with a Citrix ADC VPX instance.

Citrix ADC VPX is configured with a Citrix ADC VPX instance.

Citrix ADC VPX is configured with a Citrix ADC VPX instance. Citrix ADC VPX is configured with a Citrix ADC VPX instance?

- A. Citrix ADC VPX is configured with a Citrix ADC VPX instance.
- B. Citrix ADC VPX is configured with a Citrix ADC VPX instance.
- C. Citrix ADC VPX is configured with a Citrix ADC VPX instance.
- D. Citrix ADC VPX is configured with a Citrix ADC VPX instance.

Answer: A (LEAVE A REPLY)

**NEW QUESTION: 20**

Citrix ADC SDX is configured with a Citrix ADC SDX instance. Citrix ADC SDX is configured with a Citrix ADC SDX instance.

Citrix ADC SDX is configured with a Citrix ADC SDX instance. Citrix ADC SDX is configured with a Citrix ADC SDX instance?

- A. Citrix ADC VPX is configured with a Citrix ADC VPX instance.
- B. Citrix ADC VPX is configured with a Citrix ADC VPX instance.
- C. Citrix ADC VPX is configured with a Citrix ADC VPX instance.
- D. Citrix ADC VPX is configured with a Citrix ADC VPX instance.

Answer: (SHOW ANSWER)

URL: [https://training.citrix.com/public/Exam+Prep+Guides/241/1Y0-241\\_01\\_01\\_01\\_v01.pdf](https://training.citrix.com/public/Exam+Prep+Guides/241/1Y0-241_01_01_01_v01.pdf)

**NEW QUESTION: 21**

Scenario: Citrix ADC vServer. Citrix ADC vServer is configured with a Citrix ADC vServer instance. Citrix ADC vServer is configured with a Citrix ADC vServer instance.

Citrix ADC vServer is configured with a Citrix ADC vServer instance. Citrix ADC vServer is configured with a Citrix ADC vServer instance.

Citrix ADC vServer is configured with a Citrix ADC vServer instance. Citrix ADC vServer is configured with a Citrix ADC vServer instance?

- A. ns acl 1 DENY -destIP 192.168.100.25 -TTL 600
- B. simpleacl 1 DENY -srcIP 192.168.100.25 -TTL 600000
- C. simpleacl 1 DENY -srcIP 192.168.100.25 -TTL 600
- D. ns acl 1 DENY -destIP 192.168.100.25 -TTL 600000

Answer: (SHOW ANSWER)



