

Citrix.1Y0-241.v2023-10-13.q62

□□□□:	1Y0-241
□□□□:	Deploy and Manage Citrix ADC 13 with Traffic Management
□□□:	Citrix
□□ □□ □□□:	62
□□:	v2023-10-13
# □□ □:	1081
# □□ □□□:	620
https://www.krdump.com/Citrix.1Y0-241.v2023-10-13.q62.html	

NEW QUESTION: 1

□□□□: Citrix □□□□ □□ □□□ vServer□ □□□□□□. □ vServer□ URL□
vpn.citrix.com□□□. □□□ □□□□ server1.citrix.com□□ □□□ □□□ □□□ □□□
□.

□□□□ □□□ □□□ vpn.citrix.com□□ server1.citrix.com□□ □□ □ □□□ □□□□
□□□ □□□□ □□□.

□ □□ □□□ □□□□□ □□□□ □□□□ □□ □□□ □□□□□?

A. □□ □□ "□□□□ □□" □□ -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -
reqUrlInto "https:// vpn.citrix.com/*" -resUrlFrom "https:/ /vpn.citrix.com/*" -resUrlInto
"https://server1.citrix.com/*"

B. □□ □□ "□□□□ □□" □□ -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -
reqUrlInto "https:// server1.citrix.com/*" -resUrlFrom "https:/ /server1.citrix.com/*" -
resUrlInto "https://vpn.citrix.com/*"

C. □□ □□ "□□□□ □□" □□ -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -
reqUrlInto "https:// server1.citrix.com/*" -resUrlFrom "https:/ /vpn.citrix.com/*" -resUrlInto
"https://server1.citrix.com/*"

D. □□ □□ "□□□□ □□" □□ -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -
reqUrlInto "https:// vpn.citrix.com/*" -resUrlFrom "https:/ /server1.citrix.com/*" -resUrlInto
"https://vpn.citrix.com/*"

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

Citrix □□□□ □□□ □□ □□□ □□ □□/ARP □□□ □□□□ □□ □□□ □ □□
Citrix ADC□ □□□ □□□□□?

A. □□□ 3

B. □□□ 2

C. MAC □□ □□□(MBF)

D. □□□ IP(USNIP) □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 3

□□□□: □□ □□□ □□□ vServer□ □□□□□□□. □□□ □□□□ □□ Citrix □□
□□ □□ □□□ □□□□□□.

```
> csvserver CSV □□
```

CSV(10.1.100.100:443) - HTTPS □□: □□□

□□: UP

□□□ □□ □□□ 2020□ 6□ 29□ □□□ 15:20:43□□□□□.

□□□ □□ □□ □□ □□: 1□, 06:47:58 610

□□□□□ □□ □□ □□: 180□

□ □ □ □ □ □ □ : □ □ □ □

□□ □□ □ □□ vServer □□□□: □□□□□□

Appflow □□: □□□□

□□ □□□: □□□□□

□□ □□□□: □□□□□

□□□: □□□ □□ □□: URL

vServer IP :

000: 00 0000: http://www.site1.com/mysite1/maintenance

□□: vServer-LB-2

□□ □□:□□

IcmpResponse: ☐ ☐

RHI □□: □□

□ □ □ □ □ □ : 0

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

A. <http://www.site1.com/mysite1/maintenance>

B. vServer-LB-2

C. ☐☐ ☐☐☐ ☐☐ vServer

D. 10.1.100.100:443

Answer: B (LEAVE A REPLY)

<https://docs.citrix.com/en-us/citrix-adc/current-release/content-switching/protecting-against-failure.html#configuring-a-redirect-url>

```
"□□□ □□□ □□ □□□ □□ □□ □□□ □□□□ URL □□□ □□□ □□ □□ □□
□□□ □□□□ URL□□ □□□□□. □□□□ URL□ □□ □ □□ □□ □□□ □□□
□ □□□□□."
```

NEW QUESTION: 4

□□□□: Citrix □□□□ □□ □□□ □□□□□ Citrix Gateway□ □□□□ □□□ □□ □□□ □□□□□. □□□□ VPN □□□□ □□□□ Citrix Gateway□ □□ □□□ □□ □ 3,000□□ □□□□ □□□□ □□□.

□□□□ □□□ □□□□ □□ □□□□□ □□□□□?

A. □□□□ □□□□□ □□□□□

B. Citrix ADC □□□□□

C. Citrix ADC □□□ □

D. Citrix □□□□□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□□□: □□ vServer□ □□ □□□□□ □□□ □□□□□□ □□□□. Citrix □□□□ □□□ □□ □□□□ □□□ □□□ □□□ □□□ □□□.

□□□□ □□ □□□□ □□ Citrix ADM(Application Delivery Management)□ □□□ □□ □ □□□□?

A. □□□□ □□□ □□□ □□□□ Citrix ADM□ □□ □□□□ □□□ □□□□□.

B. □□□□ □□□ □□□ □□□□ Citrix ADM□□ SMTP □□□ □□□□□.

C. Citrix ADM□□ TCP Insight□ □□□□□.

D. Citrix ADM□ □□□□ □□ □□□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/networks/network-reporting.html>

NEW QUESTION: 6

□□□□: □□ □□□ □□□ vServer□ □□□□□□□□. □□□ □□□□ □□ Citrix □□ □□ □□ □□□ □□□□□□.

> csvserver CSV □□

CSV(10.1.100.100:443) - HTTPS □□: □□□

□□: UP

□□□ □□ □□□ 2020□ 6□ 29□ □□□ 15:20:43□□□□□.

□□□ □□ □□ □□ □□: 1□, 06:47:58 610

□□□□□ □□ □□ □□: 180□

□□ □□ □□□: □□□□□

□□ □□ □□ vServer □□□□: □□□□□

Appflow □□: □□□□□

□□ □□□: □□□□□

□□ □□□□: □□□□□

□□□: □□□ □□ □□: URL

vServer IP □ □□ □□: □□

□□□: □□ □□□□: <http://www.site1.com/mysite1/maintenance>

□□: vServer-LB-2

□□ □□: □□

lcmpResponse: □□

RHI □□: □□

□□□ □□□: 0

□ □□□ □□ □□ □□□ □□□ □□□□□□□?

A. http://www.site1.com/mysite1/maintenance

B. 10.1.100.100:443

C. □□ □□□ □□ vServer

D. vServer-LB-2

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□□: GUI□ □□□□ □□ Citrix ADC MPX □□□□□□□ □□□□ □□□□. Citrix

□□□□ □□□□□□□ □□ □□□□ □□□ □□ □□ □□□ □□ □□□□ □□□.

□□ □□ □□□□ □□□ □ □ □□□□?

A. □□ □□□ □□□ □□□ □□□□□□.

B. □□ □□□ □□□□ □□□ □□□.

C. □□□□□□ □□□ NMI □□□ □□□□□.

D. USB □□□ □□□□ □□□ □□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

□□□□: Citrix □□□□ □□□ □□ □□□ □□□ □□□□□□.

> □□□ □□ □□ Redirect_Act respondwith

"DIAMETER.NEW_REDIRECT(\"aaa://host.example.com\")"

> □□□ □□ □□ Redirect_Pol "diameter.req.avp(264).value.eq(\"host1.example.net\")"

Redirect_Act

> bind lb vServer vs1 -policyName Redirect_Pol -priority 10 -type REQUEST □ □□□ □

□□ □□□□□?

A. "host1.example.net"□□ □□□ □□□ "host.example.com"□□ □□□□□□□.

B. "host.example.net"□□ □□□ □□□ "host1.example.com"□□ □□□□□□□.

C. "host.example.net"□□ □□□ □□□ "host1.example.com"□□ □□□□□□□.

D. "host1.example.net"□□ □□□ □□□ "host.example.com"□□ □□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

gslb vServer-GSLB-1-MIR □□□ □□

□□ □□□ □□□ □ Citrix ADC □□□□□□□ □□□ □□□□□?

A. □□ □□ GSLB(Global Server Load Balancing) □□□□ □□□ □ □□ □□□□, □

□□ □□ □□□□ □□ □□□□

B. □□ GSLB □□□□ □□□ □ □□ □□□□ □□□□ □□□ □□ □□□□ □□ □□□□ □□□□□.

C. □□□□ □□□ GSLB □□□□

D. □□ GSLB □□□□ □□□ □ □□ □□□□ □□□□ □□□ □□ □□□□ □□ □
□□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

☐ ☐ ☐ ☐ Citrix ADC ☐ ☐ ☐ ☐ ☐ ☐ Citrix ☐ ☐ ☐ ☐ ☐
☐ ☐ ☐ ☐ ☐ ☐

A. ☐ ☐ ☐

B. □□□ □□ □□(CRL)

C. □□□ □□ □□(CSR)

D. ☐ ☐ ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/how-to-articles/create-and-use-ssl-certificates-on-a-citrix-adc-appliance>. HTML

NEW QUESTION: 11

SSL □□□□ □□□□ Citrix □□□□ □□ □□□ □□ URL□ "http://"□□ "https://"□ □
□□□□ □□□□ □□□ □□□□□?

A. `> □□□ □□ □□ Act1 replace_all "HTTP.RES.BODY(200000)" "\"http:\\" -pattern
"\"https://\""`

```
> □□□ □□ □□ Pol1 trueAct1 NOREWRITE
```

```
B. > %%% %% %% Act1 replace_all "HTTP.RES.BODY(200000)" "\"http://\"" -pattern
"https://"
```

```
> □□□ □□ □□ Po1 trueAct1 NOREWRITE
```

C. `> □□□ □□ □□ Act1 replace_all "HTTP.RES.BODY(200000)" "\"https:\\" -pattern "http://"`

```
> □□□ □□ □□ Pol1 trueAct1 NOREWRITE
```

D. `> %>% %>% %>% Act1 replace_all "HTTP.RES.BODY(200000)" "\"https //" -pattern "http://"`

```
> □□□ □□ □□ Po1 trueAct1 NOREWRITE
```

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Citrix ☐☐☐☐ Citrix ADC ☐☐, ☐☐ ☐☐ ☐☐ (AAA) ☐☐ ☐☐ ☐☐ ☐☐ 4☐
☐ ☐☐ ☐☐ ☐☐☐? (☐ ☐☐☐ ☐☐☐☐.)

A. NTLM

B. ☐ ☐

C. LDAP

- D. ADFS
- E. TACACS+
- F. OAuth
- G. FIDO2

Answer: B,C,F,G (LEAVE A REPLY)

NEW QUESTION: 13

Scenario: Citrix 200 MPX licenses Citrix ADC 100(HA) 100 100 100. Citrix ADC 100 '100 100' 100 100.

100 100 '100 100' 100 100 100?

- A. 100 100 100 100 100 100.
- B. 100 ADC 100 ADC 100 TCP 100 22 100 100.
- C. 100 100 Citrix ADC 100 100 100 100.
- D. RPC(100 100 100) 100 100 100 100.

Answer: D (LEAVE A REPLY)

<https://docs.citrix.com/en-us/citrix-adc/current-release/system/high-availability-introduction/troubleshooting-high-availability.html>

NEW QUESTION: 14

Scenario: Citrix 100 100 100 100 100 Citrix ADC 100 Citrix ADC 100(HA) 100 100 100. Citrix ADC 100 HA 100 Citrix ADC 100 100 100 100 100 HA 100 100 Citrix ADC 100 100.

100 100 100 100 100 100 100 100 100 100 100 100? (100 100 100 100.)

- A. HA 100 100 100 100 Citrix ADC 100 100 100 100.
- B. HA 100 100 100 100 Citrix ADC 100 100 100 100.
- C. 100 100 100 100 100 HA 100 100 100 100.
- D. 100 100 100 100 100 HA 100 100 100 100.

Answer: (SHOW ANSWER)

100 100 100 100 100 100 100 100 100 100 100 100. 100 100 100 100 100 100 HA 100 100 100 100 100 100 100. 100 100 100 100 100 100 100 100 100 100. 100 100 100 100.

<https://docs.citrix.com/en-us/citrix-adc/current-release/system/high-availability-introduction/forcing-a-secondary-node-to-stay-secondary.html> 100 100 100 100 100 HA 100 100 100 100 100 100 100. 100 100 100 100 100 100 100 100 100 100.

<https://docs.citrix.com/en-us/citrix-adc/current-release/system/high-availability-introduction/forcing-the-primary-node-stay-primary.html>

NEW QUESTION: 15

Citrix □□□□ □□□□ Citrix ADC 1 □ Citrix ADC 2□□ □ □□ ADNS □□□□ □□□
 □ www.citrix.com□ □□ GSLB(Global Server Load Balancing)□ □□□□□.
 □□□□ www.citrix.com□ □□□ Citrix ADC 1 □ Citrix ADC 2□ □□□□ □□ □□
 DNS □□□ □□□□ □□ □□□□ □□□□□?

- A.** □□ □□(CNAME)
B. □□(A) □□□
C. □□□□(NS) □□□
D. □□□ □□□(PTR)

Answer: ([SHOW ANSWER](#))

□□/□□: <https://docs.citrix.com/en-us/citrix-adc/current-release/dns/configure-citrix-adc-adns-server.html>

NEW QUESTION: 16

Citrix □□□□ □ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □□
 □□ □□□□□□□□ □□□□□ □□□ □□□□ □□□□□ □□□.
 □□□□ □□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□□?

- A.** nsroot □□□□ □ □□□ □□ □□ □□ □□
- B.** □□□ □□□ □□□ □□ □□
- C.** □ □□□□ SNIP, □□□ □□ VLAN □□□
- D.** □□ VLAN□ □□□□ □□ □□□

Answer: D (LEAVE A REPLY)

1Y0-241 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1Y0-241 □□!
 DumpTop □ □□ **1Y0-241** □□ □□□ □□□□□□, DumpTop 1Y0-241 □□ □□□
 □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
 1Y0-241 □□□ □□□□□. <https://www.dumptop.com/Citrix/1Y0-241-dump.html> (113
 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

Citrix □□□□ □□ syslog □□□ □□□□□ □□□ TCP □□□ □□□□ □□□□?
□ □□□ □□□ □□□□□?

- A.** □□ □□□ □□□□ □□□□□.
- B.** □□ □□□ □□□□□ □□□□□.
- C.** TCP □□□ □□□□□ □□□□□.
- D.** □□□ □□ □□ □□□ □□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

□□□□□□ SSL □□ □□ SSL □□□□ vServer□ □□□□□ □□ □ □□□□ □□
□ □□□ □□□□□? (□ □□□ □□□□□.)

- A.** □□□□□ □□□ □□ □□□□ □□□□ □□□□.
- B.** Citrix ADC□ □□ □□□□ □□□□ □□□□.
- C.** □□ □□□□ □□ □□ □□(CA)□□ □□□□□□□□.
- D.** □□ □□□□ □□ □□□ vServer□ □□□□□□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 19

□□□□: Citrix □□□□ □□ □□□ □□□□□□.

```
> pol_ext$pol_ext$pol_external_to_internal
```

```
'http.req.hostname.server.eq("host_name_of_external_Web_server")'
```

```
act_external_to_internal 000 000 TRUE 000 0 0000 000 0 00 0 0
0 000 000 000 00000? (0 000 00000.)
```

- A.** ☐ ☐
- B.** ☐ ☐
- C.** ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 20

□□□□: Citrix □□□□ GSLB(□□□ □□ □□ □□□) □□□□ □□ □□□ □□□□ □□.

```
gslb [ ] [ ] SiteB [ ] -triggerMonitor MEPDOWN
```

□ □□□ □□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□□?

- A.** ☐ ☐ ☐ ☐ MEP(Metric Exchange Protocol) ☐ ☐ ☐ ☐ DOWN ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- B.** ☐ ☐ ☐ A ☐ ☐ ☐ B ☐ ☐ MEP(Metric Exchange Protocol) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- C.** ☐ ☐ ☐ ☐ MEP(Metric Exchange Protocol) ☐ ☐ ☐ ☐ ☐.
- D.** GSLB ☐ ☐ ☐ ☐ ☐ ☐ MEP(Metric Exchange Protocol) ☐ ☐ ☐ ☐ ☐.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Citrix ADC ☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐

Citrix ADC ☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐

Citrix ☐☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐☐☐?

- A.** ☐☐☐ 3
B. ☐☐☐ 2
C. USIP
D. MBF

Answer: A (LEAVE A REPLY)

NEW QUESTION: 22

□□□□: □□ □□□ vServer□ □□ □□□ □□ □□□ □□□□□ □□□□□.
□ vServer□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□.
□□ □□□ □□□□□ □□ □□□□□ □□□□ □□ □□□ □□□ □□□□□?

- A. □□ □□□
- B. □□□ □□
- C. □□□ □□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□□: Citrix □□□□ □□ □□□□□ □□□ Citrix SDX □□□□□□□ □□□□□.
□□□□ □ □□□□□□ □□□ 2 □□□ □□□□□ □□□.
□□ □□□□ □□□□□□ □□□ □ □□□□ □□□□ □□□□ □□□ □□□□ □□
□ □□ □□□?

- A. MAC □□ □□(MBF) □□□ □□□□□□.
- B. □□□ 3 □ □□□ 2 □□□ □□□□□ □□□ □□□□□.
- C. Citrix ADC □□□□□□ □□□ 2 □□□ □□□□□□□.
- D. □□ □□□□□□□ □□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

□□□□: Citrix □□□□ 2□□ MPX □□□□□□□□ □□□□ Citrix ADC □□□□(HA)
□□ □□ □□□ □□□□□. □□□□ □□ Citrix ADC□ □□□
'□□□□ □□'.
□□ □□□ '□ □ □□'□ □□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□□□□□□.
- B. □□□□ □ Citrix ADC□ □□ □□□□ □□□□□□.
- C. □□ ADC□ □□ ADC □□□□ TCP □□ 22□ □□□□□□□.
- D. RPC(□□ □□□□ □□) □□□ □□ □□□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□ □□□ □□ □□ □□□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. TCP
- B. SQL
- C. IP
- D. □□□
- E. DNS

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Citrix ☐☐☐☐ Citrix ADC ☐☐ IP(NSIP) ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐
☐ ☐ ☐☐☐☐?

- A.** □□ □□
B. □□□ □□ □□(ACL)
C. □□ □□ □□
D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

0000: 0000 0000 Citrix ADC 000 0 Citrix 0000 00000 000 0
 00 000 00 000 0000 000 00 000. 0000 00 00 00 0000
 000 00 000 00000 0 000 00 0000 00000 000.
 0000 0000 00 00 000 0 000 00000 0000 00 000 000
 00000?

- A.** □ □ □ □
- B.** □ □ □ □ □
- C.** □ □ □ □ □ □
- D.** □ □ □ □

Answer: A (LEAVE A REPLY)

□□/□□: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/load-balancing.html>

NEW QUESTION: 28

□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □ □□□ □□□□ □□□□□ □□
□□ □□□□□?

- A. ☐ ☐
- B. VIP
- C. NSIP
- D. ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 29

Citrix ADC SDX □□□□□ □□□□□ _____ □ _____ □ □□□ □ □□□
□□□. (□□□ □□ □ □□ □□□□ □□□ □□□□□.)

- A.** ☐☐☐
- B.** CPU
- C.** ☐☐☐ ☐☐☐☐☐☐
- D.** ☐☐

Answer: B,C (LEAVE A REPLY)

Citrix ADC SDX□□ □□□□□ □□ □ □□ □□□□ □□□□. □□□ □□□□ □□□ □ □□□□□. CPU □□□□ □□ □□□ □□ □□ □□ □□□□. □□□□ □□□ □□□ Citrix ADC SDX□□ □□□□□. □□ □□ □□ □□ □□ □□□ □□ □ □□ □□□□□ □□□□ □□□ □ □□□□. □ □□□□□ □□ □□□ □□□□□.

NEW QUESTION: 30

Citrix □□□□ AD(Active Directory) □□□ □□□□□ □□ □□□□ □□□□ □ □□□ □ □□ Citrix ADC □□□□ □□□□□?

- A. □□ □□□□□ LDAP □□□□ □□, □□□ □□ DN, □□□ DN, □□, □□ □ □□ □□ □□□□□ □□ LDAP □□□.
- B. □□ □□□□□ □□□ LDAP □□ DN□ □□ TCP □□□.
- C. □□ □□□□□ □□□ Base DN, Bind DN, Filter, Attribute □ Password □□□□□ □ □ MySQL-ECV □□□
- D. □□ □□□□□ AD □□□ □□□□□ IP □□□ □□□ □ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□□: Citrix □□□□ □□ □□□□ □□□ □ □□ □□ □ □□ □□□□ □□ □□□ □□ Citrix ADC □□□ □□□□ □□□□. Citrix ADC MPX 5901□ □□ □ □ SSL □□□ □□ □□□□ □□□ □□ □□□ □□□□□. □□□□ □□□□ □□ □□□□ □□ □ □□□ □□□□ □□□ □□□.

□□□ □□□□ □□ □□□□ □□□□□ □□□ □ □□ □□ □□□□ □□ □□□ □ □□□□?

- A. Citrix ADC MPX 5905□□ □□□□ □□□□□
- B. □□ MPX 5901 □□ □□
- C. Citrix ADC MPX 8905□□ □□□□ □□□□□
- D. Citrix ADC SDX 15020□□□ □□□□ □□□□□

Answer: ([SHOW ANSWER](#))

1Y0-241 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1Y0-241 □□! DumpTop □ □□ **1Y0-241** □□ □□□ □□□□□□, DumpTop 1Y0-241 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 1Y0-241 □□□ □□□□□. <https://www.dumptop.com/Citrix/1Y0-241-dump.html> (113 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

TLSv1□ □□□□□□ □□ □□□□ □□□□ □□ Citrix □□□□ □□ □ □□ □□□□ □□□□□?

- A. SSL

- B. TCP
- C. DTLS
- D. HTTP

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□□□: Citrix □□□□ □ □□□ □□ □□□ □□□□□□. Citrix ADC□□ □□□ □ □□□□□ □□ □□□□ □□ HTTP □□□□□ □□□□ 'Accept Encoding' □□□ □□ □□□ Citrix ADC □□□ □□□□□□. □□□ □□□□ 'Accept Encoding' □□□ □□ □□□□ □□□□ □□□□ □□□□ Citrix ADC□ □□ □□□□ □□□□ □□ □□ □ □□□□.

□ □□□ □□□ □□□□□?

- A. □□□ □□□ □□□ □□□ □□□□□□□□□.
- B. □□ □□□ □□□□□ □□□.
- C. Citrix ADC□□ Servercmp□ □□□□□
- D. □□□ □□ □□□ □□□□ □□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□□□: □□ □□ □□□□ □□□□ □□ Citrix □□□□ Citrix ADC □□□□(HA) □ □□□□□□□ □□ □□□□□ □□□□□. □□□□ □□ □□□ □□□□ □□□□ □ □□ Citrix ADC□ □□□□ □□□□ □□□ □□□□□. □□□□ □□□□ □□□ □ □□ □□□ □ □□□ □□□□□.

□ □□□ □□□ □□□□□?

- A. □□ □□□ □□□□□ □□□□□□□□□ HA □□□□□ □□□□□□.
- B. HA □□□□□ □□ □□□ □□ □□□□ □□□□□□□□□ □ □ □□□□.
- C. □□ □□□□ □□(INC) □□□ □□ □□□□ □□□□□□.
- D. ENABLED, DOWN□□ □□□□ □□ □□□ □□□□□□□□□ HA □□□□□ □□□□ □□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

CS(Content Switching)□ □□□□ GSLB(Global Server Load Balancing) □□□ □□□ □ □□□ □ □□□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□□□ GSLB vServer □□ CS vServer□ □□□□□□.
- B. □□ □□ GSLB□ CS vServer□ □□□□□.
- C. GSLB □□□□ GSLB vServer□ □□□□□□.
- D. □□ □□ vServer□ □□ vServer□ □□□□ CS □□□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 36

Citrix □□□□ □□ □□ □□□ □□□□ □□□ □ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

A. DNS

B. □□ □□

C. SSL

D. □□□

Answer: ([SHOW ANSWER](#))

<https://docs.citrix.com/en-us/citrix-adc/12-1/appexpert/policies-and-expressions/ns-pi-intro-pol-exp-wrapper-con/ns-pi-adv-class-pol-con.html>

NEW QUESTION: 37

Citrix □□□□ IP □□ 192.168.10.200□□ □□□□ □□□□ □□□□□ □ □□□ □ □ □ Citrix ADC □□□ □□ □□(ACL) □□□ □□□□□?

A. ns acl6 □□

B. ns acl □□

C. ns simpleacl □□

D. ns simpleacl6 □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Citrix □□□□ IP □□ 192.168.10.200□□ □□□□ □□□□ □□□□□ □ □□□ □ □ □ Citrix ADC □□□ □□ □□(ACL) □□□ □□□□□?

A. ns simpleacl6 □□

B. ns simpleacl □□

C. ns acl □□

D. ns acl6 □□

Answer: ([SHOW ANSWER](#))

<https://developer-docs.citrix.com/projects/citrix-adc-command-reference/en/latest/ns/ns-acl/>

NEW QUESTION: 39

Citrix □□□□ Citrix ADC□ DNS □□□□ □□ □□ □□□□ IP □□□ □□□ □□□ □□□□□.

□□□□ set gslb vServer<name> _____ □□□□□ □□□□ □ □□□ □□□ □ □□□□.

A. EDR □□□□□

B. EDR □□□□

C. MIR □□□□□

D. MIR □□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

_____ Citrix ADC _____
_____.

- A. _____; _____
- B. _____; _____
- C. _____; _____
- D. _____; _____

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

_____ SSL vServer _____ SSL _____
_____?

- A. _____
- B. SSLv3
- C. _____
- D. SSLv2 _____

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

_____: Citrix _____ _____ _____ _____
_____ GIF _____ _____, _____
_____.
_____ Citrix ADC _____
_____?

- A. _____
- B. _____
- C. _____
- D. _____

Answer: ([SHOW ANSWER](#))

Citrix ADC _____ _____ _____ _____
_____. <https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/front-end-optimization.html>

NEW QUESTION: 43

_____: Citrix _____ _____ _____ _____
GSLB(Global Server Load Balancing) _____
cvad.citrite.net Citrix StoreFront _____
Citrix ADC Gateway VPN _____
_____?

- A. DNS _____

B. DNS □□ □□

C. DNS □□□

D. DNS □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

Citrix □□□□ □□ HTTP □□□□ □□□ □□ 'www.example.com'□ □□□□ □□□.
□□□ □ □ □□ □□□ □□□□ □□□ □□□□□?

A. HTTP.RES.HOSTNAME.EQ("www.example.com")

B. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")

C. HTTP.REQ.HOSTNAME("example.com")

D. HTTP.REQ.HOSTNAME.EQ("www.example.com")

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

Citrix ADC□ □□□ □□□□ □ □□□ □□□ □□ □ □□□ □□□□ □□□□ □ □□
□□□□□ □□□□□? (□ □□□ □□□□□.)

A. □□□□ SSL □□□□ □□□□

B. vServer□ HTTP □□□□

C. □□□□ SSL □□□□

D. □□□□ HTTP □□□□

E. vServer□ SSL □□□ □□□□

F. vServer□ SSL □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□□□: □ □□□ Citrix ADC□□ □□ □□□□□ □□ □□ □□□□□□□□ □□ □ □
□ □□□ □□□□. □ □□ □□□□ □□□ IP □□□ □□□□ □□ □□□□□□□□ □
□□□□□ □□□. □□ □□ □□□ IP □□□ □□□□ 3□□ □□ □□□ vServer□ □
□□□ □□ □□□□□.

□ □□□□□ □□ Citrix □□□□ □□□ □ □□ □□ □□□□□?


A. □□□ IP □□□ □□□□ □ □□ □□ □□ Citrix ADC

B. Citrix ADC□□ □□□ IP □□□ □□ 3□□ SNIP

C. Citrix ADC□□ 3□□ □□ □□ IP □□□ □□ 3□□ □□ □□ □□ □□□ vServer

D. Citrix ADC□ □ □□ □□□□ vServer□ □□ □□□ IP □□□ □□□ □ □□ □ □□
□□ □□ □□□

Answer: D ([LEAVE A REPLY](#))

1Y0-241  DumpTop  1Y0-241 !
DumpTop  **1Y0-241** , DumpTop 1Y0-241 
         DumpTop
1Y0-241  . <https://www.dumptop.com/Citrix/1Y0-241-dump.html> (113
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

0000: 00 vServer 00 000000 000 0000000 0000. Citrix 0000
 000 00 0000 000 000 0000 0000.
 0000 00 0000 00 Citrix ADM(Application Delivery Management) 0000 00
 0 0 0000?

- A.** Citrix ADM can be used to monitor and manage the network.
- B.** Citrix ADM can be used to monitor and manage the network.
- C.** Citrix ADM can be used to monitor and manage the network.
- D.** Citrix ADM can be used to monitor and manage the network.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

Citrix □□□□ □□ □□□□ HTTP □□□ 1.1□□ 1.0□□ □□□□□ □□□ □□□ □
□□ □□□ □ □□□□□?

- A.** `>□□□ □□ □□ RW_ACT http.res.version "\"HTTPS/1.0\""" □□`
`> □□□ □□ □□ RW_POL true RW_ACT`
- B.** `>□□□ □□ RW_ACT □□ http.res.version "\"HTTPS/1.1\""" □□`
`> □□□ □□ □□ RW_POL true RW_ACT`
- C.** `>□□□ □□ RW_ACT □□ http.req.version "\"HTTPS/1.1\""" □□`
`> □□□ □□ □□ RW_POL true RW_ACT`
- D.** `>□□□ □□ □□ RW_ACT http.req.version "\"HTTPS/1.0\""" □□`
`> □□□ □□ □□ RW POL true RW ACT`

Answer: (SHOW ANSWER)

NEW QUESTION: 49

□□□□: Citrix □□□□ □□□□ □□□□ □ □□ □ □□□□ □□ □□□ □□□□□.
 □□□□ □□ □ □□□□ □□□□ Citrix ADC□□ □□ □ □□□ □□ □□□ □□□□
 □ □□□.

☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐

- A.** SSL □□□□□, SSL □□□
- B.** SSL □□□□□, HTTP □□□
- C.** SSL_TCP □□□□□, SSL_TCP □□□
- D.** SSL TCP □□□ □□, TCP □□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 50

Citrix □□□□ □□ SSL vServer□□ □□□ □□□ □□ SSL □□□□ □□□ □□□□
□ □□□ □ □□ □□□ □□□□□?

- A. SSL □□□
- B. SSL □□□
- C. SSL □□□
- D. SSL □□
- E. SSL □□

Answer: A ([LEAVE A REPLY](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/ssl-profiles.html>

NEW QUESTION: 51

□□□□: □□□ □□□ 1,500□ □□□ □□□ □□□□ 3□□ □□ □□□ □□□□□.
□□ Citrix ADC □□□□□□□ □□□ □□ □□□ □□□ □□□□ □□□□.
Citrix □□□□ □□ □□□ □ □□□ VPN □□□ □□ □□□□ □□ □□ Citrix ADC□
□□ 20Gbps□ □□□□ □□□□ □□ □□□ □□□□ □□□□ □□□.
□□□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □ □□□□?

- A. XenServer□ □□□□ □□□ □□ Citrix ADC VPX 3000□ □□□□□.
- B. Citrix ADC SDX □□□□□□□ □□□□ □□□ □□ Citrix ADC □□□□□ □□□□□
□.
- C. □□□ Citrix ADC MPX □□□□□□□ □□
- D. □□ Citrix ADC CPX□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

□□ □□ □□□ □□□□ □□ Citrix □□□□ □□□ □ □□ □□□ □□□□□?

- A. □□ □□□□ Citrix ADC □□ □□□ □□□□□□□.
- B. □□□ □□□ □□□□□ □□□ □□□□□□.
- C. □□ □□□□(gzip/deflate/identity)□ □□□□□.
- D. □□ □□ □□□ vServer□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

□□□□: Citrix □□□□ □□□ □□□ □□□ □□ □□□□□□.

> □□□ □□ □□ Redirect_Act respondwith

"DIAMETER.NEW_REDIRECT(\"aaa://host.example.com\")"

> □□□ □□ □□ Redirect_Pol "diameter.req.avp(264).value.eq(\"host1.example.net\")"
Redirect_Act

> bind lb vServer vs1 -policyName Redirect_Pol -priority 10 -type REQUEST □ □□□ □
□□ □□□□□?

- A. "host1.example.net"□□ □□□ □□□ "host.example.com"□□ □□□□□□□.
- B. "host1.example.net"□□ □□□ □□□ "host.example.com"□□ □□□□□□□.
- C. "host.example.net"□□ □□□ □□□ "host1.example.com"□□ □□□□□□□.
- D. "host.example.net"□□ □□□ □□□ "host1.example.com"□□ □□□□□□□.

Answer: A ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 54

□□□□: Citrix □□□□ Citrix ADC □□□□(HA) □□ □□□□ □□□□. □□□□ □□ □□ □□□□ □□ □□□ □ □□□ □□□□ □□ □□□ Citrix ADC□ □□ UP □ □ □ □□□□ □□□□ □□□.

□ □□□ □□ □□□ □ □□ □□□□ □□ □□□ □□□□ □□ Citrix ADC□ □□□ □ □□□□ □□□□□ □□ □□ □□□□ □□□□ □□ □□□?

- A. □ Citrix ADC□□ □□□□□ HA □□ □□ □□□ □□□□□□□.
- B. □□ Citrix ADC□□□□ HA □□ □□ □□□ □□□□□.
- C. □ Citrix ADC□□ □□□□□ HA □□ □□ □□□ □□□□□.
- D. □□ Citrix ADC□□□□ HA □□ □□ □□□ □□□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□□□: Citrix □□□□ □□ □□□ □□ □□□ □□□ □□□□□□□□. □□□□ □□ https://cs.mycompany.com□ □□□□□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □.

HTTP 503 □□□□ □□□□ □ □□

Citrix ADC □□□□ □□□□ □□□□ □□□□ □□ □□□ □ □ □□□□?

- A. □□ □□□ □□□□□ □□
- B. □□□□ □□□□
- C. □□□□ □□ □□ □□□□
- D. □□□□□ □□□□□ URL□ □□□□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□□□ □□□□ □□□□ □□□□□ Citrix □□□□□ □□□□□□ □□□□□ □ □□ □□□□□ □□□□ □□□□□ □ □□□□ □□ □□ □□□ □□□□□ □□□.

□□□□ □□ □□□(FEO) □□□□ □□□□□ □□ □□□□□ □□□ □□□□□□ □□□?

- A. □□□□ CSS □□□□□
- B. □□□□ □□□
- C. HTML □□ □□□
- D. □□□□ □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Scenario: Citrix ADC is configured to load balance traffic to a group of web servers. The ADC is configured to use a weighted round-robin load balancing method. The ADC is configured to use a weighted round-robin load balancing method. The ADC is configured to use a weighted round-robin load balancing method.

Which of the following is a valid configuration for the ADC?

- A. `load balancing method round-robin`
- B. `load balancing method weighted-round-robin`
- C. `load balancing method round-robin`
- D. `load balancing method weighted-round-robin`

Answer: (SHOW ANSWER)

NEW QUESTION: 58

Scenario: A Citrix ADC is configured to load balance traffic to a group of web servers. The ADC is configured to use a weighted round-robin load balancing method. The ADC is configured to use a weighted round-robin load balancing method. The ADC is configured to use a weighted round-robin load balancing method.

> csvserver CSV

CSV(10.1.100.100:443) - HTTPS

UP

2020 6 29 15:20:43

1, 06:47:58 610

180

0

vServer

Appflow

0

0

URL

vServer IP

0

http://www.site1.com/mysite1/maintenance

vServer-LB-2

0

icmpResponse: 0

RHI 0

0

0

A. vServer-LB-2

B. http://www.site1.com/mysite1/maintenance

C. vServer

D. 10.1.100.100:443

Answer: B (LEAVE A REPLY)

NEW QUESTION: 59

Citrix ☐☐☐☐ ☐☐☐☐ Citrix ADC 1 ☐ Citrix ADC 2☐☐ ☐☐ ADNS ☐☐☐☐
☐ www.citrix.com☐ ☐☐ GSLB(Global Server Load Balancing)☐ ☐☐☐☐
☐☐☐☐ www.citrix.com☐ ☐☐☐ Citrix ADC 1 ☐ Citrix ADC 2☐ ☐☐☐☐
 DNS ☐☐☐☐ ☐☐☐☐ ☐☐☐☐☐?

- A.** □□ □□(CNAME)
B. □□(A) □□□
C. □□□□(NS) □□□
D. □□□ □□□(PTR)

Answer: C (LEAVE A REPLY)

<https://docs.citrix.com/en-us/citrix-adc/current-release/global-server-load-balancing/how-dns-works-with-gslb.html>

NEW QUESTION: 60

Citrix □□□□ □□ □□ □□□ □□□□ □□□ □ □□ □ □□ □□□ □□□□□? (□
□□□ □□□□□.)

- A.** DNS
- B.** SSL
- C.** □□□
- D.** □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

□□□□: □□ □□□ vServer□ □□ □□□ □□ □□□ □□□ □□□□□ □□□□□.
 □ vServer□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□.
 □□ □□□ □□□□ □□ □□□□□ □□□□ □□ □□□ □□□ □□□□□?

- A.** □ □ □ □
- B.** □ □ □ □ □
- C.** □ □ □ □ □
- D.** □ □ □ □ □

Answer: ([SHOW ANSWER](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/load-balancing/load-balancing-customizing-algorithms/leastconnection-method.html>

1Y0-241 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 1Y0-241 □□!
 DumpTop □ □□ **1Y0-241** □□ □□□ □□□□□□, DumpTop 1Y0-241 □□ □□□
 □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop

1Y0-241 ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Citrix/1Y0-241-dump.html> (113
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

☐☐☐☐: Citrix ☐☐☐☐ ☐☐☐☐ Citrix ADC☐ ☐☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐, ☐☐ ☐☐
☐ ☐☐(AAA) ☐☐☐ ☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐ ☐☐ vServer☐ ☐☐☐☐☐☐.
☐☐ ☐☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐?

- A. ☐
- B. ☐☐
- C. ns_☐
- D. ns_false

Answer: C (LEAVE A REPLY)

☐☐☐☐☐, ☐☐☐ 13.1☐☐☐ Classic☐ 2023☐☐☐ AAA☐ ☐☐☐ ☐☐☐☐☐☐☐(☐☐☐ ☐
☐☐ ☐☐ ☐☐ ☐☐) [https://docs.citrix.com/en-us/citrix-adc/current-](https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/policies-and-expressions/introduction-to-policies-and-exp/advanced-policy-infrastructure.html)
release/appexpert/policies-and -expressions/introduction-to-policies-and-exp/advanced-
policy-infrastructure.html

1Y0-241 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐ 1Y0-241 ☐☐!
DumpTop ☐ ☐☐ **1Y0-241** ☐☐ ☐☐☐ ☐☐☐☐☐☐, DumpTop 1Y0-241 ☐☐ ☐☐☐
☐☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐. ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop
1Y0-241 ☐☐☐ ☐☐☐☐☐. <https://www.dumptop.com/Citrix/1Y0-241-dump.html> (113
Q&As Dumps, **30%OFF** Special Discount: **KrDump**)