

CompTIA.N10-008.v2022-08-28.q67

□□□□:	N10-008
□□□□:	CompTIA Network+ Certification Exam
□□□:	CompTIA
□□ □□ □□□:	67
□□:	v2022-08-28
# □□ □:	894
# □□ □□□:	670
https://www.krdump.com/CompTIA.N10-008.v2022-08-28.q67.html	

NEW QUESTION: 1

□□□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□□□ □□□□. □□□□ □□□ □□□□□ □□□□ □□□ □□ □□□ □□□ WAN □□□□ 10ms□□ □□□ □□ □□□ □□□. □□ □ □□□ □□□ □□ □□ □□ □□ □□□□□?

- A. □□□□ VoIP □□ □□
- B. □□ □□□ □□ □□
- C. ISP□ □□□ □□□
- D. □□□ CPU □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□□□ □□ □□□ □□□ □□ □□ □□□□□ □□□□ □□□. □□□ □□□□□□ □□ □□□ □□ □□□□ □□□□□. □□ □ □□□ □□□□ □□□□□ □□□□□ □□□□ □□□ □□□□□?

- A. □□ □□
- B. MDIX
- C. □□ □□
- D. □□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□□□ □□□□□□ □ □□ □ □□ □□□□ □□□ □□□□ □□ □□□□. □□□ □□ □□ □□□ □□□ □□□□ □□□ □□□ □□□□□. □□ □ □□ □□□□ □□ □ □□□□ □□ □□□□ □□□□ □□□□ □□ □□ □□□□□?

- A. □□ □□□ □□ □□□
- B. □□ □□□ □□ □□□ □□□□
- C. □□□□ □□ □ □□□ □□ □□

- D. □□ □ □□ □□□ □□□□□.
- E. □□□□ □□□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□ □ □□□ □□ □□□ □□ □□□□□ □□□□ □□□ □□□□□□?

- A. NDA
- B. BYOD
- C. AUP
- D. DLP

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ □□□□ A □□□ □□□□□ □ □□ □□□□ □□□□ □□□□ □ □□□□□. □□ □
□□□ □□□□ □□ □□□□ □□ □□ □□□□□?

- A. MX
- B. TXT
- C. SOA
- D. TTL

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□□□ □□□□□ □□□□ □ □□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□
□. □□ □ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□□ □□□□ □□ □□ □□□
□□?

- A. DHCP □□□
- B. □□□□
- C. □□ SNMP
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□ □□□□ □□□□□. □□ □□□□□ □□□ □□ □□ □□□ □□□□□□ □□ □□
□□□□ □□□□□□ □□□. □□ □ □□□□ □□ DNS □□□□ □□□□□?

- A. □□□
- B. TXT
- C. SOA
- D. NS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following is a type of contract that a company can use to ensure that its employees are not disclosing confidential information to competitors?

- A. BYOD
- B. SLA
- C. MOU
- D. NDA

Answer: (SHOW ANSWER)

NEW QUESTION: 9

Which of the following is a type of network that is used to connect devices within a local area?

- A. DMZ LAN
- B. DMZ
- C. DMZ
- D. IDS

Answer: A (LEAVE A REPLY)

NEW QUESTION: 10

Which of the following is a type of network that is used to connect devices within a local area?

- A. DMZ
- B. FTP
- C. RDP
- D. SSH

Answer: (SHOW ANSWER)

NEW QUESTION: 11

Which of the following is a type of network that is used to connect devices within a local area?

- A. DMZ
- B. DMZ
- C. DMZ
- D. IaaS (Infrastructure as a Service)
- E. DMZ

Answer: (SHOW ANSWER)

NEW QUESTION: 12

Which of the following is a valid IPv4 address? (Select two.)

- A. 192.168.0.0
- B. 192.168.0.1
- C. 192.168.0.255
- D. TACACS+

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following is a valid IPv4 address? (Select two.)

- A. MAC address 192.168.0.1
- B. 192.168.0.1 PoE+ 192.168.0.1
- C. 192.168.0.1 Neighbor Discovery Protocol 192.168.0.1
- D. 192.168.0.1 192.168.0.1 192.168.0.1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Which of the following is a valid IPv4 address? (Select two.)

- A. 192.168.0.1 QS
- B. 192.168.0.1
- C. 192.168.0.1 192.168.0.1
- D. 192.168.0.1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which of the following is a valid IPv4 address? (Select two.)

- A. 192.168.0.1
- B. 192.168.0.1
- C. 192.168.0.1
- D. 192.168.0.1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Which of the following is a valid IPv4 address? (Select two.)

IP address	Subnet mask	Default gateway
10.1.2.23	10.1.2.0/27	10.1.2.1

□□□□□□ □□□□□□ □□□ □□ □□□ □□□□□□ □□□ □□□ □□□. □□ □
 □□□ □□□□ □□□□□□ □□□□ □□ □□□ □□□□□□?

- A. 10.1.2.31
- B. 10.1.2.1
- C. 10.1.2.0
- D. 10.1.2.255
- E. 10.1.2.23

Answer: ([SHOW ANSWER](#))

N10-008 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ N10-008 □□!
 DumpTop □ □□ **N10-008** □□ □□□ □□□□□□, DumpTop N10-008 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop N10-008 □□
 □ □□□□□. <https://www.dumptop.com/CompTIA/N10-008-dump.html> (**1075** Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 17

□□ □□ □ □□□ □□□□ □□□□□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□□
 □□?

- A. MAC □□□
- B. □□□□
- C. □□□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□ □□□ □□ □ □□ □□ □□ □□ □□□□ □□□ □□□□ □ □□ □□ □□□□ □□□
 □□□ □□□□□?

- A. □□
- B. □□□ 5
- C. □□
- D. □□
- E. UTP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Which of the following is the maximum number of hosts that can be assigned to a single subnet? (Choose the best answer.)

- A. 8080
- B. 80
- C. 22
- D. 3389
- E. 23

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which of the following is a valid IPv4 address? (Choose the best answer.)

- A. APIPA
- B. 192.168.1.1 IP
- C. IPv6 2001
- D. VIP
- E. NAT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which of the following is a valid 10GBaseT Ethernet standard? (Choose the best answer.)

- A. 1000BaseSX
- B. 1000BaseLX
- C. 10GBaseT
- D. 1000BaseT

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which of the following is a valid VPN protocol? (Choose the best answer.)

- A. IPsec VPN
- B. PPTP VPN
- C. L2TP/IPsec VPN
- D. SSTP VPN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which of the following is a valid IPv4 address? (Select all that apply.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1

- A. 192.168.1.1
- B. 192.168.1.1.1
- C. 192.168.1.1.1.1
- D. 192.168.1.1.1.1.1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following is a valid IPv4 address? (Select all that apply.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1

- A. nslookup
- B. ipconfig
- C. netstat
- D. netstat

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which of the following is a valid IPv4 address? (Select all that apply.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1

- A. 192.168.1.1 VPN
- B. 192.168.1.1
- C. 192.168.1.1.1
- D. 192.168.1.1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which of the following is a valid IPv4 address? (Select all that apply.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1

- A. syslog
- B. netstat
- C. netstat
- D. netstat

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following is a valid IPv4 address? (Select all that apply.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1

- ### D. MS-CHAP

Answer: D (LEAVE A REPLY)

NEW QUESTION: 28

□ AP□ □□□□ □□ □□□ □□□ □□□□□?

- D.** ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 29

□ □ □ □ □ □ □ □ ?

- D.** ☐☐☐ ☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 30

□?

- D.** ☐ ☐ ☐ ☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□?

- B.** □□□ □□□□□.

- C. □□□ □□□□□□.
- D. □□□ □□□□□□□.
- E. □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

N10-008 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ N10-008 □□!
 DumpTop □ □□ **N10-008** □□ □□□ □□□□□□, DumpTop N10-008 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop N10-008 □□
 □ □□□□□. <https://www.dumptop.com/CompTIA/N10-008-dump.html> (1075 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 32

□□□□ 192.168.2.101 □□□□□ □□ □□□□□□ 192.168.1.100□ □□ ping□ □□□□□
 □□ □□□ □□□□. UUUU □□ □ □□□ □□□□□ □□ □□□□□ □□□□ □□ □□ □
 □□□□?

- A. □□□ □□□□
- B. □□□□ □□ □□
- C. □□ □□□□□
- D. □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□□□ □□□□ syslog □□□ □□□ □□□□ □□□□□ □□ □□□□ □□□□□.
 □□□ □□ □□ 1/1 □□□
 □□ □ □□□ □□□ □□ □□□□□?

- A. □□□ □□ □□ □□□ □□□□ □□□□.
- B. □□ □□□ □□□□ □□□□□□□.
- C. □□□ □□□□ □□□ □□□□□□□.
- D. □□□ □□□□□□ □□ □□□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□ □□□□□ □□ □□□ □□□□ □□□□. □□□ □□□□ □□□□ □□□□ □□ □□
 □□ □□□□. □□ □ □ □□□ □□□ □□□□□? (2□□ □□□□□.)

- A. CRC □□
- B. □□
- C. □□□□ □□□
- D. QoS □□ □□
- E. □□□ □□

F. 100 1000

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which of the following is a common method for detecting a network intrusion? (Select two.)
A. Monitoring network traffic for unusual patterns.
B. Using a firewall to block unauthorized access.
C. Implementing intrusion detection systems (IDS).
D. Regularly updating network hardware.

A. Monitoring network traffic for unusual patterns.

B. CRC 100 100

C. 100 100 100

D. 100 100 100

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which of the following is a common method for detecting a network intrusion? (Select two.)
A. Monitoring network traffic for unusual patterns.
B. Using a firewall to block unauthorized access.
C. Implementing intrusion detection systems (IDS).
D. Regularly updating network hardware.

A. 100 DDoS 100 100 100 100

B. 100 100 100000 10000 VM 100 100

C. 100 100000 100 100 VM1000 VPN 100

D. 100000 100 100 100 100 100 100

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which of the following is a common method for detecting a network intrusion? (Select two.)
A. Monitoring network traffic for unusual patterns.
B. Using a firewall to block unauthorized access.
C. Implementing intrusion detection systems (IDS).
D. Regularly updating network hardware.

A. 10000 PC 100 100 10000.

B. 10000 IP 100 100

C. 100 100 100 100 10000.

D. 100 100 ping 100 100

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which of the following is a common method for detecting a network intrusion? (Select two.)
A. Monitoring network traffic for unusual patterns.
B. Using a firewall to block unauthorized access.
C. Implementing intrusion detection systems (IDS).
D. Regularly updating network hardware.

A. 100

B. 100 100 100

C. 100 100 1000

D. 1000 6e

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which of the following is a valid IP address for a host on a local network?

- A. 10.0.0.0
- B. 192.168.1.1
- C. 255.255.255.255
- D. 0.0.0.0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which of the following protocols is used to connect to a remote Windows machine over a network?

- A. FTP
- B. RDP
- C. SSH
- D. DNS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which of the following is a common method for protecting a network from power outages?

- A. UPS
- B. Firewall
- C. Router
- D. Switch

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which of the following is a common method for securing a network connection?

- A. Using a VPN
- B. Using a firewall
- C. Using a proxy server
- D. Using a NAT router

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Which of the following is a common method for securing a network connection?

- A. 100 1000 1000 1000.
- B. AP 100 1000 10 10 10000000.
- C. RSSI 100 10000000.
- D. EIRP 1000 1000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

10000 10 10 10000 1000 10000 10000000 1 1 100 1 100 1000 10000
1000?

- A. 100 100 100
- B. BYOD 100
- C. 100 100 100
- D. 10000 100

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

IT 1000 1000 10 1000 10 1 HA 1000 10000 10000. 1000 100 100 1000 1
100 100 100000. 100 100 1000 10000 100 1000 1000 1 100 1000000 100 1
1 1000 10000 100 1000 1 100 100 100 1000 1000 1000000. 1000 10000
1000 1 1000 10000 100 1000 1000 100 1000 1 10000. 100 1 100 1 1000
1 100 100000?

- A. 100 1000
- B. 1000 1000
- C. 10000
- D. 1000 1000
- E. 100 100 100

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

1 10000 10000 10000000 1000 10000 100 41200 10000 100 1000 1000
100 IP 100000 100000 10000. 10000 1000 1 1000 1000. 100 1 1000 100
1 100 100 10000 100 1000 10000 100000?

- A. 255.255.255.0
- B. 255.255.254.0
- C. 255.255.0.0
- D. 255.255.252.0

Answer: B ([LEAVE A REPLY](#))

N10-008       DumpTop     N10-008  !

DumpTop   **N10-008**                     

NEW QUESTION: 47

□□ OSI □□ □□ □ □□□□ IP □□□ □□ □□ □□□□□?

- A.** ☐ ☐ ☐ 1
B. ☐ ☐ ☐ 3
C. ☐ ☐ ☐ 2
D. ☐ ☐ ☐ 4

Answer: B (LEAVE A REPLY)

NEW QUESTION: 48

□□□□ □□□□ □□□ □□□□□ □□ □□ □□ □□□□□□ □□□□ □□□ □□□□ □
 □□ □□□ □□□□□□ □□□□. □□□□□ □□□□□ □□□□ □□□ □□□ □□□□ □
 □□□ □□ □ □□□□ □□□□ □□ □□□ □□□□□?

- A.** □□□□□ □ □ □□□□ □□ □□□ □□□□□□□.
- B.** □□□□□ □ □□□ MD5 □□ □□
- C.** TFTP □□ FTP□ □□□□ □□ □□□
- D.** □□□ □□ □□ □□□□□□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 49

□□ OSI □□ □□ □ □□□□□ □□ □□□ □□, □□ □ □□□□ □□□ □□□□□?

- A.** □ □ □
- B.** □ □ □ □ □ □
- C.** □ □ □ □ □
- D.** □ □

Answer: D (LEAVE A REPLY)

NEW QUESTION: 50

□□□ □ □□□ □□□ □□□ ISP□ □□□□□□. □□□□ □□□□□ □□□ □ IP □□□
□□□□□. ISP□ □□□ 196.26.4.0/26 □ □□ □□□□□ □□□□ □□ ISP□ □□□□□ □
□□□□□□ □□ □□□ □□□□.

```
IP address:      196.26.4.30
Subnet mask:     255.255.255.224
Gateway:         196.24.4.1
```

Which of the following is a valid IPv4 address? (Select one)

- A. 192.168.1.1
- B. 192.168.1.1.1
- C. 192.168.1.1.1.1
- D. 192.168.1.1.1.1.1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which of the following is a valid MAC address? (Select one)

- A. 00:00:00:00:00:00
- B. 00:00:00:00:00:00:00
- C. 00:00:00:00:00:00:00:00
- D. 00:00:00:00:00:00:00:00:00
- E. 00:00:00:00:00:00:00:00:00:00

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which of the following is a valid DNS record type? (Select one)

- A. MX
- B. A
- C. SOA
- D. AAAA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following is a valid command to display the IP configuration of a Windows system? (Select one)

- A. netstate
- B. ipconfig
- C. netstat
- D. ipconfig /all

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which of the following is a valid command to display the IP configuration of a Windows system? (Select one)

- A. ipconfig
- B. netstat
- C. netstat -n
- D. netstat -n -o

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which of the following is a valid IPv4 address?

- A. 192.168.0.0
- B. 192.168.0.1
- C. 192.168
- D. 192.168.0.0.0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which of the following is a valid IPv4 address? (Select all that apply.)

- A. NetFlow 1000
- B. IP 1000
- C. 1000
- D. 1000.000000

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which of the following is a valid IPv4 address? (Select all that apply.)

- A. 1000.0000.0000.00000000. 1000.00.0000.
- B. 1000.0000 VLAN1000 1000.00.0000.0000.0000
- C. 1000.00.0000.00000000.0000.0000 VLAN1000.
- D. 1000.0000.0000.0000.00.0000.0000.00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Which of the following is a valid IPv4 address? (Select all that apply.)

- A. AP100 MU-MIMO1000 1000.00000000.000000.
- B. APS100 2.4GHz 100.0000
- C. AP 1000.0000.00.000000.0000.000000.
- D. AP 100 WLAN 10000000.00.00.00

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

B. SNMP

C. ☐☐☐ ☐☐☐

D. □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 63

□ □ □ □ □

□□□□□ □□ □□□□□ □□□□ □□□ □□□□□. □□□□□ 3□□ □□□ □□□□ □
□ □□□□ □□□□□. □□□□□ □□ □□□□□ □□□□ □□□.

SSID S3cr3t CorpNet !

□□ □□□ □□ □□□□ □□□ □□□.


□□□ □□□□ □□□□ □□ □□ □□□□ □□ 30□□ □□□ □□□□ □□□. □□□ □□

□□ □□ □□□ TKIP □□□□□□ □□□□□ □□□□□ □□□□. □□ □□ □□□ □□□□

□□ □□□ □□□□ □□□□□ □□□ □□□ □□□ □□□□□□. □□□ □□ □□.

□□□□□□ □□ □□□ □□□□□ □□□□ Reset All □□□ □□□□□□.

CompTIA®



192.168.1.2

Speed: Auto

Duplex: Auto

AP1 Configuration



https://ap1.setup.do

Basic Configuration

Access Point Name

AP1

IP Address

/

Gateway

192.168.1.1

SSID

SSID Broadcast

☒ Yes ☐ No

Wireless

Mode

B
G

Channel

Wired

Speed

☐ Auto ☒ 100 ☐ 1000

Duplex

☐ Auto ☐ Half ☒ Full

Security Configuration

Security Settings

☒ None ☐ WEP ☐ WPA ☐ WPA2 ☐ WPA2 - Enterprise

Key or Passphrase

Reset to Default

Save

Close

AP2 Configuration

https://ap2.setup.do

Basic Configuration

Access Point Name

AP2

IP Address

/

Gateway

192.168.1.1

SSID

SSID Broadcast

☒ Yes ☐ No

Wireless

Mode

B

G

Channel

1

2

3

4

5

6

7

8

9

10

11

Wired

Speed

☒ Auto ☐ 100 ☐ 1000

Duplex

☐ Auto ☐ Half ☒ Full

Security Configuration

Security Settings

☒ None ☐ WEP ☐ WPA ☐ WPA2 ☐ WPA2 - Enterprise

Key or Passphrase

Reset to Default

Save

Close

AP3 Configuration



https://ap3.setup.do

Basic Configuration

Access Point Name

IP Address

Gateway

SSID

SSID Broadcast ☒ Yes ☐ No

Wireless

Mode

B
G

Channel

1
2
3
4
5
6
7
8
9
10
11

Wired

Speed ☒ Auto ☐ 100 ☐ 1000

Duplex ☐ Auto ☐ Half ☒ Full

Security Configuration

Security Settings ☒ None ☐ WEP ☐ WPA ☐ WPA2 ☐ WPA2 - Enterprise

Key or Passphrase

Reset to Default

Save

Close

Answer:

☐ ☐☐ ☐☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐.

□□□ □□□ □□ AP1

IP 192.168.1.3

□□□□□ 192.168.1.2

SSID SSID

□ □ G

□ □ 1

□ □ □ □

□ □ □ □

WPA

□ □ S3cr3t!

□□□ □□ □□ 2

□□□ □□□ □□ AP2

IP 192.168.1.4

□□□□□ 192.168.1.2

SSID SSID

□ □ G

□ □ 6

□ □ □ □

□ □ □ □

WPA

□□ S3cr3t!

□□□ □□ □□ 3

□□□ □□□ □□ AP3

IP 192.168.1.5

□□□□□ 192.168.1.2

SSID SSID

□ □ G

□□ 11

□ □ □ □

□ □ □ □

WPA

□□ S3cr3t!

NEW QUESTION: 64

□□□□ □□□□ IaaS □□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□□. □
□ □□□□ □□□□ □ □□□ □□□□□?

- A. □□□□□ □□ □□
- B. □□□ □□□□□□□□ □□
- C. □□ □□□□ □□ □□
- D. □□□□ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

□□ □ □□□ □□□□ □□□ □□ □□□□ □□□ □□□□ □□ □□ □□ □□□□□?

- A. □□□□ □□□□ □□ □□□ □□□ □□□□□ □□□ □□□□
- B. □□□ □□□□□ □□ IoT □□□□ □□□□ □□□ □□□ □□
- C. □□ □□□□ □□□□ □□□□□ □□□ □□□ □□□□□□ □□
- D. □□□□ □□ □□□□ □□ □□□ □□ □□□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

□□□ □□□□ HTTP □□□□ □□□ □□□□ □□ □□□□ □□ □□□ □□□ □□□ □□
□□ □□□□. □□ □ □□□□ □□□□ □□ □□□ □□□□□?

- A. □
- B. ARP
- C. SNAT
- D. STP
- E. NAT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

□□□□ □□□□ □□□□□ □□ □□□ □□ Windows □□ □□□ □ □□□□□□ □□□□
□□□□. □□ □ □□□□ □ □□□ □□□□ □ □□ □□□ □□ □□□□□?

- A. DNS
- B. FTP
- C. SSH
- D. RDP

Answer: ([SHOW ANSWER](#))

N10-008 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ N10-008 □□!
DumpTop □ □□ **N10-008** □□ □□□ □□□□□□, DumpTop N10-008 □□ □□□ □□□
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop N10-008 □□

□ □□□□. <https://www.dumptop.com/CompTIA/N10-008-dump.html> (1075 Q&As Dumps,
30%OFF Special Discount: **KrDump**)