

CompTIA.SK0-004.v2022-01-08.q200

□□□□:	SK0-004
□□□□:	CompTIA Server+ Certification Exam
□□□:	CompTIA
□□ □□ □□□:	200
□□:	v2022-01-08
# □□ □:	2352
# □□ □□□:	2000
https://www.krdump.com/CompTIA.SK0-004.v2022-01-08.q200.html	

NEW QUESTION: 1

□□ □□□□ □□ □□ □□ □□□ □□□ □□□□□□ □□□□. □ □□ □□□ □□ □□ □ □□□ □□□ □□□ □ □ □□□ □□□□ □ □□□ □□ □□□ □□□□□?

- A. □□□ □□□□ □□
- B. □□ □□ □□□ □□
- C. MTTR □□
- D. □□□□□ □□□ □□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 2

□□□□ □□ □□ □□□□□ □□□ □□□□ □□□ □□□□□. □□ □ □□□□ □ □□ □ □□ □□□ □□□□□?

- A. 440VAC
- B. 120VDC
- C. 220VAC
- D. -48VDC

Answer: D (LEAVE A REPLY)

NEW QUESTION: 3

□□□ □□□□ □□□□□□ IP □□□ □□□□ □□ □ □□□ □□□□ □□□ □□□ □□. □□□□ □□□□ □□□ □□□□□□ □□□ □□□□ □□ □□ □□□ □□ □ □□□□. □□ □ □ □□□ □□□ □□□□ □□ □□ □□ □□□□□?

- A. □□□ □□□□ DHCP □□ □□□ □□□□ □□□□□.
- B. □□□ □□□□ □□□ NTP □□ □□□ □□□□□□.
- C. □□□ □□□□ □□□□□ □□ 67/68□ □□□ □□□□ □□ □□□□□.
- D. □□□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 4

□□ □ □□ □□ □□□□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□□□?

- A. □□ □ □□
- B. □□□ □
- C. □□□□ □□□□□□
- D. □□□ □ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ □□□ □□□□ □□ □□□ □□□□ □□□□□. □□□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □ □□□ □□ □□ □□□ □□ □ □□ □□ □□□□ □□□ □ □□□□. □□ □ □□□□ □ □□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□□□□□ □□□□□.
- B. □□□ □□□ □□□□□□.
- C. □□□ □□ □□□□ □□□□ □□□□□.
- D. □□□□ □□□□□□□ □□□□□□ □□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□ □□□□ □ □□□ □□□□ □□ □□□ OS□ □□□□ □□□□. □□ □ OS□ □ □□ □ □□ □□ □□□□ □□ □□□ □□□□□?

- A. □□□□□ □□□□□.
- B. □□□□ □□□□□.
- C. □□ □□□ □□□□□.
- D. □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

□□ □ □□□(□□, □□, □□)□ □□□ □□ □□□□ □□□□ □□ □□□□□?

- A. □□ □□□
- B. □□ □□□
- C. □□□□
- D. □ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

□□□□ □□□ □□□□□ □□□ □□ □□ □□ □□□□ □□ □□□ □ □□ □□□ □ □□□ □□□□. □ □□□ □□□□□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□?

- A. □□□□□ PC□ □□□□□□ □□□□□.

B. 在 Windows 命令提示符下输入 ping 命令，并输入 IP 地址 192.168.1.1，按 Enter 键。

C. 在 Windows 命令提示符下输入 ipconfig /all，按 Enter 键。

D. 在 Windows 命令提示符下输入 ipconfig，按 Enter 键。

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

在 Cisco 交换机上配置 MDI 时，以下哪个命令是正确的？
A. Cat 6 1000
B. Cat 5 1000
C. Cat 6 1000
D. Cat 5 1000000

A. Cat 6 1000

B. Cat 5 1000

C. Cat 6 1000

D. Cat 5 1000000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

在 Cisco 交换机上配置 MDI 时，以下哪个命令是正确的？
A. Cat 6 1000
B. Cat 5 1000
C. Cat 6 1000
D. Cat 5 1000000

A. Cat 6 1000

B. Cat 5 1000

C. Cat 6 1000

D. Cat 5 1000000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

在 Cisco 交换机上配置 MDI 时，以下哪个命令是正确的？
A. RAID 0
B. RAID 5
C. RAID 3
D. RAID 10

A. RAID 0

B. RAID 5

C. RAID 3

D. RAID 10

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

在 Linux 系统中，以下哪个命令是正确的？
A. ssh
B. isof

A. ssh

B. isof

- C. □
- D. netstat
- E. ipconfig
- F. □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□ □□□□ □□□□ □□□□ □□□ □□□□ □□ □□□□□□ □□□. □□ □□□
□ □□ □□ □□□ □□□ □□□□.

- A. □□ □□□□ □□□□□ □□□□□.
- B. □□□□ □□ □□ □□□□ □□□□□.
- C. □□ □□□□ □□□□□.
- D. □□□ □□□ □□ □□□ □□□ □□□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□□□ □□ I/O □□ □□□ □□ □ □□□ □□□ □□ □□ □□□ □□□□ □□□ □
□□□□. □□□ □□□ □□ □□□□□ □□ □□□ □□ □□□□ □□□□ □□ □□
□□□ □□□ □□□□□?

- A. SATA
- B. SAS
- C. SCSI
- D. FC

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

□□□ □□□ □□□ □□□ □□□□□ □□□ □ □□ □□ □ □□□ □□ □□ □□□
□□? (2□ □□).

- A. □□□□□ □□□□□ □□ □□ □□□□ □□□□ □□□ □□□.
- B. □□ □□□ □□ □□ □□□□□ □□□□□ □□□□□□ □□□.
- C. □□□□□ □□ □□□ □□□□ □□□.
- D. □□ □□□ □□ □□ □□□□□ □□□□□ □□□□□□ □□□.
- E. □□□□□ □□□□□ □□ □□ □□ □□□ □□□□ □□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

□□ □ RAID 0□ □□□ □□ □ □□□ □□ □□□□□?

- A. □□ □□ □□□
- B. □□□
- C. □□ □□
- D. □□ □□□□

Answer: B ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□!
DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html>
(778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□ □ □□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□
□□?

- A. □□□□
- B. SNMP
- C. DHCP
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□ □□□□ □ □□□ □□□ □□ □□□□ □□□ □□□□. □□□ □□ □□□□ □
□ □□□□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□. □□ □ □□ □□□
□□□□ □□□?

- A. □□/□□
- B. □□□/□□□
- C. □□□ □□
- D. □□□□
- E. □□/□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

□□□□ Linux □□□ OS□ □□□□□ □□□. □□ □ □□□□ □□□□□ □□ □□
□□ □□□□□ □ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. BASH□ □□
- B. VNC□ □□
- C. SSH□ □□
- D. RDP□ □□
- E. FTP□ □□

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

E. □□□ □□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

□□□□ □□ □□□ □□□□ □□□□ □ □□□ □□□□□□. □□□□ □□□□ IP □□□ □□□ □□□□□ □□□□□□ □□□. □□ □ □□□□ □□ □□□ □□□□ □□□□□?

A. □□

B. ipconfig

C. ifconfig

D. □□ □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

□□ □□□□ □□□ □ □□□ □□□□ □□□□. □ □□□ □□□ □ □□□ □□□ □ □□ □□ □□□□□ □□□□□ □□ □□□ NAT □□□□ □□□□□. □□ □ □□□ □□ □□ □□□□□ □□□□ □□□ □□ □ □□□ □□ □□□□□?

A. □□□□ 2□ □□□ NIC□ □□□ □□□. □ NIC□ □□□ □□□□ □□□□□ IP □ □□ □□□□□ □□□.

B. NIC□ □ □□ IP □□□ □□□ □ □□□□ □□□□ □□□ □□□□□. □□□ □□ □□□□ □□□□□□□□ □□ □□□ □□ □□□□ □□□□□□□□□.

C. □□□□ □□ 3□□ NIC□ □□□□□. □□□ □□□□ □□□□□□□ IP □□□, □□ □ □□ □□□□□ IP □□□, □□ □□□ □□ □□□□□ IP □□□ □□□□□.

D. □□□□ 2□ □□□ NIC□ □□□ □□□. □□□ □□ □□□□□ IP □□□ □□□□ □□ □□□ □□ □□□□□ IP □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□ □□□ □□□ 50□ □□ □□ 700□□ □□□ □□□□□□. □□ □□ □□□ (CTO)□ □□□ □□□□ □□ □ □□ □□□ 50%□□ □□□□ □□□ □□ □□□ IT □□□ □□□□□□. □□ □ □□□ □□□□ □□□□ □□ □□ □□□□□?

A. 208V 3□ □□ □□

B. □□□ □□□ □□ □□□

C. □□ □□/□□ □□ □□

D. □ □□□ □□□□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

□□□□□ □□□ □□ NIC□ □□□□□ □□□ □□□□□. □□ □□□□ □□ □□ □ □□□□ □□□□ □□ □□ □□ □□ □□ □□□□□?

A. CAS □□ □□

- C. CPU** ☐☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 28

□□□□ □□ □□ □□□□ □□□□ □□□□. □□□□ □□□□ □□ □□□ □□
□□□ □□ □□□□□ □□ □□□ □□□□□□ □□□□□ □□□□. □□ □ □□□
□□□□ □□ □□ □□□ □□□□□?

- A.** □□ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□□□□.
- B.** □□ □□□ □□□ □□ □□ □□□ □□ □□□ 1U □□□ □□□□.
- C.** □□ □□□ □□ □□□ □□□ □□□ □□□ □□ □□ □□□ □□□□.
- D.** □□ □□□ □□ □□□ □□ □□ □□□ □□ □□□ □□ □ □□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

```

00 0000 0 0000 0000 0000 0000 0000. 00 OS 00 0 00 0 00
00 00 0000 0000 0000 0 0000. 0000 0000 0000 00 00 0
000 ping 0 0000 0000 0 0000. 00 0 0000 00 00 0000 00
00?

```

- A.** DNS
- B.**
- C.** DNS A(AAAA)
- D.**

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

□□□□ □□□ □□□□ □□□ □□□□□□. □□□□ □□ □□□ □□□ □□□ □□
 □□□□ □□□□□ □□□□ □ □□□□. □□ □ □□□□ □□□□ □ □□□ □□□
 □□?

- A.** □□□□□□
- B.** □□ □□
- C.** □□ □□ □□
- D.** □□ □□□□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 31

□□ □ VLAN□ □□□□ □□□ □□□□□?

- A.** □□□ □□□□□ □□□□□ □□□□□.
- B.** □□ □□□□ □□□ □□□□□□□ □□□□□.

- C. 802.1X □□□ □□ □□□□□.
- D. SSL/TLS □□□ □□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□!
DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html>
(778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

□□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□□. □□ □
□ □□ □□□ □□□□ □□ □□□□□?

- A. 15,000RPM SAS
- B. 10,000RPM SATA
- C. USB
- D. SSD

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□□□ □□□ □□ □□□ □□□ □□□ □□□□□ □□□ □ □□□ □□□□ □□□
□ □□□□□ □□□□ □□□□. □□ □ □□ □□ □□□ □□□□□?

- A. □□□ □□□□□ □□□□□□ VM□□ □□□□□□.
- B. □□□ □□□□□ □□□□□□ □□ □□ □□ □□□□ □□□□□.
- C. □□□ □□□□□ □□□□□□ □□□□□ □□□□ □□□□□.
- D. □□ □□□□ □□□ □□□□□ □□□□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□ □□□□ □ □□□ □□□ □□ □□□□ □□□ □□□□. □□□ □□ □□□□ □
□ □□□□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□?

- A. □□□□
- B. □□/□□
- C. □□/□□
- D. □□□ □□
- E. □□□/□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which of the following is a common method for resolving domain names to IP addresses?

- A. DNS
- B. DHCP
- C. ARP
- D. ICMP

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which of the following is a common method for connecting storage devices to a server?

Which of the following is a common method for connecting storage devices to a server?

- A. DAS
- B. CIFS
- C. FC
- D. iSCSI
- E. NAS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which of the following is a common method for connecting storage devices to a server?

Which of the following is a common method for connecting storage devices to a server?

- A. DAS
- B. CIFS
- C. FC
- D. CPU

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which of the following is a common method for connecting storage devices to a server?

- A. 5
- B. 10
- C. 4
- D. 12

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which of the following is a common method for connecting storage devices to a server?

- A. SMTP
- B. FTP
- C. DNS

D. DHCP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

□□ □ □□ □□□ □□□ □ □□□ □□ □ □□ □□□ □□□□ □□ □□□□ □□□
□ □□ □□□□□?

A. □□

B. □□□

C. □□ □□□

D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

□□ □ □□ □□□□□ □□ □□□ □□ □□□ □□ □□ □□ □□□ □□□□ □□ □
□□□□ □□□ □ □□ □□ □□□ □□□□□?

A. □ □□

B. □□□□ □□

C. □□□ □□

D. □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

□ □□□□ □□□□-□□□-□□ □□□ □□ □□□ □□□□□ □□□. □□ □ □ □□
□□□ □□□□ □□ □□□□□?

A. □□□ □ □□□ □□□ □□ □□ □□ □□□ □□□ □□□□□.

B. □□□□ □□□□ □□□□ □□ □□□ □□□ □□ □□□□ □□□□□.

C. □□, □□ □ □□ □□□ □□ □□ □□□ □□□ □□□□□.

D. 2, 4, 8□□□ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

□□□□ □□ □ □□□ □□□ □□ □□ □□□□ □□ □□□□□?

A. PIN

B. □□

C. □□□□

D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 44

Windows □□□ □□□ □ □□□□ □□ □□ □□□□ □□ ping □□□ □□ □□□□
□□□ □□□□□?

- A. -a
- B. -r
- C. -n
- D. -v

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

□□□□ □□ □□□ □□ □□ □□ □□□□ □□□. □□□□ □□ □□ □□ □□□ □□□□ □□□ □□□□□. □□□□ □□ □□□□ □□ □□□□□ □□ □□□ □□. □□ □ □□ □□ □□ □□□□ □□ □□□ □□□□□?

- A. □□□□ □□□ □□□ □□ □□□□ □□□□ □□□□.
- B. □□□□ □□□□ □□ □□□□□□ □□ □□ □□□ □□□□□ □□□.
- C. □□□□ □□□ □□ □□□ □□□ □□ □□□□□□.
- D. □□□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

□□□□ ISO □□ □□□ □□□ □□ □□ □□ □□ □□ □ □□□ □□□□ □□□ □. □□ □ □□□□ □□□□ □□ □□□ □□□□□?

- A. □ □□ □□ □□□ □□□ □□ □□□ □□□□□.
- B. □ □□ □□ □□□ UPS□ □□□□□.
- C. □□ □□ □□ □□
- D. □□□□ □□ □□□□□ □□ □□□ □□□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□! DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html> (778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

□□□ □□□□ □□ □□□□□ □□□ □ □□□ *nix □□□ □□ □□□□ □□□ □□ □□□□□□. □□ □ □□ □□□□□ □□□ □□□□ □□ □□□□□?

- A. SSH
- B. □□
- C. SCP
- D. RDP

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

□□□□ □□ □□□ □□□□ □□□□ □ □□□ □□□□□□. □□□□ □□□□ IP
□□□ □□□ □□□□□ □□□□□□ □□□. □□ □ □□□□ □□ □□□ □□□□
□ □□ □□□ □□□□□?

A. ifconfig

B. □□

C. □□ □

D. ipconfig

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□ □ □□□ □□□□□. □□
□□ □ □□ □□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□ □ □□ □□ □
□□□□?

A. nbtstat

B. netstat

C. ipconfig

D. ifconfig

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

□□ □ □□□ □□ □□□ □□□ □□ □□ □□□□□? (2□ □□).

A. □□

B. □□□ □□

C. □□□

D. □□

E. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

□□□ □□ 3□□ □□ □□ □ □□ □□□ □□ □□ □□□□□□□□. □□□□ □ □
□□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□□□. □□ □
□□ □□□□ □□□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□ □□ □□
□□□?

A. □□ □□□ □□

B. □□□ □□□ □□

C. □□ □□ □□

D. □□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which two ports are used by the NetBIOS over TCP/IP (NBT) protocol? (Choose two.)

- A. TCP port 161
- B. TCP port 21
- C. TCP port 23
- D. TCP port 3389
- E. TCP port 25
- F. TCP port 22

Answer: D,F ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which two are characteristics of a Host Intrusion Prevention System (HIPS)? (Choose two.)

- A. It is installed on the host.
- B. It is installed on the network.
- C. It is installed on the router.
- D. It is installed on the switch.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which two are characteristics of a PIN? (Choose two.)

- A. PIN
- B. PIN
- C. PIN
- D. PIN

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which two are characteristics of a FQDN? (Choose two.)

ipconfig /flushdns

Which two are characteristics of a FQDN? (Choose two.)

- A. It is a fully qualified domain name.
- B. It is a host name.
- C. DNS

D. WINS □□□ □□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□□□ □□□ □□□ 100Mbps □□ NIC□ □□ □□□□□ □□□.
□□ □ □□□□ □□□□ □□ □□□□ □□□□□?

A. □□□

B. Cat 5e □□

C. Cat 5 □□

D. □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

□□□ □□□□ 45□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□□□
□.

□□ □ □□□ □□□□□ IP □□□ □□ □□□ □□ □□□ □□□□□?

A. □□ □□□ □□ □□□□

B. □□□ □ □□ □□□

C. □□□ □□□ □□□ □□□

D. □□□ □□ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

□□ □□□ □□□□ □□ □□□ □□□□ □□□□□. □□□□□ □□ □□□
□□□□ □□ □□□□ □□□ □ □□□ □□ □□ □□□ □□ □□□ □□ □□□□ □
□□ □ □□□□. □□ □ □□□□ □ □□ □□□ □□□□□?

A. □□ □□□ □□□□ □□□□□□ □□□□□.

B. □□□ □□□ □□□□□□.

C. □□□ □□ □□□□ □□□□ □□□□□.

D. □□□□ □□□□□□□ □□□□□□ □□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

□ □□□□ □ □□ □□□□ □□ □□□□ □□ □□□ □□ □□□□□ □□□
□□□□. □□ □□□□□ □□□ □□□ □□ □□ □□□□□ □□□ □□□□ □□□□
□□□. □□□ □□ 8□□ □□□□ □□□ □□□ □ □□□□ □□□□□□□ CPU □□
□□□ □□□ □□□□ □□□□. □□ □ □□□□ □ □□□□□□ □□□□□ □□□□
□□ □□□ □□ □□□?

A. □□□□□ □□□□ □□ □□□□ □□ □□ □ □□□ □□□.

B. □□□□ □□□ □□ CPU □□□ □□□□

C. □□□□□ □□□□□ □□□□ □ □□□ □□□□□.

D. □□□□ □□□ □ □□□□□ □□ CPU □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 60

□□ □□□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□□□. □□ □ □□□ □□□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□ □□□□□?

A. □□ □□□ □□

B. □□ DNS □□

C. NAT □□ □

D. DHCP □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 61

□□□□ □□□□ □□□□ □□□ SAN □□□□ □□ □□□□ □□□□ □□□. □□ □ □□□□ □□□□ □□ □□□□ □□□ □□□□□?

A. □□ □□□ □□

B. □□ HBA

C. □□ VLAN

D. □□ □□□

Answer: B ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□! DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html> (778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

□□□ □□□□ PKI □□□□ □□□□ □□□□□ □□□ □ □□□ □□□□ □□□. □□ □ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□?

A. DHCP □□

B. □□ □□

C. DNS □□

D. □ □□□ ACL

E. LDAP □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

□□ □□□□ □□□ □ □□□ □□□□ □□□□. □ □□□□ 2□□ □□ NIC□ □□□ □. □□ □ □□ □□□ □□ NIC□ □□□□ □□□ □□□□ □□ □□□□□?

- A. NIC□ □□□ MAC □□□ □□□ □□□□□ □□□.
- B. NIC□ MAC □□□ □□□ □□ □□□□□ □□□.
- C. NIC□ □ □□ MAC □□□ □□□ □□□□□ □□□.
- D. NIC□ MAC □□□ □ □□ □□ □□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

IT □□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□ □ □□□□□. IT □□□ □□ □□□□□ □□□ □□□□ □ □□ □□□ □□□□□□. □ □□ □□ □□□□ □□□ □□□□ □ □□□ □□□□□□. □□ □ □ □□□ □□□ □ □□□ □□ □ □□ □□□ □□□ □□□□□?

- A. □□4
- B. FAT32
- C. CIFS
- D. QFS
- E. ZFS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 65

□□□ □□□□ □□ □□ □□□ □□□ □□ □□□□ □□ □□□□□ □□□□□. □ □ □ □□ □□□ □□ □ □□□ □□ □□□□□?

- A. □□□ □
- B. □□ □ □□
- C. □□□□ □□□□□□
- D. □□□ □ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

□□□ □□ □ □□ □□□ □□□□ 3□ □□□ □□□□ □□ □□□ □□□ □□□□□ □. □ □□□ □□□ □ □□□□ □□□□ □□ □□□ □□ □ □□ □□□□? (3□ □□).

- A. □□□ □□□□
- B. □□□ □□
- C. □□ □□□□□□
- D. □□□ □□
- E. □□ □□□
- F. SMTP □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

□□□□ □□□ □□□□ □ □□ □□□□ □□□ □□ □□ □□□ □□□□ □□□. □
□ □□□ □□□ □ □□□□□ □□□ □ □□ □□□ □□ □□□□ □□□□ □□□□
□□□ □□ □□□ □□□□ □□□□□ □□□□□ □□□. □□ □ □□□□ □□□□
□□ □□□□ □□□□□ □□□□□?

- A. x86
- B. RISC
- C. x64
- D. ARM

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

□ □□□□ □□□ □□□ □□□ □□□□□□. □ □□□ □□ □□ □□□ □□□□ □
□□□. □□□ □□□ □□□□.

- A. □□□□ □□□□□□□□□.
- B. □□ □□ □□.
- C. □□ □□□ □□□□□.
- D. □□□ □□ □□ □□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 69

□□ □□ □□□ □ □□□ □□□□ □□□□□ □□ □□ □□□ □□□□□. □□ □ □
□ □□□□ □□ □□□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□ □□□ □
□□□ □□□ □□□□□. □□ □□□□ □□□□ □□ □□ □ □□□ □□□□□ □□
□ □□□□ □□□□ □□ □ □□ □□□ □□□□□?

- A. □□□ □□ □□
- B. □□ □□□ □□□□
- C. □□□ □□□□
- D. □□ □□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

□□□□ □ □□□ □□□ □□□□ □□ □ □□□ □□ □□ □□□□□□□□. □ □□□
□□□□ □□ □□□ □□□ □□□□.

- A. □□□□□ □□□ □□□ □□□ □□□ □□ □□□ □□□.
- B. □□□ □□ □□ □□□□□.
- C. □□ □ □□□ □□□□□□□.
- D. □□□□ □□ □□□ □□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

AD FS(Active Directory Federation Services)□ □□□ □□□ □□□□.

- A. Windows Server 2013 □□ AD CS(Active Directory □□□ □□□) □□
- B. AD RMS(Active Directory Rights Management Services)□ □□ □ □□□ □□ □□ □
□
- C. AD DS□ □□ □ □□□ □□ □□ □□
- D. Windows Server□□ □□□ □□ □□□ AD DS(Active Directory □□□ □□□) □□
2013□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

□□□□ □□ □□□ □□ □□ □□ PCI-X 3.3v □□□ □□□□. □□ □ □ □□□ □□
□ □ □□ □□□ □□□□□?
(3□ □□).

- A. □□ □□, □□ □ PCI □□
- B. □□ □□, □□ □ PCI □□
- C. □□ □□, x16 PCI Express □□
- D. □□ □□, □□ □ PCI-X □□
- E. □□ □□, 3.3v PCI □□
- F. □□ □□, 3.3v PCI-X □□
- G. □□ □□, x8 PCI Express □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

□□□□ □□□ □□□ □□□ □□□ □□□ □□□. □□□ □□ □□□ □□ □□□□
□□□□ □□□□□ □□□ □□□□ □ □□□ □□□ □□□ □□□□.
□□□□ □□□□ □□ □ □□□□ □□□ □□□ □□ □□□□□. □□ □ □□□□ □
□ □□ □□ □ □□ □□□□□?
A. □ □□□□□ □□□ □□ □□ □□□ □□□ □□□□□.
B. DRP□ BCP□ □□□□ □□□ □□□□□□ □□□□ □□□□□.
C. □□□□ □□ □□□ □□□□□□ □□□ □□□ □□□ □□□□□.
D. □□□□ □□□□□ □□□ □□□□ □□□ □□ □□□□□ □□□ □□□ □□□ □
□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

□□□□ □□ Cat 5 □□□□ □□ □□□□ □□□□ □□□□. □□ □ □□□□ □□□
□ □□ □□ □□□ □□□□□?

- A. □□□
- B. □□□□□ □□
- C. □□ □□ EIA 568A
- D. □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 75

□□ □□□□ □□□ □□□ □□□□□□ □□□. □□ □ □ □□□ □□□ □ □□ □
□? (2□□ □□□□□.)

- A. □□ □ 1□□ □□□□
- B. □□□□ □ □□□□
- C. □□ □□ □ □□ □□
- D. □□ □□ □ □□
- E. □□ □□□ □ □□
- F. □□□ □□ □ □□□

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 76

□□ □ □□□ □□□ □ □□□ □□ □□ □□□ □□□□□?

- A. □□□ □□
- B. □□ □□
- C. □□ □□
- D. □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□!
DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html>
(778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

DHCP □□□ □□□ □ □□ □ □□□□ DHCP □□□□ □□ □□□ □ □□ □□ □□
□□□?

(3□ □□).

- A. DHCP □□
- B. NTP □□
- C. □□□ □□
- D. DNS □□
- E. SQL □□
- F. □□□□□□ □□

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 78

Which of the following is a valid IP address for a host on a network with a 10.0.0.0/24 subnet mask?

- A. 10.0.0.1
- B. 10.0.0.255
- C. 10.0.0.0
- D. 10.0.0.10

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which of the following is a valid IP address for a host on a network with a 10.0.0.0/24 subnet mask?

- A. 80
- B. 23
- C. 68
- D. 53

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

Which of the following is a valid IP address for a host on a network with a 10.0.0.0/24 subnet mask?

- A. 10.0.0.100 200 10.0.0.100 HBA.
- B. SAN 10.0.0.100 200 10.0.0.100 HBA.
- C. 10.0.0.100 200 10.0.0.100 HBA.
- D. SAN 10.0.0.100 200 10.0.0.100 HBA.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

Which of the following is a valid IP address for a host on a network with a 10.0.0.0/24 subnet mask?

- A. 10.0.0.1
- B. 10.0.0.255
- C. 10.0.0.0
- D. 10.0.0.10

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which of the following is a valid IP address for a host on a network with a 10.0.0.0/24 subnet mask?

- A. 10.0.0.1
- B. 10.0.0.255
- C. CPU 10.0.0.1

D. □□□ □□□□

Answer: (SHOW ANSWER)

NEW QUESTION: 83

□□ RAID □□□ □ □□□ □□□□ □□ □□□ □□ □□□ □□□□□□ □□□□ □
□ □□□□□?

A. RAID 1

B. RAID 10

C. RAID 6

D. RAID 0+1

Answer: B (LEAVE A REPLY)

NEW QUESTION: 84

□□□□ □□□ □□□ 1000□□ □ □□□ □□□□ □□□□. □□□□□ □□ □□□
□□□□ □□□□ □□□□□. □□ □□ □ □□□□ □□□ □□ □□□ □□ 1000□□
□□□ □□ □□□ □□□□ □ □□□□ □□ □□ □□ □□□ □□□□□? (2□□ □□
□□□.)

A. UDP

B. DVD

C. USB

D. SFTP

E. TFTP

F. PXE

Answer: F (LEAVE A REPLY)

NEW QUESTION: 85

□□□□ □□□ □□□□ □□□ □□□□□□. □□□□ □□ □□□ □□□ □□□ □□
□□□□ □□□□□ □□□□ □ □□□□. □□ □ □□□□ □□□□ □ □□□ □□□
□□?

A. □□ □□

B. □□ □□□□

C. □□□ □□

D. □□ □□ □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 86

□□ □ RAID 1□ □□ □ □□□□ □□ □□□□□?

A. □□□□□

B. □□□□ □□□□□

C. □□□

D. □□□□□ □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

Which PowerShell cmdlet can be used to view the Windows Firewall rules?

Which PowerShell cmdlet can be used to view the running processes? (2 answers)

- A. ipconfig
- B. netstat
- C. netsh
- D. get-wmiobject -class win32_service

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which RAID level is the most common and provides the best performance and reliability?

- A. RAID 0
- B. RAID 10
- C. RAID 3
- D. RAID 5

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 89

Which RAID level is the most common and provides the best performance and reliability?

- A. RAID 0
- B. RAID 1
- C. RAID 2
- D. RAID 3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 90

Which RAID level is the most common and provides the best performance and reliability?

- A. RAID 0
- B. RAID 1
- C. RAID 2
- D. RAID 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

Which RAID level is the most common and provides the best performance and reliability?

- A. □□ □□□ □□ □□□□ □ □□□□ □□□□□ □□ □□□ □□□ □□□□□.
- B. □□□ □□□□ □□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□ □.
- C. □□ □□□ □□ □□□□□ □□□□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□ □□□□□.
- D. □□□ □□□□ □□□□ □□ □□□ □□□ □□□ □ □□ □□ □□□ □□□ □□ □□□.

Answer: D ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□! DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html> (778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 92

□□ □□□□ □□□□□□□ □□□□ □□ VLAN□□ □□□ □□□□ □□□ □□□□ □□□□. □□ □□ □ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □ □ □ □□□ □□□ □□□□□?

- A. □□□
- B. □□
- C. □□□
- D. □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

□□ □□□□ □□ □□ □□□ □□□□ □□ □ PDU□ □□ □ □□□□ □□□□. □□□ □□ □□ □□: 30A □□□ □□ □□: 24A □□ □□ □□□: 6 x 16A □□ □□: 208V □□□ □□ □□□ □□□□ □□ □ □□ □□□ □□□□ □□□ □ □□ □□ □□□□ □?

- A. □□ □□ □□□ 5kVA□ PDU□ □□□□□.
- B. □□ □□ □□□ 2kVA□ PDU□ □□□□□□.
- C. □□ □□ □□□ 4kVA□ PDU□ □□□□□□.
- D. □□ □□ □□□ 3kVA□ PDU□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

[illegible]

- A.** ☐☐ ☐☐☐
- B.** ☐ ☐☐☐
- C.** ☐ ☐☐☐
- D.** ☐☐ ☐☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 95

Linux □□□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□
ifconfig □□□ □□□□□.

```
eth0 Link encap:EthernetHWaddr00:30:48:9D:06:73
      Inetaddr:192.168.0.100Bcast:192.168.0.255Mask:255.
      255.255.0
      BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
```

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** □□□□ "□□□□□□" □□□ □□□□.
- B.** □□□□□□ □□□ □□□□□□□.
- C.** □□□□□ □□ □□□□□□□.
- D.** □□□□ "UP" □□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 96

□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□?

- A.** □□□□□
- B.** VPN
- C.** SAN
- D.** VLAN

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 97

□□ □ □□□□□ □□ □□□□ □□□□□□ □□□ □□ □□□ □□□□□? (3□ □
□).

- A.** ☐☐☐ ☐☐☐ ☐☐☐☐
- B.** ☐☐☐
- C.** ☐☐☐☐
- D.** ☐☐ ☐☐ ☐☐
- E.** ☐☐ ☐☐☐
- F.** ☐ ☐☐ RPM ☐☐☐☐

G. □□ □□

Answer: C,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 98

□□ □ □□□□ □□□ □□□ □□(□: □□ □□, □□□ □ □□ □□ □)□ □□□□ □ □□□ □□□ □□□□□?

- A. □□□ □□□□□ □□□□ □□ □□□ □□□□□.
- B. □□ □□□ □□□□ □□□□ □□□□□ □□□□□.
- C. □□□ □□ zip □□□ □□□□ □□□ □□□□□□.
- D. □□□ □□ □□□□ □□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

Windows □□□□ □□□□ □□□□ □□□ □□□□□ □□□ □ □ □□□ □□□□ □ □□ □ □□□□. □□ □ □□□□□ □□□ □□ □□□ □□□□□?

- A. □□
- B. □□
- C. □□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

□□□ □□□□ □□ □□□□ □ □□ □□□□□ □□□□□ □□□□□□.
□□□□□□ □□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□□□. □□ □ □□ □□ □□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□□?

- A. iSCSI
- B. JBOD
- C. FCoE
- D. FC SAN

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 101

□□□□ □ □□ □□□ □ □□□ □□□□ □□ □□□□□ □□□□ □□□. □□ □ □ □□ □□ □□□ □□□□ □□ □□ NIC □□□ □□□□□?

- A. □□□ □□□ □□□ NIC: □ NIC□ □□□ MAC □ IP □□□ □□□□□.
- B. □□□ □□□ □□□ NIC: □□□□ □□ □□□□ □□ □□□ □ □□ NIC.
- C. □□□ 2□□ □□□ NIC: □□□□ □□□□ NIC 1□, □ □□□□ 1□.
- D. □□□ □□□ NIC 2□: NIC 1□□ □□□□□□□□ □□□□ 1□□ □□□□□□□□ □ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which of the following is a valid IPv4 address? (Select TWO.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1
E. 192.168.1.1.1.1.1.1

A. 192.168.1.1 is a valid IPv4 address. 192.168.1.1.1 is a valid IPv6 address.

B. 192.168.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1 is a valid IPv6 address.

C. 192.168.1.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1.1 is a valid IPv6 address.

D. 192.168.1.1.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1.1.1 is a valid IPv6 address.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 103

Which of the following is a valid IPv4 address? (Select TWO.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1
E. 192.168.1.1.1.1.1.1

A. 192.168.1.1 is a valid IPv4 address. 192.168.1.1.1 is a valid IPv6 address.

B. 192.168.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1 is a valid IPv6 address.

C. 192.168.1.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1.1 is a valid IPv6 address.

D. 192.168.1.1.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1.1.1 is a valid IPv6 address.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 104

Which of the following is a valid IPv4 address? (Select TWO.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1
E. 192.168.1.1.1.1.1.1

A. 192.168.1.1 is a valid IPv4 address. 192.168.1.1.1 is a valid IPv6 address.

B. 192.168.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1 is a valid IPv6 address.

C. 192.168.1.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1.1 is a valid IPv6 address.

D. 192.168.1.1.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1.1.1 is a valid IPv6 address.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 105

Which of the following is a valid IPv4 address? (Select TWO.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.1.1
D. 192.168.1.1.1.1.1
E. 192.168.1.1.1.1.1.1

A. 192.168.1.1 is a valid IPv4 address. 192.168.1.1.1 is a valid IPv6 address.

B. 192.168.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1 is a valid IPv6 address.

C. 192.168.1.1.1.1 is a valid IPv6 address. 192.168.1.1.1.1.1 is a valid IPv6 address.

- B. 2개의 NIC를 사용하여 IP 주소를 할당할 수 있다. 2개의 NIC를 사용하여 IP 주소를 할당할 수 있다.
- C. 3개의 NIC를 사용하여 IP 주소를 할당할 수 있다. 3개의 NIC를 사용하여 IP 주소를 할당할 수 있다.
- D. 2개의 NIC를 사용하여 IP 주소를 할당할 수 있다. 2개의 NIC를 사용하여 IP 주소를 할당할 수 있다.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

다음 중 OS를 설치할 때 필요한 것은 무엇인가?

- A. RAM
- B. Hard Drive
- C. CPU
- D. CPU

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110

다음 중 SAN을 구성할 때 필요한 것은 무엇인가?

- A. iSCSI
- B. FC SAN
- C. FCoE
- D. JBOD

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 111

BIOS를 설치할 때 필요한 것은 무엇인가?

- A. ROM
- B. CPU
- C. RAM
- D. Hard Drive

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 112

다음 중 USB를 설치할 때 필요한 것은 무엇인가?

- A. UAC

- B.** □□□□□ USB □□ □□□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 113

□□□□ □□□ □□□□ □□ 500GB □□□□ □□□□. □□□□ □□ LTO2 □□□
□□ LTO3□□ □□□□□□□□ □□□□ □□□ □□ □□□□ □□ □□□□. □□ □
□□□□ □□□□ □□□□ □□ □□□□ □□ □□ □□□ □□□□□? (2□ □□).

- A.** □□□□ □□□ □□ □□
B. □ □□ □□□□□ □□
C. □□ □□□ □□ □□
D. □ □□□□□□ □□ □□□
E. □ □□□□□ □□□ LTO3 □□□ □□

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 114

[illegible]

- A.** □□□□ □□□□ □□□□□□□□ □□□□ □□□□ □□□□.
- B.** □□ □□□□□□ □□□ □ □□ □□□ □□□□ □□□ □□□□□.
- C.** □□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□.
- D.** □□ □□□ □□□ □□ □□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 115

□□□ □□□□ □□ □□□ □□□□□□. □□□□ HIPS □□ □□□ □□□ □□ □□
 □ □□□□□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□□□. □□
 □ □□□ □□□□ □□□ □□□ □□□□□ HIPS□ □□□□ □□ □□□ □□□□ □
 □ □□□□□?

- A. ☐ ☐
- B. ☐ ☐
- C. ☐ ☐
- D. ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 116

□□□□ □□ IP □□□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□.
10.152.0.4/21. □□ □ □□□ IP □□□ □□ □□□ □□□□ □□□□□?

- A. 255.248.0.0
- B. 255.255.248.0
- C. 255.255.255.248
- D. 255.255.128.0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 117

□□□□ □□ IP □□□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□.
10.152.0.4/21. □□ □ □□□ IP □□□ □□ □□□ □□□□ □□□□□?

- A. 255.248.0.0
- B. 255.255.255.248
- C. 255.255.128.0
- D. 255.255.248.0

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 118

□□ □ RAID 5□ RAID 6□ □□□□ □□ □ □□□ □□ □□□□□?

- A. RAID 6□ □□ □□□ □□□□□ □□□□ RAID 5□ □□□□ □□□□.
- B. RAID 5□ □□ □□□ □□□□□ □□□□ RAID 6□ □□□□ □□□□.
- C. RAID 5□ RAID 6□□ □ □□ □□□ □□□□□ □□□□□.
- D. RAID 6□ RAID 5□□ □ □□ □□□ □□□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 119

□□ □ □□ □□□ □□□□ NIC□ □□□□□ □□□□ □□ □□□□□?

- A. □□□
- B. □□ LAN
- C. NAT
- D. □□ NIC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 120

□□ □□□□ □□ □□□ □□ □□□ □□□□□□□. □□ □□ □□□□ □□ □□□□
□ □□□□ netstat □□□ □□□□ □□□ 88, 389, 389 □□□□ □□ □□ □□□ □□
□□□.
464, 3268 □ 3269. □□ □□□ □□□ □ □□ □□ □□ □ □ □□□ □□ □□□ □□□
□ □□ □□ □□□ □□□□□?

- A. □□□□□□ □□
- B. □ □□
- C. □□ □□
- D. □□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

Which Linux command can be used to check the status of the network interface? (2 points).

- A. FTP
- B. SSH
- C. VNC
- D. RDP
- E. BASH

Answer: B,C ([LEAVE A REPLY](#))

SK0-004 is a dump of the SK0-004 exam! DumpTop is a website that provides dumps for the SK0-004 exam, DumpTop SK0-004 is a website that provides dumps for the SK0-004 exam. DumpTop SK0-004 is a website that provides dumps for the SK0-004 exam. <https://www.dumptop.com/CompTIA/SK0-004-dump.html> (778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 122

Which of the following is a valid IP address?

- A. 192.168.1.1
- B. 192.168.1.1.1
- C. 192.168.1.1.1.1
- D. 192.168.1.1.1.1.1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 123

Which of the following is a valid IP address? (2 points).

- A. 192
- B. 168
- C. 1
- D. 1.1
- E. 1.1.1

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 124

Which of the following is a valid IP address? OS is a website that provides dumps for the SK0-004 exam. OS is a website that provides dumps for the SK0-004 exam. OS is a website that provides dumps for the SK0-004 exam.

C. 4

D. 2

Answer: D (LEAVE A REPLY)

NEW QUESTION: 129

□□□□ □□□□ □ □□□ □□□ □□□□□ □□□ □□□□□ □□□. □ □□□ □□
 □□ □□ □ □□□ □□ □□ HTML □□□□ □□ HTTP □□□□□ □□ □□□ □□□
 □□□□□ □□□□. □□□ □□□ □□□□ □□ □ □□□ □□ □□□ □□□□ □□
 □□□□ □□ □□ □□ □□□ □□□□□?

A. 8080

B. 53

C. 143

D. 443

Answer: D (LEAVE A REPLY)

NEW QUESTION: 130

□□ □□□□ □□ □ □□□ LAN□ □□ □□□ □□□□ □ □□ □□□ □□ □□□□
□?

A. JBOD

B. ☐

C. NAT

D. SAN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 131

□□ □□□ □□□□ □□□ □ □□ □□□ □□□□□ □□□□ □□ SQL□ □□□□
□□□□ □ □□ □□□ □□□□□ □□□□□ □□□.

A. ☐☐☐☐☐

B. □□□□□□ □□

C. ☐ ☐ ☐

D. ☐☐☐☐☐ ☐☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 132

[illegible]

A. □□□ □□□□□ □□□□ □□□□ □□ □□□ □□ □□□□ □□□□ □□ □□□
□ □□□□□.

B. □□□ □□□□□ □□□□ □□□□ □□ □□□ □□ □□□□ □□□□ □□ □□□
□ □□□□□.

C. 10000 100 100000 10000 10000 100 1000 100 10000 10000 100 10000 100000.

D. 100 100000 10000 10000 100 1000 100 10000 10000 100 10000 100000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 133

10000 1000000 2000W 100 100 100 1000 1000 2000W 100 100 100 400 1000 10000. 10000 100000 100 100 1000 1900W1000. 100 10000 10000 100 100 100000?

2000W 1000 1000000?

A. 100 10000 100000 100 1000 10000.

B. 10000 10000 100 100 10000 100 1000 100000.

C. 10000 100000 100 1000 1000

D. 10000 10000 100 100 100 100

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 134

10000 10000 1000 10000 100 100 10000 1000 1000000. 100 100 1000 1000 1000 10000 1000 1000 10000 10000 1000 1000 1000. 100 10000 10000 10000 10000 100 100 100 1000 1000000?

A. 1000 10000 10000 1000 100000.

B. 100 1000 100000.

C. 1000 10000 1000 100000.

D. 100 1000000 100 100000 1000000 100000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 135

1000 10000 1000 100 100 VM 10000 1000000. 100 100 VM 1000 10000 100000?

A. VPN

B. 1000

C. 100

D. VNC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

100 1000000 1000 1000 1000 100 100 1000 1000 100 1000 10000 10000?

A. 10000 100 100 100 1000 100 1000 100000.

B. 10000 100 100 100 10000 100000.

- C. □□□ □□ □□ □□□ □□□□ □ □□□ □□□□□.
- D. □□□□□□ □□□□ □□□□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□!
DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html>
(778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 137

□□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□□ □□□. □□ □□ □□ □ □
□ □□ □□□□ □□□?

- A. iLO/iDRAC
- B. RDP
- C. KVM
- D. SSH

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 138

□□□□ □□ □□ □□□ □□□□ □ □□□□. □□□ □□ □□ □□□□ □□□□□
□□. □□ □ □□ □□□ □□□□□□ □□ □□ □□□ □□□□ □□ □□□□□?

- A. □□ □□
- B. □□□□
- C. □□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 139

□□ □ RAID 0□ □□ □ □□□□ □□ □□□□□?

- A. □□□□□
- B. □□□□□ □□□□□
- C. □□□□ □□ □□□□□
- D. □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 140

□□□ □□□□ □□ □□□□ □ □□□ □□ □□ □□□ □□ □□□□ □□□□□ □
□□.

C. 100 100 100

D. 1000 100 100

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 145

Which of the following is a valid IPv4 address?

A. 10.0.0.0.

B. 0.0.0.0.

C. 10.0.0.0 10.0.0.0.

D. 10.0.0.0 10.0.0.0.

E. 10.0.0.0.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 146

Which of the following is a valid NEMA L5-30 plug?

A. 115v 30A

B. 208v 30A

C. 220v 1A

D. 440v 3A

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 147

Which of the following is a valid IPv4 address?

A. 10.0.0.0

B. 0.0.0.0

C. 10.0.0.0 10.0.0.0

D. 10.0.0.0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 148

Which of the following is a valid NEMA L5-30 plug?

A. 115v 30A

B. 208v 30A

C. 220v 1A

D. 440v 3A

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 149

Which of the following is a valid IP address? (Select all that apply.)
A. 192.168.1.1
B. 192.168.1.1.1
C. 192.168.1.1.0
D. 192.168.1.1.0.0

A. 192.168.1.1

B. 192.168.1.1.1

C. 192.168.1.1.0

D. 192.168.1.1.0.0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 150

Which of the following is a valid Linux command to reject SSH connections from 10.152.8.0/21? (Select all that apply.)
A. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 22 -j REJECT
B. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 23 -j ACCEPT
C. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 23 -j REJECT
D. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 22 -j ACCEPT

A. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 22 -j REJECT

B. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 23 -j ACCEPT

C. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 23 -j REJECT

D. iptables -i eth0 -d 10.152.8.0/21 -p TCP --dport 22 -j ACCEPT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 151

Which of the following are valid Linux commands to configure a network interface? (Select all that apply.)
A. ifconfig eth0 192.168.1.1 netmask 255.255.255.0
B. ifconfig eth0 192.168.1.1 netmask 255.255.255.0
C. ifconfig eth0 192.168.1.1 netmask 255.255.255.0
D. ifconfig eth0 192.168.1.1 netmask 255.255.255.0
E. L3 interface
F. L3 interface

A. ifconfig eth0 192.168.1.1 netmask 255.255.255.0

B. ifconfig eth0 192.168.1.1 netmask 255.255.255.0

C. ifconfig eth0 192.168.1.1 netmask 255.255.255.0

D. ifconfig eth0 192.168.1.1 netmask 255.255.255.0

E. L3 interface

F. L3 interface

Answer: B,C,F ([LEAVE A REPLY](#))

SK0-004 dump questions and answers DumpTop SK0-004 dump! DumpTop SK0-004 dump questions and answers, DumpTop SK0-004 dump questions and answers. DumpTop SK0-004 dump questions and answers. <https://www.dumptop.com/CompTIA/SK0-004-dump.html> (778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 152

Abladechassis 16□□ □□ □□ □□□□ □□ 8□□ □□ □□ □□□□□ □□□ □□□□. □□ □ 6□□ □□ □□ □□□□□ □□ □□□ □□ □□□ □□□ □ □□ □ □□ □□ □□□□ □□ □□□□□?

- A. 2
- B. 8
- C. 16
- D. 4

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 153

□□□ □□ □□ □□ □□ □□□ □□□ □□□□□□. □□ □□□□ □□ □□□ □□ □□, □□□, □□□, □□□□ □□ □□, □□□, □□□, □□□□ □□ □□□□□□□□. □□□ □□□ □□□□ □□ □□□ □□ □□□ □□ □□ □ □□ □□□□?

- A. 2
- B. 1
- C. 4
- D. 3

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 154

□□□□ □□□□ U:\ □□□□□ □ □□□□□□□□ □□□ □ □□□□. □□ □□□□ □□ □□□ □□□ □□□ □□□□□□. □□□ □□ □□□□ U:\ □□□□□ □□□□ □ □□□ □□□□ □□□□. □□ □ □ □□□ □□ □□□□ □□ □□□ □□□□□?

- A. □□□□□ U:\ □□□□□ □□□ □ □□ □□□ □□□□.
- B. □□□□□ □□□ U:\ □□□□□ □□□□.
- C. □□□□ □□ □□□□□ □□□ □□□□□.
- D. U:\drive□□ □□□□ □□□ □□□□ □□□□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 155

□□□ □□□ □□□□ □□□□□□ □□□□□ □□ □□□□□□□□. □□ □ □□□□ □ □□ □□□□ □□ □□ □□□ □□□□□?

- A. □□□□ □□ □ □□□□ □□
- B. □□□□□ □□□□ □□□□ □□ □□□ □□□ □□□□□.
- C. □□□□ □□ □□□□ □ □□
- D. □□□ □□□ □□□□ □□□□ □□ □ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 156

□□ □ □□ 1□ □□ 2 □□□□□□□□ □□□□ □□□□□?

- A. □□ 1 □□□□□□□□ □□□ □□□□ □□□□□.

- B. Type 2 □□□□□□□ □□□ □□ □□□□ □□□□□.
- C. Type 1 □□□□□□□ OS □□□□ □□□□□.
- D. □□ 2 □□□□□□□ □□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 157

□□□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□□.

□□□□ NIC□ □□□ □□□ □□ □□□□ □□ IP □□□ □□□□□. □ □□ □□ □

□□ □□ □□□ □□□□ □□ □□□□?

- A. □□□□ □□□ □□□ □□ □□□□ □□□ □□□ □□□□.
- B. □□□□ □□□ □□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□□□.
- C. □□□□ □□□□ □□□ □□ □□ □□ □□□□ □□□ □□□ □□□□.
- D. □□□□ □□ □□□□ □□□□ □□□□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 158

□□□□ □□□□□ □□□□□ □□□□ □□ □□ □□□ □ □□□ □□□□□ □□ □

□□ □□□□□. □□ □□□□ □□ □□□□ 2□□ HBA□ □□□ □□□□□. □ HBA

□□ □□□ □□ LED□ □□□□□. □□ □ □□□ □□ □□□ □□ □□□ □□□□□?

- A. □□□ □□□ □□
- B. □□□ □□ □□ □□
- C. □□□ □□ □□
- D. □□□ RAID □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 159

□□□□ □□□□ □□ □□□ □□□□ □ □□□ □□□□ □□□ □□□□□□□ □□

IP□ □□□□□ □□□□ □□□□. □□□□ IP □□□ □□□□ □□□ 169.254.0.5□ □

□□□□.

□□ □ □□□□ □□□□ □□ □□ □□□□□?

- A. □□□□ □□□ □□ □□□□.
- B. Active Directory□ □□□ □□□ □□ □□ □□
- C. DHCP □□□ □□□ □□
- D. □□□□ □□ □□□□□ □□ □□□□ □□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 160

□□□□ □□□ □ 2GB □□ □□□□□ □□□□□ □□□□ □□ □□□ 1.86GB□□

□□□□ □□□□. □□ □ □□□ □□ □□□ □□□□□?

- A. □□ □□□ □□□□□ □□□□ □□□□ □□ □□□ □□□ □□□□□.
- B. □□□□□ □□ □□□ □□□□ 2□□ □□ 10□□□ □□□□□.

C. 1000 100000 100 100000 1000 100000.

D. 1000 100000 1000 100 100000 1000 1000 100000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 161

10000 1000 100 01 1000 100 10000 1000 100000. 1000 3100 100 100 0 1000 1000 100 100 100000. 100 100 100 0100 100 1000 1000 1000 100 1000 100 1000 100000?

A. 10000

B. 10000 100000 100

C. 1000 100 1000

D. 100 100 100

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 162

1000 100 1000 100000 1000 1000 100000 100 1000 100000 100000 100000. 100 100 100 1000 100000 100 100 1000 100000?

A. 100 1000 100 100 100 100

B. 1000 1000 100000 100 1000 1000 100000000.

C. 100 1000 BIOS 100 100

D. 100 1000 100 1000 100000 100 100

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 163

10000 100000 1000 100 100000. 10000 100000 100 10000 100000 10000 10000 100000 10000 10000 100000. 100 100000 100 100 10000 100000?

A. nslookup

B. ipconfig

C. nbtstat

D. netstat

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 164

1000 100000 RDP 100 Windows 100000 1000 1000 100000 100000. 100 10000 100000 RDP 100 100000 100000 100000 100000 100000 100 100000. 1000 1000000 100000 100 100 100000 1000000 100000 1000000 100 100 1000 100000 100000 100000?

A. TCP/IP

B. ILO/iDRAC

C. SSH/SCP

D. VNC/VPN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 165

□□□□ □□□ □ NIC□ □□□□□□. □□□□ □□□ POST□ □□□□ NIC□ OS□
□ □□□□□ IP □□□ □□□□ □□□□. □□ □ □□□ □□ □□□ □□ □□□ □□
□□□?

A. □□ □□□□ □□□ □□□□ □□□□□.

B. NIC□ □□□ □□□□ □□□□□.

C. □□□□ □□□□□ □□□□□□□.

D. NIC□ HCL□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 166

□□□□ 4U□ □□ □□□ □ □□□ □□ □□ □□ □□□□ 2U □□□ □□□□ □□□
□. □□□□ □□□ □□□ □□ □□□□□. □□ □ □□ □□□□ □□ □□□ □□□□
□?

A. □□□□ □□ □□ □□

B. □□□ □ □□

C. □□□ □□□ □□ □

D. □□□ □□□ □□□□ □□

Answer: A ([LEAVE A REPLY](#))

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□!
DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html>
(778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 167

□□□ □□□□ □□ □□□ □□ □□□ □□□ □□□ □□□□□ □ □ □□ □ □□□
□ □□□□ □ □□□ □ □□ □□ □□□□□?

A. □□□□ □□□□□

B. □□□ □□□

C. □□□ □□ □□□□□

D. □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 168

Which of the following is a valid IPv4 address? A. 192.168.1.1 B. 192.168.1.1.1 C. 192.168.1.1.1.1 D. 192.168.1.1.1.1.1

A. 192.168.1.1 is a valid IPv4 address. B. 192.168.1.1.1 is not a valid IPv4 address. C. 192.168.1.1.1.1 is not a valid IPv4 address. D. 192.168.1.1.1.1.1 is not a valid IPv4 address.

B. 192.168.1.1.1 is not a valid IPv4 address. C. 192.168.1.1.1.1 is not a valid IPv4 address. D. 192.168.1.1.1.1.1 is not a valid IPv4 address.

C. 192.168.1.1.1.1 is not a valid IPv4 address. D. 192.168.1.1.1.1.1 is not a valid IPv4 address.

D. 192.168.1.1.1.1.1 is not a valid IPv4 address.

Answer: (SHOW ANSWER)

NEW QUESTION: 169

Which of the following is a valid IPv4 address? A. 10.0.10.254 B. 10.0.10.255 C. 10.0.10.256 D. 10.0.10.257

IP address: 10.0.10.254

Subnet mask: 255.255.255.0

Default gateway: 10.10.10.1

Which of the following is a valid IPv4 address?

A. 255.255.0.0 is a valid IPv4 address.

B. 10.10.0.254 is a valid IPv4 address.

C. 10.10.10.254 is a valid IPv4 address.

D. 10.10.10.254 is a valid IPv4 address.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 170

Which of the following is a valid IPv4 address? A. 199.90.89.51 B. 199.90.89.51.80 C. 199.90.89.51.80.25 D. 199.90.89.51.80.23

Which of the following is a valid IPv4 address?

A. 199.90.89.51 is a valid IPv4 address.

B. 199.90.89.51.80 is not a valid IPv4 address.

C. 199.90.89.51.80.25 is not a valid IPv4 address.

D. 199.90.89.51.80.23 is not a valid IPv4 address.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 171

Which of the following is a valid IPv4 address? A. 199.90.89.51 B. 199.90.89.51.80 C. 199.90.89.51.80.25 D. 199.90.89.51.80.23

□ □□□(CTO)□□ □□□□. □□ □ □□□ □□□□ CTO□□ □□□ □□□ □□□□ □?

- A. □□ □□ □□
- B. □□□ □□ □□
- C. □□ □□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 172

□□□□ □□ □□□ □□ □□ □□□□□ □□ □□□□□□□□. □□□□ □□□ □□□ □□□ □□□ □□□□□ □□□□□□ □□□□□□. □□□□□ □□□□ □□ □□ □□ □ □□□ □□□□.

- A. □□□ □□ □□□□□.
- B. □□ □□ □□
- C. □□ □□ □□
- D. BIOS □□□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 173

□□□□ □□□□ □□□□□□ □□□ □□ □ □□□□□ □□□□□□□□. □□□□ □ □□ □□□□ □ □ □□□ □□□ □□□ □□□ □ □ □□ □□□ □□□□□. □□ □ □□□ □□□□□ □□□□ □□ □□□□ □□ □□ □□□□ □□ □□ □□□□□?

- A. □□ □□ □□□□□ □□□□□.
- B. □□□□ □□ □□□□□.
- C. □ □□□□ □□□□□.
- D. □ □□□□ □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 174

□□□ □□□□ □□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□. □□□ □□ □□ □□□□□□ □ □□ □□□□ □ □□□ □□□ □□□ □□□□. 2□ □ □□□□□ □□□□ □ □□ □□ □□ □ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□ □□□□. □□□ □□ □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□. □ □ □ □□□□ □□ □□□□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□□ □□□□□□ □□
- B. □□ □□ □□□
- C. □□□□ □□□ □□
- D. WOL □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 175

□□ □ □□ □□□ □□□ □□ BIOS □□□□□□ □□ □ □□ □□ □□ □□□ □□ □□□?

- A. BIOS □□ □□□□
- B. □□ □□ □□□□
- C. □□ □□ □□ □□□□
- D. □□ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 176

□□□□ □□□□□ □ □□ □□□ □□□ □□□□□□. □□□□□ □□ □□□ □□□ □□□□ □□□□.

□□ □ □□□□ □□□□ □□ □□□ □□□ □□□□□?

- A. 25
- B. 110
- C. 80
- D. 443

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 177

□: 511

□□ □□□ □□□□ □□□ □ □□ □□□ □□□□□ □□□□ □□ SQL□ □□□□ □□□ □ □□ □□□ □□□□□ □□□□□ □□□.

- A. □ □□
- B. □□□□□□ □□
- C. □□□ □□
- D. □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 178

□□ □ □□□□ □□□□ □□□ □□□□□ □□□□ □□ □□ □□ □□ □□ □□□ □□□?

- A. 1
- B. 3
- C. 4
- D. 2

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 179

□□ □ □□ □□□ □□□□ □□ □□□□□?

- A. □ □ □□ □□.
- B. □□ □□ □ PIN.

- C. □□ □ □□ □□.
D. □□□ □□ □ □□.

Answer: (SHOW ANSWER)

NEW QUESTION: 180

□□ □□□ □□□ □□□ 12□□ □□□□. □□ □ □□□□ □□□ OS□ □□□ □□□ □□□ □□□ □□□□ □□ □□□□ □□ □□ □□□□□? (2□□ □□□□□.)

- A. □□ □□
B. □□ □□ □□□
C. □□□□□□ □□□
D. □□ □□□ □□
E. □□ □□

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 181

□□□□ □□□□ □□□□□ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□ □□□ □□□□□ □□□□ □□ □□ □□□□ □□ □□□□ □□□ □□ □□□ □□ □□ □□□. □□ □ □□□□ □□□□ □□ □□ □□□ □□□□□?

- A. □□□ □□ □□
B. □□ □□ □□
C. □□ □□ □□
D. □□ □□ □□

Answer: B (LEAVE A REPLY)

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□! DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html> (778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 182

□□□ □□□ □□□ □□□ □□ □□□ □□□□□□□□ □□□ □□ □ □□□□ □□ □ □□□□ □□□□ □□□. □□ □ □□□□ □ □□□ □□ □ □□□□ □□ □□□□ □□ □□□ □□□□□?

- A. □□□ □ □□□□□ □□□□□ □□□ □□□□□ □□□□□.
B. □□ □□□ □□□□ □□ □□□□□ □□ □□□□□ □□□□□.
C. □□ □□□□□□□□ □□□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□□□□.
D. □□ □□□□ □□ □□□□□ □□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 183

□□□□ FQDN□□ □□□ □□□□ □□□ □□□ □ □□□ IP □□□ □□□ □ □□□
□. □□ □□□□ □□□ □□□□. □□□□ □□□□ IP □□□ □□□ □□□□□ ping
□ □ □□ nslookup□ □□□□ FQDN□ □□□□ □□□ □ □□□ □□□□□.
ipconfig /flushdns□ □□□ □□□ □□□ □□□□□.
□□ □ □□□□ □□ □ □□□ □□ □□□?

- A. □□□ □□□ □□□□□.
- B. WINS □□□ □□□ □□□□□□.
- C. DNS □□□ □□□ □□□□□□.
- D. lmhost □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 184

□□ □□□□ □□□ gpedit.msc□ □□ □□□□ □□ □□□ □□□□□□. □□□ □□
□ □□□ □□ □□ □□□□ □□□□□□. □□ □□□□ □ □□□ □□□ □□ □□□
□. □□ □ □□ □□ □□□□ □□□ □□ □ □□□ □□?

- A. □□□□ □□□ □□□□ □□ □□□□□ Program Files □□□□□ □□ □□□□ □
□□□ □□□□.
- B. □□ □□□□ □□□□ □□□□□ □□ □□□ □□□ □□□ □□ □□□□.
- C. □□ □□□ □□ □□ □□ □□ □□□□ □□ □□□□ □□ □□□□□.
- D. □□ □ □□□□□ □□ □□□□ □□ □□□□□ □□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 185

□ □□ □□□□□ 40U □□ □□ U25 □□□ 6U □□□ □□□□□ □□□ □□□□□.
□□ □□□ □□□ □□□□□□□□. □□ □ □□□ □□□□ □ □□ □□□ □□□ □□
□□□?

- A. PDU.
- B. UPS□□□.
- C. □□ □□□□□□.
- D. □□ □□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 186

□□ □ □□ □□□ □□□□ □□ □□□□□?

- A. □ □ □□ □□.
- B. □□ □□ □ PIN.
- C. □□ □ □□ □□.
- D. □□□ □□ □ □□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 187

□□□□ □□ □ □□□ □□□ □□ □□ □□□□ □□ □□□□□?

- A. □□
- B. □□□□
- C. □□
- D. PIN

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 188

□□□□ □ □□ □□□ □□□ □□ □ □□□ □□□□□□. □□□□ □□□ □□□□
□□□□□ □□□□ □□□□□ □□□ □ □□ □□ □□□□□ □□□□ □□□□. □□
□□□□ □ □□ □□□□ □□□□□ □□□ □□ □ □□□□ □□□□ □□ □□ □□
□□□?

- A. □ □□ □□□□ IMAP□ □□□□□.
- B. DNS□□ MX □□□□ □□□□□□□.
- C. □ □□□ □□ □□□□□□ NTP□ □□□□□□.
- D. DHCP□ DNS □□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 189

□□ □□□□ □□ □□□ □□ DHCP □□□ □□ □□□□□(□□:

- A. □□□ □□□□□.
- B. □□□ □□□□□.
- C. □□□ □□□□□□.
- D. DHCP □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 190

□□□□ Unix □□□□ □□ □□ □□□□ □□ □□ □□□□□ □□□□ □□□□ □□
□□ □□□□.

□□ □ □□□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□□□?

- A. NTFS
- B. □□2
- C. □□□FS
- D. ZFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 191

Which of the following is a characteristic of a good leader? A leader should be able to inspire and motivate others. A leader should be able to communicate effectively. A leader should be able to delegate tasks. A leader should be able to listen to others.

- A. A leader should be able to inspire and motivate others.
- B. A leader should be able to communicate effectively.
- C. A leader should be able to delegate tasks.
- D. A leader should be able to listen to others.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 192

Which of the following is a characteristic of a good leader? A leader should be able to inspire and motivate others. A leader should be able to communicate effectively. A leader should be able to delegate tasks. A leader should be able to listen to others.

- A. A leader should be able to inspire and motivate others.
- B. A leader should be able to communicate effectively.
- C. A leader should be able to delegate tasks.
- D. A leader should be able to listen to others.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 193

Which of the following is a characteristic of a good leader? A leader should be able to inspire and motivate others. A leader should be able to communicate effectively. A leader should be able to delegate tasks. A leader should be able to listen to others.

- A. 5
- B. 12
- C. 4
- D. 10

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 194

Which of the following is a characteristic of a good leader? A leader should be able to inspire and motivate others. A leader should be able to communicate effectively. A leader should be able to delegate tasks. A leader should be able to listen to others.

- A. A leader should be able to inspire and motivate others.
- B. A leader should be able to communicate effectively.
- C. A leader should be able to delegate tasks.
- D. A leader should be able to listen to others.
- E. A leader should be able to inspire and motivate others.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 195

Which of the following is a characteristic of a good leader? A leader should be able to inspire and motivate others. A leader should be able to communicate effectively. A leader should be able to delegate tasks. A leader should be able to listen to others.

- A. A leader should be able to inspire and motivate others.

- B. 1000 100
- C. 1000
- D. 100

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 196

Which of the following is a valid IP address for a host in a network with a 10.0.0.0/24 subnet mask? (Choose two.)

LUN 10.0.0.1 is a valid IP address for a host in a network with a 10.0.0.0/24 subnet mask?

- A. 10.0.0.1
- B. 10.0.0.255
- C. 10.0.0.100
- D. 10.0.0.10
- E. 10.0.0.1

Answer: ([SHOW ANSWER](#))

SK0-004 100 1000 100000 100 DumpTop 100 10000 1000 SK0-004 100!
 DumpTop 100 100 **SK0-004** 100 1000 1000000, DumpTop SK0-004 100 1000
 1000000000 1000 1000000000. 100000 1000 100000 100 DumpTop
 SK0-004 1000 1000000. <https://www.dumptop.com/CompTIA/SK0-004-dump.html>
 (778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 197

Which of the following are valid IP addresses for a host in a network with a 10.0.0.0/24 subnet mask? (Choose two.)

- A. 10.0.0.1 10.0.0.255 10.0.0.100 10.0.0.10
- B. 10.0.0.1 10.0.0.255 10.0.0.100
- C. 10.0.0.1 10.0.0.255
- D. 10.0.0.1 10.0.0.255 10.0.0.10
- E. 10.0.0.1 10.0.0.255 10.0.0.100 10.0.0.10

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 198

Which of the following DMZ IP addresses are valid for a host in a network with a 10.0.0.0/24 subnet mask?

- A. 123
- B. 143

C. 23

D. 22

Answer: C (LEAVE A REPLY)

NEW QUESTION: 199

□□□ □□□ □□□□□□□. □□□□ □□□□□□ □□□ □□□ □□□□ □□□ □
 □□ □□□□□ □□□□ □ □□□□. □□ □□□□ □□ □□□□□□ □□□ □□□□
 □ □□□ □□□□ □□ □□□ □□□□□ □ □□□ □□□□. □□ □ □□□ □□□□
 □□ □□□ □□□□ □ □□ □□□ □□□□□?

A. DNS □□□ □□□□ □□□□□.

B. WINS ☐☐☐ ☐☐☐☐ ☐☐☐☐.

C. □□□ □□ □□□□□□ □□□□□□□□.

D. DHCP □ □ □ □ □ □ □ □ □ □ .

Answer: C (LEAVE A REPLY)

NEW QUESTION: 200

□□ □ □□□ □□□ □□ □□ □□□ □□□ □ □□ □□□□ □□□□ □□ □□□□
□□ □□ □□ □□?

A. JBOD

B. ☐

C. NAS

D. SAN

Answer: D (LEAVE A REPLY)

SK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-004 □□!
DumpTop □ □□ **SK0-004** □□ □□□ □□□□□□, DumpTop SK0-004 □□ □□□
□□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
SK0-004 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-004-dump.html>
(778 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)