

CompTIA.SK0-005.v2023-11-16.q123

□□□□:	SK0-005
□□□□:	CompTIA Server+ Certification Exam
□□□:	CompTIA
□□ □□ □□□:	123
□□:	v2023-11-16
# □□ □:	1314
# □□ □□□:	1230
https://www.krdump.com/CompTIA.SK0-005.v2023-11-16.q123.html	

NEW QUESTION: 1

□□□ Windows □□□ □□□□□ □□□□□□□. □□ □□□□ □□□ □□□□ □□□ □□□□□ □□□□□□. □□ □□ □□□ □□□ □□□□□□ □ □ □□□ □□□□□.

□□ □ □□□□ □□□ □ □□□ □□□□ □□□□ □□ □□ □□□□□?

(□ □□□ □□□□□.)

- A. □□ 443
- B. □□ 5900
- C. □□ 3389
- D. □□ □□
- E. □□ □□□□ □□
- F. □□ □□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□ □ □□□□ □□□□ □□ □□□ □□ □□□□□ □□□□ □□□□ □□□□ □□□ □□ □ □□□ □ □□ □□□ □□ □□□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□□ □□ □□ □□□□ □□□□. □□ □□□□ □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□ □□□□□. □ □□□ □□□□ □□ □□□ □□□□□. □□ □□ □□□ □□□ □ □□□□. □□ □ □□ □□□ □□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□□?

- A. □□□ □□□□ □□□□ □ □□ □□□ □□□□□ □□□□ □□□□□□□.

- B. □□□ □□ □□□□ □ □□ □□□□ □□□□ □□□ □□ □□□□ □□ □□ □□□□□.
- C. □□□ □□□ □□ □□□ □□□□□□ □□□ □□ □□□□ □□ □ □□□ □□□ □□□□.
- D. □ □□□ □□□□□ □□ □□ □□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□□□ □□ □□ □□□□ □□□ □□□ □□□□ □□□□. □□□□ □□ □ □□ □□□ □□□□ □□□?

- A. 21
- B. 22
- C. 23
- D. 443

Answer: D ([LEAVE A REPLY](#))

□□:

<https://docs.microsoft.com/en-us/windows-server/remote/remote-access/ras/manage-remote-clients/install/step-1-configure-the-remote-access-infrastructure>

NEW QUESTION: 5

□□ □ □□□□ Windows □□□□ □□□□□ RAID□ □□□ □ □□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□ □□□
- C. GPT
- D. UEFI

Answer: B ([LEAVE A REPLY](#))

LVM□ UNIX□□ □□□□ □□□□□.

NEW QUESTION: 6

□□ □ □□□□ □□□□□ □□□ □ □□□ □□□ □□□□ □□ □□□□ □ □□ □□ □□□ □□□□□?

- A. □□□□ □□□□□ □□□□□□□.
- B. □□ VM□ □□ □□□□□.
- C. □□ □□□□ □□□.
- D. □□□□□ □□-□□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□ □□ □□□□□ □□□□□□ □□□□□ □□□□. □ □□□□ □□□□□□ □□□□ □□□ □□□□ □□□□□. □□ □□ □□ □□ □ □□ □□ □□□□□?

- A. □□□□
- B. □□□□□
- C. □□ □□□□
- D. □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

Joe is configuring a network and needs to ensure that all devices can communicate with each other. Which protocol should he use to dynamically assign IP addresses to devices on the network?

- A. DHCP
- B. ARP
- C. DNS
- D. VLAN

Answer: C ([LEAVE A REPLY](#))

ARP is used to map IP addresses to MAC addresses. DHCP is used to dynamically assign IP addresses to devices on the network.

NEW QUESTION: 9

Which RFC defines the standard for IPv4 addressing and routing? Which of the following IP addresses is a valid IPv4 address?

- A. 11.251.196.241
- B. 171.245.198.241
- C. 172.16.19.241
- D. 193.168.145.241

Answer: C ([LEAVE A REPLY](#))

172.16.0.0 is a private IP address range. 172.16.19.241 is a valid IPv4 address. 11.251.196.241 is a public IP address. 171.245.198.241 is a public IP address. 193.168.145.241 is a public IP address.

NEW QUESTION: 10

Which of the following is a valid IPv4 address? Which of the following is a valid IPv4 address?

- A. 10.0.0.0
- B. 0.0.0.0
- C. 255.255.255.255
- D. 192.168.0.0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which of the following is a valid IPv4 address? Which of the following is a valid IPv4 address?

- A. VM 10.0.0.0
- B. 10.0.0.0
- C. P2V 10.0.0.0
- D. VM 10.0.0.0

Answer: ([SHOW ANSWER](#))

10.0.0.0 is a valid IPv4 address. VM 10.0.0.0 is not a valid IPv4 address. P2V 10.0.0.0 is not a valid IPv4 address. VM 10.0.0.0 is not a valid IPv4 address.

- B. 10000000
 - C. 10000000 hosts.deny 100
 - D. 100000000000
- Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

A data center has two racks, Rack 1 and Rack 2, each with two PDUs. Rack 1 has PDU A (13A MAX) and PDU B (6A MAX). Rack 2 has PDU A (5A MAX) and PDU B (8A MAX). The racks are connected to a UPS system. The UPS is currently at 80% load and drawing 9.6A from the main power source. The racks are configured as follows:

- A) PDU A is connected to Rack Switch 1 and PDU B is connected to Rack Switch 2.
- B) VM Host 1 and VM Host 2 are connected to PDU A, and Mail Relay and SAN are connected to PDU B.
- C) Domain Controller and two unknown devices are connected to PDU A, and PDU B is empty.



Answer:

* □□ □□

NEW QUESTION: 18

□□□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□□.

top -- 14:32:27, 364□, 14□□ □□□ □□ □□ 60.5 12.4 13.6

□□□□ □□ □ □□ □□□ □□□□?

A. □□□ □□ □□□ □□

B. □□ □□□ □□□□□ □□ □□□ □□□ □□□□□.

C. □□ □□□□ □□

D. □□□□ □□□□ □□□□□□□□ □□

Answer: D ([LEAVE A REPLY](#))

□□:

<https://www.tecmint.com/understand-linux-load-averages-and-monitor-performance/>

NEW QUESTION: 19

□□ □ □□□□ □□ □□ □ IT □□□ □□□ □□□□□ □ □ □□□ □□□ □□□□□?

A. □□ □□ □□

B. □□□□ □□ □□

C. □□□ □□ □□

D. □□□□ □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□□□ □□□ □□ □□□□□□□□ □□□ □ □□ □□□□□.

A. □□□ □□□□□ □□□□□.

B. □□ □□□□ □□□□□.

C. □□ □□□□ □□□□□ □□□□□.

D. □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

□□□□□□ □□ □□□□ VM(□□ □□)□ □□□ □□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□ □□□□□, VM□ □

□□□ □□ □□ □□□ □□□□□, VM□ □□ □□ □□□ □□□□□.

□□: <https://www.computerweekly.com/feature/Snapshots-Hypervisor-vs-Array>

NEW QUESTION: 21

□□ □ □□□ □ □□□ Bash □□□□□ □ □□ □□□□ □□ □□ □□□□□?

A. @eacho □□

B. #!

C. □□

D. !□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□ □□□□ □□ □□□ □□□□ IP □□□ □□□□ □□□□. □□□□ □□□ IP □□ 10.20.10.15□ □□ □□□□□ □□□ □□ □□□.

10.20.10.254. □□ □ □ □□□ □□□ □□□ □□□□□?

- A. 255.255.255.0
- B. 255.255.255.128
- C. 255.255.255.240
- D. 255.255.255.254

Answer: A ([LEAVE A REPLY](#))

10.20.10.15 □ 10.20.10.254□ □□□ □□□□ □□□ □□□.

255.255.255.0□ □□□ □□□□□ □□□.

NEW QUESTION: 23

□□ □□□□ □□□ □□□ Windows □□ OS□ □□□□ □□□□. □□ □□□ 4TB □□□ □□□ □□□□□. OS□□ □□□□ □ □□ □ □□□ □□□□□ □□□□ □□□ □□□.

- A. □□□ MBR□ □□□
- B. □□□ GPT□ □□□
- C. □□□□□ UEFI □□□
- D. □□□ □□ □□□ □□□ □□□□□ □□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

□□□□ □□ □□□ □□□ □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □□ □ □□□□□?

- A. □□□
- B. □□ □□
- C. □□□
- D. □□ □□□

Answer: A ([LEAVE A REPLY](#))

□□□ □□□ □ □□ □□□ □□□ □□ □□ □□□□□.

- * □□
- * □□ □□□□□□ □□□ □□□□ □□ □□□ □□□
- * □□
- * □□ □
- * □□□
- * □□□
- * □□ □□□ □□ □□ □□
- * □□ □□ □□ □□□

NEW QUESTION: 25

NEW QUESTION: 29

□□□□ Linux □□□ □□□□□□ □□□□ □□ □□□ □□□□□ □□□. □□□ □□□□ □□□ □□□ □□□□.

eth0: □□□=4163<UP, BROADCAST,RUNNING,MULTICAST> mtu 1500 inet

127.0.0.1 □□□□ 255.255.0.0 □□□□□□ 127.0.0.1

□□ □ □□ □□ □□□□ □□□ □□ □ □□□□ □□ □□□□□?

- A. DHCP □□□ □□ □□□□□□ DHCP□ □□□□□ □□□ □□□
- B. □□□ DHCP□ □□□□□ □□□□□□ DHCP □□□ □□□ MTU □□□ □□□□ □□□□.
- C. □□□ DHCP□ □□□□□ □□□□□□ DHCP □□□ □□□ □□□ □□□□ □□□ □□□□.
- D. □□□ □□ □□ □□□ □□ □□□□□□ DHCP□ □□□□□ □□□□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 30

□□ □□□□ Linux □□□□ MySQL□ □□□□ □ □□□□ □□ □□□□. □□□□ getenforce □□□ □□□□ □□ □□□ □□□ □□.

># □□

MySQL□ □□□□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□ □ □□□□□?

- A. □□□□ 0
- B. setenforce □□
- C. □□□□ 1
- D. setenforce □□□□

Answer: A (LEAVE A REPLY)

□□:

<https://blogs.oracle.com/mysql/selinux-and-mysql-v2>

NEW QUESTION: 31

□□□□ □□□ □□ □□□□□□□□ □□□□ □□□ □□□□ □□□□. □□ □ □ □□□ □□□□ □□□ □□□ □□□□□?

- A. SAS SSD
- B. SATA SSD
- C. 10000rpm□ SAS □□□□
- D. 15000rpm□ SATA □□□□

Answer: A (LEAVE A REPLY)

□□:

<https://www.hp.com/us-en/shop/tech-takes/sas-vs-sata>

SK0-005 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-005 □□! DumpTop □ □□ **SK0-005** □□ □□□ □□ □□□□, DumpTop SK0-005 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-005 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

Which of the following protocols is used to secure communication between a client and a server?

- A. PKI
- B. SSL
- C. LDAP
- D. DNS

Answer: B (LEAVE A REPLY)

SSL(Secure Sockets Layer) is a protocol for secure communication over a network. It is used to secure communication between a client and a server. TLS(Transport Layer Security) is a protocol for secure communication over a network. It is used to secure communication between a client and a server.

NEW QUESTION: 33

Which of the following is a valid IP address?

192.168.1.1

- A. 192.168.1.1
- B. 192.168.1.1.1
- C. 192.168.1.1.1.1
- D. 192.168.1.1.1.1.1

Answer: A (LEAVE A REPLY)

NEW QUESTION: 34

Which of the following is a valid IP address?

- A. 192.168.1.1
- B. 192.168.1.1.1
- C. 192.168.1.1.1.1
- D. 192.168.1.1.1.1.1

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

Which of the following is a valid IP address?

192.168.1.1

MySQL is a database management system. It is used to store and retrieve data. It is used to store and retrieve data.

- A. 192.168.1.1
- B. setenforce 0
- C. 192.168.1.1
- D. setenforce 1

Answer: A (LEAVE A REPLY)

<https://blogs.oracle.com/mysql/selinux-and-mysql-v2>

NEW QUESTION: 36

□□□ □□□ □□□ □□ □□ □□ □□□ □□□ □□ □□□□. □□ □□□□ □□□ □□□ PDU□ □□□ □□ □□ □□ □□□ □□□ □□□□□. □ PDU□ □□ □□ UPS□ □□□□□. □□ □ □□□ □□ □□□□ □□ □□□ □□□□□?

- A. □ UPS □□ □□ □□□ □□□□□□□.
- B. UPS □□□□ □□□□□□□.
- C. □□ □□ □□ □□ □□ □□□ □□□ □□□□□□.
- D. □ PDU□□ □□ □□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□ □ □□□□ □□ □□ □ IT □□□ □□□ □□□□□ □ □ □□□ □□□ □□□□□?

- A. □□□□ □□□ □□
- B. □□□□ □□ □□
- C. □□□ □□ □□
- D. □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38


□□□ □□□□ □□□□□ □ □ □□□ □□□ □□□□□□. □□□ □□□□ □ □□ □□□□□□ □□□□. □ □□□ □□ □□ □ □□□ □□□□ □ □□□ □□□ □□ □□□□ □□□□□. □□□ □□ □□□□ □ □□□□ □□□ □□□ □□□□ □□□□ □ □□□ □□□□ □□□□. □□□□ □□□□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□□□□. □□

□□

□□ □□□ □□□□□□.

1. □□□ □□□ □□□□ □□□ □□□□ □□□□□.
2. □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□.

□□□□ □□□□□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□□□□.



Proxy Server Routing Table

Destination	Netmask	Gateway	Interface
0.0.0.0	0.0.0.0	<div style="border: 1px solid black; padding: 2px;"> ▼ 192.168.3.0 192.168.4.0 192.168.1.1 192.168.2.0 192.168.1.0 192.168.4.1 192.168.2.1 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.2.2 </div>	<div style="border: 1px solid black; padding: 2px;"> ▼ 192.168.4.1 192.168.1.1 192.168.3.0 192.168.1.0 192.168.2.2 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.4.0 192.168.2.1 192.168.2.0 </div>
192.168.1.0	255.255.255.0	<div style="border: 1px solid black; padding: 2px;"> ▼ 192.168.3.0 192.168.4.0 192.168.1.1 192.168.2.0 192.168.1.0 192.168.4.1 192.168.2.1 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.2.2 </div>	<div style="border: 1px solid black; padding: 2px;"> ▼ 192.168.4.1 192.168.1.1 192.168.3.0 192.168.1.0 192.168.2.2 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.4.0 192.168.2.1 192.168.2.0 </div>

Answer:

Proxy Server Routing Table

Destination	Netmask	Gateway	Interface
0.0.0.0	0.0.0.0	▼	▼
		192.168.3.0	192.168.4.1
		192.168.4.0	192.168.1.1
		192.168.1.1	192.168.3.0
		192.168.2.0	192.168.1.0
		192.168.1.0	192.168.2.2
		192.168.4.1	0.0.0.0
		192.168.2.1	192.168.3.1
		0.0.0.0	255.255.255.0
		192.168.3.1	192.168.3.2
		255.255.255.0	192.168.4.0
		192.168.3.2	192.168.2.1
		192.168.2.2	192.168.2.0
192.168.1.0	255.255.255.0	▼	▼
		192.168.3.0	192.168.4.1
		192.168.4.0	192.168.1.1
		192.168.1.1	192.168.3.0
		192.168.2.0	192.168.1.0
		192.168.1.0	192.168.2.2
		192.168.4.1	0.0.0.0
		192.168.2.1	192.168.3.1
		0.0.0.0	255.255.255.0
		192.168.3.1	192.168.3.2
		255.255.255.0	192.168.4.0
		192.168.3.2	192.168.2.1
		192.168.2.2	192.168.2.0

NEW QUESTION: 39

□□ □□□□ □□□ □ CPU□ □□□□ □□□□ □□ □□□□ □□ □□□□□.

□□ □□□ □ □ □□□□ □□□ □□□□□□ □□□□□. □□□□ □□□ □□ □□ □□□ □□□□□ □□□□□. □□ □□ □ □

□ □□ □□ □ □□□□ □□ □□□ □□ □ □□□ □□□□□?

A. CPU□ □□ □□□ □□ □□□□.

B. □□□ □ □□□□□ □□□□.

- C. □□□□ □□□ □□□□□□.
- D. □□ □□□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

□□□□ □□□□ □□ □□□ □□□ □□ □□ □□□□ □□□□. □□ □ □□□□ □□□ □ □□ □□ □□ □□□□ □□□ □□□ □□□ □□□?

- A. FCoE
- B. □□□□ RAID
- C. □□□□□ RAID
- D. JBOD

Answer: C ([LEAVE A REPLY](#))

□□□□□ RAID□ □□ HD□ □□□□ □□□ □□□□□ □□ □□ □□□□□□. □□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□. JBOD□ □□ □□□□□□.

<https://www.techtarget.com/searchstorage/definition/software-RAID-software-redundant-array-of-independent-disk#>

NEW QUESTION: 41

□□□□ SSH□ □□ □□ □□□□ □□□□□□ □□□. □ □□□ □□□□□ □□ □□ □ □□ □□□ □□□□ □□□?

- A. /root.ssh/sshhd/config
- B. /etc.ssh/sshhd_config
- C. /□□/.ssh/ssh_config
- D. /etc.sshs_shd_config

Answer: B ([LEAVE A REPLY](#))

<https://www.linuxfordevices.com/tutorials/linux/enable-disable-root-login-in-linux>

NEW QUESTION: 42

□□ □ Linux □□□ □□□ □□□□□ □□□□□ □□ □□□ □□□□ □□□ □□□□□?

- A. VBS
- B. □
- C. □□
- D. □□□
- E. □□

Answer: ([SHOW ANSWER](#))

□□:

<https://redmondmag.com/articles/2016/02/09/logon-scripts-for-active-directory.aspx>

NEW QUESTION: 43

□□□ □□ □□□ □□□ □□ □ □□ □□□ □□□ □□ □ □□□□□?

- A. □□ □□□
- B. □□□□ □□□
- C. □□ □□ □□□

D. □□ □□ □□□

Answer: D ([LEAVE A REPLY](#))

□□□ □□ □□ □□□□ □□□□ □□ □□□ □□□ □ □□□□.

NEW QUESTION: 44

□□□□ □□ □□□ □□□ □□□□ □□ □□ □□ □□□ □□□□ □□□. □□ □ □□□□ □□□ □□□ □□□□□ □□ □□□
□ □□ □□ □□□□□?

A. IP KVM

B. VNC

C. □□□ □□

D. RDP

E. SSH

Answer: D ([LEAVE A REPLY](#))

□□:

<https://phoenixnap.com/blog/what-is-bare-metal-server>

NEW QUESTION: 45

□□ □ □□ □□ □ □□□ □□□□ □ □□□□ □□□ □□□□ □□□ □□ □□□□□?

A. RTO

B. MTBF

C. RPO

D. MTTR

Answer: C ([LEAVE A REPLY](#))

□□□ RPO□ □□□ □ □ □□ □ □□ □□□□□.

□□ □□□ □□ □□ □□□ □□ □□□ □□.

□□□ □□ - □□ □□□ □□ □□□ □□ □□□ □□□ □□□ □ □□ □□□□□□ □□□.

□□□ □□ □ □□□□ □□□□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □ □ □□□□.

□□□ □□ □ □□ □□ □□.

□□ □□ □□□□ □□□□□ □□□ □□ □ □□ □□ □□, □□□ □□ □ □□□ □□□□ □□ □□□ □□□□□.

□□ □□ □□□ □□ □□.

NEW QUESTION: 46

□□□□ □ □□□□ □□□□ □□□□□ □□□ □□□□ □□□□. □□ □□ □□□□ □□□ □□□□ □□□ □ □□□□ WWPN
□ □□□□□. □□ □ □□□ □□□ □□□□ □□□ □□□□□?

A. eSATA

B. NFS

C. iSCSI

D. FcoE

Answer: ([SHOW ANSWER](#))

SK0-005 <https://www.dumptop.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

Which of the following is a valid IPv4 address?

- A. 192.168.1.1
- B. 192.168.1
- C. 192.168
- D. 192.168.1.1.1

Answer: (SHOW ANSWER)

NEW QUESTION: 48

Which of the following is a valid IPv4 address?

- 192.168.1.1
- IP 192.168.1.1
- NIC 192.168.1.1 DNS 192.168.1.1
- 192.168.1.1.1
- A. 192.168.1.1
- B. 192.168.1.1 DNS A 192.168.1.1
- C. 192.168.1.1 IP 192.168.1.1
- D. 192.168.1.1 NIC 192.168.1.1 DNS 192.168.1.1 localhost 192.168.1.1
- E. 192.168.1.1 ipconfig 192.168.1.1 IP 192.168.1.1

Answer: (SHOW ANSWER)

NEW QUESTION: 49

Which of the following is a valid IPv4 address?

- A. 200.1.1.1 1Gb NIC 200.1.1.1 NAS 200.1.1.1
- B. 200.1.1.1 200.1.1.1 200.1.1.1 NAS 200.1.1.1
- C. 200.1.1.1 SCSI 200.1.1.1 200.1.1.1 NAS 200.1.1.1
- D. 200.1.1.1 HBA 200.1.1.1 200.1.1.1 NAS 200.1.1.1

Answer: A (LEAVE A REPLY)

NEW QUESTION: 50

Which of the following is a valid IPv4 address?

D. SAS SSD

Answer: B (LEAVE A REPLY)

NEW QUESTION: 55

Which storage protocol is used by SAS SSDs? (Select two.)

- A. SAS SSD
- B. SATA SSD
- C. SAS HDD
- D. SATA HDD

Answer: (SHOW ANSWER)

NEW QUESTION: 56

Which protocol is used to resolve IP addresses to hostnames? (Select two.)

- A. DHCP DNS
- B. DHCP DNS
- C. DHCP IP
- D. DNS

Answer: (SHOW ANSWER)

NEW QUESTION: 57

Which virtual machine monitor (VMM) is used by VMware ESX/ESXi? (Select two.)

- A. VMX
- B. VMX
- C. VMX
- D. VMX P2V

Answer: (SHOW ANSWER)

Important

Changing the offline action affects the behavior of the virtual machine if a failover occurs. For example, if you choose a shutdown action and a failover occurs, the virtual machine will shut down instead of fail over to another node.

https://forsenergy.com/en-us/virtual_help/html/1325909c-5878-4674-a152-3fd3d4e8e3c6.htm

NEW QUESTION: 58

Which protocol is used to resolve IP addresses to hostnames? (Select two.)

- A. DHCP DNS
- B. DHCP DNS
- C. DHCP IP

SK0-005 <https://www.dump-top.com/CompTIA/SK0-005-dump.html> SK0-005 <https://www.dump-top.com/CompTIA/SK0-005-dump.html>! DumpTop <https://www.dump-top.com/CompTIA/SK0-005-dump.html> **SK0-005** <https://www.dump-top.com/CompTIA/SK0-005-dump.html> <https://www.dump-top.com/CompTIA/SK0-005-dump.html>, DumpTop SK0-005 <https://www.dump-top.com/CompTIA/SK0-005-dump.html> <https://www.dump-top.com/CompTIA/SK0-005-dump.html>. <https://www.dump-top.com/CompTIA/SK0-005-dump.html> <https://www.dump-top.com/CompTIA/SK0-005-dump.html> DumpTop SK0-005 <https://www.dump-top.com/CompTIA/SK0-005-dump.html>. <https://www.dump-top.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 62

Which of the following SMART attributes is used to measure the number of read errors per sector?

- A. SMART attribute 197.
- B. SMART attribute 199.
- C. SMART attribute 200.
- D. SMART attribute ECC.

Answer: A ([LEAVE A REPLY](#))

<https://www.seagate.com/support/kb/my-system-reported-a-smart-error-on-the-drive-184619en/>

NEW QUESTION: 63

Which of the following is a type of network topology?

- A. Ring
- B. Mesh
- C. Bus
- D. Star

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which of the following is a type of network protocol?

- A. VLAN
- B. DNS
- C. OS
- D. HIDS

Answer: ([SHOW ANSWER](#))

Which of the following is a type of network protocol?

- A. DNS
- B. LAN
- C. OS
- D. HIDS

<https://www.techtarget.com/whatis/definition/intermediate-distribution-frame-IDF#>

NEW QUESTION: 65

SMART attributes are used to monitor the health of a hard drive. Which of the following SMART attributes is used to monitor the number of reallocated sectors?

- A. SMART attribute 05 (Reallocated Sectors Count).
- B. SMART attribute 03 (Bad Sectors).
- C. SMART attribute 07 (Seek Error Rate).
- D. SMART attribute 09 (Power-On Hours).

Answer: C (LEAVE A REPLY)

00:

<https://www.backblaze.com/blog/what-smart-stats-indicate-hard-drive-failures/>

NEW QUESTION: 66

Which of the following is a common cause of a hard drive failure?

- A. Overheating
- B. Power surges
- C. Physical damage
- D. Software corruption

Answer: C (LEAVE A REPLY)

NEW QUESTION: 67

Which of the following is a common cause of a hard drive failure?

- A. Overheating
- B. Power surges
- C. Physical damage
- D. Software corruption

Answer: (SHOW ANSWER)

Overheating is a common cause of hard drive failure. It can lead to data corruption and physical damage to the drive's components.

NEW QUESTION: 68

Which of the following is a common cause of a hard drive failure?

- A. CD-ROM drive
- B. BIOS
- C. Hard drive
- D. PCI slot

Answer: (SHOW ANSWER)

□□ □□□□ □□□ □ NIC□ □□□□ IP □□□ □□ NIC□ □□□□□. □□ □□ □□□□ ping □□□ □□□□ □□□ □□□□□□
□. □□□ □□ ping □ ipconfig □□□ □□ □□□ □□□□□.

```
ipconfig /all  
  
IPv4 address: 192.168.1.5  
Subnet mask: 255.255.255.0  
Default gateway: 192.168.1.1  
  
pinging 192.168.1.1 with 32 bytes of data:  
  
Request timed out  
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128  
Request timed out  
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
```

□□ □ □□□ □□□ □□□□□?

- A. □□ IP □□
- B. DHCP □□ □□
- C. □□□ □□□ □□□
- D. □□□ □□ □□□□□

Answer: (SHOW ANSWER)

NEW QUESTION: 74

□□□ □□□ □ □□□□ URL□ □ □□□□ □□□□ □ □□□ IP □□□ □□□□ □ □□□□ □□□□ □ □□□□. □□ □ □ □
□□ □□□□ □□ □□□□ □□ □□ □□□□□?

- A. □□□□ DHCP□ □□□□□ □□□□□.
- B. □□ □□□ □□□□ □□□□.
- C. DNS□ □□ □□□□□□□.
- D. □□□ □□□□□ □□□ □□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 75

□□□□ Windows □□ □□□□ □□□ □□□ □ □□□□. □□□□ □□□□ □□□□ □□□□ □□ A□ □□□□□ □□□□□. □
□ A□□ □□□ □□ □□ □□□ □□□□□□□□.

- A. □□ □□
- B. IDS □□
- C. □□□ □□
- D. SIEM □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 76

□□ □ □□ □□□□□□ □□□ □□□□ □ □□ □□□ □□ □□ □□□□□?

- A. □ □□□ □□
- B. □□ □□ □ □□
- C. □□ □□□
- D. □□ □□□□ □□□□ □□ □□□□□ □□ □□

Answer: ([SHOW ANSWER](#))

□□□ □□ □ □□□ □□□□ □□ □□□ □□ □□□ □□□□□□.

SK0-005 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-005 □□! DumpTop □ □□ **SK0-005** □□ □□□ □□ □□□□, DumpTop SK0-005 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-005 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

□□□ □□□□ DHCP □□□ □□□ □ □□□ □□□□ □□□□. □□□□ OS□ □□□□□ Active Directory □□ □□□ □□□□ □□□□ □ □□□□. □□□□ □□ □□□ □□□ □□□□ □□□□□ □□□ □□□ IP □□, □□□ □□□ □ □□ □□□□□□ □ □□ □□□□□. □□ □□ □□□□ □□ □□□ □□□□ □ □□□ ping□ □ □□□□. □□ □ □□□ □□□ □□□□□?

- A. □□□ □□□□ □□□□ □□ □□□□.
- B. □□□ □□□□□ □□□ □□□□□□.
- C. □□□□□ □□ 443□ □□ □□ □□□□.
- D. □□ □□□ □□□ □□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

□□ □□□□□ □□□ □□ □□□□ □□□□□□ □□□□□□. □□ □□□□ □□ □□ □□ 3□□ □□ □□ □□ □□ □□□ □□ □□ □□□ □□□□ □□ 6□□□□□□□. □□ □ □□ □□□ □□□ □ □ □□ □□□ □□□□ □□ □□□ □□□□□?

- A. □□ □□ □□□ □□□□□.
- B. □□ □□ □□□ □□□□□.
- C. □□ □□ □□□ □□□□□.
- D. □□ □□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 79

□□□□□ SAN□ □□□□□ □□□ □□□□□. □□□□□□ □□□□ □□□ LED □□□□ □□□□ □□□ □□□ □□□□ □□ □□□□□. □□□□ □ □□ □□□ □□ □□□□ □□ □ □□□ □□□□ □□□□ □□□?

- A. □□□ □□ □□ □□□ □□□□□.
- B. □□□ □□
- C. □□ □□ □□
- D. SAN □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

□□□□ □□□ □□□ □□□□□ □□□□ □□□□. □□□□ □□□□ □□□□ □□□ □□ □□□□ □□□□ □□□□□ OS□
□□□□□. □□□□ □□□□ □□□□ □□ □□ □ □□□ □□□□ □□□□?

- A. □□□□□ □□
- B. □□ □□□□ □□□
- C. F8□ □□ □□ □□□ □□□□□.
- D. □□□□ HIDS □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

□□ □□□□ □□□ □□□ □□□ □□ □□ □□□□ □□□□□ □□□. □□ □ □□□□ □□□□□ □□□ □ □□ □□□□□ □
□□□□□? (□ □□□ □□□□□.)

- A. □□□
- B. □□□ □□
- C. □□□
- D. □□□□□□
- E. CPU
- F. □□□□

Answer: A,E ([LEAVE A REPLY](#))

□□□ □ □□ □□ □□□□□ □□□ 4□□ □□ □□ □□□□ □□□□, □□□, □□□□ □ □□□□□□ □□□□□.
□□□□ - % □□□□ □□
□□□□ - % □□□ □□
□□□ - □□□/□
□□□□ □□□□□ - □□/□
□□□ □□□ - □□□ □□/□
□□□ □□□ - □□ □□□ □□□ □□

NEW QUESTION: 82

□□□□ □□□ □□ □□□ □□ □ □□ □□□ □□□□ □□□ □□□□. □□ □ □□□□ □□ □□□ □□□□ □□ □□□ □□
□ □□□□ □□ □□□□□?

- A. □□ □□ □□□ □□□□□.
- B. □□ □□□ □□□□ □□□ □□ □□□ □□□□□.
- C. □ □□ □□□ □□□□ □□□□□□.
- D. □□□□ □□□ □□ □□, □□ □ □□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 83

□□ □ □□□□ □□□ □□ □□□□ □□□ OS□ □□□□ □□□ □□ □□ □□□□□? (2□ □□).

- A. □□□ □□

□□ □□□□ □□□□□ □□□□.
- □□□ □□□ □□ □□ □□□ □□ □ □□ □□□ □□□ □□□.
□□ □ □□ □□ □□□ □□□□ □□ □□ □□ □□□ □□□□□?
(□ □□□ □□□□□.)

- A. □□□□ □□ □□ □□ □□□□□ □□□□□ □□
- B. □□ □□ □□□ □□ □□□ □□□□□ □□
- C. □□□ □□□□□ □□□ □□□.
- D. □□□ □□□□□ □□ □□□ □□□□ □□
- E. □□□□ □□ □□□ □□□ □ □□□ □□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 87

□□□□ □□□ □□ □□□ OS□ □□□□ □□□ □□□□ □□□□. □□□□ RAID 5 □□□□ □□□ 3□□ □□ □□□□□ □□
□□. □□□ POST□ □□□□ OS□ □□□□ □□□□. □□□□ CPU□ RAM□ □□□□ □□□□□□ □□□□ □□ □□ □□ □□
□ □□□□□. □□ □□ □□□□ □□ BIOS □□□ □□□□ □□□□ □□□ □□ □□□ USB □□□□□ □□□□ OS□ □□□□
□□□□□. □□ □ □□□ □□□ □□□□□?

- A. CPU□ □□□ □□□□□□.
- B. □□□□ □□ RAM □□□ □□□□.
- C. □□□ □□ □□□□□ □□ □ □□□□.
- D. RAID 5□□ 4□□ □□□□□ □□□□□.
- E. □□□ □□□ □□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 88

□□ □□□ PC□ MS-DOS□□ □□□ □□ □□ □□□□□ □□□□ □□□□. □□□□ □ □□□□ □□□□ □□ □□□□ □□□
□. □□ □□□□ □□□□ □□□□□ □□□□□□. □□ □ □□□□ □□□□ □□□□ □□ □□□ □□□ □□□□□?

- A. □□□□ □□□□□ □□□□ □□□□ □□□□□.
- B. □□□ chkdsk □□□□ □□□□□.
- C. □□ □□□□ SSD□ □□□□□□□□□.
- D. □□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□□□ □□ □□□ □□□ □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □□ □ □□□□□?

- A. □□□
- B. □□ □□□
- C. □□□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 90

□□ □□□ □□□ □□ □□□ □□ □□□ NIC□ □□ □□□□□ □□□ □ □□□□. □□□ □□ □□□□ □□□ □□□ □□□□ □□□ □ □□□□.

□□ □ □□ □□□□ □□□ □□□□□ □□ □□□□ □□ □□□ □□□□□?

- A. □□□ □□ □□□
- B. □□ □ □□
- C. RDP □□
- D. □□ □□□ □□
- E. □□ KVM □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

□□□ □□□□ □□□ □□□ □□□ □□ □□ □□ □□ 12□□ Windows □□□□ □□ □□□ □□□□ □□□□. □□ □ □□□□ □□□□□ □ □□□ □□ □□□ 12□ □□ □□□□ □□ □□□ □□□ □ □□ □□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□□□
- B. IP KVM
- C. □□ □□
- D. □□ □□ □□
- E. □□ □□□□ □□□
- F. □□ □□

Answer: ([SHOW ANSWER](#))

□□:

<https://www.blackbox.be/en-be/page/27559/Resources/Technical-Resources/Black-Box-Explains/kvm/> IP□ □□ KVM□ □□

SK0-005 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-005 □□! DumpTop □ □□ **SK0-005** □□ □□□ □□ □□□□, DumpTop SK0-005 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-005 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 92

□□□ □□□ □□ □□ □□□(CIO)□ □□□ □□□ □□□□ □□□ □ □□□ □□□□□.

□□ □ □ □□□ □□□□ □□ □□□□□? (□ □□□ □□□□□.)

- A. RFID
- B. □□ □□□
- C. □□ □□
- D. □□
- E. □□ □□
- F. □□□

Answer: ([SHOW ANSWER](#))

□□□ □□□ □□ □□, □□ □□□ □□□□ □□ □□, □□□ □□□ □□□□ □□ □□□ □□, □□ □□ □ □□ □□□ □□□ □
□□ □ □□□□.
□□ □ □□□ □□ □□□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□□.

NEW QUESTION: 93

□□ □ □□ □□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□□□?

A. MFA □□ □ □□□ □□

B. Telnet □□ □□

C. □□ □□□ □□ □□

D. □□ □□ □□□ □□ □□

Answer: A ([LEAVE A REPLY](#))

□□ □□□□ □ □□ □□□ □□□□□ □□ MFA.

□□ □ □□(□□□□ □□□ □□□□ □□□ □□)□ □ □□ □□ □□□ □□□□.

- □□□ □□□ □□□□ □□ □□

- □□ □□□□ □□□□ QR □□

- □□ □□ □□ □□ □□□ □□ □□ □□ □□□

- □□ □□□ □□ □□ □□

NEW QUESTION: 94

□□ □□□□ □□□□□ □□□ □□□ IPv6 □□ □□ □□□ □□□ □□□ □□□ □□□□ □□□□. □□ □ □□□□ □□□ □□
□□ □□ □□□□ □□□ □□□□□?

A. 192.168.0.10

B. 10.40.251.33

C. 2901:4868:4800::8844

D. fd00:1348:4ef0:1ab9::1fd4

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 95

□□□□ Linux □□□ NAS□ □□□ □□□□ □□□□. □□ □ □ □□□ □□□ □□ □□□ □□□□ □□□□□ □□□□□?

A. CIFS

B. FTP

C. SFTP

D. NFS


Answer: ([SHOW ANSWER](#))

Which of the following is a common method for preventing data loss from various sources?

- A. Data Loss Prevention (DLP)
- B. Data Backup
- C. DLP Software
- D. Data Encryption

Answer: (SHOW ANSWER)

Which of the following is a common method for preventing data loss from various sources?



Source: <https://www.imperva.com/learn/data-security/data-loss-prevention-dlp/>

NEW QUESTION: 99

Which of the following is a common method for preventing data loss from various sources?

- A. Data Loss Prevention (DLP)
- B. Data Backup
- C. DLP Software
- D. Data Encryption

Answer: (SHOW ANSWER)

NEW QUESTION: 100

Which RAID configuration is most suitable for a database server that requires high performance and data redundancy? (3 correct answers.)

1. RAID 0 provides high performance but no redundancy.
 2. RAID 1 provides high performance and data redundancy.
 3. RAID 5 provides high performance and data redundancy.
- Which RAID configuration is most suitable for a database server that requires high performance and data redundancy? (3 correct answers.)
- A. RAID 0 provides high performance but no redundancy.
 - B. RAID 1 provides high performance and data redundancy.
 - C. RAID 10 provides high performance and data redundancy.
 - D. RAID 5 provides high performance and data redundancy.
 - E. RAID 10 provides high performance and data redundancy.
 - F. RAID 5 provides high performance and data redundancy.
 - G. OS RAID provides high performance and data redundancy.

Answer: B,C,E (LEAVE A REPLY)

RAID 5 provides high performance and data redundancy.

NEW QUESTION: 101

Which VM configuration is most suitable for a database server that requires high performance and data redundancy? (3 correct answers.)

- A. VM with RAID 10
- B. VM with RAID 1
- C. VM with RAID 5
- D. VM with RAID 0

Answer: A (LEAVE A REPLY)

VM:

https://forsenergy.com/en-us/virtual_help/html/1325909c-5878-4674-a152-3fd3d4e8e3c6.htm

NEW QUESTION: 102

Which RAID configuration is most suitable for a database server that requires high performance and data redundancy? (3 correct answers.)

- A. RAID 10 provides high performance and data redundancy.
- B. RAID 1 provides high performance and data redundancy.
- C. RAID 5 provides high performance and data redundancy.
- D. OS RAID provides high performance and data redundancy.

Answer: A (LEAVE A REPLY)

Vulns RAID provides high performance and data redundancy.

NEW QUESTION: 103

Which RAID configuration is most suitable for a database server that requires high performance and data redundancy? (3 correct answers.)

- A. RAID 10 provides high performance and data redundancy.

- B. IP KVM
- C. □□ □□
- D. □□ □□ □□
- E. □□ □□□□ □□□
- F. □□ □□

Answer: ([SHOW ANSWER](#))

1. Remotely Access Computers and Software

Take control of all remote computers, servers and virtual machines on your LAN or WAN by connecting your KVM switches over your existing IP network. KVM over IP combines the advantages of remote access software with the benefits of KVM switching technology. Like most KVM switches, KVMoIP products don't require any software to be loaded on the host computers. They interface directly with the keyboard, monitor, and mouse connectors of the host computer or KVM switch. The KVM over IP switch digitises the incoming video signal and processes it into digital data that is communicated to a remote client computer over a LAN/WAN or the public internet.

<https://www.blackbox.be/en-be/page/27559/Resources/Technical-Resources/Black-Box-Explains/kvm/Benefits-of-using-KVM-over-IP>

NEW QUESTION: 104

□□ □□□□ □□□ □□□ □□□ □□ □□□□ □□ □□□. □□□□ □□□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□□ □□ □□□□□□. □□ □□ □□□ □□□□. □□ □ □□□ □□□ □□□□ □ □□□ □□ □□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 105

□□ □□□□ □□□ □□□ UPS□ □□□□ □□□□ □ □□□ □□□□ □□□ □□ □□□□□□. □□ □ □□ □□□□ □□ □□□ □□□□□?

- A. □□□ □□□□ □□□□□□□□.
- B. □□□ □□□ □□□□ □□□□ □□□□.
- C. □□□□ □□□ □□□□.
- D. □□ □□□□ □□□□ □□

Answer: C ([LEAVE A REPLY](#))

□□□ □□ □□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□. □□□ □□□(1~2□ □□ □□ □□□ □□)□ □□□□□ UPS□ □□□ □□□ □□ □□□□□ □□ □□□□ □□ □□□□□.

NEW QUESTION: 106

Windows, *nix □ Macintosh □□ □□ □□□ □□□□ □□ USB □□□□□ □□□□□□. □□ □□□□ □□□□□ □□ □ □ □□□ □□□ □□ □□ □□□ □ □□ □□ □□□ □□□□□?

- A. NTFS

- B. FAT32
- C. □□2
- D. UFS

Answer: B ([LEAVE A REPLY](#))

SK0-005 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ SK0-005 □□! DumpTop □ □□ **SK0-005** □□ □□□ □□ □□□□, DumpTop SK0-005 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop SK0-005 □□□ □□□□□. <https://www.dumptop.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 107

- □□□□ □□□ □ □□ □□□ □□□□ □ □□□ □ □□ □□□ □□ □□□ □□□□ □□□□ □□□□. □□ □ □□ □□ □□ □□ □□□□□?
- A. □□ □□□ □□ □ □□ □□ □□ □□
 - B. □□ □□□ □□ □□□ □□ □□ □□ □□
 - C. □□ □□□ □□□ □□
 - D. □□ □□□ LTO-4 □□□ □□□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 108

- □ □□□□ □□□□□ □□□ □ □□□ □□□ □□□□ □□ □□□□ □ □□ □□ □□□ □□□□□?
- A. □□□□□ □□-□□□□ □□□□□.
 - B. □□□□ □□□□□ □□□□□□□.
 - C. □□ □□□□ □□□.
 - D. □□ VM□ □□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 109

- Linux □□□□ □□□□ □□□□. □□□ □ □□□□□ □□□ □□□□□□ □□□□□□□. /etc/ f stab □□□□ □□ □□□ □□□□.
- ```
nfsserver:/home /home nfs □□□ 0 0
□□□ df -h /home □□□ □□ □□□ □□□□□.
```
- ```
/dev/sda2 10G 1G 9G 10% /□
```
- □ □□□□ □□□ □□□□ □□ □□ □□ □□□□ □□ □□ □□□□□?
- A. rmdir nfsserver:/home/dev/sda2
 - B. □□□ /□
 - C. mkdir /□
 - D. umount nfsserver:/home

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 110

□□□ □□□ □□ □□□ □□□ □□ □□□□ □□ □ □□□□ □□□ □□□□□□. □□ □ □□ □□□ □□□□ □ □□□ □□
□□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□□□ □□□□
- B. VNC
- C. ILO
- D. SSH
- E. □□□□□ □□□□
- F. iDRAC

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 111

□□□□ □□□ □□ □□□□□□□□ □□□□ □□□ □□□□ □□□□.
□□ □ □ □□□ □□□□ □□□ □□□ □□□□□?

- A. SAS SSD
- B. SATA SSD
- C. 10000rpm □ SAS □□□□
- D. 15000rpm □ SATA □□□□

Answer: ([SHOW ANSWER](#))

1. The bytes that make up your document are saved in storage.

2. The computer signals to storage that it needs the bytes.

3. The bytes leave storage via the SAS and SATA cables and travel to the CPU at the motherboard - it's the CPU that runs Microsoft Word.

4. When you've finished writing for the day, you save the file.

5. The bytes travel back along the SAS or SATA cables and reenter storage.

<https://www.hp.com/us-en/shop/tech-takes/sas-vs-sata>

NEW QUESTION: 112

□□□ □□□ □ □□□ □□□ □□□□ □□ □□ □ □□□□ □□ □□ □□□ □□□ □□□□□?

- A. □□□/□□□□□□□□ □□□□□□.
- B. □□□ □□□ □□□□□.
- C. □□□ □□□ □□ □□□ □□□□□.
- D. □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 113

□□□ □□ □□ □□ □□□ □□□□□□. □□ □□□ □□□□□ □□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□
□□□.

□□ □ □□□ □□ □□□□ □□ □□ □□□ □ □□ □□ □□□□□? (2□ □□).

- A. □□

- B. □□
- C. RAM
- D. CPU
- E. □□ □□□□
- F. GPU

Answer: E,F ([LEAVE A REPLY](#))

NEW QUESTION: 114

□□ □ □□□□□ □□□□ □□□□□ □□□□□ □□□□□?

- A. □□ □□
- B. □□□
- C. □□□ □□
- D. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 115

□□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□ □□□ □□ □□ □□ □□□□□□□. □□□□ □□□□ □□□□□□□ □□ □□ □□ □□□ □□□ □□ □□□□. □□ □□□□ □□□ □□□ □□□ □ □□□□ □□□ □□□□ □□□ □□ □□□. □□ □ □□□ □□ □□□□ □□ □□□□ □□ □□ □□ □□□□□? (□ □□□ □□□□□.)

- A. □□□ OS □□□□□ □□□□□.
- B. □□□ NTP□ □□□□ □□ □□□□.
- C. □□□□ □□ □□□ □□□□ □□□□□□□□□□.
- D. □□□ CMOS □□□ □□□ □□□□.
- E. □□□ □□ □□ □□□ □□□ □□□□.
- F. □□□ □□□□□ LED □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

□□ □□□□ 10GBASE-T □□ □□□ □□ □□□□ □□□□ □□□□. □□□ □□□□□ 75m(246ft), □□ □ □□□□ □□□□ □□ □□□ □□□ □□□□□?

- A. □□□ 5e
- B. □□□ 5
- C. □□□□ 6a
- D. □□□ 6

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

□□ □□□□ □□□ □□□ □□□ □□ Linux □□□□ □ □□ □□□□ □□□□□□□□. /newdisk. □□□ □□□□ □ □□□ □□□□ □□□□□ □□□ □□□ □ □□ □□□ □□□□□□□□. □□ □ □□ □□□□□ □□ □□ □□□□□ □□□□□ □□□□□ □□□ □□□□□?

- A. □ □□ /newdisk

B. `mount /newdisk >> /etc/fstab`

C. `mount -a`

D. `mount -o rw, rw /newdisk`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 118

Which of the following is a common method for detecting network-based attacks? (Select two)

A. Intrusion Detection System (IDS)

B. Network Intrusion Prevention System (NIPS)

C. Security Information and Event Management (SIEM)

D. NIDS (Network Intrusion Detection System)

Answer: B ([LEAVE A REPLY](#))

Which of the following is a common method for detecting network-based attacks? (Select two)

A. Intrusion Detection System (IDS)

B. Network Intrusion Prevention System (NIPS)

C. Security Information and Event Management (SIEM)

D. NIDS (Network Intrusion Detection System)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 119

Which of the following is a common method for detecting network-based attacks? (Select two)

A. Intrusion Detection System (IDS)

B. Network Intrusion Prevention System (NIPS)

C. SIEM

D. NIDS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 120

Which of the following is a common method for detecting network-based attacks? (Select two)

A. Intrusion Detection System (IDS)

B. Network Intrusion Prevention System (NIPS)

C. SIEM

D. NIDS

Answer: D ([LEAVE A REPLY](#))

```
ipconfig/all
```

```
IPv4 address: 192.168.1.5  
Subnet mask: 255.255.255.0  
Default gateway: 192.168.1.2
```

```
Pinging 192.168.1.2 with 32 bytes of data:
```

```
Reply from 192.168.1.2: Request timed out  
Reply from 192.168.1.2: Request timed out  
Reply from 192.168.1.2: Request timed out  
Reply from 192.168.1.2: Request timed out
```

□□□□ □□□□ □□□□ □□□ □□□ □□□ □□ □□ □□□□ □□□□□. □□ □ □□□□ □□□ □□ □□ □□ □ □□□ □
□□□□?

- A. □□□□ □□ □□□ NIC
- B. □□ □□□ DHCP □□
- C. □□□□ VLAN □□
- D. □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

□□ □□□□ 8□□ □□ □□□□□ □□ □□□ □□□□ □□□□. □□ □□□ □□ 2□□ □□□□ □□□ □□□ □ □□□ RAID
□□□□□ □□ □□□□ □□□□ □□□ □□□□ □ □□ RAID □□□ □□□□□. □□ □ □□□□ □ □□□□ □□□□ □□ □□
□□ □□ RAID □□□ □□□□□?

- A. RAID 0
- B. RAID 5
- C. RAID 6
- D. RAID 10

Answer: **C** ([LEAVE A REPLY](#))

□□ □□□□ □□ RAID 6 □□□ □□□□□
RAID 6 □□□ RAID 0 □ RAID 5□ □□□ □□□□ □□ 4□□ HDD□ □□□□ □□□□□ □□□ □□□ 2□□ □□□□ □□□□□.
□ □□ RAID 6 □□□□ □ □□ HDD□ □□□ □□□□□□ □□□□ □□□ □ □□□□. □□□ RAID 5□□ □□□□ □□□ □□□
□□□□ □□□□ □□ □ □□□□. □□ □□□ □□ □□□ □□□ □□□ □□□ □□ □□ □□ □□□□ □□□□□□.
RAID 6□□ □□ 4□□ HDD□ □□□□□.

SK0-005 <https://www.dumptop.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 122

Which of the following is a storage protocol? SD, SAS, SATA, or NAS?

- A. SAS
- B. SD
- C. SATA
- D. NAS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 123

Which of the following is a network protocol? ACL, DNS, FTP, or HTTP?

- A. ACL
- B. DNS
- C. FTP
- D. HTTP

Answer: ([SHOW ANSWER](#))

Which of the following is a network protocol? ACL, DNS, FTP, or HTTP?

SK0-005 <https://www.dumptop.com/CompTIA/SK0-005-dump.html> (492 Q&As Dumps, **30%OFF Special Discount: KrDump**)