

CompTIA.XK0-004.v2023-03-11.q100

□□□□:	XK0-004
□□□□:	CompTIA Linux+ Certification Exam
□□□:	CompTIA
□□ □□ □□□:	100
□□:	v2023-03-11
# □□ □:	1180
# □□ □□□:	1000
https://www.krdump.com/CompTIA.XK0-004.v2023-03-11.q100.html	

NEW QUESTION: 1

□□□ □□□□ □□□ Joe□ Ann□ □□□□ □ □□ □□□□ □□□ □□□□□. □□□ □□□□
□ □□ □□□ □□□ □□□□ □□ □□□□□ □□□□ □□□.
□□ □ □□□ □□□□ □□□ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□?

- A. pkill -u □ □
- B. renice 11 -u joe ann
- C. nohup -u joe ann
- D. strace -u □ □

Answer: B ([LEAVE A REPLY](#))

□□/□□: <https://www.computerhope.com/unix/renice.htm#:~:text=On%20Unix%2Dlike%20operating%20□□□,%20□□□%20□□%20of%20renice>

NEW QUESTION: 2

□□ □□ □□□□□□□ □□ □□□ □□□ □□□□ □□ □□□ □□ □□□□□ □
□□ □□□□□.
□□
□□□ □□ □□□ □□ □□□□□.
□□ □□□□ □□□ □□□ □□□ □□□ □□□□.
□□□ □ □□ □□□ □ □□□ □□ □□□□ □□ □□□□.
□□□□□□ □□ □□□ □□□□□ □□□□ Reset All □□□ □□□□□□.

Command Output

View Login Log

Commands

```
grep "Mar 13" lastlog
tr "[A-Z]" "[a-z]" < lastlog | grep -i "mar 12"
awk '{ print toupper($0) }' lastlog
tr "[a-z]" "[A-Z]" < lastlog | grep -i "mar 12"
awk '{ print $1 }' lastlog | sort | uniq
awk '{ print $1 }' lastlog | uniq
awk '{ print $2 }' lastlog | sort | uniq
grep lastlog "Mar 13"
grep Mar 13 lastlog
awk '{ print $1 }' lastlog | sort | uniq -c
grep "Mar13" lastlog
grep -i "mar 12" lastlog | sed 's/[a-z]/[A-Z]/g'
```

[comptia@localhost exercise]\$

```
eric pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
david pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
ann pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
chris pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
carl pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
joe pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
lee pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
```

[comptia@localhost exercise]\$

```
COMPTIA PTS/1 :0 Sun Mar 12 14:20 - 09:48 (1+19:28)
CHRIS PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
REBOOT SYSTEM BOOT 3.10.0-693.21.1. Sun Mar 12 11:01 - 13:26 (2+02:24)
LEE PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA PTS/0 :0 Sun Mar 12 14:14 - 14:22 (00:07)
ERIC PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA PTS/0 :0 Sun Mar 12 11:37 - 11:58 (00:20)
REBOOT SYSTEM BOOT 3.10.0-693.21.1. Sun Mar 12 11:02 - 13:26 (2+02:23)
DAVID PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA PTS/0 :0 Sun Mar 12 09:53 - 10:59 (01:05)
COMPTIA :0 :0 Sun Mar 12 11:01 - 11:01 (00:00)
REBOOT SYSTEM BOOT 3.10.0-693.21.1. Sun Mar 12 10:59 - 13:26 (2+02:26)
COMPTIA :0 :0 Sun Mar 12 11:03 - 13:26 (2+02:22)
COMPTIA PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
ANN PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
CARL PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
REBOOT SYSTEM BOOT 3.10.0-693.EL7.X Sun Mar 12 09:39 - 10:59 (01:19)
JOE PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA :0 :0 Sun Mar 12 09:43 - DOWN (01:15)
COMPTIA PTS/0 :0 Sun Mar 12 11:04 - 11:34 (00:30)
```

[comptia@localhost exercise]\$

```
ann
carl
chris
comptia
david
eric
joe
lee
reboot
```

Answer:

Command Output

[View Login Log](#)

Commands

```
grep "Mar 13" lastlog
tr "[A-Z]" "[a-z]" < lastlog | grep -i "mar 12"
awk '{ print tolower($0) }' lastlog
tr "[a-z]" "[A-Z]" < lastlog | grep -i "mar 12"
awk '{ print $1 }' lastlog | sort | uniq
awk '{ print $1 }' lastlog | uniq
awk '{ print $2 }' lastlog | sort | uniq
grep lastlog "Mar 13"
grep Mar 13 lastlog
awk '{ print $1 }' lastlog | sort | uniq -c
grep "Mar13" lastlog
grep -i "mar 12" lastlog | sed 's/[a-z]/[A-Z]/'
```

```
[comptia@localhost exercise]$ tr "[A-Z]" "[a-z]" < lastlog | sort | uniq
eric pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
david pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
ann pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
chris pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
carl pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
joe pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
lee pts/3 :0 Mon Mar 13 10:52 - 08:48 (1+12:50)
```

```
[comptia@localhost exercise]$ grep Mar 13 lastlog
COMPTIA PTS/1 :0 Sun Mar 12 14:20 - 09:48 (1+19:28)
CHRIS PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
REBOOT SYSTEM BOOT 3.10.0-693.21.1. Sun Mar 12 11:01 - 13:26 (2+02:24)
LEE PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA PTS/0 :0 Sun Mar 12 14:14 - 14:22 (00:07)
ERIC PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA PTS/0 :0 Sun Mar 12 11:37 - 11:58 (00:20)
REBOOT SYSTEM BOOT 3.10.0-693.21.1. Sun Mar 12 11:02 - 13:26 (2+02:23)
DAVID PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA PTS/0 :0 Sun Mar 12 09:53 - 10:59 (01:05)
COMPTIA :0 :0 Sun Mar 12 11:01 - 11:01 (00:00)
REBOOT SYSTEM BOOT 3.10.0-693.21.1. Sun Mar 12 10:59 - 13:26 (2+02:26)
COMPTIA :0 :0 Sun Mar 12 11:03 - 13:26 (2+02:22)
COMPTIA PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
ANN PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
CARL PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
REBOOT SYSTEM BOOT 3.10.0-693.EL7.X Sun Mar 12 09:39 - 10:59 (01:19)
JOE PTS/2 :0 Sun Mar 12 14:52 - 09:48 (1+18:56)
COMPTIA :0 :0 Sun Mar 12 09:43 - DOWN (01:15)
COMPTIA PTS/0 :0 Sun Mar 12 11:04 - 11:34 (00:30)
```

```
[comptia@localhost exercise]$ tr "[A-Z]" "[a-z]" < lastlog | grep -i "mar 12"
ann
carl
chris
comptia
david
eric
joe
lee
reboot
```

```
COMPTIA :0 :0 Sun Mar 12 09:43 - DOWN (01:15)
COMPTIA PTS/0 :0 Sun Mar 12 11:04 - 11:34 (00:30)
```

```
[comptia@localhost exercise]$ tr "[A-Z]" "[a-z]" < lastlog | grep -i "mar 12"
ann
carl
chris
comptia
david
eric
joe
lee
reboot
```

NEW QUESTION: 3

□□□ Linux □□□□ □□ □□□ host1□ □□ □□□ □□□□ 10□□ ICMP□ □□ □□ □□□ □□□□□ □□□.

□□ □ □□□□ □□□□ □□ □□□ □□□□□?

- A. ping -c 10 □□□1
- B. traceroute -c 10 host1
- C. netstat □□□1
- D. □□ □□ -c 10 host1

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://shapedshed.com/unix-ping/>

NEW QUESTION: 4

Linux □□□□ □□ □□ sudo □□□□ □□ □□□ □□□□□.

Rmp -1 installpackage.rpm --nodeps

□□ □ □□□□ □□□□ □ □□□ □□□□ □□ □□ □□□□□?

A. installpackage.rpm □□□□ □□□□ □□□ □□ □□□□ □□□□.

B. installpackage.rpm □□□□ □□□□ □□□ □□□□ □□□□ □□□□.

C. installpackage.rpm □□□□ □□□□ □□□ □□□□ □□□□.

D. installpackage.rpm □□□□ □□□□ □□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

□□□□ □□□ □□ □□ CPU □□□□ □□□□ □□□. □□ □ □ □□□ □□□ □□□ □□□□ □□?

A. /etc/devices/info.conf

B. /proc/cpuinfo

C. /dev/proc/cpu

D. /sys/dev/cpuinfo

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

□□ □□ □□□□□ /tmp □□□□□ 1KB □□□ □□□□ □□ □□□□□□ □□□ □□ □□ □ □□ □□□□□. □□□ □□□ □□□□. □□ □□□□□ /tmp □□□□□ □□□□ 20GB□ □□ □□□□ □□□□.

□□ □ □ □□□ □□□ □□□ □□ □ □□□ □□ □□□□□?

A. /tmp □□□□□ □□□ □ □□ □□□□ □□□□□□□.

B. /tmp □□□□□ □□□□□ □□□□□.

C. □□ □□□□ 4MB □□ □□□ □□□□□.

D. □□ □□□□ inode□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

□□ □□□ □□□□ Ann□ /etc/yum.conf □□□ □□ □□□□ □□□. □□□ □□□ □□□□□ □□ □□ □□ □□□□ □□□□□.

```
root@comptia:~# echo "line" > /etc/yum.conf
```

```
-su: /etc/yum.conf: Operation not permitted
```

Ann□ □□ □□□ □□ □□ □ □□ □□□ □□□□□.

```
root@comptia:~# ls -l /etc/yum.conf
-rw-r--r-- root root 970 Jan 30 2018 /etc/yum.conf
```

```
root@comptia:~# lsattr /etc/yum.conf
----i-----e-- /etc/yum.conf
```

```
root@comptia:~# df -i /etc/yum/conf
Filesystem      Inodes    IUsed    IFree   IUse% Mounted on
/dev/sda1        524288    192861   331427    37%   /
```

□□ □□ □ Ann□ /etc/yum□ □□□ □□ □□ □□□□ □□ □□□ □□□□□?

- A. chmod 755 /etc/yum.conf
- B. chatr -l /etc/yum.conf
- C. setenforce 0
- D. setfacl -mm:rw /etc/yum.conf

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

□□□□ Joe□ □ □□ □□□ □ □□□□□ □□□ □ □ □□□ □□□□□. □□ □ Linux □□□
□ □ □□□ □□□□ □□ □□ □□□ □□□□ □□□□□. □□□ □□□ □□□□. □□□ □□
□□ □□□□ □□ □□ □□□□. □□ □□ □ □□□□ □ □□□ □□ □□□□ □□ □□□□ □
□ □□ □□ □□ □□□□□?

- A. rm -Rf ~/.*
- B. fsck -y /dev/sda1
- C. df -i
- D. fdisk /dev/sda

Answer: C ([LEAVE A REPLY](#))

□□/□□: <https://www.linuxtechi.com/11-df-command-examples-in-linux/>

NEW QUESTION: 9

□□□ Linux □□□□ Ann□ IP □□□ 192.168.3.22□ □□ □□□□□ □□□□□ □□□□□□ □
□□ □□□□ □□ □□ □□□□□ □□□□□□ □□□□ □□□. □□□ □□ □□□ □□□□ □
□□.

/tmp □□□□. RPM□ □□ □□□□ □□□□□ □ □□ □□ □ □□□□□□ □□□□ □ □□□□
□□ □□ □□ □□ □□□□□?

- A. scp USER@192.168.3.22 ~/software.rpm ./tmp
- B. wget USER@192.168.3.22:/tmp -f ~/software.rpm
- C. scp ~/software.rpm USER@192.168.3.22:/tmp
- D. scp ~/software.rpm USER@192.168.3.22: /tmp

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□□ Linux □□□□ □□ SSH □□□□□ □□□□ □□□□ □□□ □□□□□ □□□. □□ □ □□□ □□ □□ □□□ □□□ □□ □□ □□ □□ □□□□ □□ □□□ □□□□□?

A. ~/ssh/authorized-keys

B. /etc/authorized_keys

C. /etc/ssh/ssh.conf

D. ~/.ssh/authorized_keys

Answer: D ([LEAVE A REPLY](#))

□□:

<https://www.linode.com/docs/security/securing-your-server/>

NEW QUESTION: 11

□□□□ HTTPS□ □□□□ □□□ □□□ □ □□□□. □□□□ □□ □□□□□ □□ □□□ □□ □□□.

```
$ netstat
tcp 0 0 0.0.0.0:80 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:443 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:22 0.0.0.0:* LISTEN
```

□□ □□ □□□□ □□ □□□□□□□□ □□ □□□ □□□□□.

```
$ nmap
PORT STATE
80 open
443 closed
22 open
```

□□ □ □□□□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□?

A. □□ □□ □□□ □□□□

B. □□ 443□□ □□□□□ □□ □□□□□ □□□□□.

C. □□□□ □□ □□ 443 □□

D. □□ □□□□ □□□□□ □□□□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□□ /mnt/storage□ NFS □□□ □□□□ □□□□ □ □ □□□□. df □□□ 50%□ □□ inode □ □□□□□.

□□ □ □□□□ □□□ □□□□ □□ NEXT□ □□□□ □□ □□□ □□□□□?

A. df -h /mnt/storage

B. du -sh /mnt

C. fdisk -l /mnt/storage

D. df -i /mnt/storage

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□ □ □□□□ □□ □□□ □□□ □□□□□?

- A. □□□□ □□□□ □□□□□ □□ □□ □ □□□□ □□□□ □□
- B. □□ □ □□□ □□ □□ □ □□ □□ □□
- C. □□□□□ □□□ □□ □□□ □□
- D. □□□ □□ □□□ □□□ □□ □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 14

Linux □□□□□ □□□ □□ □ □□ □□□ □□□ □□□ Linux □□□□□ □□ □□□ SCSI □□ □ □□□ □□□□ □□□□. □□□□□ fdisk -l □□□□ Linux □□□ □ □□□ □ □ □□□ □□ □□□. □□ □□ □ □□ SCSI □□□ □□ □□□□ □ □□□□ □□ □□□ □□□□□?

- A. echo "- - -" > /sys/class/scsi_host/host0/scan
- B. echo ' ' > /sys/class/scsi_host/host0/scan
- C. echo "- - -" > /sys/scsi/scsi_host/host0/scan
- D. echo "scan" > /sys/class/scsi_host/host0/scan

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://geekpeek.net/rescan-scsi-bus-on-linux-system/>

NEW QUESTION: 15

Linux □□□□ □□□ □□□□□ □□ □□□ □□□□ □□ □□□□□ □□□ □□ □ □□□ □□ □□□. □□ □ □ □□ □□□ □□□□ □□□ □□□□□?

- A. chmod u+s <□□□□>
- B. chmod +s <□□□□>
- C. chmod g+s <□□□□>
- D. chmod o+s <□□□□>

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□ □ vmlinuz □□□ □□ □□□□□ □□□□□?

- A. /etc
- B. /proc
- C. /□□
- D. /□

Answer: ([SHOW ANSWER](#))

XK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ XK0-004 □□! DumpTop
 □ □□ **XK0-004** □□ □□□ □□□□□□, DumpTop XK0-004 □□ □□□ □□□□□□□□ □
 □□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop XK0-004 □□□ □□□□□.

<https://www.dumptop.com/CompTIA/XK0-004-dump.html> (485 Q&As Dumps, **30%OFF** Special
 Discount: **KrDump**)

NEW QUESTION: 17

□□ □ Linux □□□□ □□□□ □□□□□? (2□□ □□□□□.)

- A.** GUI
B. □□
C. X11
D. □□□□
E. □□
F. VNC

Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 18

□□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□□□ □□□. □□ □ □□□□ □□ □□
□ □□□□□?

- A.** /etc/services
B. /etc/issue
C. /etc/hosts
D. /etc/motd

Answer: ([SHOW ANSWER](#))

□ □ :

<https://kerneltalks.com/tips-tricks/how-to-configure-login-banners-in-linux/>

NEW QUESTION: 19

Linux □□□□ □□□ □□□□ □□ □□□□ □□□□ □□□. □□□□ # du -s /home/* □□□ □
□□□ □□ □□□ □□□□.

```
43      /home/User1
2701    /home/User2
133089  /home/User3
3611    /home/User4
```

□□□ □□ User3□ □□ □□ □□□ □□□ □□□□□. □□ □□□ □□□□□ □□□□ □□ □
□ □□□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□□.
□□ □□ □ □□□□ □□□□□ □□□ □□□□□?

- A.** `df -k /home/User/files.txt`
B. `du -a /home/User3/*`

C. `ls -l /home/User3 -l`

D. `du -sh /home/User/`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

_____ report.sh _____.

/home/user/report.sh _____.

```
-bash: /home/user/report.sh: Permission denied
```

_____.

```
$ ls -lZ /home/user/report.sh
-rwx-----. user users unconfined_u:object_r:user_home_t:s0 /home/user/report.sh

$ cat /etc/fstab
/dev/mapper/vg-root / xfs defaults 0 0
/dev/mapper/vg-home /home xfs default,noexec,usrquota 0 0

$ getenforce
enforcing

$ quota
Filesystem            blocks  quota  limit  grace  files  quota  limit  grace
/dev/mapper/vg-home  156000 100000 200000 7days   1873    0      0
```

_____?

A. _____.

B. SELinux _____.

C. _____.

D. _____.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

_____ Git _____ Git _____.

_____.

_____ (2 _____.)

A. `git config --global user.name = "James Doe"`

B. `echo 'email.addr = "jdoe@comptia.org"' >> .git/.gitconfig`

C. `git config user.name = "James Doe"`

D. `echo 'username = "James Doe"' >> .git/.gitconfig`

E. `git config --global user.email = "jdoe@comptia.org"`

F. `git config email.addr = jdoe@comptia.org`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

_____ Bluetooth _____.

_____?

- A. depmod -i □□□□
- B. lsmod -i □□□□
- C. modprobe -r □□□□
- D. □□□□ □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□□ □□□ □□ □□ CPU □□□ □□□□ □□□. □□ □ □ □□□ □□□ □□□ □□□□ □□?

- A. /proc/cpuinfo
- B. /etc/devices/info.conf
- C. /dev/proc/cpu
- D. /sys/dev/cpuinfo

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://www.binarytides.com/linux-cpu-information/>

NEW QUESTION: 24

□□ □□ □□ □□□ □□□□ /dev/□ □□ □□□ □□□□ □□□ □□□ □□□□□?

vi□□ □□□ □□□□ □□ /dev/sdd□ □□ sdc?

- A. :s/\dev\sdc/\dev\sdd/g
- B. :s/\dev\sdc/\dev\sdd
- C. :s//dev/sdc//dev/sdd
- D. :%s/\dev\sdc/\dev\sdd

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□. □□□□ □□□□ mtr

www.comptia.orgat □□□ □□□□ □□ □□□ □□□□□.

Host	Packets			Pings			
	Loss %	Sent	Last	Avg	Best	Worst	StDev
1. 10.0.5.2	3 %	345	0.6	0.7	0.3	19.6	1.2
2. 192.168.0.1	30 %	345	0.6	45	0.1	0.2	0.04
3. 216.239.14.33	100 %	0	0	0	0	0	0

□ □□□□□ □□□ □□□ □ □□ □ □□□ □□ □□□□ □□ □□□ □□ □□ □□□□□?

(2□□ □□□□□.)

- A. □□□ 1□ ICMP □□ □□□ □□□□□□ □□□□□.
- B. □□□ 2□□ □□ □□ □□□ □□□□ □□□ □□□□□□□ □□□□□.
- C. □□□ 2□ □□□□ □□ ISP□ □□□□ □□□□ □□□ □□□□□.
- D. □□□ 3□ ICMP □□ □□□ □□□□□□ □□□□□□□.
- E. □□□ 3□ ICMP □□ □□□ □□□□□□ □□□□□.
- F. □□□ 1□ ICMP □□ □□□ □□□□□□ □□□□ □□□□.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 26

Linux □□□□ □□ □□□ □ □□□ □□□□□.

1. □□ □□□□□ □□ □□
 2. Git □□□□□□ □□ □□□ □□□□□.
 3. □□□ □□□ □□□□□□.
 4. □□ □□□ □□□□ □□
 5. □□□□□ □□□ □□□
 6. □□□□□ □□□□ □□□ □□□□ □□□□□.
- □ □□□□ □□□□ □□□□□□□ □□□□□ □□□□□?

- A. □□ □□□
- B. □□□ □□□
- C. □□□ □□□
- D. □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

□□□□ □□□□ □□□ □□□ Bluetooth□ □□□□ □□ □□□ □□□□. □□ □ □ □□□ □□
□□ □□ □□□□ □□□□ □□ □□□ □□□□□?

- A. □□□ □□ Bluetooth.service
- B. □□□□ Bluetooth.service□ □□□□□□.
- C. Systemctl□ Bluetooth.service□ □□□□□□□□.
- D. Systemctl□ □□□□□ □□□□□□□□. □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

□□□□ □□□□ □□□ □□□□□ □□ □□□□ □□□□. □□ □ □□ □□□□ □□□□ □□
□ □□ □□ □□□□□?

- A. usermod -U □□
- B. usermod -L □□
- C. usermod -B □□
- D. usermod -G □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□□ □□□□ /home□□ □□□ □□□□ □□□□ □□□□. □□□□ □□ □□□□ □□ □□□
□□□□□.

□□□ □□ □□□□ □□ □ □□□ □□□ □□□ □□□□ □□□□□ □□ □□ □□□□ □□ □
□□□□.

□□ □ □□□□ □ □□□ □□□□ □□ □□□ □□ □□□ □□□ □□□ □□□□□?

- A.** 1. /home□ /etc/fstaband□□ □□□□ □□□□□ □□□ □□□□ □□□ □□ □□ □□□□□ □.
2. /home□ □□ □□□□□□.
3. □□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□□ □□□□□.
4. □□□ □□□ □□□ □□□□□.
- B.** 1. □□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□□ □□□□□.
2. /etc/fstaband□□ /home□ □□□□ □□□□□ □□□ □□□□, □□□ □□□ □□□□□□.
3. /home□ □□ □□□□□□.
4. □□□ □□□ □□□ □□□□□.
- C.** 1. /home□ /etc/fstaband□□ □□□□ □□□□□ □□□ □□□□ □□□ □□ □□ □□□□□ □.
2. □□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□□ □□□□□.
3. /home□ □□ □□□□□□.
4. □□□ □□□ □□□ □□□□□.
- D.** 1. □□□ □□□ □□□ □□□□□.
2. /etc/fstaband□□ /home□ □□□□ □□□□□ □□□ □□□□, □□□ □□□ □□□□□□.
3. □□□ □□□□□□ □□□ □□□□ □□□ □□□ □□□□ □□□□□.
4. /home□ □□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://www.howtoforge.com/community/threads/quotacheck-cannot-find-filesystem-to-check.25954/>

NEW QUESTION: 30

□□□ Linux □□□□ □□ □□□ CPU □□□□ □□ □□□ □□□□ □ □□□□□□□ □□□□ □□□□.

x64□□

3.0GHz □□

□□ □□ □□

□□□□ □□ □□□ □□□□□ □□□□ □□□ □□□□ □□ □□□ □□□ □ □□□

□. □□□□ cat/proc/cpuinfo □□□ □□□□□. □□□ □□□ □□□ □□□□.


```
CompTIA
/var/log/newlog {
rotate 5
weekly
maxsize 1M
}
```

A.

```
/var/log/ {  
  rotate 5  
  weekly  
  create 0644 root root  
  minsize 1M  
}
```

B.

```
/var/log/ {
rotate 5
create newlog 0664 root admin
maxsize 1M
}
```

C.

```
/var/log/newlog {
rotate 4
weekly
maxsize 1
```

D.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 36

Linux □□□□ □□□ □□□□□ □□□□□ ping □□□ □□ □□ □□□□ □□□□□ □□□ □
 □□□□ □□□□. Linux □□□ AppArmor□ □□□□ □□ □□□□ □□□□ □□□□.
 □□ □□ □ BEST □□□ □□□□□?

- A.** aa-enforce /bin/ping
B. aa-complain /bin/ping
C. aa-□□□ /bin/ping
D. aa-disable /bin/ping

Answer: A (LEAVE A REPLY)

NEW QUESTION: 37

Linux □□□□ Ann□ □□ □□ □□□ □□□□□ □□□. □□□ □□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□ □□ □□ □□ □□□ □□□□ □□□□□. □□ □□ sudo□ □□ □□□ □□ □□□ □□□□□ □□□ □□□ □□ □□□ □□□ □□□□. □□□ □□□□ □□ □□ □□ □□□ □□ □□ □□□ □□□□ □□□□ □□□ □□□□. Ann□ □□□ □□ □□□ □□□□ □□□ □□□□□.

-rw-rw-r-- 1 □□ □ 6□ 30□ 13□ 15:38 □□□□□□□.yml

□□ □□ □ □□□ □□□ □□□□□ □□□ □ □□□ □□ □□ □□ □□□ □□□□□?

- A. chown □□: □□□□□□□.yml
- B. chmod o+w infrastructure.yml
- C. chattr -i Infrastructure.yml
- D. chmod 600 □□□□□□□.yml

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

Linux □□□□ □□□ □□□□ GUI□ □□□□ □□□. □□ □□□ □ □□□□□ GUI□ □□□□ □□ □□□□□?

- A. □□□ 4
- B. □□□ 5
- C. □□□ 6
- D. □□□ 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Linux □□□□ □□□ □□□□ □□ □□□□ □□□□ □□□. □□□□ # du -s /home/* □□□ □ □□□ □□ □□□ □□□□.

```
43      /home/User1
2701    /home/User2
133089  /home/User3
3611    /home/User4
```

□□□ □□ User3□ □□ □□ □□□ □□□ □□□□□. □□ □□□ □□□□□ □□□□ □□ □ □□□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□□.

□□ □□ □ □□□ □□□□ □□□ □□□□□?

- A. df -k /home/User/files.txt
- B. □□ . -□□ /home/User3 -□□
- C. du -sh /home/User/
- D. du -a /home/User3/*

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

D. chmod 760 <□□ □□□□ □□>

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

□□□□ □□□□ □□ □□□ □□ □ □□□ □□□ □□□□□□.

□□ □ □□ □□□□ SELinux □□□□□ □□□□ □□□ □ □□ □□□ □□□□□?

A. ls -D

B. ls -a

C. ls -Z

D. ls -l

Answer: C ([LEAVE A REPLY](#))

□□/□□: https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/6/html/security-enhanced_linux/sect-security-enhanced_linux-working_with_selinux-selinux_contexts_labeling_files

NEW QUESTION: 44

□□□ □□□□ □□ □□□□□ □□ □□□□ □□□□ □□□ □□ □□□ □□□□□. □□ □ □

□ □□□ □□ □□□ □□□ □□□□□ □ □□□□ □□ □□ □□□ □□□□□?

A. netstat www.comptia.org

B. www.comptia.org □

C. mtr www.comptia.org

D. traceroute www.comptia.org

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

□□□□ □□□□ □□□□□ Linux □□□□□□□ □□ □□□ □□ □□□ □□□□ mstaf□□ □

□□ □□□ □ □□ □□ aa fie□ Vytvcft□ □□□□□?

A. □□

B. OVF

C. VMM

D. YAML

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

□□□ □□□□ □□□ □□□ □□□ □□ □□□ □□□□ □ □□□□□ □□□ □□□ □□□□

□.

□□ □□□□ /tmp/script.sh□ □□□□ □□ □□ /var/log□□ □□□ □□□ □□ □□□□□.

□□

□□□ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□ □□□ □□□□□.

□□□□□□ □□ □□□ □□□□□ □□□□ Reset All □□□ □□□□□□.

Snippets

tar

until

zip

egrep

awk

\$log

"\$6"

pgrep

repeat

/tmp/tempfile

locate

filename

rar

then

"log.[1-6]\$"

in

done

/var/log

for

xx

"\$1"

sed

gzip

"\$log.[1-6]\$"

while

```
#!/bin/bash

#name: script.sh

find /var/log -type f -maxdepth 1 | grep [?] > /tmp/tempfile

[?] filename [?] $(cat [?])

do

[?] $filename

[?]
```

Answer:

Snippets

tar

until

zip

egrep

awk

\$log

"\$6"

pgrep

repeat

/tmp/tempfile

locate

filename

rar

then

"log.[1-6]\$"

in

done

/var/log

for

xx

"\$1"

sed

gzip

"\$log.[1-6]\$"

while

```
#!/bin/bash

#name: script.sh

find /var/log -type f -maxdepth 1 | grep "$1" > /tmp/tempfile

for filename in $(cat /tmp/tempfile)

do

gzip $filename

done
```

XK0-004 00 000 00000 00 DumpTop 00 0000 0000 XK0-004 00! DumpTop 00 00 XK0-004 00 000 000000, DumpTop XK0-004 00 000 000000000 00 00 00000000. 0000 000 0000 00 DumpTop XK0-004 000 00000.

Discount: **KrDump**)

NEW QUESTION: 47

_____ Linux _____. rpmdb open failed. RPM _____.

```
# yum check
error: db4 error(11) from dbenv->open: Resource temporarily unavailable
error: cannot open Packages index using db4 - Resource temporarily unavailable (11)
error cannot open Packages database in /var/lib/rpm
CRITICAL:yum:main:
Error: rpmdb open fails
```

_____ NEXT _____?

- A. cd/var/lib/rpm; rpm --rebuilddb ; rm -f _db*; _____
- B. cd/var/lib/rpm; rpm -qd; rpm --rebuilddb; _____
- C. cd/var/lib/rpm; rpm -qa; rm -f _db*; _____
- D. cd/var/lib/rpm; rm -f _db*; rpm --rebuilddb; _____

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

_____ IP _____.
10.10.10.1.

_____?

- A. _____ -n
- B. nslookup
- C. ifconfig
- D. ip a default-gw

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

_____ _____.

- A. usermod -u _____ -G _____
- B. _____ -1 _____=_____ --_____
- C. pam_tally2 --user=user --reset
- D. _____ -u _____ -G _____

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

□□□□ □□□ IP □□□ □□□□ □□□□ □□□. □□ □□□ □□□□□ □ □□□□□ □□ □
□□□ □□□. □□□ □□□□ □□□□ □□□ □□□□ □ IP □□□ □□□□ □□ □□□□ □□
□ □□□□□ □□□ □□ □□□□□□.

□□ □□ □ □□□□□ □□□□ □□ □□□□ □□□ □□□□□?

nohup □□□ □□□□ □□□

A. □□□ □□□□ □□ □□ □

B.

C. dg □□□ □□□□ □□□

D. echo "□□□ □□□□ □□□" | □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

□□□□ /mnt/storage□ NFS □□□ □□□□ □□□□ □ □ □□□□. df □□□ 50%□ □□ □□
□ □□□□□.

□□□□.

□□ □ □□□□ □□□ □□□□ □□ NEXT□ □□□□ □□ □□□ □□□□□?

A. df -h /mnt/storage

B. fdisk -l /mnt/storage

C. du -sh /mnt

D. df -i /mnt/storage

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

Linux □□□□ □□ □□ □□□□□ □□□□□ □□ □□□ □□□. □□ □□□□ □□ □□□ □
□ □□□ □□□□□□ □□□□.

□□ □ □□ □□□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□
□□?

rmmod /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-

A. storage.ko

modinfo /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-

B. storage.ko

depmod /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-

C. storage.ko

insmod /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-

D. storage.ko

Answer: D ([LEAVE A REPLY](#))

□□/□□: <https://www.cyberciti.biz/faq/linux-how-to-load-a-kernel-module-automatically-at-boot-time/>

NEW QUESTION: 53

1□□□ □□□□ □□ □□ □□□ HTTPd □□□□ □□□ □□□□□. □□ □□□ □□□□□ □
□ □ □□□ □□□ □□□□ □□ □□□ □ □□ □□□ □□□ □□□□□?

- A.** `systemctl stop httpd && systemctl □□□ httpd`
- B.** `systemctl □□□□ httpd && systemctl □□□ httpd`
- C.** `systemctl stop httpd && systemctl hide httpd`
- D.** `systemctl□ httpd□ □□□□□□ && systemctl□ httpd□ □□□□.`

NEW QUESTION: 54

□□□□ HTTPS□ □□□□ □□□ □□□ □ □□□□. □□□□ □□ □□□□□ □□ □□□ □□ □□□.

```
$ netstat
tcp 0 0 0.0.0.0:80 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:443 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:22 0.0.0.0:* LISTEN
```

[illegible]

```
$ nmap
PORT      STATE
80        open
443       closed
22        open
```

[illegible]

- A.** □□ □□ □□□ □□□□
- B.** □□□□ □□ □□ 443 □□
- C.** □□ □□□□ □□□□□ □□□□□□□ □□
- D.** □□ 443□□ □□□□□ □□□□□□□ □□

NEW QUESTION: 55

□□□□ A □□□□ □□□□ □□ IP □□□ □□□□□ □□□ □□□□□ □□□ □□□□ □□□
□

```
for ip in $(cat ip-list.txt)
do whois $ip | grep "Company A" > /dev/null
if [ $? -ne 0 ]
then echo "$ip"
fi
done
```

[illegible]

- Answer:** ([SHOW ANSWER](#))

```

0 0 000 0000 0 00 0 00000 0000 0 00000.
00
00 00 000 00000 0000 00000 0 0000 0000 000000.
0000000 00 0000 000000 00000 Reset All 0000 00000000.

```

Answer:

Commands	Answer
<pre>[root@webserver log]# getenforce [root@webserver log]# getsebool -a grep httpd [root@webserver log]# netstat -antp [root@webserver log]# ss -antp [root@webserver log]# ps -ef grep nginx [root@webserver log]# grep avc /var/log/audit/audit.log [root@webserver log]# more /var/log/web/access_log [root@webserver log]# more /var/log/web/error_log [root@webserver log]# ls -la [root@webserver log]# journalctl -u nginx -l [root@webserver log]# systemctl status webserver [root@webserver log]# sealer</pre>	<pre>[root@webserver log]# systemctl restart nginx setsebool -P httpd_read_user_content =1 restorecon -rv /home/comptia/html kill -HUP 3431 sysctl -w net.ipv4 ip_forward = 1 chown -R comptia: /home/comptia/html/ firewall-cmd --zone=public --service=http --permanent chmod 777 /home/comptia/html/ setfacl -m g:comptia:rwX /home/comptia/html/ cp -R /home/comptia/html /var/www/html</pre>

Output

krdump

CompTIA

NEW QUESTION: 57

□□□□□ Linux □□□ □□□□□□□ □□ □□ □□□ □□□ □ □□ □□□ □□□□

□□ □□□□□?

- A. □□□□ □□□□□□□
- B. □□□□ □□
- C. □□□□□ □□□
- D. □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

□□□□ □ □□ □□□□ □□ □□ Linux □□□□ DNS □□□ □□ □□□ □□□□ □□□.

□□ □ □□□□ □□□□ □□ □□□ □□□□□?

- A. /etc/dhcpd.conf
- B. /etc/nsswitch.conf
- C. /etc/resolv.conf
- D. /etc/hosts

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

□□ □ □□□□ □□ SOCKS □□□□ □□□□ □□□ □□□□□?

- A. SNMP
- B. □□□□□
- C. SSH
- D. VPN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

_____ Anaconda _____ Linux _____.
_____ Linux _____?

- A. /etc/sysconfig/anaconda/cfg
- B. /root/anaconda.auto
- C. /root/anaconda-ks.cfg
- D. /etc/sysconfig/installation.cfg

Answer: C ([LEAVE A REPLY](#))

_____:

https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/6/html/installation_guide/sn-automating-installation

NEW QUESTION: 61

Linux _____ network-tools-12.1-17.i386.rpm _____
_____. _____ rpm -ivh network-cools-12.1-17.i386.rpm _____
_____ . _____ _____ _____
_____ _____ _____.

- A. rpm -ivh _____-12. 1-17. i686. rpm
- B. rpm -r _____
- C. rpm -e _____
- D. rpm -U _____-12. 1-17. i386. rpm

Answer: C ([LEAVE A REPLY](#))

XK0-004 _____ DumpTop _____ XK0-004 _____! DumpTop
_____ **XK0-004** _____, DumpTop XK0-004 _____
_____ . _____ DumpTop XK0-004 _____.

<https://www.dumptop.com/CompTIA/XK0-004-dump.html> (485 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 62

_____ CPU _____ . _____
_____?

- A. /proc/cpuinfo
- B. /etc/devices/info.conf
- C. /dev/proc/cpu

D. /sys/dev/cpuinfo

Answer: ([SHOW ANSWER](#))

□□:

<https://www.binarytides.com/linux-cpu-information/>

NEW QUESTION: 63

□□□ □□□□ □□□□ □ □□□□ □□ □□□ □□□ □ □□□□. □□□ eth0□ IP □□
192.169.1.50/24□ □□□□□. □□□ □□□□ 192.168.1.1□□□. □□□□ route -n□ □□□ □□
□□□.

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
0.0.0.0	192.168.2.1	0.0.0.0	UG	1024	0	0	eth0
192.168.1.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0

□□ □ □□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□□?

A. □□ □□ 192.168.1.1 □□ 192.168.1.50 eth0

B. □□ □ □□ gw 192.168.2.1 eth0; □□ □□ □□ gw 192.168.1.1 eth0

C. □□ □□ -net 192.168.10.0 netmask 255.255.255.0 gw 192.168.2.1 eth0

D. □□ □□□ gw 192.168.1.1 eth0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

Linux □□□□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□
□□ □□□. □□□□ □□□ □□□ □□□□ □□ DNS□ □□□□ □□□ □□□ □□□□□ □□
□. □□ □ □ □□□ □□□□ □□ □ □□□ □□□□□ □□□□ □□ □□□ □□□□□?

A. # hostnamectl set-hostname "192.168.1.100 production.company.com"

B. # grep -i IP "\${ip addr show} production.company.com" > /etc/resolv.conf

C. # ip addr add 192.168.1.100/24 dev eth0 && rndc reload production.company.com

D. # echo "192.168.1.100 production.company.com" >> /etc/hosts

Answer: A ([LEAVE A REPLY](#))

□□/□□: [https://access.redhat.com/documentation/en-](https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/7/html/networking_guide/sec_configuring_host_names_using_hostnamectl)

[us/red_hat_enterprise_linux/7/html/networking_guide/sec_configuring_host_names_using_hostnamectl](https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/7/html/networking_guide/sec_configuring_host_names_using_hostnamectl)

NEW QUESTION: 65

□□ □□ □ □□□ □□□□ □□ □□□□ □□ □□ □□ □□□□ □□□□ □□ □□□□ □□
□□□ □□□□□? (2□□ □□□□□□.)

A. openssl

B. Cp

C. SSH □□□□

D. SSH □□ ID

E. SSH ☐

F. SSH ☐

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 66

□□□ □□□□ □□□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□ □□□□.
□ □□□ □□□□ □□□ □ □□□□ □ □□□ □□ □ □□□□□ □□□ □□ □ □□ □□□ □
□□□ □□□?

A. systemctl □□□ □□

B. systemctl enable <name>.service

C. systemctl □□□ □□□

D. <name>.service□ systemctl

Answer: ([SHOW ANSWER](#))

□□:

<https://geekflare.com/how-to-auto-start-services-on-boot-in-linux/>

NEW QUESTION: 67

□□□ □□□ □□□□ SSH □□□ □□ PKI □□□□ □□□□□□. □□□□ □□ □□□□ □□
□□ □□ □□□ □□□□□ □□□. □□ □ □□□□ □□□□ □□ □□□ □□□□□?

A. id_rsa.pub □□□ □□□ □□ □□□ ~/.ssh/authorized_keys □□□ □□□□□.

B. id_rsa □□□ □□□ □□ □□□ ~/.ssh/known_hosts □□□ □□□□□.

C. id_rsa □□□ □□□ □□ □□□ ~/.ssh/authorized_keys □□□ □□□□□.

D. id_rsa.pub □□□ □□□ □□ □□□ ~/.ssh/known_hosts □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□□. □□□□□□ □□ □□ □□□ □□ □
□ □□□□□□ □□□□□.

LC_ALL □□ □□□ □□ □□□ □□□.

LANG □□ □□□ □□ □□ □□□□□ □□□□□.

□ □□□□□□ □□□ □□ □□□ □□□□□ □□ □ □□ □□□ □□□□ □□□? (2□□ □□□
□□.)

A. □□

B. □□□□ LANG = en_US.UTF-8

C. \$LC_ALL □□

D. \$LANG □□□□ = en_US.UTF

E. □□□

F. □□□ \$LC_ALL

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 69

□ HTTPS □ □□□□ □□□ □□□□ □□□□. □□ □ Linux □□□□ □□□□ □□□ □□□□
□□ □ □□□□ □□ □ □□□ □□ □□ □□□□ □□ □□□ □□□□□?

A. iptables -I OUTPUT -p tcp --sport 443 -j ACCEPT

B. iptables -I INPUT --dport 443 -j □□

C. iptables -A INPUT -p tcp --dport 443 -j ACCEPT

D. iptables -A □□ -p tcp --dport 443 -j □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

□□□ □□ □□ □□□ □□ □□ □□□□ □□□□ □□□□□. □□ □ □□□ □□□ □□□ □
□□□ □□□ □□□□□?

A. pam_tally2 --user=user --reset

B. □□ -u □□□ -G □□

C. usermod -u □□□ -G □□

D. □□ -1 □□□=□□□ --□□

Answer: ([SHOW ANSWER](#))

□□:

https://www.tecmint.com/use-pam_tally2-to-lock-and-unlock-ssh-failed-login-attempts/

NEW QUESTION: 71

□□□ □□□□ ls -lha /optcommand□ □□□ test.txt □□□ □□□ □□□□ □□□.
□□ □□ □ □ □□□ □□□□ □□□ □□□□□?

A. ls -lha /opt > test.txt

B. ls -lha /opt < test.txt

C. ls -lha /opt >> test.txt

D. ls -lha /opt << test.txt

Answer: ([SHOW ANSWER](#))

□□/□□: <https://www.cyberciti.biz/faq/linux-append-text-to-end-of-file/>

NEW QUESTION: 72

□□□ Linux □□□□ □□ □□□ CPU □□□□ □□ □□□ □□□□ □ □□□□□□□ □□□□
□□□□.

x64□□

3.0GHz □□

□□ □□ □□

□□□□ □□ □□□ □□□□□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□□ □ □□□

□. □□□□ cat/proc/cpuinfo □□□ □□□□□. □□□ □□□ □□□ □□□□.

```

processor:      0
vendor_id:      GenuineIntel
cpu_family:     x64
model:          58
model name:     Intel (R) Core(TM) i7-3687U @2.10 GHz
stepping:       9
microcode:      0x1c
cpu MHz:        2593.84
cache size:     4096KB
siblings:       1
core id:        0
cpd cores:      4

```

□□ □ □ □□ □□□□ □□□□ □□□ □□ □□ □□□ □□□□□?

- A. □□ □□□ □□ □□ □□ □□
- B. □□□ □□□□□ Linux □□□ □□ □□□□□□.
- C. □□□□ □□□□□□ □□ □□□ □□□□□ □□□□□□□ □□□□□.
- D. □ □□□□□□□ □□□□□ lib □□□ □□□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□□ Linux □□□□ □□□□□ □□□ □ □□ □□□□□ □□ □□□ 0□□□ □□ □□□□ □ □□□□ □□□□□. □□□□ ps □□□ □□□□ □□ □□□ □□□□□.

PID	PPID	TTY	Time	CMD
8481	2	pts/17	16:40:00	app
9854	0	pts/17	16:40:00	ps

□ □□□□□□ □□ □□ □ □ □□□ □□□ □ □□ □□□ □□□□□?

- A. renice -p 8481 □□□ □□□□□.
- B. ronice -n 0 -p 8481 □□□ □□□□□.
- C. renice -p 0 ~n 8481 □□□ □□□□□.
- D. renice -n 8481 □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

□□ □□ □ Linux □□□□ □□□□ □□□□□□ □□□ □□□□ □□ □□□□ □□ □ □□□□
□□ □□□ □□□□□?

A)

```
firewall-cmd --permanent --zone=default --add-port=5432/tcp  
firewall-cmd --reload
```

B)

```
firewall-cmd --permanent --zone=default --add-service=5432/tcp  
firewall-cmd --reload
```

C)

```
firewall-cmd --permanent --zone=default --add-destination=5432/tcp  
firewall-cmd --reload
```

D)

```
firewall-cmd --permanent --zone=default --add-source=5432/tcp  
firewall-cmd --reload
```

A. □□ A

B. □□ C

C. □□ B

D. □□ D

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

□□ □□□ □□□□ □□ □□□□□ □□□□ □□□□ □ □□□ □□□.

□□ □□□

□□□ □□

□□ □□

□□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□ □□□□□.

□□ □ □ □□□ □□ □ □□□□ □□□ □□□□□?

A. □□ □□□

B. Agentless □□□ □□

C. □□ □□ □□

D. □□□□□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 76

Linux □□□□ □□ Git □□□□ Git □□□□□□ □□□□□ □□□.

□□ □ □ □□□ □□□□ □□ □□ □□□ □□□□□?

A. □□ □□

B. □□ □□□□

C. □□ □□

D. □□ □□

Answer: D ([LEAVE A REPLY](#))

XK0-004 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ XK0-004 □□! DumpTop □ □□ **XK0-004** □□ □□□ □□□□□□, DumpTop XK0-004 □□ □□□ □□□□□□□□ □ □□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop XK0-004 □□□ □□□□□.

<https://www.dumptop.com/CompTIA/XK0-004-dump.html> (485 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)

NEW QUESTION: 77

□□□ □□□ □□□□ Linux □□□□ Apache □ □□□ □□□□ □□□□ □ □□□ □□□□□. Linux □□□ Apache □ □□□ □□□□ □□ □□□□ Apache□ □□□□ □□□ □□ □□□ □□ □□□ □□□□□.

□□

Apache□ □□□□ □□□□ □□□□□. Apache □□□□ □□□□□ □□ □□□ □□□□□□.

□□□□ "help"□ □□□□ □□ □□ □□□ □□□□□.

□□□□□□ □□ □□□ □□□□□ □□□□ Reset All □□□ □□□□□□.

CentOS □□ □□□□



Answer:

□□□□ □□□ □□□ □□

```

root@tecmin ~]# yum install httpd
Loaded plugins: fastestmirror, refresh-packagekit
Setting up Install Process
Loading mirror speeds from cached hostfile
* base: centos.excellmedia.net
* epel: epel.scopesky.iq
* extras: centos.excellmedia.net
* updates: centos-hn.viettelidc.com.vn
Resolving Dependencies
There are unfinished transactions remaining. You might consider running yum-com
ete-transaction first to finish them.

```

□□□□ □□□ □□□ □□

```

root@tecmin ~]# systemctl start httpd
root@tecmin ~]#
root@tecmin ~]# systemctl enable httpd
Created symlink from /etc/systemd/system/multi-user.target.wants/httpd.service to /usr/lib/systemd/system/h
root@tecmin ~]#
root@tecmin ~]# systemctl status httpd
httpd.service - The Apache HTTP Server
Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; vendor preset: disabled)
Active: active (running) since Tue 2017-06-27 06:51:35 EDT; 14s ago
Docs: man:httpd(8)
      man:apachectl(8)
Main PID: 17981 (httpd)
Status: "Total requests: 0; Current requests/sec: 0; Current traffic: 0 B/sec"
CGroup: /system.slice/httpd.service
├─17981 /usr/sbin/httpd -DFOREGROUND
├─17982 /usr/sbin/httpd -DFOREGROUND
├─17983 /usr/sbin/httpd -DFOREGROUND
├─17984 /usr/sbin/httpd -DFOREGROUND
├─17985 /usr/sbin/httpd -DFOREGROUND
└─17986 /usr/sbin/httpd -DFOREGROUND

Jun 27 06:51:35 tecmint systemd[1]: Starting The Apache HTTP Server...
Jun 27 06:51:35 tecmint httpd[17981]: AH00558: httpd: Could not reliably determine the server's fully quali
Jun 27 06:51:35 tecmint systemd[1]: Started The Apache HTTP Server.
root@tecmin ~]#

```

NEW QUESTION: 78

Linux □□□□ www.comptia.org/contacts URL□ □□□ □□□□ □□□□□□ □□□.

□□ □□ □ □□□□ □□□□□□ □□ URL□ □□ □□□ □□□□□ □ □□ □□ □□□□□?

- A. curl www.comptia.org/contacts
- B. www.comptia.org/contacts □□
- C. apt-get www.comptia.org/contacts
- D. yum list www.comptia.org/contacts

Answer: A ([LEAVE A REPLY](#))

□□:

<https://www.thegeekstuff.com/2012/04/curl-examples/>

NEW QUESTION: 79

□□□□ □□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□□. □□□ □□□ □□□□ □ □
 □□□ □□□□□□□□ □□ □□□□ □□□□□□ □□□□ □□ □□ □□□□ □□□ □ □□□□
 □.

- □ □□□ □□ □□□ □□ □□ □ □□ □□ □□□ □ □□□ □□□ □□□ □ □□□□?
- A. □□ □□□□ □□ □□□□□. □□□□ mount - o remount.rw /data □□□ □□□□ □□□□□ □□ □□□□□ □□□.
- B. □□ □□□ □□□□□ □□ □□□□. □□□□ lvchange -ay /dev/□ □□□□ □□□□□ □□ □.
- datavg/dataLv□ □□□ □□ □□□□□□.
- C. □□ □□ □□ □□□□ □□□□□□□□. □□□□ xfs_repair/dev/datavg/dataLv□ □□□ □□ □ □□□□ □□□.
- D. □□ □□□ □□□□□ /dev □□ □□□ □□□□. □□□□ /dev/MAKEDEV□ □□□□ □□ □ □□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 83

- □□□□ .bashrc □□□ □□ □□□ □□□□□.
- HISTSIZE=800
- HISTFILESIZE=1000
- 2002
- HISTCONTROL=□□ □□
- □□□□ □□ □□ □□□□ □□□□□.
- □□□ 8□□
- □ □□□ □□□□ □□□ □□□□ □□ □□ .bashrc □□ □□□□□?
- A. HISTCONTROL=□□ □□
- B. HISTFILESIZE=1000
- C. umask 2002
- D. HISTSIZE=800

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

- □□□ □□□□ □□□ □□□ /data□ □□□□ □ □□ □□□ /dev/sda1□ □□□ □□ □ □□□ □□ /etc/fstab□ □□□□□□.
- □□□□ □□ □□□□ □□□□□□ □□ □□□□ □□□□□. □□ □□□ □□□□ :
- ```
/dev/mapper/VolGroup00-Log-Vol100 / xfs defaults 0 0
/dev/sda1 /data xfs noauto,dev, sync,ro,nosuid 0 0
/dev/mapper/VolGroup00-Log-Vol101 swap swap defaults0 0
/dev/sda2 /mine ext4 auto,suid, sync,rw,dev 0 0
```
- □ □□□ □□□ □□□□□?
- A. □□ □□ 1□ □□□□ mount -a □□□ □□□□□.
- B. □□ □□□□ /dev/sda1□□ /dev/sda2□ □□□□ □□□□□□.
- C. □□□ auto,dev, sync,rw,nosuid□ □□□□ mount -a □□□ □□□□□.
- D. □□□ □□□ □□□□ □□□□ □□□□□□.

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 85

□□□ □□□□ □□ □□ □□ □□□ □□ □□□ □ □□ □□□□ □□□ □□ □□ □□□□□  
□□□□□. □□ □□ □ □ □□□ □□□□ □□□ □□□□□?

- A. rmmod -c
- B. depmod -r
- C. insmod -c
- D. modprobe -r

**Answer: D** ([LEAVE A REPLY](#))

□□/□□: <http://ccrma.stanford.edu/planetccrma/man/man8/modprobe.8.html>

### NEW QUESTION: 86

□□□□ mount -a □□□ □□□□□ □□□□□ □□ □□□ □□□□□.  
□□□: □□□ □□ /mnt/test□ □□□□ □□□□.  
□□ □□ □ Linux □□□□ □□□□ □□□ □ □□□ □□ □ □□□□ □□ □□□□□?

- A. □□□ -a /mnt/test
- B. mkdir -p /mnt/test
- C. mdadm -p /mnt/test
- D. mkfs /mnt/test
- E. □□ /mnt/test

**Answer: B** ([LEAVE A REPLY](#))

□□/□□:

□□: <https://serverfault.com/questions/751113/mount-point-does-not-exist-despite-creating-it>

### NEW QUESTION: 87

□ □□□□ Linux □□□□ □□□□□□□□. □□ □□□□ □ □□□□  
□□ □□?

- A. /etc/login.defs
- B. /etc/skel
- C. /etc/inittab
- D. /etc/passwd

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 88

□□ □ □□ □□□□ DVD□ □□□□ □□ □□ DVD□ □□□ □□ □□ □□□□□□ Linux □□  
□ □□□ □□□□□ □ □□□ □ □□ □□ □□□□□?

- A. UEFI
- B. PXE
- C. NFS
- D. □□

**Answer: A** ([LEAVE A REPLY](#))

□□/□□: [https://access.redhat.com/documentation/en-us/red\\_hat\\_enterprise\\_linux/6/html/installation\\_guide/ch-boot-x86](https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/6/html/installation_guide/ch-boot-x86)

#### NEW QUESTION: 89

Linux □□□ □□□□ □□ □□ □□□□□ "working"□□□ □□□□□ □□□ "corporate-web"□  
□□ □□□ /var/www/html □□□ □□□□ □□□.  
□□ □□ □ □□□□ □ □□□ □□ □□□ □□□ □ □□ □□ □□□□□?

- A. `scp -r working/* webuser@corporate-web:/var/www/html`
- B. `tar working/* webuser@corporate-web:/var/www/html`
- C. `cp -r working/* webuser@corporate-web:/var/www/html`
- D. `mv working webuser@corporate-web:/var/www/html`

Answer: A ([LEAVE A REPLY](#))

□□:

<https://unix.stackexchange.com/questions/232946/how-to-copy-all-files-from-a-directory-to-a-remote-directory-using-scp>

#### NEW QUESTION: 90

□□□□ Unix □□□ □□□□□ □□□□□ □□□□□ □□□. □□□□ □□□ ACL □ □□ □□  
□□ □□□ □□□□□ □□□□ □□□□ LAN□□ WAN□□ □□□□ □□□□. □□ □ □ □□□  
□□□□□ □□□□ □□□□ □□ □□ □□□□□?

- A. `IP_forward`
- B. `/etc/service`
- C. □□□ □□□
- D. □□□□□

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 91

□□□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□□. □  
□□□ □□□□ □□□□ □□, □□□□ □□ □□□, □□ □□□ aptor dpkg□ □□□ □ □□ □□  
□□ □□□□ □□ □ □ □□□ □□ □□□ □□□□□.  
□□ □ □ □□ □□□□□?

- A. □□ □□
- B. □□
- C. □□
- D. □□□□□ □□□

Answer: C ([LEAVE A REPLY](#))

□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop XK0-004 □□□ □□□□□.  
<https://www.dumptop.com/CompTIA/XK0-004-dump.html> (485 Q&As Dumps, **30%OFF** Special  
Discount: **KrDump**)

#### NEW QUESTION: 92

□□ □□ □ □□□□ □□ □□□□ □□ □□□□ □□□ □ □□ □□ □□□□□?

- A. vmstat
- B. lspci
- C. mdadm
- D. vgdisplay

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 93

Linux □□□□ □□ □□□□□ SELinux □□□□□ □□□□ □□□□□. □□ □□ □  
□ □□□ □□□□ □□ □□ □□□ □□□□□?

- A. setenforce 0 && □□□
- B. setfacl -bR / && □□□
- C. □□ /.autorelabel && □□□
- D. □□□ / && □□□

Answer: ([SHOW ANSWER](#))

□□:

selinux\_users\_and\_administrators\_guide/sect-security-enhanced\_linux-working\_with\_selinuxselinux\_  
contexts\_labeling\_files

#### NEW QUESTION: 94

□□□□ Joe□ □□□ □□□□ □ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□□. □□  
□□ /etc/passwd □□□ □□□□ □□ □□□ □□□□□.

joe:x:505:505::/home/joe:/bin/false

□□ □ □□□□ □□□ □□□□ □□ □□□□ □□ □□□ □□□□□?

- A. useradd -s /bin/bash joe
- B. usermod -s /bin/bash joe
- C. □□ -E -1 □
- D. passwd -u joe

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 95

Linux □□□□ iptables □□□ □□□□□□□ □□□ □□ □□□ □□□□□.

\* iptables □□ □□□ □□□□□.

\* □□ iptables □□□ □□□□□.

□□ □ □□□ □□□ □□□□□ □□□ □□□□ □□ □□□ □□□□ □□□?

(2□□ □□□□□.)

A. iptables -F

B. iptables -L

C. iptables -I

D. iptables -C

E. iptables -A

F. iptables -N

Answer: ([SHOW ANSWER](#))

□□:

<https://www.digitalocean.com/community/tutorials/how-to-list-and-delete-iptables-firewall-rules>

### NEW QUESTION: 96

□□ □□□ □□□□ □□□□ □□ □□□□ archive.tar □□□ □□□□ □□□□. □□□□□□ □  
□□ □□ □□□ □□□□□.

\* archive.tar □□□ □□ □□ □□□ □□□□□.

\* archive.tar □□□□ □□ □□□ □□□ □□□.

□□ □ □□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□□□□? (2□□ □□□□□.)

A. tar -A archive.tar

B. tar -of archive.tar

C. tar -r □□□□.tar

D. tar -uvz □□□□.tar

E. tar -tvf archive.tar

F. tar -xf □□□□.tar

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 97

Linux □□□ □□□□ /homedirectory □□□ □□□ □□□ □□□□ □□□□. □□□□ □

□ /homedirectories□ □□ □□ □□□ □□□□ □□□ □□□□ □□□. □□ □□ □ □□ □□ □  
□□□ □□□□?

A. □□

B. lvs

C. CDF

D. fsck

Answer: ([SHOW ANSWER](#))

□□/□□: <https://www.cs.washington.edu/lab/faq/home-directory-size>

### NEW QUESTION: 98

□□□ □□□ □□□□□ □□ □□ □□ □□□□□ □□□□□□ □□□ □□ □□□□ □□□□□  
□ □□□□□□. Linux □□□□ □□□ □□ □□ □□□□ □□□ □□□ □ □□□ □□□□□ □  
□□. □□ □ □□□□ □□ □□ Git □□□ □□□□□?

A. □□□□

- B. □□
- C. □□□
- D. □□

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 99

□□ □□ □□ □□□ □ □□□ □□□ □□□ Linux □□□□□ □□□□. □□ □ □□ □□ □□□ □□□?

- A. SSH □□□□ □□□□ □□□ □□□□ □□□□ □□ □□□ □□ IP □□ □□□ □□ □□□ □□□□ □ □□□□.
- B. □□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□□ □□ □ □□ □□□□ □□□□□.
- C. □□□ □ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □ □□□ □□ □□□ □ □□□ □□ □□□ IP □□□ □□□□□ □□□□.
- D. □□□□ □□ □□□ □□ □□ □□□□ □□ □□ □□□□□ □□□□ □□ □ □□□ □□□ □□□ □□□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 100

□□ □ Linux GUI □□□ □□□□ □□ □□□□□? (2□□ □□□□□.)

- A. □□
- B. □□□□
- C. X11
- D. □□□
- E. VNC
- F. □□

Answer: ([SHOW ANSWER](#))

**XK0-004** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ XK0-004 □□! DumpTop □ □□ **XK0-004** □□ □□□ □□□□□□, DumpTop XK0-004 □□ □□□ □□□□□□□□ □ □□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop XK0-004 □□□ □□□□□.

<https://www.dumptop.com/CompTIA/XK0-004-dump.html> (485 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)