

CyberArk.CAU302.v2022-04-25.q141

□□□□:	CAU302
□□□□:	CyberArk Defender + Sentry
□□□:	CyberArk
□□ □□ □□□:	141
□□:	v2022-04-25
# □□ □:	2967
# □□ □□□:	1410
https://www.krdump.com/CyberArk.CAU302.v2022-04-25.q141.html	

NEW QUESTION: 1

Vault□ □□ SIEM(□□ □□ □ □□□ □□) □□ SYSLOG □□□□ □□□ □ □□□□.

A. □□

B. □□

Answer: B ([LEAVE A REPLY](#))

□□/□□: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/11.3/en/Content/PASIMP/DV-Integrating-with-SIEM-Applications.htm>

NEW QUESTION: 2

□□ □ PTA□ □□□ □□□ □□ □□□ □□□ □□□□□□?

A. pm_error.log

B. ITAlog.log

C. WebApplication.log

D. diamond.log

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

PSM□□ □□ □□□□ □□ □□□ □□ □□□□ □□□□□.

A. □□

B. □

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Vault□ □□ □□ □□□ □□□□ □□□□.

A. □□

B. □□

Answer: ([SHOW ANSWER](#))

□□/□□: https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Distributed-Vaults-during-Vault-Failure.htm#_Ref462652176

NEW QUESTION: 11

□□ Unix □□ □□□ □□□ UnixRoot□ □□□□□. □□ □□□ □□ □□□ □□ □□ □□□ □□□□□ □□□□□. AD □□ UnixAdmms□ □□□□ □□ □□ □□□□ □□ □□□ □□, □ □ □□ □□□ □□□ □ □□□ □□□. AD □□ OperationsStaff□ □□□□ □□□ □□□□ □□□. □□ □ □□ □□□ □□ □□, □□ □ □□ □□□ □□□ □ □□□ OperationsManager □□□□ □□□ □□□□ OperationsManager □□□□ □□ □□, □□ □ □ □□ □□□ □□□ □□□ □□□□.

UnixAdmins□□ □□ □□□ □□□ □□□□ □□□? □□□□ □□ □□ □□□□□

- A. □□□□ □□ □□
- B. □□ □□
- C. □□ □□ □□□□ □□
- D. □□ □□
- E. □□ □□

Answer: B,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□□ PVWA(□□ □□□ □ □□□) □ □□□□ □□ □□ □□□ □□□□□ □□□□□. □ □□□ □□□□ "□□ □□□ □□□□□□□□"□□ □□□□ □□□□□. □□ □□□□□ □ □□□ URL□ □□□□□ □□□ □□□ □□□□□. CyberArk.WebApplication.log□ "ITACM012S □□ □□□ □□□□□□□□" □□ □□□ □□□□□.

□□□ □ □□ □□ □□ □□□ □□□□□?

- A. CyberArk.WebConsole.log□□ □□ □□
- B. Vault □□□ □□□ □□□□ □□ □□□□ □□ □□□ □□□□□.
- C. □□□□ □□□ □□□ □□□□ PVWA□ tcp_1858□ □□ □□□ □□□ □ □□□ □□□ □□□.
- D. PVWA □□□□ IISRESET □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Vault□ □□ □□ □□□ □□□□ □□□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

□□/□□: <https://duo.com/docs/cyberark>

NEW QUESTION: 14

CPM□ □□□□ □□ □□ □□□□□ □□ □□□ □□□□ □□□□□ □□□□□?

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□ □□□□ □□ □□□□ □□□□ □□□□ □ □□□ □□□ □□□□□ □□□ □□ □□
□□□ □□□ □□ □□□ □□□□□?

- A. □□ □□, □□ □□
- B. □□ □□, □□ □□
- C. □□ □□
- D. □□ □□, □□ □□, □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□□.

- A. □□□□□.
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

□ □□□□ □□ □□□ □□ □□ □□□ □□□□□□□ □□ □□□ □□ □□□ □□□□□
□ □□□?

- A. 1□□ □□□□ □□ □□
- B. □□□/□□□□ □□ □□ □□ □□
- C. □□ □□ □□ □□□ □□ □□
- D. □□□/□□□□ □□□□ □ 1□□ □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

□□ □□□ □□ □□ □□□ □□□ □ □□ □□□□ □□□□□?

- A. □□□□□□ □□□□ □□□
- B. □□ □□ □□ □□□□ □□□
- C. □□ □□ □□ □□ □□ □□□
- D. □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□ 10.7□□□ □□ □□□ □□□ □□ □□□ □□□□□□□. □ □□ □□□ □□□□□ □
□ □□□ □□□ □□ □□□□□□.

□□ □ □□:

Answer:

NEW QUESTION: 23

Which of the following is a valid configuration for the CyberArk Privileged Account Discovery (PAD) service?

Answer:

NEW QUESTION: 24

Which of the following is a valid configuration for the CyberArk Privileged Account Discovery (PAD) service?

- A. False, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=no".
- B. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=yes".
- C. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=no".
- D. False, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=yes".

Answer: (SHOW ANSWER)

NEW QUESTION: 25

Which of the following is a valid configuration for the CyberArk Privileged Account Discovery (PAD) service?

- A. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=yes".
- B. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=no".
- C. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=yes".
- D. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=no".

Answer: B (LEAVE A REPLY)

NEW QUESTION: 26

Which of the following is a valid configuration for the CyberArk Privileged Account Discovery (PAD) service?

- A. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=yes".
- B. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=no".
- C. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=yes".
- D. True, Vault configuration file is dbparm.ini and the configuration is "FailoverMode=no".

Answer: D (LEAVE A REPLY)

NEW QUESTION: 27

SIEM (Security Information and Event Management) is a type of security tool that collects and analyzes log data from various sources to detect and respond to security incidents.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 28

LDAP (Lightweight Directory Access Protocol) is a protocol for accessing and maintaining distributed directory information services over an IP network.

□□/□□: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Monitoring-Privileged-Sessions.htm>

NEW QUESTION: 33

□□□ □□ □□ □□ □□ □□□ □□□□□.

- A. □
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

SSH □□ □□□ □ CPM□ □□□□ □□ □□ □□□□ □□ □□□□ □□ □□ □□□□□.

- A. □□
- B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

CPM(Central Policy Manager)□ □□□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□□ □□□□□?

- A. CPM□ □ □□□□ □□□□□ □□□□ □□□□.
- B. □□ □□
- C. □□□□□ □□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

□□ □□□□□ □□□□□ □□□□□ Vault □□□□ □□□ □□□□ □□ Vault □□□ □□ □□ □□ □□□□□□ □□□□ □□ □□ □□□□ □□□□ □□□.

- A. □
- B. □□

Answer: ([SHOW ANSWER](#))

□□/□□: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PAS%20INST/Before-CyberArk-Vault-Installation.htm>

NEW QUESTION: 37

□□ □□□ □□ □□□ □□□□□?

- A. □ □□□ □□□□ □□
- B. □□ □□ □□ □□ □□
- C. □□ □□(□□ □□)
- D. □□ □□□□ □□ □□ □□□□□ □□□□ □□□□ '□□□□ □□'□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

□□□ □□ □□ □□□ □□□□ □□ □□ □ □□ □□□ □□□□□ □ □□□□.

A. □

B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

Vault □□□□ Vault□□ syslog □□□ □□□ □□□ Vault□□ □ □ □□□□.

A. □□□□ SIEM□□ □□□□□.

B. SNMP(Simple Network Management Protocol) □□□ □□□□.

C. SIEM(Security Information and Event Management)□ □□ □□□ □□□□□.

D. ITALOG □□□□ SIEM(□□ □□ □ □□□ □□)□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

□□ □□ □□ □□ □□□□ □□□□ □□ PTA□□ □□□ □ □□ □□ □□ □□□ □□□□ □□□□ □?

A. □□ □□

B. □□□□ □□

C. □□ □□

D. □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

SIEM □□□ □□ ITALOG □□□□ □□□□ □□□□□ □□□ □ □□□□.

A. □

B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

Windows□ PSM(□□□□ "RDP □□□"□ □□□)□ □□ □□ □□□□ □□ □□□ □□□□ □.

A. □□□

B. □□□

C. □□□

D. □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

PAS □□ □□□ □□□ □□ □□□ □□□□□?

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

□□□ □□ □□□□ □□ □□□ □□□ □□□ □□□□ □ □□□ □ □□ □□□□ □□ □□
□ □□ □□□□□□.

- A. □□ exe
- B. PrivateArk □□ □□ □□
- C. BY □□□□
- D. □□□ □□□□□ DBParm.ini□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 58

CPM(□□ □□ □□□)□ □□□□ □□ □□ □□ □□□ □□ □□□ □□□□ □□□□□ □□
□□□?

- A. CPM□ □ □□□□ □□□□□ □□□□ □□□□.
- B. □□ □□
- C. □□
- D. □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

□□□□ □□□□ □□□□□ □□□□ CyberArk□□ □□□□ □□□□□□ □□□□ □□□.

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

CyberArk Vault □□ □□□ □□□ □ □□□□?

- A. □, □□□ □□□ □□□□ □□ □□□ □□□ □ □□□□.
- B. □□□, □□ □□□ □□□ □□□□□ □□□□ □□□ □ □□□□.
- C. □, Vault □□□□ □□ □□□ □□□ □ □□□□.
- D. □, Vault □□□□ □□ □□□ □□□ □ □□□ CyberArk□ □□□□ □□□ □□□□ □□
□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

CyberArk□ Vault□□ □□□□□□□ □ □□ □□□□ □□ □□□ □□□□ □□□□ □□□ □
□□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Managing-the-CyberArk-License.htm>

CAU302 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ CAU302 □□!
DumpTop □ □□ **CAU302** □□ □□□ □□□□□□, DumpTop CAU302 □□ □□□ □□□
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop CAU302 □□□
□□□□□. <https://www.dumptop.com/CyberArk/CAU302-dump.html> (230 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 62

□□ Vault □□□ □□ □□ □□□ □ □□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/11.4/en/Content/PAS%20INST/Optional-Installing-Multiple-PSM-Servers.htm>

NEW QUESTION: 63

□□□ □□ □□ □□□ □□□□ □□ □□ □ □□ □□□ □□□□□ □ □□□□.

- A. □
- B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

□□ □ □□ CPMS □□□ □□ □□ □□□ □□ □□ □□□□□?

- A. □□ CPM□ □□□□ □ □□ □□ □□□ □ □□□□.
- B. □□□□□ □□□□ □□ □□□ □□ VLAN□□ □□□ □□□□□.
- C. WAN □□□ □□ □□□□ □□□ □□
- D. □□ □□□□ □□ □□ □ □□ □□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

□□□ □□ □□□□ □□ □□□ □□□ □□□ □□□□ □ □□□ □ □□ □□□□ □□ □□
□ □□ □□□□□□.

- A. □□ exe
- B. BY □□□□
- C. PrivateArk □□ □□ □□
- D. □□□ □□□□□ DBParm.ini□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

- C. □□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

□□ CPM(□□ □□ □□□)□ □□□ □ □□ □ □□ CPM□ □□□□ □□□ □□□□□?

- A. PasswordManager_ADInternal
- B. PasswordManager_workspace
- C. PasswordManager_□□ □
- D. PasswordManagerSharedSafe

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□ □□□ □□□ □ CyberArk□ □□ □□ □□□ □□□□□?

- A. □□ □□ □□□ □□□ □□□ □□
- B. □□ □□□ □□ □□
- C. CyberArk Password Manager□ □□□ □□
□□□D18912E1457D5D1DDCDBD40AB3BF70D5D
- D. □□□ □□□ □□ □□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 74

□□ □□□ □□ □□□ □□□□□?

- A. □ □□□ □□□□ □□
- B. □□□□(□□□□)
- C. □□ □□ □□ □□ □□
- D. □□ □□□□ □□ □□ □□□□□ □□□□ □□□□ '□□□□ □□'□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

SMTP □□□ □□ □□ □□□□ □□□□ □□□□□ □□□ □ □□□□.

- A. □
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 76

□□ □□□□ _____□(□) □□□□□ Windows □□□ □□□ □ □□□□.

- A. □□□ □□□ OU
- B. □ □□□ OU.
- C. □□ 3□□ OU.
- D. □□ □□ □□ □□ □□□ □□ OUstoScan □□□ □□ □□□ OU□ □

- C. □□□□ □□□ □□□ □□□ □□□□ □□□.
- D. □□□□□□ □□□ □□□□ □ □□ □□ □□ □□ □□□□□□.

Answer: ([SHOW ANSWER](#))

CAU302 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ CAU302 □□!
 DumpTop □ □□ **CAU302** □□ □□□ □□□□□□, DumpTop CAU302 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop CAU302 □□□
 □□□□□. <https://www.dumptop.com/CyberArk/CAU302-dump.html> (230 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 92

Vault□ SNMP □□□□ SNMP □□□ □□□ □□□. SNMP □□□ IP □□□ □□□□ □ □□
 □□ □□□ □□□□□?

- A. dbparm.ini
- B. snmp.ini
- C. PARAgent.ini
- D. ENEConf.ini

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 93

□□ □□□□ _____□(□) □□□□□ Windows □□□ □□□ □ □□□□.

- A. □□ □□ □□ □□ □□□□ OUstoScan □□□ □□ □□□ OU□ □□□□.
- B. □□□ □□□ OU.
- C. □ □□□ OU.
- D. □□ 3□□ OU.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 94

□□□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□.

- A. □□
- B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

□□□ □□ □□□ □□□ _____ □ □□ □□□□□.

- A. □□□ □□
- B. □□□ □□
- C. □□□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 96

CPM □□□□ □□ □□ □□ □□ □□ □□□□□? □□□□ □□ □□□ □□□□.

- A. □ □□□ □□
- B. NET 3.51 □□□□□ □□
- C. Windows 2008 R2 □□
- D. □□ □□□□ □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 97

CPM □□□□ Allowed Safes □□□□□ □□□ □□□□□? □□□□ □□ □□□ □□□□.

- A. □□□□ □□□□ □ □□□ □□ □□□□ □□□□ □ □□□ □□□.
- B. CyberArk□□ □□ □□□ □□□□□.
- C. □□□ □□□□ □□□□□ □□□ □□□□ □□ □□□□□.
- D. CPM □□□□ □□ □□□ □□□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 98

□□□ □□ □□□□ □□ □□□ □□□ □□□ □□□□ □ □□□ □ □□ □□□□□ □□□ □□?

- A. PrivateArk □□ □□ □□
- B. □□□ □□□□□ DBParmi.ini□ □□□□□.
- C. Setup.exe
- D. BY □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 99

□□ □□ □□□ □□□ □□□□ CyberArk □□ □□□ □□□□□□□.

Answer:

NEW QUESTION: 100

□□ □□□□ □□ □□□ □□□□□ PSM □□ ID□ □□□□□ □□□. □□□ □□□ □□ ID□ □□□□ □□□□□ □□□□□?

- A. □□ □□ A□ B□ □□□ □□□□□.
- B. PVWA□ □□□□ □□ □□, □□□ □□, □□, □□ □□ □□ □□, □□□ PSM □□. □□ PVWA □□□□ IISRESET□ □□□□□.
- C. □□ PVWA□ □□□□□ □□, □□□ □□, □□, □□ □□ □□□□ □□□□□. □□, □□□ PSM □□ □□□□ □□□□ □□ PSM □□□ □□□□□. □□. □□ □□□ ID □□□ □□ □ □□ ID□ □□□□ □□□ □□□ □□

□□. □□ □□ PSM □□ □□□□□□ PSM □□□ □□ basic_psm.ini □□□ □□□□ □□□ □□□□.

□□□ □□ ID□ PSMServerID □□□□□ □□□□ □□□ □□□□ "CyberArk Privileged Session Manager" □□□□ PSM □□□ □□□□□.

D. □□ PrivateArk □□□□□□ □□□□ □□□□□ PVWAConfig □□□ □□□. □□ □ □□ PVConfiguration.xml □□. PSMServer □□□ □□□□ □□□ □□□ ID□ □□□□□□□□. □□□ □□□ □□□□□. □□□ □□□□ PWACConfig □□□ □□ □□□□□□□. "CyberArk Privileged" □□ □□ Session Manager" □□□□ PSM □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 101

□□ □□□□ □□□ □ □□ □□ □□ □□□ □□□□□□?

- A. 3
- B. 2
- C. 1
- D. 4

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 102

□□□□□ HeadStartInterval □□□ □□□ □□□□□?

- A. □□□□ □ □ □□ □□□□ □□□□ □□□ □□□□□ □□□□.
- B. □□□□ □□ □ □ □□ □□ □□ □□□□□ □□□□□ CPM□ □□□□□.
- C. □□□ □□ □□ AIM □□□□□ '□□ □□□□□'□ □□□□□.
- D. □□□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 103

PVWA(Password Vault Web Access)□ □□ □□□□ RemoteApp□ □□□□ □□ Linux □□□ □ □□ PSM □□□ □□□□□. □□□□□□ □□□□ PSM □□□ RDP □□□ □□ □ □□ □□□□ □□□□□?

- A. PSMAdminConnect
- B. □□□□□□□
- C. □□□□□
- D. □□ □□□ □□□ □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 104

□□ □□□□ □□ □□□ □□□□□ PSM □□ ID□ □□□□□ □□□. PSM □□ ID□ □□□ □ □□□ □□□□□?

- A. □□ □□ A□ B□ □□□ □□□□□.

- C.
- D.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 108

PSM ID . PSM ID ?

A. PVWA Privileged . PSM PSM . ID ID . PSM PSM basic_psm.ini ID PSMServerID PSM "CyberArk Privileged Session Manager" .

B. PVWA PSMServer ID . PSM PVWA IISRESET .

C. PrivateArk PVWAConfig . PVConfiguration.xml . PSMServer ID PVWAConfig . PSM "CyberArk Privileged Session Manager" .

D. A B .

Answer: A ([LEAVE A REPLY](#))

<https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PAS%20INST/Optional-Changing-the-PSM-Server-ID.htm>

NEW QUESTION: 109

SIEM ?

- A.
- B.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 110

Vault Microsoft Windows .

- A.
- B.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 111

PVWA .

- A.
- B.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 112

□□ □ □□□ □□□□ □□□ □ □□ □□ □□□□□? □□□□ □□ □□ □□□□□□.

- A. □□□□ □□
- B. □□ □□□□
- C. □□ □□□ □□
- D. □□□ □□
- E. □□□ □□ □□ □□ □□
- F. □□ □□
- G. □□ □□
- H. □□□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 113

□□ □□□□ □□□ □□□□□.

- A. □□ 30□ □□ CyberArk□ □□□ □□ □□□
- B. □□ 30□ □□ CyberArk□□ □□□ □□
- C. □□ 30□ □□ □□□ □□□ □□ □□
- D. □□ □□□□ □□ CyberArk□□ □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 114

□□□ □□ □□ □□□□ □□□ □ □□ □□□□ □□□□□?

- A. □□ □□ □□ □□□□ □□□
- B. □□ □□ □□ □□ □□ □□□
- C. □□ □□
- D. □□□□□□ □□□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 115

□□ Windows □□□ □□ PSM □□□ □□□□ □ □□ □□ □ □□ □□ □□ □□□□□?

- A. □□□ □□□□ PSM□ □□□□□ □□□(□□ □□ □□□ □□).
- B. PSMConnect□ □□ □□□ □□ □□□□ □□□□□ □□□.
- C. □□ □□□□ RDP□ □□□□□ □□□.
- D. □□ □□□ PSM □□□□□□ □□□□ □□□ □□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 116

□□ □□□□ □□□ □□□ Microsoft□□ □□□□□ □□□ □□□□□ □□□.

- A. □
- B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

2. Which of the following is a security solution that can be used to protect data in transit?

- A. CyberArk Privileged Session Manager
- B. Cisco Duo
- C. Cisco Duo and Duo MFA
- D. Duo MFA

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 118

Which of the following is a protocol used to resolve domain names to IP addresses?

- A. FQDN (Fully Qualified Domain Name)
- B. NetBIOS
- C. IP
- D. DNS (Domain Name System)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 119

Which of the following is a security solution that can be used to protect data in transit?

- A. Duo
- B. Duo MFA

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 120

Which of the following is a security solution that can be used to protect data in transit?

- A. Cisco Duo
- B. Duo MFA
- C. Duo MFA and Duo MFA
- D. Duo MFA and Duo MFA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 121

Which of the following is a security solution that can be used to protect data in transit?

- A. IIS
- B. Duo
- C. Duo MFA
- D. HTML5

□□ □□□□ LDAP/S □□ □□ PVWA(□□ □□ □ □□□)□□ □□□ □□□□□ FQDN(□ □□□ □□□ □□)□ □□□□ □□□□□?

- A. PVWA > □□□ □□ > LDAP □□
- B. PVWA > □□ > LDAP □□
- C. PVWA > □□ > □□ > LDAP □□
- D. PVWA > LDAP □□

Answer: ([SHOW ANSWER](#))

□□/□□: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/Landing%20Pages/LPLDAPntegration.htm>

CAU302 □□ □□□□ □□□□□□ □□ DumpTop □□ □□□□ □□□ CAU302 □□! DumpTop □ □□ **CAU302** □□ □□□□ □□□□□□, DumpTop CAU302 □□ □□□ □□□ □□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□□ □□ DumpTop CAU302 □□□ □□□□□. <https://www.dumptop.com/CyberArk/CAU302-dump.html> (230 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 137

□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 138

ITAllog□ □□ □ □□ □□□ □□□□□.

- A. PrivateArk □□□□□□□ □□□ □□□□ □□□□□□.
- B. PVWA□ □□□□□ □□□ □□□ □□□□□.
- C. CPM□ Thirdparty □□ □□□□□ □□□□□.
- D. □□□ □□□ □□□□□ PrivateArk □□ □□ □□□ □□ □□□ □□□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 139

□□□□□□ □□□□ □□□□ AIM□ □□□ □□□□.

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 140

Vault□□ □ □□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. □□□.ini

- B. PARagent.ini
- C. dbparm.ini
- D. padr.ini

Answer: ([SHOW ANSWER](#))

□□/□□: https://www.reddit.com/r/CyberArk/comments/at0q56/open_ports_cyberark_vault/

NEW QUESTION: 141

DNA□ □□□□ □□ □□□□ □□□ □ □□ □□ □□□ □□□ □ □□□□.

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

CAU302 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ CAU302 □□!
DumpTop □ □□ **CAU302** □□ □□□ □□□□□□, DumpTop CAU302 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop CAU302 □□□
□□□□□. <https://www.dumptop.com/CyberArk/CAU302-dump.html> (230 Q&As Dumps,
30%OFF Special Discount: **KrDump**)