


□□□ □□□□ □□□ □ □□□□. □□□□ □□□ □□□□ □□□ □□□□ □□ □□□□ □, □□□□ □□□ □□□ □□□□□. □□ □□□□ □□ □□ □□□ □□ □□□□.



□□ □□ D□ □□□□□□. □□□□□□ □□□□ □□□□ □□□ □□□□ □□ □□ □□□□ □.

□□ □□ A□ □□□□□□. □□□□□□□ □□□ □□ □□□□□□ □□□□ □□ □□ □□□□ □□□ □□□□ □ □□□□ □□□□ □□ □□ □□□□□. □□□□□□□ □□□□ □□□ □□ □□ □□ □□□ □□□□ □□□□□ □ □ □□□ □□□□□. □□□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□□□ □□ □□□□□.

□□ □□ C□ □□□□□□. □□□□□ □□□□ □□□□ □□□□□ □□□□ □ □□□□□. "□□ □□□□□"□ Windows □ □□ □□ □□□ □□ □ □□ □□□□ □□□□ □□ □□□□ □□□□□□□□. □□□□□ □□□□□ □□□□ □□□□□□ □□□□□□ □□□ □□□□□ □□□ □ □□□□.

□□□□□ □□ □□□□□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□□ □□□□□□.

NEW QUESTION: 8

Windows □□ □□ □□ □ □□□□□ Windows □□□□ □□□□□□ □□ □□□□ □□ □□□ □□□?

- A. □□□□ □□□ □□□(Netlogon)
- B. □□ □□ □□□(SAM)
- C. □□ □□ □□□(SRM)
- D. □□ □□ □□ □□ □□□(LSASS)

Answer: (SHOW ANSWER)

□□ □□ □□□(SRM)□ □□□□□ □□ □□□□ □□□□□ Windows □□ □□□ □□ □□ □ □□□□. □□ □□□ □□□□ □□□□ □□□ □□□ □□□ □□ □□□ □□ □□ □□□□□. SRM□ □□ □□□□ □□□□ □□□ □□□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□□ □□ Windows □□ □□□□□ □□□ □□□ □□□.

□□ □□: Windows □□□□□ SRM□ □□□□ □□□ □□□□□ □□□, Microsoft□ □□ □□ □ □□ □□□□ □□□□ □□□ □□□□□□. □ □□ □ □□ □□□□□□ SRM□ □□□□ □□□ □ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□.12

NEW QUESTION: 9

□□ □ □□ □□□□□□□□ □□ □□□ □□ □□ □ □□□ □□□□□□?

- A. □□□
- B. □□□
- C. jplag

□□□ □□□□ □□□□ □□□ □□□□□ □□□ □□□ □□□□, □□□□ DMZ123 □□□ □□□□□.

NEW QUESTION: 12

□□ □□ □□□ □□ □□□ □□□ □ VPN □□□□□ □□□□□□□.
□□□ □□□ □□□□ □□ □□□ □□□□ □□□□□□□. □□□□ □□□□□□ □
□□ □ □□ □□□□□□. □□□ □□□□□ □□ □□□□□□□. □ □ □□ □□□□ VPN□
_____ □□□□□ □□□□□.

- A. □□ □□
- B. □□ □□ □□
- C. □□□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

FBI□ □□□ □□□□ □□□□ □□□□ □□□ Windows PC□ □□ □□□□ □□ □□ □□ □
□ □□□ □□ □□□□□□. □□ □□□ □ □ □□□□□?

- A. □□□□ □□ □□□□□□ □□□□ □□□□ □□□□ □□□□□□.
- B. Windows PC □□ □□□ □□□□ □□□□□□.
- C. □□ □□□ □□□□□□ □□□□ Windows □□ □□□□□ □□□□□□□.
- D. HDD□ □□□□ □□□□ NTFS□ □□□□ □□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

Windows PC□ □□ □□□□ □□ □□ □□□ □□□ □□□ Byron□ □□ □□ □□□ □□□
□□ □□□□□ □□□□ □ □□□□ □□□. □□ □□□□□ □□□ □□□□ □□□.

* □□ □□ □□□□ □ □□: □□ □□ □ □□□□□□□□□ □□□ □□□□ □□ □□□□□□
□□□.

* Windows □□ □□□□ □□□: □□□□ □□ □ □□ □□□□□ □□□□□□ PC□ □□ □□
□□ □□□ □□□□□ □□□.

□□□□ □□□□□ □□□□□□ □□□□ □□□ □ □□ □□ □□□ □□ □ □□□ □□□.
□□□□ □□ □□□□□□ □□□□ □□□ □□(□□ A)□ □□□□□□, □□□□ □□□ □□
□□□ □□□□ □□□□ □□□□. □□ □□□ □□□□ □□(□□ B)□□ □□ □□ □□□ □
□□□ □ □□□□□ □□□□□ □□□ □□ □□□□□ □□□□. □□□□ □□□□ NTFS□
□□(□□ D)□□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□.

□□□□:

* EC-Council Certified Network Defender(CND) □□ □□□

* Microsoft Windows □□□□ □□□□

NEW QUESTION: 14

□□ □□ □□□ □□ □□ □ □□ □□□ □□□□ □□□□ □□□?

- A. □□□□ □□, □□ □ □□

Which of the following is a standard RJ-45 connector for 5UTP? (Select all that apply)

- A. 10Base-T
- B. 10Base-FL
- C. 10Base-FD
- D. 10Base-FB

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which of the following is a standard RAM, CPU, and storage device? (Select all that apply)

- A. 10Base-T
- B. 10Base-FL
- C. 10Base-FD
- D. 10Base-FB

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

Windows 7 is a 64-bit operating system. Which of the following is a 64-bit processor? (Select all that apply)

- A. Intel Core i3
- B. Intel Core i5
- C. Intel Core i7
- D. Intel Core i9

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which protocol would the network administrator choose for the wireless network design. If he needs to satisfy the minimum requirement of 2.4 GHz, 22 MHz of bandwidth, 2 Mbits/s stream for data rate and use DSSS for modulation.

- A. 802.11a
- B. 802.11g
- C. 802.11b
- D. 802.11n

Answer: C ([LEAVE A REPLY](#))

The 802.11b protocol is the correct choice for the network administrator to satisfy the specified requirements.

802.11b operates in the 2.4GHz ISM band, uses Direct-Sequence Spread Spectrum(DSSS) modulation, and provides a data rate of 11Mbps. It also supports a data rate of 2Mbps. 802.11b uses a channel width of 22MHz. 802.11a uses a channel width of 20MHz. 802.11n uses a channel width of 20MHz or 40MHz. 802.11g uses a channel width of 20MHz.

□□□□:

* IEEE 802.11b-1999 □□ □□.

* □□ LAN □□ □□ □□(MAC) □ □□ □□(PHY) □□1.

NEW QUESTION: 23

□□ □□□ □□ □□□□□ □□ □□□ □□□□ □□□□ □□□. □□ □□□ □□□□ □
□ TCP/IP □□□□ □□□□□?

- A. □□□□□□ □□
- B. □□□□ □□□□□ □□
- C. TCP □□
- D. IP □□

Answer: D (LEAVE A REPLY)

□□ □□□ □□□□ TCP/IP □□□ □□□□ □□□□ □□□□□. □□ □ □□ IP □□, □□
□□ □□, □□ □□□ □□□□ IP □□□ □□□ □□□□ □□ □□□ □□□ □□ □□
(ACL)□ □□ □□□ □□□□ □□□□ □□□ □□□□□. □ □□□ □□□□ □□ □□ □□□□
□□□□ □□ ACL□ □□ □□□ □□□□ □□□ □□□□.1234.

NEW QUESTION: 24

□□ □ Windows OS□□ □□□□ iptables □□ □□□□ □□□□ □□ □□ □ □□ □□□□
□ □□□□ □□□□ □□□ □□□□□?

- A. □□
- B. □
- C. □□□□
- D. PSAD

Answer: D (LEAVE A REPLY)

PSAD□ Windows OS□□ □□□□ □□□ iptables □□ □□□□ □□□□ □□ □□ □ □□
□□□□□ □□□□ □□□□□. □□□□ EvilFTP, GirlFriend, SubSeven, DDoS □□(mstream,
shaft) □ □□ □□ □□(FIN, NULL, XMAS)□ □□ □□□ □□□ □□□□□ □□ □□□□ □
□□□ □□ IDS□ □□ □□□□□ □□□□ □□□□□. fwsnort □ Netfilter □□□ □□ □□□ □
□□□ □□□□□□□ □□ □□□□ □□□ Snort □□ □□□ □□□ □□□□ □□□ □□□□
□. □□ C□ □□□□□□. NetRanger□ □□ □□□ □□□□ □□□ □□□□ □□ □ □□ □□
□□□. Ping □□, Trace Route □□, Host Lookup □□, Internet time synchronizer, Whois □□,
Finger Unix □□□ □□, Host □ □□ □□□ □□, □□ POP3 □□ □□ □□ □□, □□□□ □
□ □□ □□, Quote of the day □□ □ Monitor Network Settings □□. □□□ □□□ □□ □□□
□□□□ □□ □□□□□□□ □□□□□□ □□□□ □□ □□□□□□□□. NetRanger□ □□ □
□□□ □□□ □□□ □□ □□ □□□□□□□. □ □□□ □□□□ □□□ □□□□ □□□□□ □
□□ □□□ □□□□□ □□□, □□□ □ □□□□□□ □□ □□□ □□ □ □□□□□.

NetRanger□ □□ □□□ □□□□□ □□ □□ □□□ □ □□ □□ □□□ □□□□□. □□ B
□ □□□□□. Hping□ TCP/IP □□□□□ □□ □□ □□ □□□ □ □□□□□□□. Hping□ □
□□□ □□□□□ □□ □□ □ □□□□ □□ □□□□ □□ □ □□□□□□. hping□ □ □□□

0000: 000 00 0000 0000 00 000000 00 0000 00 00 0 00 00 0000
00 000 00000 00000 00 00000 00000 Certified Network Defender(CND) 0000
00000 0000000.123

NEW QUESTION: 27

00 00 0 00 00 0000 00000 0000 00000 0000?

- A. 00 0000
- B. IR 0000
- C. IR 0000
- D. IR 0000

Answer: A ([LEAVE A REPLY](#))

00 00(IR)0 00000 PR 00000 000000 00 0 00 00 0000 00000 0000 0
00. 0000 00000 0000 0000 00000 00 0000, 00 0000 0 00000 000000
00 00000 00 000000. IR 0000, 0000 0 00000 00 0000 00000 00000 0
0000 0000 0000 PR 00000 0000 00 00 00000 00000 000000.

NEW QUESTION: 28

00 000000 0000 000000 00000. 00 0000 00000 0000 0000 00000000
0000 0000 000000000 00000000 00 0000 0000000.
00 0000?

- A. 0000 00000
- B. 0000 IDS.
- C. 00000
- D. 0000

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

0000 00000 0000 000000 00 00 000000 000000 0000000. 00 00 00000
_____00 000000.

- A. 0000 0000
- B. 0000 0000
- C. 00 00 0000
- D. 00 0000

Answer: ([SHOW ANSWER](#))

00 00 00000 00 00 0000 000000 000000. 00 00 0 00000 0000000 0
00 0 0000 000000 00 00 00000 00 000000. 0000 00 00 00 00000 0
00000 0000 000000, 000000 000000 00 00 00000 000000. 0 000000
0000 00 00 0000000 000000 00 000000 0000000 0000 0 0000 000000 0
0000 0000.

□□□ □□□ □□□ □□□□. _____ □□□□ □ □□ □□□ □□□ □□□□ □□
□ □□□□□.

□, □ □□□ □□□□ □□ □□ □□ □□ □ □□□□□. □□ □ □□□□□□□ □□□.

Answer:

□□□

□□:

□□□ □□□□ □□ □□ □□ □ □□□□ □ □□ □□ □□□□ □□□ □□□□□□.

□□□ □□□. □□ □□ □□ □□□ □□□ □ □□ □□ □□ □ □□ □□ □□ □□

□□□ □□□. □□ □□, □□□□ □□ □□□□□□ □□□□ □□□□ □□ □ □□□□□

□□ □□ □□□□ □□□□ □□□□□□. □□□□ □□ □□ □□□□ □□□□ □□□□□□.

NEW QUESTION: 33

□□ □□□□ □□□ □□□ □□□□. □□ www.we-are-secure.com □ □□□ □□□□□□ □□
□□□ □□□□□□. □□ □□□ □□□□ □□ □□□ □□ □□□□ □□□□. □□□ □□ □□
□ □□□ □□□□.

"□□□ □□ □□□□ Linux □□ WLAN WEP □□□ □□□□□□. □□□□□□ □□□ □□□□□□
□ □□□□□. Ciphertext Only Attack □ □□□□ □ 500□~1000□ □□ □□□ □□□□□ WEP
□□ □□□□□□." John □ □□ □ □□ □□□ □□□□ □□ □□□ □□ □□□□□□□?

- A. PsPasswd
- B. □□□
- C. □□□□□
- D. □□

Answer: C (LEAVE A REPLY)

AirSnort □ □□□ □□ □□□□□ Linux □□ WLAN WEP □□□ □□□□□□. AirSnort □ □□□
□□□□□□ □□□□□□ □□□□□□. Ciphertext Only Attack □ □□□□ □ 500□~1000□ □□
□□□ □□□□□ WEP □□ □□□□□□.

□□ □□ B □ □□□□□. Kismet □ Linux □□ 802.11 □□ □□□□ □□□ □ □□ □□ □□
□□□□. □□ □□□□(rfmon) □□□ □□□□ □□ □□ □□□ □□ □□□ □ □□□□□.

Kismet □ □□□□ □ □□□□□.

802.11b, 802.11a, 802.11g, 802.11n □□□. Kismet □ □□ □□□ □□□ □ □□□□□.

□□□ □□□□ □□□□ □□□□□□ □□□□□□

□□ □□□ □□□□□□ □□□□□□

□□□□ □□□□□□ □□□□□□

□□□ □□□□ □□ □□ □□□□□□ □□□ □□□□□□.

□□ □□ D □ □□□□□. Cain □ Windows □□ □□, Windows □□, VoIP □□ □□□□ □□
□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□□. □ □□ □□ □□□□□□ □□□ □□
□□□ □□ □□ □□□ □□□ □ □□□□□.

□□ □□
□□□ □□ □□
□□□□ □□
□□□□□ □□

- B. □□□□ □□□
- C. □□ □□□ □□□
- D. □□□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

□□ □□□ □□ □□ □□□ □□ □□ □ □□□ □□□ □□□ □□□□?

- A. □□□□□□□□
- B. □□ □□ □□
- C. □□□□ □□ □□
- D. □□□ □□ □□

Answer: C ([LEAVE A REPLY](#))

□□□□ □□ □□(SSSP)□ □□□ □□ □ □□□ □□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□□□. □□□□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□□. □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□□ □□□□ □□, □□ □□ □□ □□ □□, □□□□ □□ □ □□□ □□ □□ □□□□ □□□□□. □□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□.

NEW QUESTION: 38

□□ □ □□ □□□□ □□□□ □□□□□ □□□□ □□ □□ □□ □ □□□ □□□□ □□□ □□□□ □□□□□?

- A. □□ □□□□
- B. □□□ □□ □□
- C. □□□□ □□
- D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

□□□ □□ □□□□ □□□□ □□□□ □□ □□ □□ □□ □ □□□ □□□□ □□□□□□ □ □□□□. □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□□. □, □□ 6□, □□□□ □□, □□□□ □□□□ □□□□ □□□□ □□□□.

□□ □□ D□ □□□□□□. □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□ □ □□□□□. □□□□ □□□□ □□□□□□ ping □□□□ □□ □□ □□□□ □□□□□ □□ □ □□ □□□□ □ □□□□□. □□□□ □□□□ □□□□ □□□□ ICMP □□ □□(ping) □□□□ IP □□□□□□□ □□□□ □□□□□□, □ □□ □□□□ □□□□ □□□□ □□□□ □□ IP □□□□ □ □□□□□. □□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ IP □ □□□□□□ □□□□□ □□, □□ IP □□□□□□ □□□□ □□□□□ ICMP □□ □□□□ □□ □□ □□□□□ □□□□□, □□ □□□□ □□□□□ □□□□ □□□□ □□□□.

□□ □□ A□ □□□□□□. □□ □□□□□□ □□□□□□□ □□□□□ □□□ □□□ □□ □□ □□ □□□□□ □□□□□. □□□□□ □□ □□□□□ □□ □□□□ □□□□ □□ □□□□ □□ □□ □□□□ □□□□□ □□□□□ □□□□□ □ □□□□ □□□□ □□□□ □□□□.

□□ □□□□ □□□□ □□□□□□□□ □□□ □□ □□□□ □□ □□□□□□. □□ □□□□□□
□□ □□□ □□□ □□□□.

- □□□□□□
- □□□ □□□□□
- □□□□□□
- □□□□□

□□ □□ C□ □□□□□□. □□□□□ □□□ □□□□ □□□□□□□ □□, □□ □□□□ □□□□
□ □□□□ □□□□□ □□□□□ □□□□ □□□□ □□ □□ □□□ □□ □□□ □□□□□□
□ □□□□ □□□□□ □□□ □□□□□□. □□□□□ □□□□□□(□□ □□ □□□ □□□ □□
□ □ □□ □□ □□)□ □□□□□ □□□□□ □□□□ □□ □□ □□□□ □□□□□ □□□□
□□. □□□ □□ □□□ □□□ □□□ □□□ □□ □□□□ □□□□□□.

NEW QUESTION: 39

□□ □□□ □□□□ □□□□□ □□□ □□□□ □□ □□□□ □□□ □ □□ □□□ □□ □
□□ □□□□□ □□□. □□□□ □ □□□ □□ □□□ □□□□□?

- A. □□□□ □□
- B. □□□□□ □□
- C. □ □□□ □□
- D. □□□□ □□

Answer: A (LEAVE A REPLY)

□□□□ □□ □□□□□ □□□ □□□□ □□□□ □□□□□ □□ □□□ □□□ □□ □□□
□□□□ □□□□□. □□□□ □□ □□□□ □□ □ □□ □□ □□□□ □□□□ □□□ □□
□□ □□□□□. □□□ □□□□ □□□□ □□□□ □□ □□□ □ □□□ □□□□ □□ □□
□□□ □□□□ □□□□ □□□ □ □□□□. □□ □□□□ □□ □□□ □ □□ □□ □□□ □
□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 40

□□ □□□□ □□ RTO□ RPO□ □□ □□ □□□ □□ □□□□□□ □□□. RPO□ □□□
□□□□?

- A. □□□ □□ □□□ □□□□ □ □□□□ □ □□□ □□
- B. □□□ □□□ □□□□ □□
- C. □□□□ □□ □□ □□□□ □□□□ □□□ □□
- D. □□□ □□□ □□□ □□

Answer: B (LEAVE A REPLY)

□□ □□ □□(RPO)□ □□ □□□ □□ IT □□□□□ □□□□ □□□ □ □□ □□ □□ □□
□ □□□□. □□ □□ □ □□□□ □□□ □□□□ □□□ □□□□□□□□. RPO□ □□ □□
□ □□□□ □□□ □□□ □□ □□□□□. □□ □ □□□□ □□□ □□□□ □□□□ □□□
□□□ □□□ □□□ □ □□ □□□ □□□ □□ □□□□ □□□□ □□ □□□ □□□□□.

□□□□:
* EC-Council □□ □□□□ □□□(CND) □□ □□.
* CND □□□□1□ □□□ □□□□ □□□ □ □□ □□ □□□ □□□ □□ □□.

NEW QUESTION: 41

Which of the following is a type of intrusion detection system (IDS)?

- A. IPS
- B. SIEM
- C. NIDS
- D. HIDS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which of the following is a Windows API function used to retrieve the name of the user who is logged on to the system?

- A. GetUserName
- B. PsLoggedOn
- C. PsGetSid
- D. GetLogonServer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Which of the following is a type of network scan that sends a ping request to a target IP address and waits for a response?

- A. SYN
- B. UDP
- C. ICMP
- D. TCP

Answer: B ([LEAVE A REPLY](#))

SuperScan is a network scanner that can scan for open ports and services. Which of the following is a command that can be used to scan a target IP address for open ports using SuperScan?

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000 -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

SuperScan -i IP -p ping -s 1000 -t 1000 -o 1000 -l 1000 -m 1000 -n 1000 -e 1000 -f 1000 -g 1000 -h 1000 -k 1000 -j 1000

000 000 00 00, 00 00 00000000 00 0000 00 0000000 0000
 0. Nmap Linux, Microsoft Windows 000 000000. 00 00 C 000000. Netstat(0
 000 00)0 0000 00(00 0 00), 000 000 0 00 00000 000000 000
 0000 000 000000. Unix, Unix 00 0 Windows NT 00 00 00000 0000 0 00
 00. 000000 0000 00 00 00 00000 000000 0000 00 00000 0 00000
 0. 00 00 A 000000. Hping TCP/IP 000000 00 00 00 0000 0 000000
 0. Hping 00000 000000 00 00 0 00000 00 00000 00 0 000000. hping
 0 0 000 hping3 0 Tcl 000 00000 000000 00000 TCP/IP 0000 00 0000 0
 0, 0000 00 0 00 0000 00 0000 000000 00000000 00 00 00 00 0000
 TCP/IP 00 00 0 0000 0000 0000000 0000 0 00000. 0000 0000 00000 00
 00 0000 000000 hping 0000 000000 0000(00 000000 00) 000000 00000
 0.

NEW QUESTION: 44

0000 0000 0000 0000. _____ 0 00000 000000 0000000 00 0000
 0 00 0000 000000 00 000000000.

Answer:

IGMP

NEW QUESTION: 45

00000 00 0000000 000000 000000 000000. 00 00 00 0000 0000 00 00
 0 000000 00 00 0000 0000000?

- A. 0000 -o
- B. 0000 -a
- C. 0000 -ao
- D. Netstat -an

Answer: D (LEAVE A REPLY)

netstat -an 0000 00 00 0000 00 0 00 0000 00 00 0000 00 0000 00000
 0 000000. 00 00 0000 0000 000000 00 0000 0000 000000 00 0000000
 00000, 00 00 00 0000 0000 0 0000 000000 0000 0 00000.
 00000: netstat -an 000000 0000 000000 000000 00 0000 00 000000 000000 0
 0000 000000 00 000000 000000 Certified Network Defender(CND) 0000 00 0 00
 0 000000. -an 000000 0 00 0000 0000000. -a 00 00 0000 00 0000 000000 -
 n 0000 00 0000 00 0000 00000001.

NEW QUESTION: 46

0000 0000 0000 0000000?

- A. 4915200 6553500
- B. 0~1023
- C. 65535 00

D. ISO/IEC 27005

Answer: D ([LEAVE A REPLY](#))

ISO/IEC 27005 is a standard for information security risk management. It provides a framework for identifying, assessing, and treating information security risks. ISO/IEC 27001 is a standard for information security management systems (ISMS). It provides a framework for establishing, implementing, maintaining, and improving an ISMS. ISO/IEC 27005 and ISO/IEC 27001 are related standards. ISO/IEC 27005 provides a framework for identifying, assessing, and treating information security risks, while ISO/IEC 27001 provides a framework for establishing, implementing, maintaining, and improving an ISMS.

ISO/IEC 27005 is a standard for information security risk management. It provides a framework for identifying, assessing, and treating information security risks. ISO/IEC 27001 is a standard for information security management systems (ISMS). It provides a framework for establishing, implementing, maintaining, and improving an ISMS. ISO/IEC 27005 and ISO/IEC 27001 are related standards. ISO/IEC 27005 provides a framework for identifying, assessing, and treating information security risks, while ISO/IEC 27001 provides a framework for establishing, implementing, maintaining, and improving an ISMS.12
ECCouncil Certified Network Defender(CND) is a certification program for network defenders. It provides a framework for identifying, assessing, and treating information security risks. ISO/IEC 27005 and ISO/IEC 27001 are related standards. ISO/IEC 27005 provides a framework for identifying, assessing, and treating information security risks, while ISO/IEC 27001 provides a framework for establishing, implementing, maintaining, and improving an ISMS.34

NEW QUESTION: 54

Which of the following is a characteristic of a read-only memory (ROM)?

- A. It is volatile.
- B. It is non-volatile.
- C. It is used for storing the BIOS.
- D. It is used for storing the operating system.

Answer: B,D ([LEAVE A REPLY](#))

Read-only memory (ROM) is a type of non-volatile memory that is used for storing data that does not change. It is commonly used for storing the BIOS, the operating system, and other firmware. ROM is non-volatile, meaning it retains its data even when power is removed. It is also read-only, meaning that the data stored in it cannot be modified. ROM is used for storing the BIOS, the operating system, and other firmware. ROM is non-volatile, meaning it retains its data even when power is removed. It is also read-only, meaning that the data stored in it cannot be modified. ROM is used for storing the BIOS, the operating system, and other firmware. ROM is non-volatile, meaning it retains its data even when power is removed. It is also read-only, meaning that the data stored in it cannot be modified. ROM is used for storing the BIOS, the operating system, and other firmware.

ROM is non-volatile, meaning it retains its data even when power is removed. It is also read-only, meaning that the data stored in it cannot be modified. ROM is used for storing the BIOS, the operating system, and other firmware. ROM is non-volatile, meaning it retains its data even when power is removed. It is also read-only, meaning that the data stored in it cannot be modified. ROM is used for storing the BIOS, the operating system, and other firmware. ROM is non-volatile, meaning it retains its data even when power is removed. It is also read-only, meaning that the data stored in it cannot be modified. ROM is used for storing the BIOS, the operating system, and other firmware.

NEW QUESTION: 55

Which of the following is a characteristic of a read-only memory (ROM)?

- A. It is volatile.
- B. It is non-volatile.
- C. It is used for storing the BIOS.
- D. It is used for storing the operating system.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 56

NEW QUESTION: 60

Which of the following is an example of Amazon EC2? (Select two)

- A. Amazon S3
- B. Amazon EC2
- C. Amazon RDS
- D. Amazon ElastiCache

Answer: B (LEAVE A REPLY)

Amazon EC2 (Elastic Compute Cloud) is a web service that provides resizable computing capacity in the cloud. It is designed to make it simple to provision capacity, and scale dynamically, to match demand automatically.

Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud. It is designed to make it simple to provision capacity, and scale dynamically, to match demand automatically. Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud.

Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud. It is designed to make it simple to provision capacity, and scale dynamically, to match demand automatically. Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud. It is designed to make it simple to provision capacity, and scale dynamically, to match demand automatically.

Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud. It is designed to make it simple to provision capacity, and scale dynamically, to match demand automatically.

NEW QUESTION: 61

Which of the following is a characteristic of Amazon EC2? (Select two)

- A. Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud.
- B. Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud.
- C. Ad Hoc
- D. Amazon EC2 is a cloud-based computing service that allows you to rent virtual machines in the cloud.

Answer: B (LEAVE A REPLY)

312-38 is a certification exam. DumpTop offers 312-38 dumps! DumpTop provides 312-38 dumps, DumpTop 312-38 dumps, DumpTop 312-38 dumps. <https://www.dumptop.com/EC-COUNCIL/312-38-dump.html> (732 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

Which of the following is a characteristic of Amazon EC2? (Select two)

- A. 100 1000
- B. 100 10000
- C. 100 100 100
- D. 100 100

Answer: B (LEAVE A REPLY)

100 100000 1000 10000 1000000 1000 0 10000 1000000. 100 10000 0 100 100000 1000 1000 1000 100000 0 10000 1000 1000 100000 1000 0 100 100. 100 1000000 1000 100000 100000 1000 100, 100 0 1000000 1000 1000 0 100 1000 100000, 100 100000 100 1000 10000000.

100000: EC-Council Certified Network Defender(CND) 10000000 100000 1000 100 0 100 1000 Risk Matrix 100000 100 100000 1000, 100 100 100 1000 100000 100000 0 100000000.12 CND 10000000 100 1000 100000 0 10000 100 100000 0 100(100 100000 100) 100000.3

NEW QUESTION: 63

100 100 100 0 1000 A 100000 10000 0 100 1000 10000 0 100 100 1000000?

- A. 224-255
- B. 192-223
- C. 0-127
- D. 128-191

Answer: (SHOW ANSWER)

NEW QUESTION: 64

100 0 10000000 1000 10000 100 10000 100000 10000 1000000?

- A. 100 100
- B. 1000 100
- C. 1 100
- D. 10000 100 100

Answer: (SHOW ANSWER)

NEW QUESTION: 65


100 100000 0 0 100000 10000 100 100(UTP) 100 100 10000 100000 10000 100 100 10000 1000000?

- A. 100 10000
- B. 100 100
- C. 1 10000
- D. 100 10000


Answer: B (LEAVE A REPLY)

100 1000000 1000000 0 100000 100000 10000 100 100 100(UTP) 10000 100 1000000. 100 100000 1000000 10000 10000 100 100 100000 100 100000 1000000.


□□□□. □ □□□□□□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□□.
 □□ □□□□□ □□ □□ □□□□ □□□□□□□□.
 □□ □□:



EC-Council 312-38 □□
 □□ □□ A□ □□□□□□. □□ □□□□ □□□□□ □□□□□ □□ □□□ □□ □□ □□□
 □□ □□ □□□□ □□□ □□□ □□□□ □□□□□□. □□□□□ □□ □□□□ □□□□ □
 □□□ □□□ □ □□ □□ □□□ □□□□□□. □□ □□□□□ □□ □□□□□□ □□□□ □
 □□□□□. □□□□ □□□□ □□ □□ □□ □□ □□ □□ □□ □□□□□. □□ □□ □□□□
 □□□□□□ □ □□□□ □□ □□ □□□□ □□□□□□. □□ □□ □□□□ □□□□□□ □
 □ □□□□ □□ □□□□ □□□□ □□□ □□, □□□ □□ □□□□ □□□□ □□□□□ □□□□
 □. □□ □□□□: □□ □□ D□ □□□□□□. □□ □□□□□ □□□□□ □□ □□□□ □□□
 □ □□ □□ □□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□□□□□. □ □□□□□ □
 □□□□ □□□□□ □□□□□ □□□ □□□□□ □□ □□□□ □□□ □□□□□□□□□□. □ □□□
 □□□□ 50□ □□□□ □□□□□ □□ □□ □□□□□□. □□ □□□□ □□□□□ □□□□ □
 □ □□□□□ □□□□□ □□□ □□□□ □□ □□□□□ □□□ □ □□□□ □□ □□□ □
 □□□□□. □□ □□□□:



ECCouncil 312-38



NEW QUESTION: 67

?

- A.
- B.
- C.
- D.

Answer: (SHOW ANSWER)

/.

NEW QUESTION: 68

Windows □□ □□ □□ □ □□□□ Windows □□□□ □□□□□ □□ □□□□ □□ □□□ □□?

- A. □□□□ □□□ □□□(Netlogon)
- B. □□ □□ □□□(SAM)
- C. □□ □□ □□□(SRM)
- D. □□ □□ □□ □□ □□□(LSASS)

Answer: C ([LEAVE A REPLY](#))

□□ □□ □□□(SRM)□ □□□□ □□ □□□□ □□□□ Windows □□ □□□ □□ □□ □ □□□□. □□ □□□ □□□□ □□□□ □□□ □□□ □□□ □□□□ □□ □□□ □□ □□ □□□□□. SRM□ □□ □□□□ □□□□ □□□ □□□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□ Windows □□ □□□□□ □□□ □□□ □□□.

NEW QUESTION: 72

□□ □□ □ □□ □□□ □□□ □□ □□□ □□□□ □□ IoE□ □□□□ □ □□□ □ □ □□ □□?

- A. □□□
- B. □□
- C. □□□□□
- D. □□CAD

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□□□ □□ □□□□□ □□□□ □□□□ □□□□. □□ □□ □□ □□□ □□□ □□ □□ □ □□□□ □□ □□ □□□ □□□□□?

- A. netstat -ao
- B. netstat -o
- C. netstat -a
- D. netstat -an

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

□□ □□□□ □□□ □□ □□□□ □□□□ □□□ □□□□□? □□□□□ □□□ □□□ □ □□□ □□ □□ □□□ □□□□.

- A. □□□□
- B. □□
- C. □□□
- D. □□□□ □□

Answer: C ([LEAVE A REPLY](#))

□□□□ □□□□ □□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□ □□ □□ □□. □□ □□□□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□□ □□ □□□ □□ □ □□□□□. □□□□ □□□, □□ □□□ □□ □□□ □□ □□□ □□ □□ □□□ □□□

□□□□. □ □□□ □□ □□□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□
□□ □□ □□ □□□□ □□□□ □□□□□□□.

NEW QUESTION: 75

□□ □ □□□□ □□□ □□□ □□□□ □□ □ □□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□ □ □□ □□
- C. □□ □□ □ □□
- D. □□□□ □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 76

□□ □ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□□□ □□□□ □□□
□ □□ □□ □□ □□ □ □□□□□ □□□□□?

- A. □□□□ □□ □□ □□
- B. □□ □□ □□ □□
- C. □□ □□ □□ □□
- D. □□□ □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

□□□ □□□□□□ □□ □□ □□□□ □□ □□□ □□□□□ □□□□ □□□ □ □□□ □
□□□□ □□□□ □□ □□ □□ □□ □□ □□□ □□□□ □□ □□□□□. □ □□□□ □□
□□□ □□□□□ □ □□ □□ □□□□ □□ □□ □□□□ □□□□ □□ □□□ □□ □□□
□□□ □ □□ □□□ □□□ □□□□□.

□□□□: □□□ □□□□ □□ □□□ □□□ □□□ □□□□□ □□□ □□□□ □□□, □□
□ □□□□ □□□ □□ □□ □□□□ □□□□ □□□□ □ □□□ □ Certified Network
Defender(CND) □□□ □□□□□.

312-38 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 312-38 □□! DumpTop
□ □□ 312-38 □□ □□□ □□□□□□□, DumpTop 312-38 □□ □□□ □□□□□□□□□ □
□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 312-38 □□□ □□□□□□.
<https://www.dumptop.com/EC-COUNCIL/312-38-dump.html> (732 Q&As Dumps, **30%OFF**
Special Discount: **KrDump**)

NEW QUESTION: 77

□□ □□□ □□□□ □ □□□ □ □□□ □□□ □□□ □□□ □□□□□?

- A. □□□
- B. □□□ □□
- C. □□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

□□□ □□□
□□□ □□□ □□□ □□□□.
_____ □ □□ □□□□□ □□□ □□□□ □□□□ □□□□.

Answer:

□□□
□□:
□□□□ □□ □□□□ □□□□ □□□□ □□□□. □□□□□ □ □ □□□ □□□□ □□□
□ □□□□□. □□□□□ □□□□ □□□ □□□□□□ □□□□ □□ □ □□ □ □□/□□ □
□□□ □□□□□ □□□□□□ □ □□□□□. □□□□ □□□□ □□□□□ □ □ □□□□
□□ □□ □□□□ □□□ □□□□□. □□□□ □□□□ □□ □□□ □□ □□□□ □□□□
□□.

NEW QUESTION: 79

□□ □□□□ □□□□□ Wireshark □ □□□□ □□□□ □□□□ □□□□□□ □□□□. □
□ □□□ □□□□ □□□ □□ □□□□□□ TCP OS □□□ □□□□ □□□ □□□□□. □□
□□ □ □□ Wireshark □□□ □□□□□ TCP OS □□□ □□ □□□ □□□□□?

- A. Tcp.flags==0x2b
- B. TCP.□□□=0x00
- C. TCP.□□.mss_val<1460
- D. TCP.□□.wscale_val==20

Answer: C ([LEAVE A REPLY](#))

TCP OS □□ □□□ □□□ TCP/IP □□ □□□ □□□□ □□□ □ □□□, □ □ □□□ TCP
□□ □□□□ □□(□□□)□□□. MSS □□ □□□ □□□ □□□ □□ TCP □□□□ □□ □ □
□□□ □□□ □□□□□. □□ □□□□ □□ MSS □□ □□□, 1460□□ □□ □□ OS □□
□□□ □□□ □ □□□□. □□ □□□ □□□□ □□□□ □□□ MSS □□□ □□□□ OS□
□□□□□ □□□ □□ □□□ □ □□ □□□□□.

□□□□: TCP OS □□ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□□ □□□
□ □□ Wireshark □ □□□□ □□ EC-Council □ Certified Network Defender(CND) □□□□ □
□□□. □□ □□□□ Wireshark □□□ □□□□ □□□ □□□ □□□□ □□□ □□ □□□ □
□□ □□□□ MSS □□ □□ □□□ OS □□ □□□ □□□□ □□ □□ □□□□ □□ □□□
□□□□□.

NEW QUESTION: 80

□□□ □□□
□□□ □□□ □□□ □□□□. _____ □ □□□□ □□□□ □□□□□ □□ □□□
□ □□ □□□ □□□□ □□ □□□□□□□□.

Answer:

IGMP

□□:

□□□ □□ □□ □□□□(IGMP)□ □□□□ □□□□ □□□□□ □□ □□□□ □□ □□□ □□□□ □□ □□□□□□□□. □□□□ □□ □□ □□□□ □□□□□ □□□ □□□□ □□□ □□□□ □□□. □□□□ □□□□□ □□□□ □□ MAC □□□□ □□□□□ □□ □□□□□ □ □□□□. IGMP□ □□□□ □□ □□□□□ □□□□□ □□□ □□□□ □□ □□□ □□□ □ □□□ □□□ □□□□. □□□ □□□ □□□ □□□ □□□□□ □□□ □ □□□□. □ □□ □□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□□□. □□□□□ □□□ □□ □□□□ □□□□□. □□ □□□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□□□ □ □□□ □□□.

NEW QUESTION: 81

□□ □□ □ □□ □□□□ □□□□ □□ □□□□□?

- A. nc -t
- B. nc -z
- C. nc -v
- D. nc -d

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

SNMP□□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□□ □□□□. SNMP □□□□ □ □□□□□□ □□□□ □□□□ □□ SNMP □□□□□ □□□ □□ □□□□ □□□ □□ □ □□ □□□□?

- A. □□□□□
- B. □□
- C. □□
- D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 83

□□□ □□□□□ □□□□□□□ RJ-45 □□□□ □□□□ □ □□ □□□□ □□□□ □ □□□ □ □□□□ □□ □ □□□□□□?

- A. □□□
- B. □□□□
- C. □□
- D. □□□□□

Answer: (SHOW ANSWER)

□□□ □□□□□ □□□□□□□ □□□□□ □□□□ □□□□ RJ-45 □□□□ □□□□-5UTP □□□□ □□□□ □ □□□□ □□□□ □ □□□□□. □□ C□ B□ □□□□□. □□ □ □□ □□□□ □□□□ □□□□ □□□□-5UTP □□□□ □□□□ □□□□. □□ □□□□ □□□, □□□□ □□

□□□□ □□□□ □ □□□□ □□, □□ □□□□ □□, □□□□ □□□ □□□□ □□□□ □□□□□.

□□ □□ A□ □□□□□. □□□□ □□□□ □□ □□□□ □□□□□.

NEW QUESTION: 84

□□ □□ □ □□□□□ □□□□ □□□ □ □□ □□ □□ □□□□ □□□□ □□□□□?

- A. NetResident
- B. □□□□□
- C. □□
- D. NetWitness
- E. □□

Answer: (SHOW ANSWER)

Wireshark□ □□□□□ □□□□ □□□ □ □□ □□□□ □□□□ □□□□□□. Wireshark□ □□ □□ □□□□□□.

□□□□ □□□ □□□□□□. □□□□ □□ □□, □□, □□□□□□ □ □□□ □□□□□.

□□□□ □□ □ □□. Wireshark□ tcpdump□ □□ □□□□□□ □□□□ □□□□□□ □□□□.

□□□□ □ □□ □□ □□ □ □□□ □□. □□□□ □□ □□□□ □□□□ □□ □ □ □□□□.

□□□□ □□□□□□ □□ □□□□(□□□□□□ □□□ □□□□□□□□ □□ □□□□□□ □□ □□ □□)

□□□□ □□□□ □□.

Wireshark□ □□□□ □□□□ □□ pcap□ □□□□□□ □□□□ □□□□□□ □□□□ □□□ □ □□□.

pcap. □□□□ □□ □□□□ □□□□.

□□□□ □□□ □□□□ □□□□ "□□□□□" □□□□□□ □□□□ □□□□ □□ □ □□□□.

□□ □□□□ □□.

□□□□ □□□□ □□□, IEEE 802.11, PPP, □□□□ □□□□ □□□□ □□□□ □□□□□□□□ □□ □□□□.

□□□□ □□□□ □□□□ GUI□ □□ □□ □□□□□□ □□□(□□□□) □□□□ □□ □□□□ □ □□□.

□□.

□□□□ □□□□ "editcap" □□□□ □□□□ □□ □□□□□□ □□□□ □□□□□□ □□□□ □ □□□□.

□□□□.

□□□□ □□□□ □□ □□□□ □□□□ □□□□ □ □□□□. □□□□ □□□□□□ □□□□ □□ □□□□□ □□ □□□□.

□□ □□ C□ □□□□□□. Snort□ □□ □□ □□□□□ □□ □□ □ □□ □□□□□□.

□□□□ □□□□ □□□□□□. □□ □□□□ □□□□□□ □□□□ □□□□ □□□□□□.

□□□□ □□□□ □□□□(IP), □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □ □□□□.

□□□□(TCP), □□□□ □□□□□□ □□□□(UDP), □□□□ □□ □□□□ □□□□(ICMP)□ □□ □□.

□□ □□ D□ □□□□□. NetWitness□ □□□□ □□□□ □□□ □□□□□□ □ □ □□□□.

□□ □□ A□ □□□□□. Netresident□ □□□□ □□□□ □□, □□, □□ □ □□□□□ □ □ □□□□.

□ □□.

NEW QUESTION: 85

□□ □□ □ □□ □□□□ □□□□□ □□□□ □□ □□ □□□, □□□ □□ □□ □□□ □□ □□, □□□□□ □□ □□□ □□ □□ □□□ □□ □□□ □□□□ □□□□, □□□□, □□□ □ □□□ □□ □□ □□□ □□□□□?

- A. □□
- B. □□ □□□□□□ □□
- C. □□□□ □□□
- D. □□□ □□ □□ □□
- E. □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 86

□□□ □□□ □□□ □□□□□?

- A. 49152□□ 65535□□
- B. 65535 □□
- C. 0~1023
- D. 1024□□ 49151□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 87

□□ □□ □ □□□□ □□□ □□□ □□□□□ □□□ □□□□ □□ □□□ □ □ □□ □□ □ □□ □□□□ □ □□□ □□ □□ □□□□□?

- A. IT □□
- B. □□ □□
- C. □□□ □□
- D. □□ □□ □□
- E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

□□ □ □□□, □□, □□□□□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□ □ □□□ □□ □□□□□ □□□□ □□ □□□□□□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□□□ □□□ □□

D. 00 00

Answer: C (LEAVE A REPLY)

0000 000 00(Business Continuity Management) 0000 0000 00000 00 0000
0000 00000 00 00000000. 0000 0000 00000 0000, 00, 00 00000 00
0 00000 00 00000 00 0000 00000 00000000 000000. 00000 0000 0
0000 00 00, 00000 00, 00 00, 00 00, 00 00, 00 00, 00 00 00 00
0000.

00 00 D0 000000. 00 0000 00000 0000 00000 00 00(00 00)0 00,
0000, 00000 0000 00 000000. 00 00000 00 0000 000000. 00 0000 0
00 00 00 00 00 00 00000 0000 00 00 0000 0000 00000000 00 00
0 0000 0000 0 0000 00 0000 00 00 00 00 0000 RingMaster0 00 00 0
0, PatchLink 00000, 000000 Everguard0 00000 00 00 0000 000000 0 00
0 0 00 0000 00 00000. 00 00 A0 000000. 0 0000 000000000. 00 0
0 B0 000000. 00000 0000 00, 00 00 00000 0000000 00000 000000
00. 0000 0000 00 0000 0000 00 00000 00000 00 00000 00 0000 00
00 00 000000. 00000 00000 00000 000000 0000 000000 0000, 0000
00000 0000000 0000 0 00 0000 000000 00 000000. 00000 0000 00 0
00 00 0000000 00 00 0000000 0000000.

NEW QUESTION: 89

00 0 00 0000 00 000000?

- A. 0000
- B. 00
- C. 00
- D. 00 00 00

Answer: C (LEAVE A REPLY)

00 00(IOA)0 00000 00000 00000000 0000 00000 00000 000000.
0000 00 000000 0000 00 00(IOC)0 00 IOA0 0000 0000 00 00 0000 0
0000 0 0000 0000. 00000000 IOA0 000000 0000, 00 0000 000000 00 00
00 00000 00000 0 000000 0000 00000 000000. 00000 00 0, 0000 00
0 00 0000000 0000 000000 00 000000 0000 00 0000 000000 00 0000 0
00000.

00000: 00000000 00 00 IOA 0000 00000000 00 0000 Certified Network
Defender(CND) 0000000 0000 0000000. 0000 0000 00 0000000 00000000
CND0 00 000000 000000 00 0000 0000 000000 0 0000 00 0000
0.123

NEW QUESTION: 90

00 00000 0 000000 00 IP 0000000 0000 000000 00 0000 00 0000 0000
0 0 000000 00 0000000?

RA (Registered Architect) and CA (Certified Architect) are both professional designations. RA is a designation awarded by the Council of Architectural Registration Boards (CARB), while CA is awarded by the International Board of Standards and Practices Practices (IBAPP). Both designations require a minimum of 10 years of professional experience and a passing score on a rigorous exam. The RA designation is more widely recognized in the United States, while the CA designation is more widely recognized internationally. Both designations are highly respected and are a testament to the holder's expertise and commitment to the profession.

EC-Council Certified Network Defender (CND) is a certification awarded by EC-Council to individuals who have demonstrated proficiency in network defense. The certification is awarded to individuals who have passed a rigorous exam covering a wide range of network defense topics, including network security, incident response, and malware analysis. The CND certification is highly respected and is a testament to the holder's expertise and commitment to the field of network defense.

NEW QUESTION: 94

Which of the following is a characteristic of a network-based intrusion detection system (NIDS)?

- A. It monitors network traffic for suspicious activity.
- B. Ad Hoc
- C. It is installed on a host.
- D. It is installed on a network device.

Answer: A (LEAVE A REPLY)

A network-based intrusion detection system (NIDS) is a type of intrusion detection system that monitors network traffic for suspicious activity. It is typically installed on a network device, such as a router or switch, and is designed to detect and alert on suspicious activity, such as unauthorized access, data exfiltration, and denial of service attacks. NIDS systems are highly effective at detecting network-based attacks and are a critical component of any network security strategy.

NEW QUESTION: 95

Which of the following is a characteristic of a network-based intrusion detection system (NIDS)?

- A. It monitors network traffic for suspicious activity.
- B. Ad Hoc
- C. It is installed on a host.
- D. It is installed on a network device.

Answer:

A. It monitors network traffic for suspicious activity.

NEW QUESTION: 96

Which of the following is a characteristic of a network-based intrusion detection system (NIDS)?

- A. It monitors network traffic for suspicious activity.
- B. Ad Hoc
- C. PCI
- D. It is installed on a network device.

Answer: D (LEAVE A REPLY)

EC-Council:

NEW QUESTION: 97

Which of the following is a characteristic of a network-based intrusion detection system (NIDS)?

Which of the following is a type of intrusion detection system (IDS)?
A. Network-based IDS (NIDS)
B. Host-based IDS (HIDS)
C. Signature-based IDS
D. Anomaly-based IDS

NEW QUESTION: 100

Which of the following is a type of intrusion prevention system (IPS)?

- A. Network-based IPS
- B. Host-based IPS
- C. IDS
- D. IPS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which of the following is a type of wireless network security protocol?

- A. WPA2-Enterprise
- B. WPA2-Personal
- C. WPA3-Enterprise
- D. WPA3-Personal

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which of the following is a type of wireless network security protocol?

- A. Ad-Hoc
- B. Infrastructure
- C. Mesh
- D. Peer-to-Peer

Answer: B ([LEAVE A REPLY](#))

Which of the following is a type of wireless network security protocol?

NEW QUESTION: 103

Which of the following is a type of intrusion detection system (IDS)?

- A. 100 100/100 100+100
- B. 100 100/100 100+100
- C. 100 100/100 100+100
- D. 100 100/1000+100

Answer: B (LEAVE A REPLY)

100 10000 IDS(100 100 1000) 1000 10000 10000 100000. 100 100(FP)
 100 100 1000 100(TN) 1000 1000 100000. 1000 1000 10000.
 100 1000 = FP + TNFP
 100 1000 IDS 10000 1000 10000 10000 100 10000 1000 10000 10000
 1000. 100 10000 10000 IDS 100 10000 100000.

NEW QUESTION: 104

- 100 10000 100 1000 10000 100 1000000 100000 100000?
- 1000 10000 1000 1000? 1000 1000 10000 100000. 100 1000 10000
- 1000.
- 10000.
- A. 100000-100 1000
 - B. 100000(P2P) 1000
 - C. 100000-100 10000
 - D. 100000 10000

Answer: A,C (LEAVE A REPLY)

100000-100 100000 100000-100 100000000 1000. 100 1000000 1000
 10000.

1000 1000(100) 1000 1000(100000) 100 10000 100 1000 100000.

1000000 1000 100 1000 1000000 1000 100000 100 1000000. 100 1000
 1000

1000000 10000 10000 100 1000 100 100000 10000 100 10000000. 100
 1000

10000 10000 100 1000 10000 1000 1000 1000000. 1000 1000000
 10000

10000 1000 10000(10000) 10000 100 100.

100 100 D B 10000 10000. 100 100 (P2P) 1000 100 100000 100 10000
 100000.

100 100 10000 100000 10000 100000000. 1000 1000 1000 1000 1000
 1000 100 1000 10000.

100000000 1000. 1000 1000 100000 100000 100000 1000. 100000 1000
 1000

(1000 100 1000000000 100) 100 1000 100000-100 100000 10000.

10000 100000 "1000" 1000 1000, 100 1000 100 10000 1000000 100 100
 100 "1000000" 1000000.

□□.

NEW QUESTION: 105

-----□ MAN(Metropolitan Area Networks)□ □□ □□□ □□ □□ □□ □□□□□.

- A. 802.15
- B. 802.16
- C. 802.15.4
- D. 802.12

Answer: (SHOW ANSWER)

IEEE 802.16□ □□ □□□ □□ □□□□, WirelessMAN□□□□ □□, MAN(Metropolitan Area Networks)□ □□ □□□□□□□. □ □□□ □□ □ □□□ □□□-□□□□□□ □□□ □□ □ □□ □□□□ □□□ □□ □□□ □□ □□(MAC) □ □□ □□(PHY)□ □□□ □□ □□□□□ □ □□□□□. □□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□ □□□□ □□□.

□□□□: □ □□□ IEEE □□(Local and Metropolitan Area Networks Part 16)□ □□□□ □□ □.

IEEE 802.16-2009 □□1□ □□□ □□ □□ □□□ □□ □□ □□□□ □□ □□ □□□□□. □□ IEEE 802.16□ □□ □□□□□ □□□□ □□□ □□ □□□□ □□□□□ □□ □□□ □ □□ □□ □□□□□.

NEW QUESTION: 106

□□ □ □□ □□ □□□ VPN □□□ □□□□ □□ □□ □□□□□ □□□□□?

- A. L2TP
- B. □□□
- C. PPP
- D. IPSec

Answer: D (LEAVE A REPLY)

□□□ □□□□ □□(IPSec)□ □□ □□□ VPN □□□ □□□□ □□ □□ □□□□□□□. IPSec□ □□□□ □□ □□ □□ □□ □□□ □□□□ □ □□□□. □□□□ VPN □□□ □□□ □□.

L2TP □□□□□□□. □□□□ □□□□□ □□ □□□□□. IPSec□ Point-to-Point Tunneling □ □□ □□□ □ □□□□.

□□□□(PPTP).

□□ □□ B□ □□□□□. □□□ □□□□(IP)□ □□□□ □□□□ □ □□□□ □□□□□□ □.

TCP/IP□□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□□□□. IP□ □□□□□.

□□□ □□□□ □□□ □□□ □□□ □□ □□□□□□ □□□ □□□□□ □□□□ □□□ □□□ □□.

□□ □□□□□ □□ □□□□□ □□□□□(□□)□ □□□□ □□□□□. □□ □□ □□□ □□ □□□ □□□□□ □□□□□ □□□□ □□ □□ □□ □□□ □□□ □□□□□.

queuing, providing access to local or metropolitan area networks, and supporting connectionless data transfer, connection-oriented data transfer, and isochronous communications, such as voice communications. IEEE 802.6 is an example of a network providing DQDB access methods.

Answer option B is incorrect. A Token Ring network is a local area network (LAN) in which all computers are connected in a ring or star topology and a bit- or token-passing scheme is used in order to prevent the collision of data between two computers that want to send messages at the same time. The Token Ring protocol is the second most widely-used protocol on local area networks after Ethernet. The IBM Token Ring protocol led to a standard version, specified as IEEE 802.5. Both protocols are used and are very similar. The IEEE 802.5 Token Ring technology provides for data transfer rates of either 4 or 16 megabits per second.

Answer option A is incorrect. The IEEE 802.2 standard defines Logical Link Control (LLC). LLC is the upper portion of the data link layer for local area networks.

Answer option D is incorrect. Carrier Sense Multiple Access/Collision Avoidance (CSMA/CA) is an access method used by wireless networks (IEEE 802.11). In this method, a device or computer that transmits data needs to first listen to the channel for an amount of time to check for any activity on the channel. If the channel is sensed as idle, the device is allowed to transmit data. If the channel is busy, the device postpones its transmission. Once the channel is clear, the device sends a signal telling all other devices not to transmit data, and then sends its packets. In Ethernet (IEEE 802.3) networks that use CSMA/CD, the device or computer continues to wait for a time and checks if the channel is still free. If the channel is free, the device transmits packets and waits for an acknowledgment signal indicating that the packets were received.

NEW QUESTION: 112

□□ TCP/IP □□□ □□ □ □□ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□□□□□ □□
- D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 113

□□ □□□□□ □□□ □□□□□ □□□□□. □□ □□ N□ □ □□ □ □□ N1□ N2□ □□ □□□.

N1□ N11□ N12□ □□□□ □□□□. N2□ N21□ N22□ □□□□ □□□□. □□ □□ □ □□ □ □□□□ □□□ □□□?

- A. □□ □□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□□□.
- B. □□ □□□ □ □□□ □□□ □□□ □□□□ □□□□.
- C. □□ □□□□ □□□ □□□□.
- D. □□ □□□ □□□ □□ □□□ □□□ □□ □□ □□ □□□ □□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 114

Which of the following is a VPN protocol?

- A. PIX
- B. PPTP
- C. PPP
- D. IPsec

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

Which of the following is a LAN protocol?

802.11g is a LAN protocol.

NetStumbler, MAC, SSID, and WEP are LAN protocols.

NetStumbler is a LAN protocol.

- a. NetStumbler
- b. MAC
- c. WLAN
- d. WEP
- e. NetStumbler, MAC, SSID, and WEP are LAN protocols.

- A. NetStumbler
- B. MAC
- C. THC
- D. NetStumbler

Answer: D ([LEAVE A REPLY](#))

NetStumbler is a LAN protocol.

802.11b is a LAN protocol. NetStumbler is a LAN protocol.

NetStumbler, MAC, SSID, and WEP are LAN protocols.

NetStumbler is a LAN protocol.

- a. NetStumbler
- b. MAC
- c. WLAN
- d. WEP
- e. NetStumbler, MAC, SSID, and WEP are LAN protocols.

- A. NetStumbler, MAC, SSID, and WEP are LAN protocols.
- B. NetStumbler, MAC, SSID, and WEP are LAN protocols.
- C. NetStumbler, MAC, SSID, and WEP are LAN protocols.
- D. NetStumbler, MAC, SSID, and WEP are LAN protocols.

□□ □□ B□ □□□□□. Absinthe□ □□□□ SQL □□ □□□□□.

NEW QUESTION: 116

Larry□ □□□□□□ □□ □□□□ □□□ □□□□ □□□□□□. Larry□ 300□□ □□□□□ □□ 25□□ □□□ □□□ □□ □□ □□□□□ □□□□□.

1□ □□ □□□ □□□ □□□□ □□□ □, □□□ □□□ □□□□ □□□ □□□ □□□ □□ □□ □□□□□. Larry□ □ □□□□□ □□□□□□, □□□□□ □ □□ □□□ □ □□ □□□□ □.

Larry□ □□□ □□□ □□□□ □□□□□, □□ □□□ □□□ □ □□ □□□ □□ □□□□□ □□□ □□ □□ □□□□. □□ □□□ □□□ □□ □□ □□□ □□□ □□□ □□□□□. □□ □□□□ □□□ □□□ □□□□□ □□ □□□□ □□□□ □□ □□□ □ □□ □□□□ □□ □□□ □□□□□ □ □□□ □□□ □□□□□. Larry□ □□ □□□ □□□ □ □□□ □ □□□ □□□□□?

- A. □□ □□□ □□□ IPSec □□□ □□□ □□□□□.
- B. Larry□ □□□ □□□ □ □□ □□□ □□□ □□□.
- C. □□□□ □□□, Larry□ □□□ □□□ □□ □□(LBZ)□ □□□ □□□ □□□ □□□□.
- D. □□ □□□ □□□□□(DMZ)□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 117

Kelly□ □□□ □□□□ □□□□ □□□□.

a. □□ □□ □□□ □□ □□□ □□□□□ □□□ □□□ □□□□ □□□□. Kelly□ □□ □□ □□□□ □□□□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: B (LEAVE A REPLY)

□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□□□ □□□ □□□ □□□□ □□□ □ □□□□□. □ □□□ □□□ □□□□ □□□□ □□□ □□□□□, □□ □□ □□ □□□ □ □□□ □□□ □□□□ □ □□□ □□□ □□ □ □□□□. Kelly□ □□ □□□ □□ □□□ □ □□□□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□□.

NEW QUESTION: 118

□□ □□□□ □ □□ □□□□□ □□□□ □□ □□ □□ □□□□□ □□□□ □□ □□□□ □□?

- A. SSL
- B. □□□
- C. UDP
- D. TCP

Answer: D (LEAVE A REPLY)

□□ □□□□□□. □□□□ □□□ □□□□ □□ DumpTop 312-38 □□□ □□□□□.
<https://www.dumptop.com/EC-COUNCIL/312-38-dump.html> (732 Q&As Dumps, 30%OFF
Special Discount: **KrDump**)

NEW QUESTION: 122


□□ □□ □□ □ □□ □□ □□ □□□□ □□ □ □□ □ □□□ □□□□ □□□□□?

- A. □□□□□ □□
- B. □□ □□□ □□
- C. □□□□□ □□
- D. □□ □□□ □□


Answer: B (LEAVE A REPLY)

□□ □□□ □□□□ □ □□□ □□ □□ □□□□ □□ □□(□□ □□)□ □□□□□. □□ □
□□□□ □□ □□□□ □□□ □□□ □□□□ □□ □□□ □□□□□. □ □□□ □ □□□ □
□ □□□ □□ □□□ □□ □□□ □□□□ □ □□□□□. □□ □□□ □□□ □□□□ □□ □
□□ □□□ □□□□□. □□ □□□□□ □□□□ □□□□ □ □□□ □□□□ □□□□□.
□□ □□ D□ □□□□□. □□ □□□ □□□□ □□ □□□ □□□ □□ □□ □□ □□ □□
□ □□□□□. □□ □□□ □□□ □□ □□□ □□□□ □□□□. □□ □□ □□□□ □□ □□
□□□□ □□□□ □ □□□□□. □□ □□, □□□□ □□□ □□ □□□ □□□ □□□□□ □
□ □□□□ □ □□ □□□□ □□□ □ □□□□.

□□ □□ A□ □□□□□. □□□□□ □□ □□□ □□ □□□□ □□ □□□ □□ □□□ □□
□□ □ □□□□□. □□□□□ □□□ □□□ □□□ □□ □□□ □□ □□ IP □□□□□ □□□
□ □□□□□□ □□□□□□.



Which of the following is a characteristic of a broadcast network? (Select two.)
A. It uses a single IP address for all devices.
B. It uses a single MAC address for all devices.
C. It uses a single port for all devices.
D. It uses a single protocol for all devices.
E. It uses a single network topology for all devices.



NEW QUESTION: 123

Which of the following IEEE standards is used for Quality of Service (QoS) in a network? (Select two.)
A. 802.11a
B. 802.11b
C. 802.11n
D. 802.11e
E. 802.11h

- A. 802.11n
- B. 802.11e
- C. 802.15
- D. 802.11h
- E. 802.11g

Answer: B (LEAVE A REPLY)

NEW QUESTION: 124

Which of the following is a characteristic of a broadcast network? (Select two.)
A. It uses a single IP address for all devices.
B. It uses a single MAC address for all devices.
C. It uses a single port for all devices.
D. It uses a single protocol for all devices.
E. It uses a single network topology for all devices.

- A. It uses a single IP address for all devices.
- B. It uses a single MAC address for all devices.
- C. It uses a single port for all devices.
- D. It uses a single protocol for all devices.
- E. It uses a single network topology for all devices.

Answer: C (LEAVE A REPLY)

Which of the following is a characteristic of a broadcast network? (Select two.)
A. It uses a single IP address for all devices.
B. It uses a single MAC address for all devices.
C. It uses a single port for all devices.
D. It uses a single protocol for all devices.
E. It uses a single network topology for all devices.

□□ □□□□□ □□□ □□□□□□ □□□ '□□ □□'□ □□□□□. '□□□□ □□'□ □□□ □ □□□ □□□□ □□ □□□ □□□□.

NEW QUESTION: 125

□□ □□□□ □□□□ □□□□ □□□ □□□ □□□ □□□□□. □□ □ □□ □□□ □□□ □ □□□□ □ □□□ □□□□□. □□□ □□ □□□□ □□□□□□ □□ □□□ □□□□ □ □□□ □□□ □□□□. □ □ □□□ □□□□□ □□□ □□□□□□□?

- A. □□□ □□□□ □□□ □□□ □□□□ □
- B. □□□□ □□□ □□
- C. □□□ □□□ □□ □□□ □□
- D. □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

□□ RAID □□ □□ □ □□ □□ □□□□ □□ □□□□ □□□ RAID □□□ □□□ □□□ □ □□□□?

- A. □□□
- B. □□□□□
- C. □ □ □□ □□ □□□□
- D. □□□

Answer: B ([LEAVE A REPLY](#))

RAID □□□□□□ □□□□□□ □□□□ □□□□ □□□ RAID □□□□ □□ □□□□□ □ □□□ □□□□□. □ □□□ □□□□□ □□□ □□□□ □□ □ □ □□□ □□ □□□ □□□ □□, □□□□ □□□ □□□□□ □□□□□□. □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□, □□□□□□ □□□ □□ RAID □□□□ □□□□ □□□□ □□□□ □□□□□.

NEW QUESTION: 127

□□□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□ □□ □□□ □□□□□ □□□ □ □□ □□□□ □□□□. □□□ □□ □□□ □□□ □□□□ □□□□?

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 128

□□□ □□□ □□□ □□□□ □□□□ □□□ □□□□. □□□□ □□□ RAID □□□□□ □ □□□□ □□□. □□□ □□ □□ □□□ □□□□ □□ □□□ □□□ RAID □□□ □□□□□ □□□. 1. □□ □□□□□ □□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□

2. Which RAID configuration provides the highest performance? 3. Which RAID configuration provides the highest performance? 4. Which RAID configuration provides the highest performance? RAID 0 RAID 1 RAID 3 RAID 10?

- A. RAID 3
B. RAID 10
C. RAID 0
D. RAID 1

Answer: A (LEAVE A REPLY)

NEW QUESTION: 129

Which RAID configuration provides the highest performance? RAID 0 RAID 1 RAID 3 RAID 10?

- A. RAID 0
B. RAID 10
C. RAID 3
D. RAID 1

Answer: A (LEAVE A REPLY)

Which RAID configuration provides the highest performance? RAID 0 RAID 1 RAID 3 RAID 10? RAID 0 provides the highest performance because it stripes data across all disks in the array. RAID 1 provides the highest performance because it mirrors data across all disks in the array. RAID 3 provides the highest performance because it stripes data across all disks in the array. RAID 10 provides the highest performance because it stripes data across all disks in the array.

NEW QUESTION: 130

Which RAID configuration provides the highest performance? RAID 0 RAID 1 RAID 3 RAID 10?

- A. RAID 0
B. RAID 10
C. RAID 3
D. RAID 1

Answer: (SHOW ANSWER)

Which RAID configuration provides the highest performance? RAID 0 RAID 1 RAID 3 RAID 10? RAID 0 provides the highest performance because it stripes data across all disks in the array. RAID 1 provides the highest performance because it mirrors data across all disks in the array. RAID 3 provides the highest performance because it stripes data across all disks in the array. RAID 10 provides the highest performance because it stripes data across all disks in the array.

□□□□. □□ □□□□ □□□□ □ □□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□. □ □□□ □□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□ □□□ □□□□□, □□ □□□ □□ □□ □ □□□□□ □□□□ □□□□. □□□□: □□□ □□ □□□ □□ □□ □ □□□ □□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□□□ □□□□.

NEW QUESTION: 131

□□ □□□ □□ □□ □ □□□ □□□ □□□□□ □□□□□, □□ □□□□ □□□□□, □□□ □□ □□□□□ □□□ □□□□□?

- A. □□
- B. □□□ EXEC
- C. UI □□
- D. □□ EXEC
- E. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 132

□□ OPSEC □□□□ □□ □ □□□ □□□ □ □□□ □□□□ □□□□ □□□ □□□□□? □□□ □□□ □□□□ □□ □□□ □□ □□□ □□□ □ □□ OPSEC □□ □□ □□□□ □□□ □□ □□ □□□ □□□□□?

- A. □□ □□
- B. □□□ OPSEC □□ □□
- C. □□ □□ □□
- D. □□□ □□
- E. □□□ □□

Answer: D ([LEAVE A REPLY](#))

OPSEC□ □□□ □□□ □□□□ □□ □□ □□□□□ □□□□ □ □□□ □□ 5□□ □□□ □□□□.

□□□ □□□□ □□□□ □□□ □□□□□.

OPSEC □□□□□ □□□ □□ 5□□□□ □□□□□.

1. □□ □□ □□: □ □□□□ □□□□□ □ □□□ □□□ □□□□ □□ □□□□□. □□ □□□ □□□ □□□□ □ □□□ OPSEC □□□□□ □□□ □□□, □□ □□ □□ □□ □□□ □□□ □□ □□□ □□□□□.
2. □□ □□: □ □□□□ □□, □□ □ □□□ □□ □□ □ □□□ □□□□□. □□□ □□□ □□ □□□□ □□ □□□□ □□ □□ □□ □□□ □□□□□.
3. □□□ □□: □□□ □□□ □ □□□ □□□□ OPSEC□ □□□□ □□ □□□□□. □□□ □□□ □□□ □ □□ □□□ □□ □□ □□ □□□ □□ □□□ □□□□□. □□ □□□□ □□□ □□ □□ □□.
4. □□ □□: □□, □□□□ □□ □□□□ □□□ □□□□ □□□□ □□□□□. □ □□□□ □□ □□□ OPSEC □□. □□, □□ OPSEC □□□ □□□□□.

□□□□ □□□ □□□ □□ □□□ □□ □□.

5. □□□ OPSEC □□□ □□: □□□ □□□□ □□□ OPSEC □□□ □□□□□.

□□ □□ □□ □□ □□□ □□ □□ □ □□□ □□ □□ □□

□□ OPSEC □□□□.

NEW QUESTION: 133

□□□□□ □ □□□□ □□ □□□□ □□□□ □□□ □□ □□□□ □□ TCP□ □□ □□ □
□ □ □□ □□ □□□□□?

- A. □□ □□
- B. TCP □□□□□
- C. □□ □□
- D. □□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 134

□□□□ □□ □□□□ □□□ □□□ □□□□ □□ □□ □□ □□□□ □□□ □□□ □□□
□□□. □ □□□ _____ □□ □□□.

- A. □□ □□
- B. □□ □□
- C. □□□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 135

□□ □□ □ □□□□□ □□ □□□ □□ □□□□?

- A. □□□□□ □ □□ □□□ □□□ □□□□□.
- B. □ □□□□□ □□ OS□□ □□□□□.
- C. □□□□□ □□□ □□□□ □ □□□□□.
- D. □□□□ □□ □□□ □□□□□ □□□□□ □ □□□□□.

Answer: ([SHOW ANSWER](#))

□□□□□ □□□ □□ □□□ □□ □□ □□□ □□ □□□□□ □□□ □□□□
□□□. □, □□□ OS □□□ □□□□□ □□□ □□□ □□□□□. □ □□□□□ □□
□□ □□□ □□□ □□□□□ □□□ □□□ □□ □□(VM)□ □□□ □□□ □□□ □□□□
□□□□. VM□□ □□ □□□ □□ □□, OS□ □□□□ □ □□□ □□□□□ □□ □□□ □□
□□ □□□ □□□ □□□□□ □□□ □□□□□. □□ □□□□□ □□□ OS□ □□□□ □□
□□□□□ □□□□□ □□□ □ □□ □□□ □□□□ □□□□. Certified Network
Defender(CND) □□□□□ □□□□□ □□□□ □□□ □□□ □□ □□□ □□□□ □□□□ □
□□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□□123.

NEW QUESTION: 136

Which of the following is a characteristic of TACACS+?

- A. Supports multiple authentication methods
- B. Uses a single shared secret
- C. Supports multiple users per session
- D. Uses a single shared secret

Answer: A ([LEAVE A REPLY](#))

TACACS+(Terminal Access Controller Access-Control System Plus) is a protocol used for authentication, authorization, and accounting (AAA) for network devices. It is a client-server architecture where the client (router) sends requests to the server (TACACS+ daemon). The server responds with the appropriate actions. TACACS+ is a protocol that runs over TCP. It is a protocol that runs over TCP. It is a protocol that runs over TCP. It is a protocol that runs over TCP.

Question: Which of the following is a characteristic of TACACS+? (2021-09-09) A. Supports multiple authentication methods B. Uses a single shared secret C. Supports multiple users per session D. Uses a single shared secret

312-38 is a certification exam. DumpTop is a website that provides dumps for the 312-38 exam. DumpTop 312-38! DumpTop is a website that provides dumps for the 312-38 exam. DumpTop 312-38 is a website that provides dumps for the 312-38 exam. DumpTop 312-38 is a website that provides dumps for the 312-38 exam. <https://www.dumptop.com/EC-COUNCIL/312-38-dump.html> (732 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 137

Which of the following is a characteristic of Windows NT authentication? (2021-09-09) A. Uses a single shared secret B. Uses a single shared secret C. Uses a single shared secret D. Uses a single shared secret

- A. Uses a single shared secret (LSASS)
- B. Uses a single shared secret (SAM)
- C. Uses a single shared secret (SRM)
- D. Uses a single shared secret (Netlogon)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 138

Which of the following is a characteristic of TACACS+? (2021-09-09) A. Supports multiple authentication methods B. Uses a single shared secret C. Supports multiple users per session D. Uses a single shared secret

- A. Supports multiple authentication methods
- B. Uses a single shared secret
- C. Supports multiple users per session

NEW QUESTION: 141

Which of the following is a characteristic of a VPN? (Select two.)
A. It is a secure connection between two devices.
B. It is a secure connection between a device and a network.
C. It is a secure connection between two networks.
D. It is a secure connection between a device and a VPN server.

- A. It is a secure connection between two devices.
- B. It is a secure connection between a device and a network.
- C. It is a secure connection between two networks.
- D. It is a secure connection between a device and a VPN server.

Answer: D (LEAVE A REPLY)

A VPN is a secure connection between a device and a VPN server. It is used to access a network that is not directly connected to the Internet. It is a secure connection between a device and a network. It is a secure connection between two devices. It is a secure connection between two networks.

NEW QUESTION: 142

Which of the following is a characteristic of a network layer protocol? (Select two.)
A. It is a protocol that operates at the application layer.
B. It is a protocol that operates at the transport layer.
C. It is a protocol that operates at the network layer.
D. It is a protocol that operates at the data link layer.

- A. It is a protocol that operates at the application layer.
- B. It is a protocol that operates at the transport layer.
- C. It is a protocol that operates at the network layer.
- D. It is a protocol that operates at the data link layer.

Answer: A (LEAVE A REPLY)

A network layer protocol is a protocol that operates at the network layer of the OSI model. It is used to route data packets between different networks. It is a protocol that operates at the application layer. It is a protocol that operates at the transport layer. It is a protocol that operates at the data link layer.

NEW QUESTION: 143

Which of the following is a characteristic of a network layer protocol? (Select two.)

- A. It is a protocol that operates at the application layer.
- B. jplag
- C. It is a protocol that operates at the network layer.
- D. It is a protocol that operates at the data link layer.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 144

□□ □□□

□□□ □□□ □□□ □□□□. _____ □ □□ □□□□□□□□.

□□□□ □□□□ □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

Answer:

IGMP

□□:

IGMP(Internet Group Management Protocol)□ □□□ □□□□ □□ □□□□□□□□.

□□□□ □□□□ □□□□□ □□ □□□□ □□. □□□□ □□□□□□ □□□□ □□□ □ □□ □□□.

□□ □□ □□□□ □□□□ □□□□□. □□□ □□□□□ □□□□ □□ MAC □□□ □□□ □□

□□ □□□□□ □□□□□. IGMP□ □□□□ □□ □□□□□ □□□□□ □□□ □□□□ □□ □□ □ □□□□.

□□ □□□ □□□□ □□□□. □□□ □□□ □□□ □□□ □□□□□ □□□ □ □□□□.

□□□ □□ □□□□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□.

□□□□□ □□□ □□ ICMP□□□. □□ □□□ □□□□□ □□□□ □□□□□ □□□□ □□□□ □ □□□ □□□□□.

□□□□ □□□.

NEW QUESTION: 145

□□□□ □□□ □ □□ □□ □□□ □□□□ □□□ □□□□□?

- A. sudo ntstat -ls tunlp
- B. sudo apt netstate -tunlp□□□?
- C. sudo netstat -tunlp
- D. sudo apt nst -tunlp

Answer: C (LEAVE A REPLY)

NEW QUESTION: 146

□□ □ □□ □□ □□□□□ □□ □□□ □□ □□□ □□□ □□□ □□ □□□□□?

□□□ □□ □□ □□□?

- A. □□ □□
- B. □□□ □□
- C. □□ □□
- D. □□□□ □□

Answer: C (LEAVE A REPLY)

□□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□ □□ □□ □ □□□□□.

□□□□□□□□ □□□ □□□ □□, □□□□ □□ □ □□□ □ □□ □□□□ □□□□

□□(□□□□□□□ □□□ □□ □□ □ □□) □ □□□ □□(□□□□ □□□ □□□ □□). □□

□□ D□ □□□□□. □□□□ □□□ □□□□ □□□ □□□□ □□□ □ □□□ □□□.

□□ □□ B□ □□□□□. □□□ □□□ □□□ □□□□ □□□ □□□ □□□.

□□ □□.
□□ □□ A□ □□□□□. □□ □□□ □□□ □□ □
□□ □□ □□.

NEW QUESTION: 147

□□□ □□□ □□ □□□□ □□□□. □□ □□□ □□□(ADS)□ _____ □□ □□
□□ □□□□, □□ □□□ □□□□ □□ □□□ □□□ □ □□□□.

Answer:

□□□:

NEW QUESTION: 148

□□□ □□□□ IT □□□ HexCom□ □□□□ □□ □□ □□□□□ □□ □□□ □□□□□ □
□□□□ □□ □□□ □□□ □□□□□□. □□ □□ □□ □□□ □□ □ □□ □□□□ □□□
□□ □□ □□□□ □□□□□. □ □□□ □□□□ □□ □□□□□ □□ □□□ □□□ □□□
□ □□□□?

- A. 2□□ □□
- B. □□ □□
- C. Single Sign-on (SSO)
- D. □□□ □□ □□

Answer: C (LEAVE A REPLY)

Single Sign-on(SSO)□ □□□□ □ □□□ □□□ □□ □□□□ □□ □□□□□□□ □□□□
□ □□□ □□ □□ □□□□□, □□ □□ □□ □□□□□ □□□□ □□□□. □□ □□□ □□
□ □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□ □
□□□ □□□ □□□ □□□□. SSO□ HexCom□ □□ □□□ □□□ □□□ □□□□ □□□
□□ □□ □□□□ □□ □□□□□. SSO□ □□□ □□□□□ □□□□□ □□□□ □□□ □
□ □□ □□□ □□□□ □□□ □□□□ □□□□□ □□□ □□□□ □□□□□.

NEW QUESTION: 149

□□□□ □□ □□□□□ □□□□ □□□□ □□□□. □□ □□ □□ □□□ □□□ □□ □□
□ □□□□ □□ □□ □□□ □□□□□?

- A. □□□ -o
- B. □□□ -a
- C. □□□ -ao
- D. Netstat -an

Answer: D (LEAVE A REPLY)

netstat -an □□□ □□ □□ □□□ □□ □ □□ □□□ □□ □□ □□□ □□ □□□ □□□□
□ □□□□□. □□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□□□
□□□□, □□ □□ □□ □□□ □□□ □ □□□ □□□□ □□□ □ □□□□.

NEW QUESTION: 150

□□ □□ □□□□□ □□□ □□□ □□ OSI □□ □ □□ □□□□ □□□□□?

PURPOSE	PLAN
It provides measures for sustaining essential business operations while recovering from a significant disruption.	Business continuity plan
It provides measures for recovering business operations immediately following a disaster.	Business recovery plan
It provides measures and capabilities to maintain organizational essential, strategic functions at an alternate site for up to 30 days.	Continuity of operation plan
It provides measures and capabilities for recovering a major application or general support system.	Contingency plan
It provides measures for disseminating status report to personnel and the public.	Crisis communication plan
It provides detailed measures to facilitate recovery of capabilities at an alternate site.	Disaster recovery plan

- Disaster recovery plan
- Crisis communication plan
- Contingency plan
- Continuity of operation plan
- Business recovery plan
- Business continuity plan

NEW QUESTION: 154

□□ □□□
 □□□ □□□ □□□ □□□□. _____ □ □□□□ □□□□□ □□ □□ □□□□□.
 □□□.

Answer:

□□□
 □□:
 Honeyd □ □□□□ □□□□□ □□ □□□□ □□□□□□. 2002 □ Niels Provos □ □□□□□
 □.
 C □ □□□□□□ Unix □□□□□□□ □□□□□□□□. □□□□ □□□ □□□ □□□ □□□□
 □□ □□□□ □□□ □□□□□.
 □□□ □□ □□□□ □□ IP, IP □□ □□□ □□ □□□□□□□□. □□ □□ □□ □□ □□□
 □□□□□□□ □□ □□□□.
 □□ UDP □ TCP □□ □□□ □□□□□□□□.

NEW QUESTION: 155

Geon Solutions INC. □ □□□□ □ □□□ 10□□ □□□□□□□. □□□ □□□ □□□□□ □□
 □ □□ □□ □□□ □□□□. □□□□ □□□□ □□ □□□□ □□□□□□ □□□□ □□ □
 □ □□□□ □ □□□□ □□ □□□□. □□□□ □□□ □□ □□ □□□□ □□ □□□
 □□□□□ □□□ □□□□□. □□ □□□□ □□□□□ □□□□ □□□ □□□□ □□
 □□ □□ □□□ □□□□ □ □□□ □□□□?

- A. □□
- B. □

□□ □□□ □□ □□□ □□ □ □□□ □□□ □ □□□ □□□□□. □□
□□□ □□ □□□ □□□ □□□□□. □□ □□ □□□ □□□ □□ □□ □ □□□□.
□ □□ □□ □□□□ □□□□.

1. □□□□: □□□ □□□ □□ □□□ □□□ □□□□. □□□□ □□□ □□□□ □□□□.
□□, □□ □□, DNA, □□ □□□ □□□, □□ □□ □□ □□□□□□.
□□□ □□□ □□□□□□.
2. □□: □□ □□□ □□□ □□□ □□□□. □□□□□ □□□□ □□□□.
□□, □□□□, □□□.

NEW QUESTION: 158

□□ IoT □□□□ □□ □ □□ □□□ □□ □□□ □□ □□□ □□□□, □□□□ □□□□ □
□ □□□□□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□□□ □□□
- D. □□□□ □□□

Answer: ([SHOW ANSWER](#))

IoT □□□□□ □□□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□, □□ □ □□□□
□ □□□□ □□□□□ □□□□ □□□ □□□. □ □□□ □□□□ □□□ □□□□ □□□□
□□□□□ □□□□ □□□□□□□□ □□□□□. □ □□ □□□ □□□□ □□ □□□ □□□□
□ □□□□ □□□□□ □□□□□ □□□□ □□□ □□□ □ □□□ □□□□ □□□ □□□
□□□□ □□ □□□ □□ □□□ □□ □ □□□□.

□□□□: □ □□□ IoT □□□□ □□□□ □□□ □□□□, □□□ □□□□ □□□ □□□ □
□□□ □ □□□ □□□ □□ □□□□□ □□□ □□□. IoT □□□□ □□□123□ □□□ □□
□ □□□□□.

NEW QUESTION: 159

□□ □□ □□ □□ □ □□□□ □□□□□?

- A. □□ □□
- B. □ □□□□ □□
- C. #□□?
- D. □□ □□□□
- E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 160

□□ □□□□ □ □□ □□□□ □□□□ □□□ □□□□□?

- A. SNMP
- B. PPTP
- C. TLS

D. SSL

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 161

□□ □ □□ □□□ □□□□□□□ □□□□ □□□ □□□□ □□ □□ □□□□□ □□□□□?

A. □□□ □□

B. □□ □□

C. □□□□□□ □□

D. □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 162

□□ □□□
□□□ □□□ □□□ □□□□□. _____ □□□□□ □□ □□ □□□□ □□□□□.
□□ □□□□□□□. □□□ □□□ □□□□ □□ □□□□ □□□ □□□□□ □ □□□□□.
□ □□□ □□□□□ □□ □□□□ □□□□□.

Answer:

□□□□ □□□

□□:

□□□□ □□□ □□□□□ □□ □□ □□□ □□ □□□□□ □□□□□. □□□ □□□□ □ □□□□.
□□(OSI □□)□ TCP(OSI □□□ □□ □□)□□□ □□□□□. □□□ □□□ □□□□ □ □□ □□□.
□□□ □□□□ □ □□□□ □□□ □□□ □□. □□ □□
□ □□□ □□□□□ □□□□ □□ □□□ □□□ "□□ □"□ □ □ □□□□.
□□ □□□ □□□ □□ □ □□□ □□□ □□□ □□□□□. □□ □□ □□□□ □□□□ □□ □□
□□
□□□□ □□□ □□ □□□ □□□ □□□ □ □□□ □□ □□ □□ □
□□□ □□□□□ □□□ □□□□ □□□□ □□ □□□□□. □□□□ □□□□ □□ □□□ □□□□.
□□□□ □ □□ □□□ □□□□ □□ □□□ □□ □□ □ □□□□ "□□□□"□□□□.
□, □ □□ □□□□□ □ □□ □□□□ □□□□. □ □□□□□ □□□ □□ □□ □□□□□.
□□□□ □□□ □□□□ □□ □□□□□. □□□□ □□□□ □□□ □□□ □□ □□□□.
□□ □□ □□.

NEW QUESTION: 163

□□ OSI □□ □ □□ □□□□ □□ □□□□ □□□□ □□□□□ □□□□□□□?

A. □□□□□□ □□

B. □□ □□

C. □□□□

D. □□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 164

_____ □□□□□ □□□ □□□ □□ □□ □□□ □□□□□.

A. □□□□ □□ □□

B. LIFO □□

C. □□ □□

D. FIFO □□

Answer: ([SHOW ANSWER](#))

□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□. □, □□□ □□□ □□□ □□□□ □ □□□□ □□ □□□ □□□□ □□□□ □□□□□. □ □□□ □□ □□□ □□□□ □□ □□□ □ □□□ □□□□□, □□□ □□□□ □□□□ □ □□□ □□□□ □□□□□□□□. □ □□□ □□ □□ □□□□ □□□□ □□□ □□ □□ □□ □□ □□□□ □□ □□□□□.

□□□□: □□ □□□ □□□ □□ □□□□□ □□□□ □□ □□□□, □□ □□ □□□ □□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□□.12

NEW QUESTION: 165

□□□□ □□□□□, □□□ □□ □□ □□□□□ WPA2 □□□□ □□□□□□. WPA2□ _____ □□□ □□ □□□□□ □□□□ □□□ □□ □□□ □□□□□.

A. CBC-32

B. CRC-MAC

C. CRC-32

D. CBC-MAC

Answer: D ([LEAVE A REPLY](#))

WPA2□ CCMP(Cipher Block Chaining Message Authentication Code Protocol)□ □□□□ □□ □□□□ □□□□□, □□ □□□ □□□□ □□ AES(Advanced Encryption Standard) □□ □□ □□□□□. WPA2 □□□ □□ □□□ □□ □□□ □□□□ □□□ □□ □□□□□ CBC-MAC(Cipher Block Chaining Message Authentication Code)□□□. CBC-MAC□ □□□ □□□□ □□□□ □□□□ □ □□□□ □□□□ □□□□ □□, □□□ □□ □□□□□ □□ □□□□ □.

□□ □□: □□ □□□ WPA2□ IEEE 802.11i □□□ □□□ □□ □□□□□ □□□□□, □□□ □ CCMP1234□ □□□ □□ □□ □ □□□ □□□ □□ □□□ □□□□□.

NEW QUESTION: 166

□□□□ □□□□ □□ □□ □□□□□ □□□□ □□ □□ □□□□ □ □□□□□ □□□□ □□□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□□□□. □ □□□ □□□□□ □□□ □□□□□ □□□□□□□□ □□□□□□□□. □□ □□□ □□□□ □□ □□□ □□□ □□□□ □?

A. □□□

- A. □□□□ □□ □□(NAT) □□□□ □□□□ □□□□□
- B. IPsec □□
- C. SNMP(Simple Network Management Protocol) □□
- D. □□□□ □□ □□□□(NTP) □□

Answer: D (LEAVE A REPLY)

□□□ □ IDS □□□□ □□ □□□ □□ □□□□ □□□□□ □□□□□ □□ □ □□□□ □□□□□□ □□□□□□ □□□□ □□ □□□□□□. □□□ □□□□ □□ □□ □□(NTP)□ □□□□□. NTP□ □□□□□ □□ □□□ □□□ □□ □□□ □□□□□, □□ □□□ □□□□□ □□ □□□□□. □□□□ □□ □□□ □□□ □□□ □□□□□ □□ □□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□ □ □□□ □□□ □ □□□ □□□□.

NEW QUESTION: 169

□□□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□ □□ □□(UPS)□ □□□ □□□□ □. □□□□ □□□□□ □□ □□□□ □□□ □□□ UPS □□□□ □□□□ □□□. UPS □□ □□□ □□□ □□ □□□□□.

- A. 1-v,2-iv,3-iii,4-i
- B. 1-v,2-iii,3-i,4-ii
- C. 1-iii,2-iv,3-v,4-iv
- D. 1-i,2-iv,3-ii,4-v

Answer: A (LEAVE A REPLY)

□□□ □□□ □□□□□ □□□ □□(□: 1-v, 2-iv □)□ □□□□ □□ □□□ UPS□ □□ □□ □ □□□ □□□ □□□. □□□ □□□□ □□□ □□□ □ □□ □□ □□□ UPS □□□□ □□ □ □□□□.

□□ UPS(□□□□ UPS): □□□□ □□ □□□ □□□□ □□ □□□ □□ □ □□□ □□□ □ □□ □□□□□.

□□ □□□□□ UPS: □□□□ □□□□ □□□ □□□ □□ □□□ □□□ □ □□ □□□ □□ □□ □□□ □□ □□□□□ □□□□ □□□ □□□□□.

□□□ UPS(□□ □□ UPS): □□□□ AC □□□ DC□, □□□ □□ AC□ □□□□□ □□□□ □□ □□□ □□ □□□ □□□□, □□□□ □□□ □□□ □□□ □□□□ □□□□ □□ □□ □ □□□□□.

□□□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□□ □□□ □□□ □□□□ □ □□□ □□ □□□□□. □□□□□ UPS □□□ □□□□ □□ □□□□□ □□□□ □□□, □ □ □□ □□□ □□□ □□ □□□□□.

NEW QUESTION: 170

□□ □ □□ □□ □□□□ □□□ □□ □□, □□□ IoT □□□ □□□□ □□ □□□ □□□ □ □□ □□□□ □□□□□?

- A. WEP
- B. WPA
- C. WPA2

packet-switched inter-network using the Internet Protocol Suite, also referred to as TCP/IP. IP is the primary protocol in the Internet Layer of the Internet Protocol Suite and has the task of delivering distinguished protocol datagrams (packets) from the source host to the destination host solely based on their addresses. For this purpose, the Internet Protocol defines addressing methods and structures for datagram encapsulation. The first major version of addressing structure, now referred to as Internet Protocol Version 4 (IPv4), is still the dominant protocol of the Internet, although the successor, Internet Protocol Version 6 (IPv6), is being deployed actively worldwide.

Answer option D is incorrect. Transmission Control Protocol (TCP) is a reliable, connection-oriented protocol operating at the transport layer of the OSI model. It provides a reliable packet delivery service encapsulated within the Internet Protocol (IP). TCP guarantees the delivery of packets, ensures proper sequencing of data, and provides a checksum feature that validates both the packet header and its data for accuracy. If the network corrupts or loses a TCP packet during transmission, TCP is responsible for retransmitting the faulty packet. It can transmit large amounts of data. Application layer protocols, such as HTTP and FTP, utilize the services of TCP to transfer files between clients and servers.

NEW QUESTION: 176

Which of the following is the correct way to interact with the Docker API?

- A. Docker CLI
- B. Docker REST API
- C. Docker API
- D. Docker Daemon

Answer: C (LEAVE A REPLY)

The Docker API is a REST API that allows you to interact with the Docker Daemon. The Docker CLI is a command-line interface that allows you to interact with the Docker Daemon. The Docker REST API is a REST API that allows you to interact with the Docker Daemon. The Docker Daemon is the service that manages Docker containers. The Docker API is the correct way to interact with the Docker API.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

NEW QUESTION: 180

Which of the following is a valid IPv4 address?
 A. 192.168.1.1
 B. 192.168.1
 C. 192.168.1.1.1
 D. 192.168.1

Answer: C (LEAVE A REPLY)

Shortcuts: 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

□□ □□ A□ □□□□□. Dsniff□ □□□□, □□□, HTTP □□□□ □□□□□ □ □□□□ □ □□□□□. Dsniff□ □□□□ dsniff, arpredirect, macof, tcpkill, tcpnice, filesnarf, mailsnarf□ □□□□.

Dsniff□ □□□□ □ □□ □□□□ □□□ □□□□□ □ □□ □□□□□□. □□□□ □□□□ □ □□□□ □□ arpredirect □ macof □□□ □□□□□. FTP, telnet, SMTP, HTTP, POP, NNTP, IMAP □□ □□ □□□ □□□□ □□□ □□□ □ □□□□.

□□ □□ D□ □□□□□. Kismet□ Linux □□ 802.11 □□ □□□□ □□□ □ □□ □□ □□ □□□□. □□ □□□□(rfmon) □□□ □□□□ □□ □□ □□□ □□ □□□ □ □□□□. Kismet□ □□□□ □ □□□□.

802.11b, 802.11a, 802.11g, 802.11n □□□. Kismet□ □□ □□□ □□□ □ □□□□.

□□□ □□□□ □□□□ □□□□□ □□□□□

□□ □□□ □□□□□ □□□□□

□□□□ □□□□□ □□□□□

□□□ □□□□ □□ □□ □□□□□ □□□ □□□□□.

□□ □□ B□ □□□□□. KisMAC□ Mac OS X□ □□ □□□□ □□ □□□□□. Linux/BSD□

□ □□□ □□ Kismet□ □□□□ Windows□□ □□ □□□ NetStumbler□□ □□ □□□ □□

□□□□ □□□□□. □ □□□□□ □□□□ □□ □□□□ □□□□ □□ □□□ □□□□

□□□□ □□□□□ □□□□□ □□□□□. KisMAC□ Apple□ AirPort, AirPort Extreme □ □□

□□ □□□ □□□□ □□□□ □□□□ □□□□□ □□□□□. Mac OS X □□□

□ □□□□ □□ □□□□ □□□□□ □□□□□ □□□□□.

□□□ □□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□ □□ □□ □□

□ □□□ □□ WEP □ WPA □ □□□□ □□ □□□□ □ □□ □□□ □□ □□ □□□ □□□

□ □□ □□□□□. GPS □□□ NMEA □□ GPS □□□□ □□□ □□ □□ □□ □□□□. □

□□□ pcap □□□□ □□□□ Wireshark□ □□ □□□□□ □□□ □□ □□□□.

NEW QUESTION: 181

□□ □□□ □□ □□ □□ □□□ □ VPN □□□□□ □□□□□□□. □□□ □□□ □□□□ □

□ □□□ □□□□ □□□□ □□□□□□□. □□□□ □□□□□□□ □□□ □ □□ □□□□□

□. □□□ □□□□□□ □□ □□□□□□□. □ □ □□ □□□□ VPN□ _____ □□□□□

□□□□□.

A. □□ □ □□

B. □□ □□

C. □□ □□ □□

D. □□ □□

Answer: ([SHOW ANSWER](#))

312-38 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 312-38 □□! DumpTop

□ □□ 312-38 □□ □□□ □□□□□□□, DumpTop 312-38 □□ □□□ □□□□□□□□□ □

□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop 312-38 □□□ □□□□□.

Special Discount: **KrDump**)

NEW QUESTION: 182

Which of the following is a tunneling protocol used for VPNs?

- A. L2TP
- B. PPP
- C. PPP
- D. IPSec

Answer: D (LEAVE A REPLY)

IPSec is a tunneling protocol used for VPNs. L2TP is a tunneling protocol used for VPNs. PPP is a tunneling protocol used for VPNs. IPSec is a tunneling protocol used for VPNs. Point-to-Point Tunneling Protocol (PPTP) is a tunneling protocol used for VPNs.

IPSec is a tunneling protocol used for VPNs. L2TP is a tunneling protocol used for VPNs. PPP is a tunneling protocol used for VPNs. IPSec is a tunneling protocol used for VPNs. Point-to-Point Tunneling Protocol (PPTP) is a tunneling protocol used for VPNs. IPv4 is a tunneling protocol used for VPNs. IPv6 is a tunneling protocol used for VPNs.

Point-to-Point Protocol (PPP) is a tunneling protocol used for VPNs. IPX, TCP/IP, NetBEUI are tunneling protocols used for VPNs. Microsoft Dial-Up is a tunneling protocol used for VPNs.

Layer 2 Tunneling Protocol (L2TP) is a tunneling protocol used for VPNs. Point-to-Point Tunneling Protocol (PPTP) is a tunneling protocol used for VPNs. L2TP, PPTP, PPP, IPSec, IP, IPv4, IPv6, IPX are tunneling protocols used for VPNs.

NEW QUESTION: 183

Which of the following is a tunneling protocol used for VPNs?

- A. L2TP
- B. PPP
- C. PPP
- D. IPSec

Answer: B (LEAVE A REPLY)

IEEE 802.11a, 802.11b □ 802.11g □□□ □□□□ LAN. □□ □□□□□ □□□□ □□□□□.
GPS□ □□□ □□□ □□□□□. 802.11 Probe Request□ □□□□□.
□□□□□□ □□ □□□ □□□□□□□□.
□□ □□ B□ □□□□□□. Wingate□ □□□ □□□□□.

NEW QUESTION: 187

□□ □ □□□ □□□ □□□ □□ □ □ □□□ LAN□ □□□□ □□□□□ □□□□ □□ □□
□□□?

- A. □
- B. □□
- C. □□
- D. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 188

OSI □□□ □□ □□(□□□□□□, □□, □□, □□□□, □□□□□□)□ □□□ □ □□ □□
□ □□□ □□□□□?

- A. □□ □□ □□□□□
- B. □□□□ □□ □□
- C. VPN
- D. □□ □□□

Answer: A ([LEAVE A REPLY](#))

□□ □□ □□□□□□ □□□□□□□, □□, □□, □□□□ □ □□□□□□ □□□ □□□□
OSI □□□ □□ □□□ □□□ □ □□ □□□ □□ □□□□□□. □ □□□ □□□□ □□ □□
TCP □□□□□ □ □□ □□□ □□□□□□ □□□ □□□□□ □□□□□.
□□ □□ □□□□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□
□□□□□□ □□□□ □□□ □□□□□□□.
□□ □□: □ □□□ EC-Council1□□ □□□□ Certified Network Defender(CND) □□ □□□
□□□ OSI □□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□.

NEW QUESTION: 189

□□□□ □□□□ □□□□□ □□□ □□□ □□ □□□ □□ □□□ □□□ □□ □□□ □□
□ □□□ □□□□□□□. □□□□ □□□ □□ □□□ □□□ □ □□ □ □□ □□□ □□□□
□?

- A. □□
- B. □□□
- C. □□□
- D. □□□

Answer: D ([LEAVE A REPLY](#))

□□□ □□ □□□ □□□ □ □□□□ □□□□ □□□□ □□ □□□ □□□ □□□□. □□ □
□ □□□ □□□ □□□□ □□□ □□ □ □□□□ □□□□ □ □□□ □ □□□ □□ □□□□
□. □□ □□□ □□□□ □□□ □ □□□□ □□□□ □□□□ □□□ □ □□□ □□□□□.
□□□□: □□□ □□ □ □□□ □□ □□□ □□ □□□ □□□ □ □□□□ □□□□□ □□ □
□□□□□, □□ □□□ □□□□ □□□□ □□□□ □□□ □ □□ □□ □□□□ □□□□ □
□□□□.1234

NEW QUESTION: 190

□□ □□□□ □□□□□ Wireshark□ □□□□ □□□□ □□□□ □□□□□□ □□□□. □
□ □□□ □□□□ □□□ □□ □□□□□□ TCP OS □□□ □□□□ □□□ □□□□□. □□
□□ Wireshark □□ □ □□ □□ □□□□ TCP OS □□□ □□□□? (□□□□ □□ □□ □□
□□□.)

- A. tcp.□□.wscale_val==20
- B. tcp.□□.mss_val<1460
- C. tcp.□□□==0x2b
- D. tcp.flags=0x00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 191

□□□ □□□ □□□ □□□□.
_____ □□□□□□ □□□□ □□ □□□ □□□ □ □□ □□ □□□ □□□□ □□
□ □□□□ □□□□□□□□□.

Answer:

□ □□□□□

NEW QUESTION: 192

□□ □□□□ □ □□□□ □□ □□□□ EDI □□□□ □□□□ □ □□□□ □□ □□□□□?

- A. MIME
- B. S/MIME
- C. HTTPS
- D. HTTP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 193

□□ IP □□□ □□ □ □□□□ □□□□ □□ □□? □ □□□ □□□ □□□□ □□□□□. □
□□□ □□ □□ □□□□□□□.

- A. C□□
- B. D□□
- C. □□□ A
- D. B□
- E. E□□

Answer: ([SHOW ANSWER](#))

□□□ □□ D□ E□ □□□□ □□□□ □□□□. □□□ D □□□ □□□□□□ □□ □□□□ □□□ □□ □□□ 224□□ 239□□ □□□ □ □□□□. □□□ E □□□ □□ □□□□ □□□ □ □□□□. □□ □□□ 240□□ 254□□□□□□.

□□ □□ C□ □□□□□□. □□□ A □□□ □□□ □□□□□ □□□□□□. □□ □□□□□ □□(□□□)□ 16,777,214□□□□, □□ □□□ 1□□ 126□□ □□□ □ □□□□.

□□ □□ D□ □□□□□□. □□□ B □□□ □□ □□ □□□□□ □□ □□□□□□. □□ 65,534□□ □□□□□□ □□□ □□□, □□ □□□ 128□□ 191□□ □□□ □ □□□□.

□□ □□ A□ □□□□□□. □□□ C □□□ □□□ □□ □□□□ □□□□(LAN)□ □□ □□□ □□. □□ 245□□ □□□□□□ □□□ □□□□ □□ □□□ 192□□ 223□□ □□□ □ □□□ □.

NEW QUESTION: 194

Albert□ □□□ □□□□ Windows □□□ □□□□ □□□□. □□ PowerShell □□□ □□□□ □□□□□□ □□□□□ □□□□ □□□ □□□□□□. □□ PowerShell□ □□□ □ □□ □□□ □ □□ □□□ □□□□ □□□□□ □□ □□ □□□ □□□□□ □□□. □□ PowerShell □□ □□ □□□ PowerShell□ □□□ □ □□□□□ □□ □□ □□□ □□□□□?

- A. □□ □□
- B. □□□ □□
- C. □□□□ □□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

312-38 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 312-38 □□! DumpTop □ □□ 312-38 □□ □□□ □□□□□□□□, DumpTop 312-38 □□ □□□ □□□□□□□□□ □ □□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop 312-38 □□□ □□□□□.

<https://www.dumptop.com/EC-COUNCIL/312-38-dump.html> (732 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)