

Unisphere for RecoverPoint "□□□ □□ □ □□" □□□ □□□ □□□ □□□□
RecoverPoint □□□□ □□□□ □□□□□ □ □□□ □□□ □□□□□□□□. □□□□ □□□
□□□□□.

* □□ □□ □□: □ □□□ RecoverPoint □□□ □□ □□ □□ □□□ □□□□ □ □□□ □□
□. □□ □□□ □□□ □□□□ □□□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□
□□□ □□ □ □□□ □□□.

* □□ □□: □□ □□ □□□ RecoverPoint Appliances(RPA)□ □□ □□ □□□ □□□□ □□
□□ □□ RPA□ □□ □□ □□□ □□ □□ □□□□ □ □□□□□. □□ □□ □□□□ □□□
□□ □□□□ □□ □□□ □□□ □□□□□.

* □□□ □□ □□: □ □□□ RecoverPoint □□□□ □□ □ □□□ □□ □□□□ □□□ □□
□□□. □□ □□, □□□ □□ □□, □□ □□ □□ □□ □□ □□ □□ □□□□□□.
□□□ □□□ RecoverPoint □□□ □□□ □□□ □□□□ □ □□□□□ Unisphere for
RecoverPoint □□□□□□ □□ □□□□ □ □□□□.1

NEW QUESTION: 5

□□□ □□□ □ □□ □□□□ □□□□ □ □□□ □□□ □□□ □□□ □□□ □□□□□?

- A. □□□□ □ □□ □□ □□□□ □□ □□
- B. □□ □□□□□□ □□ □□ □□
- C. □□ □□ □□□□□ RPA □
- D. □□□□ □□□□□ RPA □

Answer: B (LEAVE A REPLY)

□□ □□□□ □□ □□□ □□□ □□□ □□□ □ □□ □□□□ □□□□ □ □□□ □□□ □
□□ □□□ □□ □ □□□□. □□ □□□ □□ □□□□ □□□□ □□ □□□ □□□ □□ □□
□□ □□□ □□□□ □□□□. □□ □□ □□□□ □□ IOPS(□□ □□□ □□)□ □□ □□□
□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□ □ □□
□□ □□□□ □□□ □□□□□ □□□ □ □□□□.

□□□□□ □□ □□ □□□□ □□ □□ □ □□□□□ □□ □□ □□□□ □□□
RecoverPoint Appliance(RPA) □□ □□ □□ □□□ □□□ □□□ □□□ □□ □ □□□□. □
□□ □□□ □□□ □□□□□ □□ □□□□□□ □□ □□ □□ □□□ □□□ □□□□. RPA
□□ □□□□ □□□ □□ □ □□ □□□ □□□ □□ □ □□□ □□□ □□□ □□ □□□□ □
□□ □□□ □□ □□□ □□ □□□□□ □□ □□□ □□ □□□ □□□□□.1
□□ □□□□ □□ □□□ □□□□ □□ □□ □□ Dell RecoverPoint □□□ □□□□□ Dell
EMC □□□□ □□ □□□□ □□ □□ □□□□.

NEW QUESTION: 6

□□□□ □□□□ XtremIO-to-XtremIO Consistency Group□ □□ □□□ □□□□ □□□□□
□□ Test a Copy□ □□□□ □□□□. □ □□□ □□□□ Logged Access□ □□□□ □□□□
□□□ □□□ □□□ □□□□□?

- A. XtremIO□ □□□□ SCSI □□□□ □□ □□□□ □□□□ □□□□□.
- B. XtremIO□ □□ □□□□ □□□ □□ □□ □□□ □□□ □ □□□□.

C. RecoverPoint can be used with XtremIO storage.

D. XtremIO can be used with RecoverPoint storage.

Answer: (SHOW ANSWER)

* RecoverPoint can be used with XtremIO storage.

* RecoverPoint can be used with XtremIO storage.

* RecoverPoint can be used with XtremIO storage.

* RecoverPoint can be used with XtremIO storage.

NEW QUESTION: 7

RecoverPoint can be used with Consistency Groups.

RecoverPoint can be used with 100 Consistency Groups. It can be used with 80 Consistency Groups. It can be used with 80 Consistency Groups RPA. It can be used with 80 Consistency Groups?

A. RecoverPoint can be used with RP/EX Consistency Groups.

B. RecoverPoint can be used with 1024 Consistency Groups.

C. RecoverPoint can be used with 16K Consistency Groups.

D. RecoverPoint RPA can be used with 80 Consistency Groups.

Answer: C (LEAVE A REPLY)

Dell RecoverPoint can be used with Consistency Groups. It can be used with 100 Consistency Groups. It can be used with 80 Consistency Groups. It can be used with 80 Consistency Groups RPA. It can be used with 80 Consistency Groups?

RecoverPoint can be used with 16K Consistency Groups.

* RecoverPoint can be used with 80 Consistency Groups.

* RecoverPoint can be used with 8,000 Consistency Groups (100 CG x 80 Consistency Groups).

* RecoverPoint can be used with 16K Consistency Groups.

RecoverPoint can be used with 16K Consistency Groups. It can be used with 80 Consistency Groups. It can be used with 80 Consistency Groups RPA. It can be used with 80 Consistency Groups?

NEW QUESTION: 8

RecoverPoint can be used with Consistency Groups?

A. RecoverPoint GUI can be used with Consistency Groups.

- A. RPA CG(s)
- B. CG
- C. RPA
- D. RPA CG CG

Answer: D (LEAVE A REPLY)

Dell RecoverPoint Consistency Group RecoverPoint Appliance(RPA) CG .

* RPA: CG, CG

* RPA: CG

* RPA: CG

* RPA: RecoverPoint (RPO) 1. CG (RPO) 1.

NEW QUESTION: 11

RPA Unisphere RPA ?

- A. > RPA
- B. > RPA
- C. RPA > RPA
- D. > RPA > RPA

Answer: (SHOW ANSWER)

Unisphere for RecoverPoint RPA


* RPA: Unisphere 'RPA'

* RPA: RPA

* RPA: 'RPA' RPA

RPA (RPA) RPA

NEW QUESTION: 12



RecoverPoint/EX Unisphere console. The screenshot shows the 'Add a Copy' configuration page. The 'Copy Name' is 'edu_image' and the 'RPA Cluster' is 'London'. The 'Replication Mode' is set to 'Asynchronous' with an 'RPO' of '25' seconds. A table below shows a list of storage volumes with columns for Vendor, Array Type, Serial Number, Volume, UID, and Size. A blue arrow points from the 'Copy Name' field to the 'Volume' column of the table.

- A. The 'Copy Name' field is required to be populated with a valid name.
- B. The 'Copy Name' field is required to be populated with a valid name and the 'RPA Cluster' must be selected.
- C. The 'Copy Name' field is required to be populated with a valid name and the 'Replication Mode' must be set to 'Asynchronous'.
- D. The 'Copy Name' field is required to be populated with a valid name and the 'RPO' must be set to a valid value.

Answer: B (LEAVE A REPLY)

RecoverPoint/EX Unisphere console. The screenshot shows the 'Add a Copy' configuration page. The 'Copy Name' is 'edu_image' and the 'RPA Cluster' is 'London'. The 'Replication Mode' is set to 'Asynchronous' with an 'RPO' of '25' seconds. A table below shows a list of storage volumes with columns for Vendor, Array Type, Serial Number, Volume, UID, and Size. A blue arrow points from the 'Copy Name' field to the 'Volume' column of the table.

- * The 'Copy Name' field is required to be populated with a valid name.
- * The 'Copy Name' field is required to be populated with a valid name and the 'RPA Cluster' must be selected.
- * The 'Copy Name' field is required to be populated with a valid name and the 'Replication Mode' must be set to 'Asynchronous'.

The 'Copy Name' field is required to be populated with a valid name and the 'RPA Cluster' must be selected. The 'Replication Mode' must be set to 'Asynchronous' and the 'RPO' must be set to a valid value.

NEW QUESTION: 13

The screenshot shows the 'Add a Copy' configuration page. The 'Copy Name' is 'edu_image' and the 'RPA Cluster' is 'London'. The 'Replication Mode' is set to 'Asynchronous' with an 'RPO' of '25' seconds. A table below shows a list of storage volumes with columns for Vendor, Array Type, Serial Number, Volume, UID, and Size. A blue arrow points from the 'Copy Name' field to the 'Volume' column of the table.

The 'Copy Name' field is required to be populated with a valid name and the 'RPA Cluster' must be selected.

- A. The 'Copy Name' field is required to be populated with a valid name and the 'RPA Cluster' must be selected.
- B. config_copy_group= copy= policy image_access_log_size= CLI command.

C. 00 00 0000 0000 00 0000 000000.
00 > 00 0000 00000 00000 CG0 00000 00000 000000.
00 0000 0000 00 "00 00"0 000000.

D. 00 > 00 0000 00000 00000 CG0 00000 00000 000000.
0000 0000 00 0000 0000 0000 0000 20%00 00000.

Answer: A (LEAVE A REPLY)

0000000 00 00 0000 RecoverPoint00 Image Access 0000 0000 0000 0000 0
00 00000 00, 0000 00 0000 000000 00 00 00 0000 000000 0000. 00
Unisphere for RecoverPoint 00000000 00 0000 0 000000.

* 0000 00: RecoverPoint0 Unisphere00 00 0000 00000000.

* 00 00: 00 00 00000 0000000.

* 0000 00(CG) 00: 000000 0000 CG0 0000000.

* 00 00: PIT(Point-in-Time) 000000 000000 0000 0000000.

* 00 00: 00 00 0000 0000000.

* 00 00 00: 0000 00 00 00 0000 0000 0000 0000 0000 0000 00 00 0000
00 00 0000 0000000.

00 00 0000 00000000 00000000 00 0000 0000 000000 00 000000 00

00 00 000000 0000 0 000000.1

NEW QUESTION: 14

Balance Load 0000 000000 00 000000 00 0000 0000000?

A. 50

B. 70

C. 60

Answer: C (LEAVE A REPLY)

Dell RecoverPoint 00000000 Balance Load 0000 000000 00 70 00 000000 00 0
0000. 0 00 00 000000 00000000 00 0000 0000 0000 Balance Load 0000 00
0000 0000 0 000000. 0 0000 Dell RecoverPoint 000000 0000 00 0000 000000
00 00 000000 00 0000 0000 00 0000 0 0000 00 000000 00 0000000. 0
0 000000 00 0000 000000 00 00 00 Dell RecoverPoint 000000 00000000 Dell
EMC 000000 00 000000 00 00 000000.1.

NEW QUESTION: 15

00 0000 0000 0000 0 0000 00 0000 0000000?

A. 80GB

B. 40GB

C. 10GB

D. 20GB

Answer: (SHOW ANSWER)

Dell RecoverPoint 40GB LUN, 40GB1 LUN

500GB 100GB 40GB

100GB

40GB

NEW QUESTION: 16

RecoverPoint

?



Actions

Answer Area

Unmount the production volume as the Recovery wizard will overwrite it with the recovery data

Select a snapshot prior to the corruption

After the recovery is complete, remount the volume to the production host

Mount the snapshot to a verification host and verify its integrity

Monitor the progress of recovery from the Unisphere "Manage Recovery" wizard

STEP 1

STEP 2

STEP 3

STEP 4

STEP 5

Answer:

"□□ □□□ □ □□□□ □□" □□□□ □□□□□ □□ □□□ □□□□.

* □□□□ □ □□□□ □□□□□. □□□ □□□□ □□ □□□□ □□□ □□ □□□□ □□□□ □□□□□.

* □□□□ □□ □□□□ □□□□□ □□□□ □□□□□. □□□ □□□□ □□□ □□□□ □ □□□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□□ □ □□□□.

* □□ □□□□ □□ □□□□ □□□□ □□□ □□□□□ □□□□ □□□ □□□ □□□□□. □□ □□□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□ □□□□ □□□ □□ □□□ □□□□□.

* Unisphere '□□ □□' □□□□□ □□ □□ □□□ □□□□□□□. Dell EMC□ Unisphere □ □□□□□ □□□□ □□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□□. □□□ □□□ "□□ □□□ □ □□□□ □□" □□□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□.

D-RP-OE-A-24 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ D-RP-OE-A-24 □□! DumpTop □ □□ **D-RP-OE-A-24** □□ □□□ □□□□□□, DumpTop D-RP-OE-A-24 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ □□□□ □□□□□□□□. <https://www.dumptop.com/EMC/D-RP-OE-A-24-dump.html> (64 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

□□ □□ □□ □□□□ □□□□□□ □□□□ □□□ □ □□ □□□ □□□□ □□□□□?

- A. □□□
- B. □□ □□□ □□□
- C. □□□
- D. □□ □□

Answer: C (LEAVE A REPLY)

Dell RecoverPoint□□ □□□□ □□ □□□□□□ □□□□ □□□ □ □□ □□□□ □□ □□ □□□□□□. □ □□□ □□□□ □□□□ RecoverPoint□ □□□□ □□□ □□ □□□□ □□ □□□ □□□ □□□ □ □□□, □□ □□ □□□□ □□□ □ □□□□. □□ □□□ □□□ □ □□□.

- * □□□□ □□: □□□□ □□□□□ RecoverPoint □□ □□□□□□ □□□□□ □□ □□□□ □□□□ □□□□ □□□□.
- * □□□□□□ □□□□ □□: □□□□ □□□ □□□□□ □□ □□ □□□□ □□ □ □□ □ □□□□□ □□□□ □□□ □ □□□□.
- * □□ □□□: □□□□ □□□□ □□ □□□ □□ □□□□ □□□□□.
- * □□□□ □□□□□□□□.
- * □□□: □□□□ □□□□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□ □ □□□□.

RecoverPoint consistency groups are supported on VPLEX, but not on VPLEX MetroPoint consistency groups.

NEW QUESTION: 18

RecoverPoint Consistency Group Creation is supported on VPLEX MetroPoint consistency groups.

- A. RecoverPoint consistency groups are supported on VPLEX MetroPoint consistency groups.
- B. RecoverPoint consistency groups are supported on VPLEX MetroPoint consistency groups.
- C. RecoverPoint 10TB consistency LUNs; RecoverPoint consistency groups.
- D. MetroPoint consistency groups are supported on VPLEX MetroPoint consistency groups.

Answer: D (LEAVE A REPLY)

RecoverPoint Consistency Group Creation is supported on VPLEX MetroPoint consistency groups.

* VPLEX MetroPoint consistency groups: RecoverPoint consistency groups are supported on VPLEX MetroPoint consistency groups.

* MetroPoint consistency groups: VPLEX MetroPoint consistency groups are supported on MetroPoint consistency groups.

* MetroPoint consistency groups: MetroPoint consistency groups are supported on MetroPoint consistency groups.

* RecoverPoint consistency groups: RecoverPoint consistency groups are supported on MetroPoint consistency groups.

MetroPoint Consistency Groups are supported on VPLEX MetroPoint consistency groups.

NEW QUESTION: 19

RecoverPoint consistency groups are supported on RPA, but not on RPA WAN consistency groups.

- A. RPA WAN consistency groups are supported on RPA WAN consistency groups.
- B. RPA WAN consistency groups are supported on RPA WAN consistency groups.
- C. RPA WAN consistency groups are supported on RPA WAN consistency groups.
- D. RecoverPoint consistency groups are supported on RPA WAN consistency groups.

Answer: B (LEAVE A REPLY)

RecoverPoint consistency groups (DCG) are supported on RPA WAN consistency groups.

- B. □□ □□□
- C. □□□ □□□
- D. ViPR SRM

Answer: (SHOW ANSWER)

EMC AppSync□ RecoverPoint□ □□□□ □□□□□□ □□□ □□ □□□□ □□□□ □□□ □□. AppSync□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□□ □□□□□ □□□□ □□□. EMC □□□□ □□□□ □□□ AppSync□ □□ □□□□□□ □□□□ □□□ □□□, □□ □□ □ □□ □□□ □□ □□□ □□□ □□□ □ □□□□.1

AppSync□ □□□□ □□□□ □□□ □□□ □ □□□□.

- * □□□□□□□ □□□□□□□□ □□ □□□□□ □□□□□□.
- * □□□□□□□□ □□□ □□□ □□□(□□□□, □□□□ □□ □□□□)□ □□□□□.
- * □□/□□□□, □□, □□ □ □□ □□ □ □□□□ □□□□ □□□ □□□□□□.
- * □□□ □□□□ □□□ □□□ □□ □□□□□□ □□□□□□.

AppSync□ RecoverPoint□ □□□ □□ □□□□□□□ □□□□ □□□ □□ □□ □□ □□□□ □□□ □ □□ □□□ □□□ □□ □□□□ □□□□□□ □□□ □□□□ □□□□ □□ □□ □ □□□□□□ □□□ □□□□ □□□□□□ □□□□□□.

□□ □□□□ □□ □□□ □□□□ □□ □□ □□ Dell RecoverPoint □□□ □□□□□□ Dell EMC □□□□ □□ □□□□ □□ □□ □□□□.

D-RP-OE-A-24 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ D-RP-OE-A-24 □□! DumpTop □ □□ **D-RP-OE-A-24** □□ □□□ □□□□□□, DumpTop D-RP-OE-A-24 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□□ □□□ □□□□ □□ □□□□□□□□□ □□□ □□□□□□. <https://www.dumptop.com/EMC/D-RP-OE-A-24-dump.html> (64 Q&As Dumps, **30%OFF Special Discount: KrDump**)