

# EMC.DES-3128.v2023-11-17.q41

□□□□:	DES-3128
□□□□:	Specialist - Implementation Engineer, NetWorker Exam
□□□:	EMC
□□ □□ □□□:	41
□□:	v2023-11-17
# □□ □:	868
# □□ □□□:	410
<a href="https://www.krdump.com/EMC.DES-3128.v2023-11-17.q41.html">https://www.krdump.com/EMC.DES-3128.v2023-11-17.q41.html</a>	

## NEW QUESTION: 1

□□ □□□ □□□□ □□ NetWorker□□ □□□□ □□ □□□ □□□□□?

- A. Microsoft Hyper-V □ Citrix XEN
- B. VMware □ Microsoft Hyper-V
- C. KVM □ Microsoft Hyper-V
- D. Citrix XEN □ VMware

Answer: ([SHOW ANSWER](#))

## NEW QUESTION: 2

□□□□ □□□□ □□□ □□□□ □ □□□□□ □ □□□ □□□□□ □ □□ □□□□ □ □

□□ □□□□□□.

- A. FC □□ □□□
- B. SCSI □□ □□□
- C. □□ □□□ □□□
- D. □□ □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□. □□ □□ □

□□ □□□□□ □□□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □□□□□ □

□□□ □□□□□ □ □□ □□□□ □ □□□□.

## NEW QUESTION: 3

□□□ □□□ Hyper-V 2016 □□ □□ □□□□□ □□□□ □□ □□□ □□□□ □□□. □□

□□ □□ □□ Hyper-V □□□□ NetWorker □□□□□□ □□□□□□.

□ □□□ □□□□□ Hyper-V □□□□ □□ □□ □□ □□□ □□□□ □□□?

- A. □□□□ □□
- B. NMDA

C. NMM

D. v□□□

Answer: B ([LEAVE A REPLY](#))

□□□□ □□ □□□ □□□□□ Hyper-V □□□□ NMDA □□ NetWorker Module for Databases and Applications□ □□□□ □□□. NMDA□ Microsoft Exchange, Hyper-V, Oracle□ □□ □□□□□□ □ □□□□□□□ □□□□ □□ NetWorker □□□□□□□□.

**NEW QUESTION: 4**

NetWorker □□□ PowerProtect DDVE□ □□□□ □□□□. □□□ □□□□ □□□ □□ □□ □□ AWS S3□ □□□□□□ □□□. □ □□□ □□□□ □□ □□□ □□□□□?

A. AWS□ NetWorker □□□□ □□□ □□□□□.

B. □□□□ AWS S3□ □□□□ □□

C. AWS□ NetWorker □□□□ □□□ □□□□□.

D. Dell EMC Cloud Tier □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 5**

□□□ □□□□□ AD(Active Directory) □□□□ □□ □□□ □□□□□ □□□□□□. □□ □ □□□ AD □□□ □□ □□□ CN=company,CN=local□□ □□□□□□. □□□ □□□ □□□ □□□□□□ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□?

A. CN=□□CN=□□

B. □□□□□□/AD/CN=□□,CN=□□

C. AD:CN=□□.CN=□□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

□□□□□ □□ □□□ □□□□□ □□□□ □□□ □□□ □□□□□?

A. □□

B. □□

C. □□

D. □□

Answer: A ([LEAVE A REPLY](#))

□□ □□□ □□□ □□□□□ □□ □□□ □□□□□ □□□□□. □□ □□□ □ □□□□□ □□□ □□□□□.

**NEW QUESTION: 7**

□□ □□□□ VMware ESXi □□□□ □□ CloudBoost □□□□□□□ □□□ □□□□ □□ □?

A. VMware Update Manager□ □□□□ □□ □□□□ □□□□□□□.

B. □□□ □□ □□□□ Linux VM□ □□□□ □□ □□□□□ □□□□□.

C. □□ □□□ □□ □□□ □□


D. OVF □□□□ □□□□□.

Answer: (SHOW ANSWER)

VMware ESXi □□□□ □□ CloudBoost □□□□□□□ □□□□□ □□ □□□□ OVF □□□ □ □□□□ □□□. □□□ □□ ESXi □□□□ □□□□□□□ □□□□ □□□□□□□ □□ □□□ □□□□□.

NEW QUESTION: 8

□□□□ □□□□□□.



□□□□ □□□□□□ □□ □□□□ □□ □□□□. T □□□□ □□□ □□□□□?

- A. Cloud Tier □□□□ □□□ □□□ □□□□.
- B. □□□ □□□ □□□ □□□ □□□□□.
- C. □□□ □□□ □□□□ □□□□□□□ □□□□□.
- D. □□□ □□□ □□□□ □□□□□□□ □□□□□.

Answer: (SHOW ANSWER)

Dell EMC NetWorker□ □□□□□ □□ T □□□□ □□□ □□□ □□□ □□□ □□ □□□□ □□ □□□. □□ □□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□ □ □□ □□ □□ □ □□□□ □□□□□.

NEW QUESTION: 9

NMC □□□□ □□□ □□□ □□□□□?

- A. 9090
- B. 9000
- C. 8080
- D. 443

Answer: B (LEAVE A REPLY)

NMC □□□□ □□□ □□□ □□ 9000□□□. □□ □□□ □ □□□□□ □□□ □□□□□.

NEW QUESTION: 10

□□□□ Oracle □□□ □□ □□□□ □□□ □□□□□ □□□□□ □□□.

□□□□□□ □□□□ "D\AFTD" □□□ □□□□ "Default" □□ "OracleBackup"□□□ □□□  
 □ "StorageNodeA"□□ AFTD □□□ □□□□□. □ □□□□ □□□ □□ □□□□ □□□□ □  
 □□.



□□□□ □□ □□□□ □□ □□□□□□.

**Answer:**

□ □□□ □□ □□□□ □□□□□□.

**NEW QUESTION: 11**

NetWorker□ VMware □□, □□□ □□ □□ □□□□□□ □□□□ □□ □□ □□□□ □□□  
 □□?

- A. □□
- B. □□ □□
- C. □□□ □□ □□
- D. □□□□□

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 12**

□□□□□□□□ □□□□ □□ □□□ □□□□□□ Oracle□□ SAP R/3□ □□□□□ NetWorker □  
 □□□□□ □□□□ □□ NetWorker □□□ □□□□□□?

- A. NMDA
- B. NMM
- C. □□□
- D. NMSAP

**Answer: ([SHOW ANSWER](#))**

NMSAP(NetWorker Module for SAP)□ □□□□□□□□ □□□□ □□ □□□ □□□□□□ Oracle  
 □□ SAP R/3□ □□□□□ NetWorker □□□□□□ □□□□ □□ NetWorker □□□□□.

**NEW QUESTION: 13**

□□□ □□ NetWorker □□□□□□□ □□□□□ □□ □□□□□ Oracle Solans 11 □□□□  
 NetWorker □□□ □□□□□ □□□□□□□. □□□□ □□□ □□□□ □□□□?

- A. IgtocInt □□□□ □□□□□. Igtoman pkg, Igtonode.pkg, Igtoauthc.pkg □ Igto serv.pkg □□  
 □
- B. Igtobbb pkg, Igto serv pkg □ Igtonode.pkg □□□□ □□

- C. Oracle Solaris 12 64-bit architecture.
- D. NetWorker Server Oracle Solaris 64-bit architecture.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 14**

Which command is used to configure the NetWorker client to connect to the NetWorker server?

- A. nsradmin
- B. NetWorker 64-bit architecture
- C. nsrwatch
- D. nsrwatch 64-bit architecture

Answer: C ([LEAVE A REPLY](#))

Nsrwatch is used to configure the NetWorker client to connect to the NetWorker server. Nsrwatch is a NetWorker client utility that is used to configure the NetWorker client to connect to the NetWorker server.

**NEW QUESTION: 15**

Which protocol is used to transfer backup data over the network?

- A. NDMP
- B. NetBackup
- C. NetBackup 64-bit architecture
- D. NetBackup 64-bit architecture

Answer: ([SHOW ANSWER](#))

NDMP (Network Data Management Protocol) is used to transfer backup data over the network. NDMP is a network protocol that is used to transfer backup data over the network.

**NEW QUESTION: 16**

Which command is used to create a backup of the NetWorker client configuration files?

- A. nsradmin
- B. nsrwatch
- C. nsrwatch
- D. nsrwatch

Answer: C ([LEAVE A REPLY](#))

**DES-3128** Which command is used to create a backup of the NetWorker client configuration files? DumpTop is used to create a backup of the NetWorker client configuration files. DumpTop is a NetWorker client utility that is used to create a backup of the NetWorker client configuration files. DumpTop is used to create a backup of the NetWorker client configuration files. DumpTop is used to create a backup of the NetWorker client configuration files.

□□□ □□□□□. <https://www.dumptop.com/EMC/DES-3128-dump.html> (62 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

**NEW QUESTION: 17**

□□ □□□□ RHEL □□□ □□ □□ □□□ □□□□ □□□ □□□□□□. □□□ □□□ □□□□?

- A. □□ Data Domain □□□□□ □□ PSS□ □□□□□ □□□□.
- B. Igtobbb □□□□ □□□□ □□□□□.
- C. Client Direct□ □□ AFTD □□□ □□□□□□□□.
- D. LVM □□ VxVM□ OS □□□□ □□□□□□.

**Answer: (SHOW ANSWER)**

□□ □□ □□□ □□□□□ Igtobbb □□□□ RHEL □□□ □□□□ □□□ □□□. □ □□□ □□□□ □□ □□□ □□ □□ □□ □□ □□□□□□. □□ □□□ □□□ □□□ □□□ □□□ □□□ □.

**NEW QUESTION: 18**

□□ □□ □□□ □□□□ □□□ □□□□□?

- A. AFTD □ PowerProtect DD
- B. □□□ □ AFTD
- C. CloudBoost □ ProtectPoint
- D. PowerProtect DD □ Cloud Tier

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 19**

Windows BMR □□ □□□□ □□ □□□ □□□ □□□□□□?

- A. □□□ □□
- B. Windows □□
- C. Windows □□ □□□
- D. UEFI □□□

**Answer: A (LEAVE A REPLY)**

Windows BMR □□ □□□□ □□ □□□ □□□ Windows □□ □□, □□ □□ □ □□ □□□ □□□ □□□□ □□□□□ □□ □□□□□□. □□ □□ □□□□□ □□□ □ □□□□ □□□ □ □□□ □□ □□ □□□□□.

**NEW QUESTION: 20**

□□ □□□□ □□□□□ SSID□ □□ □ □□□ □ □□ □□□ □□□□□?

- A. nstinfo □ mminfo
- B. nsrnm □ □□□
- C. mminfo □ nsrck
- D. □□□ □ mminfo

Answer: ([SHOW ANSWER](#))

nstinfo □ mminfo □□□ □□□□ □□ □□□□ □□□□□ SSID□ □□ □ □□□□. □□ □ □□ □ □□□ □□□ □□□□.

**NEW QUESTION: 21**

- -iN □□□ □□□ □□□ □□□□□?
- A. □□□ □□□□ □□□ □□□ □□□ □□□□.
- B. □□□ □□□□□□□ □□□□ □□□□ □□□□.
- C. □□□ □□□□ □□□ □□□□ □□□□.
- D. □□□ □□ □□□□ □□□ □□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

□□ -iN □□□ □□ □□□ □□□□□□□ □ □□□□□. □ □□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□□ □□□ □□□□ □□□□□ □□□□. □□ □□□ □ □□□ □□ □□□□.

**NEW QUESTION: 22**

- CloudBoost □□□□□□□ □□□ □□□□□?
- A. PowerProtect DDVE □□□□□□ □□
- B. □□□ Dell EMC Cloud Tier□ □□□ □ □□□□.
- C. □□□ □□□□ □□□□□ □□□ □ □□□□.
- D. PowerProtect DD □□□ □□□□□□ □□

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 23**

NetWorker Server□ □□ □□□□ □□□ □□□□ □□□□.2□□ LTO Ultrium-8 □□□□□ □□ □□□ □□□□□□□ Fibre Channel □□□□□□ □□ □□□□ □□□ □□□□□□.Dally □□ □□□□ □□□ AFTD □□□ □□ □□□ □□□□□□□ □□□□ □□□ □□ □□□□ □□□□□. □□ □□ □□.

□□ □□□ □□□□ □□□□ □□□□□. Windows 2019 □□□□□□ □□□□□ □□□□ □□□□□ □□□□ □□□ □□□□□ □□ □□ □□ □□ □□□□ □□□□.

□□□ □□□ □□□ □□□□□?

- A. □□□□ □□□ □□□□ LTO Ultrium-8 □□□ □□□□□.
- B. □□ □□□□ LTO Ultrium-8 □□□ □□ □□□□ □□□□.
- C. □□□□ □□□ □□□□ AFTD □□□ □□□□□.
- D. □□ □□□□ AFTD □□□ □□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 24**

NetWorker □□□□ □□ □□□ □□□ □□□□□□□□. □□□ □□□ □□□□□ □□□ □□ □□□□□□□.

□□□ □□□ □□□□□?

- A. □□ □□□ □□□ □□□□□ □□□□□.
- B. NetWorker Server □ □□□ □□□ □□□ □□□ □□□□□.
- C. □□ □□□□ □□ □□□ □□□ □□□□.
- D. □□ □□ □□□□ □□□ □□□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

NetWorker □□□□ □□ □□□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□□□.  
□□ □□ □□ □□□ □□ □□□□□ □□□□ □□□ □ □□□ □□ □□□ □□□ □ □□□  
□.

**NEW QUESTION: 25**

□□□□ NetWorker □□□□□□ □□□ □ □□□ □□□ □□□ □□□□ □□ □□□ □□□  
□□?

- A. NetWorker □□□□
- B. NetWorker □□
- C. NetWorker □□
- D. □□ □□□□□ □□ □□□

Answer: C ([LEAVE A REPLY](#))

□□□ □□□ □□□□ NetWorker □□□□□□ □□ □ □□□ □□□ □□□ □□□ Configure  
NetWorker □□□ □□□□ □□□.

□□:

□□□□ NetWorker □□□□□□ □□□ □ □□□ □□□ □□□ □□□□ □□ □□□  
"NetWorker □□" □□□□□. □ □□□ □□ □□□□ □ NetWorker □□□□□□ □□□□ □  
□□□ □□□□□, □□ □ □□□□ □□□ □□, □□ □ □□□ □ □□□□. □□ □□□  
Monitor, Operate □ Remote Access All Clients □ □□ NetWorker □□□ □□□□, NetWorker  
□□□ □□ □□ □□ □□□□□□ □□ □□ □□□□ □□ □□ □□ □□□ □□□□.  
□□ □ □□ □□□ □□ □□□ □□□ EMC □□ □□□ EMC NetWorker □□ □□□  
(<https://www.emc.com/collateral/software/technical-documentation/h16703-networker-security-guide.pdf>)□□ □□□ □ □□□□.

**NEW QUESTION: 26**

□□ □□ □□, □□ □□, □□ □□ □□ □□□ □ □□ □□ □□□□ □□ □ □□□□ □□□  
□ □□□ □□□□□?

- A. NetWorker □□ □□ □□□□□
- B. nsradmin
- C. nsrwatch
- D. □□□□ □ □□□ □□□□□

Answer: C ([LEAVE A REPLY](#))



NMC □□□ □□□ □ □□□□.

□□□□ NMC□ □□□□ □□□□ □□□□□□. □□□ □□□□ □□ □□□□ □□□ □□ □□□?

- A. □□□ □□ □□□□ NMC □□□ □□□□□□.
- B. lgtonmc-[□□].exe □□ □□ □□□ □□□□□.
- C. Dell Technologies□ □□□ □□□ □□□.
- D. lgtoxtdcint-fversionJ.exe □□ □□ □□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

NMC(NetWorker Management Console)□ □□□□ NetWorker □ □□ □□ □□□ □□□ □ □ □□ □□□ □□□ □□□□□□□□. NMC□ □□□□ □□ □□□ "NMC □□□□ □□□ □□□□□"□□ □□ □□□□ □□□□□□. □ □□□ □□□□ □□ □□□□ □□□ □□□ □ □□□□ NMC □□□ □□□□□ □□□□□.

**NEW QUESTION: 31**

□□ □□ □□, □□ □□, □□ □□ □□ □□□ □ □□ □□ □□□□ □□ □ □□□□ □□□ □□□□ □□□□□□?

- A. NetWorker □□ □□ □□□□□
- B. nsradmin
- C. □□□□ □ □□□ □□□□□
- D. nsrwatch

**Answer: (SHOW ANSWER)**

**DES-3128** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ DES-3128 □□! DumpTop □ □□ **DES-3128** □□ □□□ □□□□□□, DumpTop DES-3128 □□ □□□ □ □□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop DES-3128 □□□ □□□□□. <https://www.dumptop.com/EMC/DES-3128-dump.html> (62 Q&As Dumps, **30%OFF Special Discount: KrDump**)

**NEW QUESTION: 32**

□□□□ □□ □□□□□ "CLientA"□ □□□□□□□. □ □□□□□□ □□□ "ClientAB"□□ □ □□ DNS□ □□□□□□□□. □□□ □□□ □ □□ □□□ □□□□□□□□. "□□□□□ ClientAB□ □□ □□□ □□□□□ □□□ □□□□□." □□□□□□ □□□□ □ □□□ □□□□□□□□.



□□□□ □□ □□□□ □□ □□□□□□.

Answer:

□ □□□ □□ □□□□ □□□□□□.

**NEW QUESTION: 33**

□□ □□□□ □□□□□□ SSID□ □□ □ □□□ □ □□ □□□ □□□□□□?

A. mminfo □ nsrck

B. nsrnm □ □□□

C. □□□ □ mminfo

D. nstinfo □ mminfo

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 34**

□□□□ □□ □□□ □□ □□ □□ □□□ □□□□ □□ □□□□□ "ABO"□ □□□□□ □□ □. □□□ □□ □□□□□□ □□ □□ □□□□ ma □□ □□□□ □□□□ □□ □□□□□ □□ □□ □□ □□□□□ □□□□□. □□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□ □□ □□□ □□ □□ □□ □□□ □□. □□□□□□ □□□□ □□□□ 6□□ □□□ □ □□ □□□ □□□.

□□□□□□ □□□□ □□ □□



□□□□ □□ □□□□ □□ □□□□□□.


Answer:

□ □□□ □□ □□□□ □□□□□□.

**NEW QUESTION: 35**

□□□ DD0□□□ □ PowerProcted DO □□□ □□□□□□□ □□□□□□□. DD Boost □□□ □□□ ddboost□□ □□□ abc123□□□. DO.VMware\_Pool□ □□□□ □□□□ □□□ DD01.SU01□

DD Boost is a feature of Dell EMC PowerProtect DD. It is used to accelerate backup and restore operations by leveraging deduplication and compression. It is available on PowerProtect DD Gen5 and Gen6 hardware.



**Answer:**

DD Boost is a feature of Dell EMC PowerProtect DD.

### NEW QUESTION: 36

Which of the following is a feature of PowerProtect DD?

- A. AFTD
- B. PowerProtect DD Cloud Tier
- C. AFTD
- D. CloudBoost

**Answer: A (LEAVE A REPLY)**

AFTD (Advanced File Type Device) is a feature of PowerProtect DD. It is used to accelerate backup and restore operations by leveraging deduplication and compression. AFTD is available on PowerProtect DD Gen5 and Gen6 hardware.

### NEW QUESTION: 37

Which of the following is a feature of PowerProtect DD?

- A. nsrsnmd
- B. CloudBoost
- C. AFTD
- D. CloudTier

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 38

NetWorker is a backup and recovery solution from Veritas. It is used to backup and restore data from various sources. NetWorker is available on various hardware and software platforms.

- A. CloudBoost
- B. CloudTier
- C. AFTD
- D. Avamar

**Answer: (SHOW ANSWER)**

PowerProtect NetWorker Dell EMC .  
 PowerProtect . . . . .  
 . . . . .  
 . . . . .

**NEW QUESTION: 39**

VMware ESXi CloudBoost . . . . .  
 ?

- A. Linux VM . . . . .
- B. . . . .
- C. OVF . . . . .
- D. VMware Update Manager . . . . .

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 40**

DB2 IBM AIX . . . . . NetWorker . . . . .  
 . . . . .  
 . . . . .?


- A. NMM . . . . .
- B. AIX . . . . .
- C. . . . .
- D. NMDA . . . . .

**Answer: D (LEAVE A REPLY)**

NetWorker IBM AIX . . . . . DB2 . . . . .  
 . . . . . NMDA(NetWorker Module for Databases and Applications) . . . . .

**NEW QUESTION: 41**

. . . . .



. . . . . T . . . . .?

- A. □□□ □□□ □□□ □□□ □□□□□.
- B. Cloud Tier □□□□ □□□ □□□ □□
- C. □□□ □□□ □□□□ □□□□□□ □□□□□.
- D. □□□ □□□ □□□□ □□□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

**DES-3128** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ DES-3128 □□!  
DumpTop □ □□ **DES-3128** □□ □□□ □□□□□□, DumpTop DES-3128 □□ □□□ □  
□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop DES-3128  
□□□ □□□□□. <https://www.dumptop.com/EMC/DES-3128-dump.html> (62 Q&As Dumps,  
**30%OFF** Special Discount: **KrDump**)