

EMC.DES-5121.v2022-09-27.q29

□□□□:	DES-5121
□□□□:	Specialist - Implementation Engineer, Campus Networking Exam
□□□:	EMC
□□ □□ □□□:	29
□□:	v2022-09-27
# □□ □:	639
# □□ □□□:	290
https://www.krdump.com/EMC.DES-5121.v2022-09-27.q29.html	

NEW QUESTION: 1

□□□□ □□□□ □□□□□ □□ PoE □□□ □□□□ □□□□.
□□□ 4 □□ □□□ □□ PoE □□ □□ □□ □□□□□?

- A. 12.95□□
- B. 15.4□□
- C. 34.2□□
- D. 60□□

Answer: C ([LEAVE A REPLY](#))

□□:

http://ftp.dell.com/manuals/all-products/esuprt_ser_stor_net/esuprt_networking/esuprt_net_fxd_prt_swthcs/networking-n3000-series_User's-Guide10_en-us.pdf □□□ 82

NEW QUESTION: 2

□□ □□□ □□ □□□ Dell EMC N-□□□ □□□□□□□ □□□ □ □□ □□ MAC □□□ □□ □□ □□□□?

- A. 100
- B. 300
- C. 400
- D. 600

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://www.dell.com/support/article/en-us/how10392/how-to-configure-mac-based-port-security-on-dell-n2000-n3000-and-n4000-□□□ □□□?lang=ko>

NEW QUESTION: 3

□ □□ □□□□ □□ □□ □□□ □□□ □□□ VRRP □□□ □□□□□.
□□□ 1: □□□□ 110

□□□2: □□□□ 90

Switch1□ GigabitEthernet 0/2 □□□□□□ □□□□ □□ Switch2□ □□□□ □□□ □□□. □□ □□□
□□□ □□□□□ □□□?

- A. Switch2(conf-if-vlan10)# vrrp 1 □□ □□□□□ vlan 20 □□ 100 Switch2(conf-if-vlan10)# vrrp □□ 1 □□
- B. Switch2(conf-if-vlan10)# vrrp 1 □□ □□□□□ vlan 20 □□ 100 Switch2(conf-if-vlan10)# vrrp 1 □□
- C. Switch1(conf-if-vlan10)# vrrp 1 □□ □□□□□ vlan 20 □□ 100 Switch1(conf-if-vlan10)# vrrp 1 □□
- D. Switch1(conf-if-vlan10)# vrrp 1 □□ □□□□□ vlan 20 □□ 100 Switch1(conf-if-vlan10)# vrrp □□ 1 □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

MLAG □□ □□ □□ □□□ □□□□ □□ MAC □□□ □□□□□?

- A. 01:00:B5:00:00:00
- B. 01:00:C5:00:00:00
- C. B5:00:01:00:00:00
- D. C5:00:01:00:00:00

Answer: A ([LEAVE A REPLY](#))

□□/□□: <https://www.manualslib.com/manual/858353/Dell-Networking-N4000-Series.html?page=941>

NEW QUESTION: 5

□□□ □□□□□.

```
console#show ip access-list broadcast

IP ACL Name: broadcast

Outbound Interface(s) :
Gi1/0/1

Rule Number: 1000
Action.....deny
Match All.....FALSE
Protocol.....255 (ip)
Source IP Address.....any
Destination IP Address.....255.255.255.255
Destination IP Mask.....255.255.255.255
ACL Hit Count.....0

Rule Number: 1010
Action.....permit
Match All.....TRUE
ACL Hit Count.....0
```

□□□□ □□□□ □□ Gi1/0/1□□ □□□□ □□□□□□ □□□□ □□□□ ACL□ □□□□□□.
ACL□ □□□ □□ □□□□ □□ □□□ □□□□□?
A. ACL□ □□□□□□ □□□□ □□□□ □□□□.
B. □□ IP □□□□ □□□□□□□□.
C. □□ □□ □□□□ □□□□□□□□.
D. ACL□ □□□ □□□□ □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

15□ □□□ □□ ACL□ □□ □□□□ □□□ □□□□ □□□ □□□?
A. □□ □□□ □□□□ □□ □□□ □□□□□.
B. □□ □□□ □□□ □□□□ ACL□ □□□ □□□ □□□□□.
C. □□ □□□ □□□ □□□□ ACL□ □□□□□.
D. □□ □□□ □□□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□ □□□ □□□□ □□□ □□ □□□□ □□□□□□□ □□□□. □□□□ 2-10GbE □□□, PoE□
□□ 48-1GbE □□ □ □□ 12□ □□□ □□□ □□□ □□□□□.
□□ Dell EMC N-□□□□ □□□ □□□ □□ □□□ □□□□□?
A. N1100 □□□
B. N1500 □□□
C. N2000 □□□
D. N4000 □□□

Answer: C ([LEAVE A REPLY](#))

□□:

https://www.delemc.com/resources/en-us/asset/data-sheets/products/networking/dell_emc_powerswitch_n2000_series_specsheets.pdf

NEW QUESTION: 8

MLAG□ □□ Layer 3 □□□□□ □□□□□?
A. □□
B. □□ □□□
C. OSPF
D. RIPv2

Answer: A ([LEAVE A REPLY](#))

□□:

http://files.rakurs.su/IT/Kommytatory/Dell/N4000/powerconnect_nx00-usingmlag-whtppr_en-us.pdf

NEW QUESTION: 9

OSPF□ □□□ □ □□□ □□□□ □□ □□□ □□ □□□□□?

- A. 50
- B. 100
- C. 200
- D. 255

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□□ □□ □□ □□□□ □□ □□□ □□ □□□□□□?

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: B ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 11


VRRP □□□ □□□□ □□□□□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□□?

- A. □□ VRRP □□□□ □□□ □□□ □□□□ □□□ □□□.
- B. VRRP □□□ □□□ MAC □□□ □□ □□ □□□□ □□ □□□□□.
- C. □□ □□□□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□.
- D. □□ VRRP □□□ □□□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

```
Switch-1(config)# □□□□□ □□□□□□□□□ 1/0/1
Switch-1(config)# □□□ □□ □□ □□□
Switch-1(config)# □□□ □□ □□□ □□ VLAN 10, 20
□□□-1(□□)#
Switch-1(config)# □□□□□ □□□□□□□□□ 1/0/3
Switch-1(config)# □□□ □□ □□ □□□
Switch-1(config)# □□□ □□ □□□ VLAN 10
Switch-2(config)# □□□□□ □□□□□□□□□ 1/0/2
Switch-2(config)# □□□ □□ □□ □□□
Switch-2(config)# □□□ □□ □□□ □□ VLAN 10, 20
□□□-2(□□)#
Switch-2(config)# □□□□□ □□□□□□□□□ 1/0/6
Switch-2(config)# □□□ □□ □□ □□□
Switch-2(config)# □□□ □□ □□□ VLAN 20
```



□□□□ □□□□ □□□ 1□ □□□ 2□ □□□ □ □□ □□□ □□□□ □□□□.
 □□□□ □□□ □□□ □□□ □□□□ □ □ □□ □□□ □□□ □□□□□?

- A. □□□ 1□ □□ Te1/0/3□ □□□ 1□□ □□ □□□□□□□.
- B. □□□ 2□ □□ Te1/0/6□ □□□ 2□□ □□ □□□
- C. □□□ 2□ □□ Te1/0/2□ □□ □□□□□□□.
- D. □□□ 1□ □□ Te1/0/1□ □□ □□□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

VRRP □□ □□□□ □□ □□□ □□□□□?

- A. □□ □□ □□□□ keepalive □□□ □□□□.
- B. □□ MAC □□□ □□ □□ □□□□ □□□□ □□ □□
- C. ARP □□ □□ □ □□
- D. □□ IP □□□ □□□ IP□ □□□ □□□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

3□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□ □ □□□□ □□ □□□ □□ □□□ □□□□
 □?

- A. □□□ □□□ □□, □□□□, □□-□□ □□□ □□
- B. □□□ □□□ □□, □□□□, □□ □□ □□
- C. □□□ □□□ □□□ □□□□, □□□□□□□, □□ □□ □□□ □□□□□.
- D. □□□ □□□ □□□ □□□□ □□□□□□ □□-□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

VoIP □□□ □□□ □ □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□□.

A. VLAN

- B. LLDP □□□□ □□
- C. ISDP □□□□ □□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□□□ □□□□ RSTP□ □□□ □□□□□ □□□ Dell EMC N-□□□ □□□□ □□□□□□. □□□ □
 □ □□□□ □□ □□□ □□ □□ □□□ □□□□□□ □□□□□□□□.
 □□□□ □ □ □□□□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□□?

- A. □□□ □□ □□ □□ 4096
- B. □□□ □□ □□ □□ 32768
- C. □□□ □□ □□ □□ 36864
- D. □□□ □□ □□ □□ 61440

Answer: A ([LEAVE A REPLY](#))

□□:

<https://www.dell.com/support/article/en-us/how10394/how-to-manage-rapid-spanning-tree-rstp-thru-command-line-on-dell-networking-powerconnect-switches? lang=ko>

NEW QUESTION: 19


PBR □□ □□ □□□ □ □□ □□□ "SET" □□□ □□□□□?

- A. ip next-hop □□, ip default next-hop □□, ip □□□□ □□
- B. ip next-hop □□, ip □□ □□, ip □□□□ □□
- C. ip □□ □□, ip next-hop □□, ip default next-hop □□
- D. ip □□ □□, ip □□ □□ □ □□ □ ip □□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□□ □□□□□□.



□□□□ □□□□ □□□□ □□□ 1□□ □□□ 2□ □□□ □ □□□ □□□□ □□□□ □□□.
 □□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□□?

- A. □□□□□
- B. □□□

C. VLAN □□□

D. □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□□ □□□ □□ □□□ MAC □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□□□ □□□□ □□ □□□□□. □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□□.

□□□ □□□□ □□ □□□ □□□□□ □□ □□ □□□□□?

A. □□□□□ □□□□□ □□□□

B. □□□ □□ □□□□ □□□□

C. □□□□□ □□ □□□□□ □□□□

D. □□□□ □□ □□□□□□□ □□□□

Answer: A ([LEAVE A REPLY](#))

□□:

<https://www.dell.com/support/article/en-us/how10392/how-to-configure-mac-based-port-security-on-dell-n2000-n3000-and-n4000-series-switches?lang=ko>

NEW QUESTION: 22

□□□□ □□□□ □□ □□ IP □ □□ UDP □□□ □□ □□□□ □□□□□ ACL□ □□□□□ □□□. □□ □□□ ACL□ □□□□ □□□?

A. □□□ 2 □□ ACL

B. □□□ 3 □□ ACL

C. □□□ 2 □□ ACL

D. □□□ 3 □□ ACL

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□□ □□□□ Dell EMC N □□□ □□□□□ RADIUS □□□ □□□□ □□ □□ □□□ □□□□ □□ □?

A. □□□-1(□□)# □□ 10.1.1.111

Switch-1(config-radius)# □□ RADIUS-□□

Switch-1(config-radius)# □ □□ □

B. Switch-1(config)# □□ □□ □□ 10.1.1.111 Switch-1(config-radius)# □□ RADIUS-Server

Switch-1(config-radius)# □ "secretKey"

C. Switch-1(config)# □□ □□ □□ 10.1.1.111 Switch-l(config-radius)# □□ RADIUS-Server

Switch-1(config-radius)# □ "secretkey"

D. Switch-1(config)# □□ □□ 10.1.1.111 Switch-1(config-radius)# □□ "RADIUS-Server" Switch-1(config-radius)# □ "secretKey"

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

□□ □□□ □□ □□□ Dell EMC N-□□□ □□□□□□□ □□□ □ □□ □□ MAC □□□ □□ □□ □
□□□□?

- A. 100
- B. 300
- C. 400
- D. 600

Answer: A ([LEAVE A REPLY](#))

□□:

<https://www.dell.com/support/article/en-us/how10392/how-to-configure-mac-based-port-security-on-dell-n2000-n3000-and-n4000-series-switches? lang=ko>

NEW QUESTION: 25

□□□□ □□□□ □□□□□ □□□ 5 □□ □□□ □□□□ □□□□.
□ □□□ □□□□ Dell EMC N-Serves □□□ □□□ □□□□□?

- A. N1100P □ N2000P
- B. N2000 □ N3000P
- C. N3000P□ □□
- D. N1500P

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□□ □□□□ □□□ Dell EMC N-□□□ □□□ □□□□ □□□□□ □□ □□□ □□□□ □□□□.
□□ SAS □□□ □□□□ □□□ N □□□ □□□ □□□ □□□□□?

- A. N1100 □ N1500
- B. N1500 □ N3000
- C. N2000 □ N3000
- D. N3000 □ N4000

Answer: C ([LEAVE A REPLY](#))

□□/□□:

<https://cdn.cnetcontent.com/syndication/mediaserverredirect/c1ddae5629f69c40c5da9c0d36cb045f/original.pdf>

NEW QUESTION: 27

- □□□ □□□□□ □□□ □□ □□□ □□□ □□□□□?
- A. □□□□□ □□□ □□□□□ □□□□ □□ □□□□ □□ □□□ □□□□□.
 - B. □□ □□ □□□□ □□□□ □□□□□.
 - C. □□□□ □□□ □□ □□□□ □ □□□□□.
 - D. □□□ □□□ □□

Answer: C ([LEAVE A REPLY](#))

□□:

<https://infohub.delltechnologies.com/static/media/6582046d-70f0-4ab6-ba72-2c0b9cf26649.pdf> 6□□□

NEW QUESTION: 28

□□□□ □□□□ □□□ Dell EMC N-□□□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□□□.
□□ SAS □□□ □□□□ □□□ N □□□ □□□ □□□ □□□□□?

A. N1100 □ N1500

B. N1500 □ N3000

C. N2000 □ N3000

D. N3000 □ N4000

Answer: C ([LEAVE A REPLY](#))

□□:

[https://cdn.cnetcontent.com/syndication/mediaserverredirect/
c1ddae5629f69c40c5da9c0d36cb045f/original.pdf](https://cdn.cnetcontent.com/syndication/mediaserverredirect/c1ddae5629f69c40c5da9c0d36cb045f/original.pdf)

NEW QUESTION: 29

IP □□□ 172.16.1.22/24□ □□□□ □□□□ IP □□□ 10.1.1.99□ □□□□ □□□ FTP□ □□□□□ □
□□. □□□ □□□ □ □□□□.
□ □□□□ □□□□ □□□ □□□ □□□□□?

ip □□□ □□ ACL1

A. # □□ IP □□ 172.16.2.0 0.0.0.255

ip □□□ □□ ACL4

B. # □□ IP □□□ 172.16.1.22 □□□ 10.1.1.99

C. # □□ □□□ 10.1.1.99□ IP □□

ip □□□ □□ ACL2

D. # □□ IP 172.16.1.0 0.0.0.255 □□

ip □□□ □□ ACL3

Answer: C ([LEAVE A REPLY](#))

DES-5121 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ DES-5121 □□! DumpTop □ □
□ **DES-5121** □□ □□□ □□□□□□, DumpTop DES-5121 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop DES-5121 □□□ □□□□□.

<https://www.dumptop.com/EMC/DES-5121-dump.html> (65 Q&As Dumps, **30%OFF** Special Discount:

KrDump)