

F5.101.v2022-03-09.q197

□□□□:	101
□□□□:	Application Delivery Fundamentals Exam
□□□:	F5
□□ □□ □□□:	197
□□:	v2022-03-09
# □□ □:	3108
# □□ □□□:	1970
https://www.krdump.com/F5.101.v2022-03-09.q197.html	

NEW QUESTION: 1

BIG-IP □□□□ □□ □□ □□□□ □□□ □ □□ □ □□ □□□ □□□□□? (3□□ □□□□ □.)

- A. □□ □□□ □□□ □□ SSH □□□
- B. □□ □□□ □□□ □□ HTTPS □□□
- C. □□ □□□ □□□ □□ HTTP □□□
- D. □□ □□ □□□ □□ CLI □□□
- E. □□ □□□ □□ SSH □□□
- F. □□ □□□ □□ HTTP □□□
- G. □□ □□□ □□ HTTPS □□□

Answer: D,E,G ([LEAVE A REPLY](#))

NEW QUESTION: 2

□ □□□ □□□ □□□□ □□□ □□□ □□□□□□.


- A. □□□ □□□
- B. □□ □□ □□□
- C. □□ □□□
- D. SSL □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□ □□□ □□□ □□□□□□.

□□ □ □□:



Answer:



NEW QUESTION: 4

ARX□ □□ □□□□ □□□□ □□□□. □□□ □□□ □□□ □ □□□ □□□□ □□□□ □ □□□ □ □□□□.

A. □□

B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□ VIPRION □□ □□□□□ LTM□ □□□ □ LTM□ □ □□□□□ □□□ □□□□□ □□ □□□□.

A. □□

B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□ □ APM □□□ □□□□ □□ □ □□ □□□□□ □□□□□?

A. □□ □□□ □□ □□□ □□ □□

B. □□ □□ □□□ □□ □□□ □□□□ □□

C. Novell Netware□ □□□ □□□□ □□

D. □□□□ □□□ □□□□ □□ □□□□□□ □□□□ □□□ □□□□ □□ □□

E. □□ □□□ □□□□ □□ □□ □□□□□ □□□□ □□

F. □□ □□ □□□ □□ □□

Answer: B,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 7

BIG-IP ASM ☐ ☐ ☐ ☐ ☐ ☐ ☐ iRule ☐ ☐ ☐ ☐ ☐? (2 ☐ ☐)

- A. ASM_REQUEST_ACCEPTED
- B. ASM_RESPONSE_BLOCKING
- C. ASM_REQUEST_VIOLATION
- D. ASM_REQUEST_BLOCKING

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐? (2 ☐ ☐ ☐ ☐ ☐.)

- A. BIG-IP ASM ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- B. BIG-IP ASM ☐ ☐ ☐ XML ☐ ☐ XML ☐ ☐ ☐ ☐.
- C. BIG-IP ASM ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- D. BIG-IP ASM ☐ ☐ ☐ XML ☐, ☐ ☐ ☐ ☐ ☐ WSDL ☐ ☐ ☐ ☐.
- E. BIG-IP ASM ☐ ☐ ☐ XML ☐ ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

GTM ☐ F5 _____ ☐ ☐ ☐ ☐ ☐ GTM ☐ ☐ ☐ ☐ ☐ ☐ ☐.

(☐ ☐ ☐)

Answer:

☐ ☐ ☐ ☐

NEW QUESTION: 10

☐ ☐ HTTP ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐?

- A. ☐ ☐ ASM ☐ ☐ HTTP ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- B. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ HTTP ☐ ☐ ☐ ☐ ☐.
- C. ☐ ☐ ASM ☐ ☐ HTTP ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.
- D. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

☐ ☐ ☐ IP ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐?

- A. /config/BIG-IP_local.conf
- B. /config/BIG-IP_base.conf
- C. /config/gtm/wideip.conf
- D. /config/BIG-IP.conf

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

GTM □ □□□□□ □□□□ □□□ □□□ □□□ □ □□□ □□□ □□□?

- A.** GTM□ □□ □□□ □□ □□ □□□ □□□ □□□□.
- B.** GTM□ □□□ □□□ □□□□ □□ □□□ □□□□□.
- C.** □□□□□□ □□□□ □□□ □□□ □□ □□□□ □□□□□.
- D.** GTM□ □□□□□□ DNS □□□ □□□□ □□ □□□ □□□□□ □□□□□.
- E.** GTM□ □□ DNS □□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 13

F5 ☐ ☐ ☐ LTM ☐ ☐ WebAccelerator ☐ ☐ ☐ ☐ ☐.

- A. ☐ ☐
- B. ☐ ☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 14

F5 VPE(Visual Policy Editor) F5 BIG-IP APM
 VPE 200

- A. □□ □□ □□ □□
- B. □□ □□ □□ □□
- C. □□ □□ □□□ □□□ □□□ □□
- D. □□□ □□□□ □□ □□□ □□□ □□
- E. □□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 15

□□□□ □□□ 6□□ □□□□ □□□□. □ □□ □□□ □□□ □□□ □□ □□□□ □ □□
 □□□□ □ □□ □□□□□ □□□ □□□□. □□ □□ □□□ □□□□ □□□□ □□ □□□
 □□ □□□□□ □□□ □□□□ □ □□ □□ □□ □□ □□ □□ □□ □□□□□. (2□□ □□□
 □□.)

- A.** ☐☐☐☐☐
B. ☐☐☐
C. ☐☐
D. ☐☐☐☐☐☐

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 16

BIG-IP ASM □□□ □□ □□□□ □□ □□□□ □□ □□?

- A.** 3900□ 6800□ □□ □□ □□□ □□□ □□□□.
- B.** 3900□ 6800□□ □□□□ □ □□□□.

Answer: C (LEAVE A REPLY)

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

Answer: C,D,E (LEAVE A REPLY)

Answer: (SHOW ANSWER)

A. □□□ □□□□ □□□ VLAN□ □□ □□ IP □□

B. 150.150.10.11

C. ☐☐☐ ☐☐☐ ☐☐☐ VLAN ☐ ☐ ☐ IP ☐☐

D. 200.200.1.1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

LTM ☐ ☐ ☐ ☐ ☐ LTM ☐ ☐☐☐ ☐ ☐ ☐☐☐.

☐ ☐ ☐ ☐ ☐ ☐☐ ☐ ☐/ ☐ ☐ ☐☐.

A. ☐☐

B. ☐☐

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

HTTP ☐☐☐☐ ☐ XForwarded ☐☐ ☐☐ ☐☐?

A. ☐☐☐☐ IP ☐☐ HTTP ☐☐ ☐☐☐.

B. BIG-IP ☐ IP ☐ clintside ☐☐ ☐ ☐ ☐ ☐ ☐☐☐.

C. serverid ☐☐ ☐ ☐ ☐ ☐ BIG-IP ☐ IP ☐ ☐☐☐.

D. ☐☐☐☐ IP ☐☐ ☐ syslog ☐☐ ☐☐ ☐☐ ☐☐☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

☐☐ ☐ ☐ ☐ ☐ ☐☐☐.

A. ☐ ☐ ☐ ☐

B. ☐☐☐ ☐☐☐ ☐ ☐ ☐☐ ☐☐☐ ☐☐ ☐

C. ☐☐ ☐ ☐ ☐ ☐ ☐, ☐☐ ☐ ☐

D. ☐☐ ☐ ☐☐ ☐ ☐ ☐ ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

☐☐ ☐☐ ☐ ☐ ☐☐☐ ☐ ☐☐ ☐☐☐. DDoS ☐☐ ☐☐ ☐☐

☐ ☐☐ ☐☐ ☐ ☐☐ ☐☐☐.

A. ☐☐ ☐ ☐☐ ☐ ☐☐☐☐.

B. ☐ ☐☐☐ ☐☐ DDoS ☐☐ ☐ ☐ ☐☐☐.

C. ☐ ☐ ☐ ☐☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐☐.

D. ☐☐ ☐☐ ☐☐ ☐ ☐.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

☐ ☐ ☐ ☐ ☐ ☐ BIG-IP ASM ☐☐ ☐ ☐☐ ☐☐ ☐☐☐?

(2 ☐ ☐)

A. 6900

□□□ 5□ □□□□ C, D, C, D, C□□□□. □□ □□ □□□ □□ □□□ □□□ □ □□ □□□
□ □□ □□□ □□□□□?

D. GTM

E. □□□□□

F. □□□□□□ □□□

Answer: A,B,D ([LEAVE A REPLY](#))

□□□ □□□□□ □□□ AAM, APM □ GTM□ □□ BIG-IP □□□ LTM □□ □□□□ □ □□ □□.

101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101 □□! DumpTop □ □ □ 101 □□ □□□ □□□□□□□, DumpTop 101 □□ □□□ □□□□□□□□□ □□□ □□ □□□□□. □□□□ □□□ □□□□ □□ DumpTop 101 □□□ □□□□□.

<https://www.dumpstop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

□□ □ iRules□ □□□□ □□ □□□ □□□□□?

A. □□□□□□ LTM □□ □□ □□□ □□□□□.

B. □□□□ □□□□□ □□□ □ □□□□.

C. LTM □□□ □□□ □□□□ □□□ □□□□□.

D. Active Directory□ □□□□ □□□□ □□□□ □□□ □□□ □ □□□□.

E. □□□ □□□□□□□ □□□□ □□ □□□□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

□□ □□□ 10.10.1.100:any□□ □□ □□ □□□ □□□ □□ iRule□ □□□□. when CLIENT_ACCEPTED { if {[TCP::local_port] is 80 } { pool pool1 } elseif {[TCP::local_port] equals 443 } { pool pool2 } □□□□ 10.10.1.100 □ □□ 22□ □□□□ □□ □□□ □□□ □□□□.

A. □□. □□□ □□□□ □□ □□□ □ □□□□.

B. □□□□. □□□ □□□□□.

C. □1

D. □2

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 34

□□□□ □□ □□□ □□□ □□□ □□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□ □□□□□. □□□ □□□□ □□□□ □□ □□□ □□□□□?

A. □□ □□□ □□ □□ □□□□ □□□□ □□□□.

B. □□□ □□ □□ □□ □□□ □□□□ □□□□.

C. □ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□.

D. □□□ □□ □□□ □□□□ □ □□□ □□□ □□□ □□□ □□ □ □□□□.

NEW QUESTION: 39

WebAccelerator 300 000 0000 000 000000. 0 00 000 00000? (30 00000.)

- A. 000000 0000
- B. 000 0000
- C. 0000 0000
- D. 0 00 0000
- E. 0000 0000
- F. 00000 0000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

000 000 000 0 00 000 0 000 0000 0000 00 00 000 00 00 0 000 00 00000 000 0 0000. (000)

- A. 00 000
- B. 00 000'
- C. 00 0
- D. 00 000

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

0 000 00 0000 0 300 00 000 000 0000 00 000 0000?

- A. 0 00 000 0000 GTM 0000 0 00 000 00 000 000 0 0000.
- B. 0 00 000 0000 00 000 000 0 00 0000 0000 00 00 GTM 00 000 00 000 000 0 0000.
- C. 0 00 000 0000 0 00 000 00 00 0000 000 GTM 0000 0 00 0 0000 000 0 0000.
- D. 0 00 000 0000 GTM 0000 0 00 000 00 000 000 000 000 0 000 0.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

BIG-IP 000 NAT 00 SNAT 000 00000.

00000 0000 00 IP 000 00 BIG-IP 000 0 000 0 00 00000 00 000? (200 00000.)

- A. 0000 0000 00 000 0000 00 00 000 0000 0000 0000 00 0000.
- B. 0000 0000 00 000 0000 00 00 000 00 0000 00000. 000 0 0000 00 000 0000 0000 00 0000 00000. 00.
- C. 0000 0000 00 000 0000 000 0000 00000.

Answer: B,C (LEAVE A REPLY)

□□ □□□ GTM □□□ □□□□□ □□ □□□□ □□□□□□?

A. ☐☐3

B. ☐☐0

C. ☐☐2

D. ☐☐1

Answer: C (LEAVE A REPLY)

□□ □ F5 DevCentral □□□□ □□□□ □□ □□ □□□□□□?

A. ☐☐ ☐☐ ☐☐

B. ☐☐ ☐☐☐ ☐☐ ☐☐ iRule

C. iRules ☐☐ ☐☐

D. ☐☐

E. F5 iRule ☐☐☐☐

Answer: A (LEAVE A REPLY)

□□ □□ □□□ □□□ □□□ □□□ □□□ □□□□.

☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐

A. □□
B. □□□
C. □□□□ □□□□ . □□□□ □□□ □□□□□□ .
D. □□

Answer: A (LEAVE A REPLY)

LDNS □□□□ □□ □□ □ □□ □□ □ □□□ □□ □□□□□? (4□□ □□□□□.)

A. □□□□□□□□ □□ □□□ □□ □□□ □□□ □ □□□□.

B. □□□ □□□ LDNS □□ □□□ □□□□□.

C. GTM□ □□ □□ □□□□ □□□□□ □□□ □□□□ □□□□ □□□□□.

D. GTM□ □□□ □ □□ LDNS□ □□□□□.

E. GTM □□□ □□□□ □□□ □ □□□□.

F. □□ □□□□ □□□□□ □ □□□□□□.

Answer: B,C,D,F (LEAVE A REPLY)

```

101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101 □□! DumpTop □ □
□ 101 □□ □□□ □□□□□□, DumpTop 101 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101 □□□ □□□□□.

```

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

□□□□ □□ □□□□□□ □□□ □□ □□ □□ □□□□ □□□□□ □□□ □□ □□□□□□
□□□□ □□□□.

□□□ □□□□□□ IP □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□. □ □□□
□□ □ □□□ □ □□ □.

A. □□ □□ □□□ SNAT □□ □□□□ □□ □□ □□□ SNAT □□ □□□□ □□ □ □□□
□.

B. □□ □□ □□□ □□□□ □□□ □□ VLAN□ □□□□ □□□. □□□ □□□ □□□ □ □□□.

C. □□ □□ □□□ □□□□ □□□ □□ □□□□□□ □□(□□ □□□□)□ □□□□ □□□.
□□□□ □□□□ □□□□ □□□□□.

D. □□ □□□ □□ SNAT□ □□□ □□ □□ VLAN□ □□ SNAT □□□ □□□□□ □ □□□
□.


Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

```

❏❏ ❏❏❏ ❏❏❏❏ LTM❏ 3❏❏ ❏❏ ❏❏, SNAT❏ ❏❏❏❏ 4❏❏ ❏❏ IP ❏❏❏ ❏❏❏❏
❏❏❏❏❏ ❏❏❏ ❏❏❏❏❏. ❏ ❏❏❏ ❏❏ ❏❏❏ ❏❏❏ ❏❏❏❏❏. ❏❏❏❏ ❏❏ ❏
❏❏ ❏❏❏❏❏❏. VirtualServer 1 ❏❏: 10.10.1.102:80 ❏❏❏❏ 255.255.255.255 ❏:
172.16/16 ❏❏❏❏❏❏ 3❏❏ ❏❏❏❏ ❏❏ ❏ SNAT Automap❏ ❏❏❏❏ VirtualServer2 ❏❏:
10.10.1.102:* 172.16/16 ❏❏❏❏❏❏ 1 ❏❏❏❏ ❏❏ ❏/10.10.1.102:* ❏❏❏❏ 5.25.5.2❏❏ 1
16 ❏❏❏❏ VirtualServer 3 ❏❏: 10.10.2.0:80 netmask 255.255.255.0 ❏❏: IP ❏❏ SNATI ❏❏
IP: ❏❏ ❏❏ SNAT ❏❏: 2❏❏ ❏❏❏❏ ❏❏ SNAT ❏
172.16.20.50 ❏ 192.168.10.50 ❏❏ IP 192.168.1.1; 172.16.1.1; 10.10.2.1; 10.10.1.1 ❏❏ IP ❏
❏❏ 10.20.100.50:80, ❏❏ IP ❏ ❏❏ 10.10.2.10:80❏❏ ❏❏❏ ❏❏❏❏❏. ❏❏❏❏ ❏❏❏❏❏ ❏
❏❏ ❏❏❏ IP ❏❏❏❏ ❏❏❏❏❏❏?

```



- Answer: C (LEAVE A REPLY)**

☐☐ ☐ ☐☐☐ ☐☐☐☐ ☐☐☐ ☐ ☐ ☐☐☐ ☐ ☐☐☐☐☐☐

- Answer: B,C (LEAVE A REPLY)**

GTM □ LTM □ □□ □□□□ □□ □□ □□□ □□□□ □□□?

- Answer: B,E,F (LEAVE A REPLY)**

□ □ :

bigip add □□□□ □□

BIG-IP GTM □ □ □ □ □ BIG-IP LTM □ □ □ □ □ IP □ □ □ □ □ □ □ □ .

BIG-IP GTM □□ bigip add □□□□□ □□□□□. □ □□□□□ □ □□□□ □□ □□□□ □

□□ □ □□□ SSL □□□□ □□□□□.

LTM □ GTM □□□□ □□□ □□□ big3d □□□□□ □□□□ □□ bigip add □□□□□ □

☐☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐

http://support.f5.com/kb/en-us/products/big-ip_gtm/manuals/product/gtm-implementations11-3-0/7.html □□:

BIG-IP GTM □ BIG-IP LTM □□□□□ □□□ □□ □□□□ □□ TCP □□ 4353□ □□ □□
□ □□□. BIG-IP □□□□ □ □□□ □□ □□□□ □□□□□.

F5 ☐ ☐ ☐ LTM ☐ ☐ WebAccelerator ☐ ☐ ☐ ☐ ☐.

- A. ☐ ☐

B. ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which of the following is a valid F5 LTM configuration?

A. LTM pool members are configured with a single IP address.

B. LTM pool members are configured with a single IP address.

C. LTM pool members are configured with a single IP address.

D. F5 LTM pool members are configured with a single IP address.

E. LTM pool members are configured with a single IP address.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following is a valid F5 LTM configuration?

BIG-IP pool members are configured with a single IP address.

Look for a match for a packet filter rule	
Check if the destination matches a NAT	
Look for a virtual server address match	
Examine the source IP address for a standalone SNAT match	
Check for a match with a Self IP address	
Search for an existing connection	

Answer:

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which two statements are true about the following configuration? (Choose two.)

- A. The configuration HTTP server is enabled on the router.
- B. HTTP server is enabled on the router.
- C. The configuration HTTP server is enabled on the router.
- D. HTTP server is enabled on the router.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

SNMP is configured on the router. Which two statements are true? (Choose two.)

- A. The router is configured with the GTM MIB. LE SNMP is enabled on the router.
- B. SNMP is configured on the router. BIG-IP is configured on the router.
- C. The router is configured with the big3d MIB. LE SNMP is enabled on the router.
- D. The MIB is configured on the router. GTM is configured on the router.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

WAN is configured on the vMotion. Which two statements are true? (Choose two.)

- A. WAN is configured on the vMotion.
- B. WAN is configured on the vMotion.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which two statements are true about the following configuration? (Choose two.)

- A. The configuration ARX is enabled on the router.
- B. The configuration ARX is enabled on the router. ARX is enabled on the router.
- C. The configuration ARX is enabled on the router. ARX is enabled on the router.
- D. The configuration ARX is enabled on the router. ARX is enabled on the router.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which of the following is a characteristic of a BIG-IP? A. It is a load balancer. B. It is a firewall. C. It is a proxy server. D. It is a web server.

A. It is a load balancer. BIG-IP is a load balancer that can be used to distribute traffic across multiple servers.

B. It is a firewall. BIG-IP is not a firewall.

C. It is a proxy server. BIG-IP is not a proxy server.

D. It is a web server. BIG-IP is not a web server.

Answer: D ([LEAVE A REPLY](#))

101 questions and answers about DumpTop. 101 questions! DumpTop is a tool that can be used to monitor the performance of a system. It can be used to monitor the performance of a system in a variety of ways. It can be used to monitor the performance of a system in a variety of ways. It can be used to monitor the performance of a system in a variety of ways.

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

Which of the following is a characteristic of a BIG-IP?

A. It is a load balancer. B. It is a firewall. C. It is a proxy server. D. It is a web server.

1. DMZ (DMZ)

2. DoS (DoS)

3. DNS (DNS)

4. DNSSEC (DNSSEC)

5. DNS (DNS)

A set of standards created to address vulnerabilities in the Domain Name System (DNS) and protect it from online threats.

An attack that floods a network or server with requests and data making it unavailable.

Ensures a client device does not present a security risk before it is granted a remote-access connection to the network.

A portion of an enterprise network that sits behind a firewall but outside of or segmented from the internal network, network.

A high-speed, in-memory authoritative DNS slave that can dramatically reduce the DNS server infrastructure.

Answer:

E. 1000 1000 1000 1000

F. SCCP 1000

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 65

10 TMOS 10 10 BIG-IP 10 1000 CPU 1000 10 1000 1000 10 10 10 1000
10?

A. HTTP 1000

B. 1000000 10 10

C. 10 1000 10

D. 10 1000

E. 1000

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

10 10 1000 10 1000 10000 10 10 1000 100000?

A. DNS 1000 1000 1000 IP 1000000 100000.

B. 10000 10000 100000 1000 100000.

C. 1000 1000 10 10 10 1000 10 10 1000.

D. 1000 1000 1000 10

E. 10 1000 1000 10 1000 100000.

F. 10 1000 1000 10000 10000.

Answer: C,F ([LEAVE A REPLY](#))

NEW QUESTION: 67

10 10 10000 10000 WebAccelerator 10000 10 10 1000 100000?

A. 1000 10 10 1000 1000 1000000.

B. 10 10000 10000 10 10 10 10 10

C. 10 10 10000 1000 10000.

D. 10000 1000 1000 1000 100000.

E. 10 10000 10 1000 100000.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 68

10 1000 ARX 10 10 10 10000 10000 10000 10 1000 ARX 10000 10
100000 1000 10 10 10000 10000. 10 10000? 10 1000 10?

A. 1000. ARX 1000 10000 1000 1000 1000 10 1000 10 10 10000 10000
1000 10000.

Answer: A (LEAVE A REPLY)

SSL □□□□ □□□ □ □□ □□□ □□□□□? (2□ □□)

- Answer: B,E (LEAVE A REPLY)**

[illegible]

A. ☐☐☐☐ ☐☐☐ ☐☐

- Answer: A,B,D,E (LEAVE A REPLY)**

□□ □□□ □□ □ □□ □□□ □□□ □□ □□□ □□□ □□ □□ □□□□□? (2□ □□)

- Answer: A,B (LEAVE A REPLY)**

BIG-IP 10.10.10.10. 200 SNAT 1:

- 150.10.33.33 and 10.10.1.33
- A load balancing pool with 5 members: 10.10.1.110-10.1.5:80
- The BIG-IP has two self-IP addresses: 150.10.10.10 and 10.10.1.10

A. 10.10.1.33
B. 150.10.33.33
C. 10.10.1.10
D. 200.10.10.10
E. 150.10.30.30

Answer: ([SHOW ANSWER](#))

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

A. BIG-IP □□ □□□ □□ □□□□□□ □□ IP □□□□□.

B. BIG-IPto □□□□□ □□ □□□ □□ IP □□□□□.

C. BIG-IP □□ □□□ □□ □ □□□□ □□ IP □□□□□.

D. □□□□□ □□ □□□ □□ BIG-IP□ □□ IP □□□□□.

E. BIG-IP□ □□ IP □□□ □□ □□ □□ □□□□□.

F. □□ □□ □□ □□□ □□ BIG-IP□ □□ IP □□.

A. NAT □ IP □□ □□ □□□ □□□□□.

B. □□□□ □□□ □□ □□□□□□ NAT□ □□□ □ □□□□.

C. NAT□ UDP, TCP □ ICMP □□□□ □□□□□.

D. NAT□ IP □□ □□ □□□ □□□ □□□□□.

A. ☐ ☐

Answer: B (LEAVE A REPLY)

. ?

- Answer: A (LEAVE A REPLY)**

☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐ ☐☐☐☐

- Answer: C (LEAVE A REPLY)**

□□ □ □□ □□□□ □□ □□ □□□ □□□□□? (2□ □□)

- Answer: C,D (LEAVE A REPLY)**

□□ □ □□ □□ □□□□□ □□□ □ □□ F5 □□□□ □□□□□? (2□□ □□□□□.)

- Answer: D,E (LEAVE A REPLY)**

□□□□□ □□□ □□□□ LTM □□□ IP □□ 192.168.9.250□ □□□□ □□□ □□□□. □
□□□ □□□□□?

- A. 10
- B. 100
- C. 10 IP
- D. 1000
- E. 100 000

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

BIG IP 10000 000 00 00-000 0 00000000 00 00 000 00000 000.
00 00 0 0 00000 000 000000. 00 000 000 000000.

0 000 000000 BIG-IP 00000 0 00 000000 000 000 000 000?

- A. SSL/TLS 0 000000 0 00 00 00
- B. 00 000
- C. 0 000 000
- D. SSH/SCP 0 00000 0 00 00 00

Answer: A ([LEAVE A REPLY](#))

00000000 '00 0' 000 00000 00 00 0 000 SSL 00000 000. 0000
0 000 HTTPS 0 000 00 HTTP 000 00000 00000 00000 000000.

NEW QUESTION: 86

00 000000 00000 00 00 000 0 "00 00 00 IP" 0 000000 00000 00
000. 000 00 000000.

- A. 000 0 00000 00 00 00000 00000 00000 0 00000 00 00000 00
- B. 000 0 00000 00 00000 00
- C. 000 BIGIP 0 00 00 00000 00000 0 00000 00 00000 00
- D. 00 000000 00 00 00000 00

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

PCI 00 00000 000 000000 000000.

- A. 00
- B. 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

000 iRule 00 000 00 00000 000 0 00000?

- A. iRule 0 000 00000 000000 00 000 00 000 000 0 00000.
- B. iRule 0 00 00000 00 0 00000.
- C. 000 000000.
- D. iRule 0 000 000000 000 000 00 00 00 00 00000 00 0 00000.

Answer: B ([LEAVE A REPLY](#))

□□□ □□□□□ □□ □ □□□ □□□ □□□□ □□□ □□□ □ □□□□ □□□□□.

- Answer: B (LEAVE A REPLY)**

☐ ☐☐☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐

- Answer: D (LEAVE A REPLY)**

□□ □ □□□ □□□□ WebAccelerator□ □□□ □□ □ □□ □□□ □□□□□?

- Answer: B,C,D (LEAVE A REPLY)**

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

GTM □ □ □ □ □ DNS □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** □□□□□□ □□□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□.
- B.** □□□ □□□□□ □□ □□□ □□ HTTPS□ □□□ □ □□□□.
- C.** □□□□□□ □□□□□(Stateful) □□□□□□□ □□ □□□ □□□ □□□ □□ □□□ □
□ □□□□.
- D.** IP □□□ □□□ □□ □□□□□□ □□□□□ □□□ □□□ □ □□□□□.

E. □ □□□ □□ □□□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

□□/□□: GTM□ □□□ □□ DNS □□ □ □ □□□ □□□□□. □□□□□□ □□□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□ □ □□□□. □□□□□□ □□ □□ □□□□□ □□ □□ □□□ □□□ □□□ □□ □□□ □ □ □□□□. □ □□□ □□ □□□ □□□ □□ □□.

NEW QUESTION: 93

F5 Application Delivery Firewall □□□□ □□ □□□□□ SSL □□□ □ □□□□□ □□□□ □□□ □□□□□?

- A. F5□□ SSL □□□□ □□□ □ □□ □□□ □□□ □□ □□□□□.
- B. F5□□ SSL □□□□ □□□□ □□□ iApp□ □□ □□□□□.
- C. F5□ SSL □□□□ □□ □□□ □□□□ □□□ □□□ □□ □□□□□.
- D. F5□ □ SSL □ □□□ □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 94

□□ □ "□□"□ "□□"□ □□□ □ □□ □□ □□□ □□ □□ □□□□ □□□□ □□□□ □ □□ □□□□□?

- A. □□ □□□ □□□ "□□"□ □□□□ □□, □□□ □□□□□ □□ □□□□□ □□□ □□ □□ □□□□□ □□□□□.
- B. □□□ □□□□. □ □□□ □□ □□□□ □□□□ □□ □□□□□.
- C. "□□"□ □□□□ □□ □□□ □□□ □ □□□□ "□□" □□□ □□ □□□ □□□□ □□□ □ □□□□.
- D. □□ □□□ □□ □□□ "□□"□ □□□□ □□ □□ □□ □□ □□□□ □□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

□□□□ □□ □□□ ICMP □□□□ □□□□ HTTP □□□□ □□□□ □□ □□□ □□ □□ □□ □ □□ □□ □□ □□□□□. HTTPElbased □□□□ □□ □□□ □□□□□. □ □□□ 5□ □□ □ 2□□ □□ ICMP □□□□ □□□□□. □□ □□ □□□ □□□□□□. □□□□ □□□ □□ □□□ □□□□□. ICMP □□□□ □ □□□ □ 2□□ □□ □□□□□. 5□□ □□. □□ □□ □□□ □□□□□. □ □□□□ □□□ □□□□□?

- A. □□□ □□ ICMPElbased □□□□ □□□□□ □□ □ □□□□ □□□□□.
- B. □□□ ICMPEl □□ □□□□ □□□□ □ □□□□ □□□ □ □□ □□□ □□□□□.
- C. □□□ ICMPEl □□ □□□□ □□□□ □ □□□□ □□□□□ □□□ □□□□□.
- D. HTTPElbased □□□□ □□□□ □□□ □□ □ □□□□ □□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 96

GTM □□□□□ □□□□ □□□□ □□□□□?

- A. □□ □□□ □□ □
- B. □□ □□ □□□□
- C. DNS □ □□□□
- D. □□□ IP □□□□
- E. DNS □□□ □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 97

F5 OneConnect □□□ □ □□ □□□ TCP □□□□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 98

□□ □ SQL □□□□□□ □□□□ □□ BIG-IP ASM □□□□□ □□□□ □□□ □□□□□□?

- A. □□ □□ □□ □ □□ □□
- B. □□ □□□□, HTTP RFC □□ □□ □ □□ □□ □□
- C. HTTP RFC □□ □□ □ □□ □□
- D. HTTP RFC □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

□□ □ □□ □□□□ □□□ □□□□ □□ BIG-IP ASM □□□□□ □□□□ □□ □□□ □□ □□□?

- A. □□□□ □□ □ HTTP RFC □□□ □□
- B. □□ □□ □ □□□ □□ □□ □□
- C. HTTP RFC □□ □□
- D. □□ □□ □ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 100

□□ □□ □□□ □□□ □□□ □□□□□□.

1. OWASP □ 10
2. SSL(Secure Socket Layer)
3. □
4. □□□
5. □□□ □□□□

Obfuscating identify information to prevent confidential information from being sent in a web application response.

OWASP Top 10

A list of the 10 most dangerous current Wseb application security flaws, along with effecte methods of dealing with those flaws.

Secure Socket Layer (SSL)

Malicious software placed on other people's computers to perform automated tasks over the Internet.

Bot

A cryptographic protocol used to secure communications over the Internet.

Certificate

A digitally signed statement issued by a trusted organization that contains information about an entity and the entity's public key.

Content scrubbing

Answer:

Obfuscating identify information to prevent confidential information from being sent in a web application response.	A list of the 10 most dangerous current Wseb application security flaws, along with effecte methods of dealing with those flaws.
A list of the 10 most dangerous current Wseb application security flaws, along with effecte methods of dealing with those flaws.	A cryptographic protocol used to secure communications over the Internet.
Malicious software placed on other people's computers to perform automated tasks over the Internet.	Malicious software placed on other people's computers to perform automated tasks over the Internet.
A cryptographic protocol used to secure communications over the Internet.	A digitally signed statement issued by a trusted organization that contains information about an entity and the entity's public key.
A digitally signed statement issued by a trusted organization that contains information about an entity and the entity's public key.	Obfuscating identify information to prevent confidential information from being sent in a web application response.

□□

1. OWASP Top 10 - □□ □□ □□□ 10□□ □ □□□□□□ □□ □□ □□□ □□□ □□□ □□□□ □□.
2. SSL(Secure Socket Layer) - □□□□ □□ □□□ □□□□ □ □□□□ □□□ □□□□□□ □.
3. □ - □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□ □□ □□□ □□□□□.
4. □□□ - □□□ □ □□□□ □□ □□ □□ □□□ □□□□ □□□ □ □□ □□□□ □□□ □□□ □□□□□.
5. □□□ □□□□ - □ □□□□□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□ □ □□□□□□.

NEW QUESTION: 101

□□□□ □□□□□ IP □□□ 195.64.45.52□□ □□□ 5□□ □□□ □□ A, C, E, D □ B□ □ □□□□□. □ □□□□ □□□ □□ □□, □, □□□ □□ □ □□□ □□□□ □□ □□□ □ □□□□. □□ □□□ □□□□□?

Persistence Values	Member	Age (Seconds)
200.10.0.0	10.10.20.1:80	63
201.12.0.0	10.10.20.3:80	43
153.15.0.0	10.10.20.2:80	76
205.12.0.0	10.10.20.4:80	300
195.64.0.0	10.10.20.3:80	22
198.22.0.0	10.10.20.5:80	176
214.77.0.0	10.10.20.1:80	43

Web_Pool Statistics					
Member	Member Ratio	Member Priority	Outstanding Layer 7 Requests	Connection Count	Status
10.10.20.1:80	3	5	6	18	Available
10.10.20.2:80	3	5	6	12	Available
10.10.20.3:80	3	5	12	5	Disabled
10.10.20.4:80	1	1	8	19	Offline
10.10.20.5:80	1	1	4	9	Available

Virtual Server, Pool and Persistence Profile Settings					
VS_Web_Pool Settings		Web_Pool Settings		Source Persist Settings	
Destination	172.160.22.3:80	Load balancing	Least Connections	Mode	Source Address
Profile(s)	TCP	Priority Activation	Less than 2	Netmask	255.255.0.0
Pool	Web_Pool	Montitir	Done	Timeout	360 seconds
iRules	None				
Persistence	Source_Persist				

- A.** 10.10.20.1:80
B. 10.10.20.2:80
C. 10.10.20.3:80
D. 10.10.20.4:80
E. 10.10.20.5:80
F. ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 102

ARX□ □ □ □ □ □ □ □ □ □ . □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □ .

- A. ☐ ☐
- B. ☐ ☐

Answer: B (LEAVE A REPLY)

NEW QUESTION: 103

GTM □□ □□ □□ □□ □□□ □□□□□? (3□□ □□□□□.)

- A. 100 100
- B. 100 100 100
- C. CPU
- D. 100 IP
- E. 100

Answer: A,B,C ([LEAVE A REPLY](#))

100/100:

100:

Global Traffic Manager 100 100 100 100 100 100 100 100 100 100.

100

CPU

100

100 100/100

100 100

100 100

100 100(QoS)

100 100(RTT)

100 100 100

VS 100

NEW QUESTION: 104

100 100 100 100 100?

- A. HTTP 100
- B. 100 100
- C. 100 100
- D. 100 100 100 100

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 105

TCP Express 100 100 LTM 100 100 100 LTM 100 100 100 LTM 100 100 100 100

100 100 100 TCP 100 100 100 100.

- A. 100
- B. 100

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 106

BIG-IP 100 100 100 100 100 100 100 100 100

100 100 100 100 100 100 100.

- A. 100
- B. 100

Answer: A ([LEAVE A REPLY](#))

101 questions answered on DumpTop.com! DumpTop.com has 101 questions answered on DumpTop.com, DumpTop 101 questions answered on DumpTop.com. DumpTop 101 questions answered on DumpTop.com.

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

BIG-IP can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

Which of the following is a valid configuration for BIG-IP?

A. BIG-IP can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application. OS can be configured to act as a proxy for a web application.

B. DNS can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application. IPS (Intrusion Prevention System) can be configured to act as a proxy for a web application.

C. DNS can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

D. BIG-IP can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application. BIG-IP can be configured to act as a proxy for a web application.

Answer: (SHOW ANSWER)

NEW QUESTION: 108

Which of the following is a valid configuration for BIG-IP?

A. BIG-IP can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

B. LTM (Load Balancing) can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

C. BIG-IP can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

D. BIG-IP can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

E. BIG-IP can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

Answer: A (LEAVE A REPLY)

SSL

SSL can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

SSL can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

SSL can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

SSL can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

SSL can be configured to act as a proxy for a web application, which can be configured to act as a proxy for a web application.

NEW QUESTION: 109

Which of the following is a BIG-IP feature?

- A. Session persistence
- B. Load balancing
- C. SSL offload
- D. MAC address spoofing
- E. VLAN tagging

Answer: (SHOW ANSWER)

NEW QUESTION: 110

A client is unable to access a web application. The client's IP address is 10.10.10.10. The web application is hosted on a server with IP address 10.10.10.10. The client is using a web browser to access the application. Which of the following is the most likely cause of the problem?

- A. HTTP error
- B. NAT
- C. Firewall rule
- D. DNS

Answer: D (LEAVE A REPLY)

<https://support.f5.com/csp/article/K93G17176>

NEW QUESTION: 111

OSI model layer 3 is responsible for which of the following?

- A. Routing
- B. Switching
- C. Transport
- D. Network

https://en.wikipedia.org/wiki/OSI_model

Answer: D (LEAVE A REPLY)

NEW QUESTION: 112

Which of the following is a BIG-IP feature? BIG-IP _____ IP address. BIG-IP IP address. BIG-IP IP address. BIG-IP IP address.

- A. Session persistence
- B. IP address spoofing
- C. Load balancing
- D. MAC address spoofing
- E. VLAN tagging

Answer: B (LEAVE A REPLY)

NEW QUESTION: 113

Which of the following is a BIG-IP feature?

Which of the following is a valid IPv4 address?
192.168.0.0

- A. 192.168.0.0
- B. 192.168.0.1
- C. 192.168.0.255
- D. 192.168.0.256

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

Which of the following is a valid IPv4 address?

- A. 192.168.0.0
- B. 192.168.0.1
- C. 192.168.0.255
- D. IP Anycastmg 192.168.0.1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 115

Which of the following is a valid IPv4 address?
(300 000000.)

- A. 192.168.0.0
- B. 192.168.0.1
- C. 192.168.0.255
- D. 192.168.0.256
- E. 192.168.0.257
- F. 192.168.0.258

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 116

Which of the following is a valid IPv4 address?

- A. 192.168.0.0
- B. 192.168.0.1
- C. 192.168.0.255
- D. 192.168.0.256

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

Which of the following is a valid IPv4 address?

- A. 192
- B. 192

E. ☐ ☐

NEW QUESTION: 118

LTM □□□□□□□□□□□□□□□□□□□□
□□□?



D. B

NEW QUESTION: 119

GTM □□□□ □□ BIG IP □□□ □□ □□□ □□□□□ □□ □ □□□ □□□□□ □□□? (2
□□ □□□□□.)

C. 4354

D. 53

E. 443

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 120

□□ □ APM □□□ □□□□ □□ □ □□ □□□□□ □□□□□?

A. □□ □□□ □□ □□□ □□ □□

B. □□ □□ □□□ □□ □□

C. □□□□ □□□ □□□□□□ □□□□□□ □□□□ □□□ □□ □□

D. □□ □□□ □□□□ □□ □□ □□□□□ □□□□ □□

E. □□ □□ □□ □□□ □□□ □□□□ □□

F. Novell Netware□ □□□ □□□□ □□

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 121

□□□ □□ □□□ □□□□□□□ □□□□ □ WOM□ □□□ □ □□□ □□□ WOM□ □□
□ □ □□ □□□□.

A. □□

B. □□

Answer: ([SHOW ANSWER](#))

101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101 □□! DumpTop □ □
□ 101 □□ □□□ □□□□□□, DumpTop 101 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101 □□□ □□□□□.

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 122

□□□□ □□□ □□□□ □ □□ □□□ □□□□□? (3□□ □□□□□.)

A. □□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□.

B. □□□ □□ □□□□ □□ □□ □□□□ □□□□ □□□.

C. □□ □□□□ □□ □□ □□ □□□ □□ □□□□ □□□□□.

D. □□□□ □ □□□□ □□□□ □□ □□□□ □□□ □ □ □□□□.

E. □□ □□□□ □□□□□ □□□ □ □□□□.

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 123

F5 OneConnect □□□ □ □□ □□□ TCP □□□□□□.

A. □□

B. ☐

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 124

Which ASM instance is the primary instance?

A. 2000 00 00 00

B. 2000 0000 00

C. 0000 0000 20

D. 0 00 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

BIG-IP 00 00 00 00 00 00. 0000 200 SNAT 0:

150.10.33.33 0 10.10.1.33 500 0000 00 00 00 0:

10.10.1.1-10.10.1.5:80 BIG-IP 00 200 00 IP 000 0000. 150.10.10.10 0 10.10.1.10 A
00 00

150.10.30.30:80 SNAT 0 0 00 000 0 000 0000 0000. IP 000 200.10.10.10
0 0000000 00 000 00 000 0000 000 0 000000 0000 0000 00
IP 000 000000?

A. 00 00 0 0000 00 0 000 0 0000.

B. 10.10.1.10

C. 200.10.10.10

D. 10.10.1.33

E. 150.10.33.33

F. 150.10.30.30

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 126

00 000 000 00 000 00 000 0000 000 0 0000 000 00000?

A. 0 000 000000 0000 00000.

B. 000 000 00 0 000 0000 00000.

C. 0 000 0000 00000.

D. 0 000 0000 00 000 0000000.

E. 0 000 00000 00000 00000.

F. 0 000 0000000.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 127

00 0000 000 0000 0000 0000 00 00 0000 0000 0000 000
0 00 000000. 000 0000 ARX0 00 0000 000 0 0000?

- A. ARX□ □□ □□□□□ □□□ □□□ □□□□ □□□□ □□ □□□□□ □□□□ □□ □ □□ □□□ □□□□ □ □□□ □□□.
- B. ARX□ □□□□ □□ □ □□□ □□□ □□ □□ □□□□□ □□□□□.
- C. ARX□ □□□ □□ □□□□ □□ □ □□□ □□□ 10-15□ □□□□□.
- D. ARX□ □□ □□□ □□ □ □□□□□ □□□□□ □□□□ □□ □ □□ □□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 128

- □□ □□□□□ □□ □□ □□ □ □□ □□ □□?
- A. SSL □□□□□ □□ □□ □□□□□ □□□□□.
- B. OneConnect□ □□□□ □□ TCP □□□ □□□□.
- C. □□□□□ □□□ □□ □□ □□□ □□□□□.
- D. □□□□□ □□□□□ □□ □□ □□□□ □□□□□ □□□.
- E. □□□ □□□□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 129

- □□□□ □□ b config sync all□ □□□□ □□□ □□□ □□□□□ □□ □□□□ □□ □ □□□□□?
- A. □□□□□ □□ □□ □□□□□ □□□□□ □□□.
- B. □□□□□ □□ □□ □□□ □□□□□ □□□□□ □□□.
- C. □ □□ /config/BIG-IP.conf □□ □□□ □□□□□ □□□ □□□ □□□(□□□□□ □□□□□) □□□.
- D. /config/BIG-IP.conf □ /config/BIG-IP_base.conf□ □□□ □□ □□□ □□□□□ □□□ □□ □ □□□(□□□□□ □□□□□)□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 130

- TCP □□□□□ LTM□ □□□□□□□ □□□ □□□ □□ □□□ □□ □□ □□ □□□ □ □□.
- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 131

- □□□□ □ □□□□□□□□ □□□ □ □□□□ □□□ □□□ □□□□□□□□.
- □ □□ □□□ □□□ □ □□□ □□□ □□□□□□? (2□ □□)
- A. □□ □□□ 1024□□□□□ □□□□□□ □□□.
- B. □□□ □□□ □□ □□□ □□□□ □□□□ □□□ □ □□□□ □□□□ □□□.

NEW QUESTION: 137

Which two statements are true about the F5 DNS DDOS protection? (Choose two.)

- A. F5 DNS DDOS protection is enabled by default.
- B. F5 DNS DDOS protection is enabled by default for all DNS services.
- C. F5 DNS DDOS protection is enabled by default for all DNS services.
- D. F5 DNS DDOS protection is enabled by default for all DNS services.
- E. F5 DNS DDOS protection is enabled by default for all DNS services.

Answer: (SHOW ANSWER)

NEW QUESTION: 138

Which two statements are true about the F5 DNS DDOS protection? (Choose two.)

- A. F5 DNS DDOS protection is enabled by default.
- B. F5 DNS DDOS protection is enabled by default for all DNS services.
- C. F5 DNS DDOS protection is enabled by default for all DNS services.
- D. F5 DNS DDOS protection is enabled by default for all DNS services.
- E. GTM(Global Traffic Manager) is enabled by default for all DNS services.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 139

Which two statements are true about the F5 DNS DDOS protection? (Choose two.)

- A. F5 DNS DDOS protection is enabled by default.
- B. F5 DNS DDOS protection is enabled by default for all DNS services.
- C. VLAN
- D. F5 DNS DDOS protection is enabled by default for all DNS services.
- E. F5 DNS DDOS protection is enabled by default for all DNS services.
- F. F5 DNS DDOS protection is enabled by default for all DNS services.

Answer: A,E,F (LEAVE A REPLY)

NEW QUESTION: 140

GTM is enabled by default for all DNS services.

- A. GTM is enabled by default for all DNS services.
- B. GTM is enabled by default for all DNS services.
- C. GTM is enabled by default for all DNS services.
- D. GTM is enabled by default for all DNS services.
- E. GTM is enabled by default for all DNS services.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 145

□□□□ □□□□ LTM□ □□□ □ □□□□□ □□□ □□ □□□□ □□□ □□□?

- A. □□□ □□ □□
- B. □□□ IP□ □□□ IP □□ □□
- C. □□□ IP □□ □□
- D. □□ IP □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 146

BIG-IP □□ □□□ □□□□□ □□□□□□□□ □□□, □□□□ □□□□□□□□ □□□ □□□□ □□□□□.

□□□ □□□□ □□ □□ □□□ □□□□□?

- A. DNS □□ □ □□□ □□□ □ □□ □□□ □□□ □ □□ □□□□ □□□ □ IPS(□□ □□ □□□)□ □□ □□ □□□ □□ □□□ □□□□□□□.
- B. DNS □□□ □□ □□□ □□□ □□□□□.
- C. □□ □□□□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □ □□□ □□ □ □□□ □□□ □□□□ OS □□ □□□ □□□□ □□□□ □□ □□ □□□ □ □□□□.
- D. □□□□□ □□ □□□ □ □□□□□□ □□□ □□ □□ □□□ □□□ □□□□ □□□□ □□□ □□ □□ □□□□□ □□ □□□□ □□□ □□□□□ □□ □□ □□□ □□ □□□ □ □□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 147

□□□ □□ □□□ □□□ □□□□□.

- A. □□□ □□ □□□ □□ □□ □ □□□ □□
- B. □ □□ □□
- C. □□□ □□ □□ □□□ □□, □□□ □□ □□
- D. □□□□ □□□□□ □□ □□ □□□□ □□□□□□ □□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 148

□□ □ ASM □□ □□□□□□ □□□ □ □□ □□□□ □□ □□□ □□□□□?

- A. □□ □ □□
- B. □□ □ Syslog
- C. □□ □ Syslog
- D. □□ □ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 149

LTM □□□ □□ □ □□□□ □□□□□ IP □□□ □□ □□ 192.168.9.250:443□ □□□□ □ □□□□ □□□ □□□□□. □ □□□ □□□□□?

- A. □ □□
- B. □□□
- C. □□
- D. □□ □□
- E. □□ IP

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 150

OSI □□□ □□□□ □□□ □□□ POU(□□□□ □□□ □□)

- A. □□□□
- B. □□□
- C. □□□□□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 151

FastCache□ □□□ □□□ □□ □□□□ □□□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101 □□! DumpTop □ □ □ 101 □□ □□□ □□□□□□□, DumpTop 101 □□ □□□ □□□□□□□□ □□□ □□ □□□□□. □□□□ □□□ □□□□ □□ DumpTop 101 □□□ □□□□□.

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 152

GTM□ F5 _____ □□□□□ □□□□□ GTM □□ □□ □□ □□□□ □□□□□□.

Answer:

□□□□

NEW QUESTION: 153

□□ □□□□□□ SSL VPN □□□□ IPsec VPN□□ □□□□□?

- A. □□□□ □□□□ □□□ □
- B. □□□□ □□ □□□□ □□ RDP □□□ □□□ □□

□□ □ □□□ □□□(URI) □□□ □□□□ □□ □□□ □□ □□ □□□□□?

- A. URL □□ □□□ □□
- B. □□ □□ □□
- C. □□ □□ □□□ □□
- D. □□□ □□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 159

□□□ □□ HTTP □□ □□□ □□□□□
□□□ □□□□ □□□□□□ □□□ □□□□□?

- A. 302
- B. 401
- C. 100
- D. 500

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 160

BIG IP □□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ IP□ □□□□ □□□.
□□□□ BIG IP □□□□ □□ □□□□□ □□□□ □□□?

- A. □□ □□
- B. □□□
- C. tcpdump
- D. □

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 161

□□□ □□ □□□□ iRule, □□ □□ □ □□ □□□□□. □□□□□□□ □□□□
160.10.10.10:2056 □□ □□ Test_VS□ □□□□ HTTP □□□ □□□□. □□□□ □□□ □ □
□□□□ □□□ □ □□□□□□ □□ □□□ □□□□ □□□□□?

```
pool Test_Pool { member 10.10.10.10:80 member 10.10.10.11:80 } snatpool
lower_range
{ member 10.10.10.1 } snatpool upper_range { member 10.10.10.2 }
rule Test_iRule { when CLIENT_ACCEPTED { if { [TCP::local_port] <
2024 } { snatpool
lower_range } else { snatpool upper_range }
virtual Test_VS { destination 200.10.10.1 :http pool Test_Pool rule
Test_iRule }
```

- A. 10.10.10.2
- B. 200.10.10.1
- C. 10.10.10.1
- D. 10.10.10.10 □□ 10.10.10.11□ □ □□□□.
- E. 160.10.10.IOC.160.10.10.10

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 162

TCP Express ☐ LTM ☐ ☐☐☐ ☐☐☐☐ ☐☐☐.

- A.** ☐ ☐
- B.** ☐ ☐

Answer: B (LEAVE A REPLY)

□□/□□:

□ □ :

TCP Express ☐ LTM ☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐.

NEW QUESTION: 163

☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

- A.** □□□ □□ □□□ □□ □□□ □□□ □□□(IP □□□ □□□ □□□□□ MAC.addresses □ □□)□ □□□ □□□(IP □ MAC.addresses□ □□□ □□)□□□.
- B.** □□□ □□ □□□ □□ □□□ □□□ IP □□ □□□ □□□□ □□□□.
- C.** □□□ □□ □□□ □□ □□□ □□□ □□ □□□□□ □□□□.
- D.** □□□ □□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□ □□□□□ □□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 164

□□ □□□□ □ □□□□□□□ □□□ □ □□□□ □□□ □□□ □□□ □□□□□□□□.

□□ □ □□ □□□ □□□ □ □□□ □□□ □□□□□? (2□□ □□□□□.)

- A.** □□ □□ □□□□ □□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□ □□
□□ □□□ □□□□ □□□ □□□.
- B.** □□ □□□ 1024□□□□ □□□□□ □□□.
- C.** □□ □□ □□□ □□ □□□ □□ □□□□□ □□□□□ □□□.
- D.** □□□ □□□ □□ □□□ □□□□ □□□□ □□□□ □ □□□□ □□□□ □□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 165

□□ □ BIG-IP □ □□□ □□□ □□ □□ □□□□□□?

- A.** ☐☐
- B.** SSL
- C.** ☐☐☐
- D.** ☐☐☐☐
- E.** ☐☐☐☐☐☐

Answer: E (LEAVE A REPLY)

NEW QUESTION: 166

[illegible]

- A. □□□ □□□□ □□ □□ □□□□ □□ □□□ □□□□ □□□□ □ □□□ □ □ □□□□.

B. □□□□□□ □□ □□□□ SSH □□□ □□□□□ □ □□□ □□ □□ □□ □□□□□ □
□ □□□□ □□□ □□□ □ □□□□.

C. □□□□□ □□□□ □□□ □ □□□□. □□□ □□□□ □□□□ □□ □ □□□□.

D. □□□ □□ □□□□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□
□□.

Answer: ([SHOW ANSWER](#))

```

101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101 □□! DumpTop □ □
□ 101 □□ □□□ □□□□□□, DumpTop 101 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101 □□□ □□□□□.

```

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 167

GTM □ □ □ □ □ LTM □ □ BIG-IP □ □ □ □ □ □ □ □ □ □ .

A. ☐☐

B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 168

□□□ □□□□□ □□□ □□ □□ □□ □□□ □□□□. □□□ □□□ □□□□□ □□□ □
□ □□□ □□□□□?2□□ □□□□□□.

A. ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐

B. □□ □ □□□□□□ □□ □□ □□□ □□ □□□ □□ □□

C. ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐

D. ☐☐ ☐☐☐ ☐☐ ☐☐

E. □□□ □ □□□□□□□□ □□ □□ □□□□ □□ □□

Answer: B,E (LEAVE A REPLY)

NEW QUESTION: 169

□ □ □ □ □ □

BIG-IP □□□ □□□ □□□ □ □□□□ □□□□ □□ □□□ □□□□□□.

□ □ □ □ □ :

Look for a match for a packet filter rule

Check if the destination matches a NAT


Look for a virtual server address match

Examine the source IP address for a standalone SNAT match

Check for a match with a Self IP address

Search for an existing connection

Answer:



NEW QUESTION: 170

□□ □□□ □□□ □□ □□□ □□□ □□□□.

b □□□ PoolA . { lb □□□ □□ □□ 10.10.1 .1:80 □□ 10.10.1.2:80 }

A. □□□ PoolA□ □□ □□□ □□ □□□ □□ □□□ □□□□ □□□□.

B. PoolA□□ □□ □□ □□□ □□□□□ /config/BIG-IP.cinf □□□ □□□□□□□.

C. □□ iRule □□ □□ □□□ □□□□ □□ □ □□ □□□ □ □□□□.

D. □□ □□□ 80□ □ BIG-IP □□□□□ □□□ □□□ PoolA□ □□□ □□ □□ □□□□□ □.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 171

LTM "□□□" □□ □□□ iRule□ □□□ □ □□□□.


A. □□

B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 172

LTM□ □□ □□ □□ □□□ □□□ □□□□ □□ □□ □□□□□□□ □□ □□□ □□ □ □ □□□?



- A. B
- B. D
- C. C
- D. A

Answer: (SHOW ANSWER)

NEW QUESTION: 173

□□ □ SSL □□□□ □□□ □□□ □□ □□ □□□□□?

- A. □□□□□□ LTM □□ □□□□ □□□□□□.
- B. □□□□ □□□□ SSL □□□□ □□ □□□□.
- C. LTM□ □□□□ □□□□□, □□□□□ □□□□, □ □□□□ □□□ □□ □□ □□□□ □ □□□□.
- D. □□□ □□□□ □□□□ CPU □□□ □□
- E. □□□□ LTM□ □□□□ □□□□ iRule□ □□□ □ □□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 174

IP □□□ □□□□ □□□□ □□ □□ □ □□ □□□□ □□□ □□□□□.

- A. □□
- B. □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 175

BIG-IP □□ □□□ □□□□□ □□□□□□□□ □□□, □□□□ □□□□□□□□ □□□ □□□ □ □□□□□.

□□□ □□□□ □□ □□ □□□ □□□□□?

- A. DNS □□ □ □□□ □□□ □ □□ □□□ □□□ □ □□ □□□□ □□□ □ IPS(□□ □□ □□□)□ □□ □□ □□□ □□ □□□ □□□□□□□.
- B. DNS □□□ □□□□□.

C. *3 □□□□□ □□ □□□ □ □□□□□□ □□□ □□ □□ □□□ □□□ □□□□ □□ □ □□□□□ □□ □□□□ □□□□□□□ □□□ □□□□□ □□ □□ □□□ □□ □□□ □□□□□.

D. □□ □□□□ □□□ □□□□□ □□□□ □□ □□□ □□□ □□□□, □□□ □□ □□□ □□□□, □□ □ □□□ □□□ □□□□, OS □□ □□□ □□□□, □□□□□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 176

□□ □ □□ □ □□□□ □□□□ □□□ □□ □□□□□?

A. □□ □ □□□ □□□ □□ □□□□ msh □□□ □□□ □□ □□□□ □□□ □□□ □□□ □□ □□□□ □□ □□ □□□□□ □□□ □□□□□.

B. □□ □□□□□ □□ □ □□□ □□□ □□□ □ □□□□.

C. □□ □ □□□ □□□ □□ □□□□ □□ □□□□□ LTM □□□ □□, □□ □□ □□□□ □□□ □□□□□.

D. □□ □ □□□ □□□ □□ □□□□ □□ □□ □□□□□ LTM □□□ □□, □□ □□ □□ □ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 177

□□ □ TMOS □□□□□ □ □□ □□□ □□□□□? (4□□ □□□□□.)

A. □□ DDoS □□

B. □□ □ □□□

C. □ □□□□□□ □□

D. □□□ □□

E. □□□□□ □ □□□

F. □□□□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 178

□□□□ □□ □ □□□ □□ □□□□ □□ □□□ □ □□□ □□ □□ □ □□ □□□ □□□□ □□.□ □□□ □□□□□□.

A. □□ □□ □□□ □□□ □□□□ □□□ □□□□□?

B. Exchange□ □□□ □□□□□ □□□ □□□ □□□□□?

C. □□ □□ □ □□□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□□ □□ □□ □ □□□ □□□□□□?

D. □□□ □□ □□□□ □□□ □ □□ □□□ □□□□ □□□□?

E. □□ □□□ □□□ □□□□ □□□□?

F. Android □□ iPhone□□ □□□□□□□?

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 179

□□□ □ □□ □□□□ □□□ □□□□□ □□ □□□ □ □□ □□□ □□□□ □□ □□□□
□?

- A. □□□ □□
B. □□ □□
C. □□ □□
D. □□ □□ □□
E. □□□□ □□ □□□□
F. DDoS □□

Answer: A,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 180

□□□□ BIG-IP □□ □ □□ □□ □□□ □□ □□□□ □□ □□ □□□□□?

- A.** □□□□ □□ □□□ □□□□□ □□ □□ □□ □□□ □□□□ □□ □□ □□ □□□□ □□ □□□□□.
- B.** □□□ □ □□□ □□ □□ □□□ □□ □□□ □□ □ □□□□.
- C.** □□□ □□□□ □□ □□□□ □□□ □□ □□ □□□□ □□□□□.
- D.** □□ □ □□□ □□□ □□□ □□ □□□□ □□□ TCP □□□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 181

BIG-IP □ □□□□□ □□ □□ □□ □□ □□ □□□ □□□ □□ □ □□ □□□ □□□□□.

- A. ☐ ☐
- B. ☐ ☐

Answer: A (LEAVE A REPLY)

```
101 00 000 00000 00 DumpTop 00 0000 000 101 00! DumpTop 0 0
0 101 00 000 000000, DumpTop 101 00 000 00000000 0000 00
00000. 0000 000 0000 00 DumpTop 101 000 00000.
```

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 182

□□□□ □□ □□□□ □□□ □□ □□□ □□□□□□?

- A.** □□□□□ □□□□ □□□□.
- B.** □□□□ □□ □□□□□ □ □□□□
- C.** □□□□ □□ □□□□□ □□
- D.** □□□□ □□ □□□□□ □□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 183

Which two LTM features can be used to protect a BIG-IP from a DoS attack?

- A. DoS
- B. DoS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 184

Which two protocols can be used to protect a BIG-IP from a DoS attack?

- A. PPTP
- B. GRE
- C. IPSec AH
- D. IPSec ESP

Answer: C ([LEAVE A REPLY](#))

<https://developer.ibm.com/answers/questions/37253/what-is-the-difference-between-the-ah-and-esp-port/>

NEW QUESTION: 185

Which two GTM features can be used to protect a BIG-IP from a DoS attack?

- A. DoS
- B. DoS
- C. DoS
- D. DoS
- E. DoS
- F. DoS

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 186

BIG-IP can be used to protect a BIG-IP from a DoS attack.

- A. DoS
- B. DoS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 187

Which two protocols can be used to protect a BIG-IP from a DoS attack?

- A. SIP UP P
- B. DNS
- C. SIP
- D. SIP 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 188

F5 DNS DDoS 攻击 防御 方案 中 哪 个 方案 不 可 行。 200 防御 方案 中。

- A. F5 攻击 DNS DDoS 攻击 防御 方案 中 可 行。
- B. F5 攻击 DNS 攻击 防御 方案 中。
- C. F5 DNS DDoS 攻击 防御 方案 中 可 行。
- D. F5 DNS 攻击 防御 方案 中 可 行。
- E. GTM(Global Traffic Manager) 攻击 防御 方案 中 F5 攻击 DNS DDoS 攻击 防御 方案 中。

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 189

攻击 ASM 攻击 防御 方案 中。

- A. 攻击 防御 方案 200
- B. 200 攻击 防御 方案
- C. 200 攻击 防御 方案
- D. 攻击 防御 方案

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 190

攻击 TMOS 400 攻击 防御 方案 中? (400 攻击 防御 方案。)

- A. SYN 攻击 防御 方案 中。
- B. DDoS 攻击 防御 方案 中。
- C. 攻击 防御 方案 中 可 行。
- D. 攻击 防御 方案 中 可 行。
- E. 攻击 防御 方案 中 可 行。
- F. 攻击 防御 方案 中 可 行。

Answer: A,B,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 191

Enterprise Manager 攻击 防御 方案 中 哪 个 方案 不 可 行?

- A. 攻击 防御 方案 中 可 行
- B. 攻击 防御 方案 中 可 行
- C. SSL 攻击 防御 方案 中 可 行
- D. 攻击 防御 方案 中 可 行
- E. BIG-IP 攻击 防御 方案 中 可 行

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 192

BIG-IP Virtual Edition 攻击 防御 方案 中 200Mbps 攻击 防御 方案 中。

A. ☐☐

B. ☐☐

Answer: B ([LEAVE A REPLY](#))

BIG-IP Virtual Edition ☐ ☐☐☐ ☐☐ 25Mbps/200Mbps/1Gbps/☐☐ 5Gbps ☐☐☐ ☐☐
☐ ☐☐ ☐ ☐☐☐ ☐ ☐ ☐ ☐☐.

NEW QUESTION: 193

ARX ☐ ☐☐ ☐☐ ☐☐ ☐ _____ ☐(☐) ☐ ☐ ☐☐ ☐ ☐☐ ☐ ☐☐ ☐
☐☐☐☐☐☐☐ ☐☐ ☐☐☐.

A. ☐☐☐☐ ☐☐ ☐☐

B. ☐☐

C. ☐☐☐☐☐

D. ☐☐☐ ☐ ☐

E. ☐☐

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 194

☐☐☐☐ ☐ ☐☐ ☐☐☐ ☐☐ ☐ ☐☐☐. (3 ☐☐ ☐☐☐☐.)

A. SNAT

B. ☐ ☐☐

C. ☐☐☐☐

D. ☐☐ ☐☐

E. ☐

F. ☐☐

G. NAT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 195

BIG IP ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐ ☐ ☐ ☐☐ ☐☐ ☐☐
☐☐ ☐☐☐☐. ☐☐☐ ☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐?

A. BIG-IP ☐☐ ☐☐ ☐☐

B. BIG-IP ☐☐☐☐ ☐☐ ☐☐ ☐☐

C. ☐☐☐ ☐☐ ☐☐☐

D. ☐☐ ☐☐☐ ☐☐

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 196

☐☐ ☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐?

A. ☐☐

B. 10 ☐☐

C. ☐☐☐☐

D. □□□

Answer: A ([LEAVE A REPLY](#))

101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101 □□! DumpTop □ □
□ 101 □□ □□□ □□□□□□, DumpTop 101 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101 □□□ □□□□□.

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 197

□□ □□□□ □□ □□□□ □□□□ □□□□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□ □□□ □□ □□□□□□ □□□□□□.
- B. □□ □□□□□□ □□□□ □□□□□.
- C. □□ □□□ □□ □□□□□□ □□□ □ □□□□.
- D. □□ □□ IP □□□ □□ □□□□□□ □□□□□□.
- E. □□ □□ □□□□ □□ □□□□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

101 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 101 □□! DumpTop □ □
□ 101 □□ □□□ □□□□□□, DumpTop 101 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 101 □□□ □□□□□.

<https://www.dumptop.com/F5/101-dump.html> (240 Q&As Dumps, **30%OFF** Special Discount:
KrDump)