

F5.201.v2026-02-14.q124

□□□□:	201
□□□□:	BIG-IP Administrator Exam
□□□:	F5
□□ □□ □□□:	124
□□:	v2026-02-14
# □□ □:	142
# □□ □□□:	1240
https://www.krdump.com/F5.201.v2026-02-14.q124.html	

NEW QUESTION: 1

BIG-IP □□□□ □□ □□□ □□ □□□ □□ □□□ □□ □□□□□ □□□□□□ □□□□□ □□□□. □□ □□□□□ □□ □□□□ □□ □□□ □ □□□□?

A. □□ □□□ > □□ □□

B. □□ □□ > □□

C. □□ □□ > □□

D. □□ □□ > □□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□ □□

□□□□ □□□□ □□□□□

□□□ BIG-IP □□ □ □□ □□.

A. □□□ □□□□,

□□ □□□□ □□□□□ □□□ □□ □□□□□.

B. □□ □ □□□ □□□□ □□ □□□□ □□□ TCP □□□ □□ □□□□□.

C. □□□ □ □□□ □□□ □□ □□□□ □ □□□□.

□□ □□ □□.

D. □□□□ □□ □□□ □□□□□ □□ □□ □□ □□□ □□□□ □□ □□ □□ □□□□ □ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □□□ sourceAddress □□ □□□ □□□□ □□□□ □□□□□.

□□□ 5□ □□□ A, B, C, A, C□□□□. □□□□ □□□ □□□ □□□□□

IP □□ 205.12.45.52□ □□ □□□□□□ □□ □□□ □□□ □□,

□□□ □□ □□□ □□□ □□□.

All entries for the one virtual server and pool		
Persistence Values	Member	Age (Seconds)
200.10.0.0	10.10.20.1:80	63
201.12.0.0	10.10.20.3:80	43
153.15.0.0	10.10.20.2:80	76
205.12.0.0	10.10.20.4:80	300
195.64.0.0	10.10.20.3:80	22
198.22.0.0	10.10.20.5:80	176
214.77.0.0	10.10.20.1:80	43

Web_Pool Statistics					
Member	Member Ratio	Member Priority	Outstanding Layer 7 Requests	Connection Count	Status
A: 10.10.20.1:80	3	5	6	18	Available
B: 10.10.20.2:80	3	5	6	12	Available
C: 10.10.20.3:80	3	5	12	5	Disabled
D: 10.10.20.4:80	1	1	8	19	Offline
E: 10.10.20.5:80	1	1	4	9	Available

Virtual Server, Pool and Persistence Profile Settings					
VS_Web_Pool Settings		Web_Pool Settings		Source Persist Settings	
Destination	172.160.22.3:80	Load Balancing	Least Connections	Mode	Source Address
Profile(s)	TCP	Priority Activation	Less than 2	Netmask	255.255.0.0
Pool	Web_Pool	Monitor	Done	Timeout	360 seconds
iRules	None				
Persistence	Source Persist				

- A.** 10.10.20.4:80
B. 10.10.20.5:80
C. 10.10.20.3:80
D. 10.10.20.2:80
E. 10.10.20.1:80

Answer: D (LEAVE A REPLY)

NEW QUESTION: 4

□□ □ iRules□ □□□□ □□□ □□□□ □□ □□□□□□?

A. iRules

□ □ □ □ □

□ □ □ □

□□□ □□□ □□ □□ □□□ □□□□□.iRules□ □□ □□□ □□□□ □□□ □□□ □□

.

- B. iRules□ □□□□ □□□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□.
- C. iRules□ □□□□ HTTP □□□ □□□□ □□ □□ □□□ □□□ □□□□□.
- D. iRules□ □□□□ □□□□ □□□□□ □□□□□.
-
- □□□ □□□□ iRules□ □□□□ □□□□ □□□□ □□□□□ □□□□□ □□□□□. □□□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

- □□□□ □□ □□ □□ □□□□ □□□□. BIG IP□ □□□□ □□ □□ □□□ □□□□ □□ □□□□ □□ □□ □□□□□?
- A. □□□□□□□ □□□ □□ □□□□ □□□□ □□□□□.
- B. □□□□□□□ □□ □□□ □□ □□□□ □□□□ □□□□, □□□□ □□□□ □□□□ □□□□.
- C. □□□□□□□ □□ □□□□□ □□□□ □□□□ □□□□, □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□.
- D. □□□□□□□ □□ index.html □□□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6



- BIG-IP □□□□ □□□□□□□□ □□□□ □□ □□□ □□□□ □□□□ □□□□ □□□ □□□□□.
- BIG-IP □□□□ □□□□□□□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□□□.
- A. □□□□□□□ □□□ □□ □□□□ □□□□ □□□□.
- B. HTTP 1.1□ □□□□ □□□□ □□□□ □□□□.
- C. □□ □□ □□□□ □□□□ □□□□.
- D. BIG-IP □□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□□ □□ □□□□□ □□□ BEI IGPO □□□ □□□ □□□□□.

□□ □□ □ □□□□ □□□ □□ □□□□ □□□ □□□ □□□?

□□□ □□□ □□.

A. □□ □ □□□□□ □□□ □□□ □□□□ □□□□.

B. □□□□ □□□ □□□ □□□□ □□ □□□□□ □□□□□□ □□ □□ □□ □□□□ □□□□.

C. □ □□

□□

□□□

□□□□□□

□□

□□□□□ □□ □□□□ □□□ selfEIIIP □□□ □□□□□.

D. □□ □□□ □ □□□□ □□ □□□ □□□ □□□ □□□□. □□□□□ □ □□□ □□ □□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

□□□□□ □□□ □□ □□□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□□.

BIG-IP □□□□ BIG-IP □□□□ □□□□□ □□ CPU □□□ □□□□ □□ □□ □□□□ □□ □□□□ □□ BIG-IP □□□ □□□□ □□□.

BIG-IP □□□□ □□□ □□ □□ □□□ □□□□ □□□□ □□□?

A. □□□ > □□□

B. □□ > □□ □□ > □□ □□□ > □□ □□

C. □□ □□□ > □□□□ □

D. □□ □□□ > □□ □□ > □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

BIG-IP □□□□ □□□ □□□ □□ □□□ □□ □□□□ □□□□□ □□ □□□□ □□□□□ □□□ □□□.

BIG-IP □□□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□ □□□?

A. □□ □□□ □□□□ UCS□ □□□□□.

B. □□ □□□□ □□ □□□□ □□□□□ □□ □□□□□□.

C. □□ □□□□ □□□□ □□ □□□□ □□ □□□□□.

D. □□ □□□ □□ □□□□ □□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□ □□□ □□ □□□ FastL4 □□□□ □□□□ □□□?

A. □□(4□□)

- B. ☐☐
- C. ☐☐☐
- D. ☐☐ (HTTP)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□ □□□ □□□ □□ □□□□□. □□ 5□□ □□□□□ □□□ □□ C, D, A, B, B□ □□ □□ □□□□□. □ □□□ □□□ □□□ □□□ □, IP □□□ 205.12.45.52□ □□□□□□ □□ □□ □□□ □□, □□ □□□ □□□ □□□□□?

- A. 172.16.20.5:80
- B. 172.16.20.3:80
- C. 172.16.20.2:80
- D. 172.16.20.4:80
- E. 172.16.20.1:80

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

□□□ □ □□□ □□ □□□ □ □ □□□□. □□ □□□ □ □□□ □□□ □ □□□□?

- A. □□□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□□□□□.
- B. □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□□ □□□□.
- C. □□□□ □□□ □□□□ □□□□.
- D. □□□□ □□□□ □□□□ □□□ □□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

BIG-IP □□□□ F5 □□□□ □□□□ □□□□□. □□ □□□□□ BIG-IP □□□□□□ □□ □□ □□□ □□□□□.

□□ TMSH □□□ □ □□□ □□□□□?

- A. .list /sys □□□□□
- B. /sys □□□□ □□
- C. /sys □□ □□
- D. list/sys diags

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□□ □□□□□.



BIG-IP is a HTTP pool. What is the service port? What is the destination address?

- A. 80 10.10.20.2
- B. 80 10.10.20.4
- C. 80 10.10.20.3
- D. 80 10.10.20.5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

What is the IP address of the pool member A, C, E, D, B? What is the service port?

What is the IP address of the pool member A, C, E, D, B? What is the service port?


What is the IP address of the pool member A, C, E, D, B? What is the service port?

- A. 10.10.20.2:80 10.10.20.2:80
- B. 10.10.20.4:80 10.10.20.4:80
- C. 10.10.20.3:80 10.10.20.3:80
- D. 10.10.20.5:80 10.10.20.5:80
- E. 10.10.20.1:80
- F. 10.10.20.2:80 10.10.20.2:80

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

BIG-IP is a UCS pool. What is the service port? What is the destination address?



Which of the following is a valid configuration for a VLAN? BIG-IP 10.10.10.10 BIG-IP 10.10.10.10 10.10.10.10. BIG-IP 10.10.10.10 10.10.10.10 10.10.10.10, 10.10.10.10 BIG-IP 10.10.10.10 10.10.10.10.

Which of the following is a valid configuration for a VLAN? BIG-IP 10.10.10.10 10.10.10.10 10.10.10.10?

A. 10.10.10.10 10.10.10.10 10.10.10.10.

B. 10.10.10.10 10.10.10.10 10.10.10.10

C. 10.10.10.10 10.10.10.10

D. 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

SNAT 10.10.10.10 (10.10.10.10) 10.10.10.10 10.10.10.10 VLAN 10.10.10.10 10.10.10.10?

A. 10.10.10.10 BIG-IP 10.10.10.10 VLAN 10.10.10.10 SNAT 10.10.10.10 10.10.10.10.

B. 10.10.10.10 VLAN 10.10.10.10 SNAT 10.10.10.10 10.10.10.10.

C. 10.10.10.10 BIG-IP 10.10.10.10 10.10.10.10 VLAN 10.10.10.10 SNAT 10.10.10.10 10.10.10.10.

D. 10.10.10.10 BIG-IP 10.10.10.10 VLAN 10.10.10.10 SNAT 10.10.10.10 10.10.10.10.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

BIG-IP 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10 10.10.10.10?

A. 10.10.10.10

B. 10.10.10.10

C. 10.10.10.10

D. VLAN failElsafe 10.10.10.10

E. MAC 10.10.10.10 10.10.10.10

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□□ □□□□□.



□□□ □□ □□□□□ □□□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□?

- A. □□□
- B. □□
- C. □□-TACACS+
- D. □□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

BIG-IP □□ □□ □□□□ □ □□ □□□□□ □□□ □□□ □□□□□?

- A. □□□ □□
- B. □□□ □□
- C. MAC □□□□□□ □□
- D. VLAN □□ □□ □□
- E. □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□□ □□□□□.



□□□ □□□□ □□□ □ □□ □□□ □□□□ □□□□?

- A. □ □
- B. □ □
- C. □□
- D. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□□ iHealth □□□□□ □□□□□□ □□□□ TMOS□ 13.0□□ 13.0□□ □□□□□□□
□ □□□ □□□ □□□□□ □□□.

13.1.

□□□□ iHealth□ □□□□ QKView□ □□□□ □□□ □ □□□?

A. □□□ > □□

B. □□□ > □□□□

C. □□□ > □□

D. □□□ > □□□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

BIG-IP □□□□ □□ □□ □□□ CPU □□□□ □□□□ □□□. □ □□ □□□□ □□ □□□
□□ □□ □□□ □□□□ □□□?

A. □□ > □□ > □□□□ CPU □□□

B. □□ > □□ □□ > □□ □□□ > □□ □□

C. □□ > □□ □□ > □□□ □□

D. □□ > □□ □□ > □□ □□□ > □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

□□□ □□□ Syslog □□□ □□□□□□□. BIG-IP □□□□ □□□ □□□ □□ □□□□ □
□□□□ BIG-IP □□□□ □□□□□ □□□.

BIG-IP □□□□ □□ □□□□□ □□ □□□□ □□ □□□□ □□ □□□ □□ □□□ □ □ □
□□□?

A. □□□ > □□ > □□

B. □□□ > □□ > □□ □□□

C. □□□ > □□ > □□

D. □□□ > □□ > □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□ □□□ ICMP □□□□ □□□□□□□. □□ □□ □□ □□□ □□ □□□□ □□□□□□
□. □ eb.□ □□ □□□□ □□□□

□□ □□□ ICMP □□□□ □□□□□□□. □□ □□ □□ □□□ □□ □□□□ □□□□□□
□. □ .eb.□ .vailable(□□)□ □□□□ □□□, □□ □□□□ □□ □□□ □□□ □□□□□ □
□□□□□.

General Properties

Name: New_VLAN

Description:

Tag:

Customer Tag: None

Configuration: Advanced

Source Check:

MTU: 1500

Fail-safe: ☒

Fail-safe Timeout: 90

Action: Failover

Auto Last Hop: Default

CMP Hash: Default

DAG Tunnel: Outer

DAG Round Robin: ☐

Hardware SYN Cookie: ☐

sFlow

Polling Interval: Default

Sampling Rate: Default

Cancel Repeat Finished

BIG-IP □□□□ □□ □□□□ □□ HA □□ □□ □□□ VLAN□ □□□□□. □ □□□ □□□
 □ □□□ □□□ □□□ □□ □□□ □□□□□□□□.
 □ □□□ □□□□□ □□ VLAN □□□ □□□□ □□□?

- A. □□ □□
- B. □□ □□□ □
- C. □□ □□
- D. □□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which IP address is the destination of the traffic? A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AS, AT, AU, AV, AW, AX, AY, AZ, BA, BB, BC, BD, BE, BF, BG, BH, BI, BJ, BK, BL, BM, BN, BO, BP, BQ, BR, BS, BT, BU, BV, BW, BX, BY, BZ, CA, CB, CC, CD, CE, CF, CG, CH, CI, CJ, CK, CL, CM, CN, CO, CP, CQ, CR, CS, CT, CU, CV, CW, CX, CY, CZ, DA, DB, DC, DD, DE, DF, DG, DH, DI, DJ, DK, DL, DM, DN, DO, DP, DQ, DR, DS, DT, DU, DV, DW, DX, DY, DZ, EA, EB, EC, ED, EE, EF, EG, EH, EI, EJ, EK, EL, EM, EN, EO, EP, EQ, ER, ES, ET, EU, EV, EW, EX, EY, EZ, FA, FB, FC, FD, FE, FF, FG, FH, FI, FJ, FK, FL, FM, FN, FO, FP, FQ, FR, FS, FT, FU, FV, FW, FX, FY, FZ, GA, GB, GC, GD, GE, GF, GG, GH, GI, GJ, GK, GL, GM, GN, GO, GP, GQ, GR, GS, GT, GU, GV, GW, GX, GY, GZ, HA, HB, HC, HD, HE, HF, HG, HH, HI, HJ, HK, HL, HM, HN, HO, HP, HQ, HR, HS, HT, HU, HV, HW, HX, HY, HZ, IA, IB, IC, ID, IE, IF, IG, IH, II, IJ, IK, IL, IM, IN, IO, IP, IQ, IR, IS, IT, IU, IV, IW, IX, IY, IZ, JA, JB, JC, JD, JE, JF, JG, JH, JI, JJ, JK, JL, JM, JN, JO, JP, JQ, JR, JS, JT, JU, JV, JW, JX, JY, JZ, KA, KB, KC, KD, KE, KF, KG, KH, KI, KJ, KK, KL, KM, KN, KO, KP, KQ, KR, KS, KT, KU, KV, KW, KX, KY, KZ, LA, LB, LC, LD, LE, LF, LG, LH, LI, LJ, LK, LL, LM, LN, LO, LP, LQ, LR, LS, LT, LU, LV, LW, LX, LY, LZ, MA, MB, MC, MD, ME, MF, MG, MH, MI, MJ, MK, ML, MM, MN, MO, MP, MQ, MR, MS, MT, MU, MV, MW, MX, MY, MZ, NA, NB, NC, ND, NE, NF, NG, NH, NI, NJ, NK, NL, NM, NN, NO, NP, NQ, NR, NS, NT, NU, NV, NW, NX, NY, NZ, OA, OB, OC, OD, OE, OF, OG, OH, OI, OJ, OK, OL, OM, ON, OO, OP, OQ, OR, OS, OT, OU, OV, OW, OX, OY, OZ, PA, PB, PC, PD, PE, PF, PG, PH, PI, PJ, PK, PL, PM, PN, PO, PP, PQ, PR, PS, PT, PU, PV, PW, PX, PY, PZ, QA, QB, QC, QD, QE, QF, QG, QH, QI, QJ, QK, QL, QM, QN, QO, QP, QQ, QR, QS, QT, QU, QV, QW, QX, QY, QZ, RA, RB, RC, RD, RE, RF, RG, RH, RI, RJ, RK, RL, RM, RN, RO, RP, RQ, RR, RS, RT, RU, RV, RW, RX, RY, RZ, SA, SB, SC, SD, SE, SF, SG, SH, SI, SJ, SK, SL, SM, SN, SO, SP, SQ, SR, SS, ST, SU, SV, SW, SX, SY, SZ, TA, TB, TC, TD, TE, TF, TG, TH, TI, TJ, TK, TL, TM, TN, TO, TP, TQ, TR, TS, TT, TU, TV, TW, TX, TY, TZ, UA, UB, UC, UD, UE, UF, UG, UH, UI, UJ, UK, UL, UM, UN, UO, UP, UQ, UR, US, UT, UY, UZ, VA, VB, VC, VD, VE, VF, VG, VH, VI, VJ, VK, VL, VM, VN, VO, VP, VQ, VR, VS, VT, VU, VV, VW, VX, VY, VZ, WA, WB, WC, WD, WE, WF, WG, WH, WI, WJ, WK, WL, WM, WN, WO, WP, WQ, WR, WS, WT, WU, WV, WW, WX, WY, WZ, XA, XB, XC, XD, XE, XF, XG, XH, XI, XJ, XK, XL, XM, XN, XO, XP, XQ, XR, XS, XT, XU, XV, XW, XX, XY, XZ, YA, YB, YC, YD, YE, YF, YG, YH, YI, YJ, YK, YL, YM, YN, YO, YP, YQ, YR, YS, YT, YU, YV, YW, YX, YY, YZ, ZA, ZB, ZC, ZD, ZE, ZF, ZG, ZH, ZI, ZJ, ZK, ZL, ZM, ZN, ZO, ZP, ZQ, ZR, ZS, ZT, ZU, ZV, ZW, ZX, ZY, ZZ.

VS_Web_Pool Settings		Web_Pool Parameters	
Destination:	172.160.22.3:80	Load Balancing:	Least Connections
Profiles:	TCP	Priority Group Activation:	Less Than 2
iRules:	None	Monitor:	None
Default Pool:	Web_Pool		
Persistence:	None		

Web_Pool Member Statistics and Settings					
Member	Member Ratio	Member Priority	Outstanding Requests	Current Connections	Status
A: 10.10.20.1:80	3	5	4	56	Unknown
B: 10.10.20.2:80	3	4	4	57	Unknown
C: 10.10.20.3:80	3	5	4	54	Offline
D: 10.10.20.4:80	1	3	1	2	Unknown
E: 10.10.20.5:80	1	1	1	1	Unknown

- A. 10.10.20.1:80
- B. 10.10.20.2:80
- C. 10.10.20.3:80
- D. 10.10.20.4:80
- E. 10.10.20.5:80

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which of the following is the correct syntax for the 'set' command in the 'set' command?

- A. set (command)
- B. set (command)
- C. set (command)
- D. set (command)

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

IT □□ □□□□ BIG-IP □□□□ □□ □ □□ □□□(□□/□□ □ □□)□ □□ □□ □□□ □□□□ □□□□ □□□. □□□ □□ □□ □□□ □□□ □□□□ □□□□. IT □□ □□□ □□ □□ □□□ □□□□□ □□ □□□ □□□ □□□ □□□□□?

- A. /common/Banking □ /Dev □□□□ □□□
- B. □□ □□□□ □□□□□□ □□□
- C. /Common, /Banking □ /Dev □□□□ □□□□□□ □□□
- D. □□ □□□□ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□□□ □□□□ NAT□ □□□□ □□□□ SNAT□ □□ □□ □□□ □□□□ □□□□ □ □□ □□□□□. □□ NAT □□□ NAT □□□ □□ □□□ □□□□ □□ □□ □□ □□□ □□ □□□ □□□□□ □□□ □□□□□. □□□□□□ NAT □□□ □□□□ □□□□ BIG-IP□ □ □□□ □□□ □ □□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□□ □□ □□□ NAT □□□ □□□□□.
- B. □□□ □□□ □□□□ □□□, □□ □□□ □□ □□□ □□□□□.
- C. □□ □□□ □□□□ □□□, □□ □□□ □□ □□□ □□□□□.
- D. □□ □□□ □□□□ □□□ □□ □□□ NAT □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

201 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201 □□! DumpTop □ □ □ **201** □□ □□□ □□□□□□, DumpTop 201 □□ □□□ □□□□□□□□ □□□ □□ □□□□□. □□□□□ □□□ □□□□ □□ DumpTop 201 □□□ □□□□□.

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 32

BIG-IP □□□□ F5 □□□□ □□□□ □□□□ □□□ □□□□□□. BIG-IP □□□□ F5 □□□□ □□ □□□ □□□□ □□□?

- A. Qkview, □□□ □□ □□□ □□ □□
- B. Qkview, UCS □□□□, □□ □□
- C. Qkview, □□ □□, UCS □□□□
- D. Qkview, EUD □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

BIG-IP □□□□ dcOl f5trn.com□ □□ □□ □□□ □□□ □□□□ BIG-IP □□□□□ □□□ □□□. □□ □□□□ □□□□ □□□□ □ □□□□. Configsync□ □□□□□.

8IG-IP □□□□ □□□ □□□ □□□ □□□□ □□ □□ □ □□ □□□ □□□□ □□□? (□ □□ □□)

- A. ntpq
- B. pam_timestamp_check
- C. □
- D. □□□□
- E. □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

BIG-IP □□□□ BIG-IP □□□ □□ □□□ TMOS□ □□□□□□□ □□□. □□□□ □□□□ □ □□ □□□ □□ F5 □□□ □□□□ □□ □ □□□□?

- A. □□□□
- B. □□ □□□
- C. AskF5
- D. DevCentral

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

FTP □□□□□□□ HTTP □□□□□ □□ □□ □□□ □□□ BIG-IP □□ □□ □□□□□. □ □ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□□□□□. BIG-IP □□□□ □□ □□ □□□□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□□ □□□?

- A. □□(□□)
- B. □□ □□(□□)
- C. □□ □□(□□)
- D. □□(□□)

Answer: C ([LEAVE A REPLY](#))

□□□□ □□ □□□ □□, □□□ □□□□ □□□□□□ □□□ □□□□□ □□□□□□.

NEW QUESTION: 36

□□□ □□ □□□ □□ BIG-IP□ SSL □□□□□ □□□□ TLSv1.2□□ □□ □□ □□□ □□ □□□.

□ □□ □□□ □□□□ □□ BIG-IP □□□□ □□□ □□ □□□?

- A. □□□ □□ SSL □□□(□□□□□)□ □□□□ □□ □□□□ TLSv1□ □□□□ □□□□.
- B. □□□ □□ TLSV1.2 □□ □□□□ □□□□ □□□ □□ SSL □□□(□□□□□)□ □□□ □□.
- C. □□□ □□ SSL □□□(□□)□ □□□□ □□ □□□□ TLSv1□ □□□□ □□□□.
- D. □□□ □□ TLSV1.2 □□ □□□□ □□□□ □□□ □□ SSL □□□(□□)□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

TLSv1 TLS1.0 □□□□□□, TLS1.1 □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □.

NEW QUESTION: 37

□□□ □□□□□.

Name	Application	Address	Service Port	Type	Resources	Partition/Path
nvfs		10.10.10.0/24	80 (HTTP)	Standard	Edit	Common
vs_ftp		10.10.10.1	21 (FTP)	Standard	Edit	Common
vs_http		10.10.10.1	80 (HTTP)	Standard	Edit	Common
vs_https		10.10.10.1	443 (HTTPS)	Standard	Edit	Common

□□□□ FTPS □□□□□□ □□□□ SSL□ □□ FTP□ □□□□ 10.10.10.1.80□ □□□□□ □□□. □□ □□ □□□ □ □□□ □□□□ □□□□□ □□□□□?

- A. vsjutps
- B. vs_ftp
- C. nvfs
- D. vs_http

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

BIG-IP □□□□ https://mybigip mycompany.net□ □□□□ □□ □ □□□ □□ □□□□□□□ □□□□ □□□□□. □□ □□□ □□□ □□ □□□□□□□. □□ □□□□ □□□□ □□□□ □□ □□□ □□□□□□□□. □□□□ □□□□ □ □□ □□□ □□□□□□? (□ □□ □□)

- A. □□□ □□ □□□ □□ 80□ □□□□ □□□□.
- B. □□□□ □□ □□□ □ □□□□□ □□□□ □□□□.
- C. DNS□ □□□ FQDN□ □□□□ □□□□□.
- D. □□□□ □□□ TCP □□□ □□□ □□□□.
- E. □□□ http□ □□□□□□ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 39

□□□□□ □□□□ NAT□ □□□□ □□□□ SNAT□ □□ □□ □□□ □□□□ □□□□ □ □□□□□□. □□ NAT □□□ NAT □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □ □□□□□ □□□ □□□□□. □□□□□□ NAT □□□ □□□□ □□□□ BIGEIIPO □□ □□□ □□□ □ □□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□□ □□ □□□ NAT □□□ □□□□□.

- B.** □□ □□□ □□□□ □□□, □□ □□□ □□ □□□ □□□□□.
- C.** □□ □□□ □□□□ □□□ □□ □□□ NAT □□□ □□□□□.
- D.** □□□ □□□ □□□□ □□□, □□ □□□ □□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 40

□ □ □ □ □ □ □ □ □ .

```

root@v1161) (cfg-sync Standalone) (Active) (/Common) (tmsh) #
ltm virtual http
destination
ip-protocol
last-modified
mask 255.255.255.255
pool LAMP12
profiles (
    http (
        mptcp-n
        stream
    )
    source 0.0.0.0
    translate-a
    translate-p
    vs-index 10
)
root@v1161) (cfg-sync Standalone) (Active) (/Common) (tmsh) #
ltm pool LAMP12
members (
    10.1.20.11:http (
        address 10.1.
        session monit
        state up
    )
    10.1.20.12:http (
        address 10.1.
        session monit
        state up
    )
)
monitor tcp

```

BIG-IP □□□□ □ □□ □□□ □□□□□. □□ □□□□ □□ □□□□ □□□□ □ □□□□.
 □□ □□ □□□□ □□□□ BIG-IP □□□□ □□ □□ □□□ □□□□ □□□□ □□□□ □
 □ □□□.

☐ ☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐

- A.** □□ □□ □□□□
- B.** □□ □□□ □□ □□□□ □□□□ SNAT □□ □□□□ □ □□□ □□□ □□□ □□□□ □□□.
- C.** □□ □□□ SNAT□ □□□□ □□ □□ □□□ □□□□□.

D. 在配置 SNAT 时，需要指定源 IP 地址。

Answer: ([SHOW ANSWER](#))

在配置 SNAT 时，需要指定源 IP 地址。在 F5 设备上，可以通过配置 selfip 来指定源 IP 地址。在配置 snat 时，需要指定源 IP 地址。在配置 automap 时，需要指定源 IP 地址。在配置 snat ip 时，需要指定源 IP 地址。

NEW QUESTION: 41

FTP 和 HTTP 协议都使用 BIG-IP 设备。在配置 BIG-IP 设备时，需要指定源 IP 地址。在配置 BIG-IP 设备时，需要指定源 IP 地址。在配置 BIG-IP 设备时，需要指定源 IP 地址。

A. 在配置 BIG-IP 设备时，需要指定源 IP 地址。

B. 在配置 BIG-IP 设备时，需要指定源 IP 地址。

C. 在配置 BIG-IP 设备时，需要指定源 IP 地址。

D. 在配置 BIG-IP 设备时，需要指定源 IP 地址。

Answer: ([SHOW ANSWER](#))

在配置 BIG-IP 设备时，需要指定源 IP 地址。

在配置 BIG-IP 设备时，需要指定源 IP 地址。在配置 BIG-IP 设备时，需要指定源 IP 地址。在配置 BIG-IP 设备时，需要指定源 IP 地址。

NEW QUESTION: 42

在配置 failElover 时，需要指定源 IP 地址。

A. 在配置 failElover 时，需要指定源 IP 地址。

B. failElover 在配置 failElover 时，需要指定源 IP 地址。

C. failElover 在配置 failElover 时，需要指定源 IP 地址。

D. fElo aviler 在配置 failElover 时，需要指定源 IP 地址。

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

816-IP 在配置 816-IP 时，需要指定源 IP 地址。在配置 816-IP 时，需要指定源 IP 地址。在配置 816-IP 时，需要指定源 IP 地址。

在配置 816-IP 时，需要指定源 IP 地址。在配置 816-IP 时，需要指定源 IP 地址。在配置 816-IP 时，需要指定源 IP 地址。

A. 在配置 source_addr 时，需要指定源 IP 地址。

B. 在配置 f5-tcp-lan 时，需要指定源 IP 地址。

C. 在配置 fasti_4 时，需要指定源 IP 地址。


D. 在配置 f5-tcp-wan 时，需要指定源 IP 地址。

E. 在配置 816-IP 时，需要指定源 IP 地址。

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

在配置 816-IP 时，需要指定源 IP 地址。



Which of the following is a valid BIG-IP member address? (Select all that apply.)

- A. 10.1.20.11
- B. 10.1.20.12
- C. 10.1.20.13
- D. 10.1.20.14

Answer: A (LEAVE A REPLY)

NEW QUESTION: 45

Which of the following is a valid BIG-IP member address? (Select all that apply.)

- A. 10.1.20.11
- B. 10.1.20.12
- C. 10.1.20.13

Answer: C (LEAVE A REPLY)

BIG-IP 150.150.10.10:80 150.150.10.10:443 80 SNAT 150.150.10.11 SNAT, 200.200.1.0 / 255.255.255.0 IP 200.200.1.1 https://150.150.10.10 IP

- Answer: D (LEAVE A REPLY)**

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

```

10.10.1.100:any
CLIENT_ACCEPTED { [TCP::local_port] 80 } { 1 } elseif
{ [TCP::local_port] 443 } { 2 } 10.10.1.100 22

```

- Answer: (SHOW ANSWER)**

BIG-IP □□□□ □□ □□□□ □□□□□ □□ 8IG-IP □□□ □□□□ □□□□□ □□□□ □
□ □□ □□ □□□ □□□□ □□□□?

- A.** /var/log/http.d
B. /var/log/trn
C. /var/log/pam/tally/log
D. /ver/log/secure

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

□□□ iRule□ □□ □□□ □□□ □□□□□?

- A. iRules□□ □□□ □□□ □□□ □□□ □□□□□ □□□.
- B. iRules□□ □□□ □□□ □□□□ □□□□□ □□□.
- C. iRules□□ □□□ □□□ □ □□ □□ □□□□□ □□□.
- D. iRules□ □□□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

□□□ □□□□□.



□□□ □□□□□ □□□ □ □□ □□□ □□□□□ □□□□?

- A. □ □
- B. □
- C. □ □
- D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

BIG-IP □□□□ □□ □□□□□ □□□□ UCS □□□ F5 □□□ □□□□ □□□. □ □□□ □
□□□□ BIG-IP □□□□ □□ □□□□□ □□ □□□ □□□□□ □□□?

- A. □□ □□□ > □□
- B. □□□ > □□□□
- C. □□□ > □□
- D. □□ □□□ > □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

BIG-IP □□□□ □□ □□□□ □□ □□□ □□□ □□□□□ □□□□ □□□.
□□□□ BIG-IP □□□□□ □□□ □□□□□ □□□?

- A. NTP □□
- B. DNS □□ □□
- C. SMTP □□

D. 1000 00 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

100000 000 00000?

A. 100000 00 00000 000 000 000 000 000 000 0 0000.

B. 100000 00 0000 00 000 00000 0000 000 0 000, 000 00
0 00 0000 0000.

C. 100000 00 0000 000 0000 0 0000.

00

000 0000.

D. 100000 00 00000 00 000 000 0000 0 0000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

00 0000 00 00 000 00 00000 000?

A. 00 0 000. 00000 000000.

0 00

0000 0000

000 000000 00.

B. 00000 000 0000.

00000

000 000 0000 00(IPv6, 000 00 0) 00 000 0000 0000.

C. 00000 00000 000 00000 00000 00 00 00000 000.

D. 00000 RMA 0000 00 00000 000. 00 00000 000 0 0000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

00 0000 00 000 00 00 00 000 00 00000 aEl fo avielr 00000 0
000 000 00 00 00000?

A. 00 00 00 000 00000.

B. Telnet 0 FTP 00 LongEllived 000 00000.

000 HTTP 00 00 000 00000.

C. 00 00 00 000 00000, 00 0000 BIGEIIPO 000 000 0000 000
00 00000 000000.


D. 00 00 00 000 00000.

E. 000 0000 0000 00 fEl aoilver 000000 00 00 000 00000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

000 00000.



Which of the following is the correct configuration for the virtual server?

- A. Default Persistence Profile is source_addr.
- B. Fallback Persistence Profile is source_addr.
- C. Default Pool is 104.219.110.168/32.
- D. Default Persistence Profile is None.

Answer: (SHOW ANSWER)

NEW QUESTION: 57

CLI □□ □□□ □□□□ □□□ □ □□□□ □□□ □□□□□?

- A. bash □□ tmsh□□ 'f5adduser username'□ □□□ □□ 'f5passwd username'□ □□□□□.
- B. bash□□ 'tmsh create auth user username prompt for password'□ □□□□□.
- C. bigip.conf□ □□□□ □ □□□□ □□□□ □□ □□□ □□□□□ □□□□□.
- D. bash tmsh□□ useradd username'□ □□□ □□ 'passwd username'□ □□□□□.

Answer: ([SHOW ANSWER](#))


□□:

f5adduser □□□ □□□□□□, □□□□ □□□□□ tmsh□ □□□□ □□ □□□□.

<https://support.f5.com/csp/article/K11677>

NEW QUESTION: 58

□□□ □□□□□.



BIG-IP □□□□ SSH □□□ □□ □□□ □□ □□□ □□ □□□ □□□□□. □□□□ □□□ □□□□ □ □□□□.

□ □□□ □□□□□ BIG-IP □□□□ □□□ □□ □□□?

- A. HTTP □□□□ □□□□ □□
- B. □□ □□/□□□□ 0.0.0.0/0□□ □□□□□.
- C. □□□□□ UDP□ □□
- D. □□ □□□ 10.1.1.2□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

□□ □□ □□□ □□□ □ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A.** loadElbalancing □□□(□)
B. □□
C. □(□)
D. □□ □□
E. □□□

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 60

□□□□□ □ □□ □□ □□□□. □□□ □□□ □□ □□□ 10□□□ □□□□□ □□□, □
□□□ □□□ □ □□□ 20□□□□ □□□□□ □□□. □□□ □□□□ □□□?

- A.** □□□□□□. □□ □□□□ 5□□□ □□□□□□.
- B.** □□□□□□ □ □□□□□ □□□□ □□□□ □□□.
- C.** □□ □□□ □□□□ □□□□, □ □□ □ □□□ □□ □□□□ □□□□ □□□.
- D.** □□□□□□. □□ □□ □□□ □□□ □□□ □□□□□ □□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 61

BIG-IP 0000 00 00 VLAN00 00 00 00 VLAN00 00000 00000. 00 000 SNAT
0 000000 00 VLAN00 00 000000 00000 0000, 00 000 0(Auto Last Hop)
0 00000000 00000. 00 00000

10.0.0.0/24 ☐ 172.16.0.0/12. BIG-IP ☐ 1.0.0.0.0/24 ☐☐☐☐ ☐☐ IP ☐ ☐☐☐☐.

`000 0000 00 000 0000 0 0000. 00 00 0000 00 000 000 0 0
000. BIG-IP 0000 BIG-IP00 tcpdump0 0000 10.0.0.0/24 000000 0000 0
0000 00000.`

□□ □□□ □□□□□ BIG-IP □□□□ □□□ □□ □□□?

- A.** 172.16.0.0/12 □□□□ □□ □□ □□□ □□□□□.
- B.** □□□ □□ □□□ BIG-IP □□□ □□□□□ □□□□□.
- C.** □□ □□□ □□ □□□□ □□□□□ □□□□□.
- D.** □□ VLAN□□ □□□ □□□□□□□□.

Answer: A (LEAVE A REPLY)

```

201 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201 □□! DumpTop □ □
□ 201 □□ □□□ □□□□□□, DumpTop 201 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 201 □□□ □□□□□.

```

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 62

Which command can be used to configure a Cisco IOS router to use the Automap feature to map a destination IP address to a destination MAC address?
A. ip arp automap
B. ip arp automap enable
C. ip arp automap disable
D. ip arp automap auto

A. ip arp automap (HTTP)
B. X-Forward-For
C. HTTP
D. ip arp automap IP
SNAT

B. X-Forward-For
C. HTTP
D. ip arp automap IP
SNAT

C. HTTP
D. ip arp automap IP
SNAT

D. ip arp automap IP
SNAT

Answer: (SHOW ANSWER)

ip

ip arp automap http xff ip IP
SNAT

NEW QUESTION: 63

BIG-IP
A. ip arp automap
B. SNAT
C. ip arp automap
D. ip arp automap

A. ip arp automap
B. SNAT
C. ip arp automap
D. ip arp automap

B. SNAT
C. ip arp automap
D. ip arp automap

C. ip arp automap
D. ip arp automap

D. ip arp automap

Answer: D (LEAVE A REPLY)

ip ABC
D

NEW QUESTION: 64

BIG-IP
A. /var/log/tm
B. /var/log/monitors
C. /var/log/lastlog
D. /var/log/audit

A. /var/log/tm
B. /var/log/monitors
C. /var/log/lastlog
D. /var/log/audit

B. /var/log/monitors
C. /var/log/lastlog
D. /var/log/audit

C. /var/log/lastlog
D. /var/log/audit

D. /var/log/audit

Answer: A (LEAVE A REPLY)

NEW QUESTION: 65

MAC
A. ARP
B. ARP
C. ARP
D. BIGIP

A. ARP
B. ARP
C. ARP
D. BIGIP

B. ARP
C. ARP
D. BIGIP

C. ARP
D. BIGIP

D. BIGIP

Answer: A (LEAVE A REPLY)

NEW QUESTION: 66

Which of the following BIG IP features can be used to load balance traffic across multiple servers?

- A. L4 load balancing
- B. L7 load balancing
- C. L3 load balancing
- D. L2 load balancing

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which of the following is a valid SSL profile name?



Which of the following is a valid SSL profile name?

- A. SSL-profile-client
- B. SSL-profile-server
- C. SSL-profile-http
- D. SSL-profile-https

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Which of the following BIG IP features can be used to load balance traffic across multiple servers?

- A. VLAN
- B. IP
- C. Port
- D. CPU

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

BIG-IP □□□□ □□ □□□□ □□ □□□□ □□□ □ □□□ □□ □□□ □ □□□□ □□□□
□□□ □□□ □□ □□□?

- A.** □□□ □□□□□ □□ □□□□ □□□□□
- B.** □□ □□ □□□□
- C.** □ □□ □□□□
- D.** □ □□□ □□□□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

□□□ □ □□□ □□ □□□ □ □ □□□□. □□ □□□ □ □□□ □□□ □ □□□□? □□□
□ □□□ □□ □□□ □ □ □□□□. □□ □□□ □ □□□ □□□ □ □□□□?

- A.** □□□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□□□□□.
- B.** □□□□ □□□□ □□□□ □□□ □□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□
□□□.
- C.** □□ □□□ □□□□ □□□□ □□□ □□ □□□ □□ □□ □□ □□ □□□□ □□□□ □
□□□□.
- D.** □□□□ □□□ □□□□ □□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 71

8IG-IP □□□ RMA □□□ □□□□□□□. BIG-IP □□□□ □□□□□ □□□□ RMA □□□
 □ □□□ □□□ UCS □□□□□□□ □□□ □□□□□ □□□. □□ □□□ □□□ □□□□
 □□□□□. □□ □□□ □□□□ □□□ □□□□□?

- A.** □□ □□□ □□ □□□□ □□ □□□□ □□□□□.
- B.** □□□ □□□□ □□□□ □□□□□.
- C.** □□□ □□ □□□□ □□□□□.
- D.** □□□□ □□ □□□ □□□□ □□ □□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 72

VLAN□□ □□□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□ □□□□ □□□ Self-IP 10.10.10.100

UDP ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ 10.10.10.100:443

□□ □□ 10.10.10.0/24 □□ □□□ □□ □□

□□□ □□ NAT □□□ 10.10.10.100□ □□ □□ 172.168.10.100□□ □□□□□.

`https://10.10.10.100` `□ □ □ □ □` `□ □ □ □` `□ □` `□ □ □ □` `□` `□ □ □ □` `□ □ □ □ □`?

- A.** IP 10.10.10.100
- B.** 10.10.100/24

C. UDP 10.10.10.100.443

D. NAT 10.10.10.100 172.168.10.100.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 73

iRule URI 10.10.10.100. BIG-IP iRule 10.10.10.100.

BIG-IP 10.10.10.100 10.10.10.100?

A. 10.10.10.100

B. HTTP_100

C. HTTP_100

D. 10.10.10.100

Answer: ([SHOW ANSWER](#))

UR! 10.10.10.100 HTTP 10.10.10.100 HTTP_REQUEST 10.10.10.100.

NEW QUESTION: 74

10.10.10.100 10.10.10.100?

A. 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100.

B. 10.10.10.100 10.10.10.100 10.10.10.100.

C. 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100 VLAN 10.10.10.100.

D. 10.10.10.100 10.10.10.100 10.10.10.100 BIGIP 10.10.10.100 10.10.10.100.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 75

BIG-IP 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100, 10.10.10.100 iRule 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100. BIG-IP 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100?

A. 10.10.10.100 > 10.10.10.100

B. 10.10.10.100 > 10.10.10.100

C. 10.10.10.100 > 10.10.10.100

D. 10.10.10.100

Answer: C ([LEAVE A REPLY](#))

10.10.10.100

10.10.10.100 vs 10.10.10.100, 10.10.10.100, irule 10.10.10.100, 10.10.10.100, 10.10.10.100 10.10.10.100.

NEW QUESTION: 76

HTTP_REQUEST 10.10.10.100 iRule 10.10.10.100 10.10.10.100 10.10.10.100, 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100 10.10.10.100.

A. 10.10.10.100 HTTP 10.10.10.100, 10.10.10.100, 10.10.10.100, iRule 10.10.10.100

- B.** □□ □□ □□, □□□ □ □□, iRule □□, □□ □□ □□
- C.** □□□ □□, iRule □□, □□ □ □□, □□ □□ □□
- D.** □□□ □ □□, □□□ □□ HTTP □□□ □□, iRule □□, □□ □□ □□

Answer: B (LEAVE A REPLY)

201 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201 □□! DumpTop □ □
 □ **201** □□ □□□ □□□□□□, DumpTop 201 □□ □□□ □□□□□□□□ □□□ □□
 □□□□□. □□□□ □□□ □□□□ □□ DumpTop 201 □□□ □□□□□.

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

□□□ □□ □□ □□□ □□□□(□□□)□□□. □□ □□□ □ □□□ □□□ □ □□□□? □
□ □□□ □ □□□□□ □□□□ □□ □□□□ □□□□□ □□□□ □□□□□.

- A.** □□ □□□□ □□□□□□ □ □□ □ □□□ □□□□ □□□□ □□□□□.
- B.** □□ □□□ □□□□ □□□□□□ □□ □□□ □□□□ □□□□□□. □ □□□□□ □□ □□□□ □□□□ □□□□□.
- C.** □□ □□□□ □□□□ □□□, □ □□□ □ □□□ □□□□ □□□□□□.
- D.** □□ □□ □, □□ □□ □□□□ □□□□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 78

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐.

Local Traffic Virtual Servers: Virtual Server List

Virtual Servers Virtual Address List Statistics

Search Create

Status	Name	Application	Destination	Service Port	Type	Resources	Partition / Path
	nfs		10.10.10.0/24	80 (HTTP)	Standard	Edit	Common
	vs_fpl		10.10.10.1	21 (FTP)	Standard	Edit	Common
	vs_http		10.10.10.1	80 (HTTP)	Standard	Edit	Common
	vs_https		10.10.10.1	443 (HTTPS)	Standard	Edit	Common

□ ?

- A. ☐ ☐
- B. ☐
- C. ☐ ☐
- D. ☐ ☐

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

□□ □□□ 10.10.1.100:any□□ □□ □□□□ □□□ □□□ □□ iRule□ □□□□ □□□□.
when CLIENT_ACCEPTED { if {[TCP::local_port] equals 21 } { pool ftppool } elseif
{[TCP::local_port] equals 23 } { pool telnetpool } □□□□ 10.10.1.100 □ □□ 22□ □□□□ □
□ □□ □□ □□□ □□□□□?

- A. ftppool
- B. □ □ □□. □□□ □□□□ □□ □□□ □ □□□□.
- C. □□□
- D. □□. □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

BIG-IP □□□□ □ BIG-IP □□□ □□□□ □□□□. □□□□ □□□□ □□□□□□ □□□
□□□ □□□□ □□□□ □□□□□□. BIG-IP □□□□ □ □□□ □□□□ □□□□ □□□.
BIG-IP □□□□ □□ □□□□ □ □□□ □□□□ □□□?

- A. □□ □□□□
- B. □□ □□□□□□ □□□□ > □□□□□
- C. TMOS Shell □□□□□
- D. □□ □□□□□□ □□□ > □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

□□□□ BIG-IP□□ □□□□□ HTTPS □□□□ □□□□ □□□□□ □□ □□□□ □□□□
□□□. □□□ □□ □□□ □□□□□ □□ □ □□ □□□ □□□ □□□□□? (□ □□ □□)

- A. HTTP
- B. □□SSL
- C. HTTPS
- D. □□□□□SSL
- E. TCP

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 82

□□ □□□□ NAT□ □□ □□ □□ □□□ □□ □□□□□ □□ □□□ □□□□ □□ □□ □□
□□ □□□ □□□?

BIG-IP 0000 /var/log/ltm diskmonitor00 000 00 00 0000 000. *****; 000
000 0000 3000 000 00 000 0000. BIG-IP 0000 0 00 0000 000
0 00 00 00000 00 000 00000 000?

- A.** $\square\square > \square\square\square > \square\square\square$
- B.** $\square\square > \square\square$
- C.** $\square\square\square > \square\square\square\square$
- D.** $\square\square\square > \square\square\square\square\square$

Answer: D (LEAVE A REPLY)

NEW QUESTION: 85

□□ □□□ ClientSSL □□□□ □□□□ □□□ □□□ □□□□□. □□ □□□ □□ □□□
443□ □□□□ □□□ □□□ □□□?

- A.** □□□□□ □□□□ □□ □□□ □□□□ □ □□ □□□ □□□ □□ □□□□□.
- B.** ClientSSL □□□□ □□ □□ □□□ □□ □□ □□ 443□□ □□□□□.
- C.** □□ □□□ ClientSSL □□□□ □□□□ □□□□ □□ □□ 443□□ □□□ □□□□ □□ □□□.
- D.** □□ □□□ □□□ 443□ □□ □□ SSL □□□ □□□ □ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 86

□□□□ □□ □□ □□□ □□□□ □□ □□□□ □□□ BIG-IP □□□□ □□ □□□□□□.
 □ □□ □□□□ □□□ □□□ □□□ □□□□□. □□□ □□□ □□□ □□□ □□□□□?

- A.** □□ □□ □□□ □□ □□ □□□□□□□.
- B.** □□ SSL □□□□ □□□□□ □□□□□.
- C.** □□ □□□ □□ □□ □□□□□□□.
- D.** □□□ □□□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

11

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ vs □ □ □ □ □ □ □ □ □ □ □ □
 □ □ □ . □ □ BC □ □ □ □ □ □ □ □ □ □ □ □ . □ □ □ □ □ □ □ □ □ □ , □ □ □ □ □ □
 □ □ □ □ □ □ □ □ □ □ □ □ . □ □ C □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
 □ □ □ □ □ □ .

NEW QUESTION: 87

HTTP □□□□ □□□ □□ □□□ □□□□□□ □□ □□□ □ □□ □□□□ □□□□ □□□
□□?

- A.** HTTP_DATA
B. HTTP_□□
C. □□□□□ □□□
D. □□□□□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 88

□□ □□ □□□ □□□ □ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□
- B. □□ □□
- C. □□ □□ □□
- D. □(□)
- E. □□□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 89

MAC □□□ □□□ □□□□?

- A. ARP □□ □□ □□ □□□□ □□ □□ □□□□□□.
- B. □□□□ ARP □□□ □□□□□□.
- C. ARP □□ □□□ □□□□□
- D. □ BIGEIP □□□ □□□ □□□ MAC □□□ □□□ □ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

BIG-IP □□□□ □□□ □□ □ □□□ □□□□ □□□□□□ □□ □□□□ □□□ □□□□
□□□□ □□□ □□□□ □□□. □□ □□□□ □□ □□□□ □□□□□?

□□)



□)



□□)



□)



- A. □□
- B. □□
- C. □□
- D. □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 91

□□□ □□□ □□ □□□□□ □□□ □ □□□□□□□ □□□□□□. □ □□□□□□□ □□
□ □ □□ □□, BIG-IP □□□□□□□ □□ □□□□□□ □□ □ □□□□ □□ □□□ □□□
□ □□□. □□ □□ BIG-IP □□□□ □ □□□□ □□□ □□□□ □□□□?

- A. □□□ □□ □□/□□ □□□ □□ UDP □□□
- B. ICMP + TCP □□□□ □□
- C. □□□ □□ □□□/□□ □□□□ □□ HTTP □□□
- D. □□□ □□ □□/□□ □□□ □□ TCP □□□

Answer: ([SHOW ANSWER](#))

□□ □□□□ HTTPS □□□□ □□□□□ HTTP □□□ HTTPS□ □□ □□□□□□ □□□.

201 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201 □□! DumpTop □ □
□ 201 □□ □□□ □□□□□□, DumpTop 201 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 201 □□□ □□□□□.

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 92

BIGELIP□ NAT □□ SNAT□ □□□□ □□ □□□ □□□ □□□□□. □□□□□ □□□□ □
□□ □□ □ □□ □□□□□ □□□ □ □□□□.

□□□□

BIGELIP□ □□

~□□

□□□

□□□

selfELIP□ □□□□□. (□ □□□ □□□□□.)

- A. □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□□ SNAT□ □□□□ □□□□
□ loadElbalanced□ □ □□□□.
- B. □□□□ □□□□ □□ □□□ □□□□ □□□ □□□□ □□□ □□□□□.
- C. □□□□ □□□ □□ □□□ □□□□ □□□ □□□□ □□□□□.
- D. □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□ □□□□□. □□
□□ □□□ □□ □□□ □□□□ □□ □□□□ □□ □□ □□□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

□□□ □□□□□.



- Which BIG-IP configuration is correct for the following scenario? (Select all that apply.)
- Scenario: A company wants to redirect all HTTP traffic to their HTTPS website. The website is located at <http://remote.company.com>. The company has a BIG-IP device configured with a virtual server named 'remote.company.com_vs'.
- A. Create a new virtual server named 'remote.company.com_vs' with a pool of members.
 - B. Create a new virtual server named 'remote.company.com_vs' with a pool of members. Create a new iRule named 'redirect_https'.
 - C. Create a new virtual server named 'remote.company.com_vs' with a pool of members. Create a new iRule named 'redirect_https'.
 - D. Create a new virtual server named 'remote.company.com_vs' with a pool of members. Create a new iRule named 'redirect_https'.

Answer: (SHOW ANSWER)

NEW QUESTION: 94

- Which of the following are valid BIG-IP configuration options? (Select all that apply.)
- A. Create a new virtual server named 'remote.company.com_vs' with a pool of members.
 - B. Create a new virtual server named 'remote.company.com_vs' with a pool of members.
 - C. Create a new virtual server named 'remote.company.com_vs' with a pool of members.
 - D. Create a new virtual server named 'remote.company.com_vs' with a pool of members.
 - E. Create a new virtual server named 'remote.company.com_vs' with a pool of members.

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 95

- Which of the following are valid BIG-IP configuration options?

Filesystem	Size	Used	Avail	Use%	Mounted on
dev/md4	427M	427M	0	100%	/
one	16G	2.3M	16G	1%	/dev/shm
dev/md6	3.2G	78M	2.9G	3%	/config
dev/md5	4.0G	3.1G	696M	82%	/usr
dev/md7	3.0G	663M	2.2G	24%	/var
dev/md1	30G	7.6G	21G	27%	/shared
dev/md2	6.9G	191M	6.4G	3%	/var/log
one	16G	51M	16G	1%	/shared/rrd.1.2
one	16G	21M	16G	1%	/var/tmstat
one	16G	1.6M	16G	1%	/var/run
rompt	4.0M	28K	4.0M	1%	/var/prompt
one	16G	0	16G	0%	/var/loipc

BIG-IP □□□□ BIG-IP □□□ □□□ □□□□ □□□□ □□□□.

BIG-IP □□□□ □□□□ □□□ □□□□ □□□?

- A. / □□ □□□□ □□□ □□
- B. □□□ □□ □□□ □□
- C. /usr □□ □□□□ □□□ □□
- D. EUD □□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 96

□□ □□□ □□ VLAN□ □□□□ □□□□ □□□□□□ □□ VLAN□ □□□□ □□□□ □
□□□ □□□□□ □□□ □□□□□?

- A. □□ □□□ □□ VLAN□□ □□□□□□ □□□.
- B. □□ □□□ □□□□ □□□□.
- C. □□ □□□ □ VLAN □□□ □□ □□□□□□ □□□.
- D. □□ □□□ □□ VLAN□□ □□□□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 97

□□□□ iRule□ □□□□ HTTP □□ □□ □□□□ HTTPS □□□□ □□□□ □□ □□□ □
□□□□. □□□ □□ □□□□ □□ □ □□ □□□ □□□□□ □□□? (□ □□ □□)

- A. HTTPS
- B. HTTP
- C. TCP
- D. □□SSL

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 98

□□ □□ □□□ □□ □□□□ □□□ □ □□ □□□ □□□□□?

- A.** □□□□ □□□□□□. TCP□ HTTP □□□□□ □□ □□□□□ □□□ □□□□□□ □□ □□□□□□.
- B.** □ □□□. □ □□ □□□ □□ □□□ □□□□ □□□□.
- C.** □□□. □□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□□ □□ □□□□□ □ □□□□ □ □□□□.
- D.** □□ □□□□□. □□□□□ □□ □□□□□ □□□□□ □□□□□ □□ □□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 99

□□ □□ □□□ Automap□ □□□□ □□ SNAT□ □□□□□. □□ □□□ □□ □□ □□□
□□□□□□. □□□□□ □□□□ BIGEIIIP□□ □□□ □ IP □□□ □□□ □□□?

- A.** □ □□□ □□□ □□□□ □□ □□ □□□ selfEIIP □□□ □□□□□ □□ □□□ □□□□ □□□□.
- B.** □□ □□□ □□□ □□□□ □□□ □□□ □ □□ □□□, □□ □□□ □ □□ □□□ □□ □□□. □□ □□□ □□□ □□□□ □□□ □□□ □ □□ □□□, □□ □□□ selfEIIP □□□ □□□□□. □□ □□□□ □□□ □□□□ □□ □□□ selfEIIP □□□□ □□□□□.
- C.** □□
□□□ □□□□□□ □□□
IP □□□□□ □□ □□□ selfEIIP □□□ □□□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□ □□□□□.
- D.** □□ □□□ □□□ □□□□ □□ □□□ □ □□ □□□ □□□□ □□ □□□ selfEIIP □□ □□□□□. □□ □□□ □□□ □□□□ □□ □□□ □ □□ □□□ □□□□ □□ □□□ selfEIIP □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 100

BIG-IP □□□□ □□ □□□ □□□□ □ □□□ □□□ □□□ □□ □ □□ □□ □□□ □□□
□□□.

01010201: 2: 10.70.110.112 192.28.123.250:80 Inet (proto 6) BIG-IP
SNAT ?

- A.** SNAT □□□ □□ □□□ □□□□.
- B.** SNAT □□ □□□□ SNAT □□ □□ □□□□□.
- C.** SNAT □□ □□□ □□□□□.
- D.** SNAT □□□ IP □□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 101

BIG-IP □□□□ □□ □□ □□□□ □□□□ □□□□. 'Best Pool'□□□ □□□ □□ □□, □ □
 □□ 'Best pool member'□ 'Best pool member2'□□ □ □□ □□□ □□□□. □□ GUI□ '□□
 □□□' □□□□ BIG-IP □□□□ □ □□ □□□□ □□□□ □□ □□□ □ □□□ □□□□□?

- A.** $\square\square\square > \square\square\square\square$ $\square\square > \square\square\square\square$

B. $\square > \square \square \square > \square \square \square > \square \square > \square \square \square \square \square$

C. $\square\square > \square\square\square > \square\square\square_pool_member1 > \square\square\square\square$

D. $\square > \square \square \square > \square \square \square \square > \square \square \square \square \square$

Answer: D (LEAVE A REPLY)

NEW QUESTION: 102

□ □ □ □ □ □ □

□ □ □ □ □

ServerSSL☐ ☐☐☐☐

□ □ .

22

BIGIP□□ SSL □□□□ □□□□□.

A. BIGEIP□□ SSL □□□□ □□□□ □□□□.

B. BIGEIP SSL □□□□ □□ □□□□ □□□□□ □□□.

C. BIGEIP □ SSL □□□□ □□□□ □□□.

D. BIGEIP □ SSL □□□□ BIGEIP □ □□□□□ □□ □□□ □□□□□ □□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 103

□□□□□ □□□□ NAT□ □□□□ □□□□ SNAT□ □□ □□ □□□ □□□□ □
 □□ □□□□□. □□ NAT □□□ NAT □□□ □□□ □□□□ □□ □□ □□□ □□□□
 □ □□□□□ □□□ □□□□□. □□ □□□ BIG-IP□ □□ □□□□ □□□□ BIG-IP□ □□
 □□□ □□□□ □□ □□□ □□□□?

A. □□ □□ NAT □□□ □□□□ □□ □□□ □□□□ □□□□.

B. □□□□ NAT □□□ □□□□ □□□ □□□ BIG-IP□ □□□ □□□□□.

C. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ NAT ☐ ☐ ☐ ☐.

D. BIG-IP IP .

Answer: A (LEAVE A REPLY)

NEW QUESTION: 104

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

A. □□ □□□□□ □□□□.

B. □ □ □ □ □ □ □ □.

C. .

D. □□□ □□□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 105

□□ □□□□ □□□ □□□□ □□□□?

A. □□ □ □□ □□□ □□ □□□□□.

B. . .

C. □ □ □ □ □ □ □ □ .

D. TCP □□□ □□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 106

BIGEIIIP □□□□ □□ □□□ □ □□□ □ □□ □ □□ □□□ □□□□□? (□ □□□ □□□ □□.)

A. □□ □□□ □□ HTTP □□□

B. □□ □□□ □□□ □□ HTTP □□□

C. ☐☐ ☐☐☐ ☐☐ HTTPS ☐☐☐

D. □□ □□□ □□□ □□ HTTPS □□□

E. □□ □□ □□□ □□ CLI □□□

F. ☐☐ ☐☐☐ ☐☐ SSH ☐☐☐

G. ☐☐ ☐☐☐ ☐☐☐ ☐☐ SSH ☐☐☐

Answer: ([SHOW ANSWER](#))

201 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201 □□! DumpTop □ □
 □ **201** □□ □□□ □□□□□□, DumpTop 201 □□ □□□ □□□□□□□□ □□□ □□
 □□□□□. □□□□ □□□ □□□□ □□ DumpTop 201 □□□ □□□□□.

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107



□□ □ □□□ □□□□ □□ □□□?

A. □□1, □□3, □□4

B. serv1, serv3

C. serv1

D. □□1, □□2, □□3, □□4

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 108

□□□ □□ IP □□□ □□□ □□□□□?

A. □ □□□ □□ □□□□ □□□ □□□ □ □□ □□□ □□□□□.

B. □□□□ □□□ □□ IP □□□ □□ □□□□ □□□□ □ □□□ □□ □□□ □□□□□.

C. □□□□ □ □□□□ □□ □□ □□□ □□□ □□□□ □□□ □□□□□.

D. □□□□ □□□ □□□□ □□□□ □□□ □□□ □ □ □ □□□□ □□□□ □□□ □□□ □□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 109

□□□ □□ □□ □□□ ffl ine.(red)□□□. □□ □□□ □ □□□ □□□ □ □□□□? □□ □□ □ □ □□□□□ □□□ □□ □□□□ □□□□ □□□ □□□□□. □□□ □□ □□ □ □□ .ffline.(red)□□□. □□ □□□ □ □□□ □□□ □ □□□□? □□ □□□ □ □□□□□ □ □□ □□ □□□□ □□□□ □□□ □□□ □□□□□.

A. □□ □□ □, □□ □□ □□□□ □□□□ □□□□ □□□□□.

B. □□ □□□ □□□□ □□□□□□ □□ □□□ □□□□ □□□□□□. □ □□□□□ □□ □□□□ □□□□ □□□□□.

C. □□ □□□□ □□□□ □□□, □ □□ □ □□□ □□□□ □□□□□□.

D. □□ □□□□ □□□□□□ □ □□ □ □□□□ □□□ □□□ □□□□. □□ □□□□ □□ □□□□ □ □□ □ □□□□ □□□ □□□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 110

□□□ □□□□□.

NEW QUESTION: 118

BIG-IP 0000 00 000 000 0000 00 00 000 0000 0 00 000 000 000.

30 270 07.58.48 00/BIG-IP 00 mcpd {5140} 010707275 0 00 172.16.20.1.10029 000 000 00000000.

0 00 0000 000 00000?

A. 0 000 000 0000 0000000.

B. 0 000 0000000000.

C. 0 000 000 0000 0 00 00 00 00 00000.

D. 0 000 BIG-IP 0000 00 0000 00000000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 119

BIG-IP 0000 00 00 000 00 000 00 0000 0000. 0 000 00 000 0 000 00 0000000 000.

BIG-IP 0000 00 00 00 000 0000 000?

A. 00 00

B. 00 00(00)

C. 00 00 00(00)

D. 00 00(00)

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 120

000 00000

0000 00 0000 0 VLAN0 00000. BIG-IP 0000 BIG-IP 000 000 0000 000. BIG-IP 0000 0 VLAN0 00 IPO 00000, 0 VLAN0 0000 BIG-IP 0000 000 0 0000.

0 000 0000 00 BIG-IP 0000 00 000 000 000?

A. 000 IP 00 00 00

B. 00 IPO 00000 000 00 00 00

C. 00 000 00 0000 00

D. 0 VLAN0 000 000000 00000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 121

0 00000000 00 00 000 00 00 00 000 Automap0 00000 0000 0 000. 000 000 0000000 00 00 000 000 000. 0 00 000 00000

BIG-IP 0000 000 0000 000?

A. 00 00 000 00(HTTP)00 00000.

B. X-Forward-For □□□ □□□□ □□ HTTP □□□

C. HTTP □□ □□□

D. □□□□□ IP□ □□ SNAT □

Answer: B ([LEAVE A REPLY](#))

□ □□□□□□□□□ http □□□□ xff □□□ □□ IP□ □□□ □ □□□□.

201 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201 □□! DumpTop □ □
□ 201 □□ □□□ □□□□□□, DumpTop 201 □□ □□□ □□□□□□□□ □□□ □□
□□□□□. □□□□ □□□ □□□□ □□ DumpTop 201 □□□ □□□□□.

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount:
KrDump)

NEW QUESTION: 122

□□ □□□ □□ □□ □□ □□□ □□□□ □□□□□. □□□ □□ □□ □□□ A, B,
C, A, C□□□□. □□□ □□□ □□□ □□□ □, IP □□□ 205.12.45.52□ □□□□□□ □□
□□□ □□□ □□, □□□ □□□□ □□□□ □□□□□?

All entries for the one virtual server and pool		
Persistence Values	Member	Age (Seconds)
200.10.0.0	10.10.20.1:80	63
201.12.0.0	10.10.20.3:80	43
153.15.0.0	10.10.20.2:80	76
205.12.0.0	10.10.20.4:80	300
195.64.0.0	10.10.20.3:80	22
198.22.0.0	10.10.20.5:80	176
214.77.0.0	10.10.20.1:80	43

Web_Pool Statistics					
Member	Member Ratio	Member Priority	Outstanding Layer 7 Requests	Connection Count	Status
A: 10.10.20.1:80	3	5	6	18	Available
B: 10.10.20.2:80	3	5	6	12	Available
C: 10.10.20.3:80	3	5	12	5	Disabled
D: 10.10.20.4:80	1	1	8	19	Offline
E: 10.10.20.5:80	1	1	4	9	Available

Virtual Server, Pool and Persistence Profile Settings					
VS_Web_Pool Settings		Web_Pool Settings		Source Persist Settings	
Destination	172.160.22.3:80	Load Balancing	Least Connectons	Mode	Source Address
Profile(s)	TCP	Priority Activation	Less than 2	Netmask	255.255.0.0
Pool	Web_Pool	Montitor	Done	Timeout	360 seconds
iRules	None				
Persistence	Source_Persist				

- A. 10.10.20.5:80
- B. 10.10.20.3:80
- C. 10.10.20.2:80
- D. 10.10.20.4:80
- E. 10.10.20.1:80

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 123

MAC □□□□□□□□ □□□ □□□□□□?

- A. □□ □□□□ □ VLAN□ □□ □□□□ MAC □□□ □□□□ □□□□□□□□.
- B. □ □□□ □□□□□□ □ selfIP □□□ □□ □□□□ MAC □□□ □□□□□□.
- C. □ □□□ □□□□□□ □ □□□ □□IP □□□ □□ □□□□ MAC □□□ □□□□□□.
- D. □ □□□ □□□□□□ □ VLAN□ □□ □□□□ MAC □□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 124

□□□ □□□□□□.



□□ □□□ □□□□ □□□ □□□□ □□□□□?

- A. □ □□□ □□□□□□□□.
- B. □□ □□□□ □□□□□□.
- C. □□□ □□□□□□□□□.
- D. □ □□ □□□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

201 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 201 □□! DumpTop □ □
 □ **201** □□ □□□ □□□□□□, DumpTop 201 □□ □□□ □□□□□□□□ □□□ □□
 □□□□□. □□□□ □□□ □□□□ □□ DumpTop 201 □□□ □□□□□.

<https://www.dumptop.com/F5/201-dump.html> (255 Q&As Dumps, **30%OFF** Special Discount:
KrDump)