

F5.301a.v2022-10-21.q54

□□□□:	301a
□□□□:	BIG-IP LTM Specialist: Architect Set-Up & Deploy
□□□:	F5
□□ □□ □□□:	54
□□:	v2022-10-21
# □□ □:	974
# □□ □□□:	540
https://www.krdump.com/F5.301a.v2022-10-21.q54.html	

NEW QUESTION: 1

□ □□ □□□□ □□□□ □□□□□ □ □□□□ □□□□ □□ □□ □□□□□ □□□□□. □□□ □□ □□□□ □□□□□□ LTM □□□ □□ □□□ □□□□ □□□? :

- A. □□ □□□
- B. □□□ □□ □ □□
- C. □□□□ □□□
- D. □□ □□□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□ HTTP □□□ LTM □□□ □□□□□□□□. □□□□ □□□□ □□ □□□□□ LIM □□□□ □□□□□□ □□□. □□□ □□□□□□.

□ HTTP □□□ LTM □□□ □□□□□□□□. □□□□ □□□□ □□ □□□□□ LIM □□□□ □□□□□□ □□□. □□□ □□□□□□.

□□□ □□□ □ □□ □□ □□ html □□□□ □□ □□□ □□ □□□□ HTTP □□ □□ 200 □ □□□□.

□□□ □□□ □ □□ □. □□ html □□□□ □□ □□□ □□ □□□□ HTTP □□ □□ 201□ □□□□□□.

200 □□ □□□ □□□□ □ □□□□ □ □□ □□□ □□□□ □□□.

□□□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□?

- A. Send String□ GET/ status html□, Receive String□ 200□□, Receive Disable String□ 201□ □□□□□.
- B. Send String□ Get /status html□, Receive Disable String□ 200□□, Receive String□ 201□ □□□□□.
- C. Send String□ GET Arian□□, Receive String□ 200□□, Receive Disable String□ 201□ □ □□□□.

E. TMM □□□□□□ □□□□□□ TMM□ □□□□□□ □ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

LTM □□□□ □□ □ □□□□□ □ □□ □□□ □□□□□□. LTM □□□□ □, □ □□□ □□ □□□ □□ □□ □□□□ □□□□ □□□□□□.

□□ □□□ □□□ □□□□□□?

- A. □□ □□(□□ □□)
- B. □□□ □ □□(□□□□)
- C. □□□□(□□□□)
- D. □ □ □□(□□□□)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

□□ □□□ https □□□□ □□□□□□ □□□□□□. clientsl □□□□ 2048□□ RSA □□ □□□ □□ □□□□□□. □□ □□ □□□□ □□ LTM □□□□ □□ 4096□□ RSA □□ □□□□ □□ □.

□ □□□ BIG-IP □□□ □□□ □ □□ □□□ □□□□□□? (2□ □□)

- A. □□□ TPS□ 90%□ □□
- B. □□□ TPS□ 20%□ □□
- C. BIG-IP □□□ CPU □□□ □□
- D. □□□□□ □ □□ □□ □□
- E. TLS □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

LTM □□□□ □□ □□□ □□ □□□□ □□ □□□ □□□□ □□□.

□□□□□□□□ □□ □□ HTTP □□□□□□□□□□.

□□□□ □□ □□□ □□□

□□□ siteA example.com□ □□ □□□ siteB.Example.com□□ □□ □□□□ □□□. □□□ □□□ □□□□ □□ LTM □□□□ □□□□ □□ □□□□ □□□□□□?

- A. Clientssl, □□□
- B. □□□□, □□□
- C. Clientssl, fastL4, □□□
- D. □□□□, fastL4, □□□

Answer: ([SHOW ANSWER](#))

http □□□□□□□ □ □□ □□□□ □□ □□□□□□ s|□ □□□□ □□□ □□□ □□□□ □□ □□ □□□□ □□□□□□. FastL4 □□□□ clientsl □ stream□ □□□ □ □□□□□.


```

root@bigip1)(cfg-sync In Sync)(Active)(/Common)(tmsh)# list net self one-line
net self selfv1 { address 10.20.0.1/24 traffic-group traffic-group-local-only vlan v1 }
net self selfv1f { address 10.20.0.2/24 floating-enabled traffic-group traffic-group-1 unit 1 vlan v1 }
net self selfv2 { address 10.50.0.1/24 traffic-group traffic-group-local-only Man v2 }
net self selfv2f { address 10.50.0.2/24 floating-enabled traffic-group traffic-group-1 unit 1 vlan v2 }

```

Which IP address is associated with selfv1f?

- A. 10.20.0.2
- B. 10.50.0.2
- C. 192.168.0.10
- D. 10.20.0.1

Answer: (SHOW ANSWER)

NEW QUESTION: 20

LTM virtual server 10.10.10.0/24 is configured with a pool of 10.10.20.1/24 servers. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic.

- A. 10.10.20.1/32 is configured with a pool of 80 servers. The virtual server is configured to use the pool of servers for FTP traffic.
- B. MyVS4 is configured with a pool of FTP servers. The virtual server is configured to use the pool of servers for FTP traffic.
- C. 10.10.20.1/32 is configured with a pool of 21 servers. The virtual server is configured to use the pool of servers for FTP traffic.
- D. MyVS2 is configured with a pool of FTP servers. The virtual server is configured to use the pool of servers for FTP traffic.

Answer: D (LEAVE A REPLY)

VS virtual server is configured with a pool of IP addresses. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic.

NEW QUESTION: 21

LTM virtual server is configured with a pool of BIG-IP servers. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic. The virtual server is configured to use the pool of servers for FTP traffic.

- A. HA pair
- B. single server
- C. multiple servers
- D. HA pair

Answer: C (LEAVE A REPLY)

NEW QUESTION: 22

6000 0000 000 000 00 0000 000 00 00 0000.

0 000000 0000 0000 00 000 00 000 0000 00 LTM Specialist 0 0
0 00 000 000 0000 0000?

- A. 00
- B. 00 00
- C. 00
- D. 00 00

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

000 0 0000 00 LTM 0000 SSL 000 0000 000 0 00 000000 000
00?

- A. CSRS 00
- B. 000 0 0000 00 00 00
- C. 0 0000 SSL 00
- D. 00 0000 SSL 000 0000

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

LTM 0000 LTM 000 0 00 000 0000 00 00 00 000 00 00 SNAT 00
0000 0000. 0 00 00 00 000 0 0000 0000 0000 00 000000.
00 35,00000 0000 0000 0 00 000 0000 0 000 000. 0000 000
00 000 000 LTM 000 00 0000000 0000 00 0000 0000.
00 000 00 000 0000 00 SNAT 00 000 00 SNAT 00 00 000000?

- A. 2
- B. 3
- C. 4
- D. 1

Answer: A ([LEAVE A REPLY](#))

0 0 000 snat 00 0000 0 0 000 0 0000 000000. 000 snatpool 0 00 0
0 000000. 0 VS 00 00 35,00000 0000 00 0 VS 00 0000 70,0000
000. 000 0 0000 000 00 0 00 00 00 0000 000000. 00 100 00
0 0000 70,00000 000 000 000000. 000 IP 65,53500 000 000 0 0
000. 000 000 20 000 0000 000000.

NEW QUESTION: 25

000 000000.



LTM `bigip.conf` SNAT IP 172.163.31.11 ~ 192.168.0.100:80. Which VS and SNAT are associated with this configuration?

- A. VS_B & SNAT_A
- B. VS_A&SNAT_B
- C. VS_A & SNAT_A
- D. VS_B&SNAT_B

Answer: (SHOW ANSWER)

NEW QUESTION: 26

VS configuration table showing destination, service port, and source address.

VS Name	Destination	Service port	Source
MyVS1	10.10.20.1/32	80	0.0.0.0/0
MyVS2	10.10.20.1/32	*	10.10.10.0/24
MyVS3	10.10.20.1/32	80	10.10.10.0/25
MyVS4	10.10.20.0/24	21	0.0.0.0/0

HTTP traffic from 10.10.20.1 is blocked. Which VS is responsible for this?

- A. MyVS3
- B. MyvS1
- C. MyVS4
- D. MyVS2

Answer: D (LEAVE A REPLY)

NEW QUESTION: 27

HTTPS traffic is blocked by HA LTM. Which component is responsible for this? HA LTM configuration shows RAM and LTM settings.


tmm tmm I708S1 011e0002.4. □□□_□□□□: □□□ □□ □□□(117504/138240 □□□)
DoS □□□ □□□□ □□□□. □□□ □□□ □□□ □□□□. LTM □□□□ □□□ □□□□
□□ □□ □□□ □□□ □□□?

- A. OneConnect □□□ □□
- B. RAM □□ □□□ □ □□ □□□ □□
- C. □□□ □□ □□ □□□□ □□
- D. □□□ □□ □□ □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

□□ □□□ □□□ □□□ □□□□□□.



'200 OK"□ □□□□ □ □□□ □□□ □□□□□?

- A. □□ □□
- B. □□□
- C. □□□□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

□□ □□□□□ □□ □ □□□□ □□ 100,000□ □□□ □□ TCP □□□ □□ □□□□ □□
□.

□ □□□□ □□□ SNAT □□□ □□□□□?

- A. 4□□ IP □□□ □□ SNAT □
- B. IP □□□ □□ SNAT □

□□

□□□ IP□ 65,535□□ □□□ □□□ □ □□ □□ snapit□ IP □□ 100,000□□ □□□ □□ □ □□□□. □□□ □ □□ □□□□ □□□□□. □□ B, C □ □□ IP□ □□□□ □□□ □□□□ □□□□.

C. □□ SNAT

D. SNAT □□ □ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

□□□ □□□□□.



□□□□ 4□□ □□□ □□□ □□ □□□□. □□□□ 10.18.1.40□□ □□□ □□ □□□ □□ □ □□□□. □□ □□□□ □□□ □□□□ □□□□ □□□□.

A. 10.18.1.30

B. 10.18.1.20

C. 10.18.1.40

D. 10.18.1.10

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□ □□ □□□□ □□□□ □□□ □□□ □□□□ □□ FS□□ □□ □□□ □□□ □□□ □ □□□□. LTM □□□□ □□□□ □□ □□□□ □□ □ □□ □□ □□□□□ □□ □□ □□ □□ □□□□ □□□.

* □□ □□ □□□ □□□□□.

* □□□ □□ http □□□ □□

□□ □□ □ HA □□□□ □□□ □ □□ □□□ □□

LTM □□□□ LTM □□□ □□ □□ □□□ □□□ □□□□□ □□□.

□□ □□□ □□□□ □□□□ □□□?

A. □□ □□ □□□

B. □□ □□

C. □□□ □□ □□□

D. □□□□

Answer: B ([LEAVE A REPLY](#))

301a □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 301a □□! DumpTop □
□□ 301a □□ □□□ □□□□□□, DumpTop 301a □□ □□□ □□□□□□□□ □□□
□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 301a □□□ □□□□□.

<https://www.dumptop.com/F5/301a-dump.html> (170 Q&As Dumps, **30%OFF Special**

Discount: **KrDump**)

NEW QUESTION: 32

□□ □□□□ □□□□ □□ □□□ □□□□□. □ □□□ □□□□□ □□□ □□ □□□□?

A. □□ □□□ □□□

B. □ □□ □□

C. SNAT □□ □ □□□

D. SNAT □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

□□□ 4□□ □□□□ □□□□. □□ □□□ □□□ □□□□□□□□ □□ □ □□□□□□□□.
□ □□□□□□ □□□ □□□ □□□ □□ □□□□ □ □□□□.

LTM □□□□ □□ □□□□ □□□ □□□ □□□ □□□□ □□ □□ □□ □□□ □□□ □□
□□ □□□?

A. □□□

B. □□

C. □□ □□


D. □□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

LTM □□□□ □□□ □□□ □□□ □□□ □□ □□□ □□ □□□□□□ □□□ □□□□
NOC□□□ □□□□. BIG-IP □□□ UDP □□□□ □□□□□. □□ □□□ □ □□□□ □□ □
BIG IP □□□ DR □□□ □□ □□□□ □□□□□.

LTM □□□□ □□ □□□ □ □□□□ □□□ □ □□□□ UP□□ □□□□ □□□ □□□□□.
□□□□ tcpdump□ □□ □□□ □□□□□.



□□□ □□ □□□□ □□□ □□□□□.

```

root@bigip1(cfg-sync Standalone)(Active)(Common)(tmsh)# list /ltm monitor udp game all-properties
lrm monitor udp game {
  app-service none
  default-action none
  manual-restart disabled
  partition Common
  recy none
  recv-disable none
  reverse disabled
  send QUAKE
  time-until-up 0
  transparent disabled
  up-interval 0
}

```

- Which two statements are true regarding the configuration of the LTM monitor? (Choose two.)
- A. The monitor is configured to use the default action.
 - B. The monitor is configured to use the default partition.
 - C. The gatewaycmp monitor is configured to use the default partition.
 - D. The monitor is configured to use the default partition.
 - E. The monitor is configured to use the default partition.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which two statements are true regarding the configuration of the LTM monitor? (Choose two.)

When the LTM monitor is configured to use the default partition, which two statements are true? (Choose two.)

- A. HTTP is the default monitor type.
- B. HTTP is the default monitor type.
- C. The default monitor type is HTTP.
- D. The default monitor type is HTTP (4).
- E. ClientSSL is the default monitor type.

Answer: ([SHOW ANSWER](#))

Which two statements are true regarding the configuration of the LTM monitor? (Choose two.)

NEW QUESTION: 36

Which two statements are true regarding the configuration of the LTM monitor? (Choose two.)

SNATS is a type of persistence. Which two statements are true regarding SNATS persistence? (Choose two.)

Which two LTM configurations are supported by the top-wan configuration? (Choose two.)

- A. LTM configuration with OneConnect
- B. LTM configuration with VLAN
- C. LTM configuration with NAT
- D. LTM configuration with NAT
- E. LTM configuration with NAT

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which two Nagle's algorithm settings are supported by the top-wan configuration? (Choose two.)

- A. Nagle's algorithm settings
- B. Nagle's algorithm settings
- C. Nagle's algorithm settings
- D. Nagle's algorithm settings

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38


Which two PEM files are supported by the top-wan configuration? (Choose two.)

- A. ...pem file...
- B. ...SSL pem file...
- C. --START pem file...
- D. ...pem file...

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which two PEM files are supported by the top-wan configuration? (Choose two.)



Which of the following IP addresses is the active IP address? LTM is configured with a pool of IP addresses. Which IP address is the active IP address?

- A. 10.80.1.20
- B. 10.80.1.40
- C. 10.80.1.40
- D. 10.80.1.40

Answer: D (LEAVE A REPLY)

NEW QUESTION: 43

LTM is configured with a pool of IP addresses. Which IP address is the active IP address? F5 Radius is configured with a pool of IP addresses. Which IP address is the active IP address?

Which IP address is the active IP address?

- A. 10.80.1.10
- B. 10.80.1.20
- C. 10.80.1.30
- D. 10.80.1.40

Answer: (SHOW ANSWER)

NEW QUESTION: 44

LTM 1000 PVA 10 OPVA 10000 10 1000 10000 1000. 10 10 10 1000 10000 1000?

- A. 10000
- B. 10(HTTP)
- C. 10(1000 4)
- D. 10

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

BIG IP 10000 1 100000000 10 1000 10 10000000. 1 10 1000000 10 TCP 10 1000 10 1000 10000 1000, 10 10 10 TCP 1000 10 LTM 10000 10 10 1000 10000 10000000.

1000 10000 10000 10 TCP 1000 1000 10000 1000?

- A. 10 10
- B. 10 10 1 1000
- C. 10 10 TCP
- D. 10 10 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

1 10 LTM 1000 1000 10 1000 10 AC 1000/10 10 1000000 10000 1000 10. LTM 10000 HA 10 1 10 1000 1000000 1000 100000 10 1000000. 10 10 1000 1000 10 10000 1000000. 10 1000 1000 250ms 10 100000 HA 1000 100000 10 1000 100000.

10 10 1000 1000 10000 1000 1000000?

- A. HA 100000 10 1000 10000 10000 10000.
- B. HA 100000 100000 IPO 10000 10000.
- C. HA 100000 10000 10 10000 100000.
- D. HA 10000 10 1000 10 10000.

Answer: ([SHOW ANSWER](#))



□□ □□□ □□ □□□ □□□ □□□□□.

C. □□□ TCP □□□

□□ □□ □□ 80□ □□ □□□ □□ TCP □□□

□□ □□□ □□ □□□ ALL□ □□□ □□

D. □□□ □□ TCP □□□*

□□ □□ □□ 8009□ □□ □□□ □□ TCP □□□

□□□ □□ □□□ □□ □□□ 1□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

□□□□.



Webserver_pool□ 6□□ □□□□□ □□□□□. phpAuction_80_pool□ 2□□ □□□ □□□□ □□□□. LTM1□ □□ □□ □□□□□.

LTM1□ webserver_pool□ 6□ □□□ □ 3□□ □□ □□□ □□□□□. LTM2□ □□□ □□ □ □□□□ □□□□.

□□□□ □□ □□ □□□ □□□□□?

A. LTM1 □□ / LTM2 □□

B. LTM1 □□ / LTM2 □□

C. LTM1 □□ /LTM2 □□

D. LTM1 □□/LTM2 □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

LTM □□□□ IP □□□ □□ □□□ □□□□ □□□□.

□□ □□□ □□□□ □□□□?

A. TCP □□□□ □□ □□ □□ □□

- B. FastHTTP □□□□ □□ □□ 14 □□ □□
- C. HTTP □□□□ □□ □□ 14 □□ □□
- D. HTTP □□□□ □□ □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

301a □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ 301a □□! DumpTop □
□□ **301a** □□ □□□ □□□□□□, DumpTop 301a □□ □□□ □□□□□□□□ □□□
□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop 301a □□□ □□□□□.

<https://www.dumptop.com/F5/301a-dump.html> (170 Q&As Dumps, **30%OFF** Special

Discount: **KrDump**)