

Fortinet.FCP_FMG_AD-7.6.v2026-06-26.q61

□□□□:	FCP_FMG_AD-7.6
□□□□:	FCP - FortiManager 7.6 Administrator
□□□:	Fortinet
□□ □□ □□□:	61
□□:	v2026-06-26
# □□ □:	117
# □□ □□□:	610
https://www.krdump.com/Fortinet.FCP_FMG_AD-7.6.v2026-06-26.q61.html	

NEW QUESTION: 1

FortiManager□ □□ □□□□□□ □□□ □□□ □□□ □□ □ □□□□ □□□ □□□□□□?

- A. □ FortiGate □□□ □□ □□□ □□□□□□□□.
- B. □□□□□ □□ FortiGuard Distribution Server(FDS) □□□□ □□□□□.
- C. □□□□ □□□□ □□ □□□□ □□□ □□□ □□□□□.
- D. □ □□□ □□□□ □□□ □□□ □□□□.

Answer: (SHOW ANSWER)

FortiManager□ □□□□ □□□ □□ □□□ □□□ □ □□□ □□ □□□ □□□□□□ □□ □□□□□□ □□□□□□ □□□□□□□□.

- □□ □□□ □□ (□□□□□□, □□□□, □□□□ □□ □)
 - □□□ □□□□ □□ FortiGate □□ □□ VDOM□ □ □□ □□□□□
 - □□ □ □□□□□ □□□□ □□□ □□□□□.
- □□ □□□ □□ □□□□ □□ □□□□ □□□□, □□□ □□□□□ □□ □□□ □□□ □□ □□□□ □□□ □□□□ □□□□.

NEW QUESTION: 2

□□□ □□□ □□□□□□. FortiGate HQ-NGFW-1□ □□□ □□□□□□ □□ FortiGuard □□ □□(FDS) □□□ □□ FortiManager□□ FortiGuard □□□□□□□ □□□□□□ □□□□ □□□□□. □□□□ FortiManager□□ FortiGate HQ-NGFW-1□ □□ □□ □□□(IPS) □□□□ □□□ □ □□□ □□□ □□□□□. □□□□ FortiGate□ FortiManager□□ □□□ □ IPS □□□ □□□□ □□□□.

FortiGate GUI—FortiGuard

HQ-NGFW-1

- Dashboard
- Network
- Policy & Objects
- Security Profiles
- VPN
- User & Authentication
- WiFi Controller
- System** 1
- Administrators
- Admin Profiles
- Firmware & Registration
- Settings
- HA
- SNMP
- Replacement Messages
- FortiGuard** 1 ☆
- Feature Visibility
- Certificates
- Security Fabric
- Log & Report

☰

FortiGuard Distribution Network

Entitlement	Status	
<input checked="" type="checkbox"/> Advanced Malware Protection	✔ Licensed (Expiration Date: 2027/10/10)	
<input checked="" type="checkbox"/> Attack Surface Security Rating	✔ Licensed (Expiration Date: 2027/10/10)	
<input checked="" type="checkbox"/> Data Loss Prevention (DLP)	✔ Licensed (Expiration Date: 2027/10/10)	
Email Filtering	✔ Licensed (Expiration Date: 2027/10/10)	
<input checked="" type="checkbox"/> Intrusion Prevention	✔ Licensed (Expiration Date: 2027/10/10)	
IPS Definitions	🕒 Version 6.00741	<div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> ⓘ Actions - </div> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> ☰ View List </div> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> ☰ View List </div> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> ⓘ Purchase - </div> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> 🔄 Upgrade Database </div> <div style="border: 1px solid #ccc; padding: 5px;"> ☰ View List </div>
IPS Engine	🕒 Version 7.01014	
Malicious URLs	🕒 Version 1.00001	
Botnet IPs	🕒 Version 7.03947	
Botnet Domains	🕒 Version 3.01041	
<input checked="" type="checkbox"/> Operational Technology (OT) Security Service	⚠ Not Licensed	
OT Threat Definitions	🕒 Version 6.00741	
OT Detection Definitions	🕒 Version 0.00000	
OT Virtual Patching Signatures	🕒 Version 0.00000	
<input checked="" type="checkbox"/> Web Filtering	✔ Licensed (Expiration Date: 2027/10/10)	
Blocked Certificates	🕒 Version 1.00509	
DNS Filtering	✔ Licensed (Expiration Date: 2027/10/10)	
Video Filtering	✔ Licensed (Expiration Date: 2027/10/10)	

FortiManager GUI—FortiGuard

FortiManager					
Receive Status					
Service Status					
<input type="button" value="Refresh"/> <input checked="" type="checkbox"/> Show Used Object Only <input type="button" value="Export"/> <input type="button" value="Import"/>					
<input type="checkbox"/>	Package Name	Product	Version	Service Entitlement	Latest Version (Release Data/Time)
<input type="checkbox"/>	FortiOS Virtual Patch Database	FortiGate	7.6.0+	FortiCare	24.00111 (2024-11-07 00:58:00)
<input type="checkbox"/>	FGT FortiFlowDB	FortiGate	7.6.0+	Internet Service DB	7.03947 (2024-11-20 00:49:00)
<input type="checkbox"/>	DLP Signature	FortiGate	7.6+	DataLeak	1.00050 (2024-09-20 17:15:00)
<input type="checkbox"/>	Security Rating Package	FortiGate	7.6		6.00011 (2024-11-13 02:58:00)
<input type="checkbox"/>	Signature Meta Data (OT Virtual Patch)	FortiManager	7.4.3+	FortiCare	29.00906 (2024-11-19 02:59:00)
<input type="checkbox"/>	Signature Meta Data (IPS Slim)	FortiManager	7.4.0+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input type="checkbox"/>	Signature Meta Data (Industrial)	FortiManager	7.4.0+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	Signature Meta Data (Application Control)	FortiManager	7.4.0+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	DLP Signature	FortiManager	7.4.0+	DataLeak	1.00050 (2024-09-20 17:14:00)
<input type="checkbox"/>	security rating package	FortiManager	7.4		5.00044 (2024-11-13 02:58:00)
<input type="checkbox"/>	IoT Vulnerabilities	FortiManager	7.2.2+	FortiCare	29.00906 (2024-11-19 01:18:00)
<input type="checkbox"/>	FortiKeeper upgrade matrix	FortiManager	7.2.2	NA	0.00018 (2024-10-03 23:40:00)
<input type="checkbox"/>	Signature Meta Data (IPS Slim)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input type="checkbox"/>	Signature Meta Data (IPS Regular)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input checked="" type="checkbox"/>	Signature Meta Data (IPS Extended)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input type="checkbox"/>	Signature Meta Data (Industrial)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	Signature Meta Data (Application Control)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	Security	FortiManager	7.2.1+	Security	4.00067 (2024-11-13 03:18:00)

FORTINET

FortiGate CLI—Central management

FORTINET

```
HQ-NGFW-1 (central-management) # sh
config system central-management
  set type fortimanager
  set allow-push-firmware disable
  set allow-remote-firmware-upgrade disable
  set serial-number "FMG-VMTM24012945"
  set fmg "::ffff:10.0.13.120"
  config server-list
    edit 1
      set server-type update
      set server-address 192.168.1.120
    next
  end
  set include-default-servers disable
end
```

FortiGate HQ-NGFW-1 is configured with the following IPS configuration. Which statement is correct?

- A. FortiGate is configured with 1 FortiManager IP (192.168.1.120) and 1 FortiGuard IP (10.0.13.120).
- B. FortiManager is configured with 1 FortiGuard IP (10.0.13.120).
- C. FortiManager is configured with 1 FortiGuard IP (10.0.13.120) and 1 FortiGuard IP (192.168.1.120).
- D. FortiManager is configured with 1 FortiGuard IP (10.0.13.120) and 1 FortiGuard IP (192.168.1.120).

Answer: [\(SHOW ANSWER\)](#)

FortiGate HQ-NGFW-1 is configured with the following IPS configuration. Which statement is correct?
FortiManager is configured with 1 FortiGuard IP (10.0.13.120) and 1 FortiGuard IP (192.168.1.120).

NEW QUESTION: 3

FortiGate HQ-NGFW-1 is configured with the following IPS configuration.

Managed FortiGate devices

Device Name
Training
ISFW
root [NAT] (Management)
Student [NAT]
Trainer [NAT]
Local-FortiGate*

Installation Target
Local-FortiGate
ISFW
root [NAT] (Management)
Trainer [NAT]
Student [NAT]

FortiManager policy package

#	Name	Install On	From	To	From	To
1	Ping_Access	ISFW (root) ISFW (Student)	port3	port3	port3	port1
2	Web	Local-FortiGate (root) ISFW (Student)	port3	port3	port3	port1
3	Source_Device	Installation Targets	port3	port3	port3	port1
Implicit (4/4 Total:1)						
4	Implicit Deny	Installation Targets	any	any	any	any

- Which of the following is true regarding the configuration of the FortiManager policy package?
- The FortiGate Security Fabric Training VDOM is installed on the ISFW (root) and ISFW (Student) VDOMs.
 - The #1 policy is installed on the ISFW (root) and ISFW (Student) VDOMs.
 - The #3 policy is installed on the 'Source_Device' VDOM.
 - The #4 policy is installed on the ISFW (root) and ISFW (Student) VDOMs.

Answer: A (LEAVE A REPLY)

□□ □□□ □□□ A□□□. □□□ □□□ □□ B□ □□□ □□□ □□□□. □□ □□□ #1 Ping_Access□ □□ NAT □ □□□□ NAT□ □□ ISFW □□ □ ISFW □□ □□□ □□□□ □□ □□□□□. □□ C□ FortiManager□□ □□□ □□ □□□ □□□□□ □□□□ □□□ □□□ □□□□. □□ □□□□ □□□ □□ □□□□ □□ □□□ □□ □□ VDOM□ □□□□ □ □ □□□, '□□ □□' □□ □□ □□ □□□□ □ □□□ □□□ □□□□ □□□ □□□□□. □□□ □□□□ □□ □□□ □□□□□ □□□ □□□□□ □□□ □□□ □□□ □□□□. □□ □□□ □□□□□. □□ □□ □□□ □□ □□□□□□ ADOM□ □□□□ □□ □□□□ □□□ □□□□ □ □□ □□□□□. □□□ □□ ADOM □□ □□ □□□ □□ □□ □□ □□□□ □□□□□.

NEW QUESTION: 4

FortiManager □□□□ FortiGate □□□ □ ADOM□□ □□□□□ □□ FortiGate□ □□ □□ □□ □□ □□ □ □ □□□□.

□□□□ □□ □□ □□ □□□ □□□□□ □□□ □□ □□□?

- A. ADOM □□ □□□ □□□□ □□□ □□ □□□□ □□□□□.
- B. □□□ □□□□□ □ ADOM□ □□ □□□□□□.
- C. □□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□.
- D. ADOM □□□□ □□□□ □□□ □□□ □□□□□□.

Answer: (SHOW ANSWER)

FortiGate □□□ □□ ADOM(□□ ADOM)□□ □ ADOM(□□ ADOM)□□ □□□ □ □□ □□□□□□(□□□□ □□ □□)□ □□ □□□□□.

□□ □□□ □ □□/□□ □□□ □□ ADOM□ □□ □□ □□□ □□□ □□□□□ □□□□ □□□□ □□□□.

NEW QUESTION: 5

FortiManager□ ADOM □□ □□□□□□□ □□□□□ FortiGate □□ □□□ □□□□□?

- A. NSX-T □□□ □□□
- B. □□ □□□
- C. □□□
- D. SNMP

Answer: B (LEAVE A REPLY)

□□ □□□ □□□ □□□ B□□□. FortiManager 7.6 □□□ □□ □□□□ □□□ ADOM □□□□ □□ □ □□□ □□□□ □□□, □□ "□□ □ □□: □□□ □□, □□ □ □□ □□□ □□ □□□ □□ □□□□ □□."□□ □□□□ □□□□. □□ □□ □□ □□□ □□ □ □□ □□□ □□□□ ADOM □□ □□□□□□□ □□□□□. □□ □□□□□ SNMP□ □□ □□ □□□□ □□□□□. □□ □□□□□ □□□□ □□/□□□□□ □□ □□ □□□ □□□□, SNMP□ "□□ □□ □□□ □□ □□□□ □□"□□ □□□ □□□ □□□□ □□□□□. □□ NSX-T □□□□ □□ □□□□□ □□□□ □□ □□ □□□□ □□□□□ □□□ □□□□ □□□, □□ □□□ □□□□ □□ □ □□ ADOM □□□□□□□ □□□□ □□□□ □□□ □□ □□□ □□□□ □.

NEW QUESTION: 6

□□□□ □□□□□□.

```
Start to import config from device(Remote-FortiGate) vdom(root) to
adom(root), package(Remote-FortiGate_root)

"firewall address",SKIPPED,"(name=all, oid=2309, DUPLICATE)"

"firewall address",FAIL,"(name=REMOTE_SUBNET, oid=2311,
reason=interface((firewall address:REMOTE_SUBNET) any<-port6) binding
fail)"

"firewall policy",FAIL,"(name=1, oid=3070, reason=interface(interface binding
contradiction. detail: (firewall address:REMOTE_SUBNET) any<-port6) binding
fail)"
```

Which of the following is the correct reason for the failure?

- A. FortiManager ADOM Remote-FortiGate_root does not exist.
- B. FortiManager ADOM Remote-FortiGate_root does not exist.
- C. FortiManager does not have the package REMOTE_SUBNET.
- D. FortiManager ADOM REMOTE_SUBNET does not exist.

Answer: (SHOW ANSWER)

FortiManager ADOM Remote-FortiGate_root does not exist.

NEW QUESTION: 7

Which of the following is the correct reason for the failure?

Configuration Revision History **FORTINET**

Configuration Revision History

View Config View Install Log Revision Diff Retrieve Config More Search...

ID	Date & Time	Name	Created by	Installation	Comments
7	2025-03-27 17:07:13	BR1-FGT-1	admin	Installed	
✓ 6	2025-02-26 19:12:28	BR1-FGT-1	student	Revision Revert	Reverted from ID 7 by admin. A new revision ID will be generated.
5	2025-02-26 19:03:41	AutoUpdate	AutoUpdate	Revision Revert	Reverted from ID 6 by admin. A new revision ID will be generated.
4	2025-02-26 19:03:36	BR1-FGT-1	admin	Revision Revert	Reverted from ID 6 by admin. A new revision ID will be generated.
3	2025-02-26 18:53:46	AutoUpdate	AutoUpdate	Auto Updated	Autoretrieve merged config
2	2025-02-26 18:29:53	BR1-FGT-1	admin	Installed	
1	2025-02-26 17:51:22		student	Revision Revert	Reverted from ID 6 by admin. A new revision ID will be generated.

1 Selected

Device Revision Diff wizard

Device Revision Diff

Revision ID: 6		Revision ID: 7	
Total	13495	Total	12696
Deleted	805	Added	26
Modified	26	Modified	0

```

12939 config firewall policy
12940 edit 1
12941 set name "Internet"
12942 set uuid 9117420a-8b0c-51ef-f05a-8b1b2297d9de
12943 set action accept
12944 set srcintf "port4"
12945 set dstintf "port2"
12946 set nat enable
12947 set srcaddr "all"
12948 set dstaddr "all"
12949 set schedule "always"
12950 set service "ALL"
12951 next

12143 config firewall policy
12144 edit 1
12145 set name "Internet"
12146 set uuid 9117420a-8b0c-51ef-f05a-8b1b2297d9de
12147 set action accept
12148 set srcintf "port4"
12149 set dstintf "port2"
12150 set nat enable
12151 set srcaddr "all"
12152 set dstaddr "all"
12153 set schedule "always"
12154 set service "ALL"
12155 set comments "test"
12156 next
  
```

Save Diff as Script Show Diff Only < Previous Diff Next Diff > Cancel

FortiGate ID 6, FortiManager ID 10

- FortiManager ID 10
- A. ...
 - B. ...
 - C. ...
 - D. ...

Answer: B (LEAVE A REPLY)

B. FortiManager 7.6

FortiManager ID 10, FortiGate ID 10

□□□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□ □□□□. □□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□. □□□□ □□□ □□ □□ □□□□ □ □□□□ □□□□ □□ □□□ □□□□□. □□□ □□ □□□ □□□□ □□□□□.

NEW QUESTION: 8

Super_User □□□□ □□□ □□□(Trainer)□ □□ □□□(Student)□ □□□ □□□□ □□□ □□□□□ □□□. □□□ Trainer□ □□□□ □□□ □□□ □ □□□□. □□□ □□ Super_User □□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□ □□□ □□□□□?

- A. □□□□□ □□□□□ □□ □□□ □□□ □□□□.
- B. □□□□□ □□□ □□□□ □□ □□□ □□□□□ □□□ □□□□ □□□.
- C. □□□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□ □□□ □□□□ □□□.
- D. □□□□□ □ ADOM□ □□ □□□ □□□ □□□ □□ □□□□.

Answer: A (LEAVE A REPLY)

□□□□ □□ □□□ □□□□□ □□, □□□ □□□ ADOM□ □□ □□□ □□□ □□□ □□□.

NEW QUESTION: 9

□□□ FortiGate □□□ □ ADOM□□ □ ADOM□□ □□□□ □□□□. □□ □ □□□□ □□□ □□□□ □□□□ □□□ □□□□□?

- A. □□ □□ □□□ □□□□ □□□□□.
- B. □□ □□ □□□□ □ ADOM□□ □□□□ □□□□ □□□□.
- C. □□ ADOM□□ □□□□ □□ □□□ □□□□ □ ADOM□□ □□□□□.
- D. □□ □□□□ □ ADOM□□ □□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

□□□ □ ADOM□□ □□ ADOM□□ □□□ □ □□ □□ □□□ □ □□□ □ ADOM□□ □□□□ □□□□. □□□□ □□□□ □□ □□□□ □□□□ □□□.

NEW QUESTION: 10

□□□ □□□ □□□□□□. □□□□ FortiGateRugged-70F□ □□ ID 2□□ □□ LAN □□□□□□ □□□□ □□□. □□□ □□ □□□□ □□□□□ □□ □□□ □□□ □□ □□□ □□□□□. □□□□ □ □□□ □□□□ □□ □□□ □□ □□□?

Installation log

View Install Log

Copy device global objects

validation error on firewall policy 2 in policy package "HQ-NGFW-1", by dynamic interface check

Vdom copy failed:

error 42 - entry not exist. detail: Dynamic interface "LAN" mapping undefined for device HQ-NGFW-1

Copy objects for vdom root

FORTINET

Normalized interface

FortiManager				
Install Wizard				
ADOM Revisions				
Tools				
+ Create New				
Edit				
Delete				
Collapse All				
More				
Full Screen				
<input type="checkbox"/>	Name	Mapping Rule	Mapped Interface/Zone	Description
<input type="checkbox"/>	LAN			
<input type="checkbox"/>		Default	LAN	
<input type="checkbox"/>	lan			added by creating a
<input type="checkbox"/>		Per-platform (FortiGateRugged-70F)	lan	added by creating a
<input type="checkbox"/>		Per-platform (FortiGateRugged-70F-3G4G)	lan	added by creating a
<input type="checkbox"/>	lan1			added by creating a
<input type="checkbox"/>		Per-platform (FortiGate-40F)	lan1	added by creating a
<input type="checkbox"/>		Per-platform (FortiGate-40F-3G4G)	lan1	added by creating a
<input type="checkbox"/>		Per-platform (FortiGateRugged-70F)	lan1	added by creating a
<input type="checkbox"/>		Per-platform (FortiGateRugged-70F-3G4G)	lan1	added by creating a
<input type="checkbox"/>		Per-platform (FortiWiFi-40F)	lan1	added by creating a
<input type="checkbox"/>		Per-platform (FortiWiFi-40F-3G4G)	lan1	added by creating a
<input type="checkbox"/>	lan2			added by creating a
<input type="checkbox"/>		Per-platform (FortiGate-40F)	lan2	added by creating a
<input type="checkbox"/>		Per-platform (FortiGate-40F-3G4G)	lan2	added by creating a
<input type="checkbox"/>		Per-platform (FortiGateRugged-70F)	lan2	added by creating a
<input type="checkbox"/>		Per-platform (FortiGateRugged-70F-3G4G)	lan2	added by creating a
<input type="checkbox"/>		Per-platform (FortiWiFi-40F)	lan2	added by creating a
<input type="checkbox"/>		Per-platform (FortiWiFi-40F-3G4G)	lan2	added by creating a

Default system template

The screenshot displays the Fortinet FortiGate GUI. On the left, a sidebar shows the 'System Templates' section with a table containing one entry: 'default' (ID: 1), which is assigned to 4 devices. The main area shows the 'Edit System Template - default' configuration window. The 'Send Logs to FortiAnalyzer/FortiManager' section is expanded, showing the following settings:

- Send Logs to:** FortiAnalyzer/FortiManager
- Send To:** Specify IP Address (10.0.13.12)
- Specify Serial Number:** (empty)
- Upload Option:** Real-time
- Encrypt Log Transmission:** Click to select
- Reliable Logging to FortiAnalyzer:**

The 'Advanced Options' section is also expanded, showing various settings with their respective values:

- access-config:
- alt-server: (empty)
- certificate: (empty)
- certificate-verification:
- conn-timeout: 10
- fallback-to-primary:
- hmac-algorithm: sha256
- interface: (empty)
- interface-select-method: specify
- ips-archive:
- max-log-rate: (empty)
- monitor-failure-retry-period: 5
- monitor-keepalive-period: 5

At the bottom of the configuration window, there are 'Preview', 'OK', and 'Cancel' buttons. The Fortinet logo is visible in the background of the configuration area.

- A. ADOM □□□□ □□□ □□ □□ □□□ □□□□ □□ □□□□ □□□□□.
- B. ADOM □□□□ □□□□□ □□□ □□□□ □□□□□ □□□□□.
- C. □□□ □□ □□ □ FortiGate□ □□ □□□ □□□ □□□□□ □□□□□□.
- D. FortiManager □□□ □□□□ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□.

Answer: B (LEAVE A REPLY)

"□□□□□" □□□ □□□ □□□□ □□□□, □□□□□ □□□ "\$" □□□ □□□ □ □□□□.


```

FortiManager # diagnose dvm device list
--- There are currently 6 devices/vdoms managed ---
--- There are currently 6 devices/vdoms count for license ---

TYPE          OID    SN          HA    IP          NAME      ADOM    IPS          FIRMWARE    HW_GenX
fmgfaz-managed 188    FGV02TM24013504 -    100.65.1.111 BR1-FGT-1 My_ADOM 7.0 MR6 (3401) N/A
|- STATUS: dev-db: not modified; conf: in sync; cond: pending; dm: installed; conn: up; template:[modified]default
|- vdom:[3]root flags:0 adom:My_ADOM pkg:[imported]BR1-FGT-1

```

- A. FortiGate is managed by FortiManager.
- B. FortiGate is managed by FortiGuard Distribution Server(FDS).
- C. FortiGate is managed by FortiManager and FortiGuard Distribution Server(FDS).
- D. FortiGate is managed by FortiGuard Distribution Server(FDS) and FortiManager.

Answer: (SHOW ANSWER)

- conf: FortiGate - FortiManager FortiGate (dev-db: modified), FortiGate (cond: pending).
 FortiManager DB (dev-db: modified), FortiGate (cond: pending).

NEW QUESTION: 18

FortiManager is installed on a FortiGate. Which of the following are the default ADOMs? (Select two.)



- A. Local-FortiGate_root
- B. Remote-FortiGate
- C. FortiManager ADOM
- D. FortiManager

Answer: A,C (LEAVE A REPLY)

Remote-FortiGate is the default ADOM for FortiGate devices managed by FortiManager. Local-FortiGate_root is the default ADOM for FortiManager devices managed by FortiManager.

NEW QUESTION: 19

FortiManager is installed on a FortiGate. Which of the following are the default ADOMs? (Select two.)


- A. FortiGate
- B. FortiGuard Distribution Server(FDS)
- C. FortiManager
- D. FortiGuard Distribution Server(FDS)

Answer: C,D (LEAVE A REPLY)

dev-db: not modified; conf: in sync, FortiGate, dev-db: not modified FortiManager, pkg:[imported]BR1-FGT-1, FortiManager, FortiGate, FortiManager

NEW QUESTION: 24

FortiManager script configuration options and script content



- A. FortiManager script configuration options
- B. FortiManager script configuration options
- C. FortiManager script configuration options

D. 00 00 000 '0000'00 000000.

Answer: (SHOW ANSWER)

00 000000000 000000 00000 00 00000 00000 00000 000 00 0000 0000 0 00000.

000000 FortiManager00 00 0000 00000000 00 0000 "0000"00 000000 00 000000 000000 000000 0000.

NEW QUESTION: 25

00000 FortiGate0 FortiManager 00 00 000000000 0 BGP 0000 0000000. 00 00 00 00 00000 FortiGate 0000 00 000000 00 0000000.

0000 000000 FortiGate0 0000000 0 BGP 00 00 0000 000000 000000. FortiManager0 BGP 00 00 0000 FortiGate0 000000 00 00 0000 00 0000 0000000?

A. 00000 FortiManager0 0000000000 00000 000000 000000 00 0000 0000 000000 0000.

B. Fortigate00 FortiManager 0000000000 0000 BGP 000000 000000.

C. 00000 00 000000 000000 BGP 0000 00000000 '00 0000 00'0 000000 0000.

D. FortiGate 0000 0000 FortiManager ADOM 0000 000000.

Answer: B (LEAVE A REPLY)

FortiManager00 FortiGate 0000 BGP 000000 0000 00, 00 00 000000000000 00 0000 00 00 BGP 0000 0000 0000000000 00 0000 0000 000000 000000.

NEW QUESTION: 26

FortiManager 00000 FortiGate 0000 0 ADOM000 0000000 00 FortiGate0 00 00 00 00 0000 0 0 00000.

00000 00 00 00 0000 00000000 0000 00 0000?

A. ADOM 00 0000 000000 0000 00 000000 0000000.

B. 0000 0000000 0 ADOM0 00 00000000.

C. 00 000000 000000 000000 00 000000 000000 0000000.

D. ADOM 000000 000000 0000 0000 00000000.

Answer: C (LEAVE A REPLY)

0000 C0000. FortiManager 7.6 0000 00 00000000 0000 00 000000 000000. "0000 0 ADOM000 00 ADOM000 000000 00 00, 00 000000 000000 000000 00 000000 0 ADOM000 00000000." 00 "0000 0 ADOM000 00 ADOM000 0000 0 00 00 000000 0000 0 ADOM000 000000 000000. 000000 000000 00 000000 000000 000000 0000."00 000000 00 00. 00 0 0000 000000 00 0 00 0 00 0000 0 0 00 000000. 00 0000 000000000 00 00 000000 0000 000000 000000 0000 00000000. 0000 00 0000 00 000000 0000 000000 00 000000 000000 000000. A, B, D 0000 000000 FortiManager 0000 0000 00 0000 000000.

NEW QUESTION: 27

00000 00000000.

FortiManager

- Dashboard
- Device Manager
- Policy & Objects
- VPN Manager
- AP Manager
- FortiSwitch Manager
- Extender Manager
- FortiView
- Log View
- Fabric View
- Incidents & Events
- Reports
- FortiGuard
- System Settings**
- ADOMs
- Administrators
- Admin Profiles
- Remote Authentication Server
- SAML SSO
- Settings
- HA**
- Network

Cluster Settings

Failover Mode: Manual VRRP

Operation Mode: Standalone Primary Secondary

Peer IP and Peer SN	IP Type	Peer IP	Peer SN	Action
	IPv4	10.0.1.242	FMG-VM0A169	✕ +

Cluster ID: 1 (1-64)

Group Password:

File Quota: 4096 MB (2048-20480)

Heart Beat Interval: 10 Seconds

Failover Threshold: 30 (1-255)

VIP: 10.0.1.245

VRRP Interface: port2

Priority: 1 (1-253)

Unicast:

Monitored IP	IP	Interface	Action
	10.0.1.241	port2	✕ +

Download Debug Log: [Download](#)

FortiManager 如何配置 HA 冗余？

- A. FortiManager HA 配置在 FortiManager 设备上完成。
- B. 在 FortiManager 设备上配置 HA，需要指定 HA 的 IP 地址。
- C. 在 FortiManager 设备上配置 HA，需要指定 HA 的 IP 地址。
- D. 在 FortiManager 设备上配置 HA，需要指定 HA 的 IP 地址。

Answer: (SHOW ANSWER)

VRRP 配置在 FortiManager HA 设备上完成。需要指定 HA 的 IP 地址。

NEW QUESTION: 28

ADOM2 如何配置？

- A. ADOM2 配置在 FortiManager 设备上完成。
- B. ADOM2 配置在 FortiGate 设备上完成。
- C. 'ADOM 配置在 FortiManager 设备上完成，需要指定 ADOM2 的 IP 地址。
- D. ADOM2 配置在 FortiManager 设备上完成，需要指定 ADOM 的 IP 地址。

Answer: (SHOW ANSWER)

FortiManager 如何配置 ADOM？

- A. 配置在 FortiManager 设备上完成，需要指定 ADOM 的 IP 地址。
- B. 配置在 FortiManager 设备上完成，需要指定 ADOM 的 IP 地址。
- C. 配置在 FortiManager 设备上完成，需要指定 ADOM 的 IP 地址。
- D. FortiManager 如何配置 ADOM？

NEW QUESTION: 29

FortiManager 如何配置？

- A. 配置在 FortiManager 设备上完成。
- B. diagnose dvm check-integrity 命令用于检查配置完整性。
- C. diagnose cdb check adom-integritycommand 命令用于检查配置完整性。
- D. 配置在 FortiManager 设备上完成。
- E. 配置在 FortiManager 设备上完成。

Answer: A,E (LEAVE A REPLY)

FortiManager 如何配置？

NEW QUESTION: 30

如何配置？

```
FortiManager # diagnose fmupdate view-serverlist fds
Fortiguard Server Comm : Enabled
Server Override Mode   : Strict
FDS server list       :
Index  Address          Port      TimeZone  Distance  Source
-----
*0     10.0.1.50           8890      -5         0          CLI
1      96.45.33.89         443       -5         0          FDNI
2      96.45.32.81         443       -5         0          FDNI
...
9      fds1.fortinet.com   443       -5         0          DEFAULT
```

FortiManager 显示以下输出。哪一项是正确的？

- A. 索引 0 的 URL 是 fds1.fortinet.com。
- B. IP 地址 10.0.1.50 是 FortiGuard 服务器的 IP 地址。
- C. 索引 1 和 2 的 FDNI 是 FortiGuard Distribution Network 的 IP 地址。
- D. 索引 9 的 FDNI 是 FortiGuard 服务器的 IP 地址。

Answer: B (LEAVE A REPLY)

输出显示 `fmupdate view-serverlist fds` 命令的输出。索引 0 的源是 CLI，IP 地址是 10.0.1.50 (端口 8890)。索引 1 和 2 的源是 FDNI，IP 地址是 96.45.33.89 和 96.45.32.81。索引 9 的源是 DEFAULT，IP 地址是 fds1.fortinet.com。因此，索引 0 的 IP 地址 10.0.1.50 是 FortiManager 的 IP 地址。

FortiManager 显示以下输出。哪一项是正确的？

输出显示索引 0 的源是 CLI，索引 1 和 2 的源是 FDNI，索引 9 的源是 DEFAULT。

NEW QUESTION: 31

FortiManager 显示以下输出。哪一项是正确的？ (选择两个)

```
FortiManager # diagnose dvm device list
--- There are currently 6 devices/vdoms managed ---
--- There are currently 6 devices/vdoms count for license ---

TYPE          OID    SN              HA    IP          NAME          ADOM    IPS          FIRMWARE    HW_GenX
fmgfaz-managed 188    FGVM02TM24013504 -    100.65.1.111 BR1-FGT-1     My_ADOM  7.0 MR6 (3401) N/A
|- STATUS: dev-db: not modified; conf: in sync; cond: pending; dm: installed; conn: up; template:[modified]default
|- vdom:[3]root flags:0 adom:My_ADOM pkg:[imported]BR1-FGT-1
```

- A. FortiGate 设备 100.65.1.111 是 FortiManager 管理的设备。
- B. FortiGate 设备 100.65.1.111 是 FortiManager 管理的设备，并且是 FortiManager 的根 vdom。
- C. FortiGate 设备 100.65.1.111 是 FortiManager 管理的设备，并且是 FortiManager 的根 vdom。
- D. FortiGate 设备 100.65.1.111 是 FortiManager 管理的设备，并且是 FortiManager 的根 vdom。

Answer: (SHOW ANSWER)

"fmgfaz-managed" 是 FortiManager 管理的设备的类型。

□□□□ [□□□]□□□ □□□□ □□□□ □□ □ □□□ □□□ □□□□ □□ □□ □□□□□□ □□□ □□□□□□.

FCP_FMG_AD-7.6 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ FCP_FMG_AD-7.6 □□! DumpTop □ □□ **FCP_FMG_AD-7.6** □□ □□□ □□□□□□, DumpTop FCP_FMG_AD-7.6 □□ □ □□ □□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop FCP_FMG_AD-7.6 □□□ □□□□□. https://www.dumptop.com/Fortinet/FCP_FMG_AD-7.6-dump.html (67 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

□□□□ FortiManager□□ □□□ □□□□ □□□□□□□□. FortiManager □□□□□□□ □□□ □□□□ □□□ □□□□□□?

- A. FortiManager□ □□ □□□ □□□ □□□ □□□□□□.
- B. □ □□□ □□ FortiManager□ FortiGate □□□□ FortiGuard □□□□ □□ □□□ □□□ □ □□□□□.
- C. □ □□□ □□ □□ □□□□□□□□ FortiManager□ □□ □□/□□ □□□ □□□ □□ □ □□□□□.
- D. FortiManager□ □□□□ □□□ □□ □□□ □□□ □ □□□ □□□□.

Answer: [\(SHOW ANSWER\)](#)

□ □□□□□□□ □□□□ □□□ Fortinet □□□□ □□□□□□□□. □□□□ FortiGate □□□□ □ □ □□□□ □□□□□□. □□□□□ □□ □□□□□ □□□ □□□□ □□□□□ □□ □□□□□.

NEW QUESTION: 33

□□□□ □□□□□□.

```
FortiManager # diagnose dvm device list
--- There are currently 6 devices/vdoms managed ---
--- There are currently 6 devices/vdoms count for license ---

TYPE          OID      SN              HA      IP          NAME        ADOM      IPS          FIRMWARE      HW_GenX
fmgfaz-managed 188     FGVM02TM24013504  -      100.65.1.111 BRI-FGT-1   My_ADOM   7.0 MR6 (3401) N/A
|- STATUS: dev-db: not modified; conf: in sync; cond: pending; dm: installed; conn: up; template:[modified]default
|- vdom:[3]root flags:0 adom:My_ADOM pkg:[imported]BR1-FGT-1
```

□□ □□□ □□ □□ □□ □ □□ □ □□□ □□□□□□□□? (□ □□□ □□□□□□□□.)

- A. □□□ FortiGate□ □□ □□ □□□ □□ □□ □□□□□□□□ □□□□ □□□□□.
- B. FortiGate□ □□ □□ □□□ □□□□ □□ □ □□ □□ □□□□□□□□ □□□□□□□□□□.
- C. □□□ FortiGate□ □□ □□ □□□ FortiManager □□ □□□□□□□□ □□□□□□.
- D. □□□ □□□ □□□□ □□ □□ □□□□□□□ □□□ □□□□□□□□.

Answer: A,D [\(LEAVE A REPLY\)](#)

"□□ □" □□□ □□ □□ □□□ □□ □□ □□□□□□□□ □□□□ □□ □□□□ □□ □□ □□□ □□□ □□□□□□. □□□□ [□□□]□□□ □□□□ □□□□ □□ □ □□□ □□□ □□□□ □□ □□ □□□□□□ □□□ □□□□□□□□.

NEW QUESTION: 34

□□□ □□□ □□□□□□□□. □□□□ FortiGate HQ-NGFW-1□ □ □□ □□□□ □□□□□□□□. □□ □□□□□□□ □□□□□ □□□□ □□□□ □□ □□ □□□ □□□□□, □□ □□□ □□ □□□□□ □□□ □□□□□.

- A. FortiGate HQ-NGFW-1 FortiManager □□□ □□□□ □□□□ □□□ □ □□□ □□□□□□ □ □□□□.
- B. FortiGate HQ-NGFW-1 FortiGuard □□ □□(FDS) □□□ □□ FortiManager□ □□□□ FortiGuard □□□□□ □□□□□ □ □□□□.
- C. FortiGate HQ-NGFW-1 □□□ □□ □□ □□ □□□□ root_CA3 □□□□ □□□□□.
- D. FortiManager□ FortiGate HQ-NGFW-1□□ FortiGate-to-FortiManager □□ □□□□(FGFM) □□ □□□ □□□□ □□ root_CA3□□□□ CA □□□□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

□ □□□□ □□ □□□ "□□□□□ □□"□□ □□□ □□ □□□ □□□□ □□ FortiGate HQ-NGFW-1□ FortiGuard □□□□□ □□ FortiGuard □□ □□(FDS)□ FortiManager□ □□□ □ □□□□.

□□□□ root_CA3 □□□□ □□□□ □□□, FortiManager□ □ □□□□ FortiGate HQ-NGFW-1□ □□□□ □□ □ FGFM □□ □□□ □□□□□.

NEW QUESTION: 35

□□□ □□□□ □□□□□□.

FortiGate GUI—FortiGuard

HQ-NGFW-1

FortiGuard Distribution Network

Entitlement	Status	
<input checked="" type="checkbox"/> Advanced Malware Protection	✔ Licensed (Expiration Date: 2027/10/10)	
<input checked="" type="checkbox"/> Attack Surface Security Rating	✔ Licensed (Expiration Date: 2027/10/10)	
<input checked="" type="checkbox"/> Data Loss Prevention (DLP)	✔ Licensed (Expiration Date: 2027/10/10)	
Email Filtering	✔ Licensed (Expiration Date: 2027/10/10)	
<input type="checkbox"/> Intrusion Prevention	✔ Licensed (Expiration Date: 2027/10/10)	
IPS Definitions	⊙ Version 6.00741	Actions
IPS Engine	⊙ Version 7.01014	
Malicious URLs	⊙ Version 1.00001	
Botnet IPs	⊙ Version 7.03947	View List
Botnet Domains	⊙ Version 3.01041	View List
<input type="checkbox"/> Operational Technology (OT) Security Service	▲ Not Licensed	Purchase
OT Threat Definitions	⊙ Version 6.00741	Upgrade Database
OT Detection Definitions	⊙ Version 0.00000	
OT Virtual Patching Signatures	⊙ Version 0.00000	View List
<input type="checkbox"/> Web Filtering	✔ Licensed (Expiration Date: 2027/10/10)	
Blocked Certificates	⊙ Version 1.00509	
DNS Filtering	✔ Licensed (Expiration Date: 2027/10/10)	
Video Filtering	✔ Licensed (Expiration Date: 2027/10/10)	

System

- Administrators
- Admin Profiles
- Firmware & Registration
- Settings
- HA
- SNMP
- Replacement Messages
- FortiGuard**
- Feature Visibility
- Certificates
- Security Fabric
- Log & Report

FortiManager GUI—FortiGuard

FortiManager					
Receive Status Service Status					
<input type="button" value="Refresh"/> <input checked="" type="checkbox"/> Show Used Object Only <input type="button" value="Export"/> <input type="button" value="Import"/>					
<input type="checkbox"/>	Package Name	Product	Version	Service Entitlement	Latest Version (Release Data/Time)
<input type="checkbox"/>	FortiOS Virtual Patch Database	FortiGate	7.6.0+	FortiCare	24.00111 (2024-11-07 00:58:00)
<input type="checkbox"/>	FGT FortiFlowDB	FortiGate	7.6.0+	Internet Service DB	7.03947 (2024-11-20 00:49:00)
<input type="checkbox"/>	DLP Signature	FortiGate	7.6+	DataLeak	1.00050 (2024-09-20 17:15:00)
<input type="checkbox"/>	Security Rating Package	FortiGate	7.6		6.00011 (2024-11-13 02:58:00)
<input type="checkbox"/>	Signature Meta Data (OT Virtual Patch)	FortiManager	7.4.3+	FortiCare	29.00906 (2024-11-19 02:59:00)
<input type="checkbox"/>	Signature Meta Data (IFS Slim)	FortiManager	7.4.0+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input type="checkbox"/>	Signature Meta Data (Industrial)	FortiManager	7.4.0+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	Signature Meta Data (Application Co)	FortiManager	7.4.0+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	DLP Signature	FortiManager	7.4.0+	DataLeak	1.00050 (2024-09-20 17:14:00)
<input type="checkbox"/>	security rating package	FortiManager	7.4		5.00044 (2024-11-13 02:58:00)
<input type="checkbox"/>	IoT Vulnerabilities	FortiManager	7.2.2+	FortiCare	29.00906 (2024-11-19 01:18:00)
<input type="checkbox"/>	Fortiextender upgrade matrix	FortiManager	7.2.2	NA	0.00018 (2024-10-03 23:40:00)
<input type="checkbox"/>	Signature Meta Data (IFS Slim)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input type="checkbox"/>	Signature Meta Data (IFS Regular)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input type="checkbox"/>	Signature Meta Data (IFS Extended)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:15:00)
<input type="checkbox"/>	Signature Meta Data (Industrial)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	Signature Meta Data (Application Co)	FortiManager	7.2.1+	FortiCare	29.00906 (2024-11-19 03:10:00)
<input type="checkbox"/>	Security	FortiManager	7.2.1+	Security	4.00067 (2024-11-13 03:18:00)

FortiGate CLI—Central management

```
HQ-NGFW-1 (central-management) # sh
config system central-management
  set type fortimanager
  set allow-push-firmware disable
  set allow-remote-firmware-upgrade disable
  set serial-number "FMG-VMTM24012945"
  set fmg "::ffff:10.0.13.120"
config server-list
  edit 1
    set server-type update
    set server-address 192.168.1.120
  next
end
set include-default-servers disable
end
```

FortiGate HQ-NGFW-1 is configured as a FortiGuard (FDS) FortiManager FortiGuard. FortiManager is configured as a FortiGuard (IPS) FortiGate HQ-NGFW-1, FortiGate FortiManager IPS. FortiManager is configured as a FortiGuard (IPS) FortiGate HQ-NGFW-1.

FortiGate HQ-NGFW-1 is configured as a FortiGuard (IPS) FortiGate HQ-NGFW-1.

- A. FortiGate is configured as a FortiManager IP (192.168.1.120) FortiGate.
- B. FortiManager FortiGate is configured as a FortiGuard (IPS) FortiGate.
- C. FortiManager FortiGuard is configured as a FortiGuard (IPv6) FortiGate.
- D. FortiManager FortiGuard is configured as a FortiGuard (anycast) FortiGate.

Answer: B (LEAVE A REPLY)

FortiGate HQ-NGFW-1 is configured as a FortiGuard (IPS) FortiGate HQ-NGFW-1, FortiGate FortiManager IPS. FortiManager is configured as a FortiGuard (IPS) FortiGate HQ-NGFW-1.

NEW QUESTION: 36

FortiGate HQ-NGFW-1 is configured as a FortiGuard (IPS) FortiGate HQ-NGFW-1.

Managed FortiGate devices

Managed FortiGate devices interface showing a search bar, navigation menu, and a list of devices.

Buttons: Add Device, Device Group, Install Wizard

Search: Search...

Managed FortiGate (4)

- ISFW (3)
 - root
 - Student
 - Trainer
- Local-FortiGate

Managed FortiAnalyzer (1)

- FAZVM64-KVM

2 Devices

Buttons: Edit, Delete, Import Configur...

<input type="checkbox"/>	Device Name
<input type="checkbox"/>	Training
<input type="checkbox"/>	ISFW
<input type="checkbox"/>	root [NAT] (Management)
<input type="checkbox"/>	Student [NAT]
<input type="checkbox"/>	Trainer [NAT]
<input type="checkbox"/>	Local-FortiGate*

FortiManager policy package

Policy Package | Install Wizard | ADOM Revisions

Search... [Edit] [Delete]

- Local-FortiGate_root
- Remote-FortiGate
- Shared_Package
- Firewall Header Policy
- Firewall Policy
- Installation Targets**
- default

Installation Target
<input type="checkbox"/> Local-FortiGate
<input checked="" type="checkbox"/> Local-FortiGate
<input type="checkbox"/> ISFW
<input type="checkbox"/> root [NAT] (Management)
<input type="checkbox"/> Trainer [NAT]
<input type="checkbox"/> Student [NAT]

FortiManager policy package

Policy Package | Install Wizard | ADOM Revisions | Tools

Search... [Create New] [Edit] [Delete] [Section] [Policy Lookup] [Co]

#	Name	Install On	From	To
1	Ping_Access	ISFW (root) ISFW (Student)	port3	port1
2	Web	Local-FortiGate (root) ISFW (Student)	port3	port1
3	Source_Device	Installation Targets	port3	port1
Implicit (4/4 Total:1)				
4	Implicit Deny	Installation Targets	any	any

A. Policy #1 is installed on ISFW (root) and ISFW (Student).

[NAT] and [NAT] VDOM.

B. Policy #3 'Source_Device' is installed on VDOM and is applied to port3 and port1.

C. Policy #2 is installed on ISFW (root) and ISFW (Student).

D. Policy Security Fabric Training is installed on Local-FortiGate and is applied to port3 and port1.

Answer: C (LEAVE A REPLY)

FortiManager Policy Package configuration page, ADOM configuration page, and ADOM configuration page. The ADOM configuration page shows the configuration for the ADOM (ADOM: Local-FortiGate) and the configuration for the ADOM (ADOM: Local-FortiGate).

Which of the following is a valid FortiManager ADOM name? (Select one)

NEW QUESTION: 37

Which of the following is a valid FortiManager ADOM name? (Select one)

Which of the following is a valid FortiManager ADOM name? (Select one)

- A. ADOM1
- B. ADOM
- C. ADOM_1
- D. ADOM1_

Answer: (SHOW ANSWER)

Which of the following is a valid FortiManager ADOM name? (Select one)

NEW QUESTION: 38

Which of the following is a valid FortiManager ADOM name? (Select one)

- A. FortiManager
- B. FortiManager_FortiAnalyzer
- C. FortiManager_ADOM
- D. FortiAnalyzer_FortiManager

Answer: B (LEAVE A REPLY)

Which of the following is a valid FortiManager ADOM name? (Select one)

NEW QUESTION: 39

Which of the following is a valid FortiManager ADOM name? (Select one)

fmprofile export-profile ADOM 3547 /tmp/Backup_File

Which of the following is a valid FortiManager ADOM name? (Select one)

Which of the following is a valid FortiManager ADOM name? (Select one)

- A. FortiManager /tmp/Backup_File
- B. FortiManager ADOM
- C. ADOM
- D. FortiManager

Answer: C (LEAVE A REPLY)


FortiManager 7.6 CLI command: "ADOM 3547 /tmp/Backup_File" returns "ADOM 3547 /tmp/Backup_File" command failed. Error: ADOM 3547 does not exist. Which of the following is a valid FortiManager ADOM name? (Select one)

Which of the following is a valid FortiManager ADOM name? (Select one)

Which of the following is a valid FortiManager ADOM name? (Select one)

NEW QUESTION: 40

□□□ □□□□ □□□□□□.



□□□□ FortiManager □ BR1-FGT-1 □ □□□ □ □ □□ □□□□ □□□□□□. □ □□□□ FortiGate □□ FortiManager □□ □□ □□□□ □□□ □□ □□ □□□□□.

□□□ □□□□ □□ □□□□ □□□□□ □□□ □□□□□□?

- A. BR1-FGT-1 □ □ 443 □□ HTTPS □ □□□□ SSL/SSH □□□□ □□□□ □□□□.
- B. □□□□ □□ □□□ □□□□ □□ FortiOS □□□ □□□ FortiManager ADOM □□□ □□□ □□□□□ □□□.
- C. □□ □□□ □□□-□□□□□-□□ □□□ FortiManager □□ FortiGate □ □□ □□□ □ □□□ □□□ □□ □□□□□□.
- D. FortiManager □ QUIC □□□□□ □□ FortiGate BR1-FGT-1 □□ FortiGuard □□□□□□□□ □□□□□□.

Answer: (SHOW ANSWER)

□□□ □□□ □□ □□□□ □□ □□ □□□ □□□□□ □□□□□□. □□ □□□□ "□□ □□□ □□□ □□□□ □□□ □□□-□□□□□-□□ □□□□□□. □□□□ □□ □□□ □□□□□ □□□□□□." □□ □□□ □□□□□. □□□ □□ □ □□□□ □□□□ "BR1-FGT-1 □□ FortiManager □□ □□□□□□ □□ □□□□ □□ □□□ □□ □□□ □□□□□□." □□ □□□□□□. □□ C □ □□□ □□□□□□. □□ □□ □□ □□□ □□□□ □□□□ □□ □□□, □□□□□□ BR1-FGT-1 □□ HTTPS 443 □ □□□□ □□□□ □□□ □□□□□. □□ □□ QUIC □□ FortiGuard □□□□□□□□ □□□□ □□□□□□ □□□□□. □□□ □□ □□□ □ □□-□□□□□-□□ □□□ FortiManager □□ □□□□ □□□ □ □□ □□□ □□□ □□□ □□□ □□□□□. □, □□□□□ □□ □□□□□ □□ □□□□□□.

□ □□□□ SSL/SSH □□□□□ □□□□□ □□ □□□ □□□ □□□ □□ □□□□□.

NEW QUESTION: 41

FortiManager is installed on a FortiGate device. Which of the following is the correct configuration for FortiManager to manage FortiGate devices?




- A. FortiManager is installed on a FortiGate device and manages FortiGate devices.
- B. FortiManager is installed on a FortiGate device and manages FortiGate devices through a FortiGate device.
- C. FortiManager is installed on a FortiGate device and manages FortiGate devices through a FortiGate device (FGFM).
- D. FortiManager is installed on a FortiGate device and manages FortiGate devices through a FortiGate device.

Answer: D (LEAVE A REPLY)

FortiManager is installed on a FortiGate device, and manages FortiGate devices through a FortiGate device.

NEW QUESTION: 42

Which of the following is the correct output of the command?



Diagnose output



```

FortiManager # diagnose dvm device list
--- There are currently 5 devices/vdoms managed ---
--- There are currently 5 devices/vdoms count for license ---

TYPE          OID   SN              HA   IP           NAME          ADOM   IPS          FIRMWARE
fmgfaz-managed 230   FGVM02TM24013423 -    10.0.13.254  FGVM02TM24013423 root    7.0 MR6 (3401) N/A
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: retrieved; conn: up
|- vdom:[3]root flags:0 adom:root pkg:[never-installed]
unregistered   167   FGVM02TM24013501 -    192.168.1.3   FGVM02TM24013501 root    7.0 MR6 (3401) N/A
|- STATUS: dev-db: unknown; conf: out of sync; cond: unregistered; dm: none; conn: unknown
|- vdom:[3]root flags:0 adom:root pkg:[never-installed]
unregistered   209   FGVM02TM24013502 -    192.168.1.101 FGVM02TM24013502 root    7.0 MR6 (3401) N/A
|- STATUS: dev-db: unknown; conf: out of sync; cond: unregistered; dm: none; conn: unknown
|- vdom:[3]root flags:0 adom:root pkg:[never-installed]
unregistered   188   FGVM02TM24013504 -    192.168.1.111 FGVM02TM24013504 root    7.0 MR6 (3401) N/A
|- STATUS: dev-db: unknown; conf: out of sync; cond: unregistered; dm: none; conn: unknown
|- vdom:[3]root flags:0 adom:root pkg:[never-installed]
fmgfaz-model   262   -              -    -            HQ-NGFW       My_ADOM 7.0 MR6 (3401) N/A
|- STATUS: dev-db: unknown; conf: unknown; cond: unknown; dm: unknown; conn: unknown
|- vdom:[3]root flags:0 adom:My_ADOM pkg:[never-installed]

```

```

FortiManager # diagnose test deploymanager reloadconf 262
Retriving configuration file from FGT...
Error: Configuration file import error.

```

FortiManager ID 262 FortiGate HQ-NGFW

FortiManager ID 262 FortiGate HQ-NGFW

A. FortiManager ID 262 FortiGate HQ-NGFW

B. FortiManager ID 262 FortiGate HQ-NGFW

C. FortiManager ID 262 FortiGate HQ-NGFW

D. FortiManager FortiOS 7.0

Answer: B (LEAVE A REPLY)

FortiManager ID 262 FortiGate HQ-NGFW

NEW QUESTION: 43

FortiManager ID 262 FortiGate HQ-NGFW

FortiManager CLI output

```
FortiManager # execute top
top - 13:08:23 up 1 day, 1:01, 0 users, load average: 2.40, 3.19, 3.34

Tasks: 188 total, 2 running, 186 sleeping, 0 stopped, 0 zombie

%Cpu(s): 15.4 us, 7.7 sy, 0.0 ni, 76.9 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st

MiB Mem : 7955.5 total, 2235.6 free, 2895.6 used, 2824.1 buff/cache

MiB Swap: 2048.0 total, 2048.0 free, 0.0 used. 4011.0 avail Mem

  PID USER      PR  NI   VIRT   RES  %CPU  %MEM     TIME+ S COMMAND
 1163 root        20   0   17.6m   2.1m   7.1   0.1   0:00.05 R top
    1 root        20   0 602.2m 14.9m   0.0   0.7   0:11.67 S /bin/initXXXXXXXXXX
    2 root        20   0    0.0m   0.0m   0.0   0.0   0:00.00 S [kthreadd]
 1462 root        20   0 303.2m 248.0m   0.0   3.1   0:14.72 S fwmsvrd
 1463 root        20   0 288.2m 232.3m   0.0   2.9   0:16.47 S fgmlinkd
 1465 root        20   0 383.7m 328.0m   0.0   4.1   0:15.26 S fgdsvr
 1467 root        20   0  84.0m  23.6m   0.0   0.3   0:00.06 S /bin/fgdhttpd
 1468 root        20   0  63.9m  13.1m   0.0   0.2   0:13.00 S fgdupd
 1469 root        20   0  63.5m  12.6m   0.0   0.2   0:00.07 S fmtr_svr
 1470 root        20   0   6.3m   3.5m   0.0   0.0   0:00.09 S /bin/webconsole
 1471 root        20   0  99.4m  850.6m   0.0  10.7   0:00.01 S srchd
 1475 root        20   0 996.4m 120.6m   0.0   1.5   0:00.00 S fclinkd
```

FortiGuard RAM ?

- A. 1.5
- B. 3.1
- C. 4.1
- D. 2.9

Answer: D (LEAVE A REPLY)

FortiManager 7.6 "fgmlinkd - " RAM 2.9% fgdsvr FortiGuard ,

NEW QUESTION: 44

FortiManager IPS ?

Edit Address - LAN ✕

Category Address ▾

Name LAN

Color

Type ⓘ Subnet ▾

IP/Netmask

Interface any ▾

Static Route Configuration

Comments
0/255

Add To Groups

Advanced Options >

Per-Device Mapping ▾

Search...

	Mapped Device ⇅	Details ⇅	
<input type="checkbox"/>	BR1-FGT-1 [root]	IP/Netmask: 192.168.1.0/255.255.255.0	
<input type="checkbox"/>	HQ-NGFW-1 [root]	IP/Netmask: 172.16.0.0/255.255.255.0	
<input type="checkbox"/>	Local-Firewall [root]	IP/Netmask: 172.16.10.0/255.255.255.0	<input checked="" type="checkbox"/>

3

A. 172.16.0.0/255.255.255.0

- B. 10.0.0.0/255.255.255.0
- C. 192.168.1.0/255.255.255.0
- D. 172.16.10.0/255.255.255.0

Answer: [\(SHOW ANSWER\)](#)

FortiManager "□□□ □□" □□□□□ □□ □□□ □□ □□ □□ □□□□ □ □□□□. □□ □□□□ □□□ □□ □□ □□□□ □□ □□□□.
□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□.
10.0.0.0/255.255.255.0.

NEW QUESTION: 48

□□□□ □□□□□□. □□□□ □□□ □□□ □□ □□ □ □□ □□ □□□□□?

Cluster status

Cluster Status

Refresh

SN	Mode	IP	Sync Status	Enable	Module Data Synchronized	Pending Module Data
FMG-VMTM24012570	Primary	192.168.2.100			0.0 KB	0.0 KB
FMG-VMTM24012572	Secondary	192.168.2.101			0.0 KB	0.0 KB

Cluster Settings

Failover Mode: Manual VRRP

Operation Mode: Standalone Primary Secondary

Peer IP and Peer SN

IP Type	Peer IP	Peer SN	Action
IPv4	192.168.2.101	FMG-VMTM24012572	

Cluster ID: 1 (1-64)

Group Password:

File Quota: 4096 MB (2048-20480)

Heart Beat Interval: 10 Seconds

Failover Threshold: 30 (1-255)

VIP:

VRRP Interface: Click to select

Priority: 1 (1-253)

Unicast:

Monitored IP

IP	Interface	Action
	Click to select	

Download Debug Log: Download

Apply

- A. FortiGuard FortiAnalyzer FortiManager HA FortiGuard FortiAnalyzer FortiManager HA
- B. FortiGuard FortiAnalyzer FortiManager HA FortiGuard FortiAnalyzer FortiManager HA
- C. FortiGuard FortiAnalyzer FortiManager HA FortiGuard FortiAnalyzer FortiManager HA
- D. FortiManager FortiAnalyzer FortiGuard HA FortiManager FortiAnalyzer FortiGuard HA
- Answer: D (LEAVE A REPLY)**
- FortiManager FortiAnalyzer FortiGuard HA FortiManager FortiAnalyzer FortiGuard HA

NEW QUESTION: 49

□□□□□ □□□□□□.

```
HA configuration

HQ-NGFW-1 # config system ha

HQ-NGFW-1 (ha) # show
config system ha
  set group-id 5
  set group-name "Training"
  set mode a-p
  set password ENC a4fbyqY4iPexFmAnZgzDY
  set hbdev "port7" 0
  set session-pickup enable
  set override disable
  set priority 200
  set monitor "port1"
  set memory-based-failover enable
  set memory-failover-threshold 70
  set memory-failover-monitor-period 50
  set memory-failover-sample-rate 10
  set memory-failover-flip-timeout 60
end
```

HQ-NGFW-1 System Performance output

```
HQ-NGFW-1 # get system performance status
CPU states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU0 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU1 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
Memory: 2042076k total, 1837868k used (90%), 104146k free (5.1%), 100062k freeable (4.9%)
Average network usage: 19/2 kbps in 1 minute, 19/4 kbps in 10 minutes, 19/3 kbps in 30 minutes
Maximal network usage: 36/10 kbps in 1 minute, 58/86 kbps in 10 minutes, 58/87 kbps in 30 minutes
Average sessions: 21 sessions in 1 minute, 22 sessions in 10 minutes, 21 sessions in 30 minutes
Maximal sessions: 22 sessions in 1 minute, 28 sessions in 10 minutes, 28 sessions in 30 minutes
Average session setup rate: 0 sessions per second in last 1 minute, 0 sessions per second in last 10 minutes
Maximal session setup rate: 0 sessions per second in last 1 minute, 1 sessions per second in last 10 minutes
Average NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Maximal NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Virus caught: 0 total in 1 minute
IPS attacks blocked: 0 total in 1 minute
Uptime: 10 days, 22 hours, 50 minutes
```

HQ-NGFW-2 System Performance output

```
HQ-NGFW-2 # get system performance status
CPU states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU0 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU1 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
Memory: 2042076k total, 993836k used (48.7%), 690352k free (33.8%), 357888k freeable (17.5%)
Average network usage: 26/18 kbps in 1 minute, 25/18 kbps in 10 minutes, 24/18 kbps in 30 minutes
Maximal network usage: 91/27 kbps in 1 minute, 92/27 kbps in 10 minutes, 92/32 kbps in 30 minutes
Average sessions: 9 sessions in 1 minute, 9 sessions in 10 minutes, 9 sessions in 30 minutes
Maximal sessions: 11 sessions in 1 minute, 11 sessions in 10 minutes, 13 sessions in 30 minutes
Average session setup rate: 0 sessions per second in last 1 minute, 0 sessions per second in last 10 minutes
Maximal session setup rate: 0 sessions per second in last 1 minute, 1 sessions per second in last 10 minutes
Average NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Maximal NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Virus caught: 0 total in 1 minute
IPS attacks blocked: 0 total in 1 minute
Uptime: 10 days, 10 hours, 50 minutes
```

□□□□ HA □□□□□ □□ □□ □□□ 55□ □□ □□□□□□.

FortiGate HA failover timeout?

- A. memory-failover-flip-timeout HQ-NGFW-2
- B. memory-failover-flip-timeout HQ-NGFW-1
- C. memory-failover-flip-timeout HQ-NGFW-1
- D. memory-failover-flip-timeout HQ-NGFW-2

Answer: A (LEAVE A REPLY)

FortiGate HA failover timeout is configured in the FortiGate HA configuration. In HQ-NGFW-1, the memory-failover-flip-timeout is set to 70, and in HQ-NGFW-2, it is set to 50. The current memory-failover-flip-timeout in HQ-NGFW-2 is 48.7%. Fortinet HA failover timeout is 70 seconds by default. The memory-failover-flip-timeout is the time interval between two consecutive failover attempts. (The default value is 70 seconds) The memory-failover-flip-timeout in HQ-NGFW-1 is 70 seconds and in HQ-NGFW-2 is 50 seconds. The current memory-failover-flip-timeout in HQ-NGFW-2 is 48.7%. (The default value is 70 seconds)

NEW QUESTION: 50

FortiManager HA failover timeout is configured in the FortiManager HA configuration. In VDOM--AGEUSR, the memory-failover-flip-timeout is set to 40, and in VDOM--AGEUSR, it is set to 40.

```
Starting log (Run on database)
config vdom
edit AGEUSR
[line 4] > config sys interface [parameter(s) invalid. detail: object unrecognized]
Failed to commit to DB, reason([line 4] > config sys interface [parameter(s) invalid. detail: object unrecognized])

Running script(NetFlow_Configuration) on DB failed
```

- FortiManager HA failover timeout is configured in the FortiManager HA configuration. In VDOM--AGEUSR, the memory-failover-flip-timeout is set to 40, and in VDOM--AGEUSR, it is set to 40.
- A. memory-failover-flip-timeout VDOM--AGEUSR
 - B. memory-failover-flip-timeout VDOM--AGEUSR
 - C. memory-failover-flip-timeout VDOM--AGEUSR
 - D. memory-failover-flip-timeout VDOM--AGEUSR

Answer: B (LEAVE A REPLY)

FortiManager HA failover timeout is configured in the FortiManager HA configuration. In VDOM--AGEUSR, the memory-failover-flip-timeout is set to 40, and in VDOM--AGEUSR, it is set to 40.

NEW QUESTION: 51

FGFM HA failover timeout is configured in the FortiGate HA configuration? (The default value is 70 seconds.)

- A. FortiGate IPS
- B. FortiGate HA
- C. FortiGate HA
- D. FortiGate HA

Answer: A,C (LEAVE A REPLY)


FortiGate HA failover timeout is configured in the FortiGate HA configuration. The default value is 70 seconds.

□□ □□□□□ FortiGate □□□ □□ □□ □□□(IPS) □□□ □□□□□□.

NEW QUESTION: 52

□□□ □□□□ □□□□□□□□.


Firewall policies



The screenshot shows the Firewall Policy configuration page in FortiGate. The left sidebar shows the hierarchy: HQ-NGFW-1 > Firewall Policy. The main table lists the following policies:

#	Name	From	To	Source	Destination	Schedule
1	Internet	port4	port2	Internal HR_user	all	always
2	FMG Administration	port2	port6	all	VIP-FMG	always
3	Internal FMG access	port4	port6	all	all	always
4	FMG outside access	port6	port2	HQ-FMG-1	all	always

Installation target



The screenshot shows the Installation Target configuration page in FortiGate. The left sidebar shows the hierarchy: HQ-NGFW-1 > Installation Targets. The main table shows the following installation target:

Installation Target	Config Status	Policy Package Status
HQ-NGFW-1	Synchronized	HQ-NGFW-1

BR1-FGT-1 FortiTokens



The screenshot shows the FortiTokens configuration page in FortiGate. The left sidebar shows the hierarchy: BR1-FGT-1 > User & Authentication > User Definition. The main table lists the following FortiTokens:

Type	Serial Number	Status	User
Mobile Token	FTKMOB4A9AC5C56D	Available	*
Mobile Token	FTKMOB4AE1B8B609	Available	*

HQ-NGFW-1 HR_user FortiToken Mobile
Copy device global objects

Vdom copy failed:

error -999 -

Copy objects for vdom root

"firewall policy", "1", id=5532, COMMIT FAIL - invalid value - prop[user fortitoken]: Mobile FortiToken FTKMOB4A9AC5C56D used by user local HR_user could not be found at device

"user local", "FTKMOB4A9AC5C56D", id=5586, COMMIT FAIL - invalid value - prop[user fortitoken]: Mobile FortiToken FTKMOB4A9AC5C56D used by user local HR_user could not be found at device

HQ-NGFW-1 FortiToken ?

- A. HQ-NGFW-1 FortiToken
- B. HQ-NGFW-1 FortiToken
- C. FortiManager FortiToken
- D. FortiToken HQ-NGFW-1

Answer: B (LEAVE A REPLY)

FortiToken(FTKM0B4A9AC5C56D) FortiGate HQ-NGFW-1 FortiManager FortiToken
FortiGate

NEW QUESTION: 53



Local-FortiGate_root ?

- A. Local-FortiGate_root
- B. FortiGate
- C. FortiManager ADOM
- D. FortiManager

Answer: A,C (LEAVE A REPLY)

Remote-FortiGate, FortiManager 7.6 "ADOM" ADOM
Local-FortiGate_root

Answer: D (LEAVE A REPLY)

FortiManager 7.6 ... "ADOM ... FortiManager ... ADOM ... ADOM1 ...

NEW QUESTION: 57

FortiManager ... "FortiGate ... (CLI ...)" ... CLI ... IPsec VPN ...

config vpn ipsec phase2-interface [...] ... IPsec ...

- A. IPsec 1 ... B. IPsec ... C. phase1 ... D. ... ADOM ...

Answer: D (LEAVE A REPLY)

ADOM ... FortiManager IPsec ... CLI ... VPN ... phase2-interface ... IPsec ... ADOM ... A ... B ... C ...

NEW QUESTION: 58

ISFW ... ADOM ... ADOM ...

```
FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdoms managed ---
--- There are currently 4 devices/vdoms count for license ---

TYPE          OID    SN              HA    IP          NAME      ADOM    IPS          FIRMWARE
fmgfaz-managed 325    FGVM010000077646 -     10.0.1.200 ISFW      ADOM76  7.00741 (regular) 7.0 MR6 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: autoupdated; conn: up
|- vdom: [3]root flags:1 adom:ADOM76 pkg:[out-of-sync]ISFW
```

A.

Import Device - HQ-NGFW-1 - Interface Mapping & Policy (2/5)

Create a new policy package for import.

Policy Package Name:

Folder:

Policy Selection:

Object Selection:

Search...

Device Interface	Mapping Type	Normalized Interface
<input checked="" type="checkbox"/> port2	<input checked="" type="button" value="Per-Device"/> <input type="button" value="Per-Platform"/>	<input type="text" value="LAN"/>
<input checked="" type="checkbox"/> port4	<input type="button" value="Per-Device"/> <input checked="" type="button" value="Per-Platform"/>	<input type="text" value="Port4"/>
<input checked="" type="checkbox"/> port6	<input type="button" value="Per-Device"/> <input checked="" type="button" value="Per-Platform"/>	<input type="text" value="port6"/>

3

Add mappings for all unused device interfaces

ADOM FortiGate FortiManager.

HQ-NGFW-1 ADOM interface mapping?

A. HQ-NGFW-1 ADOM interface mapping 'LAN'.

B. ADOM port4 interface mapping.

C. FortiManager ADOM LAN, port4 port6 interface mapping.

D. FortiGate interface mapping.

Answer: C (LEAVE A REPLY)

FortiManager ADOM LAN, port4, port6 interface mapping ADOM.

NEW QUESTION: 60

