

Fortinet.NSE5_FAZ-7.2.v2024-05-07.q45

□□□□:	NSE5_FAZ-7.2
□□□□:	Fortinet NSE 5 - FortiAnalyzer 7.2 Analyst
□□□:	Fortinet
□□ □□ □□□:	45
□□:	v2024-05-07
# □□ □:	832
# □□ □□□:	450
https://www.krdump.com/Fortinet.NSE5_FAZ-7.2.v2024-05-07.q45.html	

NEW QUESTION: 1

FortiAnalyzer □□□□ □□□□□□□ □□ □□□ □□□ □□□ □□ □ □□□?

- A. □□□ □□
- B. □□□ □□ □□□□□
- C. □□ □□□
- D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□ □□□□□ □□ □□ □□□ □□ □□□□ □□ □□ □□□□□?

- A. □□□□ □ □□□□ □□ □□ □□ □□□ □□ □ □□□□.
- B. □ □□□ □□ □□ □□□□ □□□ □□ □ □□□□.
- C. □□□□□ □□□□□ □□□ □□□□ □□□ □□ □ □□□□.
- D. □□□□ □□□ □□□□ □□ □□□□ □□□□ □□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

FortiAnalyzer□ □□ □□□ □□□□□?

- A. □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□.
- B. □□ □□ □□□ □□.
- C. □□□□ □□ □□□ □□□□ □□ □□□□□.
- D. □□□□□ SQL□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

□□□□ □□□□□.

D. ☐☐ ☐☐☐☐

Answer: D (LEAVE A REPLY)

<https://docs.fortinet.com/document/fortianalyzer/6.2.0/administration-guide/651442/fetcher-management>

NEW QUESTION: 7

CLI □□ #tpd 3□ □□□ □□□□□□ □□□ □□□ □□□□ □ □□□ □□□?

A. FortiAnalyzer ☐ ☐ ☐ ☐ ☐ ☐ ☐ IP ☐ ☐

B. FortiAnalyzer

C. ☐☐☐ ☐ ☐☐☐☐ ADOM

D. ☐☐ ☐ ☐☐ ☐☐☐ ☐☐

Answer: A (LEAVE A REPLY)

https://docs.fortinet.com/document/fortianalyzer/6.2.5/cli-reference/395556/test#test_application

NEW QUESTION: 8

FortiAnalyzer□□ □□□ □□□□ □□□ □□□□ □□□ □□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

A. FortiGate □□□ □□□ □□□□ □ □□□□ □□□□□ □□□ □□□ FortiAnalyzer□ □□□□□ □□□□□.

B. FortiAnalyzer

C. FortiAnalyzer ☐☐☐ ☐☐☐ **FortiGate** ☐☐☐ ☐☐☐☐☐☐☐ ☐☐ ☐☐☐☐☐.

D. FortiAnalyzer □ FortiGuard □ □□□□ □□ □□ □□□□□□□□ □□ □□□ □□□□□.

Answer: A,D (LEAVE A REPLY)

IOC□ □□□□□ □□□ □□□□□.

[illegible]

* FortiGate ☐☐☐ ☐ ☐☐ ☐☐☐ ☐☐

* FortiAnalyzer □□□ □□□ □□ □□ □□ □□□(IOC)□ □□□□ □□□ FortiGate □□□ □ □□ □□□ □□□□□ □□□ □□□ □□□.

[illegible]

FortiGuard □□ □□□□□□□ □□□□ □□□ □□□□ □□□. FortiAnalyzer□ FortiGuard□ □□□□ □□□ □□□□□.

□□ : <https://docs.fortinet.com/document/fortianalyzer/6.4.0/administration-guide/137635/viewing-compromised-hosts>

NEW QUESTION: 9

□□□□□□ □ 5□□ □□□ □□□□ □□□□. □□□□ □□□□□ □□□□ 5□ □□ □ 4□ □□□ □□□□□ □□□□□□ 1□ □□□□□□□□□. □□ □ □□□□□□ □□□□ □□□□ □□□□?

A. ☐ ☐

B. □□

C. ☐ ☐ ☐


D. ☐☐☐☐☐☐

Answer: B (LEAVE A REPLY)

Which of the following is a valid FortiAnalyzer_7.0_ configuration? 247 Which of the following is a valid FortiAnalyzer_7.0_ configuration? Which of the following is a valid FortiAnalyzer_7.0_ configuration?

NEW QUESTION: 10

Which of the following is a valid FortiAnalyzer_7.0_ configuration?



14:35 Which of the following is a valid FortiAnalyzer_7.0_ configuration?

- A. FortiAnalyzer_7.0_ configuration.
- B. FortiAnalyzer_7.0_ configuration.
- C. FortiAnalyzer_7.0_ configuration.
- D. sqlplugind_7.0_ configuration.

Answer: B (LEAVE A REPLY)

<https://docs.fortinet.com/document/fortianalyzer/6.2.5/administration-guide/47690/insert-rate-vs-receive-rate-widget>

NEW QUESTION: 11

FortiAnalyzer_7.0_ configuration?

- A. FortiAnalyzer_7.0_ configuration.
- B. FortiAnalyzer_7.0_ configuration.
- C. SQL_7.0_ configuration.
- D. FortiAnalyzer_7.0_ configuration.

Answer: A (LEAVE A REPLY)

Which of the following is a valid FortiAnalyzer_7.0_ configuration? Which of the following is a valid FortiAnalyzer_7.0_ configuration? Which of the following is a valid FortiAnalyzer_7.0_ configuration?

FortiAnalyzer_7.0_ Study_Guide-140

NEW QUESTION: 12

Which of the following is a valid FortiAnalyzer_7.0_ configuration?

- A. FortiAnalyzer_7.0_ configuration.
- B. FortiAnalyzer_7.0_ configuration.

D. □□□ □□□ □□□□□□□ □□□ □□ □□□□ □□□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 13

[illegible]

A. ☐☐☐ FortiAnalyzer ☐☐ ☐☐☐☐ ☐☐☐. FortiGate ☐☐ ☐☐ ☐☐☐☐.

B. IPsec □□ ID□ □□ □□ □□ □□□□ □□□.

C. SSL ☐ ☐ ☐ ☐ ☐ ☐ **IPsec** ☐ ☐ ☐ ☐ ☐ ☐.

D. IPsec FortiAnalyzer CLI

Answer: B,D (LEAVE A REPLY)

IPsec12 □□□□ FortiAnalyzer□ FortiGate □□ □□□ □□□□□ IPsec □□ ID□ □□ □□ □□ □□□□ □□ □□□ □□ B□ □
□□□. □□ ID□ □ □□□ □□ □□□□□ □□ □□ □□ □□□ □□□□ □□ □□□□□.

IPsec FortiAnalyzer1 CLI □□□□ □□□□□□ □□ D□ □□□□. FortiAnalyzer□□□ GUI□ □□ IPsec □□□ □□□ □ □□ □□.

NEW QUESTION: 14

[illegible]

A. SSL□ □□ □□□□□.

B. FortiAnalyzer ☐☐☐ ☐☐☐ **FortiGate** ☐ ☐☐☐ ☐☐☐.

C. SSL ☐☐☐ ☐ ☐☐ ☐☐ ☐☐☐☐☐.

D. SSL□ □□□□□□ □□□ □□ □ □□□□.

E. SSL □□□ □□□ FortiAnalyzer□□ □□□□□ □□□□□.

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 15

FortiAnalyzer□□ □□ □□□□ □□□□ □□□□ □□ □□□□ □□ □ □□□ □□□□□? (2□□ □□□□□.)

A. ☐☐ ☐☐☐

B. ☐☐ ☐☐☐ ☐☐☐

C. ☐☐☐ ☐ ☐☐ ☐☐☐

D. ☐☐ ☐☐☐

Answer: B,C (LEAVE A REPLY)

□ □ :

<https://docs2.fortinet.com/document/fortianalyzer/6.0.0/administration-guide/581222/trusted-hosts>

NEW QUESTION: 16

FortiAnalyzer□ □□□□□□□ □□ □□ □□□□ □□□ □□□□□?

A. SQL FROM ☐

B. SQL GET ☐

C. SQL SELECT □

D. SQL EXTRACT ☐

NEW QUESTION: 20

FortiAnalyzer 在 配置 中 选择 哪个 选项 来 配置 日志 存储 位置?

- A. 本地
- B. 本地 或 网络
- C. 本地 或 网络
- D. 本地

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

FortiAnalyzer 在 配置 中 选择 哪个 选项 来 配置 日志 存储 位置? (2 个 选项)

- A. 本地 (VDOM)
- B. 本地 或 网络
- C. 本地 或 网络
- D. 本地

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

在 配置 中 选择 哪个 选项 来 配置 日志 存储 位置?

- A. sqlplugind
- B. 本地 或 网络
- C. milogd
- D. ofrpd

Answer: B ([LEAVE A REPLY](#))

FortiAnalyzer_7.0_Study_Guide-Online.pdf 121: 在 配置 中 选择 哪个 选项 来 配置 日志 存储 位置? 本地 或 网络。

NEW QUESTION: 23

在 配置 中 选择 哪个 选项 来 配置 日志 存储 位置?

- A. 本地 或 网络
- B. 本地 或 网络
- C. 本地 或 网络
- D. 本地 或 网络

Answer: D ([LEAVE A REPLY](#))

在 配置 中 选择 哪个 选项 来 配置 日志 存储 位置? 本地 或 网络。

FortiAnalyzer_7.0_Study_Guide-Online.pdf 34: 在 配置 中 选择 哪个 选项 来 配置 日志 存储 位置? 本地 或 网络。

NEW QUESTION: 24

Which of the following is a valid FortiAnalyzer log file name? (2 correct answers.)

- A. FortiAnalyzer.log
- B. FortiAnalyzer.log.1
- C. FortiAnalyzer.log.1.1
- D. FortiAnalyzer.log.1.1.1

Answer: (SHOW ANSWER)

NEW QUESTION: 25

FortiAnalyzer can be used to monitor FortiGate logs. Which of the following is a valid FortiAnalyzer log file name? (2 correct answers.)

- A. FortiAnalyzer.log
- B. FortiAnalyzer.log.1
- C. FortiAnalyzer.log.1.1
- D. FortiAnalyzer.log.1.1.1

Answer: (SHOW ANSWER)

NEW QUESTION: 26

Which of the following is a valid FortiAnalyzer log file name?



FortiAnalyzer can be used to monitor FortiGate logs. Which of the following is a valid FortiAnalyzer log file name?

- A. FortiAnalyzer.log
- B. FortiAnalyzer.log.1
- C. FortiAnalyzer.log.1.1
- D. FortiAnalyzer.log.1.1.1

Answer: C (LEAVE A REPLY)

NEW QUESTION: 27

Which of the following is a valid FortiGate log file name? (2 correct answers.)

- Which of the following is a FortiAnalyzer component?
- A. ADOM
 - B. ADOM
 - C. ADOM
 - D. FortiAnalyzer

Answer: (SHOW ANSWER)

NEW QUESTION: 28

- Which of the following is a FortiAnalyzer component?
- A. JSON
 - B. JSON
 - C. JSON
 - D. JSON

Answer: (SHOW ANSWER)

NEW QUESTION: 29

Which of the following is a FortiAnalyzer component?

Total Quota Summary:			
Total Quota	Allocated	Available	Allocate%
63.7GB	12.7GB	51.0GB	19.9%

System Storage Summary:			
Total	Used	Available	Use%
78.7GB	2.9GB	75.9GB	3.6%

Reserved space: 15.0GB (19.0% of total space).

- Which of the following is a FortiAnalyzer component?
- A. 3.6%
 - B. 3.6%
 - C. 3.6%
 - D. 3.6%

Answer: B (LEAVE A REPLY)

<https://docs.fortinet.com/document/fortianalyzer/6.2.5/administration-guide/368682/disk-space-allocation>

NEW QUESTION: 30

Which of the following is a FortiAnalyzer component?

□□□ □□□ □□□ □□ □□ □□□ ADOM □ □□□□ □□□ □□□□ □□□□.
□□ □□□□ □□ □□□ □□□□□?

- A. CPU □□□□ □□ □□□□.
- B. ADOM□ □□□□□ □□ FortiAnalyzer □□□ □□□□ □□□ □□□
- C. □□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□.
- D. □□ □□□ □□□□ ADOM □□□ □□□□ □□ □□ □□□□□□□.


Answer: D (LEAVE A REPLY)

□□:
20logs.htm

NSE5_FAZ-7.2 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ NSE5_FAZ-7.2 □□! DumpTop □ □□ NSE5_FAZ-7.2
□□ □□□ □□□□□□, DumpTop NSE5_FAZ-7.2 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□
□□ DumpTop NSE5_FAZ-7.2 □□□ □□□□□. https://www.dumptop.com/Fortinet/NSE5_FAZ-7.2-dump.html (140 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 32

□□□□ □□□□□.



□□ □□□□ FortiAnalyzer□ □□□□ □□ Laptopt□ □□□□□. "admin" □□□ □□□□ □□□□ Laptop1□□ □□□□ □ □□□
□□□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□□ □□□.
□□□ □□□ □□ □ □□ □□□ □□□□□?

- A. Operation-login & done_on=="GUI(10.1.1.100)" & user!=admin
- B. □□ □□□ & srcip==10.1.1.100 & dstip==10.1.1.210 & user==admin
- C. □□ □□□ & dstip==10.1.1.210 & user!=admin
- D. □□□□□ & done_on=="GUI(10.1.1.210)" & user!=admin

Answer: A (LEAVE A REPLY)

□□□ □□□ □□ □□□□ □□□ □□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□□. "Performed_on!~10.0.1.10 □□□
□ □□□□□. □□□□ □□□□ □□ IP □□□ □□ □□□□ □□□□ □□ □□□ □□□□□. □□ □□□□□ □□□."

NEW QUESTION: 33

Which of the following is a valid FortiAnalyzer configuration?

- A. FortiAnalyzer `config system` `set name FortiAnalyzer` `end`
- B. FortiAnalyzer `config system` `set name FortiAnalyzer` `end`
- C. FortiAnalyzer `config system` `set name FortiAnalyzer` `end`
- D. FortiAnalyzer `config system` `set name FortiAnalyzer` `end`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

ADOMs are used to separate FortiGate configurations into different domains. Which of the following is a valid ADOM configuration?

- A. CLI `config adom` `set name ADOM` `end`
- B. `config adom` `set name ADOM` `end` FortiGate `config adom` `set name ADOM` `end` FortiAnalyzer `config adom` `set name ADOM` `end`
- C. `config adom` `set name ADOM` `end` FortiGate `config adom` `set name ADOM` `end` FortiAnalyzer `config adom` `set name ADOM` `end` FortiAnalyzer `config adom` `set name ADOM` `end`
- D. `config adom` `set name ADOM` `end`

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

FortiAnalyzer can be used to collect logs from FortiGate devices. Which of the following is a valid FortiAnalyzer configuration?

- A. `config logcollector` `set name FortiAnalyzer` `end`
- B. `config logcollector` `set name FortiAnalyzer` `end`
- C. `config logcollector` `set name FortiAnalyzer` `end`
- D. `config logcollector` `set name FortiAnalyzer` `end`

Answer: A,C ([LEAVE A REPLY](#))

Which of the following is a valid FortiAnalyzer configuration?

FortiAnalyzer `config logcollector` `set name FortiAnalyzer` `end`

FortiAnalyzer `config logcollector` `set name FortiAnalyzer` `end`

FortiAnalyzer `config logcollector` `set name FortiAnalyzer` `end`

FortiAnalyzer_7.0_Study_Guide-29

FortiAnalyzer_7.0_Study_Guide-Online.pdf 29: FortiAnalyzer `config logcollector` `set name FortiAnalyzer` `end`

* FortiAnalyzer `config logcollector` `set name FortiAnalyzer` `end`

* FortiAnalyzer `config logcollector` `set name FortiAnalyzer` `end`

* FortiAnalyzer `config logcollector` `set name FortiAnalyzer` `end`

NEW QUESTION: 36


FortiAnalyzer can be used to collect logs from FortiGate devices. Which of the following is a valid FortiAnalyzer configuration?

- A. DNS `config logcollector` `set name FortiAnalyzer` `end`
- B. `config logcollector` `set name FortiAnalyzer` `end`
- C. `config logcollector` `set name FortiAnalyzer` `end`
- D. `config logcollector` `set name FortiAnalyzer` `end`

Answer: (SHOW ANSWER)

NEW QUESTION: 37

□□□□ □□□□□.



FortiAnalyzer□ □□ □□ □□□□ □□ □ □□ □□□□□? (2□□ □□□□□.)

- A. FortiAnalyzer□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□□□.
- B. □□□□ □□□□ □□□□□.
- C. □ □□□ □□□ □□□□ □□ □□□□ □□□□□□.
- D. □□ □□□ □□□□□ □□□□□□ □□□□ □ □□ □□□ □□□ □□□□ □□□ □□ □□□ □□□□□.

Answer: (SHOW ANSWER)

"□□ □□□ □□□ □□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□□□□□. □□□ □□□□□ □□ □□□ □□ □ □□□□ □□□□□." FortiAnalyzer_7.0_Study_Guide-□□□ □□□ 306

NEW QUESTION: 38

FortiAnalyzer□ □□□□□□ □□□□ □□□ □□□□□?

- A. □□□□ □□□ □□□□ □□□□ □ □□□□□.
- B. □□□□ □□□□ □□□□□ □□□□□.
- C. □□□□□□□□ □□□□ □□□□ □□□□□.
- D. □□□□ □□□ □□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 39

□□□□□□ □ 5□□ □□□ □□□□ □□□□. □□□□ □□□□□ □□□□ □□ 5□ □ 4□□ □□□□□ □□□□□ □□ 1□□ □ □□□□. □□□□□ □□□ □□ □□□ □□□ □□□□?

- A. □□□□ □□
- B. □□ □

C. 00

D. 00

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

000 00 0000 00 000 000 000000? (20 00)

A. FortiAnalyzer 0 000 0000 000 00 0000 0000 000000.

B. FortiAnalyzer 0 00 000 000 000000 000 00 0000 0000 000 000 0 0000.

C. FortiAnalyzer 0 000 00 0000 0000 000 000000.

D. FortiAnalyzer 000 00 0000 00 000000 000 000 000 00000 00 100MB00 00 100MB000000.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

000 00 000 000 ADOM00 0 ADOM00 000000. 0 ADOM 00000000 00000 000 000?

A. FortiAnalyzer 0 0 ADOM0 000 0000 000000 000000.

B. FortiAnalyzer 0 0000 000 0 ADOM00 0000000000.

C. FortiAnalyzer 0 00 000 0 ADOM00 0000000000.

D. FortiAnalyzer 0 00 ADOM00 000 000000.

Answer: C ([LEAVE A REPLY](#))

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD40383>

NEW QUESTION: 42

000 00 0000 00 LDAP 000 00 000 0000 FortiAnalyzer 0 000 0 000 000 FortiAnalyzer00 00000 00
0 00 000 000000? (200 000000.)

A. 000 00

B. LDAP 000 00 0000 0000 000 0 00 000 000

C. 00 LDAP 00

D. 00 000000 000 00

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

FortiAnalyzer FortiView00 FortiGate 000 00 0 00 IP 000 000 0000 0000 0000.

FortiAnalyzer 0 0000 00 000 00 00 00 0 00 IP 000 000 000 0 0000?

A. IP 0 0000 00 FortiView 0 000 000 00 ADOM00 IP 000 000000.

B. 000 FortiView 0000 # set verify-ip 0000 000000.

C. FortiAnalyzer00 00 DNS 00 00

D. FortiGate00 IP 00 00

Answer: D ([LEAVE A REPLY](#))

<https://packetplant.com/fortigate-and-fortianalyzer-resolve-source-and-destination-ip/>

"00 000 000 FortiGate 000 IP 0 0000 00 0000. 00 000 000 00 0000 FortiAnalyzer00 000 0000
00 000000. FortiAnalyzer00 0 IP 000 00 IP 0 000000."

NEW QUESTION: 44

FortiAnalyzer □□ □□ □□□ □□□ □□□□ □□□□ □□ □□ □□ □□□ □□□□□?

- A.** □□□□ □□ □□
B. □ □□ □□
C. IPS □□
D. □□□□□□ □□ □□

Answer: ([SHOW ANSWER](#))

□ □ :

FortiAnalyzer_Admin_Guide/3600_FortiView/0200_Using_FortiView/1200_Compromised_hosts_page.htm?

TocPath=FortiView%7CUsing%20FortiView%7C_____6

NEW QUESTION: 45

FortiAnalyzer □ ? (2□□ □ □ □ □ □ .)

- A.** ☐☐☐☐☐☐☐☐
B. ☐☐☐☐☐☐
C. ☐☐☐☐
D. RAID ☐☐

Answer: ([SHOW ANSWER](#))

<https://docs.fortinet.com/document/fortianalyzer/6.2.5/administration-guide/368682/disk-space-allocation>

NSE5_FAZ-7.2       DumpTop     NSE5_FAZ-7.2  ! DumpTop   **NSE5_FAZ-7.2**
     , DumpTop NSE5_FAZ-7.2                    
  DumpTop NSE5_FAZ-7.2    . https://www.dumptop.com/Fortinet/NSE5_FAZ-7.2-dump.html (**140** Q&As Dumps,
30%OFF Special Discount: **KrDump**)