

Fortinet.NSE5_FCT-7.0.v2023-05-29.q210

□□□□:	NSE5_FCT-7.0
□□□□:	Fortinet NSE 5 - FortiClient EMS 7.0
□□□:	Fortinet
□□ □□ □□□:	210
□□:	v2023-05-29
# □□ □:	2372
# □□ □□□:	2100
https://www.krdump.com/Fortinet.NSE5_FCT-7.0.v2023-05-29.q210.html	

NEW QUESTION: 1

□□ □□ □□ East US2 □□□ □ □□ Azure □□ □□□ □□□□.

Azure Key Vault□ □□□□ □□□□□.

VM1 □ VM2□□ Azure Disk Encryption□ □□□□□ □□□ □ □□□ □□□□ □□□.

□ □□ □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

VM1: □□

□□□ □□□□ □□□□□□□ □□□.

Windows □ Linux IaaS VM□ □□□ □□□□ □□ VM □ Azure Premium Storage□ □□

VM□ □□ □□ Azure □□ □□ □ Azure Government □□□□ □□ □□ □□□□□.

VM2: □□ □□

□□:

[https://docs.microsoft.com/en-us/azure/virtual-](https://docs.microsoft.com/en-us/azure/virtual-machines/windows/generation-2#generation-1-vs-generation-2-capabilities)

[machines/windows/generation-2#generation-1-vs-generation-2-capabilities](https://docs.microsoft.com/en-us/azure/virtual-machines/windows/generation-2#generation-1-vs-generation-2-capabilities)

NEW QUESTION: 2

Azure AD(Azure Active Directory) □□□□ User1□□□□ □□□□ □□□ Azure □□□ □ □□□.

□□□□ □□ □ □□ □□□ □□ □□□ □□ □□□□□.

App1□□□□ □□ □□□ □□□□□.

User1□ Azure AD□□ App1□ □□□ □ □□□ □□□□ □□□. □□□□ □□ □□ □

□□ □□□□ □□□.

User1□□ □□ □□□ □□□□ □□□?

A. □□□ □□ □□□□ □□□□□□ □□□

Q1: Which command should you use to create a network security rule?

StorageEA2Allow DestinationAddressPrefix {Storage/EastUS2}

Q2: Which command should you use to create a network security rule?

TCP 21 FTP Contoso_FTP SourceAddressPrefix {1.2.3.4/32} DestinationAddressPrefix {10.0.0.5/32}

Get-AzureRmNetworkSecurityRuleConfig cmdlet Azure

https://docs.microsoft.com/en-us/azure/virtual-network/manage-network-security-group

Q3:

https://docs.microsoft.com/en-us/azure/virtual-network/manage-network-security-group

NEW QUESTION: 6

RG1 Azure Resource Group 15 Azure VMs

Which command should you use to create a network security rule?

Get-AzureRmNetworkSecurityRuleConfig cmdlet Azure

Q4: Which command should you use to create a network security rule?

A. RG1 Azure Resource Group

B. Azure Security Center

C. Azure AD(Azure Active Directory) ID

D. RG1 Azure Resource Group

Answer: B (LEAVE A REPLY)

Security Center is a cloud-native security management solution that helps you assess and improve the security posture of your Azure VMs, on-premises servers, and SaaS applications. Security Center provides a unified view of your security posture across all your resources, and helps you identify and remediate security issues. Security Center also provides a rich set of security alerts and recommendations to help you protect your resources.

Q5:

https://docs.microsoft.com/en-us/azure/security-center/security-center-adaptive-application

NEW QUESTION: 7

Azure Resource Group

S1 IP address Contoso1812 Azure

Contoso1812 IP address www.contoso.com DNS

https://www.contoso.com URL Contoso1812

Which command should you use to create a network security rule?

Q6: Which command should you use to create a network security rule?

A. Contoso1812 Azure Resource Group ID

- B. Contoso1812□ □□□ □□□ □□□□□.
- C. Contoso1812□ App Service □□□ □□□□□.
- D. Contoso1812□ □□ □□□ □□□□□.
- E. Contoso1812□ App Service □□□ □□□□□.
- F. Contoso1812□ PFX □□ □□□

Answer: (SHOW ANSWER)

B: □□□ □□ □□□ □□ □□□□ □□□□□□ Azure DNS□ □□□ □ □□□□. □
 □ □□ Azure □□□ □□□ □□□□ FQDN(□□□□ □□□ □□)□□
 www.contoso.com □□ contoso.com□ □□□□ □□□□□□ □ □ □□□□. □□□ □
 □□ □ □□ □□□□ □□□□ □□□.
 contoso.com□ □□□□ □□ "A" □□□
 □□□ □□ □□ "TXT" □□□
 A □□□□ □□□□ www □□□ "CNAME" □□□
 F: HTTPS□ □□□□□ Azure Web App□ PFX □□□ □□□□□ □□□. PFX □□□□
 HTTPS□ □□□ SSL □□□□ □□□□□.
 □□: <https://docs.microsoft.com/en-us/azure/dns/dns-web-sites-custom-> □□□

NEW QUESTION: 8

□□□ □□ □□ □□□ □□ □□□ □□□□□□.
 □□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□.
 □□□□□ □□□□□ □□□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□
 □.
 Azure □□□ □□: User1-10598168@ExamUsers.com
 □□□ □□: Ag1Bh9!#Bd
 □□ □□□ □□ □□ □□□□□ □□□□□.
 □ □□□□: 10598168
 □□□□□ VM1□□□□ □□ □□□□□ RDP □□□ □□□□□ Azure□ □□□□ □□
 □.
 □□□□ VM1□ □□ □□□ □□□□□ □□□.
 □ □□□ □□□□□ Azure Portal□ □□□□□□.

Answer:

□□ □□□ □□□□□□.
 □□
 NSG□□ RDP □□□ □□□□□ □□□□□ □□ □□□ □□□□.
 * Azure Portal□ □□□□□□.
 * Virtual Machines□□ VM1□ □□□□□□.
 * □□□□ □□□□□ □□□□□□.
 * □□□□ □□ □□□□ RDP□ □□□ □□□□ □□□□ □□□ □□□□□□. □□□ □
 □□ □□□□.
 □□□□: 300

□□: Port_3389
□□(□□□): 3389
□□□□: TCP
□□: □□
□□: □□
□□: □□
□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-nsg-problem>

NEW QUESTION: 9

□□ □□□□ □□□ Azure □□□□ □□ □□□ □□□□.
□□ □□ □□□ Azure Blueprints □□□ □□□□.
□□ □□□□□ Blueprint1□ Blueprint2□ □□□ □ □□□□? □□□□□ □□ □□□□
□□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 10

You have an Azure subscription named Sub1 that is associated to an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to implement an application that will consist of the resources shown in the following table.

Users will authenticate by using their Azure AD user account and access the Cosmos DB account by using resource tokens.

You need to identify which tasks will be implemented in CosmosDB1 and WebApp1. Which task should you identify for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

CosmosDB1: Create database users and generate resource tokens.

Azure Cosmos DB resource tokens provide a safe mechanism for allowing clients to read, write, and delete specific resources in an Azure Cosmos DB account according to the granted permissions.

WebApp1: Authenticate Azure AD users and relay resource tokens

A typical approach to requesting, generating, and delivering resource tokens to a mobile application is to use a resource token broker. The following diagram shows a high-level overview of how the sample application uses a resource token broker to manage access to the document database data:

References:

<https://docs.microsoft.com/en-us/xamarin/xamarin-forms/data-cloud/cosmosdb/authentication>

NEW QUESTION: 11

Azure Log Analytics Windows Server 2016 200

Azure Resource Manager Microsoft Monitoring Agent

?

: 1

Answer:

:

<https://blogs.technet.microsoft.com/manageabilityguys/2015/11/19/enabling-the-microsoft-monitoring-agent-in-w>

NEW QUESTION: 12

RG1 Azure RG1 10 VNET1 NSG1 NSG(. ServerAdmins RDP

ServerAdmins 60 NSG1 RDP

?

A. Azure Security Center JIT(Just In Time) VM

B. RG1 Azure

C. Azure AD(Azure Active Directory) PIM(Privileged Identity Management)

D. VNET1 Azure Bastion

Answer: C (LEAVE A REPLY)

NEW QUESTION: 13

VM0 .

?

A. VM0 1

B.

C. RT1 AzureFirewallSubnet

D. DNAT

Answer: D (LEAVE A REPLY)

□□

<https://docs.microsoft.com/en-us/azure/firewall/tutorial-firewall-dnat>

□□ 1, Litware, Inc

□□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □□□ □□□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□ □ □□□ □□ □□ □□ □ □ □□ □□ □ □□□□. □□□ □□ □□ □ □□□ □□□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □ □□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□ □ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □ □ □□ □□ □□□ □□□ □□ □□□ □□□□□□. □ □□□ □□□□ □□ □□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□ □□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□ □ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Litware, Inc. □ □□□ □□□ 500□□ □□□ □□□□□□ □□□ 20□□ □□□ □□ □ □□ □□ □□□□□.

□□ □□

Litware□□ □□ ID□ □□ Sub1□□□ Azure □□□ □□□□.

43894a43-17c2-4a39-8cfc-3540c2653ef4.

Sub1□ litwareinc.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□□. □□ □□□ □□ Litware □□ □ □□ □□□ □□□ □□ □ □□ □□□ □□□□□. □ □□ □□□□ Azure AD Premium P2 □□□□□ □□□□□. Azure AD PIM(Privileged Identity Management)□ □□□□□□□□.

□□□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure □□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure Security Center□ □□ □□□□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ Azure □□□□ □□□ □□□□□.

Litware□ □□ ID □ □□□ □□ □□□ □□□□□.

* □□ □□□□□□ □□□□ □□ □□□ Group1□ □□□□□□ □□□.

* Group2□ □□□□ □□□□ □□ □□□ □□□□ Resource Group2□ □□□ □□□ □□□□□ □□□.

□□□□□, □□□ □ □□□□□□ □□□ □□□□ □□□□ □□ □ □□□ □□ □□ □□□ □□□ □□ □□ □□ □□ □□ □□ □□□□□.

□□□□: □□ □□ □□ □□

Litware□ Azure Security Center□□ □□ □□ □□ □□□ □□□ □□□ □ □□□ □□ □.

□□:

<https://docs.microsoft.com/en-us/azure/security-center/security-center-pricing>

□□ 2, Contoso□□ □□□ □□□□ □□ □□□ □□□□. □ □

□□□□ □ □□□□ □□□ □ □□□□. □ □□□ □□ □ □□□□.

□, □□□ □□ □□□ □□□□ □□□□ □□□□

□□□ □□.

□□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□□. □ □□□□□ □□□

□□□□ □□□ □□□ □□□□□. □□□□ □□□□□ □□ □□□□ □□□ □□□ □

□□□ □□ □□(□: □□ □ □□□□, □□ □□□□ □□ □□)□ □□□ □□□□□□.

□□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□

□□ □□□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.

□□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □

□□□□. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □

□□ □ □□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□ □□ □□□ □

□ □□□ □□□□□□.

□□ 1:

□□□□□ VM1□□□□ □□ □□□□□ RDP □□□ □□□□□ Azure□ □□□□ □□

□.

□□□□ VM1□ □□ □□□ □□□□□ □□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□.

□□ 2:

VM1□□□□ □□ □□□ □□□□ □□□□□□ ASG1□□□□ □□□□□□ □□ □□□ □

□□□ □□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□.

□□ 3:

□□ □□□ Microsoft □□□ □□ □□□□□ □□□□ VM1□□□□ □□ □□□□ □□ □

□□ 02:00□ □□ □□□ □□□ □□□□ □□□.

□□ 4:

□□□ □□□□ App10317806□□□ □□□ □□□ □□ <https://www.contoso.com>□ □

□□ □□□□□.

□□ □□□ □□□□ □□□.

* App10317806□ Azure AD(Azure Active Directory)□ □□□□ □□□ □□□□□.

* App10317806□ □□□□□ □□□□□.

□□ 5:

□□ □□□□ □□□ VNET1□□□ □□ □□□□□ □□□□ □□□□ □□ □□□. □
□ □□□□ VNET1□ □□□ □□□ □ □□□ □□□.

□□ 6:

□□□ user210317806□ □□□□ RG1lod10317806 □□□ □□□□ □□ □□□ □□□
□□□ □ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

□□ 7:

131.107.0.0/16 □□□□ □□□ □□□□□ railod10317806 Azure Storage □□, □□ 8□
□□□□ □□□□ □ □□□ □□□□ □□□.

VM1□□□ □□ □□□□ □□ CPU □□□□ 15□ □□ 70%□□ □□

admin1@contoso.com□□□ □□□□□ □□□ □□ □□□ □□□ □□□.

□□ 9:

VM1□□□ □□ □□□ □□ □□□□ Azure Storage □□□□ □□ □□ □□ □□□□
□□□□ □□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□□.

□ □□□ □□□□ □ □ □ □□ □□ □ □□□□. □□□□ □□□□ □□ □□ □□□ □
□□ □ □□□□.

□□ 10:

rg1lod10317806n1 Azure Storage □□□ □□ HTTP □□□ □□□□ □□□.

□□ 11:

rg1lod10317806n1 Azure Storage □□□ KeyVault10317806 Azure □ □□ □□ □□□
□□□ □□ □□□□ □□□□□□□ □□□□ □□□.

□□ 12:

10317806.onmicrosoft.com□□□ □ Azure AD(Azure Active Directory) □□□□□ □□□
□ □□□.

□ □□□□□□ Azure MFA(Multi-Factor Authentication)□ □□□□ □□□□□□ □□□
user110317806.onmicrosoft.com□□□ □□□□ □□□□□ □□□.

□□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □□□ □□□
□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□ □ □□□ □□ □□ □□ □ □
□□ □□ □ □□□□. □□□□ □□ □□ □ □□□ □□□ □□□ □□□ □ □□□
□□□ □□□□ □□□.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □
□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□
□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□ □□□ □□□□ □□□ □□
□□□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□
□ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □
□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□. □ □□□ □□□□ □□
□□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□

□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□
□ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Contoso, Ltd. □ □□□□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□ □□□ □□
□□□.

□□□ Azure □□ □□ □□ □□□□ □□□□□□.

Contoso □□ Sub1 □ Sub2 □□ □ □□ Azure □□□ □□□□□. □ □□ □□

contoso.com □□□ Azure AD(Azure Active Directory) □□□□ □□□□□.

□□ □□ □□

Contoso □ □□□ □□ □□ □□ □□□ □□□□□.

* Azure Firewall □ Sub2 □ VNetWork1 □ □□□□□.

* contoso.com □□ App2 □□ □□ □□□□□ □□□□□.

* □□□□ □□ □□ □□□ □□□□□□.

* contoso.com □ □□ Azure AD PIM(Privileged Identity Management) □□

□□ □□

□□ □□

Contoso.com □□ □□ □□ □□ □□□□ □□□□ □□□□.

Contoso.com □□ □□ □□ □□□ □□ □□□ □□□□ □□□□.

□□1

Sub1 □□ RG1, RG2, RG3, RG4, RG5 □ RG6 □□□ 6 □□ □□□ □□□ □□□□.

User2 □ □□ □□ □□□ □□ □□□□□ □□□□.

Sub1 □□ □□ □□ □□□ □□□ □□□□ □□□□.

Sub1 □□ □□ □□ □□□ Azure □□□ □□□□ □□□□.

□□2

Sub2 □□ □□ □□ □□ □□ □□□ □□□□□.

□□ □□ □□□□ □□ IP □□□ □ □□(IIS) □□□ □□□□ □□□□. □ □□ □□□

□□□□ ping □□ □ □ □□□ □□□□□.

Sub2 □□ □□ □□ □□□ NSG(□□□□ □□ □□) □ □□□□ □□□□.

NSG1 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG2 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG3 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG4 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG1, NSG2, NSG3 □ NSG4 □□ □□ □□ □□□ □□□□□ □□ □□□ □□□□.

Contoso □ □□□ □□ □□ □□ □□□ □□□□□.

* Azure Firewall □ Sub2 □ VNetwork1 □ □□□□□.

* contoso.com □□ App2 □□ □□ □□□□□ □□□□□.

* □□□□ □□ □□ □□□ □□□□□□.

* contoso.com □ □□ Azure AD PIM(Privileged Identity Management) □ □□□□□ □□

□□□.

NEW QUESTION: 18

HOTSPOT

You have the Azure key vaults shown in the following table.

KV1 stores a secret named Secret1 and a key for a managed storage account named Key1.

You back up Secret1 and Key1.

To which key vaults can you restore each backup? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer:

Explanation:

The backups can only be restored to key vaults in the same subscription and same geography. You can restore to a different region in the same geography.

Mix Questions

Question Set 1

NEW QUESTION: 19

share1 is an Azure Files share in User1's Azure AD tenant. ID is share1-1234567890.

User1's SMB client is Windows 10 and share1 is mounted.

Azure Files is used to store files. What is the file format?

- A. JSON (JWT)
- B. SAML
- C. OAuth 20
- D. XML

Answer: D (LEAVE A REPLY)

NEW QUESTION: 20

contoso.com is an Azure AD(Azure Active Directory) tenant. Azure AD is used to manage users and groups.

RG1 is a resource group in the tenant.

Users in RG1 are assigned roles. What is the role assigned to RG1 users? Select the correct answer.

Options: Contributor, Reader, Owner, Administrator.

Answer:

1.

2: Contributor role is assigned to RG1 users.

3: Contributor role is assigned to RG1 users. The role is assigned to the users in the RG1 resource group.

NEW QUESTION: 21

□□ □□ □□□ Azure □□ □□□ □□□□.

□□ □□ □□□ RG1□ Analytics1□□□□ Azure Log Analytics □□ □□□ □□□□.

Analytics1□ □□□ □ □□ □□ □□□ □□□□□?

A. VM1□ □□

B. VM1, VM2 □ VM3□ □□

C. VM1, VM2, VM3 □ VM4

D. VM1 □ VM4□ □□

Answer: (SHOW ANSWER)

□□

□□: □□ □□ □□□

* Azure Portal□□ □□ □□□□ □□□□□. □□□□ □□□□ Log Analytics□ □□□□□.

□□□□ □□□□ □□ □□□□ □□ □□□□ □□□□□□□□. □□ □□□□ □□□□□□.

* □□□□□ □□□□ □ □□ □□□□ □□ □□ □□□□ □□□□□□.

DefaultLAWorkspace□ □□ □ Log Analytics □□ □□□□ □□□□ □□□□□□. OMS □□

□□□□ □□ Log Analytics □□ □□□□□□ □□□.

□□□□ □□□□□ □□□□□ □□ □□ □□□□□ □□□□□ □□□□□ □□□□ □□□□

□.

□□□□ □□□□ □□ □□ □□□□ Azure □□ □□□□ □□□□ □□ □□□□ □□□□□□.

VM□ □□□□ □□□□ □□□□□□. □□□□ □□□□ Log Analytics□ □□□□ □ □□ □□□□ □

□□□□□.

NEW QUESTION: 22

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

You create a custom RBAC role in Subscription1 by using the following JSON file.

You assign Role1 to User1 on RG1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/resource-provider-operations#microsoftcompute>

NEW QUESTION: 23

Azure Sentinel □□ □□□ □□□□ Azure □□□□ □□□□□.

Azure Sentinel□ □□ Azure □□□□□□□ □□□□ □□□□□□□□. □□ □□□□ □

□ □□□□□ □□□□□ □□□□□□.

How can you create an incident in Azure Sentinel from an alert?

* Azure Sentinel can create incidents from alerts.

* Azure Sentinel can create incidents from alerts, but you must first create a playbook.

How can you create an incident in Azure Sentinel from an alert? (Select two)

1. Create a playbook

Answer:

1, 2

2:

<https://docs.microsoft.com/en-us/azure/sentinel/create-incidents-from-alerts>

<https://docs.microsoft.com/en-us/azure/sentinel/tutorial-respond-threats-playbook>

NEW QUESTION: 24

Sub2: How can you create an incident in Azure Sentinel from an alert?

How can you create an incident in Azure Sentinel from an alert? (Select two)

1. Create a playbook

Answer:

NEW QUESTION: 25

How can you create an incident in Azure Sentinel from an alert?

Azure Security Center can create incidents from alerts.

How can you create an incident in Azure Sentinel from an alert? (Select two)

1. Create a playbook

A. Azure Active Directory (Azure AD) ID

B. Azure Active Directory (Azure AD) ID

C. Azure Advisor

D. Azure Log Analytics

E. Security Center

Answer: (SHOW ANSWER)

D: Azure Log Analytics

2:

<https://docs.microsoft.com/en-us/azure/security-center/security-center-custom-alert>

NEW QUESTION: 26

Sub2: How can you create an incident in Azure Sentinel from an alert?

How can you create an incident in Azure Sentinel from an alert? (Select two)

1. Create a playbook

2:

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Answer:

Sub1:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/encrypt-disks>

NEW QUESTION: 27

You have an Azure subscription that contains 100 virtual machines. Azure Diagnostics is enabled on all the virtual machines.

You are planning the monitoring of Azure services in the subscription.

You need to retrieve the following details:

Identify the user who deleted a virtual machine three weeks ago.

Query the security events of a virtual machine that runs Windows Server 2016.

What should you use in Azure Monitor? To answer, drag the appropriate configuration settings to the correct details. Each configuration setting may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-log-audit>

NEW QUESTION: 28

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Sub1: Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Answer:

NEW QUESTION: 29

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

Sub1 is an Azure subscription. Sub1 has a Windows Server 2016 VM in an Azure subscription. Azure Disk Encryption is enabled on the VM. How can you ensure that the VM's disks are encrypted?

□□ □□□ □□ □ □□□ □□□ Vault1□□□ Azure □ □□ □□ □□□ □□□□.
Vault1□□ □□ □□ □□□ □□□ □□□ □□□□ □□□□.
□□ □□ □□ Vault1□ □□ □□ □□□ □□□□□.
□□ □ □□□ □□ □□□ □□□ □, □□□ □□□ □□□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NSE5_FCT-7.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
NSE5_FCT-7.0 □□! DumpTop □ □□ **NSE5_FCT-7.0** □□ □□□ □□□□□□,
DumpTop NSE5_FCT-7.0 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop NSE5_FCT-7.0 □□□ □□□□□.
https://www.dumptop.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 32

Group1□ □□ ID □ □□□ □□ □□□ □□□□ □□□.
□□□ □□ □□□?
A. Group1□ □□ □□□ □□□□□.
B. □□1□ □□□□□. □□□ □□□ Office 365□ Group1□□□ □ □□□ □□□□. □
□□ □□□□ □□□ □□□□□.
C. Group1□ □□□ □□□ □□□□□.
D. Group1□ □□ □□□ Assigned□ □□□□□. □□ □□□□ □□ □ □□ □□□ □□
□□. □ □□□ Group1□ □□□□□.

Answer: D (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership> □□□□:
Litware□ □□ ID □ □□□ □□ □□□ □□□□□□. □□ □□□□□□ □□□ □ □□ □
□□ Group1□ □□□□□□ □□□.
□□□□□ □□ □□ □□□ □□□□ □□□□.
□□:
<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership>
<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-groups-create-azure-portal>
□□ 2, Contoso
□□ □□ □□
Contoso□ □□□ □□ □□ □□ □□□ □□□□□.
Sub2□ VNetWork1□ Azure Firewall□ □□□□□.

contoso.com App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub1 RG1, RG2, RG3, RG4, RG5, RG6 6 Azure AD PIM(Privileged Identity Management) Sub1

contoso.com App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub1

Sub1

Contoso.com App2 Azure AD PIM(Privileged Identity Management) Sub1

Contoso.com App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub1

Sub1 RG1, RG2, RG3, RG4, RG5, RG6 6 Azure AD PIM(Privileged Identity Management) Sub1

User2 App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub1 App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub1 App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub2

Sub2 App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub2 App2 Azure AD PIM(Privileged Identity Management) Sub1 IP (IIS) Sub2

Sub2 App2 Azure AD PIM(Privileged Identity Management) Sub1 ping Sub2

Sub2 App2 Azure AD PIM(Privileged Identity Management) Sub1 NSG(Sub2)

NSG1 App2 Azure AD PIM(Privileged Identity Management) Sub1

NSG2 App2 Azure AD PIM(Privileged Identity Management) Sub1

NSG3 App2 Azure AD PIM(Privileged Identity Management) Sub1

NSG4 App2 Azure AD PIM(Privileged Identity Management) Sub1

NSG1, NSG2, NSG3, NSG4 App2 Azure AD PIM(Privileged Identity Management) Sub1

Contoso App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub2 VNetwork1 Azure Firewall Sub2

contoso.com App2 Azure AD PIM(Privileged Identity Management) Sub1

contoso.com App2 Azure AD PIM(Privileged Identity Management) Sub1

contoso.com App2 Azure AD PIM(Privileged Identity Management) Sub1

Sub1

NEW QUESTION: 33

Sub1 Azure AD PIM(Privileged Identity Management) Sub1

Sub1 RG1 Azure AD PIM(Privileged Identity Management) Sub1

Sub1

Sub1?

A. Azure AD(Azure Active Directory) PIM(Privileged Identity Management) Sub1

B. Sub1

C. Azure AD(Azure Active Directory) Sub1

D. (JIT) VM Sub1

Answer: (SHOW ANSWER)

Sub1

JIT(Just-In-Time) VM(□□ □□) □□□□ □□□□ Azure VM□ □□ □□□□ □□□□ □□□□ □□ □□ □□ □□ □□□□ □□□ □ VM□ □□ □□□ □ □□□□.

□□: Just-In-Time□ □□□□□ Security Center□ NSG □□□ □□□□ Azure VM□ □ □□□□ □□□□ □□□□. □□□□ □□□□ □□ VM□ □□□ □□□□□□. □□□ □□□ Just-In-Time □□□□ □□ □□□□□.

□□□□ VM□ □□ □□□□ □□□□ Security Center□ □□□□□ VM□ □□ □□□ □ □□□□□ □□□ □ □□ RBAC(□□ □□ □□□ □□) □□□ □□□ □□□□□□. □ □□ □□□□ Security Center□ □□□ □□ □□ □□□ □□ □ □□□ □□ IP □□ □ □□□ □□ □□□□ □□□□ □□□□□□ NSG(□□□□ □□ □□) □ Azure Firewall □ □□□□ □□□□□□. □□□□ □□□ □ Security Center□ NSG□ □□ □□□ □□□□□ □. □□□ □□ □□□ □□□ □□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/security-center/security-center-just-in-time>

NEW QUESTION: 34

storage1□□□□ □□□□ □□□□ □□ □□ □□ □□□□ Azure □□□□ □□□□□. □□□ □ □□□ □□ □□□ □□□□ Azure □□□□ □□□□□. □□ □□□□ □□□□ □□□ □□ □□ □□□□.

□□ □□□□ □□□□□□ □□ □□ □□ □□□ □□□ □□□□□□ □□□□□.

storage1□ □□ □□ □□□ □ □□ □□□□ □□□ □□□□□□.

□□□□ □□: □□□□ □□□□□

□□ □□□□: VNET3\Subnet3

□□□□ - □□ □□: 52.233.129.0/24

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□□□. □□□□ □□□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□□.

Answer:

NEW QUESTION: 35

Azure □ □□ □□ □□□□ □□□□ □□□□. □□□□□ □ □□ □□ □□□□ □□□ □□ □□□□ 90□ □□ □□□□□□ □□ □□□.

□□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□□□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powershell/module/azurerm.keyvault/new-azurermkeyvault>

NEW QUESTION: 36

□□ □□ □□□ Azure □□ □□□ □□□□□.

□□□□ □□□ □□□□ □ □□ □□ □□□ □□□□□?

- A. VM2 □ VM3□ □□
- B. VM2, VM3 □ VM4□ □□
- C. VM1, VM2 □ VM4□ □□
- D. VM1, VM2, VM3 □ VM4
- E. VM1, VM2 □ VM3□ □□

Answer: C (LEAVE A REPLY)

□□:

<https://docs.microsoft.com/en-us/azure/automation/automation-update-management?toc=%2Fazure%2Fautomation%2Ftoc.json>

NEW QUESTION: 37

storage1□□□ □□□□ □□□ □□ □□ □□□ □□□ Azure □□□ □□□□. □□□ □ □□□ □□ □□□ □□□ Azure □□□ □□□□. □□ □□□ □□□□ □□□ □□ □□ □□□□.

□□ □□□□ □□□□□ □□ □□ □□ □□□ □□□ □□□□□□ □□□□.

storage1□ □□ □□ □□□ □ □□ □□□□ □□□ □□□□□.

□□□ □□: □□□ □□□□

□□ □□□□: VNET3\Subnet3

□□□ - □□ □□: 52.233.129.0/24

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 38

storage1□□□ □□□□ □□□ □□ □□ □□□ □□□ Azure □□□ □□□□. □□□ □ □□□ □□ □□□ □□□ Azure □□□ □□□□. □□ □□□ □□□□ □□□ □□ □□ □□□□.

□□ □□□□ □□□□□ □□ □□ □□ □□□ □□□ □□□□□□ □□□□.

storage1□ □□ □□ □□□ □ □□ □□□□ □□□ □□□□□.

□□□ □□: □□□ □□□□

□□ □□□□: VNET3\Subnet3

□□□ - □□ □□: 52.233.129.0/24

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 39

Azure AD □□□□□□ □□ □ □□ □□□ ID □ □□□ □□ □□□ □□□□□ □□□ □ □□□.

Azure Portal□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/configure-user-consent>

NEW QUESTION: 40

Azure □□ □□□ □□□□ □ □□□□ Azure Resource Manager □□□□ □□□□.□ □ □□□ □□□□□ □□□□□□□□

□□□□ □□ Windows □□□ □□□□ □□□□□□ □□□□ .

□□□ □□□□ □□□?

A. Microsoft Intune□ □□ □□ □□

B. Azure DSC(Desired State Configuration) □□ □□ □□

C. □□□□□□ □□ □□

D. Microsoft Intune□ □□ □□ □□ □□

Answer: (SHOW ANSWER)

□□: [□□]

□□:

Azure DSC(Desired State Configuration) □□□ □□ □□ □□□ VM□ Azure DSC(Automation State Configuration) □□□□ □□□□□□□□ □□□□. □ □□□□ VM □□□ □□□□ □□ □ Azure □□□□□ □□ □□ □□ □□□□ □□□ □□□□ □□ □□□□□□.

□□□ □□□□ VM□ □□□□ □□□□ Azure □□ □□□ □□□□ □□□ □□□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/extensions/dsc-overview>

NEW QUESTION: 41

□□ □□ □□□ □□ □□□ □□□ Azure □□□□ □□□□.

□□ □□ □□□ Azure □□□□ □□□□.

□□ □□ □□□ □□□ □□□ □□□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□□. □□□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 42

VM1, VM2, VM3, and VM4 are in the same resource group.

VM1, VM2, and VM3 are in the same Azure Log Analytics workspace. VM4 is in a different workspace.

- A. VM1, VM2, and VM3
- B. VM1, VM2, and VM4
- C. VM1, VM2, VM3, and VM4
- D. VM1 and VM4

Answer: A (LEAVE A REPLY)

VM1, VM2, and VM3

VM1, VM2, and VM3

* Azure Portal VM1, VM2, and VM3. Log Analytics workspace. VM4 is in a different workspace.

* VM1, VM2, and VM3. Log Analytics workspace.

DefaultLAWorkspace VM1, VM2, and VM3. OMS VM1, VM2, and VM3.

VM1, VM2, and VM3. Log Analytics workspace. VM4 is in a different workspace.

VM1, VM2, and VM3. Log Analytics workspace. VM4 is in a different workspace.

NEW QUESTION: 43

You have five Azure subscriptions linked to a single Azure Active Directory (Azure AD) tenant.

You create an Azure Policy initiative named SecurityPolicyInitiative1.

You identify which standard role assignments must be configured on all new resource groups.

You need to enforce SecurityPolicyInitiative1 and the role assignments when a new resource group is created.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Reference:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/create-blueprint-portal>

<https://docs.microsoft.com/en-us/azure/azure-australia/azure-policy>

NEW QUESTION: 44

□□ □□ □□□ □□ □□□ □□□ Azure □□□ □□□□.
□□ □□ □□□ Azure □□□ □□□□.
□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□
□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:
□□:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

NEW QUESTION: 45

Azure Sentinel □□ □□□ □□□ Azure □□□ □□□□.
Azure Sentinel□ □□ Azure □□□□□□ □□□ □□□□□ □□□□□. □□ □□□ □
□ □□□□ □□□□ □□□□□ □□□□□.
□□ □□ □□□ □□□□□ □□□ Azure Sentinel □□ □□□ □□□□ □□□.
Azure Sentinel□ □□□ □□□□ □□□□□ □□□□ □□□.
Azure Sentinel□□ □□□□□ □□□□ □□□ □□ □□□□ □□□ □□□□□ □□□.
□ □□ □□□ □□ □□ □□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□
□□□ □□□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/sentinel/create-incident-from-alerts>
<https://docs.microsoft.com/en-us/azure/sentinel/tutorial-respond-threats-playbook>

NEW QUESTION: 46

Azure □ □□ □□ □□□ □□□□.
□□ □□ □□□ □□□□□ □ □□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□
□.
* User1□□□ □□□□□ □ □□ □□ □□□ □□ □□ □□□ □□□ □□□ □ □□ □
□□ □□□□□.
* □□□ User2□ □□□□□ □ □□ □□ □□□□ □□□□ □□□□ □□□ □ □□ □
□□ □□□□□.
* □□ □□ □□□ □□□□□.
□ □□□□□ □□□ □□□ □□□□□ □□□ □□□□ □□□? □□□□□ □□ □□
□□ □□□ □□□ □□□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:
□□□ 1: RBAC

RBAC is used to control access to Key Vault resources. RBAC ID is used to control access to Key Vault resources.

* Key Vault RBAC is used to control access to Key Vault resources.

* RBAC is used to control access to Key Vault resources, RBAC is used to control access to Key Vault resources.

* Key Vault RBAC is used to control access to Key Vault resources.

RBAC: RBAC is used to control access to Key Vault resources. RBAC is used to control access to Key Vault resources. RBAC is used to control access to Key Vault resources. RBAC is used to control access to Key Vault resources.

User2: RBAC is used to control access to Key Vault resources.

RBAC is used to control access to Key Vault resources. RBAC is used to control access to Key Vault resources. RBAC is used to control access to Key Vault resources. RBAC is used to control access to Key Vault resources.

RBAC:

<https://docs.microsoft.com/en-us/azure/key-vault/key-vault-secure-your-key-vault>

NSE5_FCT-7.0 is a Fortinet certification exam. DumpTop is a website that provides dumps for various certifications. NSE5_FCT-7.0 is a Fortinet certification exam. DumpTop is a website that provides dumps for various certifications. NSE5_FCT-7.0 is a Fortinet certification exam. DumpTop is a website that provides dumps for various certifications.

https://www.dumpstopping.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 47

You have an Azure subscription named Sub 1 that is associated to an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Each user is assigned an Azure AD Premium P2 license.

You plan to onboard and configure Azure AD Identity Protection.

Which users can onboard Azure AD Identity Protection, remediate users, and configure policies? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer:

Explanation

NEW QUESTION: 48

Azure AD (Azure Active Directory) is a cloud-based identity management service. Azure AD is a cloud-based identity management service.

Azure AD is a cloud-based identity management service. Azure AD is a cloud-based identity management service. Azure AD is a cloud-based identity management service. Azure AD is a cloud-based identity management service.

□□ □□□ □□ □□ □□□ □□ □□□□□ □□□ □□ □□□□□. (□□ □□ □□□□ □.)

□□ □□□ □□ □□ □□□ □□ □□□ □□□ □□ □□□□□. (□□ □□ □□□□ □.)

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 1: □□□

Contoso □□□ □□□□□.

□□ 2: □□□

□□ 3: □□□

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION: 49

You have an Azure subscription that contains an Azure SQL Database logic server named SQL1 and an Azure virtual machine named VM1. VM1 uses a private IP address only. The Firewall and virtual networks settings for SQL1 are shown in the following exhibit. You need to ensure that VM1 can connect to SQL1. The solution must use the principle of least privilege. What should you do?

- A. Set Allow Azure services and resources to access this server to Yes.
- B. Create a new firewall rule.
- C. Add an existing virtual network.
- D. Set Connection Policy to Proxy.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 50

□□□□□□ corp.contoso.com□□□ □-□□□□ Active Directory □□□□ □□□□ □ □□□.

Contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□ Sub1□□□ Azure □□□ □□□□.

□□ □-□□□□ ID□ Azure AD□ □□□□□□.

TEST□ □□□□ givenName □□□ □□ □□□□ Azure AD□ □□□□□ □□□ □□ □□□. □□□□ □□ □□□ □□□□□ □□□.

□□□ □□□□ □□□?

A. □□□ □□ □□□

B. □ □□□ □□ □□

- C. Azure AD Connect
- D. Active Directory

Answer: A (LEAVE A REPLY)

:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-change-the-configuration>

NEW QUESTION: 51

You need to ensure that the Azure AD application registration and consent configurations meet the identity and access requirements.

What should you use in the Azure portal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/configure-user-consent>

NEW QUESTION: 52

Sub2

.

: 1 .

Answer:

NEW QUESTION: 53

: . .

.

Sub1 Azure . Sub1 Windows Server 2016 VM1 Azure .

Azure Disk Encryption VM1 .

?

Guided Investigation - Anomaly Lookup Microsoft Sentinel

?

A. Azure

B. Log Analytics

C.

D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Azure AD(Azure Active Directory) . Azure AD PIM(Privileged Identity Management)

PIM

Group1: ,

2: ,

: 1

Answer:

:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

<https://docs.microsoft.com/bs-cyrl-ba/azure/active-directory/privileged-identity-management/pim-resource-roles-configure-role-settings>

NEW QUESTION: 58

NSG() 10

Azure Storage

?

: 1

A.

B. Azure Network Watcher

C. NSG

D. NSG

E. Azure Log Analytics

Answer: ([SHOW ANSWER](#))

NSG() VM() VM(. Network Watcher NSG

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □
□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□. □ □□□ □□□□ □□
□□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□
□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□
□ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Contoso, Ltd. □ □□□□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□ □□□ □□
□□□.

□□□ Azure □□ □□ □□ □□□□ □□□□□□.

Contoso □□ Sub1 □ Sub2 □□ □ □□ Azure □□□ □□□□. □ □□ □□
contoso.com □□□ Azure AD(Azure Active Directory) □□□□ □□□□□.

□□ □□ □□

Contoso □ □□□ □□ □□ □□ □□□ □□□□□.

* Azure Firewall □ Sub2 □ VNetWork1 □ □□□□□.

* contoso.com □□ App2 □□ □□ □□□□□ □□□□□.

* □□□□ □□ □□ □□□ □□□□□□.

* contoso.com □ □□ Azure AD PIM(Privileged Identity Management) □□

□□ □□

□□ □□

Contoso.com □□ □□ □□ □□□ □□□□ □□□□ □□□□.

Contoso.com □□ □□ □□ □□□ □□ □□□ □□□□ □□□□.

□□1

Sub1 □□ RG1, RG2, RG3, RG4, RG5 □ RG6 □□□ 6□□ □□□ □□□ □□□□.

User2 □ □□ □□ □□□ □□ □□□□□ □□□□.

Sub1 □□ □□ □□ □□□ □□□ □□□□ □□□□.

Sub1 □□ □□ □□ □□□ Azure □□□ □□□□ □□□□.

□□2

Sub2 □□ □□ □□ □□□ □□ □□□ □□□□□.

□□ □□ □□□□ □□ IP □□□ □ □□(IIS) □□□ □□□□ □□□□. □ □□ □□□
□□□□ ping □□ □ □ □□□ □□□□□.

Sub2 □□ □□ □□ □□□ NSG(□□□□ □□ □□) □ □□□□ □□□□.

NSG1 □□ □□ □□ □□ □□□ □□ □□□ □□□□.

NSG2 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG3 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG4 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG1, NSG2, NSG3 □ NSG4 □□ □□ □□ □□□ □□□□□ □□ □□□ □□□□.

Contoso □ □□□ □□ □□ □□ □□□ □□□□□.

* Azure Firewall □ Sub2 □ VNetwork1 □ □□□□□.

* contoso.com □□ App2 □□ □□ □□□□□ □□□□□.

* □□□□ □□ □□ □□□ □□□□□□.

* contoso.com Azure AD PIM(Privileged Identity Management) .

NEW QUESTION: 60

Azure .
 Azure .
 .
:

Answer:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

NEW QUESTION: 61

User1 User2 App1 Azure AD(Azure Active Directory) .
Role1 .
Role1 User1 User2 Appl .
 .
:

Answer:

NSE5_FCT-7.0 DumpTop
NSE5_FCT-7.0! DumpTop **NSE5_FCT-7.0**,
DumpTop NSE5_FCT-7.0 .
DumpTop NSE5_FCT-7.0 .
https://www.dumptop.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 62

Azure AD(Azure Active Directory) .
 .
2020 5 4 Azure Active Directory .
 .
 .
:

A. 1

- B. 2
- C. 2
- D. 1

Answer: B,C ([LEAVE A REPLY](#))

Office 365 30 days before deletion.
Office 365 30 days before deletion.
Office 365 30 days before deletion.
<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-restore-deleted>

NEW QUESTION: 63

Azure AD(Azure Active Directory) is a cloud-based Active Directory service. It provides a secure and scalable way to manage users and groups in the cloud. It also provides a way to integrate on-premises Active Directory with the cloud. Azure AD is used for authentication and authorization in Azure and other Microsoft services. It also provides a way to manage user accounts and groups in the cloud. Azure AD is used for authentication and authorization in Azure and other Microsoft services. It also provides a way to manage user accounts and groups in the cloud.

- * 1
- * 1
- * 2

Azure MFA is a multi-factor authentication solution that provides an additional layer of security for Azure AD users. It is used to verify the identity of users before they can access resources in Azure. Azure MFA is used for authentication and authorization in Azure and other Microsoft services. It also provides a way to manage user accounts and groups in the cloud.

Answer:

1

NEW QUESTION: 64

You need to ensure that the Azure AD application registration and consent configurations meet the identity and access requirements. What should you use in the Azure portal? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/configure-user-consent>

NEW QUESTION: 65

Azure AD is a cloud-based Active Directory service. It provides a secure and scalable way to manage users and groups in the cloud. It also provides a way to integrate on-premises Active Directory with the cloud. Azure AD is used for authentication and authorization in Azure and other Microsoft services. It also provides a way to manage user accounts and groups in the cloud.

Update1 □ Update2□□ □ □□ □□□□ □□□ □□□□□. Update1□ VM3□ □□□ □□□□. Update2□ VM6□ □□□□□□□.

Update1 □ Update2□ □□□□ □□ □□ □□ □□□ □□□□□ □ □□□□? □□□□ □ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/automation/automation-update-management>

NEW QUESTION: 66

VNetwork1□ □□ □□ □□ □□□ □□□□ □□□.

□□ □□□ □□ □□□?

- A. VNetwork1□ □ □□□□ □□□□.
- B. Subnet11 □ Subnet13□□ NSG□ □□□□□.
- C. NSG□ Subnet12□ □□□□□.
- D. VNetwork1□ □□ DDoS □□□ □□□□□.

Answer: (SHOW ANSWER)

□□□□□□: Azure Firewall□ Sub2□ VNetwork1□ □□□□□.

Azure □□□□□ AzureFirewallSubnet□□□□ □□ □□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/firewall/tutorial-firewall-deploy-portal>

□□ 1, Contoso

□□ □□ □□

Contoso□ □□□ □□ □□ □□ □□□ □□□□□.

Sub2□ VNetWork1□ Azure Firewall□ □□□□□.

contoso.com□□ App2□□ □□ □□□□□ □□□□□.

□□□□ □□ □□ □□□ □□□□□□.

contoso.com□ □□ Azure AD PIM(Privileged Identity Management) □□

□□ □□

□□ □□

Contoso.com□□ □□ □□ □□ □□□□ □□□□ □□□□.

Contoso.com□□ □□ □□ □□ □□ □□ □□□ □□□□ □□□□.

□□1

Sub1□□ RG1, RG2, RG3, RG4, RG5 □ RG6□□□ 6□□ □□□ □□□ □□□□.

User2□ □□ □□ □□□ □□ □□□□□ □□□□.

Sub1□□ □□ □□ □□□ □□□ □□□□ □□□□.

Sub1□□ □□ □□ □□□ Azure □□□ □□□□ □□□□.

□□2

Sub2□□ □□ □□ □□□ □□ □□□ □□□□□.

□□ □□ □□□□ □□ IP □□□ □ □□(IIS) □□□ □□□□ □□□□. □ □□ □□□
□□□□ ping □□ □ □ □□□ □□□□□.

Sub2□□ □□ □□ □□□ NSG(□□□□ □□ □□)□ □□□□ □□□□.

NSG1□□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG2□□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG3□□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG4□□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG1, NSG2, NSG3 □ NSG4□□ □□ □□ □□□ □□□□□ □□ □□□ □□□□.

Contoso□ □□□ □□ □□ □□ □□□ □□□□□.

Sub2□ VNetwork1□ Azure Firewall□ □□□□□.

contoso.com□□ App2□□ □□ □□□□□ □□□□□.

□□□□ □□ □□ □□□ □□□□□□.

contoso.com□ □□ Azure AD PIM(Privileged Identity Management)□ □□□□□ □□□
□□.

NEW QUESTION: 67

□□ □□ □□□ □□□ □□□ □□□ Azure □□□ □□□□.

□□ □□□□ □□□□ □□□.

□ □□□ □□□ □□□ □ □□ □□ □□ □□□ □□□□□? □□□□□ □□ □□□□
□□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:
<https://docs.microsoft.com/en-us/azure/storage/common/authorize-data-access>

NEW QUESTION: 68

Sub2□ □□ □□ □□ □□ □□□□ □□ □□□ □□□□ □□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□
□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□
□□□□ □□ □□□ □□ □ Azure□ □ □□ □□ □□□ □□□□. □□□ □□ □□□
□□□ □ □□□ □□□ □□□□ □□□□ □ □□□□. □□□ □□ □□□ □□ □□□
□ □ □ Azure □□ □□ □□□□□ □□□ □□□□□. □□ □□□□□□ □□□□□ □
□□ □□□□ □□□□ □□□□ □□□□ □□□□□.

<https://docs.microsoft.com/en-us/learn/modules/secure-and-isolate-with-nsg-and-service-endpoints/2-network-s>

NEW QUESTION: 69

20 Azure Group1

RG1

RG1

Group1

RG1

.

:

Answer:

NEW QUESTION: 70

.

.

.

Azure : User1-10598168@ExamUsers.com

: Ag1Bh9!#Bd

.

: 10598168

VM1 CPU 15% 70%

admin1@contoso.com

Azure Portal

Answer:

.

.

Azure Portal

1. (VM1)

2. ()

3. ()

: CPU

:

: 15%

:

: admin1@contoso.com

:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-insights-alerts-portal>

NEW QUESTION: 71

You have an Azure subscription that contains the virtual machines shown in the following table.

You create the Azure policies shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

NEW QUESTION: 75

Item1 is a KeyVault resource in an Azure subscription.

Item2 is a policy that is assigned to the KeyVault resource.

Item3 is a policy that is assigned to the subscription.

Item4 is a policy that is assigned to the resource group.

Item5 is a policy that is assigned to the subscription.

Item6 is a policy that is assigned to the resource group. Item7 is a policy that is assigned to the subscription. Item8 is a policy that is assigned to the resource group.

Item9 is a policy that is assigned to the subscription.

Answer:

NEW QUESTION: 76

Item1 is a KeyVault resource in an Azure subscription. Item2 is a policy that is assigned to the KeyVault resource. Item3 is a policy that is assigned to the subscription. Item4 is a policy that is assigned to the resource group.

Item5 is a policy that is assigned to the subscription. Item6 is a policy that is assigned to the resource group. Item7 is a policy that is assigned to the subscription. Item8 is a policy that is assigned to the resource group.

Item9 is a policy that is assigned to the subscription.

Item10 is a policy that is assigned to the resource group. Item11 is a policy that is assigned to the subscription. Item12 is a policy that is assigned to the resource group.

Item13 is a policy that is assigned to the subscription.

Answer:

NSE5_FCT-7.0 Item1 is a KeyVault resource in an Azure subscription. Item2 is a policy that is assigned to the KeyVault resource. Item3 is a policy that is assigned to the subscription. Item4 is a policy that is assigned to the resource group. Item5 is a policy that is assigned to the subscription. Item6 is a policy that is assigned to the resource group. Item7 is a policy that is assigned to the subscription. Item8 is a policy that is assigned to the resource group. Item9 is a policy that is assigned to the subscription. Item10 is a policy that is assigned to the resource group. Item11 is a policy that is assigned to the subscription. Item12 is a policy that is assigned to the resource group. Item13 is a policy that is assigned to the subscription.

NEW QUESTION: 77

You need to configure an access review. The review will be assigned to a new collection of reviews and reviewed by resource owners.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Step 1: Create an access review program

Step 2: Create an access review control

Step 3: Set Reviewers to Group owners

In the Reviewers section, select either one or more people to review all the users in scope. Or you can select to have the members review their own access. If the resource is a group, you can ask the group owners to review.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

<https://docs.microsoft.com/en-us/azure/active-directory/governance/manage-programs-controls>

NEW QUESTION: 78

VNET01-Subnet0-NSG NSG(□□□□ □□ □□)□ NetworkSecurityGroupRuleCounter □
□□ □□ □□□□ 30□ □□ logs11597200 Azure Storage □□□ □□□□□ □□□□
□□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□.

Answer:

□□ □□□ □□□□□□.

□□

NetworkSecurityGroupRuleCounter □□□ □□ □□ □□□ □□□□ □□□.

* Azure Portal□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□ □□□□ □
□ □□□ □□□ □□ □ □□□□□. □□ □□ □□ □□□ □□□□ □□ □□□□ □□
□□□.

* □□□□ □□ □□□ □□□□ □□ □□□ □□□□□.

* □□ □□ □□□ □□□□□.

* □□ □□ □□ □□□ □□□ □□□□□□. □□□ □□□□ □□□ □□□□ □□□□.

* □□ □□□□ NetworkSecurityGroupRuleCounter□ □□□□□.

* □□□ □□ □□ □□□□ □□

* □□□□ □□ □□□□ logs11597200 □□□□ □□□ □□□□□.

* Retention (days) □□□ 30□ □□□□□.

* □□ □□□ □□□□□ □□ □□□ □□□□□□.

NEW QUESTION: 79

□□ □□ □□□ □□□□ □□□ Azure □□□ □□□□.

□□□ □□ □□□□□ Microsoft Defender□ □□□□□ □□□ □□□□□. □□□□□
Microsoft Defender□ □□□□ □□ □□□□ □□□ □ □□□□?

- A. VM1 □ □□□□1□
- B. VM1, storage1 □ Vault1□ □□
- C. VM1 □ VNET□ □□
- D. VM1.VNET1, □□□□1 □ Vault1
- E. VM1, VNET1 □ storage1□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 80

□□□ □□ □□ □□□ □□□□□ AKS1□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □□
□ □□□□ □□□□□ □□□ □□□ □□□□□□.

□□: □□ □□□ □□ □□ □□□ □□□□□. □□□ □□□ □□□ □□ □□□□ □□
□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/aks/azure-ad-integration>

NEW QUESTION: 81

Azure Storage □□□ □□ □□□ □□□□ □□□□.

□□□□ □□□ □□ □□ □□□ □□□□□ □□□□□.

□□ □□□ □□□□□ □□□ □□□□ □□□□?

- A. □□ □ □□ □□ □□ □□
- B. Azure □□ □□
- C. Azure Cosmos DB □□□
- D. □□□□

Answer: (SHOW ANSWER)

□□ □□□ □□ □□□□ □□□□□□□□ □□□□ □□□□□ □□□ □□□□□ □□
□□□ □□□□ □□□□ □□□ □□□. □□□ □□ □ □□□□ □□□□□□ □□□.

□□□□ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□ □□ □□□
□ □ □□□□. □□ □□□□ □□ □□□ □□□ □□□□ □□□□ □□ □ □ □□□ □

□□(□□ □□□ □□ □□□ Azure Storage □□□□□ □□ □□).

Microsoft□ Azure Storage □□□ □□□ □□□ □□ □□ GUI(□□□□ □□□ □□□□
□) □□□ □□□□□. □□ □□ □□□ □□ □□□ □□□□□.

□□:

□□□□ □ □□□ □□ □□□ □□□□. □□ □□□□ □ □□ □□□ □□□□.

1. Azure □□□ □□□

2. AZ□□

□□□□ □ □ □□ □□ □□ □□□ □□□ □□□□.

1. Azure□ SQL □□ □□□

2. Windows□ □□ □□□

3. Azure □□□

□□:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-analytics-metrics?toc=%2fazure%2fstorage%2fblobs%2ftoc.json>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-explorers>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-explorers>

NEW QUESTION: 82

User2-11641655□□ KeyVault11641655□ □□ □□ □ □□□ □□□ □□□□ □□□.

□ □□□ □□□□□ Azure Portal□ □□□□□ Azure □□□□ □□□□□.

Answer:

□□ □□□ □□□□□□.

□□

□□□□□ Key Vault Secrets Officer □□□ □□□□ □□□.

* Azure Portal□□ □□ □□□ Key Vaults□ □□□□ □□ □□□□ Key Vaults□ □□□ □□

* KeyVault11641655□ □□□□□. □□ □□ □□ □□□ Key Vault□ □□□□□.

* □ □□ □□ □□ □□□□ □□□ □□(IAM)□ □□□□□.

* □□ □□ □□ □□□□ □□ □□□ □□□□□.

* □□ □□□ □□□□ □□□□ Key Vault Secrets Officer □□□ □□□□□.

* □□ □□□ User2-11641655□ □□□□ □□□□ □□ □□□□ User2-11641655□ □ □□□□.

* □□ □□□ □□□□□ □□ □□□ □□□□□□.

NEW QUESTION: 83

□□ □□ □□□ □□□□ □□□□ contoso1812.onmicrosoft.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□.

Label1□□□ Azure Information Protection □□□□ □□□□. Label1□ □□ □□ □□□ □□□ □□ □□□□□. (□□ □□ □□□□□.)

Label1□ File1□□□ □□□ □□□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□ □□□ □□□ □□□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 84

You are a security administrator for a company that uses Azure Active Directory (AAD). You need to create a custom role that allows users to view and manage Azure Active Directory roles. Which two actions should you take to create this role? (Choose two.)

A. Create a custom role in the Azure Active Directory portal.

B. Create a custom role in the Azure Active Directory PowerShell module.

C. Create a custom role in the Azure Active Directory Graph API.

D. Create a custom role in the Azure Active Directory REST API.

E. Create a custom role in the Azure Active Directory Graph REST API.

Answer:

A, D

<https://docs.microsoft.com/en-us/azure/active-directory/roles/custom-create>

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles-portal>

NEW QUESTION: 85

You are a security administrator for a company that uses Azure Active Directory (AAD). You need to create a custom role that allows users to view and manage Azure Active Directory roles. Which two actions should you take to create this role? (Choose two.)

A. Create a custom role in the Azure Active Directory portal.

B. Create a custom role in the Azure Active Directory PowerShell module.

C. Create a custom role in the Azure Active Directory Graph API.

D. Create a custom role in the Azure Active Directory REST API.

E. Create a custom role in the Azure Active Directory Graph REST API.

Answer:

A, D

1.) Create a custom role in the Azure Active Directory portal.

'subscriptions/xxxx/resourceGroups/xxx' scope. Role name: 'Custom Role'.

2.) Add the following permissions to the role: 'subscriptions/xxxx/resourceGroups/xxx' scope. Role name: 'Custom Role'.

3.) Add the following permissions to the role: 'subscriptions/xxxx/resourceGroups/xxx' scope. Role name: 'Custom Role'.

(Note: The role name is 'Custom Role' and the scope is 'subscriptions/xxxx/resourceGroups/xxx'.)

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION: 86

You have an Azure subscription that contains an Azure key vault named Vault1. On January 1, 2019, Vault1 stores the following secrets.

Which can each secret be used by an application? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/azurerem.keyvault/set-azurekeyvaultsecretattribute>

NEW QUESTION: 87

You have an Azure subscription that contains a web app App1 and an Azure key vault named Vault1.

You need to configure App1 to store and access the secrets in Vault1.

How should you configure App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 88

sub1-11111111-1234-1234-1234-111111111111 Group1-111111111111-1234-1234-111111111111. Sub1-11111111-1234-1234-1234-111111111111 ID 11111111-1234-1234-1234-111111111111.

Group1-11111111-1234-1234-1234-111111111111 Azure RBAC(11111111-1234-1234-1234-111111111111) 11111111-1234-1234-1234-111111111111.

Role1-11111111-1234-1234-1234-111111111111? 11111111-1234-1234-1234-111111111111 11111111-1234-1234-1234-111111111111.

11111111-1234-1234-1234-111111111111: 11111111-1234-1234-1234-111111111111.

Answer:

1111:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/resource-provider-operations>

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles>

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles-portal#step-5-assignable-scopes>

NEW QUESTION: 89

1111-1111-1111-1111-1111-1111-1111-1111 contoso.com-1111-1111-1111-1111 Azure AD(Azure Active Directory) 1111-1111-1111-1111.

1111-1111-1111-1111 Azure AD ID 1111-1111-1111-1111-1111-1111-1111-1111.

- * 1111: Group1 1111, Group2 1111
- * 1111: Medium 1111-1111-1111-1111
- * 1111 1111 : 1111 1111, 11111111 1111 1111

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□□ □□□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 1: □

User1□ Group1□ □□□□□□. □□□□ □□ □□□□ □□□□□ □□ □□ □□ □□ □□□.

□□ 2: □

User2□ Group1□ □□□□□□. □□ IP □□□□ □□□□□ □□ □□ □□ □□□□ □.

□□ 3: □□□

□□□□□ □□□ □□ IP □□□□□ □□□□ □□□□.

□□:

Azure AD ID □□□ 6□□ □□□ □□□□□□ □□□ □□□ □□□ □ □□□□.

* □□ □□□ □□□ □□□

* □□ IP □□□□ □□□

* □□□□□ □□□□ □□□□ □□

* □□□ □□□□ □□□

* □□□□□ □□□ □□ IP □□□□ □□□

* □□□□ □□ □□□□ □□□

□□□ 6□□ □□□ □□□□ □□, □□ □ □□□ 3□□ □□ □□□□ □□□□□.

□□:

<http://www.rebeladmin.com/2018/09/step-step-guide-configure-risk-based-azure-conditional-access-policies/>

NEW QUESTION: 90

contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□ Azure □□□□ □□ □□. □□□□□ □□ □□ □□□ □□□□ □□□□□.

RG1□□□ □□□ □□□ □□□□.

□□ □□□□ RG1□ □□ □□□ □□□ □ □□ □□ □□□□ RG1□□ □□ □□□□ □ □□ □ □□□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 1: □□□□ □□□□ □□ □□□ □□□ □ □□□□.

□□ 2: □□□□ □□□□ □□□□ □□/□□/□□□ □ □□□ □□□ □□□ □□ □□ □□.

NEW QUESTION: 91

RG1 is assigned the ServerAdmins role in the RG2 resource group.
 ServerAdmins is a built-in role in Azure RBAC.
 RG2 is assigned the RG2 role in the RG1 resource group.
 RG2 is assigned the RG1 role in the RG2 resource group.
 ServerAdmins is assigned the RG1 role in the RG2 resource group (RBAC)
 RG1 is assigned the RG2 role in the RG1 resource group.
 RG1: RG1 is assigned the RG2 role in the RG1 resource group.

A. RG2 is assigned the RBAC role
B. RG1 is assigned the RG1 role.
C. RG2 is assigned the RG1 role
D. RG1 is assigned the RG1 role
E. RG1 is assigned the RG2 role.
F. RG1 is assigned the RBAC role

Answer: B,C (LEAVE A REPLY)

NSE5_FCT-7.0 Fortinet NSE5_FCT-7.0 DumpTop Fortinet NSE5_FCT-7.0
 NSE5_FCT-7.0 Fortinet! DumpTop Fortinet **NSE5_FCT-7.0** Fortinet NSE5_FCT-7.0,
 DumpTop NSE5_FCT-7.0 Fortinet NSE5_FCT-7.0 Fortinet NSE5_FCT-7.0. Fortinet
 Fortinet Fortinet Fortinet DumpTop NSE5_FCT-7.0 Fortinet Fortinet.

https://www.dumpstom.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 92

You have an Azure subscription that contains an Azure key vault named Vault1.
 In Vault1, you create a secret named Secret1.
 An application developer registers an application in Azure Active Directory (Azure AD).
 You need to ensure that the application can use Secret1.
 What should you do?

A. In Azure AD, create a role.
B. In Azure Key Vault, create a key.
C. In Azure Key Vault, create an access policy.
D. In Azure AD, enable Azure AD Application Proxy.

Answer: A (LEAVE A REPLY)

Azure Key Vault provides a way to securely store credentials and other keys and secrets,
 but your code needs to authenticate to Key Vault to retrieve them.

Managed identities for Azure resources overview makes solving this problem simpler, by
 giving Azure services an automatically managed identity in Azure Active Directory (Azure
 AD). You can use this identity to authenticate to any service that supports Azure AD
 authentication, including Key Vault, without having any credentials in your code.

Example: How a system-assigned managed identity works with an Azure VM
After the VM has an identity, use the service principal information to grant the VM access to Azure resources.

To call Azure Resource Manager, use role-based access control (RBAC) in Azure AD to assign the appropriate role to the VM service principal. To call Key Vault, grant your code access to the specific secret or key in Key Vault.

Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/quick-create-net>

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION: 93

You need to ensure that you can meet the security operations requirements.

What should you do first?

- A. Turn on Auto Provisioning in Security Center.
- B. Integrate Security Center and Microsoft Cloud App Security.
- C. Upgrade the pricing tier of Security Center to Standard.
- D. Modify the Security Center workspace configuration.

Answer: (SHOW ANSWER)

The Standard tier extends the capabilities of the Free tier to workloads running in private and other public clouds, providing unified security management and threat protection across your hybrid cloud workloads. The Standard tier also adds advanced threat detection capabilities, which uses built-in behavioral analytics and machine learning to identify attacks and zero-day exploits, access and application controls to reduce exposure to network attacks and malware, and more.

Scenario: Security Operations Requirements

Litware must be able to customize the operating system security configurations in Azure Security Center.

References:

<https://docs.microsoft.com/en-us/azure/security-center/security-center-pricing>

NEW QUESTION: 94

□□□ □□ □□ □□□ □□□□□ Role1□ □□□□ □□□.

Role1□ □□ □□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 95

What is the membership of Group1 and Group2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: User1, User2, User3, User4

Contains "ON" is true for Montreal (User1), MONTREAL (User2), London (User 3), and Ontario (User4) as string and regex operations are not case sensitive.

Box 2: Only User3

Match "*on" is only true for London (User3).

Scenario:

Contoso.com contains the users shown in the following table.

Contoso.com contains the security groups shown in the following table.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership>

NEW QUESTION: 96

Sub1 is an Azure virtual network. Sub1 has Subnet1. VNet1 is a virtual network. Subnet1 is a subnet in VNet1.

Subnet1 has Ubuntu Server 18.04 VM1. Azure Storage is a storage account. Subnet1 has MicrosoftStorage. Docker is installed on VM1. Azure Storage is used to store Docker images.

Subnet1 has MicrosoftStorage. Docker is installed on VM1. Azure Storage is used to store Docker images.

Docker is installed on VM1. Azure Storage is used to store Docker images. Docker images are stored in Azure Storage.

Which of the following is a requirement for Docker to be able to access Azure Storage?

- A. A network security group (NSG) is configured to allow traffic to the storage account.
- B. docker-compose.yml is configured to connect to the storage account.
- C. The container network interface (CNI) is configured to connect to the storage account.

<https://www.fast2test.com/AZ-500-practice-test.html> 41

Fast2test AZ-500 - AZ-500

Answer: C (LEAVE A REPLY)

Azure Virtual Network CNI (Container Network Interface) is a network interface that allows Docker containers to access Azure Virtual Network resources.

Linux and Windows containers can use CNI to access Azure Virtual Network resources. IP addresses are assigned to containers. Docker images are stored in Azure Storage. Docker images are stored in Azure Storage.

Pod is a container in Azure Virtual Network. Pod is a container in Azure Virtual Network.

<https://docs.microsoft.com/en-us/azure/virtual-network/container-networking-overview>

NEW QUESTION: 97

VNET1 □ VNET2□□ □ □□ Azure □□ □□□□□ □□ □□□□ □□□ □□□□ □ □□□.

□□ □□ □□□ □□□□□ □□ □□□□□ VPN □□□□□□ □□□□ □□□.

* VNET1□□ BGP□ □□□□ 6□□ □□□ □ □□□ □□□ □□□.

* VNET2□□ BGP□ □□□□ 12□□ □□□ □ □□□ □□□ □□□.

* □□□ □□□□□□ □□□.

□ □□ □□□□□ □□ □□ VPN □□□□□ SKI)□ □□□□ □□□? □□□□□ □□

□ SKU□ □□□ □□□□□ □□□□□□□□. □ SKU□ □ □, □ □ □□ □□□□□ □

□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□ □□□□□

□ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-vpngateways#gwsku>

NEW QUESTION: 98

User2□ PIM□ □□□ □ □□□ □□□□ □□□.

□□ □□□ □□ □□□?

A. User2□□ □□ □□□ □□□ □□□□□.

B. contoso.com□ □□ □□ □□□ □□□□□.

C. contoso.com□ □□ ID □□ □□□ □□□□□.

D. User2□ □□ MFA(□□□□ □□)□ □□□□□□.

Answer: D (LEAVE A REPLY)

□□□□□□ PIM □□□ □□□□□ □□ PIM□ □□□□□ □□□.

1. □□□□□ □□ □□□□ Azure Portal□ □□□□□□.

□□□□□ □□ PIM□ □□□□□□ Microsoft □□(□: @outlook.com)□ □□ □□ □□

(□: @yourdomain.com)□ □□ □□ □□□□□ □□□.

□□□□: □□ □□ □□□ □□□ □□□□. contoso.com□ □□ Azure AD

PIM(Privileged Identity Management) □□ □□:

<https://docs.microsoft.com/bs-latn-ba/azure/active-directory/privileged-identity-management/pim-getting-started>

NEW QUESTION: 99

□□□ □ □□□□□□ □□ □□□ □□□□□ WebApp1□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□? □ □□□ □□□□ □□□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

A. □□□□□□ □□□□□□.

B. HTTPS □□ □□□□ □□□ □□□.

- C. TLS 1.2
- D. App Service
- E.

Answer: B,E (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/app-service/app-service-web-configure-tls-mutual-auth>

1, Litware, Inc

Litware ID 43894a43-17c2-4a39-8cfc-3540c2653ef4 Sub1 Azure

Sub1 litwareinc.com Azure AD(Azure Active Directory) Litware Litware Azure AD Premium P2 Azure AD PIM(Privileged Identity Management)

Azure

Azure Security Center

Litware Azure

Litware ID

Group1

Group2 Resource Group2

Azure AD

Litware

1 Microsoft

Group2 Azure Kubernetes Service

Azure AD Azure AD AKS1

IT JIT VM VM0

Resource Group1 Role1 RBAC

Litware Azure Security Center

NEW QUESTION: 100

AU1 AU2 Azure AD(Azure Active Directory)

Answer:

NEW QUESTION: 101

Azure Sentinel . Azure Sentinel Azure Security Center .
 Azure Sentinel .
. ?

- A.
- B.
- C.
- D.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 102

Azure .

VNET1 Subnet1 Subnet2 . Subnet1 ID 10.0.0.0/24. Subnet2 ID 10.1.1.0/24.

Contoso1901 . (.)

.
.

: 1 .

Answer:

NEW QUESTION: 103

Subscription1 Azure .

JSON Azure .

RG1 User1 Role1 .

.
.

: 1 .

Answer:

-
-
-
-
-

NEW QUESTION: 104

Sub2 is connected to Subnet13. VM4 is connected to Subnet13. NSG3 is connected to Subnet13. ASG1 is connected to Subnet13.

VM1 is connected to Subnet13. NSG3 is connected to Subnet13. ASG2 is connected to Subnet13. ASG1 is connected to Subnet13.

VM2 is connected to Subnet13. ASG1 is connected to Subnet13.

Answer:

1:

1: VM4 is connected to Subnet13. NSG3 is connected to Subnet13. ASG1 is connected to Subnet13.

VM1 is connected to Subnet13. NSG3 is connected to Subnet13. ASG2 is connected to Subnet13. ASG1 is connected to Subnet13.

NSG3 is connected to Subnet13. ASG1 is connected to Subnet13.

2:

VM2 is connected to Subnet13. ASG2 is connected to Subnet13. ASG1 is connected to Subnet13. ASG2 is connected to Subnet13.

3: VM1 is connected to Subnet13. NSG3 is connected to Subnet13. ASG1 is connected to Subnet13. ASG2 is connected to Subnet13.

NEW QUESTION: 105

Azure Key Vault is used to store secrets.

VM1 is connected to Subnet13. NSG3 is connected to Subnet13. ASG1 is connected to Subnet13. ASG2 is connected to Subnet13.

User1 is connected to Subnet13. ASG1 is connected to Subnet13. ASG2 is connected to Subnet13. ASG1 is connected to Subnet13.

User2 is connected to Subnet13. ASG1 is connected to Subnet13. ASG2 is connected to Subnet13. ASG1 is connected to Subnet13.

VM2 is connected to Subnet13.

VM1 is connected to Subnet13. NSG3 is connected to Subnet13. ASG1 is connected to Subnet13. ASG2 is connected to Subnet13.

VM2 is connected to Subnet13. ASG1 is connected to Subnet13.

Answer:

1:

<https://docs.microsoft.com/en-us/azure/key-vault/key-vault-secure-your-key-vault>

NEW QUESTION: 106

VM1 is connected to Subnet13. NSG3 is connected to Subnet13. ASG1 is connected to Subnet13. ASG2 is connected to Subnet13. ASG1 is connected to Subnet13.

PIM is used to manage privileged identities.

Update1 □ Update2□□ □ □□ □□□□ □□□ □□□□□. Update1□ VM3□ □□□ □□□□. Update2□ VM6□ □□□□□□□.

Update1 □ Update2□ □□□□ □□ □□ □□ □□□ □□□□□ □ □□□□? □□□□ □ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/automation/automation-update-management>

NEW QUESTION: 108

AKS(Azure Kubernetes Service) □□□□□ □□□□□ □□□□. □□□□□ □□□□ □ □□ □□ □□□□□.

(□□ □□ □□□□□.)

□□□□□ □□□□□ □□□ □□□□□. HTTP □□□□□□ □□□□ □□□□□□□□.

□□ IP □□□ □□□□ AKS □□□□ □□ □□□ □□□ □ TLS □□□ □□□□ □□ □□□□ □□□□ □□□□ □□□.

□□□ □□ □□□?

- A. AKS □□ □□□□□ □□□□.
- B. □□□□ □□□□ □□□□□(CNI) □□□□□ □□□□□.
- C. Azure □□ □□ □□ □□□ □□□□.
- D. Azure □□ □□ □□ □□□ □□□□.

Answer: (SHOW ANSWER)

□□

□□:

□□□□ □□□□□ □□□ □□□, □□ □□□ □□□ □□□ □ Kubernetes □□□□ □□ TLS □□□ □□□□ □□□□□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/aks/ingress-tls>

NEW QUESTION: 109

Azure AD Premium P2□ □□□□ Azure □□□ □□□□.

Azure AD(Azure Active Directory) PIM(Privileged Identity Management)□ □□□□ Azure □□□ □□□ □ □□□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □ □□□□ □□□□ □□□ □□□ □□□□□□.

Answer:

□□

NEW QUESTION: 110

□□□ □□□ □□□□ □□□. □□□ □ □□ □□□ □□□□ □□□ □□□□ □□□ □□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □ □□□□ □□□□ □□□ □□□ □□□□□□.

Answer:

- 1 - □□□ □□ □□□□□ □□□□.
- 2 - □□□ □□ □□□□ □□□□.
- 3 - □□□□ □□ □□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

<https://docs.microsoft.com/en-us/azure/active-directory/governance/manage-programs-controls>

NEW QUESTION: 111

Sub2□ □□ □□ □□ □□ □□□□ □□ □□□ □□□□ □□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□□,

□,

□

□□ 2, Litware, Inc

□□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □□□ □□□ □ □□□ □□ □□ □□ □□ □□ □ □□□□. □□□ □ □□□ □□ □□ □□ □ □ □□ □ □□□□. □□□ □□ □□ □ □□□ □□□ □□ □ □□□ □□□□ □□□.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □ □□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□ □□□□ □□□ □ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □ □□ □□ □□□ □□□□ □□ □□□ □□□□□□. □ □□□ □□□□ □□ □□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□ □□ □□ □□ □□ □□□□ □□□□ □□□□□.

□□

Litware, Inc. □ □□□ □□□ 500□□ □□□ □□□□□□ □□□ 20□□ □□□ □□ □ □□ □□□□□.

□□ □□

Litware□□ □□ ID□ □□ Sub1□□□ Azure □□□ □□□□.

43894a43-17c2-4a39-8cfc-3540c2653ef4.

Sub1□ litwareinc.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□□. □□

□□□ □□ Litware □□ □ □□ □□□ □□□ □□ □ □□ □□□ □□□□□. □ □□

□□□□ Azure AD Premium P2 □□□□□ □□□□□. Azure AD PIM(Privileged Identity Management)□ □□□□□□□□.

□□□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure □□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure Security Center□ □□ □□□□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ Azure □□□□ □□□ □□□□□.

Litware□ □□ ID □ □□□ □□ □□□ □□□□□.

* □□ □□□□□□ □□□□ □□ □□□ Group1□ □□□□□□ □□□.

* Group2□ □□□□ □□□□ □□ □□□ □□□□ Resource Group2□ □□□ □□□ □□□□□ □□□.

* □□□□ Azure AD□ □□□□□□□ □□□□ □□□□□□□ □□□□ □□□□ □□ □□□.

* □□□□ □□□□ □□ □□□ □□□□□□□.

□□□ □□ □□ □□

Litware□ □□□ □□ □□□ □□ □□ □□□ □□□□□.

* □□□ □□ 1□ □□ □□□ Microsoft □□□ □□ □□□□□ □□□□ □□□.

* Group2□ □□□□□ Azure Kubernetes Service □□□□ □□□ □□□ □□□□□ □ □□.

* Azure AD □□□□ Azure AD □□ □□□ □□□□ AKS1□ □□□□ □□□.

* □□□ □□ □□□ □□□ □ IT □□ JIT VM □□□□ □□□□ VM0□ □□□ □ □□ □ □□□.

* Resource Group1□ □□ □□□ □□□ □□□□□ Role1□□□□ □ □□□ □□ RBAC □□□ □□□□ □□□. Role1□ Resource Group1□□□ □□□ □ □□□ □□□.

□□ □□ □□ □□

Litware□ Azure Security Center□□ □□ □□ □□ □□□ □□□ □□□ □ □□□ □□ □.

NEW QUESTION: 112

contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□ Azure □□□ □□ □□. □□□□□ □□ □□ □□□ □□□□ □□□□□.

RG1□□□ □□□ □□□ □□□□.

RG1 is a resource group in the subscription. You have the following storage accounts in the subscription. Which storage account can you restore the backup to?

Answer:

NEW QUESTION: 113

You have the Azure key vaults shown in the following table. KV1 stores a secret named Secret1 and a key for a managed storage account named Key1.

You back up Secret1 and Key1.

To which key vaults can you restore each backup? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 114

Group1 is a security group in the subscription. Which of the following is a valid dynamic membership rule for Group1?

A. Group1 is a security group in the subscription.

B. Group1 is a security group in the subscription. Office 365 Group1 is a security group in the subscription.

C. Group1 is a security group in the subscription.

D. Group1 is a security group in the subscription. Assigned is a security group in the subscription.

Group1 is a security group in the subscription.

Answer: B (LEAVE A REPLY)

Q:

A, C: Group1 is a security group in the subscription. Office 365 Group1 is a security group in the subscription.

D: Group1 is a security group in the subscription. Assigned is a security group in the subscription.

Q:

Litware is a security group in the subscription. Office 365 Group1 is a security group in the subscription.

Office 365 Group1 is a security group in the subscription.

Q:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership>

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-groups-create-azure-portal> ID is a security group in the subscription. Testlet 2 is a security group in the subscription.

Office 365 Group1 is a security group in the subscription. Office 365 Group1 is a security group in the subscription.

□□ □ □□□□. □□□ □ □□□ □□ □□ □□ □ □□□ □□ □ □□□□. □□□ □
□ □□ □ □□□ □□□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□.
□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □
□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□
□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□□.
□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□□ □□□ □□□□ □□□ □
□ □□□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□
□ □ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □
□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□□. □ □□□ □□□□ □□
□□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□
□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□
□ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Contoso, Ltd. □ □□□□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□ □□□ □□
□□□.

□□□ Azure □□ □□ □□ □□□□ □□□□□□.

Contoso □□ Sub1 □ Sub2 □□ □ □□ Azure □□□ □□□□□. □ □□ □□
contoso.com □□□ Azure AD(Azure Active Directory) □□□□ □□□□□.

□□ □□

□□ □□

Contoso.com □□ □□ □□ □□□ □□□□ □□□□ □□□□.

Contoso.com □□ □□ □□ □□□ □□ □□□ □□□□ □□□□.

□□1

Sub1 □□ RG1, RG2, RG3, RG4, RG5 □ RG6 □□□ 6□□ □□□ □□□ □□□□.

User9 □ □□ □□ □□□ □□ □□□□□ □□□□.

Sub1 □□ □□ □□ □□□ □□□ □□□□ □□□□.

Sub1 □□ □□ □□ □□□ Azure □□□ □□□□ □□□□.

□□2

Sub2 □ □□ □□ □□□ □□ □□□□□ □□□□□.

Sub2 □□ □□ □□ □□□ □□ □□□ □□□□□.

□□ □□ □□□□ □□ IP □□□ □ □□(IIS) □□□ □□□□ □□□□. □ □□ □□□
□□□□ ping □□ □ □ □□□ □□□□□.

Sub2 □□ □□ □□ □□□ NSG(□□□□ □□ □□) □ □□□□ □□□□.

NSG1 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG2 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG3 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG4 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG1, NSG2, NSG3 □ NSG4 □□ □□ □□ □□□ □□□□□ □□ □□□ □□□□.

□□ □□ □□

Contoso□ □□□ □□ □□ □□ □□□□□.

* Azure Firewall□ Sub2□ VNetwork1□ □□□□□.

* contoso.com□□ App2□□ □□ □□□□□ □□□□□.

* □□□□ □□ □□ □□□ □□□□□□.

* contoso.com□ □□ Azure AD PIM(Privileged Identity Management)□ □□□□□ □□ □□□.

NEW QUESTION: 115

You need to ensure that users can access VM0. The solution must meet the platform protection requirements.

What should you do?

- A. Move VM0 to Subnet1.
- B. On Firewall, configure a network traffic filtering rule.
- C. Assign RT1 to AzureFirewallSubnet.
- D. On Firewall, configure a DNAT rule.

Answer: (SHOW ANSWER)

Azure Firewall has the following known issue:

Conflict with Azure Security Center (ASC) Just-in-Time (JIT) feature.

If a virtual machine is accessed using JIT, and is in a subnet with a user-defined route that points to Azure Firewall as a default gateway, ASC JIT doesn't work. This is a result of asymmetric routing - a packet comes in via the virtual machine public IP (JIT opened the access), but the return path is via the firewall, which drops the packet because there is no established session on the firewall.

Solution: To work around this issue, place the JIT virtual machines on a separate subnet that doesn't have a user-defined route to the firewall.

Scenario:

Following the implementation of the planned changes, the IT team must be able to connect to VM0 by using JIT VM access.

References:

<https://docs.microsoft.com/en-us/azure/firewall/overview>

Implement platform protection

Testlet 2

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources

that provide more information about the scenario that is described in the case study. Each question is independent of the other question on this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next sections of the exam.

After you begin a new section, you cannot return to this section.

To start the case study

To display the first question on this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions.

Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd. is a consulting company that has a main office in Montreal and two branch offices in Seattle and New York.

The company hosts its entire server infrastructure in Azure.

Contoso has two Azure subscriptions named Sub1 and Sub2. Both subscriptions are associated to an Azure Active Directory (Azure AD) tenant named contoso.com.

Existing Environment

Azure AD

Contoso.com contains the users shown in the following table.

Contoso.com contains the security groups shown in the following table.

Sub1

Sub1 contains six resource groups named RG1, RG2, RG3, RG4, RG5, and RG6.

User9 creates the virtual networks shown in the following table.

Sub1 contains the locks shown in the following table.

Sub1 contains the Azure policies shown in the following table.

Sub2

Sub2 contains the virtual networks shown in the following table.

Sub2 contains the virtual machines shown in the following table.

All virtual machines have public IP addresses and the Web Server (IIS) role installed. The firewalls for each virtual machine allow ping requests and web requests.

Sub2 contains the network security groups (NSGs) shown in the following table.

NSG1 has the inbound security rules shown in the following table.

NSG2 has the inbound security rules shown in the following table.

NSG3 has the inbound security rules shown in the following table.

NSG4 has the inbound security rules shown in the following table.

NSG1, NSG2, NSG3, and NSG4 have the outbound security rules shown in the following table.

Technical requirements

Contoso identifies the following technical requirements:

- * Deploy Azure Firewall to VNetwork1 in Sub2.
- * Register an application named App2 in contoso.com.
- * Whenever possible, use the principle of least privilege.
- * Enable Azure AD Privileged Identity Management (PIM) for contoso.com.

NEW QUESTION: 116

You have an Azure resource group that contains 100 virtual machines.

You have an initiative named Initiative1 that contains multiple policy definitions. Initiative1 is assigned to the resource group.

You need to identify which resources do NOT match the policy definitions.

What should you do?

- A. From Azure Security Center, view the Regulatory compliance assessment.
- B. From the Policy blade of the Azure Active Directory admin center, select Compliance.
- C. From Azure Security Center, view the Secure Score.
- D. From the Policy blade of the Azure Active Directory admin center, select Assignments.

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/get-compliance-data#portal>

NEW QUESTION: 117

Subscription1 Azure .

Subscription2 Azure .

Azure Sentinel .

Azure Event Grid .

NVA Azure Sentinel CEF .

? .

: 1 .

Answer:

NEW QUESTION: 118

AKS(Azure Kubernetes Service) . . .

(.)

. HTTP .

IP AKS . TLS .

.

□□□ □□ □□□?

A. AKS □□ □□□□□ □□□□.

B. □□□□ □□□□ □□□□□(CNI) □□□□□ □□□□□.

C. Azure □□ □□ □□ □□□ □□□□.

D. Azure □□ □□ □□ □□□ □□□□.

Answer: (SHOW ANSWER)

□□

□□□□ □□□□□ □□□ □□□, □□ □□□ □□□ □□□ □ Kubernetes □□□□

□□ TLS □□□ □□□□ □□□□□□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/aks/ingress-tls>

NEW QUESTION: 119

Azure □□□ □□□□. □□□□ Windows Server□ □□□□ Azure □□ □□□ □□□ □□.

2016.

□ □□ □□□ □□□ □□ □□□ □□ □□ □□ □□□□□ □□□ □□□□ □ □□.

□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 1: DeployIfNotExists

DeployIfNotExists□ □□□ □□□□ □□□ □□□ □□□□□.

□□ 2: □□□

DeployIfNotExists □□□ □□ □□□□ □□□□ □□ □□□□ □□□ □□□ □□□ □ □□□ □□ □□□ □□□□.

□□[□□]

□ □□□ Microsoft.Resources/deployment□ □□□□□ □□ □□□ □□□ □□□□ □ □□.

<https://docs.microsoft.com/en-us/azure/governance/policy/concepts/effects>

NEW QUESTION: 120

AKS(Azure Kubernetes Service) □□□□□ □□□□□ □□□□□. □□□□□ □□□□ □ □□ □□ □□□□□.

(□□ □□ □□□□□.)

□□□□□ □□□□□ □□□ □□□□□. HTTP □□□□□□□ □□□□ □□□□□□□□□.

□□ IP □□□ □□□□□ AKS □□□□□ □□ □□□ □□□ □ TLS □□□ □□□□□ □□ □□□□ □□□□ □□□□ □□□.

□□□ □□ □□□?

□□ □□□ □□□ Azure AD ID □□ □□□ □□ □□□ □□□ □□□□□.

* □□: Group1 □□, Group2 □□

* □□: Medium □□□ □□□ □□

* □□ □□ : □□ □□, □□□□ □□ □□

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 1: □

User1□ Group1□ □□□□□□. □□□□ □□ □□□□ □□□□□ □□ □□ □□ □□ □□□.

□□ 2: □

User2□ Group1□ □□□□□□. □□ IP □□□□ □□□□□ □□ □□ □□ □□□□ □.

□□ 3: □□□

□□□□□ □□□ □□ IP □□□□□ □□□□ □□□□.

□□:

Azure AD ID □□□ 6□□ □□□ □□□□□ □□□ □□□ □□□ □ □□□□.

* □□ □□□ □□□ □□□

* □□ IP □□□□ □□□

* □□□□□ □□□□ □□□□ □□

* □□□ □□□□ □□□

* □□□□□ □□□ □□ IP □□□□ □□□

* □□□□ □□ □□□□ □□□

□□□ 6□□ □□□ □□□□ □□, □□ □ □□□ 3□□ □□ □□□□ □□□□□.

□□:

<http://www.rebeladmin.com/2018/09/step-step-guide-configure-risk-based-azure-conditional-access-policies/>

NEW QUESTION: 123

AKS(Azure Kubernetes Service) □□□□□ □□□□□ □□□□□. □□□□□ □□□□ □ □□ □□ □□□□□.

(□□ □□ □□□□□.)

□□□□□ □□□□□ □□□ □□□□□. HTTP □□□□□□ □□□□ □□□□□□□□.

□□ IP □□□ □□□□ AKS □□□□ □□ □□□ □□□ □ TLS □□□ □□□□ □□

□□□□ □□□□ □□□□ □□□.

□□□ □□ □□□?

A. AKS □□ □□□□□ □□□□□.

B. □□□□ □□□□ □□□□□(CNI) □□□□□ □□□□□.

Contoso.com □□ □□ □□ □□□ □□ □□□ □□□□ □□□□.

□□1

Sub1 □□ RG1, RG2, RG3, RG4, RG5 □ RG6 □□□ 6 □□ □□□ □□□ □□□□.

User2 □ □□ □□ □□□ □□ □□□□□ □□□□.

Sub1 □□ □□ □□ □□□ □□□ □□□□ □□□□.

Sub1 □□ □□ □□ □□□ Azure □□□ □□□□ □□□□.

□□2

Sub2 □□ □□ □□ □□□ □□ □□□ □□□□□.

□□ □□ □□□□ □□ IP □□□ □ □□(IIS) □□□ □□□□ □□□□. □ □□ □□□ □□□□ ping □□ □ □ □□□ □□□□□.

Sub2 □□ □□ □□ □□□ NSG(□□□□ □□ □□) □ □□□□ □□□□.

NSG1 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG2 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG3 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG4 □□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

NSG1, NSG2, NSG3 □ NSG4 □□ □□ □□ □□□ □□□□□ □□ □□□ □□□□.

Contoso □ □□□ □□ □□ □□ □□□ □□□□□.

* Azure Firewall □ Sub2 □ VNetwork1 □ □□□□□.

* contoso.com □□ App2 □□ □□ □□□□□ □□□□□.

* □□□□ □□ □□ □□□ □□□□□□.

* contoso.com □ □□ Azure AD PIM(Privileged Identity Management) □ □□□□□ □□ □□□.

NEW QUESTION: 124

Vault1 Recovery Services □□ □□ □□□ □□ AzureBackupReport □□□

WS11641655 Azure Log Analytics □□ □□□ □□□□ □□□ □□□□ □□□.

□ □□□ □□□□□ Azure Portal □ □□□□□ Azure □□□□ □□□□□.

Answer:

□□ □□□ □□□□□□.

□□

1. Azure Portal □□ □□ □□□ Recovery Services □□ □□ □□□ □□□□ □□ □□ □□ Recovery Services □□ □□ □□□ □□□ □□ Vault1 □ □□□□□. □□ □□ □ □□□ Recovery Services □□ □□ □□□□ □□□□□.

2. Vault1 □ □□□□ □□□□ □□□□ □□□ □□□□□ □□ □□□ □□□□□.

3. □□ □□ □□ □□□ □□□□□.

4. □□ □□ □□ □□□ □□□ □□□□□.

5. □□ □□□□ AzureBackupReport □ □□□□□.

6. □□ □□ □□ □□□□ Log Analytics □ □□□□ □□□□□.

7. WS11641655 Azure Log Analytics □□ □□□ □□□□□.

8. □□ □□□ □□□□ □□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-diagnostic-events>

NEW QUESTION: 125

Sub1□□□ Azure □□□ □□□□. Sub1□□ □□ □□ □□□ □□□□ □□□□

Storage1□□□ Azure Storage □□□ □□□□.

Blob □□□ □ □□ □□□□ □□□□ □□ SAS(□□ □□□ □□)□ □□□□□.

Container1 □ Share!□ □□□□ □□□□□ □ □□□ □ □□ □□□ □□□□□? SAS

□ □□□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 126

□□ □□ □□□ □□□□ □□□ Azure □□□ □□□□.

TDE(□□□ □□□ □□□)□ SQL1□□ □□□□□□□.

□□ □□ □□ □□□ □□□ □□□ □□□□□.

ARM(Azure Resource Manager) □□□□ □□□□ Azure SQL □□□□□□□ □□□ □

□□□□. □□□□□□□ □□ □□ □□ □□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 127

□□ □□ □□□ □□□□ □□□ Azure □□□ □□□□.

10.1.0.4□ IP □□□ VM5□ □□□□□. VM5□□ □□ IP □□□ □□□□.

VM5□□ □□ □□□ □□ JIT(Just In Time) VM □□□□ □□□□ □□□□.

VM5□ □□ JIT VM □□□□ □□□□□□.

NSG1□□ □□ □□□ □□□ □□□□ □□□ □□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 128

□□□ □□□ □□□□ □□□. □□□ □ □□ □□□ □□□□ □□□ □□□□ □□□ □□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □□ □□□ □ □□□□ □□□□ □□□ □□□□□□.

Answer:

□□

1□□: □□□ □□ □□□□ □□□□

200: 000 00 00 000

300: 0000 00 0000 00

000 0000 0 0 000 000 0000 00 00 00 0000 00000. 00
0000 000 000 000 00000 000 0 0000. 0000 000 00 0
0 00000 000 000 0 0000.

00:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

<https://docs.microsoft.com/en-us/azure/active-directory/governance/manage-programs-controls>

NEW QUESTION: 129

0 Azure AD(Azure Active Directory) 0000 000 0 Azure 000 0000.
00 00000 000 00 000 000 000 0000. 00 000 Microsoft Azure
00 0000 00 00 0000 0000 0 00000.
00 000 00 00 000 00 0000 000 00 00000. (00 00 0000
0.)
00 000 00 00 000 00 000 000 00 00000. (00 00 0000
0.)
00 0 000 00 000 000 00 000000. 000 000 0000 0000
0.
00: 0 000 000 100 000 0000.

Answer:

00:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION: 130

You have an Azure subscription named Sub1. Sub1 has an Azure Storage account named Storage1 that contains the resources shown in the following table.

You generate a shared access signature (SAS) to connect to the blob service and the file service.

Which tool can you use to access the contents in Container1 and Share! by using the SAS? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 131

00 00 000 0000 Group1, Group2 0 Group3000 0 00 00 000 000
0 contoso.com000 Azure AD(Azure Active Directory) 0000 0000.
Group30 Group20 000000.

contoso.com□□ □□ □□□ □□ App1□□□ □□□□□□ □□ □□□□□ □□□□
□.
□□□: User1
□□□ □ □□: Group2
□□ □□□ □□ App1□ □□□ □□□□□.
□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□
□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal>

NEW QUESTION: 132

Azure AD(Azure Active Directory) □□□□ □□□ Azure □□□ □□□□.
Azure Portal□□ □□□□□□ □□□□□□□ □□□□□□.
Azure AD□□ □□ □□ □□□□ □□□□□?

- A. □□□ □□
- B. X.509 □□□
- C. □□ ID

<https://www.fast2test.com/AZ-500-practice-test.html> 27
Fast2test AZ-500 □□□□□□ - AZ-500 □□□□□□

- D. □□□ □□

Answer: A (LEAVE A REPLY)

□□/□□:
<https://docs.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added>

<https://www.fast2test.com/AZ-500-practice-test.html> 28
Fast2test AZ-500 □□□□□□ - AZ-500 □□□□□□

□□□ □□ □□
□□□□ 1

□□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □□□ □□□
□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□□ □ □□□ □□ □□ □□ □ □
□□ □□ □ □□□□. □□□□ □□ □□ □ □□□ □□□□ □□□□ □□□□ □ □□□
□□□ □□□□ □□□.
□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□. □□ □
□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□□
□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□□ □□□ □□□□ □□□ □
□ □□□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□
□ □ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □
□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□. □ □□□ □□□□ □□
□□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□
□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□
□ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Litware, Inc. □ □□□ □□□ 500□□ □□□ □□□□□□ □□□ 20□□ □□□ □□ □
□□ □□□ □□□□□.

□□ □□

Litware□□ □□ ID□ 43894a43-17c2-4a39-8cfc-□ Sub1□□□ Azure □□□ □□□□.
3540c2653ef4.

Sub1□ litwareinc.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□□. □□
□□□ □□ Litware □□ □ □□ □□□ □□□ □□ □ □□ □□□ □□□□□. □ □□
□□□□ Azure AD Premium P2 □□□□□ □□□□□. Azure AD PIM(Privileged Identity
Management)□ □□□□□□□□.

□□□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure □□□□ □□ □□ □□□ □□□ □□□□ □□□□.

<https://www.fast2test.com/AZ-500-practice-test.html> 29

Fast2test AZ-500 □□□□□□ - AZ-500 □□□□□□

ID □ □□□ □□ □□

Azure Security Center□ □□ □□□□ □□□□□.

□□ □□

□□□ □□

Litware□ □□ □□ □□□ Azure □□□□ □□□ □□□□□.

Litware□ □□ ID □ □□□ □□ □□□ □□□□□.

* □□ □□□□□□ □□□□ □□ □□□ Group1□ □□□□□□ □□□.

* Group2□ □□□□ □□□□ □□ □□□ □□□□ RG2□ □□□ □□□ □□□□□ □
□□.

* □□□□ Azure AD□ □□□□□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□
□ □□□□□□□ □□□□ □□□□ □□ □□□.

□□□ □□ □□ □□

<https://www.fast2test.com/AZ-500-practice-test.html> 30

Fast2test AZ-500 □□□□□□ - AZ-500 □□□□□□

Litware□ □□□ □□ □□□ □□ □□ □□□ □□□□□.

* Microsoft Antimalware□ RG1□ □□ □□□ □□□□□ □□□.

- * Group2 is a group in Azure Kubernetes Service (AKS) that is used to manage access to the cluster.
- * Azure AD is a cloud-based identity management service that can be used to manage access to AKS.
- * The IT group is a group in Azure AD that is used to manage access to the cluster.
- * RG1 is a resource group that contains the AKS cluster. Role1 is a role that is assigned to the IT group in RG1. RBAC is a feature that allows you to manage access to resources in a resource group.
- Litware is a company that is using Azure Security Center to monitor the security of its Azure resources.
- Litware is a company that is using Azure AD to manage the identities of its users.
- * Group2 is a group in Azure AD that is used to manage access to the SQLDB1 database.
- * WebApp1 is a web application that is hosted in Azure App Service.
- Litware is a company that is using Azure App Service to host its web applications.
- * The IT group is a group in Azure AD that is used to manage access to the cluster.
- * The IT group is a group in Azure AD that is used to manage access to the cluster.

NEW QUESTION: 133

Scenario: Litware is a company that is using Azure AD to manage the identities of its users. Litware has an Azure subscription that contains the following resources:

- Sub1: An Azure subscription that contains the following resources:
 - RG1: A resource group that contains the following resources:
 - Sa1: An Azure Storage account that is used to store data.

The IT group is a group in Azure AD that is used to manage access to the cluster. The IT group is assigned the Role1 role in RG1. The Role1 role is assigned the RBAC role in RG1. The Role1 role is assigned the RBAC role in RG1.

Sa1 Blob is a blob in the Sa1 storage account. The blob is used to store data. The blob is used to store data.

Sa1 is a storage account that is used to store data. The storage account is used to store data.

IT: Sa1 is a storage account that is used to store data. The storage account is used to store data.

IT: Sa1 is a storage account that is used to store data. The storage account is used to store data.

- A. No
- B. Yes

Answer: B (LEAVE A REPLY)

The IT group is a group in Azure AD that is used to manage access to the cluster. The IT group is assigned the Role1 role in RG1. The Role1 role is assigned the RBAC role in RG1. The Role1 role is assigned the RBAC role in RG1.

□□□□. □□□ □□□ □□□ □□□□□ □□□ □□□□ □□□ □□ □□ □□□ □
□□ □□ □□□ □□□□.

□□:

<https://docs.microsoft.com/en-us/rest/api/storageservices/Establishing-a-Stored-Access-Policy>

NEW QUESTION: 134

Azure □□□□ AKS(Azure Kubernetes Service) □□□□□ □□ □□□□□.

□□□ □□ □□ □□□□□ □□□□□□ □□ □□□ □□□□.

AKS □□□□□ Azure AD(Azure Active Directory)□ □□□□□□ □□□□□ □□□.

□□□□□□□ □□ □□□ □□□□ □□□?

- A. accessTokenAcceptedVersion
- B. □ □□ □□
- C. groupMembershipClaims
- D. acceptMappedClaims

Answer: C (LEAVE A REPLY)

□□: [□□]

□□/□□:

<https://docs.microsoft.com/en-us/azure/aks/azure-ad-integration-cli>

[https://www.codeproject.com/Articles/3211864/Operation-and-Maintenance-of-AKS-](https://www.codeproject.com/Articles/3211864/Operation-and-Maintenance-of-AKS-Applications-Testlet-1)

Applications Testlet 1 □□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□
□□. □ □□□ □□□□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□ □ □□
□ □□ □□ □□ □ □□□ □□ □ □□□□.

□□□ □□ □□ □ □□□ □□□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□.
□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □
□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□
□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□□ □□□ □□□□ □□□ □
□ □□□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□
□ □□ □□ □□□ □□□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□
□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□
□ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □
□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□. □ □□□ □□□□ □□
□□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□
□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□
□ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Litware, Inc.□ □□□ □□□ 500□□ □□□ □□□□□□ □□□ 20□□ □□□ □□ □□
□□ □□□ □□□□□.

□□ □□

Litware ID 43894a43-17c2-4a39-8cfc- Sub1 Azure .
3540c2653ef4.

Sub1 litwareinc.com Azure AD(Azure Active Directory) .
 Litware Litware Azure AD Premium P2 Azure AD PIM(Privileged Identity Management)

Azure Azure Security Center

Litware

Litware Azure ID

Litware ID

* Group1

* Group2 RG2

* Azure AD

Litware

* Microsoft Antimalware RG1

* Group2 Azure Kubernetes Service

* Azure AD Azure AD AKS1

* IT JIT VM VM0

* RG1 Role1 RBAC

Litware Azure Security Center

Litware

Litware

* Group2 Azure AD SQLDB1

* WebApp1

Litware

Litware

* Litware

* □□□□ □□□□ □□□ □□□□ □□□.

NEW QUESTION: 135

□□ □□ □□□ □□□□ □□□□ Azure AD(Azure Active Directory) □□□□ □□□□.
User2□ Group2□ □□□□□□□.
App1□ □□ □□□ □ □□ □□□ □□ □□□ □□ □□□□□□.
□□ □□□ □□ App1□ □□ □□ □□□ □□□□□□ □□□□ □□□□□□.
User3□ Appl□ □□ □□□□ □□□□□ □□□□□□□□.
Group2□ □□□□ Appl□ □□□□ □□□□ □□□□.
□□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/manage-self-service-access>

NEW QUESTION: 136

Azure □ □□ □□ □□□ □□□□.
□□ □□ □□□ □□□□□ □ □□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□
□.
* User1□□□ □□□□□ □ □□ □□ □□□ □□ □□ □□□ □□□ □□□ □ □□ □
□□ □□□□□.
* □□□ User2□ □□□□□ □ □□ □□ □□□□ □□□□ □□□□ □□□ □ □□ □
□□ □□□□□.
* □□ □□ □□□ □□□□□.
□ □□□□□ □□□ □□□ □□□□□ □□□ □□□□ □□□? □□□□□ □□ □□
□□ □□□ □□□ □□□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□
□□□ 1: RBAC
RBAC□ □□ □□□ □□ Key Vault □□□ □□ □□□□□□ □□□□□□. □□□ ID□
□□ □□□□ □□□ □□□ □ □□□□□.
* Key Vault □□□ □□ □□
* □ □□ □□ □□ □□, □□, □□□□□ □ □□
* Key Vault □□ □□
□□: RBAC(□□ □□ □□□ □□)□ Azure □□□□□ □□ □□□□□ □□□ □□□ □□
□□ □□□□□□□. RBAC□ □□□□□ □ □□□ □□□ □□□□ □□□ □□□□ □ □□
□ □□□□□□□ □□□ □□□ □□□ □ □□□□□.
User2: □ □□ □□ □□ □□□ □□

□ □□ □□ □□ □□□ □□□ □ □□ □□ □□ □□□ □□□ □□□□□ □□ □□□ □□ □□□□□□□. Key Vault □□□ □□□ □, □□ □ □□□□ □□□□□ □□□ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/key-vault/key-vault-secure-your-key-vault>

NSE5_FCT-7.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ □□□□□□□□. Key Vault □□□ □□□ □, □□ □ □□□□ □□□□□ □□□ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/key-vault/key-vault-secure-your-key-vault>

NSE5_FCT-7.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ □□□□□□□□. Key Vault □□□ □□□ □, □□ □ □□□□ □□□□□ □□□ □□□□.

□□ □□□ □□□□ □□ DumpTop NSE5_FCT-7.0 □□□ □□□□□□□□. □□ □□ □□□ □□□□ □□ DumpTop NSE5_FCT-7.0 □□□ □□□□□.

https://www.dumpst0p.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 137

□□□□□□ corp.contoso.com□□□ □-□□□□□ Active Directory □□□□ □□□□ □ □□□.

Contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□ Sub1□□□ Azure □□□ □□□□.

□□ □-□□□□□ ID□ Azure AD□ □□□□□□□.

TEST□ □□□□ givenName □□□ □□ □□□□ Azure AD□ □□□□□ □□□ □□ □□□. □□□□ □□ □□□ □□□□□ □□□.

□□□ □□□□ □□□?

- A. □□□ □□ □□□
- B. □ □□□ □□ □□
- C. Azure AD Connect □□□
- D. Active Directory □□□ □ □□□

Answer: A (LEAVE A REPLY)

□□□ □□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-change-the-configuration>

NEW QUESTION: 138

□□ □□ □□□ □□□□ □□□□ Azure AD(Azure Active Directory) □□□□ □□□□. Azure AD PIM(Privileged Identity Management)□□ □□□ □□□ □□ □□ □□□ □□ □□□□□□.

(□□ □□ □□□□□.)

□□ □□ □□ 2019□ 5□ 1□□ □□□□□ □□□ □□□ □□□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-resource-roles-assign-roles>

NEW QUESTION: 139

□□□□□

□□□ □□ □□ □□□ □□ □□□ □□□□□□.

□□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□.

□□□□□ □□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□ □.

□.

Azure □□□ □□: User1-10598168@ExamUsers.com

□□□ □□: Ag1Bh9!#Bd

□□ □□□ □□ □□ □□□□□ □□□□□.

□ □□□□: 10598168

□□ □□□ Microsoft □□□ □□ □□□□□ □□□□ VM1□□□□ □□ □□□□ □□ □

□□ 02:00□ □□ □□□ □□□ □□□□ □□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□□.

A. □□ VM □□□ □□ Azure Portal□ □□□□□ Microsoft Antimalware Extension □□

1. Azure □□□□ Azure VM1□ □□□□□ □□□□ □□ □□□□ □□□ □□ □□□ □□□□.

2. Microsoft Antimalware □□ □□□□□ □□□□ □□□□ □□□□.

3. "□□ □□□□ □□" □□□ □□□ □□ □□□ □□□ □□□□. □□□: □□□ □□ □□: □□ □□ □□: □□□

B. □□ VM □□□ □□ Azure Portal□ □□□□□ Microsoft Antimalware Extension □□

1. Azure □□□□ Azure VM1□ □□□□□ □□□□ □□ □□□□ □□□ □□ □□□ □□□□.

2. Microsoft Antimalware □□ □□□□□ □□□□ □□□□ □□□□.

3. "□□ □□□□ □□" □□□ □□□ □□ □□□ □□□ □□□□. □□□: □□□ □□ □□: □□□

Answer: A (LEAVE A REPLY)

□□:

<https://www.e-apostolidis.gr/microsoft/azure/azure-vm-antimalware-extension-management/>

NEW QUESTION: 140

□□ □□ □□□ □□□□ □□□ Azure □□□ □□□□.

□□ □□ □□□ Azure Storage □□□ □□□□.

SQL1□ □□ □□□ □□□□ □□□.

□□ □□ □□□□ □□□ □ □□ □□□□ □□ □ Log Analytics □□ □□□ □□□□

□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 141

Azure □ □□ □□ □□□ □□□□ □□□. □□□□ □ □□ □□ □□□□ □□□ □□ □□□ 90□ □□ □□□□□ □□ □□□.

□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/powershell/module/azurermskeyvault/new-azurermskeyvault>

NEW QUESTION: 142

Sub2□ □□ □□ □ □□□□ □□□ □□ □□□□□□ □□ □□□ □□□ □□□□ □ □□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 1: □□□. VM4□ NSG3□ □□□ Subnet13□ □□□□.

VM1□ ASG1□ □□□□. NSG3□ ASG1□ □□ ASG2□ ICMP □□ □□□□□. ASG1 □□□ TCP □□□□ □□□□□.

NSG3□□ □□ □□ □□□ □□□□ □□ □□□ □□□□.

□□ 2: □.

VM2□ ASG2□ □□□□. ICMP ping□ □□□□□ ASG2□□ □□ □□□□□ □□□□ □.

□□ 3. VM1□ ASG1□ □□□□. □ □□□ □□ □□□ □□ TCP 80 □□ TCP 443□ □ □ □ VM1□ □ □□□ □□□ □ □□□ ASG1□□ TCP □□□□ □□□□□.

NEW QUESTION: 143

□□□ □□□ □□□□ □□□ □ □□ □□□□ □□□□. □ □□□□ NAT □□□ □□ □□ □□□□ □□□□□. □□□□ □□ □□ □□□ IP □□□ □□□□□.

□□□□ contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□. □□□ □□ □□ □□ □□□ □□□□ □□□□□.

MFA □□□ □□□ □□□ □□ □□□□□. (□□ □□ □□□□□.)

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□ 2: □□□

Microsoft Authenticator□ □□□ □□□ □□□□.

□□: Microsoft Authenticator□ 2□□ □□ □□□□ □□ □□□□ □□ □□ □□□ □□ □□ □□□ □□□ □□□□.

□□ 3: □□□

New York IP □□ □□□□ "□□□□ □□ □□□ □□ □□□□"□ □□□□ □□□□.

□□:

<https://www.cayosoft.com/difference-enabling-enforcing-mfa/>

NEW QUESTION: 144

□□: □ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□□. □□□□ □ □□ □□ □□□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□□. □□ □□ □□□ □ □□ □□□ □□□ □□□□ □□□□ □□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□ □□ □□□□ □□□ □□□□ □□ □□□□.

□ □□□ □□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□□□□ □□□ □□ □ □□ □□□ □□□□ □□□□.

Azure AD(Azure Active Directory)□ □□□□□ □□□ □□□□.

□□ □□□□□ Azure HDInsight □□□□□ □□□□.

□□□□ □□□□□ Active Directory □□ □□□ □□□□ □□□□□ □□□□□ □□□ □□□□□.

□□□ □□□ □□□□□ □□□ □□□□ □□□.

□□□: Azure □□□ Azure AD DS(Azure Active Directory □□□ □□□)□ □□□□□.

□□□ □□□ □□□□□?

A. □

B. □□□

Answer: (SHOW ANSWER)

□□: [□□]

□□:

□□ Azure Virtual Network □ VPN □□□□□□ □□□□ HDInsight□ □-□□□□ □□ □□□ □□□□□.

□□: □□□ □□□□□ HDInsight □ □□□□ □□□□ □□□□□ □□□□□ □□ □ □□ □□□□ □□□.

* Azure □□ □□□□□ □□□□□.

* Azure □□ □□□□□□ □□□ □□ DNS □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/tutorial-windows-vm>

□□ 2, Contoso□□ □□□ □□□□ □□ □□□ □□□□. □ □
□□□□ □ □□□□ □□□ □ □□□□. □ □□□ □□ □ □□□□.
□, □□□ □□ □□□ □□□□ □□□□ □□□□
□□□ □□.

□□ □□□ □□□ □ □□□ □□□□ □□ □□□ □□□□□□. □ □□□□□ □□□
□□□□ □□□ □□□ □□□□□. □□□□ □□□□□□ □□ □□□□ □□□ □□□ □
□□□ □□ □□(□: □□ □ □□□□, □□ □□□□ □□ □□)□ □□□ □□□□□□.
□□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□. □, □□□ □□□ □□□□
□□ □□□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□□ □□ □□□.
□□ □□□ □□□ □□□□ □□□ □ □□□□ □□□□ □□ □□□ □ □ □□ □□ □
□□□□. □ □□□ □□□□ □ □□□ □□ □□□ □□□ □ □□□□. □□□□ □□□ □
□□ □ □□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□ □□ □□□ □
□ □□□ □□□□□□.

□□ 1:

□□□□□ VM1□□□□ □□ □□□□□ RDP □□□ □□□□□ Azure□ □□□□ □□
□.

□□□□ VM1□ □□ □□□ □□□□□ □□□.
□ □□□ □□□□□ Azure Portal□ □□□□□□.

□□ 2:

VM1□□□ □□ □□□ □□□□ □□□□□□□ ASG1□□□□ □□□□□□ □□ □□□ □
□□□ □□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□.

□□ 3:

□□ □□□ Microsoft □□□ □□ □□□□□ □□□□ VM1□□□□ □□ □□□□ □□ □
□□ 02:00□ □□ □□□ □□□ □□□□ □□□.

□□ 4:

□□□ □□□□ App10317806□□□ □□□ □□□ □□ <https://www.contoso.com>□ □
□□ □□□□□.

□□ □□□ □□□□ □□□.

* App10317806□ Azure AD(Azure Active Directory)□ □□□□ □□□ □□□□□.

* App10317806□ □□□□□ □□□□□.

□□ 5:

□□ □□□□ □□□ VNET1□□□□ □□ □□□□□ □□□□ □□□□ □□ □□□. □
□ □□□□ VNET1□ □□□ □□□ □ □□□ □□□.

□□ 6:

□□□ user210317806□ □□□□□ RG1lod10317806 □□□ □□□□ □□ □□□ □□□
□□□ □ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.

□□ 7:

131.107.0.0/16 □□□□ □□□ □□□□□ railod10317806 Azure Storage □□, □□ 8□
□□□□ □□□□ □ □□□ □□□□ □□□.

VM1□□□ □□ □□□□ □□ CPU □□□□ 15□ □□ 70%□□ □□

admin1@contoso.com□□□ □□□□□ □□□□ □□ □□□ □□□ □□□.

□□ 9:

VM1□□□ □□ □□□ □□ □□□□ Azure Storage □□□□ □□ □□ □□ □□□□
□□□□ □□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□□.

□ □□□ □□□□ □ □ □ □□ □□ □ □□□□. □□□ □□□□ □□ □□ □□□ □
□□ □ □□□□.

□□ 10:

rg1lodl0317806n1 Azure Storage □□□ □□ HTTP □□□ □□□□ □□□.

□□ 11:

rg1lod10317806n1 Azure Storage □□□ KeyVault10317806 Azure □ □□ □□ □□□
□□□ □□ □□□□ □□□□□□□□ □□□□ □□□.

□□ 12:

10317806.onmicrosoft.com□□□ □ Azure AD(Azure Active Directory) □□□□□ □□□
□ □□□.

□ □□□□□□ Azure MFA(Multi-Factor Authentication)□ □□□□ □□□□□□□ □□□
user110317806.onmicrosoft.com□□□ □□□□ □□□□□ □□□.

□□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □□□ □□□
□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□□ □ □□□ □□ □□ □□ □□
□□ □□ □ □□□□. □□□□ □□ □□ □ □□□ □□□□ □□□ □ □□□□ □□□□
□□□□ □□□□ □□□.

□□ □□□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□. □□ □
□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□
□ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□ □□□ □□□□ □□□ □□
□□□□ □□□□ □□ □□□ □ □□□□. □ □□□ □□□ □□□ □ □□□□ □□□
□ □□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □
□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□□□. □ □□□ □□□□ □□
□□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□
□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□□ □□□□□. □□□□ □□ □□
□ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Contoso, Ltd.□ □□□□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□ □□□ □□
□□□.

Azure Sub1 Sub2 Azure contoso.com Azure AD(Azure Active Directory)

Contoso * Azure Firewall Sub2 VNetWork1

* contoso.com App2

* Azure AD PIM(Privileged Identity Management)

Contoso.com Contoso.com

Sub1 RG1, RG2, RG3, RG4, RG5 RG6 6

User2 Sub1 Sub1 Azure

Sub2 IP (IIS) ping Sub2 NSG(NSG) NSG1 NSG2 NSG3 NSG4 NSG1, NSG2, NSG3 NSG4 Contoso * Azure Firewall Sub2 VNetwork1 * contoso.com App2 * Azure AD PIM(Privileged Identity Management)

NEW QUESTION: 147

CAPolicy1

- A.
- B.

C.

D.

Answer: D (LEAVE A REPLY)

:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-session-lifetime>

NEW QUESTION: 148

Azure .

Azure .

. .

: 1 .

Answer:

:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

NEW QUESTION: 149

Your company has an Active Directory forest with a single domain, named weylandindustries.com. They also have an Azure Active Directory (Azure AD) tenant with the same name.

After syncing all on-premises identities to Azure AD, you are informed that users with a givenName attribute starting with LAB should not be allowed to sync to Azure AD.

Which of the following actions should you take?

A. You should make use of the Synchronization Rules Editor to create an attribute-based filtering rule.

B. You should configure a DNAT rule on the Firewall.

C. B. You should configure a network traffic filtering rule on the Firewall.

D. You should make use of Active Directory Users and Computers to create an attribute-based filtering rule.

Answer: (SHOW ANSWER)

Use the Synchronization Rules Editor and write attribute-based filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-change-the-configuration>

NEW QUESTION: 150

<https://www.fast2test.com/AZ-500-practice-test.html> 65

Valid Fast2test AZ-500 Exam PDF Dumps - New AZ-500 Real Exam Questions

□□ □□ □□□ □□□□ □□□□ Azure AD(Azure Active Directory) □□□□ □□□□.
□□□□□ □□ □□ □□□ □□□ □□□ □□□□ □□□□.
□□ □□ □□ App1□□□□ □□□□ □□ □□ □□□ □□□ □□□□ □□□□.
□□ □ □□□ □□ □□□ □□□ □□ □□□□□□□. □□□ □□□ □□□□ □□□□
□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

NEW QUESTION: 154

Intranet11597200□□□ □□□ □□□ Azure AD(Azure Active Directory)□ □□□□ □□
□□ □□□ □□□ □ □□□ □□ □□□.
□ □□□ □□□□□ Azure Portal□ □□□□□□□.

Answer:

- □□□ □□□□□□□.
- * Azure Portal□ □□ □□□□□ App services App services□ □□□□□□.
- * □ □□□ □□□ □□
- * □□□ □□ □□□□ □□□ □□□□ □ □□□ □□□ □□□□□.
- * □□□ □□□ Intranet11597200RG□ □□ □□□ □□□□ □□□ □□□□□□.
- * □□□□ □□ □□ □□□ □□□ □□□□□□.
- * □□□ □□ □□□□□ .NET Core 3.1□ □□ □□□ □□□ □□□□□□.
- * □□ + □□□□ □□□□□□.
- * □□□ □□□ □□□□□ □ □□ □□□□□.
- * □□□□ □□ □□□ □□□□□ □ □ □□ □□□ □□□.
- * □□ □□□□ □□/□□ □□□ □□□□□□.
- * App Service □□ □□□□□□ □□□□ □□□□□ □□□□□.
- * □□□ □□□ □□ □□ □□□ □□ □□□□□ Azure Active Directory□ □□□□ □□□
□□.
- * □□□ □□□□ □□ □□□ □□□□□□.

NEW QUESTION: 155

You are evaluating the security of the network communication between the virtual machines in Sub2.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 156

□□□ □ □□□□□□ □□ □□□ □□□□□ SQLDB1□ □□□□ □□□.

□□ □ □□ □□□ □□□□ □□□□ □□□? □□□□□ □□ □□□□ □
□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□□.

Answer:

□□:

1□□: Microsoft SQL Server Management Studio(SSMS)□ □□□□ SQLDB1□ □□□□

□. 2□□: SQLDB1□□ □□□ □□□□□□ □□□□ □□□□□.

VM□ □□□ □□ ID□ □□□□ □□□ □□□□ □□□□□□□ □□□□.

3□□: Azure AD□□ □□□ □□ □□ ID□ □□□□.

Windows VM(□□ □□)□ □□ □□□ □□ ID□ □□□□ Azure SQL □□□ □□□□ □

□□□□. □□ □□□ ID□ Azure□□ □□□□ □□□□ □□□ □□ □□□ □□□ □□

□□ Azure AD □□□ □□□□ □□□□ □□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/tutorial-windows-vm-access-sql>

NEW QUESTION: 157

□□□ □□ □□ □□□ □□ □□□ □□□□□□.

□□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□.

□□□□□ □□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□

□.

Azure □□□ □□: User1-10598168@ExamUsers.com

□□□ □□: Ag1Bh9!#Bd

□□ □□□ □□ □□ □□□□□ □□□□□.

□ □□□□: 10598168

□□□ □□□□ App10598168□□□□ □ □□ □□□ □□ □□□ □□□□□.

<https://www.contoso.com>.

□□ □□□ □□□□ □□□.

* App10598168□ Azure AD(Azure Active Directory)□ □□□□ □□□ □□□□□.

* App10598168□ □□□□□ □□□□□.

□ □□□ □□□□□ Azure Portal□ □□□□□□.

□□ □□□ □□□□□□.

Answer:

□□

1□□: □□□□□□ □□

1. Azure Portal□ □□ Azure □□□ □□□□□□.

2. Azure Active Directory□ □□□□□.

3. □ □□□ □□□□□.

4. □□ □□□ □□□□□.

5. □□□□□□ □□□ App10598168 □ □□□□□. □□□□□□□□ □□□ □ □□ □□
□ □□□□ □□□□ □□ □□□ □□□□□. □□□□ URI□□ □□□□ □□□□□□
□□□□ □□ □□□□□. URI□ □□□□□□.
□□□ □□□ □□□□ https://www.contoso.com .

6. □□□ □□□□□□.
2□□: □ □□□□□□□ □□ □□□□
□□□□ □□□□ □□□ □□□ □□ □ □□□□□□□ □□□ □□□ □ □□□□□.

7 □□□ □ □□□ □□□□□□.

8. □□□□□□ □□ -> □ □□□□□□ □□□ □□□□□□.

9. □□□ □□ □□□ □□□ □□□□□□. □□□□□ □□□ □□□□□□.

□□□□□□ □□□ □□□□□ □□□□□□ □□ □□ □□□□□□. □□□□ □□ □□□ □ □
□□□ □ □□ □□□□□□. □□□□□□□□□□ □□□□□□ □□ □□□□□□ ID□ □□ □
□□ □□□□□□.

□□□□□□□□ □□□ □ □□ □ □□ □□□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/howto-create-service-principal-portal>

NEW QUESTION: 158

Sub1□□□ Azure □□□ □□□□□. Sub1□□□ Subnet1□□□□ □□□ □□□ □□□□□
VNet1□□□□ □□ □□□□□□ □□□□ □□□□□.

Subnet1□ □□ □□□ □□□ □□□□□.

Subnet1□□□ Ubuntu Server 18.04□ □□□□□ VM1□□□□ Azure □□ □□□ □□□□□ □
□□□□.

Docker □□□□□ VM1□ □□□□□ □□□□. □□□□□□ □□□ □□□□□□□ □□□□□

Azure Storage □□□ □ Azure SQL □□□□□□□□ □□□□□ □ □□□ □□□□.

A. □□□□□□□ □□ □□ □ NSG(□□□□□ □□ □□)□ □□□□□□□.

B. docker-compose.yml □□□□ □□□□□□□.

C. □□□□□ □□□□□ □□□□□□(CNI) □□□□□□ □□□□□□.

Answer: C (LEAVE A REPLY)

□□

Azure Virtual Network CNI(□□□□□ □□□□□ □□□□□□□) □□□□□□ Azure Virtual
Machine□ □□□□□□.

□□□□□□ Linux □ Windows □□□□□ □□ □□□□□□□.

□□□□□□ □□ □□□□□□ IP □□□□ □□ □□□□□ □□□ □□□□□□ □□□□ □□ □□

□ □□□□□□ □□□□□ □□ □□□□□ □ □□ □□□□□ □□□□□ □□ □□□□□□.

□□ □□□ □□ □□□□□ □□□□□ □□□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□

□□□ □□□□□□.

□□ □□□ □□□□□□ Pod□ Azure Virtual Network □□□□ □□□□□ □□□ □□□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-network/container-networking-overview>

NEW QUESTION: 159

□□ □□□□ □□□ □□□ □□□ Azure □□□ □□□□.
□□□□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □ □□□ □□□□ □□ □□
□□□□.
□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□
□□:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-overview>

NEW QUESTION: 160

□□□ □□ □□ □□□ □□ □□□ □□□□□□□.
□□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□□.
□□□□□ □□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□□
□.
Azure □□□ □□: User1-10598168@ExamUsers.com
□□□ □□: Ag1Bh9!#Bd
□□ □□□ □□ □□ □□□□□ □□□□□□.
□ □□□□: 10598168
□□□□□ VM1□□□□ □□ □□□□□ RDP □□□ □□□□□ Azure□ □□□□ □□
□.
□□□□□ VM1□ □□ □□□ □□□□□ □□□.
□ □□□ □□□□□ Azure Portal□ □□□□□□□.

Answer:

□□ □□□ □□□□□□□.
□□
NSG□□ RDP □□□ □□□□□ □□□□□ □□ □□□ □□□□□.
* Azure Portal□ □□□□□□□.
* Virtual Machines□□ VM1□ □□□□□□.
* □□□□ □□□□□ □□□□□□.
* □□□□ □□ □□□□□ RDP□ □□□ □□□□ □□□□ □□□ □□□□□□□. □□□□ □
□□ □□□□□.
□□□□□: 300
□□: Port_3389
□□(□□□): 3389
□□□□□: TCP
□□: □□
□□: □□

□□: □□

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-nsg-problem>

NEW QUESTION: 161

Azure □ □□ □□ □□□ □□□□.

□□ □□ □□□ □□□□□ □ □□ □□ □□□ □□ □□ □□□ □□□ □□□□ □□ □.

User1□□□ □□□□□ □ □□ □□ □□□ □□ □□ □□□ □□□ □□□ □ □□ □ □□ □□□□□.

User2□□ □□□□□ □ □□ □□ □□□□ □□□□ □□□□ □□□ □ □□ □□□ □ □□□□.

□□ □□ □□□ □□□□□.

□ □□□□□ □□□ □□□ □□□□□ □□□ □□□□ □□□? □□□□□ □□ □□

□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/key-vault/key-vault-secure-your-key-vault>

NEW QUESTION: 162

Azure □□□ □□□□.

□□ □□ □□□ □□□□□ Azure □□□ □□□ □□□□ □□□.

□ □□ □□□ □□□□ □□□ □□ □□ □□ □□□□□ □□□□ □□□□□.

□□□ □□ □□□ □□ □□ □□□ □□ □□□ □□□□□ □□□ □□□□□.

□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

NEW QUESTION: 163

You have a hybrid configuration of Azure Active Directory (Azure AD).

All users have computers that run Windows 10 and are hybrid Azure AD joined.

You have an Azure SQL database that is configured to support Azure AD authentication.

Database developers must connect to the SQL database by using Microsoft SQL Server Management Studio (SSMS) and authenticate by using their on-premises Active Directory account.

You need to tell the developers which authentication method to use to connect to the SQL database from SSMS. The solution must minimize authentication prompts.

Which authentication method should you instruct the developers to use?

- A. SQL Login
- B. Active Directory - Universal with MFA support
- C. Active Directory - Integrated
- D. Active Directory - Password

Answer: ([SHOW ANSWER](#))

Explanation

Azure AD can be the initial Azure AD managed domain. Azure AD can also be an on-premises Active Directory Domain Services that is federated with the Azure AD.

Using an Azure AD identity to connect using SSMS or SSDT

The following procedures show you how to connect to a SQL database with an Azure AD identity using SQL Server Management Studio or SQL Server Database Tools.

Active Directory integrated authentication

Use this method if you are logged in to Windows using your Azure Active Directory credentials from a federated domain.

1. Start Management Studio or Data Tools and in the Connect to Server (or Connect to Database Engine) dialog box, in the Authentication box, select Active Directory - Integrated. No password is needed or can be entered because your existing credentials will be presented for the connection.

2. Select the Options button, and on the Connection Properties page, in the Connect to database box, type the name of the user database you want to connect to. (The AD domain name or tenant ID" option is only supported for Universal with MFA connection options, otherwise it is greyed out.) References:

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/sql-database/sql-database-aad-authentication-c>

NEW QUESTION: 164

□□ □□ □□ East US2 □□□ □ □□ Azure □□ □□□ □□□□.

Azure Key Vault□ □□□□ □□□□□.

VM1 □ VM2□□ Azure Disk Encryption□ □□□□□ □□□ □ □□□ □□□□ □□□.

□ □□ □□□□ □□□ □□□□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

VM1: □□

□□□ □□□□ □□□□□□□ □□□.

NEW QUESTION: 168

Azure Log Analytics Windows Server 2016 200 .

Azure Resource Manager Microsoft Monitoring Agent .

? .

: 1 .

:

<https://blogs.technet.microsoft.com/manageabilityguys/2015/11/19/enabling-the-microsoft-monitoring-agent-in-windows-json-templates/>

Answer:

NEW QUESTION: 169

Azure AD(Azure Active Directory) Azure .

App1 .

App1 .

?

- A. .
- B. .
- C. .
- D. .

Answer: D (LEAVE A REPLY)

: []

/:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added>

NEW QUESTION: 170

Sub2 .

.

: 1 .

Answer:

1: . VM4 NSG3 Subnet13 .

VM1 ASG1 . NSG3 ASG1 ASG2 ICMP . ASG1 TCP .

NSG300 00 00 0000 0000 00 0000 00000.

00 2: 0.

VM20 ASG20 0000. ICMP ping0 000000 ASG200 00 000000 00000 0.

003. VM10 ASG10 0000. 0 0000 00 0000 00 TCP 80 00 TCP 4430 0 0 VM10 0 0000 0000 0 0000 ASG100 TCP 00000 000000.

NEW QUESTION: 171

RG1000 0000 0000 1500 Azure 00 0000 00000.

00 00 0000 0000 000000000 000000.

00000 00 000000000 000000 00 00000 000000 00 000000 0000.

0000 00 0000?

A. RG10 Azure 0000 000000.

B. Azure Security Center00 0000 00000000 0000 0000000.

C. Azure AD(Azure Active Directory) ID 0000 0000000.

D. RG10 0000 0000 0000000.

Answer: B (LEAVE A REPLY)

00

0000 00 00000 0000 Azure Security Center0 0000000 000000 00 0 00 00000 00000000 00000000. Azure 0 0 Azure VM(Windows 0 Linux)00 00 0 0 00 000000000 000000 0 0000 00, 00 0000000 00000000 VM0 00000 0 0000 0000. Security Center0 00 0000 00000 VM00 00000 0 00000000 000000 0 000000000 000000 00 000000000 0000 000000 0 0000 0000.

00:

<https://docs.microsoft.com/en-us/azure/security-center/security-center-adaptive-application>

NEW QUESTION: 172

0000 00 00 0000 00 0000 00000000.

0000 0000 0000000 0000 0000 0000 00 00 0000 0000 00000000.

0000000 0000000 0000000 000000 00 0000 0000 00 0000 00000000 0000000 0.

Azure 0000 00: User1-10598168@ExamUsers.com

0000 00: Ag1Bh9!#Bd

00 0000 00 00 0000000 0000000.

0 00000: 10598168

rg1lod10598168n1 Azure Storage 0000 00 HTTP 0000 000000 0000.

0 0000 0000000 Azure Portal0 00000000.

Answer:

"Secure transfer required" is a feature of Azure Storage that is available in the Azure portal. It is a security feature that requires a secure connection to the storage account. It is available in the Azure portal and can be enabled for a storage account.

1. Azure Portal → Azure Storage → rg1lod10598168n1 → Secure transfer required.
2. Secure transfer required is a security feature.

QA:

<https://techcommunity.microsoft.com/t5/Azure/quot-Secure-transfer-required-quot-is-available-in-Azure-Storage/mp/82475>

NEW QUESTION: 173

Contoso.com is an Azure AD (Azure Active Directory) tenant. Sub1 is an Azure AD application.

Sub1 is configured to use the Azure AD application proxy.

Sub1 is configured to use the Azure AD application proxy. Cosmos DB is a cloud database service.

CosmosDB1 is a WebApp1 application.

Sub1 is configured to use the Azure AD application proxy. Cosmos DB is a cloud database service.

QA: Sub1 is configured to use the Azure AD application proxy.

Answer:

QA:

<https://docs.microsoft.com/en-us/xamarin/xamarin-forms/data-cloud/cosmosdb/authentication>

NEW QUESTION: 174

Sub1 is configured to use the Azure AD application proxy. Sub1 is configured to use the Azure AD application proxy. NAT is a network address translation.

Sub1 is configured to use the Azure AD application proxy. Sub1 is configured to use the Azure AD application proxy. contoso.com is an Azure AD (Azure Active Directory) tenant.

MFA is a multi-factor authentication. (MFA is a multi-factor authentication.)

Sub1 is configured to use the Azure AD application proxy. Sub1 is configured to use the Azure AD application proxy.

QA: Sub1 is configured to use the Azure AD application proxy.

Answer:

QA:

QA 2: Sub1

Microsoft Authenticator is a multi-factor authentication.

QA: Microsoft Authenticator is a multi-factor authentication. Microsoft Authenticator is a multi-factor authentication.

QA 3: Sub1

New York IP 192.168.1.1 "192.168.1.1 192.168.1.1" 192.168.1.1.
192.168.1.1:

<https://www.cayosoft.com/difference-enabling-enforcing-mfa/>

NEW QUESTION: 175

192.168.1.1 192.168.1.1 contoso.com 192.168.1.1 Azure AD(Azure Active Directory) 192.168.1.1.

192.168.1.1 Azure AD ID 192.168.1.1 192.168.1.1 192.168.1.1.

* 192.168.1.1: Group1 192.168.1.1, Group2 192.168.1.1

* 192.168.1.1: Medium 192.168.1.1 192.168.1.1

* 192.168.1.1 192.168.1.1 : 192.168.1.1 192.168.1.1 192.168.1.1

192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1. 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1
192.168.1.1.

192.168.1.1: 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1.

Answer:

192.168.1.1:

192.168.1.1 1: 192.168.1.1

User1 192.168.1.1 Group1 192.168.1.1 192.168.1.1. 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1
192.168.1.1.

192.168.1.1 2: 192.168.1.1

User2 192.168.1.1 Group1 192.168.1.1 192.168.1.1. 192.168.1.1 IP 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1
192.168.1.1.

192.168.1.1 3: 192.168.1.1

192.168.1.1 192.168.1.1 192.168.1.1 IP 192.168.1.1 192.168.1.1 192.168.1.1.

192.168.1.1:

Azure AD ID 192.168.1.1 6 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1.

* 192.168.1.1 192.168.1.1 192.168.1.1

* 192.168.1.1 IP 192.168.1.1 192.168.1.1

* 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1

* 192.168.1.1 192.168.1.1 192.168.1.1

* 192.168.1.1 192.168.1.1 192.168.1.1 IP 192.168.1.1 192.168.1.1

* 192.168.1.1 192.168.1.1 192.168.1.1 192.168.1.1

192.168.1.1 6 192.168.1.1 192.168.1.1 192.168.1.1, 192.168.1.1 192.168.1.1 3 192.168.1.1 192.168.1.1 192.168.1.1.

192.168.1.1:

<http://www.rebeladmin.com/2018/09/step-step-guide-configure-risk-based-azure-conditional-access-policies/>

NEW QUESTION: 176

You have an Azure subscription that contains the storage accounts shown in the following table.

You need to configure authorization access.

Which authorization types can you use for each storage account? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/authorize-data-access>

NEW QUESTION: 177

VM3 and VM6 are Azure VMs. Update1 and Update2 are Azure updates. Which updates can you apply to VM3 and VM6?

Update1 and Update2 can be applied to VM3. Update1 and VM6 can be applied to VM6. Update2 and VM6 can be applied to VM6.

Update1 and Update2 can be applied to VM3 and VM6. Update1 and VM6 can be applied to VM6. Update2 and VM6 can be applied to VM6.

Update1 and Update2 can be applied to VM3 and VM6. Update1 and VM6 can be applied to VM6. Update2 and VM6 can be applied to VM6.

Answer:

Update1 and Update2

<https://docs.microsoft.com/en-us/azure/automation/automation-update-management>

NEW QUESTION: 178

container1 is an Azure Blob storage account. App1 is an Azure Storage account. Which authentication methods can you use for container1 and App1?

Azure AD(Azure Active Directory) authentication can be used for container1 and App1. App1 authentication can be used for container1 and App1.

Azure AD(Azure Active Directory) authentication can be used for container1 and App1. App1 authentication can be used for container1 and App1.

Azure AD(Azure Active Directory) authentication can be used for container1 and App1. App1 authentication can be used for container1 and App1.

Answer:

Azure AD(Azure Active Directory) authentication

<https://azure.microsoft.com/en-in/blog/announcing-the-preview-of-aad-authentication-for-storage/>

[https://github.com/MicrosoftDocs/azure-](https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/storage/common/storage-auth-aad-rbac-portal.md)

[docs/blob/master/articles/storage/common/storage-auth-aad-rbac-portal.md](https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/storage/common/storage-auth-aad-rbac-portal.md)

NEW QUESTION: 179

Azure AD Premium P2 is an Azure AD Premium license. Which Azure AD Premium P2 features can you use?

Azure AD(Azure Active Directory) PIM(Privileged Identity Management) and Azure AD(Azure Active Directory) P2 can be used for Azure AD Premium P2. Azure AD(Azure Active Directory) P2 can be used for Azure AD Premium P2.

Azure AD(Azure Active Directory) PIM(Privileged Identity Management) and Azure AD(Azure Active Directory) P2 can be used for Azure AD Premium P2. Azure AD(Azure Active Directory) P2 can be used for Azure AD Premium P2.

Answer:

- ☐☐
- 1. MFA ☐ ☐☐ ☐☐
- 2. PIM ☐ ☐☐ ☐☐
- 3. AAD ☐☐☐ ☐☐ PIM ☐☐

NEW QUESTION: 180

AU1 ☐ AU2☐☐ ☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐ Azure AD(Azure Active Directory) ☐☐☐☐ ☐☐☐☐.

☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐.

Answer:

NEW QUESTION: 181

Contoso.com☐☐☐ Azure AD(Azure Active Directory) ☐☐☐☐ AKS(Azure Kubernetes Service) ☐☐☐☐ AKS1☐ ☐☐☐☐.

Contoso.com☐ ☐☐☐ ☐☐☐☐ AKS1☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐☐☐☐☐☐.

Contoso.com☐ ☐☐☐ ☐☐☐☐ AKS1☐ ☐☐☐☐ ☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐. ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐☐ ☐☐☐.

☐☐ ☐☐☐ ☐☐ ☐☐☐?

- A. Azure☐☐ AKS1☐ ☐☐ ☐☐☐☐☐.
- B. AKS1☐☐ Kubernetes ☐☐☐ ☐☐☐☐☐☐☐☐☐.
- C. Azure AD☐☐ Azure AD Premium☐ ☐☐☐☐☐☐.
- D. Azure AD☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐.

Answer: A (LEAVE A REPLY)

☐☐: [☐☐]

☐☐/☐☐:

<https://docs.microsoft.com/en-us/azure/aks/azure-ad-integration-cli>

NSE5_FCT-7.0 ☐☐ ☐☐☐ ☐☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐☐ ☐☐☐☐

NSE5_FCT-7.0 ☐☐! DumpTop ☐ ☐☐ **NSE5_FCT-7.0** ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐,

DumpTop NSE5_FCT-7.0 ☐☐ ☐☐☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐. ☐☐☐☐

☐☐☐☐☐☐☐☐☐☐☐ ☐☐ DumpTop NSE5_FCT-7.0 ☐☐☐☐☐☐☐☐☐.

https://www.dumpst.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 182

☐☐ ☐☐ ☐☐☐ Azure Key Vault☐ ☐☐☐☐.

KV1☐ Secret1☐☐☐☐ ☐☐☐☐ Key1☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐.

Secret1□ Key1□ □□□□□.

□ □□□ □□□ □ □□ □ □□ □□□ □□□□□? □□□□□ □□ □□□□ □□

□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□□ □□□ □□ □ □□□ □□□ □ □□ □□ □□□□□ □□□ □ □□□□. □□□

□□□ □□ □□□□ □□□ □ □□□□.

NEW QUESTION: 183

Your company has two offices in Seattle and New York. Each office connects to the Internet by using a NAT device. The offices use the IP addresses shown in the following table.

The company has an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

The MFA service settings are configured as shown in the exhibit. (Click the Exhibit tab.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://www.cayosoft.com/difference-enabling-enforcing-mfa/>

NEW QUESTION: 184

Azure □□ □□□ □□□□ □ □□□□ Azure Resource Manager □□□□ □□□□.

□□ □□□ □□□□□ □□□□□□□□ □□□□ □□ Windows □□□ □□□□ □□□ □□□ □□□.

□□□ □□□□ □□□?

A. Microsoft Intune□ □□ □□ □□

B. Azure DSC(Desired State Configuration) □□ □□ □□

C. Azure Security Center□ □□ □□

D. Azure □□ □

Answer: B (LEAVE A REPLY)

□□: [□□]

□□:

Azure DSC(Desired State Configuration) □□□ □□ □□ □□□ VM□ Azure

DSC(Automation State Configuration) □□□□ □□□□□□□□ □□□□. □ □□□□ VM

□□□ □□□□ □□ □ Azure □□□□□ □□ □□ □□ □□□□ □□□ □□□□ □□

□ □□□□□.

□□□ □□□□ VM□ □□□□ □□□□ Azure □□ □□□ □□□□ □□□ □□□□ □ □□□□.

□□:

<https://docs.microsoft.com/en-us/azure/virtual-machines/extensions/dsc-overview>

NEW QUESTION: 185

□□ □□ □□□ □□□ □□□□ KeyVault1□□□ Azure □ □□ □□ □□□ □□□□. KeyVault□□□ □□ □□□□ □□□□ □□□□□.

* □□ 1□ □□□□□□□□.

* □□□□ □□ □□□ □□□□□□.

* Item2□ Policy1□ □□□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□:

<https://docs.microsoft.com/en-us/azure/key-vault/general/soft-delete-overview>

NEW QUESTION: 186

container1□□□ Blob □□□□□ App1□□□□ □□□□□□ □□□□□□□ □□□ Azure Storage □□□ □□□□.

Azure AD(Azure Active Directory) □□□ □□□□ container1□ □□ App1 □□□□ □□ □□□ □□□.

□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

Reference:

<https://azure.microsoft.com/en-in/blog/announcing-the-preview-of-aad-authentication-for-storage/>

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/storage/common/storage-auth-aad-rbac-portal.md>

NEW QUESTION: 187

□□ □□ □□□ □□□□ □□□□ Subscription1□□□ Azure □□□ □□□□.

□□ JSON □□□ □□□□ Subscription1□□ □□□ □□ RBAC □□□ □□□□□.

RG1□□ User1□□ Role1□ □□□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/resource-provider-operations#microsoftcompute>

NEW QUESTION: 188

□□□ □□ □□ □□□ □□ □□□ □□□□□□.
□□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□.
□□□□□ □□□□□ □□□□□ □□ □□□ □□□ □□ □□□ □□□□□ □□□□□
□.

Azure □□□ □□: User1-10598168@ExamUsers.com

□□□ □□: Ag1Bh9!#Bd

□□ □□□ □□ □□ □□□□□ □□□□□.

□ □□□□: 10598168

□□□ user21059868□ □□□□ RG1lod10598168 □□□ □□□□ □□ □□□ □□□
□□□ □ □□□ □□□□ □□□. □□□□ □□ □□ □□□ □□□□ □□□.
□ □□□ □□□□□ Azure Portal□ □□□□□□.

Answer:

□□ □□□ □□□□□□.

□□

1. Azure Portal□□ RG1lod10598168 □□□ □□□ □□ □□□□□.

2. □□□ □□(IAM)□ □□□□□.

3. □ □□□□ □□ □□ □□□ □□□ □□ □□ □□ □□□□□.

4. □□ > □□ □□ □□□ □□□□ □□ □□ □□ □□ □□□.

5. □□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□□. □□ □□ □□□□ □□
□□ □□ □□□ □□□ □ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□ □□□
□ □□ □□□□ □□□ □□□□ □ □□□□.

6. □□ □□□□ □□□ user21059868□ □□□□□.

7. □□□ □□□□ □□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal>

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#virtual-machine-contributor>

NEW QUESTION: 189

□□ □□ □□□ □□□□ □□□□ Subscription1□□□ Azure □□□ □□□□.

□□ □□□□ □□□□ Subscription2□□ Azure □□□ □□□□.

Azure Sentinel □□ □□

Azure Event Grid □□□□

NVA□□ Azure Sentinel□ CEF □□□□ □□□□ □□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

NEW QUESTION: 190

□□ □□ □□□ □□ □□□ □□□ Azure □□□ □□□□.

□□ □□ □□□ Azure □□□ □□□□.

□□ □ □□□ □□ □□□ □□□ □□ □□□□□□. □□□ □□□ □□□□ □□□□ □.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

NEW QUESTION: 191

container1□□□ Blob □□□□□ App1□□□□ □□□□□□ □□□□□□□ □□□ Azure Storage □□□ □□□□.

Azure AD(Azure Active Directory) □□□ □□□□ container1□ □□ App1 □□□□ □□ □□□ □□□.

□□□ □□ □□□? □□□□□ □□ □□□□ □□□ □□□ □□□□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□:

<https://azure.microsoft.com/en-in/blog/announcing-the-preview-of-aad-authentication-for-storage/>

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/storage/common/storage-auth-aad-rbac-portal>.

NEW QUESTION: 192

□□ □□ □□□ Azure □ □□ □□ □□□ □□□□ Sub1□□□ Azure □□□ □□□□. Sub1□□ □□ □□□ □□ □□ □□□ □□□□□.

* □□: VM1

* □□: DS2v2

* □□□ □□: RG1

* □□: □□□

* □□ □□: □□□ □□ 2016

VM1□□ Azure Disk Encryption□ □□□□□ □□□ □□□□□.

VM1□ □□□ □□ □□□ □ □□ □ □□ □□ □□□□□□?

A. Vault1 □□ Vault3□

B. Vault1, Vault2, Vault3 □□ Vault4

Answer:

☐☐

☐☐:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/encrypt-disks>

NEW QUESTION: 196

☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ Azure ☐☐☐ ☐☐☐☐.

Subnet1 ☐ Subnet2☐☐ Microsoft.Storage ☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐ ☐☐☐☐.

☐☐ ☐☐☐ ☐☐ ☐☐☐ storageacc1☐☐☐ Azure Storage ☐☐☐ ☐☐☐☐.

☐☐ ☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐☐. ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐

☐.

Answer:

☐☐

☐☐ 1: ☐

VM1☐ ☐☐ IP☐ ☐☐☐☐ ☐☐ ☐☐☐☐☐.

☐☐ 2: ☐☐☐

☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ VM2☐ storageacc1☐ ☐☐ ☐☐☐☐ ☐ ☐☐

☐☐. VM2☐ ☐☐ IP ☐☐☐ ☐☐☐ IP ☐☐☐ ☐☐☐☐ VM2☐ ☐☐☐☐ ☐☐ storageacc1

☐ ☐☐☐☐ ☐ ☐☐☐☐.

☐☐ 3: ☐☐☐

☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐ VM3☐ storageacc1☐ ☐☐ ☐☐☐☐ ☐ ☐☐

☐☐. VM3☐☐ ☐☐ IP ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ storageacc1☐ ☐☐☐☐ ☐ ☐☐☐

☐.

☐☐:

<https://docs.microsoft.com/en-gb/azure/storage/common/storage-network-security>

NSE5_FCT-7.0 ☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐ DumpTop ☐☐ ☐☐☐☐ ☐☐☐
NSE5_FCT-7.0 ☐☐! DumpTop ☐ ☐☐ **NSE5_FCT-7.0** ☐☐ ☐☐☐ ☐☐☐☐☐☐,
DumpTop NSE5_FCT-7.0 ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐. ☐☐
☐☐ ☐☐☐ ☐☐☐☐ ☐☐ DumpTop NSE5_FCT-7.0 ☐☐☐ ☐☐☐☐☐.

https://www.dumpst0p.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 197

Sub2☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐.

☐☐ ☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐☐☐☐☐. ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐

☐.

☐☐: ☐ ☐☐☐ ☐☐☐ 1☐☐ ☐☐☐ ☐☐☐☐.

Answer:

□□

Q1: □□□ { "□□□" □□□ □□□□ TCP 80□ □□□□□ □□□□ □ □□□. Q2: □
{□□□ IP□□ □□ □□□ NSG□ □□□□ □□ □□□ □□ □□□□ □□ VM□ □□
□□ □□□} Q3 : □ {VM5□ NSG□ □ □□ □□□ □□ □□□□ □□□□□ □□ □□
□□ □□□□ □□□□ □□}

NEW QUESTION: 198

VNET1 □ VNET2□□ □ □□ Azure □□ □□□□□ □□ □□□□ □□□ □□□□ □
□□□.

□□ □□ □□□ □□□□□ □□ □□□□□ VPN □□□□□□ □□□□ □□□.

* VNET1□□ BGP□ □□□□ 6□□ □□□ □ □□□ □□□ □□□.

* VNET2□□ BGP□ □□□□ 12□□ □□□ □ □□□ □□□ □□□.

* □□□ □□□□□□□ □□□.

□ □□ □□□□□ □□ □□ VPN □□□□□ SKI)□ □□□□ □□□□? □□□□□ □□
□ SKU□ □□□ □□□□□□ □□□□□□□□. □ SKU□ □ □, □ □ □□ □□□□□ □
□ □□□□ □□ □ □□□□. □□□□ □□□ □ □□□ □□ □□□ □□□ □□□□□
□ □ □□□□.

□□: □ □□□ □□□ 1□□ □□□ □□□□.

Answer:

□□

□□:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-vpngateways#gwsku>

NEW QUESTION: 199

You need to perform the planned changes for OU2 and User1.

Which tools should you use? To answer, drag the appropriate tools to the correct resources. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 200

VNetwork1□ □□ □□ □□ □□□ □□□□ □□□.

□□ □□□ □□ □□□?

A. VNetwork1□ □ □□□□ □□□□.

B. VNetwork1□ □□ DDoS □□□ □□□□□.

C. NSG□ Subnet12□ □□□□□.

D. Subnet11 □ Subnet13□□ NSG□ □□□□□.

A. □

B. □□□

Answer: B (LEAVE A REPLY)

□□ □□ □□□ □□□□□□.

Microsoft Azure□ □□ □□□ □ □□□ Azure □□□ □□□□ □□□ □□□ □□□□ □□□□□.

□□:

<https://4sysops.com/archives/apply-governance-policy-to-multiple-azure-subscriptions-with-managementgroups/>

□□ 1, Litware, Inc

□□ □□

□□□ □□ □□□□□. □□ □□□ □□□ □□□ □□□□ □□□□. □ □□□ □□□ □ □□□ □□ □□ □□□ □□□ □ □□□□. □□□ □ □□□ □□ □□ □□ □ □ □□ □□ □□□□. □□□ □□ □□ □ □□□ □□□ □□ □□□ □□□ □ □□□ □□□□ □□□.

□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□ □□□. □□ □ □□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□ □□□ □ □□ □□□ □ □□□ □ □□□□. □ □□□ □ □□ □□□ □□ □□□ □□□□□□.

□ □□ □□□ □□□ □□ □□□ □□□□□. □ □□□□ □□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□□ □□ □□□□ □ □□□□. □ □□□ □□□ □□□ □□ □□□ □□□□□.

□□ □□□ □□□□□

□ □□ □□□ □ □□ □□□ □□□□□ □□ □□□ □□□□□. □□□ □□□ □□ □ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□. □ □□□ □□□□ □□ □□ □□, □□ □□ □ □□ □□□ □□ □□□ □□□□□. □□ □□□ □□ □□ □□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□□ □□□ □□□□□. □□□ □□ □□ □ □□ □□ □□□ □□□□ □□□□ □□□□□.

□□

Litware, Inc.□ □□□ □□□ 500□□ □□□ □□□□□□ □□□ 20□□ □□□ □□ □ □□ □□□ □□□□□.

□□ □□

Litware□□ □□ ID□ 43894a43-17c2-4a39-8cfc-3540c2653ef4□ Sub1□□□ Azure □□ □ □□□□.

Sub1□ litwareinc.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□□. □□ □□□ □□ Litware □□ □ □□ □□□ □□□ □□ □ □□ □□□ □□□□□. □ □□ □□□□ Azure AD Premium P2 □□□□□ □□□□□. Azure AD PIM(Privileged Identity Management)□ □□□□□□□□□.

□□□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure □□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure Security Center□ □□ □□□□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ Azure □□□□ □□□ □□□□□.

Litware□ □□ ID □ □□□ □□ □□□ □□□□□.

* □□ □□□□□□ □□□□ □□ □□□ Group1□ □□□□□□ □□□.

* Group2□ □□□□ □□□□ □□ □□□ □□□□ Resource Group2□ □□□ □□□ □□□□□ □□□.

* □□□□ Azure AD□ □□□□□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□ □ □□□□□□□ □□□□ □□□□ □□ □□□.

□□□ □□ □□ □□

Litware□ □□□ □□ □□□ □□ □□ □□□ □□□□□.

* □□□ □□ 1□ □□ □□□ Microsoft □□□ □□ □□□□□ □□□□ □□□.

* Group2□ □□□□□ Azure Kubernetes Service □□□□ □□□ □□□ □□□□□ □ □□.

* Azure AD □□□□ Azure AD □□ □□□ □□□□ AKS1□ □□□□ □□□.

* □□□ □□ □□□ □□□ □ IT □□ JIT VM □□□□ □□□□ VM0□ □□□ □ □□ □ □□□.

* Resource Group1□ □□ □□□ □□□ □□□□□ Role1□□□□ □ □□□ □□ RBAC □□□ □□□□ □□□. Role1□ Resource Group1□□□ □□□ □ □□□ □□□.

□□ □□ □□ □□

Litware□ Azure Security Center□□ □□ □□ □□ □□□ □□□ □□□ □ □□□ □□ □.

NEW QUESTION: 204

You suspect that users are attempting to sign in to resources to which they have no access.

You need to create an Azure Log Analytics query to identify failed user sign-in attempts from the last three days. The results must only show users who had more than five failed sign-in attempts.

How should you configure the query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

The following example identifies user accounts that failed to log in more than five times in the last day, and when they last attempted to log in.

```
let timeframe = 1d;
```

```
SecurityEvent
```

```
| where TimeGenerated > ago(1d)
```

```
| where AccountType == 'User' and EventID == 4625 // 4625 - failed log in
```


Azure 100 100 1000 www.contoso.com 100 contoso.com 100 1000 100000 1000.

1000 1000 10(FQDN).

1000 1000 1 10 10000 10000 1000.

contoso.com 10000 100 "A" 1000

1000 100 100 "TXT" 1000

A 10000 10000 www 1000 "CNAME" 1000

E: 1000 100 DNS 1000 1000 100000 1000 App Service 1000 100 100(100, Azure Functions 100 100, 100, 100000 100 100). 100

App Service 100 100: 1000 100 100(D1, B1, B2, B3 100

100 10000).

100:

<https://docs.microsoft.com/en-us/azure/dns/dns-web-sites-custom-domain>

10000 1

1000 100 100000. 100 1000 1000 1000 100000 100000. 100 1000 100 100 1000 100000.

1000 100000 100 1000000. 1000 100 1000 100 100 100 1000 100 100000. 100

1000 1000 1000 100 1000 100 1000 1000 1000 1000 100000 100000. 1000 100.

100 1000 1000 1000 100000 1000 1000 1000 100000 1000.

100 100. 100 100000 100 100 1000 100000 1000 100 100 100000 10000 100 100000.

100 1000 1000 1000000 100 100 1000 100 1000 10000000.

100 100 1000.

100 100 1000 1000 100 1000 1000000. 100 1000000 1000 1000 1000000.

1000 100 100000 100000 100 10000 1000000. 1000 10000 10000 1000 1000000.

100 1000 1000000

100 100 1000 100 1000 1000000 100 1000 1000000. 100 100 100 1000 100000

10000 1000 100 100 1000 100000000. 100 1000 100000 1000000.

100000 100 100, 100 100 1000 1000 100 100. 100

100000 100 100 100 100000. 1000 1000 1000 1000 1000000.

100 1000. 1000 100 1000 100 100 1000 100000

100.

100

Litware, Inc. 1000 1000 50000 1000 1000 1000 2000 1000 100 100 100 1000 10000 100000.

10000000 100.

□□ □□

Litware□□ □□ ID□ 43894a43-17c2-4a39-8cfc-□ Sub1□□□ Azure □□□ □□□□. 3540c2653ef4.

Sub1□ litwareinc.com□□□ Azure AD(Azure Active Directory) □□□□ □□□□□. □□ □

□□ Litware □□ □ □□ □□□ □□□ □□ □ □□ □□□ □□□□□. □ □□□ Azure AD Premium P2 □□□□□ □□□□□. Azure AD PIM(Privileged Identity Management)□

□□□.

□□□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure □□□□ □□ □□ □□□ □□□ □□□□ □□□□.

Azure Security Center□ □□ □□□□ □□□□□.

□□□ □□

Litware□ □□ □□ □□□ Azure □□□□ □□□ □□□□□.

Litware□ □□ ID □ □□□ □□ □□□ □□□□□.

□□ □□□□□□ □□□□ □□ □□□ Group1□ □□□□□□ □□□.

Group2□ □□□□ □□□ □□□□ Resource Group2□ □□□ □□□ □□□□ □□□. □□ □□ □□.

□□□□ Azure AD□ □□□□□□□□ □□□□ □□□□□□□ □□□□ □□□□ □□ □□□.

□□□□ □□□□ □□ □□□ □□□□□□.

□□□ □□ □□ □□

Litware□ □□□ □□ □□□ □□ □□ □□□ □□□□□.

□□□ □□ 1□ □□ □□□ Microsoft □□□ □□ □□□□□ □□□□ □□□.

Group2□ □□□□□□ Azure Kubernetes Service □□□□ □□□ □□□ □□□□□ □ □□.

Azure AD □□□□ Azure AD □□ □□□ □□□□ AKS1□ □□□□ □□□.

□□□ □□ □□□ □□□ □ IT □□ □□□ □□ VM0□ □□□ □ □□□ □□□.

JIT VM □□□□ □□□□□.

Role1□□□ □ □□□ □□ RBAC □□□ □□□□ □□ □□□ □□□ □□□□ □□□.

□□□ □□ 1□ □□□. Role1□ Resource Group1□□□ □□□ □ □□□ □□□.

□□ □□ □□ □□

Litware□ Azure Security Center□□ □□ □□ □□ □□□ □□□ □□□ □ □□□ □□ □.

NEW QUESTION: 207

Contoso.com□□□ Azure AD(Azure Active Directory) □□□□ □□□ Sub1□□□ Azure □□□ □□□□.

□□□□ □□ □□ □□□ □□□ □□□□□□□. Azure Security Center □□ □□□ □ □□□ □□□□□.

□□□ □□ □□□ □□□□ □□□□ □□□.

□□□ □□ □□□?

A. □□□ □□ □□□ □□ □□□ □□□□.

B. Azure AD □ □□ □□□□ □□ □□□ □□□ □□□□.

C. □□ □□ □□□ □□□□□ Azure Security Center □ □□□□□.

D. Microsoft Cloud App Security □□ □□□ □□□□□□.

Answer: A (LEAVE A REPLY)

□□: [□□]

□□:

□□ □□ □□□ □□ □□□ □ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□□.

□□:

<https://docs.microsoft.com/en-us/office365/securitycompliance/customize-a-built-in-sensitive-information-type>

NEW QUESTION: 208

□□□ contoso.com □□□ Azure AD(Azure Active Directory) □□□□ □□□□.

□□□ App1 □□□ □□□□□□□ □□□□ □□□□. App1 □ Windows Server 2016 □

□□□□ □□□□ □□□□ □□□□□. App1 □ contoso.com □ □□□□ Microsoft

Graph □ □□□□□ □□□□ □□□□ □□□□.

App1 □ □□□ □□ □□□ □□□□ □□□.

Azure Portal □□ □□□□ □□□□ □□ □ □□ □□□ □□□□□? □□□□□ □□ □

□□□ □□ □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□□.

Answer:

□□:

1□□: □ □□ □□□

□□ □□□□□□□ □□/□□□□ □□□.

2□□: □□□□□□ □□ □□

□□□□□□ □□□ □□□□ □□□ □□ □□□□ □□□ □□□□□.

3□□: □□ □□

□□:

□□□ □□

□□□ □□□ □□□□ □□□□ □□ □□□ □□□□□.

□□□□□□ □□□:

Azure Active Directory □ □□□□□□ □□□□ □□□□ □ □□□□□□□ □□ □□

□□ □□□□ □□□□□.

□□:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

NEW QUESTION: 209

Sub1 Azure RG1
?
?

- A. Azure AD(Azure Active Directory) PIM(Privileged Identity Management)
- B.
- C. Azure AD(Azure Active Directory)
- D. (JIT) VM

Answer: B (LEAVE A REPLY)

JIT(Just-In-Time) VM Azure VM
: Just-In-Time Security Center NSG Azure VM
 Just-In-Time
 VM Security Center VM
 RBAC()
 Security Center IP
 Security Center NSG
:
<https://docs.microsoft.com/en-us/azure/security-center/security-center-just-in-time>

NEW QUESTION: 210

Vault1 Azure Key Vault
?

- A. Cert1
- B. Key1 Cert1
- C. Secret1 Cert1
- D. 1
- E. Key1, Secret1 Cert1
- F. Key1 Secret1

Answer: D (LEAVE A REPLY)

NSE5_FCT-7.0 DumpTop
NSE5_FCT-7.0! DumpTop NSE5_FCT-7.0
DumpTop NSE5_FCT-7.0
DumpTop NSE5_FCT-7.0

https://www.dumptop.com/Fortinet/NSE5_FCT-7.0-dump.html (51 Q&As Dumps,
30%OFF Special Discount: **KrDump**)