

Fortinet.NSE7_EFW-6.4.v2022-12-24.q74

□□□□:	NSE7_EFW-6.4
□□□□:	Fortinet NSE 7 - Enterprise Firewall 6.4
□□□:	Fortinet
□□ □□ □□□:	74
□□:	v2022-12-24
# □□ □:	1543
# □□ □□□:	740
https://www.krdump.com/Fortinet.NSE7_EFW-6.4.v2022-12-24.q74.html	

NEW QUESTION: 1

□□□□ FortiGate □□□ □□□ □□□□□ □□ □□ TCP □□ □□□□ □□□□□. □□□ □□ □ □□□ □□□□ □□ □□□□□ □□□ □□□□ □□□□□□. □□ □□ □□□□ □ □□□ □□□□□□ SYN □□□ □□ □ SYN/ACK□ □□□□ □□ FortiGate□ □□□ □□□ □□ □□□ □□ □□□□□. SYN/ACK □□□ FortiGate□ □□□□ □□□ □□ □□ □□□ □ □□ □□□□. □ □□□ □□□□□ □□ TCP □□ □□□□ □□□ □□□?

- A. TCP□ □□ □□ □□□□.
- B. TCP □□ □□.
- C. TCP □□ □□.
- D. TCP □□ TTL.

Answer: ([SHOW ANSWER](#))

□□

http://docs-legacy.fortinet.com/fos40hlp/43prev/wwhelp/wwhimpl/common/html/wwhelp.htm?context=fgt&file=CLI_get_Commands.58.25.html tcp-halfopen-timer □□ SYN □□, SYN/ACK□ □□ □□□ □□□□ □□□□.

tcp-halfclose-timer□ FIN □□ □□□ FIN/ACK□ □□ □□□ □□□□ □□ □□ □□□ □□□ □□.

tcp-timewait-timer□ FIN/ACK □□ □ □□□ □□□□ □□ □□ □□□ □□□□□. □□ □□□ □□□ □□□ □□□ □□ □ □ □□ □□ □□□□ □□ □□□□.

NEW QUESTION: 2

□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□□□ □□□ 'get router info bgp summary' □□□ □□□ □□□□□□. □□ □□ □□ □□
□ □□□□□.



```
# get router info bgp summary
BGP router identifier 0.0.0.117, local AS number 65117
BGP table version is 104
3 BGP AS-PATH entries
0 BGP community entries
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
10.125.0.60	4	65060	1698	1756	103	0	0	03:02:49	1
10.127.0.75	4	65075	2206	2250	102	0	0	02:45:55	1
10.200.3.1	4	65501	101	115	0	0	0	never	Active

Total number of neighbors 3

□□□□ □□□□ □□ □□□□ □□ □□? (2□□ □□□□□□.)

- A. □□ BGP □□□ □ 3□□ BGP □□□□ □□□□□□.
- B. □□ 10.125.0.60□ BGP □□□ □□□□□□□.
- C. □□ BGP □□□ 10.200.3.1□□ OpenConfirm□ □□ □□□□□□.
- D. BGP □□□□ □□□ □□□ BGP □□ 10.200.3.1□ □□□ □□ □□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 6

```
IPS □□ □□□ □□ □□ □□□ □□□□□□.
# □□□ □□□□□□ ipsmonitor 3 □□
ipsengine □□ □□"
pid = 93(cfg), □□ = 5605322(s) at Wed Apr 19 09:57:26 2017
□□ = 11, □□: □□
```

- FortiGate□□ IPS□ □□□ □□□□□□?
- A. IPS □□ □□□ □□□ □□□ □□ □□□ □□ □□□□□□.
- B. IPS □□□□ □□□ □□□□□□.
- C. IPS □□□ □□ □□□□□□ □□ □□ □□□ □□□□.
- D. FortiGate□ □□□□ □□ IPS □□ □□□ □□□□□□□□□□.

Answer: ([SHOW ANSWER](#))

□□ □□ □□□ □□ □□□□ ipsmonitor□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□
□. □□ 3□ IPS □□ □□□□□□ □□□ □□□ □□□ □□ □□□ □□□□□□. □□□□ □□□

□□□□ □□ □□ □□ □□□□. □□: □□□□ □□ IPS□ □ □□ □□□ □□ □□ □□(□, □□ IPS □□ □□□ □□□□□).

NEW QUESTION: 7

FortiManager CLI □□□□□ □□□ □□ □□ □□ □□ □□□□ □□ □□? (2□□ □□□ □□.)

- A. □□ □□□□ ADOM □□□□□□□□ □□□□ □□ □□□ □□□□ FortiGate□ □□ □□ □□□.
- B. □□ □□□□□□□□ □□□ □ □□ □□□□ □□□□ □□□□ FortiGate□ □□ □□□ □□□□ □□□.
- C. ADOM□ All FortiGate□□ □□ □ □□□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □ □□□□.
- D. Remote FortiGate□□ □□ □□□ □□ □□□□ □□ □□ □□ □□□ □□□ □ □□ □□ □ □□□□.

Answer: (SHOW ANSWER)

CLI □□□□□ □ □□ □□ □□□□ □□□ □ □□□□. □□ □□□□□□□: □□□□□ □□ □□□ □□ □□□□□□□□ □□□□□. □□ □□□□□□□□ □□ □□□ □□□□ □□ □ □□□(□□ □□). □□□ □□ □□ □□□ □□ □□ □□□ □□□ □ □□□□. □□ □□ □□□□□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□ □□ □□□ □□ □□□ □□ □□□□.

□□ □□□, ADOM □□□□□□□: □□□□□ ADOM □□ □□ □ □□□ □□□ □□ □□□ □ □□□ □□ □□ □□ □□□ □□□□ □□ □□□, ADOM □□□□□□□□ □□□ □□ □□ □□□□ □□□□ □□□ □ □□□□.

□□ FortiGate □□(CLI□ □□): □□□□□ □□□□ □□ □□□ □ □□□ □□ □□□□ □□ □□ □□□ □□ □□□ □□□ □□□□ □□□□. □□ □□□ □□□□ □□□ □□ □□□□ □ □□ □□□□ □□ FortiManager□ □□ □□ □□ □□□ □□□□ □□□ □ □□ □□□ □□ □□□□.

NEW QUESTION: 8

IKE □□□ □□□□ □□ □□□ □□□ □□□□□□□□□□.

```
ike 0:H2S_0_1:1249: notify msg received: SHORTCUT-QUERY
ike 0:H2S_0_1:  recv shortcut-query 12594932268010586978 4384dd592d62cd52/0000000000000000 100.64.3.1
10.1.1.254->10.1.2.254 psk 64 ppk 0 ttl 32 nat 0 ver 1 mode 0
ike 0:H2S_0: iif 13 10.1.1.254->10.1.2.254 route lookup oif 13
ike 0:H2S_0_0: forward shortcut-query 12594932268010586978 4384dd592d62cd52/0000000000000000
100.64.3.1 10.1.1.254->10.1.2.254 psk 64 ppk 0 ttl 31 ver 1 mode 0, ext-ma
ike 0:H2S_0_0:1248: sent IKE msg (SHORTCUT-QUERY): 100.64.1.1:500->100.64.5.1:500, len=236,
id=e2beec89f13c7074/06a73dfb3a5d3b54:340a645c
ike 0: comes 100.64.5.1:500->100.64.1.1:500, ifindex=3, . . .
ike 0: IKEv1 exchange=Informational id=e2beec89f13c7074/06a73dfb3a5d3b5d:26254ae9 len=236
ike 0:H2S_0_0:1248: notify msg received: SHORTCUT-REPLY
ike 0:H2S_0_0:  recv shortcut-reply 12594932268010586978 4384dd592d62cd52/89bf040f5f7408c0 100.64.5.1
to 10.1.1.254 psk 64 ppk 0 ver 1 mode 0 ext-mapping 100.64.3.1:500
ike 0:H2S_0: iif 13.10.1.2.254->10.1.1.2.254 route lookup oif 13
ike 0:H2S_0_1: forward shortcut-reply 12594932268010586978 4384dd592d62cd52/89bf040f5f7408c0
100.64.5.1 to 10.1.1.254 psk 64 ppk 0 ttl 31 ver 1 mode 0 ext-mapping 100.
```

□□□ □□□ □□□□ □ VPN□ □□□□ □□□□ 1□□ □□□ □□□□□?

A. □□ □□ □□ □□

B. □□ □□ □□□

C. □□ □□ □□□

D. □□ □□ □□□

Answer: D ([LEAVE A REPLY](#))

□□:

□□ Spoke□ SHORTCUT_OFFER□ □□□□ □□ □□ □□□ □□□□ □□□□□. □□□
SHORTCUT_REPLY□ □□□□ □□□ □□ □□(H2S_0_0)□ □□□□□.

NEW QUESTION: 9

IKE □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□.

□□ □□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□□.

```
session info: proto=6 proto_state=11 duration=53 expire=265 timeout=300 flags=00000000
sockflag=00000000
origin-shaper=
reply-shaper=
per_ip_shaper=
ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
user=AALI state=redir log local may_dirty npu nlb none acct-ext
statistic (bytes/packets/allow_err): org=2651/17/1 reply=19130/28/1 tuples=3
tx speed (Bps/kbps): 75/0 rx speed (Bps/kbps): 542/4
origin->sink: org pre->post, reply pre->post dev=7->6/6->7 gwy=172.20.121.2/10.0.0.2
hook=post dir=org act=snat 192.167.1.100:49545->216.58.216.238:443(172.20.121.96:49545)
hook=pre dir=reply act=dnat 216.58.216.238:443->172.20.121.96:49545 (192.167.1.100:49545)
hook=post dir=reply act=noop 216.58.216.238:443->192.167.1.100:49545 (0.0.0.0:0)
pos/(before, after) 0/(0,0), 0/(0,0)
src_mac=08:5b:0e:6c:7b:7a
misc=0 policy_id=21 auth_info=0 chk_client_info=0 vd=0
serial=007f2948 tos=ff/ff app_list=0 app=0 url_cat=41
dd_type=0 dd_mode=0
npu_state=00000000
npu info: flag=0x00/0x00, offload=0/0, ips_offload=0/0, epid=0/0, ipid=0/0, vlan=0x0000/0x0000
vlifid=0/0, vtag_in=0x0000/0x0000 in_npu=0/0, out_npu=0/0, fwd_en=0/0, qid=0/0
```

□ □□□ □□ FortiGate□ □□□ □□ □□ □□ □ □□ □□?

- A. FortiGate□ □□□ □□ □□□ □□□□□□□.
- B. FortiGate□□ □ □□□ □□ □□ □□□□□□□.
- C. FortiGate□ □□□ □□ □□ □□.
- D. FortiGate□ □□□ □□□ □□ □□□ □□□□□□□.

Answer: (SHOW ANSWER)

<https://kb.fortinet.com/kb/viewContent.do?externalId=FD30042>

NSE7_EFW-6.4 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
NSE7_EFW-6.4 □□! DumpTop □ □□ **NSE7_EFW-6.4** □□ □□□ □□□□□□□,
DumpTop NSE7_EFW-6.4 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□
□□□ □□□□ □□ DumpTop NSE7_EFW-6.4 □□□ □□□□□□.

https://www.dumpsttop.com/Fortinet/NSE7_EFW-6.4-dump.html (124 Q&As Dumps, 30%OFF
Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ □□□ 'diagnose sys session list □□' □□□ □□□ □□□□□□. □□ □□□ □□□
□□□

```
#diagnose sys session list expectation
```

```
session info: proto= proto_state=0 0 duration=3 expire=26 timeout=3600
flags=00000000
sockflag=.00000000.sockport=0.av_idx=0.use=3
origin-shaper=
reply-shaper=
per-ip_shaper=
ha_id=0.policy_dir=1.tunnel=/
state=new complex
statistic (bytes/packets/allow_err): org=0/0/0 reply=0/0/0 tuples=2
origin-> sink: org pre-> post, reply pre->post dev=2->4/4->2
gwy=10.0.1.10/10.200.1.254
hook=pre dir=org act=dnat 10.171.121.38:0-> 10.200.1.1: 60426
(10.0.1.10: 50365)
hook= pre dir=org act=noop 0.0.0.0.:0-> 0.0.0.0:0 (0.0.0.0:0)
pos/(before, after) 0/(0,0), 0/(0,0)
misc=0.policy_id=1.auth_info=0.chk_client_info=0.vd=0
serial1=000000e9.tos=ff/ff.ips_view=0 app_list=0.app=0
dd type=0.dd_mode=0
```



□□□□ □□□ □□ □□□□ □□ □□?

- A. FortiGate□□ □□□ □□□□ □□ □□□□.
- B. FotiGuard□□ □□ □□□□□ □□□□ □□ FortiGate □□□ □□ □□□□□□□□.
- C. □□ □□□ □□ ALG□ □□ □□□□□□□□.
- D. FortiGate□□ □□□□ □□ □□□□□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

□□□□ □□□ IKE □□□ □□□□ □□ □□□ □□□□□□□□. □□ □□ □□ □□□ □□□□□
□.

```

#diagnose debug application ike-1
#diagnose debug enable
ike 0: .....: 75: responder: aggressive mode get 1st message...
...
ike 0: .....:76: incoming proposal:
ike 0: .....:76: proposal id = 0:
ike 0: .....:76: protocol id= ISAKMP:
ike 0: .....:76: trans_id = KEY_IKE.
ike 0: .....:76: encapsulation = IKE/none
ike 0: .....:76: type= OAKLEY_ENCRYPT_ALG, val=AES_CBC.
ike 0: .....:76: type= OAKLEY_HASH_ALG, val=SHA2_256.
ike 0: .....:76: type=AUTH_METHOD, val=PRESHARED_KEY.
ike 0: .....:76: type=OAKLEY_GROUP, val=MODP2048.
ike 0: .....:76: ISAKMP SA lifetime=86400
ike 0: .....:76: my proposal, gw Remote:
ike 0: .....:76: proposal id=1:
ike 0: .....:76: protocol id= ISAKMP:
ike 0: .....:76: trans_id= KEY_IKE.
ike 0: .....:76: encapsulation = IKE none
ike 0: .....:76: type=OAKLEY_ECNRYPY_ALG, val=DES_CBC.
ike 0: .....:76: type=OAKLEY_HASH_ALG, val=SHA2_256.
ike 0: .....:76: type=AUTH_METHOD, val= PRESHARED_KEY.
ike 0: .....:76: type=OAKLEY_GROUP, val =MODP2048.
ike 0: .....:76: ISAKMP SA lifetime=86400
ike 0: .....:76: proposal id=1:
ike 0: .....:76: protocol id= ISAKMP:
ike 0: .....:76: trans_id= KEY_IKE.
ike 0: .....:76: encapsulation = IKE/none
ike 0: .....:76: type=OAKLEY_ENCRYPT_ALG, val=DES_CBC.
ike 0: .....:76: type= OAKLEY_HASH_ALG, val=SHA2_256.
ike 0: .....:76: type=AUTH_METHOD, val=PRESHARED_KEY.
ike 0: .....:76: type=OAKLEY_GROUP, val=MODP1536.
ike 0: .....:76: ISAKMP SA lifetime=86400
ike 0: .....:76: negotiation failure
ike Negotiate ISAKMP SA Error: ike 0: .....:76: no SA proposal chosen

```

□□□ □ □□□□□?

- A. □□ IPsec □□□□□□□ IKE □□ □□□ □□□□□ □□ □□□□.
- B. □□□ IPsec □□□□□□ □□ □□□ □□□□ □□ IPsec □□□□□□ □□□ □□□ □□□□.
- C. □□ □□□□□□ Phase-2 □□□ □□ □□□□□□□ Phase-2 □□□ □□□□ □□□□.
- D. □□ □□□□□□ 1□□ □□□ □□ □□□□□□□ 1□□ □□□ □□□□ □□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

```

IPS □□ □□□ □□ □□ □□□ □□□□□.
# □□□ □□□□□□ ipsmonitor 3 □□
ipseengine □□ □□"
pid = 93(cfg), □□ = 5605322(s) at Wed Apr19 09:57:26 2017
□□ = 11, □□: □□
□ FortiGate□□ IPS□ □□□ □□□□□?

```


- A. FortiGate LDAP authentication is not supported.
- B. FortiGate LDAP authentication is supported only for local users.
- C. FortiGate LDAP authentication is supported for all users.
- D. FortiGate LDAP authentication is supported for all users except local users.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 22

BGP neighbor 10.200.3.1 is in the OpenConfirm state. What is the reason for this?



- A. The neighbor 10.200.3.1 is not in the Connect state.
- B. The neighbor 10.200.3.1 is not in the TCP 3-way handshake state.
- C. The neighbor 10.200.3.1 is not in the BGP OpenConfirm state.
- D. The neighbor 10.200.3.1 is not in the BGP OpenConfirm state.

Answer: B (LEAVE A REPLY)

BGP Neighbor 10.200.3.1 is in the OpenConfirm state. What is the reason for this? (2 answers)

NEW QUESTION: 23

Security Fabric is used to connect FortiGate devices. Which of the following is not a supported method?

- A. FortiGate to FortiTelemetry to FortiAnalyzer
- B. Branch FortiGate to FortiGate to FortiTelemetry to FortiAnalyzer
- C. FortiGate to FortiGate to FortiTelemetry to FortiAnalyzer
- D. FortiGate to FortiGate to FortiAnalyzer

Answer: (SHOW ANSWER)

NEW QUESTION: 24

Which of the following is not a supported method for IKE authentication? (2 answers)

- A. IKEv1
- B. IKEv2

Which of the following is a valid IKE proposal?
A. 100; IKE 100 100; XAuth; 2 100.
B. 100; XAuth; IKE 100 100; 2 100.
C. 100; XAuth; 2 100; IKE 100 100.
D. 100; IKE 100 100; 2 100; XAuth.

Answer: B (LEAVE A REPLY)

00

https://help.fortinet.com/fos50hlp/54/Content/FortiOS/fortigate-ipsecvpn-54/IPsec_VPN_Concepts/IKE_Packet_

NEW QUESTION: 25

Which of the following is a valid IKE proposal?

```
ike 0:H2S_0_1:1249: notify msg received: SHORTCUT-QUERY
ike 0:H2S_0_1: recv shortcut-query 12594932268010586978 4384dd592d62cd52/0000000000000000 100.64.3.1
10.1.1.254->10.1.2.254 psk 64 ppk 0 ttl 32 nat 0 ver 1 mode 0
ike 0:H2S_0: iif 13 10.1.1.254->10.1.2.254 route lookup oif 13
ike 0:H2S_0_0: forward shortcut-query 12594932268010586978 4384dd592d62cd52/0000000000000000
100.64.3.1 10.1.1.254->10.1.2.254 psk 64 ppk 0 ttl 31 ver 1 mode 0, ext-ma
ike 0:H2S_0_0:1248: sent IKE msg (SHORTCUT-QUERY): 100.64.1.1:500->100.64.5.1:500, len=236,
id=e2beec89f13c7074/06a73dfb3a5d3b54:340a645c
ike 0: comes 100.64.5.1:500->100.64.1.1:500, rindex=0. . .
ike 0: IKEv1 exchange=Informational id=e2beec89f13c7074/06a73dfb3a5d3b5d:26254ae9 len=236
ike 0:H2S_0_0:1248: notify msg received: SHORTCUT-REPLY
ike 0:H2S_0_0: recv shortcut-reply 12594932268010586978 4384dd592d62cd52/89bf040f5f7408c0 100.64.5.1
to 10.1.1.254 psk 64 ppk 0 ver 1 mode 0 ext-mapping 100.64.3.1:500
ike 0:H2S_0: iif 13 10.1.1.254->10.1.2.254 route lookup oif 13
ike 0:H2S_0_1: forward shortcut-reply 12594932268010586978 4384dd592d62cd52/89bf040f5f7408c0
100.64.5.1 to 10.1.1.254 psk 64 ppk 0 ttl 31 ver 1 mode 0 ext-mapping 100.
```

Which of the following is a valid IKE proposal?

- A. 100 100 100
- B. 100 100 100
- C. 100 100 100 100
- D. 100 100 100

Answer: B (LEAVE A REPLY)

NEW QUESTION: 26

Which of the following is a valid IKE proposal?

```
# diagnose debug rating
Locale      : english
License     : Contract
Expiration  : Thu Sep 28 17:00:00 20xx
-- Server List (Thu Apr 19 10:41:32 20xx) --
```

IP	Weight	RTT	Flags	TZ	Packets	Curr Lost	Total Lost
64.26.151.37	10	45		-5	262432	0	846
64.26.151.35	10	46		-5	329072	0	6806
66.117.56.37	10	75		-5	71638	0	275
65.210.95.240	20	71		-8	36875	0	92
209.222.147.36	20	103	DI	-8	34784	0	1070
208.91.112.194	20	107	D	-8	35170	0	1533
96.45.33.65	60	144		0	33728	0	120
80.85.69.41	71	226		1	33797	0	192
62.209.40.74	150	97		9	33754	0	145
121.111.236.179	45	44	F	-5	26410	26226	26227



□□□□ □□□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. FortiGate□ □□□ □□ 15□□□ 121.111.236.179□ □□□□□.
- B. D □□□□ □□ □□□ □□□ □□□ □□□□□.
- C. TZ □□ □□□ □□□□ □□□□ □□□□□□□.
- D. FortiGate□ 209.222.147.3□ □□ □□□ □□□□ □□□ □□□□□□.

Answer: A,D (LEAVE A REPLY)

A - □□□□ □□□□ □□□ fortigate□ 15□□□ □□□ □□□ □ □□□ □□□□□. D-state □ □□ □□ □□□ □□□□ □□ □□□□□.

NEW QUESTION: 27

□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□□. □□ □□ □□ □□□ □□□□ □.

□□□ □□ □□ □□□□

tab=254 vf=0 scope=0type=1 proto=11 preo=00.0.0.0/0.0.0.0/0->0.0.0.0/0 pref=0.0.0.0

gwy=10.200.1.254 dev=2(port1) tab= 254 vf=0 scope=0type=1 proto=11 preo=10

0.0.0.0/0.0.0.0/0->0.0.0.0/0 pref=0.0.0.0 gwy=10.200.2.254 dev=3(port2) □=254 vf=0

scope=253type=1 proto=2 preo=0 0.0.0.0/0.0.0.0/.->10.0.1.0/24 pref=10.0.1.254 gwy=0.0.0.0 dev=4(port3)

10.200.1.254□ □□ □□□ □□ □□□ □□□ □□ s*0.0.0.0/0 [10/0], 10.200.2.254□ □□ □ □1 [10/0], □□ 2,

[10/0] d0.0.1.0/24□ □□ □□□, port3 d0.200.1.0/24□ □□ □□□, port1 d0.200.2.0/24□ □□

□□□, port2□□ □□□ □□□□□ □□□□□ □□ □□□□□ □ FortiGate□ □□□□ □□

□□□□ □ □□□□ □□□□□ □□□□□□□□□□?

- A. □□3.

- B. !
- C. 2.
- D. port1 port2 .

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

'diagnose ips anomaly list' . .

```
# diagnose ips anomaly list

list nids meter:
id=ip_dst_session      ip=192.168.1.10    dos_id=2  exp=3646  pps=0  freq=0
id=udp_dst_session     ip=192.168.1.10    dos_id=2  exp=3646  pps=0  freq=0
id=udp_scan            ip=192.168.1.110  dos_id=1  exp=649   pps=0  freq=0
id=udp_flood           ip=192.168.1.110  dos_id=2  exp=653   pps=0  freq=0
id=tcp_src_session     ip=192.168.1.110  dos_id=1  exp=5175  pps=0  freq=8
id=tcp_port_scan       ip=192.168.1.110  dos_id=1  exp=175   pps=0  freq=0
id=ip_src_session      ip=192.168.1.110  dos_id=1  exp=5649  pps=0  freq=30
id=udp_src_session     ip=192.168.1.110  dos_id=1  exp=5649  pps=0  freq=22
```

- IP ?
- A. DoS .
- B. IPS .
- C. IPS .
- D. DoS .

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

.

```
FortiGate # get router info routing-table database
S      0.0.0.0/0 [20/0] via 100.64.1.254, [10/0]
S      *> 0.0.0.0/0 [10/0] via 100.64.1.254, port1
FortiGate # get router info routing-table all
S*    0.0.0.0/0 [10/0] via 100.64.1.254, port1
```

- port2 ?
- A. FortiGate .
- B. port1 default route .
- C. port1 .


```

FGT # get router info bgp summary
BGP router identifier 10.200.1.1, local AS number 65501
BGP table version is 2
1 BGP AS-PATH entries
0 BGP community entries

Neighbor      V   AS      MsgRcvd  MsgSent  TblVer
10.200.3.1    4 65501     92      1756     0

Total number of neighbors 1

```

- □ 10.200.3.1 □□□ □□□ Connect□ □□□ □□□□ □□ □□□□□?
- A. □□ □□□□ □□ □□□□□□ BGP □□□□□□ □□□□ □□□ □□ □□□ □□
 - B. 10.200.3.1□ □□ TCP □□□ three-way handshake□ □□□□ □□□□□.
 - C. □□ □□□□ □□□□□□ BGP □□□□□□ □□□□ □□□ □□ BGP □□□□□ □□□□□ □□□□□.
 - D. □□ □□□□ □□ □□□□□□ BGP □□□□□ □□□□□□□.

Answer: B (LEAVE A REPLY)

BGP Neighbor □□ □ □□ □□ □□□ keepalive □□□ * □□: □□□ OPEN □ keepalive □ □□□ □□□□□ □□□□□□□.

NEW QUESTION: 34

IBGP □□□□□□ BGP □□ □□ □□□ □ □□□ □ □□ □□□ □□□□□?

- A. □□ □□
- B. □□ □□□
- C. □□□ □ □□
- D. □□ □□

Answer: B (LEAVE A REPLY)

□□ □□□□ AS □□□ IBGP □□ □□ □□□ □ □□□ □□□. □□ □□□□ □ □□□□ □ □□ □□□□ □□ □□□ □□□□□. □□ □□□□ □□□□ □□ □□ □□ IBGP □□□□□ □□ □□□ □□□□. □□□□□ □□ □□□□□□ □□□ □□□ □□□□□ □□ □□ □□ □□ □□□□ □□□□ □□□□□. □□ □□□□ AS □□ □□ □□ □□□□ □□ □□□□ □□□ □□□□□ □□□□□□.

NEW QUESTION: 35

□□ □□□ □□ □□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□.


```
config router static
```

```
edit 1
```

```
set gateway 10.200.1.254
```

```
set priority 5
```

```
set device "port1"
```

```
next
```

```
edit2
```

```
set gateway 10.200.2.254
```

```
set priority 10
```

```
set device "port2"
```

```
next
```

```
end
```

```

# diagnose sys session list
Session info: proto=6 proto_state=01 duration =17 expire=7 timeout=3600
flags= 00000000 sockflag=00000000 sockport=0 av idx=0 use=3
ha_id=0 policy_dir=0 tunnel=/
state=may_dirty none app_ntf
statistic (bytes/packets/allow_err): org=575/7/1 reply=23367/19/1 tuples=2
origin->sink: org pre->post, reply pre->post dev=4->2/2->4
gwy=10.200.1.254/10.0.1.10
hook=post_dir=org act=snat 10.0.1.10:64907-
>54.239.158.170:80(10.200.1.1:64907)
hook=pre_dir=reply act=dnat 54.239.158.170:80-
>10.200.1.1:64907(10.0.1.10:64907)
pos/(before, after) 0/(0,0), 0/(0,0)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000294 tos=ff/ff ips_view=0 app_list=0 app=0
dd_type=0 dd_mode=0

```

```

# diagnose sys session list
Session info: proto=6 proto_state=01 duration =17 expire=7 timeout=3600
flags= 00000000 sockflag=00000000 sockport=0 av idx=0 use=3
ha_id=0 policy_dir=0 tunnel=/
state=may_dirty none app_ntf
statistic (bytes/packets/allow_err): org=575/7/1 reply=23367/19/1 tuples=2
origin->sink: org pre->post, reply pre->post dev=4->2/2->4
gwy=10.200.1.254/10.0.1.10
hook=post_dir=org act=snat 10.0.1.10:64907-
>54.239.158.170:80(10.200.1.1:64907)
hook=pre_dir=reply act=dnat 54.239.158.170:80-
>10.200.1.1:64907(10.0.1.10:64907)
pos/(before, after) 0/(0,0), 0/(0,0)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000294 tos=ff/ff ips_view=0 app_list=0 app=0
dd_type=0 dd_mode=0

```

- A. 10.200.1.10 is the gateway for port1.
- B. 10.200.1.10 is the gateway for port2.
- C. 10.200.1.10 is the gateway for both ports.
- D. 10.200.1.10 is the gateway for port2 and 10.200.2.254 is the gateway for port1.

Answer: (SHOW ANSWER)

NEW QUESTION: 40

□□□ □□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□.

```

FORTINET
# diagnose debug application urlfilter -1
# diagnose debug enable

msg="received a request /tmp/.ipsengine_498_0_0.url.socket, addr_len=37:
d=www.fortinet.com:80
id=83, vfname='root', vfid=0, profile='default', type=0, client=10.0.1.10,
url_source=1, url=/"
msg="Found it in cache. URL cat=52" IP cat=52user="N/A" src=10.0.1.10
sport=60348 dst=66.171.121.44 dport=80 service="http" hostname="
www.fortinet.com" url=/" matchType=prefix
action=10(ftgd-block) wf-act=3(BLOCK) user="N/A" src=10.0.1.10 sport=60348
dst=66.171.121.44
dport=80 service="http" cat=52 cat desc="Information Technology"
hostname="fortinet.com"
url=/"

```

□□ □ □ □□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □ □ □□□ □□ □ □□ □□□□ □□□□ □□□□□□□.
- B. FortiGate□□ □ □□□ □□□□□□□.
- C. □□□ URL□ □□□□ ID 52□ □□□□.
- D. FortiGate□ □□ □□□□ □□□ URL□ □□□□□.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 41

□□ □□□□□ FSSO □□□□□□□ □□□ □□□□ □□□□□. FSSO □□□ □□□
Windows AD □□□□□ □□□□□ □□□□ □ □□□□ □□□□ □ □□□□. 'diagnose
debug authd fssolist' □□□ □□□ □□□ □□ FSSO □□□□ □□□□ □□□□. □□ FSSO
□□□□ □□ □□ □□□□ □□□□ □ □□□□. □□□□ □□□ □□□□ □□□□? (2□□ □
□□□□.)

- A. □□□ □□□ CA□ □□□ □□ □□□ □□□□ □□□ □□□.
- B. □□□ □□□ □□□□□□□ □□□ □□ □ □□ □□□ □□□ □□□.
- C. □□ □□□□□□□□ IP □□□□□ CA□ □□□ □ □□ □□□ □□□□□ □□□.
- D. □□□ □□□ □□ □ □□ □□□ FortiGate □□□ □□□ □□ □□□□□ □□□.

Answer: A,D (LEAVE A REPLY)

□□

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD38828>

NEW QUESTION: 42

FortiGate□□ □□□ □□□ □□ □ □□ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. FortiGuard □□ TTL□ □□□□□.

- B. □□□ □□ □□ □□□ □□□□.
- C. TCP □□ □□□□ □□□□.
- D. □□ TTL□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

□□ 1□□ □□□ □□□□□ □□□ □□□□ □□ □□ □□□ □□□□.

VPN□ □□ □□□ □ IPsec □□□□□ □□ DPD □□□ □□□□ □□□□. □□□ □□□□ □□□ □□□ □ □□□□. □□□ □□ □□□□ □□ CLI □□□ □□□□□.

```
diagnose vpn ike log-filter src-add4 10.0.10.1
diagnose debug application ike-1
diagnose debug enable
```

- IKE □□□ □□□□ □□□ □□□□ □□□□. □□?
- A. □□□ □□□□ 1□□□□ 2□□ □□□ □□□□□. □□□ □□□□ □ □□ □□□ □□□□ □□□□.
- B. □□ □□ □□□ □□□□□□□□. VPN□ □□□□ □ □□□ □□□□ □□□□.
- C. □□□ □□□ 1□□ □□□ □□□□□. □ □, □□□□ □□ □□□ □□□□ □□□□□ □□□. □□□ □□□□□□□ ipsec -1 □□.
- D. □□□□ □□ □□□□ □□□□□□. □□□ □□□ □□□ □□□□□ □□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 44

□ □□□ □□□ □□□ □□ □□ □□ □□□ □□□□□□. □□ □□ □□ □□□ □□□□□.

```

# diagnose hardware sysinfo memory
MemTotal: 3092728 kB
MemFree: 1954204 kB
MemShared: 0 kB
Buffers: 284 kB
Cached: 143004 kB
SwapCached: 0 kB
Active: 34092 kB
Inactive: 109256 kB
HighTotal 1179648 kB
HighFree: 853516 kB
LowTotal: 1913080 kB
LowFree: 1100688 kB
SwapTotal: 0 kB
SwapFree: 0 kB
# diagnose hardware sysinfo shm
SHM counter: 285
SHM allocated: 6823936
SHM total: 623452160
concermode: 0
shm last entered: n/a
system last entered: n/a
SHM FS total: 639725568
SHM FS alloc: 7110656

```

- □□□ □□ □□ □□ □ □□ □□? (2□□ □□□□□.)
- A. Cached □□ □□ Active □□ Inactive □□ □□ □□□□.
- B. □□□ □□ □□ □□□ □□□□.
- C. □□□ □□□ □□□□ □□ □□□□□ □□ □□□(LowTotal)□ □□
- D. □□□ 32□□ FortiOS□ □□ □□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

NGFW □□ □□ □□□□□□ □□□□ □□ □□□□ □□ □□?

- A. □□□□□□□ □□□ □ □□□ □□□ 4 □□□ □□□□ □□□□ □□□□□□.
- B. IPS □□ □□□□ □□□ ACCEPT□ □□□ □□ □□□ □□□ □ □□ □□□ □□ □□□ □□.
- C. FortiGate□ □□□□□□□ □□□ □ □□ □□□ □□ □□□ □□□□□.
- D. IPS□ □□ □□□□□ □□□ □ □□ ISDB □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

ISFW(□□ □□ □□□)□ □□□ □□□□□?

- A. □□ DMZ□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□.
- B. □□□□ □□□ □ □□ □□□□□□.
- C. □□□□□ □□ □□ □□□□□ □□□□ □□□ □□□ □□□□□□.

D. □□□□ □□□□ □□ □□□□□ □□□□ □□□ □□ □□ □□□□□□□□□□.

Answer: C ([LEAVE A REPLY](#))

□□

ISFW□ □□□□□ □□ □□ □□□□□ □□□□□. □□□□ □□ □□□□□□ □□ □□□ □□□□ □□□.

NSE7_EFW-6.4 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
NSE7_EFW-6.4 □□! DumpTop □ □□ NSE7_EFW-6.4 □□ □□□ □□□□□□□,
DumpTop NSE7_EFW-6.4 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□
□□□ □□□□ □□ DumpTop NSE7_EFW-6.4 □□□ □□□□□□.

https://www.dumptop.com/Fortinet/NSE7_EFW-6.4-dump.html (124 Q&As Dumps, 30%OFF

Special Discount: **KrDump**)

NEW QUESTION: 47

BGP □□□ □□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□.



get router info bgp summary

BGP router identifier 0.0.0.117, local AS number 65117

BGP table version is 104

3 BGP AS-PATH entries

0 BGP community entries

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
10.125.0.60	4	65060	1698	1756	103	0	0	03:02:49	1
10.127.0.75	4	65075	2206	2250	102	0	0	02:45:55	1
10.200.3.1	4	65501	101	115	0	0	0	never	Active

Total number of neighbors 3

□□□ □□ □□ □□ □ □□ □□? (2□□ □□□□□.)

A. BGP □□□□ □□□□□ □□□□ □□□ BGP □□ 10.200.3.1□ □□□ □□ □□□□.

B. □□ 10.125.0.60□ □□ BGP □□□ □□□□□□.

C. □□ BGP □□□ □ 3□□ BGP □□□□ □□□□□□.

D. □□ BGP □□□ BGP □□ 10.200.3.1□ □□ TCP □□□ □□□□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 48

□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□□. □□ □□ □□ □□□ □□□□
□.

□□□ □□ □□ □□□□

□=254 vf=0 □□=0□□=1 □□□=11 □□□=0 0.0.0.0/0.0.0.0/0->0.0.0.0/0 □□□=0.0.0.0

gwy=10.200.1.254 dev=2(□□1)

tab=254 vf=0 scope=0type=1 proto=11 preo=10 0.0.0.0/0.0.0.0/0->0.0.0.0/0 pref=0.0.0.0

gwy=10.200.2.254 dev=3(□□2)

□=254 vf=0 □□=253□□=1 □□□=2 □□□=0 0.0.0.0/0.0.0.0/.->10.0.1.0/24 pref=10.0.1.254

gwy=0.0.0.0 dev=4(□□3)

10.200.1.254□ □□ □□□ □□ □□□ □□□ □□ s*0.0.0.0/0 [10/0], 10.200.2.254□ □□ □

□1 [10/0], □□2, [10/0] d0.0.1.0/24 □□ □□, port3 d0.200.1.0/24 □□ □□, port1

d0.200.2.0/24 □□ □□, port2

□ FortiGate□ □□ □□□□ □ □□□□ □□□□□ □□ □□ □□□□□ □□□□

□□ □□□□□?

A. □□!

B. □□2.

C. port1□ port2 □□.

D. □□3.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

IKE □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□.


```

# diagnose debug rating
Locale      : english
License     : Contract
Expiration  : Wed Mar 27 17:00:00 20xx
-- Server List (Mon Apr 16 15:32:55 20xx) --
IP          Weight  RTT    Flags  TX    Packets  Curr Lost  Total Lc
59.195.205.101  10    45    -5    262432  0        846
59.195.205.102  10    46    -5    329072  0        6806
209.222.147.43  10    75    -5    71638   0        275
96.45.33.65    20    71    -8    36875   0        92
208.91.112.196  20    103   DI    34784   0        1070
208.91.112.198  20    107   D     35170   0        1533
80.85.69.41    60    144   0     33728   0        120
52.209.40.73   71    226   1     33797   0        192
121.111.236.180 150   197   9     33754   0        145
59.195.205.103  45    44    F     26410   26226   26227

```

Which two statements are correct? (2 correct answers.)

- A. RTT(45 ms) is higher than 100ms.
- B. TZ 100 is FortiGuard. FortiGate is 100. FortiGuard is 100.
- C. FortiGate is FortiGuard. FortiGate is 100. FortiGuard is 100.
- D. FortiGate is 100. FortiGuard is 100. FortiGuard is 30.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 51

Which two statements are correct? (2 correct answers.)

- A. Auxiliary is FortiGuard. FortiGate is 100. FortiGuard is 100. Aux is 100.
- B. FortiGuard is 100. FortiGate is 100. FortiGuard is 100.
- C. FortiGuard is 100. FortiGate is 100. FortiGuard is 100.
- D. FortiGuard is 100. ECMP is NP6. FortiGuard is 100.

Answer: (SHOW ANSWER)

NEW QUESTION: 52

Which two statements are correct? (2 correct answers.)

```
Spoke-2 # dia vpn tunnel list
list all ipsec tunnel in vd 0
name=VPN ver=1 serial=1 10.200.5.1:0->10.200.4.1:0
bound_if=3 lgwy=static/1 tun=intf/0 mode=auto/1 encap=none/0
proxyid_num=1 child_num=0 refcnt=15 ilast=10 olast=792 auto-discovery=0
stat: rxp=0 txp=0 rxb=0 txb=0
dpd: mode=on-demand on=1 idle=20000 ms retry=3 count=0 seqno=0
natt: mode=none draft=0 interval=0 remote_port=0
proxyid=VPN proto=0 sa=1 ref=2 serial=1
  src: 0:10.1.2.0/255.255.0:0
  dst: 0:10.1.1.0/255.255.255.0:0
  SA: ref=3 options=2e type=00 soft=0 mtu=1438 expire=42403/0B replaywin=2048 seqno=1 esn=0
replaywin_lastseq=00000000
life: type=01 bytes=0/0 timeout=43177/43200
dec: spi=cccl1f66d esp=aes key=16 280e5cd6f9bacc65ac771556c464ffbd
  ah=shal key=20 c68091d68753578785de6a7a6b276b506c527efe
enc: spi=df14200b esp=aes key=16 b02a7e9f5542b69aff6aa391738ee393
  ah=shal key=20 889f7529887c215c25950be2ba83e6fe1a5367be
dec:pkts/bytes=0/0, enc:pkts/bytes=0/0
```

Which of the following is correct?

- A. DPD is disabled.
- B. The tunnel is in manual mode.
- C. The tunnel is in auto mode.
- D. The tunnel is in on-demand mode.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 53

Which of the following is correct? (Choose two.)

```
# get router info ospf interface port4
port4 is up, line protocol is up
  Internet Address 172.20.121.236/24, Area 0.0.0.0, MTU 1500
  Process ID 0, Router ID 0.0.0.4, Network Type BROADCAST, Cost: 1
  Transmit Delay is 1 sec, State DROther, Priority 1
  Designated Router (ID) 172.20.140.2, Interface Address 172.20.121.2
Backup Designated Router (ID) 0.0.0.1, Interface Address
172.20.121.239
Timer intervals configured, Hello 10.000, Dead 40, Wait 40, Retransmit
5
  Hello due in 00:00:05
  Neighbor Count is 4, Adjacent neighbor count is 2
  Crypt Sequence Number is 411
  Hello received 106, sent 27, DD received 7 sent 9
  LS-Req received 2 sent 2, LS-Upd received 7 sent 5
  LS-Ack received 4 sent 3, Discarded 1
```

- A. The port4 interface is in OSPF DR state.
- B. The FortiGate interface is in OSPF DR state.
- C. port4 interface is in OSPF DR state.

Name

Comments 22/255

FortiGuard category based filter

Show Allow

- Bandwidth Consuming
 - File Sharing and Storage

Status URL Filter

Block invalid URLs

URL Filter

<input type="button" value="+ Create"/>	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>	
URL	Type	Action	Status
*dropbox.com	Wildcard	Block	Enable

Web content filter

<input type="button" value="+ Create new"/>	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>		
Pattern Type	Pattern	Language	Action	Status
Wildcard	*dropbox*	Western	Exempt	Enable

Which of the following is the correct configuration for blocking www.dropbox.com on a FortiGate?

- A. FortiGate URL Filter with Block action and Status URL Filter enabled.
- B. FortiGate URL Filter with Block action and Status URL Filter disabled.
- C. FortiGate FortiGuard category based filter with File Sharing and Storage category blocked and Status URL Filter disabled.

□□

<https://kb.fortinet.com/kb/documentLink.do?externalID=11186>

NEW QUESTION: 60

OSPF □□ □□ □□□□□□ □□ □□□(DR)□ □□ □□ □□□(BDR)□ □□ □□□□ □□ □□ □□?

- A. BDR□ □ □□□□□ □□ □□□□ □□ □□ □□□ □□□□ □□□ □□□.
- B. □ DR □ □ BDR □□□□ DR □ BDR□□ □□□ □□□□ □□□□□.
- C. FortiGate□ □□ OSPF ID□ □□□□ DR□ □□□□□.
- D. DR□□ non-DR □□□□□□ □□ □□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

FortiGate □□□□ □□ □□□□ □□□ □□□□□□?

- A. □□□□□□ □□□ □□□□ □□□□□□□□.
- B. □□ □□□ □□□ □□□ □□ □□□□□□□ □□□.
- C. HA □□□□ □ □□ □□ □□□□ □□□ □□□□ □□□.
- D. □□□□ □□ □□□□□□□□□ □□□□ □□□□□□□□.

Answer: B ([LEAVE A REPLY](#))

□□

<https://kb.fortinet.com/kb/viewContent.do?externalId=FD40119&sliceId=1>

NSE7_EFW-6.4 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 NSE7_EFW-6.4 □□! DumpTop □ □□ **NSE7_EFW-6.4** □□ □□□ □□□□□□□,
 DumpTop NSE7_EFW-6.4 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□□
 □□□ □□□□ □□ DumpTop NSE7_EFW-6.4 □□□ □□□□□□.

https://www.dumpst.com/Fortinet/NSE7_EFW-6.4-dump.html (124 Q&As Dumps, **30%OFF**
Special Discount: KrDump)

NEW QUESTION: 62

□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□.


```

config system fortiguard
  set protocol udp
  set port 8888
  set load-balance-servers 1
  set auto-join-forticloud enable
  set update-server-location any
  set sandbox-region ""
  set fortiguard-anycast disable
  set antispam-force-off disable
  set antispam-cache enable
  set antispam-cache-ttl 1800
  set antispam-cache-mpercent 2
  set antispam-timeout 7
  set webfilter-force-off enable
  set webfilter-cache enable
  set webfilter-cache-ttl 3600
  set webfilter-timeout 15
  set sdns-server-ip "208.91.112.220"
  set sdns-server-port 53
  unset sdns-options
  set source-ip 0.0.0.0
  set source-ip6 ::
  set proxy-server-ip 0.0.0.0
  set proxy-server-port 0
  set proxy-username ""
  set ddns-server-ip 0.0.0.0
  set ddns-server-port 443
end

```

A FortiGate is configured with the following configuration. Which of the following is the correct configuration for the FortiGate to be able to connect to the FortiGuard servers?

- A. webfilter-force-off is disabled.
- B. webfilter-timeout is 7.
- C. antispam-cache is enabled and antispam-cache-ttl is 1800.
- D. fortiguard-anycast is disabled.

Answer: (SHOW ANSWER)

NEW QUESTION: 65

```

NGFW-1 # get system ha status
HA Health Status: OK
Model: FortiGate-VM64
Mode: HA A-P
Group: 2
Debug: 0
Cluster Uptime: 0 days 4:23:19
Cluster state change time: 2019-01-25 10:19:46
Master selected using:
<2019/01/25 10:19:46> FGVM010000077649 is selected as the master because it has the largest value
of override priority.
<2019/01/25 10:19:40> FGVM010000077649 is selected as the master because it's the only member in
the cluster.
ses_pickup: disable
override: enable
Configuration Status:
FGVM010000077649 (updated 1 seconds ago): in-sync
FGVM010000077650 (updated 0 seconds ago): out-of-sync
System Usage stats:
FGVM010000077649 (updated 1 seconds ago):
sessions=27, average-cpu-user/nice/system/idle=1%/0%/0%/99%, memory=56%
FGVM010000077650 (updated 0 seconds ago):
sessions=2, average-cpu-user/nice/system/idle=1%/0%/0%/99%, memory=57%
HBDEV stats:
FGVM010000077649 (updated 1 seconds ago):
port7: physical/10000full, up, rx-bytes/packets/dropped/errors=63817615/202024/0/0, tx=
71110281/121109/0/0
FGVM010000077650 (updated 0 seconds ago):
port7: physical/10000full, up, rx-bytes/packets/dropped/errors=79469596/122024/0/0, tx=
30877890/107878/0/0
Master: NGFW-1, FGVM010000077649, cluster index = 1
Slave : NGFW-2, FGVM010000077650, cluster index = 0
number of vcluster: 1
vcluster 1: work 169.254.0.2
Master: FGVM010000077649, operating cluster index = 0
Slave : FGVM010000077650, operating cluster index = 1

```

- ha □□□ □□□ □□□□ □□□□□□□□□□.
- □□ □ □□ □□□□ □□ □□? (2□□ □□□□□□.)
- A. port7□ □□□□□ □□ □□□□ HA □□□□□ □□□□□□.
- B. HA □□ IP□ 169.254.0.2□□□.
- C. □□□□ □□□ □□□□ □□□□□□□□.
- D. □□□ underconfig □□□ ha□ □□□□□□ □□ □□□□ □□□□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 66

- □□□ □□□□ □□□□ □ FortiGate □□ ESP □□□□ □□□□□ □□□. □□□
- □ FortiGate □□□ NAT □□□ □□□ □□ □□ □□ □□ □□□□ □□ □□□ □□□□
- ?
- A. □□ 'udp □□ 500'□□ □□□ □□ □□
- B. □□ 'udp □□ 4500' □□□ □□ □□
- C. snifferpacket □□ 'esp' □□
- D. □□□ □□ 'udp □□ 500 □□ udp □□ 4500' □□

Answer: C ([LEAVE A REPLY](#))

□□

NAT □□ IKE □□□ □□: □□□ □□ '□□□ □ UDP □□ 500' □□

- B. □□□ □□ □□□□ □□ □□□ □□ □□□□ □□ □□ 1□ □□ 2□□ □□ □□□□□.
- C. □□□ □□ □□□□ □□ □□ □□ □□□□ □□ 2□□ □□□ □□□□□.
- D. □□□ □□□□□ □□□□□□ □ □□□ □□□□ □□□.

Answer: A (LEAVE A REPLY)

<http://kb.fortinet.com/kb/documentLink.do?externalID=FD40943>

NEW QUESTION: 68

□□□□ FortiManager□□ □□ CLI □□□□□ □□□□□, □□□ □ □□□□ □□□ □□ □ □□□□ □□□□□.

```
# conf rout stat
#   edit 0
#       set gateway 10.20.121.2
#       set priority 10
#       set device "wan1"
#   next
# end
```

□□□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□?

- A. # □□□ □□□□ □□□ □□□□ □□□□.
- B. CLI □□□□□ □□□□ □□□□ □□□□ □□□ □□□□□.
- C. □□□□ □□□ CLI □□□□□□□ □□□□□.
- D. □□ □□□ TCL □□□□□□ □□□□ □□□ □ □□□□.

Answer: A (LEAVE A REPLY)

https://help.fortinet.com/fmgr/50hlp/56/5-6-2/FortiManager_Admin_Guide/1000_Device

[%20Manager/2400_Scripts/1000_Script%20samples/0200_CLI%20scripts+.htm](#) CLI □□

#Error_Messages FortiGate□ □□ □□□□ □□□□□. □□ □□ □□ □□(#)□ □□□□□.

□□□ □□□ □□□□ □□□□.

NEW QUESTION: 69

ISFW(□□ □□ □□□)□ □□□ □□□□□?

- A. □□ DMZ□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□.
- B. □□□□ □□□ □ □□ □□□□□□.
- C. □□□□□ □□ □□ □□□□□ □□□□ □□□ □□□ □□□□□□.
- D. □□□□ □□□□ □□ □□□□□ □□□□ □□□ □□ □□□□□□□□□□.

Answer: C (LEAVE A REPLY)

ISFW□ □□□□□ □□ □□ □□□□□ □□□□□. □□□□ □□ □□□□□□□ □□ □□□

□ □□□ □□□.

NEW QUESTION: 70

FSSO □□□ □□□□(CA)□ □□□ □□ □□□ □□□□□.

□□□□□ □□ □□: PIKA1026(192.168.12.232)

□ □□□ □□□ □□□□□?

A. CA□ □□□□□□□□ □□□ □□□ □ □□□□.

B. FortiGate□ □□□□□□□ □□□ □□□ □ □□□□.

C. □□□□□□ 192.168.12.232□□ □□ □□□□□ □□□□ □□□□ □□ □□□□.

D. CA□ IP □□ 192.168.12.232□ FortiGate□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

□□

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD30548>

NEW QUESTION: 71

IKE □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□□.

diagnose webfilter fortiguard statistics list

Raring Statistics:

```

=====
DNS failures : 273
DNS lookups : 280
Data send failures : 0
Data read failures : 0
Wrong package type : 0
Hash table miss : 0
Unknown server : 0
Incorrect CRC : 0
Proxy requests failures : 0
Request timeout : 1
Total requests : 2409
Requests to FortiGuard servers : 1182
Server errored responses : 0
Relayed rating : 0
Invalid profile : 0

Allowed : 1021
Blocked : 3909
Logged : 3927
Blocked Errors : 565
Allowed Errors : 0
Monitors : 0
Authenticates : 0
Warnings : 18
Ovrd request timeout : 0
Ovrd send failures : 0
Ovrd read failures : 0
Ovrd errored responses : 0
...

```

diagnose webfilter fortiguard statistics list

Cache Statistics:

```

=====
Maximum memory : 0
Memory usage : 0

Nodes : 0
Leaves : 0
Prefix nodes : 0
Exact nodes : 0

Requests : 0
Misses : 0
Hits : 0
Prefix hits : 0
Exact hits : 0

No cache directives : 0
Add after prefix : 0
Invalid DB put : 0
DB updates : 0

Percent full : 0%
Branches : 0%
Leaves : 0%
Prefix nodes : 0%
Exact nodes : 0%

Miss rate : 0%
Hit rate : 0%
Prefix hits : 0%
Exact hits : 0%

```

□□ □ □□ □□□ □□ 0□ □□□ □□□□ □□ □□□□□□?

- A. □□□□ □□ □□□□ □□□ □□□□□□ □□□□□□□□.
- B. FortiGate□ □□□ □□ □ □□□ □□□□ □□□ □□□ □□ □□□□ □□□□□.
- C. FortiGuard □ □□ □□□ FortiGate □□□□ □□□□□□ □□□□.
- D. □ □□□ □□ □□□□ □□□□.

Answer: C (LEAVE A REPLY)

NSE7_EFW-6.4 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 NSE7_EFW-6.4 □□! DumpTop □ □□ **NSE7_EFW-6.4** □□ □□□ □□□□□□□,
 DumpTop NSE7_EFW-6.4 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□□
 □□□ □□□□□ □□ DumpTop NSE7_EFW-6.4 □□□ □□□□□.

https://www.dumptop.com/Fortinet/NSE7_EFW-6.4-dump.html (124 Q&As Dumps, 30%OFF

Special Discount: **KrDump**)