

Fortinet.NSE7_SDW-6.4.v2023-10-06.q57

□□□□:	NSE7_SDW-6.4
□□□□:	Fortinet NSE 7 - SD-WAN 6.4
□□□:	Fortinet
□□ □□ □□□:	57
□□:	v2023-10-06
# □□ □:	1146
# □□ □□□:	570
https://www.krdump.com/Fortinet.NSE7_SDW-6.4.v2023-10-06.q57.html	

NEW QUESTION: 1

□□□□ □□□□□.

Exhibit A					
ID	Name	Source	Destination	Criteria	Members
IPv4 3					
1	Google.ICMP	all	Google-ICMP	Latency	port1 port2
2	Vimeo	all	Vimeo		port2
3	All_Access_Rules	all	all		port1
Implicit 1					
	sd-wan	all	all	Source-Destination IP	any

Exhibit B						
Date/Time	Source	Destination	Application Name	Result	Policy	Destination Interface
2020/10/15 11:12:27	10.0.1.10	151.101.250.109 (i.vimeocdn.com)	Vimeo	UTM Allowed	Internet Access (1)	port2
2020/10/15 11:12:22	10.0.1.10	34.120.15.67 (fresnel-events.vimeocdn.com)	Vimeo	2.00 kB / 4.33 kB	Internet Access (1)	port1
2020/10/15 11:12:20	10.0.1.10	172.217.13.227 (ocsp.pki.goog)	OCSP	1.28 kB / 1.49 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTP.BROWSER_Firefox	1.44 kB / 1.55 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTP.BROWSER_Firefox	1.43 kB / 1.60 kB	Internet Access (1)	port1
2020/10/15 11:12:04	10.0.1.10	99.84.221.62 (snippets.cdn.mozilla.net)	HTTPS.BROWSER	2.08 kB / 13.44 kB	Internet Access (1)	port1

□□ A□ SD-WAN □□□ □□□□ □□ B□ □□□ □□□ □□□□□. SD-WAN □□□ □□□ FortiGate□ □□□□ □□□ □□□ □□□□□.

□□□ SD-WAN □□□ □□□□ □□□□ □□□ □□ □□□□ □□ □□ □□□□□? (□ □ □□ □□□□□.)

- A. All_Access_Rules □□□ SD-WAN □□□ □□□□□ □□ Vimeo □□□□□□ □□□□ □□ □□□□□.
- B. □□□□□□□ □□ □□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□.
- C. SD-WAN □□□ □□□ □□□ □□□ □□□□ □□□ □□□ □□□□□.
- D. □□□□□ □□□ □□□ □□□□□ □□□ □□□ □□□ □□□ □□ □□ □□□□ □□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

- IKE □□□ □□□ □ IPsec 1□□ □□ □□□ □□□ □□□ □□ □□ □□□□ □ □□□ □□ □□□? (2□ □□)
- A. XAuth□ □□□ □□□ □□□ □□□ □□ □□ □□□□ □□□□□□.
- B. Initiator□ Responder □□ 3□□ □□□ □□ □ 6□□ □□□ □□□□□.
- C. Diffie Hellman □□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□.
- D. □□ ID□ □□□ □□ □□□ □□ □□□□ □ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

- FortiGate □□ □□□ □□□□□ □□□□ □□□□ □□ FortiManager□ □□□□ □ □□ □□ □ □□□□□? (2□ □□)
- A. □□ □□ FortiGate □□□ □□□□ □□ □□ □□□ □□□ □□□.
- B. □□□ FortiGate □□□□ SD-WAN□ □□ □ □□□ □□□□□□.
- C. □□ FortiGuard □□□ □□□□ FortiGate □□□□ WAN □□□□ □□□□.
- D. □□□□ FortiGate □□□□ SD-WAN □□□ □□□□□□.
- E. FortiGate□ □□□□ □□ □□□ □□ □□□□ □□□ □□□ □□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

- □□□ □□□□ □□□ □□□□ □□ SD-WAN □□□ □□ □□□ □□ □ □□□□ □□ □□□□□?
- A. □□ □□ □□ □□
- B. □□□□□ □□ □□□ □□
- C. Per-IP □□□ □□
- D. □□□ □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

- SD-WAN □□□ □□□□ □ □□□ □ □□ □ □□ □□□□□ □□□□□? (3□□ □□□□ □.)
- A. □□□□□□ □□

- B. □□□ □□ □□ □□
- C. URL □□
- D. □□ □ □□ IP □□
- E. □□□ □□□ □□□□□□(ISDB) □□ □□

Answer: ([SHOW ANSWER](#))

SD-WAN 6.4.5 □□□ □□□ 76.

NEW QUESTION: 6

□□ □□ □□□ FortiGate□□ ADVPN□ □□ □□□ □□ □□□ □□□□ □□ □□ CLI □□ □□□□□?

- A. ipsec □□ □□ □□□□
- B. □□□ □□ □□□ □□□ □□□□
- C. sys virtual-wan-link □□□ □□
- D. □□□ □□□□□□ ike □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

□□ □ □□□□ □□ □□ □□□□ IPsec □□□□ □ □□ □□□□□ □□□□□? (2□ □□)

- A. □□ □□□□ □□□(ESP)
- B. □□ □(SSH)
- C. □□ □□(SA)
- D. □□ □□ □□(TLS)
- E. □□□ □ □□(IKE)

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 8

SD-WAN □□□ □□□□□□ □□□□□ □□ □□□□□□ □□□□ □□ □ □□ □□ □□ □□ □□□ □□□□□? (2□ □□)

- A. SD-WAN □□ □□□□□ □□ □□□ □□□□□.
- B. SD-WAN □□□ □□□ □□□□□.
- C. SD-WAN □□□□ □□ □□□□□□ □□□□□.
- D. □□□ □□□□□ □□□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

□□□□ □□□□□□.



ADVPN□ □□□□□□ □□□ □□□□ □□□?

- A. □□□ □□□□ □□ □□□ □□(0.0 .0. 0/0)□ □□□□ □□□.
- B. □□ VPN□□ □□□ □□ 1□□ □□□ □□□□□.
- C. ADVPN□ □□□□ □□ FortiGate □□□□□ □□□□□ □□□.
- D. □ VPN □□□□ 1□□□□ □□□ □□□ □□□ □□ □□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

FortiManager□ □□ □□□ □ SD-WAN □□□□□□□□ □□□□ □ □□ □□□ □□□□ □? (2□ □□)

- A. FortiManager□ □□□ FortiGate □□□□ SD-WAN □□□□□□ □□□□□ □□□□ □□ □□□ □□□.
- B. SD-WAN □□□□□□ □□□□□ FortiManager□ □□ □□ FortiGate □□□ □□ □□□□ □□□ FortiGate □□□ □□□.
- C. FortiManager□□ □□□□ FortiGate □□□□ SD-WAN □□□□□ □□□□ □□□□□□ □.
- D. FortiManager□□ □□ □□ □□□□□ □□□ □□□□ □□ Fortinet□□ □□□□ □□□ □□□□□□ □□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

SD-WAN □□□□ □□□ □□□ □□□□□□(ISDB)□ □□□□ □□ □□□□ □ □□ □□□ □□□□□? (2□ □□)

- A. ISDB□ □□□□ □□□□□□ □□□ □□ □□□ □□□□□.
- B. ISDB□ □□□□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□.
- C. ISDB□□ □ □□□ □□□ IP □□□ □□ □□□ □□□□ □□□□.
- D. ISDB□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□□□□ □□□ □□□□□.
- E. ISDB□ SDN □□ □□□ □□ □ □□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

□□□□ □□□□□.

Edit Policy

Name 	Internet Access	
Incoming interface	 port3	▼
Outgoing interface	 SD-WAN	▼
Source	 all	x
	+	
Destination	 all	x
	+	
Schedule	 always	▼
Service	 ALL	x
	+	
Action	☒ ACCEPT ☐ DENY	
Inspection Mode	☒ Flow-based ☐ Proxy-based	

Firewall / Network Options

NAT	☒
IP Pool Configuration	☒ Use Outgoing Interface Address ☐ Use Dynamic
Preserve Source Port	☐
Protocol Options	☒ PRX ☐ default ▼

Exhibit A

Exhibit B

Edit Traffic Shaping Policy

Name

Status ↑ Enabled ↓ Disabled

Comments 0/255

If Traffic Matches:

Source + x

Destination + x

Schedule ☐

Service + x

Application +

URL Category +

Then:

Action Apply Shaper Assign Shaping Class ID

Outgoing interface + x

Shared shaper ☒

Reverse shaper ☐

Per-IP shaper ☐

AAA A AAA AAA AAA AAA B AAA AAA AAA AAA.

AAA AA AAA AA AAA AAA AAA AAA AAA. AAA AAA AAA AAA AA
AAA AAA AAA.

AAAA AAA AAA AAA AAA AAA AAA AAA AAA AAA AAA AAA
AAAA AAA?

A. AAA 10mbps AAA AAA AAA AAA AAA.

B. AAA AAA AAA AAA AAA AAA AAA.

C. AAA AAA AAA SD-WAN AAA AAA AAA AAA.

NEW QUESTION: 16

□□□□ □□□□□□.

```
config system interface
  edit "port2"
    set vdom "root"
    set ip 192.168.73.132 255.255.255.0
    set allowaccess ping
    set type physical
    set snmp-index 2
    set preserve-session-route enable
  next
end
```

□□□ □□□ SD-WAN □□□ □□2□ □□□□ □□□□ □□ FortiGate□ □□□□ □ □□ □
□□ □□□□□? (□ □□□ □□□□□.)

- A. FortiGate□ □□ □□ □ □□ □□□□□ □□ □□□ □□□ □□□□□□□.
- B. FortiGate□ □□ □□□ □□□ □□□ □□□□□ □□□□□□.
- C. FortiGate□ □□ □□ □□□ □ □□□ □□ □□□ □□□ □□□□□□.
- D. FortiGate□ □□ □□ □ □□ □□ □□□□ □□□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NSE7_SDW-6.4 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
NSE7_SDW-6.4 □□! DumpTop □ □□ **NSE7_SDW-6.4** □□ □□□ □□□□□□□,
DumpTop NSE7_SDW-6.4 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□□
□□□ □□□□□ □□ DumpTop NSE7_SDW-6.4 □□□ □□□□□□.

https://www.dumptop.com/Fortinet/NSE7_SDW-6.4-dump.html (82 Q&As Dumps, **30%OFF**)

Special Discount: **KrDump**)

NEW QUESTION: 17

□□□□ □□□□□□.

```

FortiGate # diagnose sys session list
session info: proto=1 proto_state=00 duration=25 expire=34 timeout=0 flags=00000000
socktype=0 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan cos=0/255
state=dirty may_dirty
statistic(bytes/packets/allow_err): org=84/1/1 reply=84/1/1 tuples=2
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
origin->sink: org pre->post, reply pre->post dev=5->4/4->5 gwy=192.168.73.2/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:2246->8.8.8.8:8(192.168.73.132:62662)
hook=pre dir=reply act=dnat 8.8.8.8:62662->192.168.73.132:0(10.0.1.10:2246)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000a2c tos=ff/ff app_list=0 app=0 url_cat=0
rpidb_link_id= 80000000 rpidb_svc_id=0 ngfwid=n/a
npu_state=0x040000
total session 1

```

□□□□ □□□ FortiGate□ □□□ □□□□ □□ □□□□ □□ □□ □□□□□□?

- A. FortiGate□ □□□ □□ ID 1□ □□□□□□□□.
- B. □□ ID 1□ □□□ □ FortiGate□ □□□ □□□□□□.
- C. □□□ □□ ID 1□□ □□□□ □□□□ □□□ □□□ UDP□□□□.
- D. □□□ □□ ID 1□□ □□ NAT□ □□□□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

SD-WAN □□□ □□□□□□ □□□□□ □□ □□□□□□ □□□□ □□ □ □□ □□ □□ □□ □□ □□□□□□? (2□ □□)

- A. SD-WAN □□ □□□□□ □□ □□□ □□□□□□.
- B. SD-WAN □□□ □□□ □□□□□□.
- C. SD-WAN □□□□ □□ □□□□□□ □□□□□□.
- D. □□□ □□□□□ □□□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

□□ □ □□ VPN □□□□□ □□□□ □□ ADVPN □□□□ □□□□ □□□ □□□□ □ □□ □□□ □□□□□□? (2□ □□)

- A. □□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□ □□ □□□ □□□□□□.
- D18912E1457D5D1DDCBBD40AB3BF70D5D
- B. □□□ □□□ □□ □□□ □□□ □□□ □□□ □□□□ □□□□□□.
- C. □□□ □ □□□□ □ □□ □□□ □□ □□□ □□ □□ □□□ □□□ □□□□.
- D. □□□ □□ □□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

□□□□ □□□□□□□□.



ADVPN□ □□□□□ □□□ □□□□ □□□?

- A. ADVPN□ □□□□ □□ FortiGate □□□□□ □□□□□ □□□.
- B. □ VPN □□□□ 1□□□□ □□□ □□□ □□□ □□ □□□□.
- C. □□□ □□□□ □□ □□□ □□(0.0.0.0/0)□ □□□□ □□□.
- D. □□ VPN□□ □□□□ □□ 1□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 21

SD-WAN □□□ □□□□ □ □□□ □ □□ □ □□ □□□□□ □□□□□? (3□□ □□□□ □.)

- A. □□□ □□ □□ □□
- B. □□□□□□ □□
- C. □□ □ □□ IP □□
- D. URL □□□□
- E. □□□ □□□ □□□□□□(ISDB) □□ □□

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 22

SD-WAN □□□ □□□□ □ □□□ □ □□ □ □□ □□□□□ □□□□□? (3□□ □□□□ □.)

- A. □□□□□□ □□
- B. □□□ □□ □□ □□
- C. □□ □ □□ IP □□
- D. URL □□
- E. □□□ □□□ □□□□□□(ISDB) □□ □□

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 23

10Mbps□ IP□ □□□ □□□□ □□ □□□□□ □□□□ □□□ □□□□ □□□ □□□□□?

- A. 10Mbps □□□□ IP □□ □□ □□□□ □□□□□.
- B. □ IP□ □□ 10Mbps□ □□□□ □□□□□.

ADVPN□ □□□□□□ □□□ □□□□ □□□?

- A. □□ VPN□□ □□□ □□ 1□□ □□□ □□□□□.
- B. ADVPN□ □□□□ □□ FortiGate □□□□□ □□□□□ □□□.
- C. □ VPN □□□□ 1□□□□ □□□ □□□ □□□ □□ □□ □□□□.
- D. □□□ □□□□ □□ □□□ □□(0.0 .0. 0/0)□ □□□□ □□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

BGP □□□ SD-WAN □□□ □□□□ □□□ □□□□ □□□ □□□□□?

- A. SD-WAN□ □□ BGP □□ □□□□ □□□□ VPN □□□□□ □□□
- B. □□ □□□ BGP □□□□□ □□□□ SD-WAN □□□□ □□□ □□□ □□□□□.
- C. BGP □□□ □□□ □□□ □□□ □□□ □□ SD-WAN □□□ □□□□□.
- D. BGP □□□ □□□□□ □□ ADVPN □□□□□□□□ □□ □□□ □□□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

□□□□ □□□□□.

□□ A□:

ID	Name	Source	Destination	Criteria	Members
IPv4 3					
1	Google.ICMP	all	Google-ICMP	Latency	port1 port2
2	Vimeo	all	Vimeo		port2
3	All_Access_Rules	all	all		port1
Implicit 1					
	sd-wan	all	all	Source-Destination IP	any

□□□ B:

Date/Time	Source	Destination	Application Name	Result	Policy	Destination Interface
2020/10/15 11:12:27	10.0.1.10	151.101.250.109 (vimeo.com)	Vimeo	UTM Allowed	Internet Access (1)	port2
2020/10/15 11:12:22	10.0.1.10	34.120.15.67 (fresnel-events.vimeo.com)	Vimeo	2.00 kB / 4.33 kB	Internet Access (1)	port1
2020/10/15 11:12:20	10.0.1.10	172.217.13.227 (ocsp.pki.goog)	OCSF	1.28 kB / 1.49 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTPBROWSER_Firefox	1.44 kB / 1.55 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTPBROWSER_Firefox	1.43 kB / 1.60 kB	Internet Access (1)	port1
2020/10/15 11:12:04	10.0.1.10	99.84.221.62 (snippets.cdn.mozilla.net)	HTTPS.BROWSER	2.08 kB / 13.44 kB	Internet Access (1)	port1

□□ A□ SD-WAN □□□ □□□□ □□ B□ □□□ □□□ □□□□□. SD-WAN □□□ □□□ FortiGate□ □□□□ □□□□ □□□ □□□□□.

□□□ □□□ FortiGate□ SD-WAN □□□□ □□□ □ □□□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. Vimeo SD-WAN □□□ □□ SD-WAN □□□ □□□□□ □□ Vimeo □□□□□□ □□□□ □□□□□.

B. FortiManager can manage FortiGate SD-WAN configurations. ☐

C. FortiManager can manage FortiGate SD-WAN configurations. ☐ Vimeo SD-WAN configurations. ☐

D. SD-WAN configurations can be managed by FortiManager. ☐

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

FortiManager can manage FortiGate SD-WAN configurations. ☐ (2 correct answers)

A. FortiManager can manage FortiGate SD-WAN configurations. ☐

B. FortiManager can manage FortiGate SD-WAN configurations. ☐

C. SD-WAN configurations can be managed by FortiManager. ☐ FortiGate configurations. ☐

D. FortiManager can manage FortiGate SD-WAN configurations. ☐ Fortinet SD-WAN configurations. ☐

Answer: ([SHOW ANSWER](#)**)**

SD-WAN 6.4 configurations 158.

NEW QUESTION: 29

FortiManager can manage FortiGate SD-WAN configurations. ☐

```

config system virtual-wan-link
    set status enable
    set load-balance-mode source-ip-based
    config members
        edit 1
            set interface "port1"
            set gateway 100.64.1.254
            set source 100.64.1.1
            set cost 15
        next
        edit 2
            set interface "port2"
            set gateway 100.64.2.254
            set priority 10
        next
    end
end

```

Which of the following is the source IP address for the SD-WAN link configuration?

- A. 100.64.1.1
- B. load-balance-mode source-ip-based
- C. 15
- D. 10

Answer: (SHOW ANSWER)

NEW QUESTION: 30

10Mbps IP address is configured on FortiGate. Which of the following is the correct configuration?

- A. FortiGate IP address is 10Mbps
- B. FortiGate IP address is 10Mbps
- C. FortiGate IP address is 10Mbps
- D. FortiGate IP address is 10Mbps

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

Which of the following is the correct configuration?

- A.** FEC□ □□□□ □□□□ □□□ □□ □□□ □□ □□□ WAN □□□ □□□□□.
- B.** FEC□ □□ □□□ □□ □□□ □□ □□□□ □□□□□.
- C.** FEC□ □□ □□ □□□ □□□□□ □□ □□ □□□ □□□□□□.
- D.** FEC□ □□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 33

□□ 10□ □□ □□□□□□ SLA □□□ □□□□ □ □□□ □ □□ □□ □□□ □□□□□?

- A.** sys virtual-wan-link ☐☐ ☐☐
- B.** sys virtual-wan-link intf-sla-log ☐☐
- C.** sys virtual-wan-link ☐☐ ☐☐ ☐☐
- D.** sys virtual-wan-link sla-lcg ☐☐

Answer: C (LEAVE A REPLY)

NEW QUESTION: 34

□ □ □ □ □ □ □ □ □ □ .

```
id=20085 trace_id=5087 func=print_pkt_detail line=588 msg="vd-root:0 received a
packet(proto=6, 10.1.10.1:41370->31.13.80.12:443) from port3. flag [.], seq 1213725680,
ack 1169005655, win 65535"
id=20085 trace_id=5087 func=resolve_ip_tuple line=5669 msg="Find an existing
session, id=00001ca4, original direction"
id=20085 trace_id=5087 func=fw_forward_dirty_handler line=447 msg="blocked by quota
check, drop"
```

FomGate□ □□ □□□ □□ □□□□ □□ □□?

- A.** □□□ □□ □□ □□□ □□□□ □□□ tftc □□ □□ □□□ □□ □□□□□.
- B.** □□□ □□□ □□□□ □□□□ □□ □□ □□□ □□ □□□□□□□.
- C.** □□□ □□□ □□ □□□□ □□□□□ □□ □□□□ □□ □□□□□□□.
- D.** □□□ □□ □□ □□ □□□ □□□□ □□□ IP□ □□□□ □□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 35

□ □ □ □ □ □ □ □ □ □ .

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ IPsec VPN ☐ ☐ ☐ ☐ ☐ 1 ☐ ☐ 2 ☐ ☐ ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ADVPN ☐ ☐ ☐ ☐.



Which two statements are true regarding SD-WAN? (2 answers)

- A. SD-WAN can be used to connect multiple sites to a single cloud service.
- B. SD-WAN can be used to connect multiple sites to multiple cloud services.
- C. SD-WAN can be used to connect multiple sites to a single cloud service.
- D. SD-WAN can be used to connect multiple sites to multiple cloud services.

Answer: B,D ([LEAVE A REPLY](#))

SD-WAN_6.4_00_000 207000

NEW QUESTION: 36

Which two statements are true?

```
id=20085 trace_id=5087 func=print_pkt_detail line=5588 msg="vd-root:0 received a packet(proto=6, 10.1.10.1:41370->31.13.80.12:443) from port3. flag [.], seq 1213725680, ack 1169005655, win 65535"
id=20085 trace_id=5087 func=resolve_ip_tuple fast line=5669 msg="Find an existing session, id=00001ca4, original direction"
id=20085 trace_id=5087 func=fw_forward_dirty_handler line=447 msg="blocked by quota check, drop"
```

FortiGate can be used to connect multiple sites to a single cloud service?

- A. FortiGate can be used to connect multiple sites to a single cloud service.
- B. FortiGate can be used to connect multiple sites to multiple cloud services.
- C. FortiGate can be used to connect multiple sites to a single cloud service.
- D. FortiGate can be used to connect multiple sites to multiple cloud services.

Answer: C ([LEAVE A REPLY](#))

00.

NEW QUESTION: 37

Which two statements are true?

Edit Policy

Name	Internet Access
Incoming interface	 port3 ▼
Outgoing interface	 SD-WAN ▼
Source	 all + x
Destination	 all + x
Schedule	 always ▼
Service	 ALL + x
Action	☒ ACCEPT ☐ DENY
Inspection Mode	☒ Flow-based ☐ Proxy-based

Firewall / Network Options

NAT	☒
IP Pool Configuration	☒ Use Outgoing Interface Address ☐ Use Dynamic
Preserve Source Port	☐
Protocol Options	☒ PRX ☐ default ▼

Edit Traffic Shaping Policy

Name Status ↑ Enabled ↓ DisabledComments 0/255

If Traffic Matches:

Source + xDestination + xSchedule ☐Service + xApplication +URL Category +

Then:

Action Apply Shaper Assign Shaping Class IDOutgoing interface + xShared shaper ☒ ▼Reverse shaper ☐Per-IP shaper ☐

FORTINET

Which of the following is a valid FortiGate configuration for SD-WAN? (Choose two)

Which of the following is a valid FortiGate configuration for SD-WAN? (Choose two)

- A. `config system global`
`set snat-route-change enable`
`end`
- B. `config system global`
`set snat-route-change enable`
`end`
- C. `config system global`
`set snat-route-change enable`
`end`
- D. `config system global`
`set snat-route-change enable`
`end`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

FortiGate SD-WAN can be configured to use FortiManager for centralized management. Which of the following is a valid FortiGate configuration for SD-WAN? (Choose two)

- A. `config system global`
`set snat-route-change enable`
`end`
- B. `config system global`
`set snat-route-change enable`
`end`
- C. `config system global`
`set snat-route-change enable`
`end`
- D. `config system global`
`set snat-route-change enable`
`end`
- E. `config system global`
`set snat-route-change enable`
`end`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

SD-WAN ADVPN can be configured to use FortiManager for centralized management. Which of the following is a valid FortiGate configuration for SD-WAN? (Choose two)

- A. Spoke SD-WAN can be configured to use FortiManager for centralized management.
- B. SD-WAN can be configured to use FortiManager for centralized management.
- C. FortiGate ADVPN SD-WAN can be configured to use FortiManager for centralized management.
- D. ADVPN SD-WAN can be configured to use FortiManager for centralized management.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which of the following is a valid FortiGate configuration for SD-WAN? (Choose two)



```

FortiGate # get router info routing-table details
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
       O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
       * - candidate default

```

```

Routing table for VRF=0
S*    0.0.0.0/0 [1/0] via 192.168.73.2, port2, [1/0]
      [1/0] via 192.168.1.1, port1, [10/0]
C     10.0.1.0/24 is directly connected, port3
C     192.168.1.0/24 is directly connected, port1
C     192.168.73.0/24 is directly connected, port2

```

□□ A□ □□ NAT □□ □□□ □□□□ □□ B□ FortiGate□ □□□ □□□□ □□□□□. □□ □□□ □□□ port2 □□□□□ □□ □□□ 20□□ □□□ □□ □□ □□ □ □□ □□ □□□□? (□ □□□ □□□□□.)

- A. □□ □□ □□□ □□□□ □□ 2□ □□□□ □ □□□ □□ 1□ □□□□□.
- B. □□ □□ □□□ □□ 1□ □□ 2□ □□□□ □□□□ □□□□□.
- C. SNAT□ □□□□ □□ □□ □□□ □□□□□ □□ 1□ □□ □□□□□□.
- D. SNAT□ □□□□ □□ □□ □□ □□□ □□□□□ □□ 1□ □□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

□□□□ □□□□□□.

```

FortiGate # diagnose firewall proute list
list route policy info(vf-root):

id=1 dscp_tag=0xff 0xff flags=0x0 tos=0x00 tos_mask=0x00 protocol=0 sport=
0:0 iif=0
dport=0-65535 oif=3 (port1)
source wildcard(1): 0.0.0.0/0.0.0.0
destination wildcard(1): 100.64.1.0/255.255.255.0
hit_count=4 last_used=2020-10-16 07:49:10

id=0x7f090001 vwl_service=1 (Google.ICMP), vwl_mbr_seq=1 2 dscp_tag=0xff
0xff flags=0x0
tos=0x00 tos_mask=0x00 protocol=0 sport=0:65535 iif=0 dport=1-65535 oif=3
(port1)
oif=4 (port2)
source(1): 0.0.0.0-255.255.255.255
destination wildcard(1): 0.0.0.0/0.0.0.0
internet service(1): Vimeo(4294838044, 0, 0, 0 25360)
hit_count=0 last_used=2020-10-16 07:49:14

id=0x7f090003 vwl_service=3(all_rules) vwl_mbr_seq=1 dscp_tag=0xff 0xff
flags=0x0
tos=0x00 tos_mask=0x00 protocol=0 sport=0:65535 iif=0 dport=1-65535 oif=3
(port1)
source(1): 0.0.0.0=255.255.255.255
destination(1): 0.0.0.0=255.255.255.255
hit_count=0 last_used=2020-10-16 07:49:14

```

Which two statements are correct? (Choose two.)

- A. Rule 1 is SD-WAN rule.
- B. Rule 1 (id=1) is SD-WAN rule.
- C. all_rules is SD-WAN rule.
- D. SD-WAN rule is all_rules.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which two statements are correct? (Choose two.)

- A. Rule 1 is SD-WAN rule.
- B. Rule 1 (id=1) is SD-WAN rule.
- C. all_rules is SD-WAN rule.
- D. SD-WAN rule is all_rules.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Which two statements are correct?

FORTINET						
Exhibit A	Exhibit B					
Name #	Detect Server #	Packet Loss	Latency	Jitter	Failure Threshold #	Recovery Threshold #
DC_PBX_SLA	4.2.2.2	port1: 0.00%	port1: 32.80ms	port1: 8.58ms	5	5
	4.2.2.1	port2: 0.00%	port2: 55.36ms	port2: 8.37ms		

```

Exhibit A    Exhibit B
FORTINET

NGFW-1 # diagnose sys virtual-wan-link health-check
Health Check(DC_PBX_SLA):
Seq(1 port1): state(dead), packet-loss(75.000%) sla_map=0x0
Seq(2 port2): state(alive), packet-loss(0.000%) latency(50.477), jitter(3.699)
sla_map=0x1

NGFW -1 # diagnose sys virtual-wan-link service

Service(1): Address Mode(IPV4) flags=0x0
  Gen(3), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(priority), link-cost-
factor(latency), link-cost-threshold(10), heath-check(DC_PBX_SLA)
Members:
  1: Seq_num(2 port2), alive, latency: 50.233, selected
  2: Seq_num(1 port1), dead
Internet Service: Microsoft-Skype_Teams(327781,0,0,0)
Src address:
  0.0.0.0-255.255.255.255
  
```

- ☐ A. SLA . SD-WAN .
☐ SD-WAN . ?
☐ 1 SLA SLA 5
☐ SD-WAN . SLA
☐ 1 1
☐ .
☐ SD-WAN . SLA

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

- ☐ SD-WAN ?
☐ . ,
☐ . , URL SSL
☐ FortiGate, FortiManager, FortiAnalyzer FortiDeploy
☐ , ISDN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

- ☐ .

NEW QUESTION: 48

Which two SD-WAN components are used to manage SD-WAN components and are used to manage SD-WAN components? (2 correct)

- A. SD-WAN components are used to manage SD-WAN components.
- B. SD-WAN components are used to manage SD-WAN components.
- C. FIB components are used to manage SD-WAN components.
- D. FortiGate components are used to manage SD-WAN components.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

FortiGate components are used to manage IPsec components. Which two components are used to manage IPsec components? (2 correct)

- A. SD-WAN components are used to manage IPsec components.
- B. SD-WAN components are used to manage IPsec components.
- C. Diffie Hellman components are used to manage IPsec components.
- D. IKE components are used to manage IPsec components.

Answer: B,D ([LEAVE A REPLY](#))

<https://kb.fortinet.com/kb/documentLink.do?externalID=10114>

NEW QUESTION: 50

FEC(Forward Error Correction) components are used to manage VPN components. Which two components are used to manage VPN components? (2 correct)

- A. FEC components are used to manage VPN components.
- B. FEC components are used to manage VPN components.
- C. FEC components are used to manage WAN components.
- D. FEC components are used to manage VPN components.
- E. FEC components are used to manage IPsec components.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 51

FortiGate components are used to manage FortiManager components. Which two components are used to manage FortiManager components? (2 correct)

- A. FortiGuard components are used to manage FortiGate components.
- B. FortiGate components are used to manage SD-WAN components.
- C. FortiGate components are used to manage SD-WAN components.
- D. FortiGate components are used to manage SD-WAN components.
- E. FortiGate components are used to manage SD-WAN components.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

□□□□ □□□□□□.

```
config system virtual-wan-link
  set status enable
  set load-balance-mode source-ip-based
  config members
    edit 1
      set interface "port1"
      set gateway 100.64.1.254
      set source 100.64.1.1
      set cost 15
    next
    edit 2
      set interface "port2"
      set gateway 100.64.2.254
      set priority 10
    next
  end
end
```

□□□□ □□□ □□□ □□ SD-WAN □□□□ □□□ □ □□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□□ □□ □□ IP □□□ □□□□□.
- B. □□□□□ 10□□ □□□□□.
- C. □□□ 15□ □□□□□.
- D. □□□ 100.64.1.1□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

SD-WAN □□□ □□□□□□ □□□□□ □□ □□□□□□ □□□□ □□ □ □□ □□ □□ □□ □□□ □□□□□? (2□ □□)

- A. SD-WAN □□□□ □□ □□□□□□ □□□□□.
- B. SD-WAN □□□ □□□ □□□□□.
- C. □□□ □□□□□ □□□ □□□ □□□□□.
- D. SD-WAN □□ □□□□□ □□ □□□ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

□□□□ □□□□□□.

```

config system virtual-wan-link
    set status enable
    set load-balance-mode source-ip-based
    config members
        edit 1
            set interface "port1"
            set gateway 100.64.1.254
            set source 100.64.1.1
            set cost 15
        next
        edit 2
            set interface "port2"
            set gateway 100.64.2.254
            set priority 10
        next
    end
end

```

Which of the following is the correct configuration for the SD-WAN link? (Choose two.)

- A. set cost 15
- B. set source 100.64.1.1
- C. set priority 10
- D. load-balance-mode source-ip-based

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which of the following is the correct configuration for the SD-WAN link? (Choose two.)

```

config system interface
    edit "port2"
        set vdom "root"
        set ip 192.168.73.132 255.255.255.0
        set allowaccess ping
        set type physical
        set snmp-index 2
        set preserve-session-route enable
    next
end

```

Which of the following is the correct configuration for the SD-WAN link? (Choose two.)

- A. FortiGate

- B. FortiGate□ □□ □□ □ □ □□□ □□ □ □□□ □□□ □□□□□.
- C. FortiGate□ □□□□□ □□ □□ □ □□ □□ □□□ □□□ □□□□□□.
- D. FortiGate□ □□ □□ □ □□ □□□□□ □□ □□□ □□□ □□□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 56

BGP □□□ SD-WAN □□□ □□□□ □□□ □□□□ □□□ □□□□□?

- A. BGP □□□ □□□ □□□ □□□ □□□ □□ SD-WAN □□□ □□□□□.
- B. BGP □□□ □□□□□ □□ ADVPN □□□□□□□ □□ □□□ □□□□ □□□.
- C. □□ □□□ BGP □□□□□ □□□□ SD-WAN □□□□ □□□ □□□ □□□□□.
- D. SD-WAN□ □□ BGP □□ □□□□ □□□□ VPN □□□□□ □□□

Answer: C ([LEAVE A REPLY](#))

SD-WAN 6.4.5 □□□ □□□ 226-227.

NEW QUESTION: 57

SD-WAN □□ □□□□□ □□ □ □□□ □□□□ □ □□□ □ □□ □□ □□□ □□□□□?

- A. sys virtual-wan-link □□□ □□
- B. sys virtual-wan-link route-tag-list □□
- C. sys virtual-wan-link □□□ □□□□□.
- D. sys virtual-wan-link □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NSE7_SDW-6.4 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 NSE7_SDW-6.4 □□! DumpTop □ □□ **NSE7_SDW-6.4** □□ □□□ □□□□□□,
 DumpTop NSE7_SDW-6.4 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□
 □□□ □□□□ □□ DumpTop NSE7_SDW-6.4 □□□ □□□□□.

https://www.dumptop.com/Fortinet/NSE7_SDW-6.4-dump.html (82 Q&As Dumps, **30%OFF**)

Special Discount: **KrDump**)