

□□□ □□ □□□□□. □□ □□ □□□□□ □□ □□ □ □□ □□□ □□□ □□□ □
□□□□?

- A. □□□
- B. □□
- C. □□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□□□ □□□□ □□□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □
□ □□ □□□□ □□□ □□□□□ □□□ □□□□. □□□ □□ □□□ □□□□□?

- A. □□□ □□
- B. □□ □□
- C. □□□□ □□
- D. □□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

□□: □□ B

NEW QUESTION: 7

□□ □ □□ □□ □□ □□ □□□□□?
□ □□□ □□□ □□□□ □□□□□. □□□□ □□ □□ □□□□□□.

- A. □□□ □□□□□.
- B. □□□ □□ □□□ □□□□□.
- C. □□ □□□ □□□□□.
- D. □□ □□□ □□□□.

Answer: A,B,C ([LEAVE A REPLY](#))

□□: □□ A

NEW QUESTION: 8

□□□ □□□
□□□ □□□ □□□ □□□.
_____ □ Windows □□□ □□□□ □□ Unix □□ □□□□□□.

Answer:

□□□

NEW QUESTION: 9

□□ □ □□□ □□□□ □ □□□□ □□ □□□ □□□□ □ □□□ □□□□□ □□□
□ □□□ BGP □□□□ □□□□ □□□ □□ □□□ □□□□□?

- A. AS □□ □□
- B. □□ MTU □□(PMTUD)
- C. AS PATH □□

Infosec Inc. is a leading provider of information security services. We are secure.com is a leading provider of information security services. we-are-secure.com is a leading provider of information security services. GIACing is a leading provider of information security services. IPID is a leading provider of information security services.

- A. ...
- B. ...
- C. ...
- D. GIACing is a leading provider of information security services.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 14

nc netcat ... /etc/passwd

- A. ... /etc/passwd ...
- B. UDP ... 55555 ... /etc/passwd ...
- C. /etc/passwd ... UDP ... 55555 ...
- D. UDP ... 55555 ... /etc/passwd ...

Answer: (SHOW ANSWER)

NEW QUESTION: 15

...

- A. ...
- B. Dskprobe
- C. ...
- D. ...

Answer: B (LEAVE A REPLY)

NEW QUESTION: 16

Adam is a leading provider of information security services. 3GB RAM Dual Core Pentium ... Microsoft ... Adam is a leading provider of information security services.

□□□ □□ □ □□ □□ □□□□ □□ □□□□□□. □□ □□ □□□ □□□ □ □□ □
□□ □□□ □□□□□ □□□ □□□□□. □□ □□□□ □□□□ □□ □□□□ □□□
□□ □□□□ □□ □□□□□. Adam□ □□□ □□□□ □□ □□□ □□ □□□ □
10GB□□ □□□ □□□ □□ □□□□□. □□ □□ □□□□□ 200GB □□ □□□□□
□ □□□ Adam□ □□□ □□ □□□□□ □□□□□.

□□ □ □□□ □□□ □□□□ □□ □□ □□ □□□□□?

- A. □□□□ □□ □□ □□ □□□□□□□□.
- B. □□□□ □□□ □□□□□ □□□□□□□□.
- C. □□□□ □□□ □□ □□ □□□□ □□□□□□□□.
- D. □□□□ □□□ □□□ □□ □□□□□ □□□□□□□□.

Answer: C ([LEAVE A REPLY](#))

GCIH □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ GCIH □□!
DumpTop □ □□ **GCIH** □□ □□□ □□□□□□□, DumpTop GCIH □□ □□□ □□
□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop GCIH
□□□ □□□□□□. <https://www.dumptop.com/GIAC/GCIH-dump.html> (335 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□ □□ □ □, □□□□ □ □□□ □□ □□□ □□□ □□□□□?

- A. □□□□□
- B. □□□□
- C. □□
- D. □□□

Answer: ([SHOW ANSWER](#))

□□: □□ C
□□/□□:

NEW QUESTION: 18

□□ □ □□□□ □□ □□□□ □□□□ □□□ □□□□ □□□□ □□□□ □□ □□□
□□□□□?

- A. □□□□ □□□□
- B. □□ □□□□
- C. □□□□ □□□□
- D. □□ □□□□

Answer: C ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 19

Firewalking is a technique used to determine the maximum TTL of a packet in a network. It involves sending a packet with a TTL value and observing the response.

The packet is sent with a TTL value that is known to be greater than the TTL of the destination. The packet is then received by the destination, which sends back a response with a TTL value that is one less than the TTL of the packet.

The difference between the TTL of the packet and the TTL of the response is the TTL of the destination. This technique is used to determine the maximum TTL of a packet in a network.

Which of the following is a valid use of firewalking?

A. To determine the maximum TTL of a packet in a network.

B. To determine the maximum hop count of a packet in a network.

C. To determine the maximum number of hops a packet can take in a network.

D. To determine the maximum number of hops a packet can take in a network.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which of the following is a valid use of firewalking?

A. To determine the maximum TTL of a packet in a network.

B. DDoS attack

C. To determine the maximum hop count of a packet in a network.

D. To determine the maximum number of hops a packet can take in a network.

Answer: D ([LEAVE A REPLY](#))

Correct: C

NEW QUESTION: 21

Adam is using a network scanner to discover the services running on a host. The scanner sends a SYN packet to the host.

The host responds with a ClientServer message.

192.5.2.92:4079 -----FIN----->192.5.2.110:23 192.5.2.92:4079 <----[]----

---192.5.2.110:23

[] [] []:

[] [] [] []

192.5.2.92:4079 -----FIN----->192.5.2.110:23

192.5.2.92:4079<-----RST/ACK-----192.5.2.110:23

Which of the following is a valid use of firewalking?

A. ACK []

B. [] []

C. [] [] [] []

D. FIN []

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□ □□ □ □□□□ LAN(Local Area Network)□□ □□□ □□□□ □□□□□□ □□ □□ □□□ □□□ □ □□ □□ □□□□□?

- A. ARP □□□
- B. □□ □□□
- C. □□□
- D. □□ □□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□ □ TCP □□□ □□ □□□□ □□ □□ □□?
□ □□□ □□□ □□□□ □□□□□□. □□□□ □□ □□ □□□□□□.

- A. tcp □□□ □□□□ □□□ □□ □□ □□□□ IP □□, □□ □/□□ ID □□ □□□ □ □□ □□ □□□□ □□□□ □□□□ □□□ □ □□□□.
- B. tcp □□□ IP □□ □□□□□□□□ Linux □□□□ □□□□□.
- C. □□□□ TCP □□□ □□□□ □□ inetd □□□ □□ □□□□□□ □□ □□□□ □□ □□ □□□□ tcpd□ □□□□□.
- D. tcp □□□ □□□ □□, □□□ □□ □□□, □□□□□ □□□ □□ □□ □□ □□□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

□□□ □□□□ □□□ □□□ □□□ □□□□. www.weare-secure.com□ □□□ □□□ □□ □□□□□ □□□□□□□. Windows □□□ we-are-secure Inc. □□ □□□ □□□ □ □□□□□.

we-are-secure □□□ □□□□ NetCat □□□ □□□□ □□ □□ □□□ □□ □□ □□ □□□ □□ credit.dat □□□ □□□□□. □□□□□ □□ □□□ □□ □□□ □□□ □ □□□ □□ □□□□ □□ credit.dat □□□ □□□□□□ □□□. □□□ we-are-secure Inc. □ □□□□ □□□□ □□ □□□ □□□ □□ □ □□ □□ □□□ □□ □□□ □ □□□ □ □□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□.

□□□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□□?

- A. Wireshark□ □□□□□.
- B. NetCat □□ CryptCat□ □□□□□.
- C. ftp □□□□ □□□□ □□□.
- D. □□□ □□□□□ □□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

□□□ Secure Inc.□□ □□□□ □□ □□□□ □□□ □□□□. □□□□ □□□ □□□ □ □□ □□□ □□□□□ □□ □□□□□ □□□□□□. □□□ □□□(Secure Inc.)□ □□□

Which of the following is a valid SQL injection payload? (Select all that apply.)

WHERE id = 'attacker@somehwere.com'; DROP TABLE users; --
SQL injection payload?

- A. id = 'attacker@somehwere.com'; DROP TABLE users; --
- B. id = 'attacker@somehwere.com' --
- C. XSS payload
- D. id = 'attacker@somehwere.com'

Answer: D (LEAVE A REPLY)

NEW QUESTION: 26

Which of the following is a valid SQL injection payload? (Select all that apply.)

"id = 'attacker@somehwere.com'; DROP TABLE users; --"
SQL injection payload?

- A. id = 'attacker@somehwere.com'; DROP TABLE users; --
- B. id = 'attacker@somehwere.com' --
- C. XSS payload
- D. id = 'attacker@somehwere.com'

Answer: C (LEAVE A REPLY)

NEW QUESTION: 27

Which of the following is a valid SQL injection payload? (Select all that apply.)

id = 'attacker@somehwere.com'; DROP TABLE users; --
SQL injection payload?

- A. VLAN
- B. MAC
- C. ARP
- D. IP

Answer: B (LEAVE A REPLY)

NEW QUESTION: 28

Which of the following is a valid SQL injection payload? (Select all that apply.)

id = 'attacker@somehwere.com'; DROP TABLE users; --
SQL injection payload?

- A. id = 'attacker@somehwere.com'; DROP TABLE users; --
- B. id = 'attacker@somehwere.com' --
- C. XSS payload
- D. id = 'attacker@somehwere.com'

Answer: D (LEAVE A REPLY)

NEW QUESTION: 29

John is a network administrator for We-are-secure Inc. He is configuring a firewall rule to allow traffic from the Internet to the We-are-secure web server. He is using the following configuration:

- A. 192.168.1.1
- B. 192.168.1.1
- C. 192.168.1.1
- D. 192.168.1.1

Answer: B (LEAVE A REPLY)

Correct Answer: C

NEW QUESTION: 30

A network administrator is troubleshooting a network issue. The administrator has run the following command on a Windows PC:

```
chess.exe 192.168.1.1 526,895
```

The administrator has also run the following command on a Windows PC:

```
chess.exe 192.168.1.1 651,823
```

The administrator has also run the following command on a Windows PC:

```
chess.exe 192.168.1.1
```

The administrator has also run the following command on a Windows PC:

```
netstat -an | "UDP" UDP IP_Address:31337 *.* *
```

C:\WINDOWS>netstat -an | "UDP" UDP IP_Address:31337 *.* *

Correct Answer: A

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\RunServices

The administrator has also run the following command on a Windows PC:

```
netstat -an | "UDP" UDP IP_Address:31337 *.* *
```

- A. 192.168.1.1
- B. 192.168.1.1
- C. 192.168.1.1
- D. 192.168.1.1

Answer: A (LEAVE A REPLY)

NEW QUESTION: 31

A network administrator is troubleshooting a network issue. The administrator has run the following command on a Windows PC:

```
chess.exe 192.168.1.1 526,895
```

- A. 192.168.1.1
- B. 192.168.1.1
- C. 192.168.1.1
- D. 192.168.1.1

C.

D.

Answer: ([SHOW ANSWER](#))

: C

NEW QUESTION: 35

Which of the following is a type of malware that is designed to damage or destroy data, programs, or systems, and to spread to other systems? A. Trojan horse B. Virus C. Worm D. Rootkit

A.

B.

C.

D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which of the following is a type of attack that involves the use of a web browser to perform a request to a web server? A. Denial of Service B. Cross Site Request Forgery C. Man-in-the-Middle D. SQL Injection

Answer: A,B ([LEAVE A REPLY](#))

: C

NEW QUESTION: 37

Which of the following is a type of attack that involves the use of a web browser to perform a request to a web server? A. Denial of Service B. Cross Site Request Forgery C. Man-in-the-Middle D. SQL Injection

A.

B.

C.

D.

Answer: D ([LEAVE A REPLY](#))

: A

/

NEW QUESTION: 38

□□ □ SSH□ □□ □□□ □□□□ □□ □□□□□?
□ □□□ □□□ □□□□ □□□□□. 2□□ □□□□□□.

- A. DoS □□
- B. IP □□□
- C. □□□□ □□□
- D. □□ □□

Answer: B,C ([LEAVE A REPLY](#))

□□: □□ B
□□/□□:

NEW QUESTION: 39

□□□□ □□□□ □□□□□ □□□□ □□ □□ □□ □□□□ □□□ □□□□□ □□
□ □□□□.

□□□ □□ □□□ □□□□ □□ □□. □□□ □□ □□□ □□□□□?

- A. □□□□ □□
- B. □□□ □□ □□
- C. □□□ □□
- D. □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□ □ □□ □□□□ □□□□□ □□□ □□ □□□ □□□ □ □□ □□?
□ □□□ □□□ □□□□ □□□□□. □□□□ □□ □□ □□□□□□.

- A. □□□□□ □ □□□□
- B. NetBIOS □□ □□
- C. ActiveX □□□, VBScript □ Java □□□□
- D. □□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

□□□ Perfect Solutions Inc.□ □□□□ □□□□ □□□ □□□□. □ □□□□ Linux □
□ □□□□□ □□□□. □□□

Linux □□ □□□□ □□ □□□□ □□□□□. □□□□ □□□ IP □□□ □□□ □□□ □
□□□. □□ □

□□□□ IP □□□ □□□□□ □□□ □□□ □□ □□ □□ □□□□□□□□□?

- A. □□□□
- B. □□□□□□
- C. □□□□
- D. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

□□ □□ □ □□□□ □□ □□□□ □□□□ □ □□□ □□ □□□□ □□□□ □□ □□ □□□ □□?

- A. □□ □□
- B. □□ □□□□□
- C. ARP □□□
- D. □□□ □ □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

Tech Perfect Inc. □ □□□□ □□□□ □□□ □□□□. □ □□□□ TCP/IP □□ □□□ □□ □□□□. □□□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□□□ □□□□ □□ □□□□□. □□□□ □□ □□□ □□□□□□?

- A. □□□
- B. □□□
- C. □□□ □□
- D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

□□□□ □□ Ryan□ □□□ □□□ □□ XSS(Cross-Site Scripting) □□□□□ □□□ □□□ □□ □□□□□ □□□□□□. □□□□ □□□ □ □□□□ □□□□ □□□ □□ □□□□ Ryan□ □□ □□□□, □□ □□ □□ □□ □□□ □□ □□□ □ □□□ □. □□ □□□ Cross-Site Scripting □□ Ryan□ □□□ □□□ □□□□□□?

- A. □□□□
- B. □□ □□ □□(DOM)
- C. □□□
- D. □□

Answer: D ([LEAVE A REPLY](#))

□□: □□ A

NEW QUESTION: 45

□□ □ □□ □□□□□ □□ □□□□ □□ □□ □□?

- A. □□□ □□□□ □□ □□ □□ □□ □ □□ □□ □□□□□.
- B. □□□□□ □□ □□□ □□□□□.
- C. □□□□□□□ □□□□□ □□□ □□□ □ □□ □□□□ □□□□ □□□□□.
- D. □□ □□□ □ □□□ □□□ □□□□ □□□□□ □□□□□ □□ Microsoft□□ □□ □□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

- B. □□□□ □□□
- C. □□□ □□□
- D. □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

□□□ □□□ □□□□ □□□ □□□□□□.
 _____ □ □□□ □□□ SHA-1 □□□ □□□ □□□□□□□ □□□ □□□ □□□ □□
 □□ □□□□ □□□□□□.

Answer:

□□□

NEW QUESTION: 51

ARP(Address Resolution Protocol) □□□□ ARP □□□□ □□ APR(ARP Poison Routing)□□□□ □□ □□□ □□ □□ □□ □□□□□ □□□□ □ □□□□ □□□□ □. ARP □□□□ □□ □□□□ LAN(Local Area Network)□□ □□□ □□□□ □□□□ □□ □□□□ □□□□□ □□□□ □□□ □□□ □ □□□□. ARP □□□□ □□□ □ □ ARP □□□□ □□□ LAN□□ □□□ □□□□. ARP □□□□ □□ □□□□ □□ □ □□□□□?

- A. IDS □□□ □□□□ □□ □□□□□ □□□ ARP □□□□ □□□□□ □□
- B. □□□ □□ □□□□ □□
- C. □□, □□□□□□ □ □□□□□ □□ ARP □□ □□
- D. ARP watch □□□□ □□
- E. ARP Guard □□□□ □□

Answer: A,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 52

□□ □ □□ □□□□ □□ □□□ □□ □□ □□□□ □□ □□□ □□□ □□ □□?

- A. □□□□ □□□
- B. □□ □□□
- C. □□□□□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

□□: □□ C

NEW QUESTION: 53

Adam□ Umbrella Inc.□ □□ □□□□ □□□ □□□□. □□ □□□□□ □□□□□□ □□□□□□□ □□□. □□□□□□□
 Adam□ □□□ □□□ □ □□ □□□ □□ □□□□□ □□□□□ □□□□□□ □□□ □□□ □□ □□□□ □□□□□ □□□.

□□ □ □□□ □□□ □ □□□ □□□ □□□□□?

- A. □□□□□ □□□ □□ □□□ □□□ □□□ □□□□□.
- B. □□□□□□ □□ □□□ □□□□□ □□□ □□ □□□ □□□□□.
- C. □□□ MD5 □□□ □□ □□□ □□□ □□□ □□□□□.
- D. □□□ □□□□ □□□ □□□□ □□□ □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

□□□□ □□□ □□ □□□□ □□ □□□□ □□□ □ □□□□ □□□ □□□□□?
□□□ □□□ □□ □□□□ □□ □□□ □□□□□□?

- A. □□□□
- B. □□ □□ □□□
- C. □□ □□□
- D. □ □□ □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

□□□□ □□□ Adam□ □□□ ICMP □□□ □□□□□ □□ □□□□ □□□□. □
ICMP□ □ □□
□□ □□□□ □□□ 65,536□□□ □□□□□. □□ □□□ □□□□ □□ □□ □ □□
□□
Adam□ □□□□□ □□ □□□ □□□□□?

- A. □□□ □□
- B. □□□ □ □□
- C. SYN □□□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

□□□□ □□□ Adam□ □□ □□□ □□ □□□□ □□□ □□□□□ □□□. □□ □ □
□□□ □□□□ □□ □□ □□□□ □□□□.
□□ □ □□ □□□□ □□□ □ □□ □□ □□□ □□□□□?

- A. TCP □□ □□
- B. UDP sacn
- C. □ □□
- D. ACK □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

□□ □ □□□□ □ □□□□ □□□ □□□□ □ □□□□ □□□ □□□ □□□□□?

- A. WMA/TrojanDownloader.GetCodec

- B. Win32/Pacex.Gen
- C. Win32/FlyStudio
- D. Trojan.Lodear

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 58

□□ □□□□ □ □□□□ □□□□ □□□ □□□□ □□□□□ □□□□□?

- A. □□ □□
- B. □□□ □□
- C. □□□ □□□□
- D. □□□ □□□□

Answer: C ([LEAVE A REPLY](#))

□□: □□ C

NEW QUESTION: 59

□□□□□
 □□□□ □□□ □□□□ □□□ □□□□□.
 _____ □□□□ □□ □□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□.

Answer:

□□□

NEW QUESTION: 60

- □□□□ □□ □□□□ □□ □□?
- A. TCP □□□ □□ □□ □□□ □□(DoS) □□□□□.
- B. □□□(spoofing)□ □□□(flooding)□ □□□□ UDP □□□□.
- C. □□□□ □□□□ IP □□□□□□ □□□ □□□□□.
- D. □□□(spoofing) □ □□□(flooding)□ □□□□ ICMP □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 61

Adam□ Umbrella Inc.□ □□ □□□□ □□□ □□□□. □□ □□□ □□□□ □□□ □
 □ □□□ □□□□ □□ □□□□□ □□□ □□□□□□□□. □□□ □□ □□□ □□ □
 □□□□□ □□ Adam□ Active Directory□□ □□ 10□□ □□ □□ □□□ □□□ □ □
 □□□. □□ □□ □□□□□ □□□ □□ □□□ □□ □□ □□□ □□ 14□□ □□□ □
 □□ □□□ □□□ □□□□□. Adam□ □□ □□□ □□□ □□ □□ □□ □□□ □□□
 □ □□□ □□□ □□□□ □□□ □□□□□ □□□. □□ □□□□□ □□□ □□□□
 □ □□□ □□□□□ □□ □□□ □□□□□.

IOS □□

I □□ □□□

□□ John□ We-are-secure □□□□□ □□□□ □□□ □□□□□ □□□. □□ □ □□
□□□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□?
□ □□□ □□□ □□□□ □□□□□. □□□□ □□ □□ □□□□□□.

- A. □□ □□
- B. □□□
- C. □□ □□□□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

Windump□ □□□ □□□□□ □□□ □ □□ □□□ TCPDump □□ □□□□ Windows
□□□□□. Windows □□□□□ □ □□□ □□□□□ □□□□ □□ □□ □□□□□□
□□□□ □□□.
□ □□□□ □□□ □□□□□?

- A. WinPCap
- B. PCAP
- C. □□□□
- D. libpcap

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

□□ □ □□ □□□ □□□ □ □□ □□□ □□□□□?

- A. nc -t
- B. nc -z
- C. nc -w
- D. nc -g

Answer: B ([LEAVE A REPLY](#))

□□: □□ A

NEW QUESTION: 66

□□ □ □ □□□ □□□□ □□□□ □□□ □ □□ □□□ □□□□□?
□ □□□ □□□ □□□□ □□□□□. 2□□ □□□□□□.

- A. □□□ □
- B. □□□□
- C. □□□□□□ □□□□□
- D. □□□□□

Answer: A,B ([LEAVE A REPLY](#))

□□: □□ A

NEW QUESTION: 67

□□ □□□ □□□□ □□ □□□□□□ □□□ □□ □□□□□ □□□□□. □□ □□□ □□□□ □□□ □□□□ □□ □□□□?

- A. □□ □□□ □□□
- B. □□□□
- C. DoS □□
- D. □ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

□□ netcat □□□□ □ □□□ □□□□ □□□□ □□ □□□□ netcat □□□□ □□□ □□ □□□□□?

- A. -u
- B. -l
- C. -p
- D. -L

Answer: (SHOW ANSWER)

□□ 3, □□ C

NEW QUESTION: 69

Victor□ □□ □□□□ □□□□ □□□□ □□□ □□□□□. □□ □□ □□□□□□□ □□□ □□□□

□ □□. □□ □□ □□□ □□ □□ □□ □□ □□□ □□□□□ □□□□□. □ □□ □□ □ □□□□□

□□□□□ □□□ □□□ □□ □□□ □□□ □□. □□ □□□□□□□□ □

Victor□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. □□ □□□□ □□
- B. □□ □□
- C. □□ □□ □□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 70

Adam□ □□ □ □□□□□□. □□ □□□□□ □□□□ 22□ □□□ □□□ □□□□□. □□□ □□

□□□□ □□□ □□□□□?

- A. 200□
- B. 23□
- C. 5□
- D. 22□□

Answer: C ([LEAVE A REPLY](#))

- B. nmap -sT
- C. nmap -vO
- D. nmap -sS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□ □ □□□ 2 □□□ □□ □□ □□□ □□□ □□□□□?
 □ □□□ □□□ □□□□ □□□□□. □□□□ □□ □□ □□□□□□.

- A. □□□□ □□□
- B. □□□ □□
- C. RF □□ □□
- D. SYN □□□ □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

□□ DoS □□ □ □□□ UDP □□□ □□□□ □□□□ Windows □□□□ □□□ □□
 □ □□ □□□□□?

- A. □□□
- B. □ □□
- C. □□
- D. □□□

Answer: C ([LEAVE A REPLY](#))

□□: □□ A

NEW QUESTION: 75

John□ □□ □□□ □□□ □□□ □□□□. □□ www.weare-secure.com□ □□□ □□
 □□□ □□□□□ □□□□□□□. □□ We-are-secure □ □□□ □□□ □□□□ □□
 □□□ □□ □□□□ □□□□ □□ □□ □□□□ □□□□□.
 ODBC □□□□□ Microsoft OLE DB □□□ □□ '0x80040E14'
 □ □□ □□□□ We-are-secure □□□□□ _____ □ □□□□ □□□□□.

- A. □□ □□□□
- B. □□□ □□ □□
- C. SQL □□□ □□
- D. XSS □□

Answer: C ([LEAVE A REPLY](#))

□□: □□ C

NEW QUESTION: 76

□□ □ □□□□ John□ □ □□□ □□□ □□□ □□□□□ □□□ □□ □□□□ □□
 □ "apple"□ □□□□□. □□
 □□ □ □□ □□□ □□□ □□□ □□□ □□□□□?

□ □□□ □□□ □□□□ □□□□□. □□□□ □□ □□ □□□□□□.

- A. □□ □□
- B. □□□□□ □□
- C. □□□ □□ □□
- D. □□ □□ □□

Answer: ([SHOW ANSWER](#))

GCIH □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ GCIH □□!
DumpTop □ □□ **GCIH** □□ □□□ □□□□□□, DumpTop GCIH □□ □□□ □□
□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop GCIH
□□□ □□□□□. <https://www.dumptop.com/GIAC/GCIH-dump.html> (335 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

Nikto □□□ nessus □□□ □□□□ □□□□□ □□□. □□ □ □□□ □□□□ □□ □
□ □□□ □□□□□?

□ □□□ □□□ □□□□ □□□□□. 2□□ □□□□□□.

- A. nessusd □□□□ □□ □□□□□.
- B. nikto.pl □□□ /etc/nessus □□□□□ □□□□.
- C. nikto.pl □□□ /var/www □□□□□ □□□□.
- D. □□□ PATH □□ □□□ nikto.pl □ □□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

□□ □ □□□ □□ □□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□□ □□□
□□?

- A. □□□
- B. □□ □□□ □□
- C. □□ □□
- D. □□

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 79

□□ □ □□ □ □□□ □ □□□□ □□□ □ □□□□ Web 2.0 □□□□□ □□□ □□
□□□?

- A. UML
- B. □□□
- C. RSS
- D. XML

Answer: B ([LEAVE A REPLY](#))

☐☐: ☐☐ C

NEW QUESTION: 80

☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐.
☐☐ ☐ ☐☐ ☐☐☐ ☐☐☐☐☐?

- A. ☐☐☐
- B. ☐☐
- C. ☐☐☐
- D. ☐☐

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 81

ICMP ECHO ☐☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐☐
☐ ☐☐☐. ☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐?

- A. ☐☐ ☐☐
- B. TCP SYN ☐☐
- C. XMAS ☐☐
- D. ☐ ☐☐ ☐☐

Answer: D ([LEAVE A REPLY](#))

☐☐: ☐☐ A
☐☐

NEW QUESTION: 82

☐☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐.
☐☐ ☐ ☐☐ ☐☐☐ ☐☐☐☐☐?

- A. ☐☐☐
- B. ☐☐☐
- C. ☐☐
- D. ☐☐

Answer: D ([LEAVE A REPLY](#))

☐☐: ☐☐ A

NEW QUESTION: 83

Adam☐ Umbrella Inc.☐☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐☐☐☐. Adam☐ ☐☐☐ ☐☐ ☐☐☐☐
☐☐☐ ☐☐☐☐ ☐☐☐☐☐☐ ☐☐ ☐☐☐☐☐. ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐☐☐☐ ☐☐
☐☐☐☐☐. ☐☐ ☐☐☐ 1☐ ☐☐ ☐☐ ☐☐. ☐☐☐☐ ☐☐☐☐☐☐☐☐☐ Adam☐
☐☐☐ ARP ☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐. ☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐☐☐☐☐☐☐☐
☐☐ ☐☐ IV☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐☐.
☐☐ ☐ Adam☐ ☐☐☐☐☐☐ ☐☐ ☐☐☐☐☐☐☐☐?

- A. ☐☐☐☐☐ ☐☐

Answer:

□□□

NEW QUESTION: 88

□□ □ Linux □□ □□□□ □□□□ □□□ □□□□ □□□ □□□□ □□□ □□□□ □□?
□?

□ □□□ □□□ □□□□ □□□□□. □□□□ □□ □□ □□□□□□.

- A. MRTG
- B. □□
- C. IPTraf
- D. □□□

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 89

□□ □□ □ □ □□□□□ □□□□ □□□□□□ □□□□□ □□□□ □□ □□ □□□ □ □□□□□ □□ □□□□□?

- A. □□□
- B. □□□□
- C. □□□□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 90

□□□ □□□□ □□□ □□□ □□□ □□□□. www.weare-secure.com□ □□□ □□□ □□ □□□□□ □□□□□□□. Windows □□□ we-are-secure Inc. □□ □□□ □□□ □ □□□□□.

we-are-secure □□□ □□□□ NetCat □□□ □□□□ □□ □□ □□□ □□ □□ □□ □□□ □□ credit.dat □□□ □□□□□. □□□□□ □□ □□□ □□ □□□ □□□ □ □□□ □□ □□□□ □□ credit.dat □□□ □□□□□ □□□. □□□ we-are-secure Inc. □ □□□□ □□□□ □□ □□□ □□□ □□ □ □□ □□ □□□ □□ □□□ □ □□□ □ □□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□ □□□□. □□□ □□□ credit.dat □□ □ □□□ □□□□ □□□□ □□□□□.

- A. ftp □□□□ □□□□ □□□.
- B. Wireshark□ □□□□□.
- C. NetCat □□ CryptCat□ □□□□□.
- D. □□□□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

□□: □□ C

NEW QUESTION: 91

NEW QUESTION: 94

□□ □ □□□, □ □□ □ □ □□□ □□□ □□ Macintosh □□□□ □□□ □□□□ □
□□ □□□□□□ □□□□□?

- A. □□□□□
- B. □□□
- C. □□□ □□
- D. □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

InformSec Inc. □ □□□□ □□□□ □□□ □□□□. TCP □□ □□ 23476□
□□□ □□. □□□ Donald Dick□□□ □□□ □□□ □□□□ □□ □ □□□□. □□ □
□□□□

Donald Dick □ □□□□ □□□ □□. □□ □□ □□ 23476□□ □□□□ □□□□□
□□□□ ID, □□□□ □□ □ □□□ □□□□ □□. □□ □ □□ □□ □□□□□ □□□
□□□□□?

□□□ □□□□ □ □□ □□ □□□□□?

- A. □□□□
- B. □□
- C. □□□□
- D. □□□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 96

□□□□ □□ □□□□□ □□ □□ □ □□□□ □□□□ □□
□□□□ □□□□ □ □□□ □□□□ □□□□ □□□ □□ □□□□□ □□□□□□
□□□□ □□ □□□□ □□□ □□□□□□□?

- A. □□
- B. □□
- C. □□
- D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 97

John □ We-are-secure Inc. □□ □□□□ □□□□ □□□□□. □□ □□ □□ □□ □□
□□□□ □□□□□□.

□□□□ □□. □□ □□□ □□ □□□ □□□ □□□□□. □□ □□ □□ □□□ □□□
□□ □□
□□□ □□ □□□ □□□□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□ □□
□□□ □□□□,

□□□ □□□ □□ Yahoo □□ ID□ □□□□. □□ □□□ □□□ □□□□ □ □□□ □□□ □□ □□ □□ □□ □□ □□□ □□□ □□□□ □□ □□□□□?

- A. □ □□
- B. □□□□□□□□
- C. □□□ □□□
- D. □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 98

□□ DoS □□ □ □□□ UDP □□□ □□□□ □□□□ Windows □□□□ □□□ □□ □ □□ □□□□□?

- A. □□
- B. □□□
- C. □ □□
- D. □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

□□ □ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□ □ □□□□ □□?

- A. □□□
- B. OS □□□□□
- C. □□
- D. □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

□□ □□□ □ □□ □ □□ □□ □□□□□ □□□□ □□ □□□ □□□ □□□□□ □ □□□ □□□□ □□ □□□□□?

- A. □□□□ □□□
- B. □□□□□ □□□
- C. □□□□□□ □□□
- D. □□ □□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 101

Klez □□ □□□□ □□□□ Microsoft Outlook□ □□□□ □□□□ □□ □□□ □□ □ □□ □□ □□ □□□□. Klez □□ □□ WAB(Windows □□□) □□□□ □□□ □ □□ □□□□□□. □□ □□□□□□ □ □ □ □□ □□□□ □ □□□ □ □□ □□ □□□□ □□?

- A. □□□ □□□□ □□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□ □□□ □□□□ □□□□.
- B. □□□□ □□□□ □□□ □□□ □□□ □□ □□□□□.
- C. TCP □□ □□□□□ □□□ □ □□□ □□ TCP □□□ □□□□ □□□□□.
- D. □□ □□ □ □□ □□ □□□□ □□□□ □□ □□□□□ □□□□.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 106

□□ □□□ □ □□ □ □□ □□ □□□□□ □□□□ □□ □□□ □□□ □□□□□ □ □□□□ □□□□ □□ □□□□□?

- A. □□□□ □□□
- B. □□□□□ □□□
- C. □□ □□ □□□
- D. □□□□□□ □□□

Answer: ([SHOW ANSWER](#))

GCIH □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ GCIH □□!
 DumpTop □ □□ **GCIH** □□ □□□ □□□□□□□, DumpTop GCIH □□ □□□ □□
 □□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop GCIH
 □□□ □□□□□. <https://www.dumptop.com/GIAC/GCIH-dump.html> (335 Q&As
 Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

□□ □ □□ □□□ □□□□ □□□ □□□□□?

- A. NSLOOKUP
- B. □□
- C. L0phtcrack
- D. □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 108

□□ DoS □□ □ □□□□ □□ □□□□ 65,536□□□□□ □ ICMP □□□ □□□ □□ □□□□□?

- A. □□□□
- B. □□□ □
- C. □□
- D. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

□□ □□ □□ □ ICMP□ □□ □ □□□□ □□□□ □□ □□□□□?

- A. □ □ □□
- B. □□
- C. □□□
- D. □□

Answer: (SHOW ANSWER)

□□: □□ C

NEW QUESTION: 110

□□ □ □□ □□□□□ □□ □□□□ □□ □□ □□?

□ □□□ □□□ □□□□ □□□□□. 2□□ □□□□□□.

- A. □□□□□□□ □□□□□ □□□ □□□ □ □□ □□□□ □□□ □ □□□□ □□□ □□.
- B. □□ □□□ □□□ □□□ □ □□□□ □□□□□.
- C. □□□□□□□ □□□ □ □□□□.
- D. □□□□□□ □□□ □□□□ □ □□□□.

Answer: A,C (LEAVE A REPLY)

GCIH □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ GCIH □□!
DumpTop □ □□ **GCIH** □□ □□□ □□□□□□□, DumpTop GCIH □□ □□□ □□
□□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop GCIH
□□□ □□□□□□. <https://www.dumptop.com/GIAC/GCIH-dump.html> (335 Q&As
Dumps, **30%OFF** Special Discount: **KrDump**)