

Google.Professional-Cloud-Security-Engineer.v2022-07-05.q115

□□□□:	Professional-Cloud-Security-Engineer
□□□□:	Google Cloud Certified - Professional Cloud Security Engineer Exam
□□□:	Google
□□ □□ □□□:	115
□□:	v2022-07-05
# □□ □:	1589
# □□ □□□:	1150
https://www.krdump.com/Google.Professional-Cloud-Security-Engineer.v2022-07-05.q115.html	

NEW QUESTION: 1

PCI DSS □□ □□□ □□□□ □□ □□□ □□ □□□□□ □□□□ □□□□□□ □□ □□□ □□□□.

□□ □□ □□ □□ □ □□ □□□ □□□□ □ □□ □□□□ □□□ □□□□□? (2□□ □□□□□.)

- A. □ □□
- B. □□□□ □□
- C. Compute Engine
- D. □□ □□□□□ □□
- E. □□□□ □□□□

Answer: C,D (LEAVE A REPLY)

App Engine □□ □□□ □□□ □□□ □ □□□ □□ □□□ □□ □□□ □ □□□□. □ □□ 1.2.1 □ 1.3.4□ □□ □□ □□□□□ □□□□ □□□□□□ □□□□ □□□.

SAQ A-EP □ SAQ D □□ □□□□ □□ □□□ □□□□□ □□ Google Cloud □□□ □ □□□ □□□. Compute Engine□ GKE□ □□□□ □□□□□.

<https://cloud.google.com/solutions/pci-dss-compliance-in-gcp>

NEW QUESTION: 2

□ □□□ □□ □□□□□ □□□□□ □□□□□ □□ Google Cloud Platform□□ □□ □□ □□□□. □□□ □□□ □□□□□ □□□□□ □ □□□ □□□□□ GCP □□ □ □□□ □□□□□□ □□□ □□□.

□□□ □□□ □□ □□□?

- A. □□ 443□□ □□□□□ □□□□ □□□□ □□ □□ □□□□□ □□□□ □□□□ □ □□□□ □□□□□.
- B. □□□□ TCP □□ □□□□□ SSL □□□□ □□□□ □□□□ □□□□□.

C. 443 port is used for secure connections. It is a standard port for HTTPS traffic.

D. L7 is the application layer of the OSI model. It is the layer where the data is presented to the user.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Cloud Storage is used to store data. It is a service that allows you to store and retrieve data from anywhere, at any time, using any device.

What is the correct answer?

A. Cloud Storage uses a key (KEK) to encrypt data.

B. Cloud Storage uses a key (KEK) to decrypt data.

C. Cloud Storage uses a key (DEK) to encrypt data.

D. Cloud Storage uses a key (DEK) to decrypt data.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Google Cloud Storage is used to store data. It is a service that allows you to store and retrieve data from anywhere, at any time, using any device.

What is the correct answer?

A. Cloud Storage uses a key (DEK) to encrypt data. Cloud KMS is used to manage keys. Cloud Storage uses a key (KEK) to encrypt the DEK. Cloud Storage uses a key (DEK) to decrypt the data.

B. Cloud Storage uses a key (DEK) to encrypt data. Cloud KMS is used to manage keys. Cloud Storage uses a key (KEK) to encrypt the DEK. Cloud Storage uses a key (KEK) to decrypt the data.

C. Cloud Storage uses a key (DEK) to encrypt data. Cloud KMS is used to manage keys. Cloud Storage uses a key (KEK) to encrypt the DEK. Cloud Storage uses a key (KEK) to decrypt the data.

D. Cloud Storage uses a key (DEK) to encrypt data. Cloud KMS is used to manage keys. Cloud Storage uses a key (KEK) to encrypt the DEK. Cloud Storage uses a key (DEK) to decrypt the data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

DevOps is a set of practices that combines software development and IT operations. It is a culture that encourages collaboration and communication between developers and operations.

What is the correct answer?

A. Puppet and Chef are used for configuration management.

B. Google Cloud Platform (GCP) is used for cloud infrastructure.

D. Kerberos ID tokens are used to authenticate users to GCP services.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 8

Cloud IAM can be used to integrate with LDAP. Which of the following is a requirement for this integration?

- A. LDAP must be configured to use TLS.
- B. Google Cloud IAM must be configured to use LDAP.
- C. Google Cloud IAM must be configured to use SAML.
- D. LDAP must be configured to use Kerberos.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 9

Google Kubernetes Engine (GKE) can be used to run containerized applications. Which of the following is a requirement for this use case?

- A. CI/CD pipeline must be configured to use Binary Authorization.
- B. Cloud Source Repositories must be configured to use Cloud Build.
- C. Jenkins on GKE must be configured to use Container Registry.
- D. Compute Engine must be configured to use Cloud IAM.

E. Google Cloud Container Registry Cloud Container Registry.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 10

Google Kubernetes Engine (GKE) is a managed Kubernetes environment. It is used to run containerized applications on Google Cloud. GKE is a managed Kubernetes environment. It is used to run containerized applications on Google Cloud.

Google Kubernetes Engine (GKE) is a managed Kubernetes environment. It is used to run containerized applications on Google Cloud. GKE is a managed Kubernetes environment. It is used to run containerized applications on Google Cloud.

Google Kubernetes Engine (GKE) is a managed Kubernetes environment. It is used to run containerized applications on Google Cloud. GKE is a managed Kubernetes environment. It is used to run containerized applications on Google Cloud.

- A. Google Kubernetes Engine (GKE)
- B. Google Cloud Container Registry
- C. Google Cloud Container Engine
- D. Google Cloud Container Service

Answer: B (LEAVE A REPLY)

NEW QUESTION: 11

Google Cloud Identity and Access Management (IAM) is a service that allows you to manage access to your Google Cloud resources. IAM is a service that allows you to manage access to your Google Cloud resources. IAM is a service that allows you to manage access to your Google Cloud resources.

Google Cloud Identity and Access Management (IAM) is a service that allows you to manage access to your Google Cloud resources. IAM is a service that allows you to manage access to your Google Cloud resources. IAM is a service that allows you to manage access to your Google Cloud resources.

- A. Google Cloud Identity and Access Management (IAM)
- B. Google Cloud Identity and Access Management (IAM)
- C. Google Cloud Identity and Access Management (IAM)
- D. Google Cloud Identity and Access Management (IAM)

Answer: B (LEAVE A REPLY)

URL: <https://cloud.google.com/blog/products/identity-security/using-your-existing-identity-management-system-with-google-cloud-platform>

NEW QUESTION: 12

Google Cloud Identity and Access Management (IAM) is a service that allows you to manage access to your Google Cloud resources. IAM is a service that allows you to manage access to your Google Cloud resources. IAM is a service that allows you to manage access to your Google Cloud resources.

- A. Google Cloud Identity and Access Management (IAM)
- B. Google Cloud Identity and Access Management (IAM)

2. Which IAM (Identity and Access Management) service allows you to create and manage service accounts?

3. Google Cloud IAM (Identity and Access Management) service allows you to create and manage service accounts.

C. 1. Google Cloud IAM (Identity and Access Management) service allows you to create and manage service accounts.

2. Google Cloud IAM (Identity and Access Management) service allows you to create and manage service accounts.

3. Google Cloud IAM (Identity and Access Management) service allows you to create and manage service accounts.

D. 1. Google Cloud IAM (Identity and Access Management) service allows you to create and manage service accounts.

2. Google Cloud IAM (Identity and Access Management) service allows you to create and manage service accounts.

3. Google Cloud IAM (Identity and Access Management) service allows you to create and manage service accounts.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

Which Google Cloud service allows you to encrypt data at rest and in transit? (PHI) is a type of data that is protected by law. Which Google Cloud service allows you to encrypt data at rest and in transit? (PHI) is a type of data that is protected by law. Which Google Cloud service allows you to encrypt data at rest and in transit? (PHI) is a type of data that is protected by law.

A. Cloud Key Management Service (CKMS) allows you to encrypt data at rest and in transit.

B. Cloud Data Loss Prevention (DLP) allows you to identify and protect sensitive data.

C. AES-SIV is a symmetric encryption algorithm.

D. Cloud Key Management Service (CKMS) allows you to encrypt data at rest and in transit.

Answer: (SHOW ANSWER)

NEW QUESTION: 19

Which Google Cloud service allows you to connect your on-premises network to Google Cloud Platform (GCP) resources? Which Google Cloud service allows you to connect your on-premises network to Google Cloud Platform (GCP) resources? Which Google Cloud service allows you to connect your on-premises network to Google Cloud Platform (GCP) resources?

Which Google Cloud service allows you to connect your on-premises network to Google Cloud Platform (GCP) resources?

A. Cloud Interconnect allows you to connect your on-premises network to Google Cloud Platform (GCP) resources.

B. Cloud Interconnect allows you to connect your on-premises network to Google Cloud Platform (GCP) resources.

C. Cloud VPN allows you to connect your on-premises network to Google Cloud Platform (GCP) resources.

D. Cloud VPN allows you to connect your on-premises network to Google Cloud Platform (GCP) resources.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 20

Which two Google Cloud Platform services can be used to connect a VPC network to a Compute Engine instance? (Choose two.)

- A. VPC
- B. Cloud VPN
- C. Cloud Interconnect
- D. Compute Engine
- E. VPC

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 21

Which two Google Cloud services can be used to connect a VPC network to a Compute Engine instance? (Choose two.)

- A. Stackdriver
- B. AutoML
- C. Cloud Pub/Sub
- D. Cloud Pub/Sub

Answer: D (LEAVE A REPLY)

- A. Stackdriver
- B. AutoML
- C. Cloud Pub/Sub
- D. Cloud Pub/Sub

https://cloud.google.com/logging/docs/export/configure_export_v2

NEW QUESTION: 22

Which two Google Cloud services can be used to connect a VPC network to a Compute Engine instance? (Choose two.)

- A. TCP □□□ □□ □□□
- B. HTTP(S) □□ □□
- C. SSL □□□ □□ □□□
- D. □□□□ □□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□ App Engine□ □□□□□□□ □□□□ OWASP(Open Web Application Security Project) □□□□ □□□□ □□□.

□□ □□□□□ □□ □□□□ □□□□ □□□?

- A. □□□□ □□
- B. Google Cloud □□ □□
- C. □□□□ □□ □□□
- D. □□□ □□□□

Answer: C ([LEAVE A REPLY](#))

□□:

<https://cloud.google.com/security-scanner/>

NEW QUESTION: 24

□□□ □□ □ □□□□□□. □□□ □□□ □ □□□□□□ □ □□□ □□ □□□□ □ □ □□ □□ □□ □□ □□□□ □□□ □□ GCP □□□□□ □□□□. PCI □□ □□□ □□□□ □□□□ □□□ □□□□ □□□.

□□□ □□□□□□□□?

- A. □ □□□□□□□ □□ □□□ □□□□ □□ □□□ □□□ □□□□□.
- B. PA-DSS □□□ □□ □□□□□□□□ □□□□□□.
- C. □□ □□□ □□□ □□□ □□□ GCP □□□□□ □□□□□.
- D. □□□□ □□□□ □□ □□ □□ □□□ VPN□ □□□□□.

Answer: ([SHOW ANSWER](#))

<https://cloud.google.com/solutions/pci-dss-compliance-in-gcp>

NEW QUESTION: 25

□□□ □□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□.

□□□ □□ □ □□ □□□ □□□□ □□□? (2□□ □□□□□.)

- A. □□ □□□
- B. □□ □□□
- C. GKE □□□□ □□□
- D. □□□ □□□
- E. □□ □□ □□

Answer: A,B ([LEAVE A REPLY](#))

□□:

<https://cloud.google.com/resource-manager/docs/creating-managing-organization>

NEW QUESTION: 26

Which Google Cloud Platform (GCP) service can be used to securely connect a VPC network to an on-premises network? (2 correct answers)

Options: A. Cloud VPN, B. VPC, C. Cloud Interconnect, D. VPC, E. Cloud VPN

- A. Cloud VPN
- B. VPC
- C. Cloud Interconnect
- D. VPC
- E. Cloud VPN

Answer: (SHOW ANSWER)

https://cloud.google.com/solutions/secure-data-workloads-use-cases

NEW QUESTION: 27

Which GCP service can be used to restrict access to Compute Engine images? (2 correct answers)

- A. compute.trustedimageProjects
- B. compute.trustedimageProjects
- C. Compute Image User
- D. compute.trustedimageProjects

Answer: B (LEAVE A REPLY)

URL: https://cloud.google.com/compute/docs/images/restricting-image-access

NEW QUESTION: 28

Which GCP service can be used to securely connect a VPC network to an on-premises network? (2 correct answers)

- A. □□□□
- B. □□
- C. □□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

DevOps □□ Google Kubernetes Engine□□ □□□ □ □□□□□ □□□□□. □□ □□ □□□ □□□□ □□□□□ □□□□□ □□ □□□ □□□□□□ □□□□. □□□ □□□ □□ □□□?

- A. Cloud Build□ □□□□ □□□□ □□□□ □□□□□.
- B. Container Registry□□ □□□□ □□ □□□ □□□□□.
- C. Continuous Delivery □□□ □□□□ □□□□□□□ □□□□□.
- D. □□ □□ □□□□ □□□□ □□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Cloud Data Loss Prevention(DLP) API□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□ □□□□ □□□□□ □□□□. DLP □□ □□□□ Cloud Storage □ BigQuery□ □□ □□□□. □□ □ □□□ □□□ □□□ □□□□ □□□□□. □□ □□ □□ □□□ □□□□ □□□□?

- A. □□ □□□□ □□□□□ BigQuery □□□□ □□□ rowsLimit □□ □□□□ □□ □ □ Cloud Storage □□□ □□□ bytesLimitPerFile □□ □□□□□.
- B. □□ □□□□ □□□□□ BigQuery □□□□ □□□ rowsLimit □□ □□□□ □□ □ □ Cloud Storage □□□□ □□ □□□ □□□□□□.
- C. rowsLimit □ bytesLimitPerFile□ □□□□ □□□□ □□□□□ □□□□□□□□□□□□□□□.
- D. FindLimits □ TimespanConfig□ □□□□ □□□□ □□□□□□ □□ □□□ □□□□ □□.

Answer: C ([LEAVE A REPLY](#))

□□/□□: <https://cloud.google.com/dlp/docs/reference/rest/v2/InspectJobConfig>

NEW QUESTION: 31

□□□ □□□ □□ □□ □□□ □□□□ □□□ □ □□□ □□□ □□ □□ □□ □□ □□ (PII)□ □□□ □□ □□□ □□□□□. □□ □□□ □□□ □□□ PII□ □□ □□□ □□ □□□ □□ □□ □□ □□ □□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□ □□ □□□□□ □□□□ □□□□.

- □□□□□ □□ □□□□□ □□□ □□□ □□□ □□□□ □□ □□□□ □□□ □□ □□□ Google Cloud □□□□ □□□□□?

Stackdriver Logging logs are stored in Google Cloud Storage buckets. Which of the following is a valid bucket name?

Stackdriver-logs

- A. Stackdriver-logs Stackdriver logs are stored in Google Cloud Storage buckets. Which of the following is a valid bucket name?
- B. CPU Stackdriver logs are stored in Google Cloud Storage buckets. CPU usage is 80% of the total capacity. Stackdriver logs are stored in Google Cloud Storage buckets. CPU usage is 80% of the total capacity.
- C. Stackdriver Logging Stackdriver Logging logs are stored in Google Cloud Storage buckets. Stackdriver Logging logs are stored in Google Cloud Storage buckets. Stackdriver Logging logs are stored in Google Cloud Storage buckets.
- D. Stackdriver Logging Stackdriver Logging logs are stored in Google Cloud Storage buckets. BigQuery logs are stored in Google Cloud Storage buckets. BigQuery logs are stored in Google Cloud Storage buckets.

Answer: (SHOW ANSWER)

<https://cloud.google.com/logging/docs/logs-based-metrics/>

NEW QUESTION: 34

Which of the following is a valid VPC network name? VMs are connected to the VPC network. VMs are connected to the VPC network. VMs are connected to the VPC network. VMs are connected to the VPC network.

- A. VPC-network
- B. Cloud-network
- C. network
- D. vpc-network

Answer: A (LEAVE A REPLY)

NEW QUESTION: 35

Which of the following is a valid IP address for a VM instance? VMs are connected to the VPC network. VMs are connected to the VPC network. VMs are connected to the VPC network. VMs are connected to the VPC network.

VMs are connected to the VPC network?

- A. src IP address 3306 mysql Compute Engine VM instance "data-tag" is a valid IP address for a VM instance.
- B. A VM instance with IP address "fe-tag" is a valid IP address for a VM instance. A VM instance with IP address "data-tag" is a valid IP address for a VM instance. A VM instance with IP address "data-tag" is a valid IP address for a VM instance.
- C. 3306 mysql Compute Engine VM instance is a valid IP address for a VM instance. A VM instance with IP address "fe-tag" is a valid IP address for a VM instance.

D. `fe-tag` `data-tag` Compute Engine VM `data-tag` Compute Engine VM.

Answer: (SHOW ANSWER)

NEW QUESTION: 36

PCI DSS requirements for GCP. PCI DSS requirements for GCP. PCI DSS requirements for GCP.

PCI DSS requirements for GCP?

- A. PA-DSS requirements for GCP.
- B. PA-DSS requirements for GCP.
- C. PCI DSS requirements for GCP.
- D. PCI DSS requirements for GCP.

Answer: D (LEAVE A REPLY)

PCI:

<https://cloud.google.com/solutions/pci-dss-compliance-in-gcp>

NEW QUESTION: 37

Google Cloud Identity and Access Management (IAM) for Active Directory. Google Cloud Identity and Access Management (IAM) for Active Directory.

Google Cloud Identity and Access Management (IAM) for Active Directory?

- A. Google Cloud Identity and Access Management (IAM) for Active Directory.
- B. Google Cloud Identity and Access Management (IAM) for Active Directory.
- C. Google Cloud Identity and Access Management (IAM) for Active Directory.
- D. Google Cloud Identity and Access Management (IAM) for Active Directory.

Answer: B (LEAVE A REPLY)

<https://cloud.google.com/blog/products/identity-security/using-your-existing-identity-management-system-with-google-cloud-platform>

NEW QUESTION: 38

Cloud Storage encryption at rest. Cloud Storage encryption at rest. Cloud Storage encryption at rest.

Which of the following is a Google Cloud Platform (GCP) solution for connecting Google Cloud to an on-premises Active Directory (AD) environment?

Which of the following is a Google Cloud solution for connecting Google Cloud to an on-premises Active Directory (AD) environment?

- A. Google Cloud Directory Sync (GCDS)
- B. Google Cloud ID
- C. SAML (Security Assertion Markup Language)
- D. OAuth/OIDC

Answer: B (LEAVE A REPLY)

Link:

<https://cloud.google.com/solutions/federating-gcp-with-active-directory-introduction>

NEW QUESTION: 42

Which of the following is a Google Cloud solution for automating the rotation of service account keys?

Which of the following is a Google Cloud solution for automating the rotation of service account keys?

- A. Cloud Shell `gcloud iam service-accounts enable-auto-rotate --iam-account=IAM_ACCOUNT`
- B. Cloud Shell `gcloud iam service-accounts keys rotate --iam-account=IAM_ACCOUNT --key=NEW_KEY`
- C. Cloud Shell `gcloud iam service-accounts keys rotate --iam-account=IAM_ACCOUNT`
- D. Cloud Shell `gcloud iam service-accounts keys rotate --iam-account=IAM_ACCOUNT --key=NEW_KEY`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 43

Which of the following is a Google Cloud solution for automating the deployment of containerized applications?

Which of the following is a Google Cloud solution for automating the deployment of containerized applications?

- A. Cloud Build
- B. Cloud Functions
- C. Container Registry
- D. Continuous Delivery

Answer: D (LEAVE A REPLY)

Link: ()

Link

NEW QUESTION: 44

Cloud Storage bucket with 3,000 files. A user wants to share the bucket with all users in the organization. What is the minimum permission that should be granted to the user?

What is the minimum permission that should be granted to the user?

- A. allUsers with the role of READER on the bucket ACL.
- B. Cloud Storage bucket with the role of IAM on the bucket ACL.
- C. allUsers with the role of IAM on the bucket ACL.
- D. allUsers with the role of OWNER on the bucket ACL.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 45

GCP SIEM solution. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud.

GCP SIEM solution. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud.

SIEM solution. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud.

SIEM solution. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud. The SIEM solution is built on Google Cloud.

- A. includeChildren on the Log Sink Pub/Sub.
- B. Pub/Sub on the Log Sink.
- C. SIEM on the AuthenticationInfo ID.
- D. includeChildren on the Log Sink Pub/Sub.
- E. SIEM on the AuthenticationInfo ID.

Answer: (SHOW ANSWER)

NEW QUESTION: 46

Active Directory. GCP IAM. Active Directory. GCP IAM. Active Directory. GCP IAM.

Active Directory. GCP IAM. Active Directory. GCP IAM. Active Directory. GCP IAM.

- A. SAML 2.0 on the IAM.
- B. SAML 2.0 on the IAM.
- C. Cloud Identity and Access Management API on the Active Directory IAM.
- D. Admin SDK on the Active Directory IAM.

Answer: (SHOW ANSWER)

Answer:

D. VPCs are shared across projects in the same organization.

Answer: D (LEAVE A REPLY)

A. Cloud VPN is used to connect on-premise networks to Google Cloud. It is not used for VPCs.

B. VPCs are shared across projects in the same organization. B is incorrect because VPCs are not shared across organizations.

C. Google Cloud uses IPsec API to connect on-premise networks to Google Cloud. Compute Engine is used for virtual machines.

D. VPCs are shared across projects in the same organization. VPCs are not shared across organizations. VPCs are shared across projects in the same organization. D is correct.

<https://cloud.google.com/vpc/docs/shared-vpc>

<https://cloud.google.com/vpc/docs/vpc-peering>

NEW QUESTION: 55

Which Google Cloud service can be used to identify and protect sensitive data in storage? (PII) is a type of sensitive data. PII is a type of sensitive data. PII is a type of sensitive data. PII is a type of sensitive data.

Which Google Cloud service can be used to identify and protect sensitive data in storage?

A. Cloud Key Management Service (KMS) is used to manage cryptographic keys. It is not used for identifying sensitive data.

B. Cloud Storage is used for storing data. It is not used for identifying sensitive data.

C. DLP API is used to identify and protect sensitive data in storage. It is the correct answer.

D. DLP API is used to identify and protect sensitive data in storage. It is the correct answer.

Answer: D (LEAVE A REPLY)

0/0:

0; <https://cloud.google.com/dlp/docs/deidentify-sensitive-data>

NEW QUESTION: 56

Compute Engine VMs are used to run applications. They are not used for storing data. Compute Engine VMs are used to run applications. They are not used for storing data.

A. Cloud Storage is used for storing data.

B. Compute Engine VMs are used to run applications.

C. Cloud Storage is used for storing data.

D. Compute Engine VMs are used to run applications.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

Google Cloud Platform offers a variety of storage options. Which option is best for storing large amounts of data that are accessed infrequently?

- A. Cloud Storage
- B. Cloud Storage Nearline
- C. Compute Engine SSD
- D. Compute Engine

Answer: ([SHOW ANSWER](#))

<https://cloud.google.com/bigquery/docs/locations>

NEW QUESTION: 58

Which of the following is a managed Kubernetes environment on Google Cloud Platform?

- A. Kubernetes Engine
- B. GKE
- C. Kubernetes
- D. K8s
- E. Kube

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Which of the following is a managed Compute Engine environment on Google Cloud Platform?

- A. Compute Engine
- B. Compute Engine
- C. Compute Viewer
- D. compute.instances.list

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

- C. Security Command Center
- D. Forseti Security

Answer: A (LEAVE A REPLY)

NEW QUESTION: 63

Which of the following is a security standard that is required for GCP Compute Engine instances to be able to connect to a storage device (SSD) over a network protocol (UDP) without using TLS or BoringSSL? (MIG) is a Google Cloud service that provides a managed environment for running applications. BoringSSL is a high performance, secure, and easy-to-use implementation of SSL/TLS. BoringCrypto is a cryptographic library that is used by BoringSSL. MIG is a managed instance group that is used to manage a fleet of VM instances.

- A. MIG
- B. BoringSSL
- C. BoringCrypto
- D. MIG

Answer: (SHOW ANSWER)

NEW QUESTION: 64

Which of the following is a standard for information security management systems (ISMS)?

- A. ISO 27001
- B. ISO 27002
- C. ISO 27017
- D. ISO 27018

Answer: C (LEAVE A REPLY)

Which of the following is a security standard that is required for Google Cloud Storage to be able to connect to a storage device (SSD) over a network protocol (UDP) without using TLS or BoringSSL?

NEW QUESTION: 65

Cloud Storage uses which of the following encryption algorithms to protect data at rest?

- A. AES-256
- B. SHA512
- C. MD5
- D. 3DES

Answer: (SHOW ANSWER)

Cloud Storage uses AES-256 encryption to protect data at rest. BoringSSL is a high performance, secure, and easy-to-use implementation of SSL/TLS. BoringCrypto is a cryptographic library that is used by BoringSSL. MIG is a managed instance group that is used to manage a fleet of VM instances.

Cloud Storage is encrypted at rest with AES-256 encryption. The default encryption key is managed by Google Cloud Key Management Service (KMS).

Cloud Storage is encrypted at rest with AES-256 encryption. The default encryption key is managed by Google Cloud Key Management Service (KMS).

<https://cloud.google.com/storage/docs/encryption/default-keys>

NEW QUESTION: 66

PCI DSS is a set of security standards designed to ensure that all companies that accept, process, store, and transmit credit card information must maintain a secure system. Google Cloud Platform (GCP) offers several services that can help you achieve PCI DSS compliance.

Which GCP service is designed to help you achieve PCI DSS compliance?

- A. Google Cloud Platform: Compute Engine
- B. PCI DSS: Cloud Key Management Service
- C. PCI SSC: Cloud Key Management Service
- D. Compute Engine: Cloud Key Management Service

Answer: C (LEAVE A REPLY)

<https://cloud.google.com/solutions/pci-dss-compliance-in-gcp>

NEW QUESTION: 67

Cloud External Key Manager is a service that allows you to manage your cryptographic keys and their lifecycle. It is designed to help you achieve FIPS 140-2 L1 compliance. Cloud External Key Manager is a managed service that is fully compliant with FIPS 140-2 L1. It is designed to help you achieve FIPS 140-2 L1 compliance. Cloud External Key Manager is a managed service that is fully compliant with FIPS 140-2 L1.

- A. Cloud External Key Manager is a service that allows you to manage your cryptographic keys and their lifecycle.
- B. Google Cloud Key Management Service is a service that allows you to manage your cryptographic keys and their lifecycle.
- C. Cloud Key Management Service is a service that allows you to manage your cryptographic keys and their lifecycle.
- D. Google Cloud Key Management Service is a service that allows you to manage your cryptographic keys and their lifecycle.

Answer: (SHOW ANSWER)

NEW QUESTION: 68

Cloud Functions is a serverless compute service that allows you to run code in response to events. It is designed to help you achieve high availability and scalability. Cloud Functions is a serverless compute service that allows you to run code in response to events. It is designed to help you achieve high availability and scalability. Cloud Functions is a serverless compute service that allows you to run code in response to events. It is designed to help you achieve high availability and scalability.

Which GCP service is designed to help you achieve high availability and scalability?

- A. Cloud Functions is a serverless compute service that allows you to run code in response to events.
- B. Cloud Key Management Service is a service that allows you to manage your cryptographic keys and their lifecycle.
- C. Cloud Key Management Service is a service that allows you to manage your cryptographic keys and their lifecycle.
- D. Cloud Key Management Service is a service that allows you to manage your cryptographic keys and their lifecycle.

- A.
- B.
- C.
- D.

Answer: [\(SHOW ANSWER\)](#)

<https://cloud.google.com/resource-manager/docs/access-control-org>

NEW QUESTION: 71

□□□□ □ □□ □□ □□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□□□□
 GCP□ □□□□ □□□□. □□□ □□ 50Gbps□ □□□□□ □□□□ □□□□ □□□.
 □□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□?

- A.
- B. VPN
- C.
- D.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 72

□□□□ □ □□□□□□□□ □□□ 2□□ □□ □□ VPC 1□□ □□□ □□ GCP □□
 □ □□□ □□□□□ □□□□□ □□□□ □□□. □□□ □□□□ □□□.
 □□ □□ □□□ □□□□□.

□□□□□ □□□□ □□□□ □□□ API □□□□□□□ □□ Google Cloud API□ □□ □
 □□□ □□□□□□.

- A. 1. □□□□□ □□□ Google Cloud □□ □□□□ □□□ □□□ □□□□□.
- 2. □ VPC □□□□ □□ □□□□ □□□□ □□□□□.
- B. 1. □□□□□ □□□ Google Cloud □□ Dedicated Interconnect □□□ □□□□□.
- 2. □□□□□ DNS □□□□ □□□.googleapis.com □□□□ □□□□ □□□ □□□□
 □□□□□.
- C. 1. □□□□□ □□□ Google Cloud □□ Cloud VPN □□□ □□□□□.
- 2. □□□□□ DNS □□□□ □□□ googleapis.com □□□□ □□□□ □□□ □□□□
 □□□□□.
- D. 1. □□□□□ □□□ Google Cloud □□ Partner Interconnect □□□ □□□□□.
- 2. □□□□□ DNS □□□□ private.googleapis.com □□□□ □□□□ □□□ □□□□
 □□□□□.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 73

NEW QUESTION: 76

Which of the following is a valid VPC configuration for a GCP project?
 A. A VPC network with a single subnet in a single region.
 B. A VPC network with multiple subnets in multiple regions.
 C. A VPC network with a single subnet in multiple regions.
 D. A VPC network with multiple subnets in a single region.

What is the correct answer?

- A. A VPC network with a single subnet in a single region. This is the correct answer. VPC networks can be configured with a single subnet in a single region.
- B. A VPC network with multiple subnets in multiple regions. This is incorrect. VPC networks can be configured with multiple subnets in multiple regions.
- C. A VPC network with a single subnet in multiple regions. This is incorrect. VPC networks can be configured with a single subnet in multiple regions.
- D. "A VPC network with multiple subnets in a single region." This is incorrect. VPC networks can be configured with multiple subnets in a single region.

Answer: D (LEAVE A REPLY)

Professional-Cloud-Security-Engineer [redacted] DumpTop [redacted] [redacted] Professional-Cloud-Security-Engineer [redacted]! DumpTop [redacted] [redacted] **Professional-Cloud-Security-Engineer** [redacted] [redacted], DumpTop Professional-Cloud-Security-Engineer [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]. [redacted] [redacted] [redacted] [redacted] DumpTop Professional-Cloud-Security-Engineer [redacted] [redacted]. <https://www.dumptop.com/Google/Professional-Cloud-Security-Engineer-dump.html> (320 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

Which of the following is a valid VPC configuration for a GCP project?
 A. A VPC network with a single subnet in a single region.
 B. A VPC network with multiple subnets in multiple regions.
 C. A VPC network with a single subnet in multiple regions.
 D. Stackdriver Monitoring [redacted] [redacted] [redacted].

What is the correct answer?

- A. A VPC network with a single subnet in a single region.
- B. A VPC network with multiple subnets in multiple regions.
- C. A VPC network with a single subnet in multiple regions.
- D. Stackdriver Monitoring [redacted] [redacted] [redacted].

Answer: (SHOW ANSWER)

NEW QUESTION: 78

□□□□ □ □□□□□ □□□□□□. □ □ □□□□□□(□) □□□ □□ □□□ □□□
VPC□ Compute Engine□□ □□□□□. □□□ □□ □□ □□□ □□□□ □□ □□□
□ □□ □□□□ □□□ □□□ □□□□□.
□ □□□ □ □□ □□ □□□ □□□□□□.
□ □ □ □□□ □□ □□□ □ □□□ □□□□ □□□ □□□□□□.
Compute Engine □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□.
□□□ □□□□□□□□□?

- A. 1. □□□ □□□□ □□□ □□ □□ □□ □ □ □ □□□ □□□□□□.
- 2. □□ □□□□ □□□ □□/□□□ □□□□ VPC □□□ □□ □□□ □□□□□□.
- B. 1. □□ □□□ □□□□ □□□ □□□□ □□□□ □□□□ □ □ □ □□□ □□ □□
□□□.
- 2. □□ □□□ □□□□ □□/□□□ □□□□ VPC □□□ □□ □□□ □□□□□□.
- C. 1. □□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□ □ □ □ □□□ □□ □
□□□□.
- 2. □□ □□□□ □□□ □□/□□□ □□□□ VPC □□□ □□ □□□ □□□□□□.
- D. 1. □□ □□ □□ □ □ □ □□□ □□ □□□ □□□□ □□□□□□.
- 2. □□ □□□ □□□□ □□/□□□ □□□□ VPC □□□ □□ □□□ □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 79

□□ □□□ □□□ □□□□ □□□ Compute Engine □□ □□ □□□□□□ □□□
Cloud Storage □□□□□ □□□ □□□ □□□□□□. □□□□□ □□□ □□□ □□□ □
□□□ □□□□□□ □□□ □□□□□□□□□. □□□ □□□□□ □□ □□□ □ □□ □□
□□□□□ □□□□□ □□□□.□□□ □□□□□□□□□?

- A. □□□ □□□ □□□ □□□ □□□□ □ □□□ □□□ □□□□□□.
- B. □□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□□□.
- C. Cloud Storage □□□□ □□□□□ □□□ □□□□□□□□.
- D. □□ □□ □□□ □□□ □□□ □□□□□□ □□ □□ □□□ □□□□□□□ □□□
□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 80

□□□ □□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□□. □□□ □□□□ □
□ □ □□ □□□ □□□□□□? (2□□ □□□□□□.)

- A. □□ □□□
- B. □□ □□□

Cloud Compute Engine VM instances are created in a zone. Which of the following is true?

VM instances are created in a region. (Region 1000) VM instances are created in a region.

Cloud Compute Engine VM instances are created in a region. VM instances are created in a region.

Which of the following is true?

A. VM instances are created in a region. VM instances are created in a region. VM instances are created in a region.

B. VM instances are created in a region. VM instances are created in a region. VM instances are created in a region.

C. VM instances are created in a region. VM instances are created in a region. VM instances are created in a region.

D. VM instances are created in a region. VM instances are created in a region. VM instances are created in a region.

Answer: (SHOW ANSWER)

NEW QUESTION: 84

Which of the following is true? IP addresses are assigned to Linux VM instances in a VPC. (SRE) VM instances are created in a VPC. VM instances are created in a VPC. VM instances are created in a VPC.

A. VM instances are created in a VPC. VM instances are created in a VPC.

B. VM instances are created in a VPC. VM instances are created in a VPC.

C. VM instances are created in a VPC. VM instances are created in a VPC.

D. VM instances are created in a VPC. VM instances are created in a VPC.

Answer: (SHOW ANSWER)

NEW QUESTION: 85

Cloud Data Loss Prevention (DLP) API is used to scan data in Cloud Storage and BigQuery. DLP API is used to scan data in Cloud Storage and BigQuery. DLP API is used to scan data in Cloud Storage and BigQuery. DLP API is used to scan data in Cloud Storage and BigQuery.

A. DLP API is used to scan data in Cloud Storage and BigQuery. DLP API is used to scan data in Cloud Storage and BigQuery.

B. DLP API is used to scan data in Cloud Storage and BigQuery. DLP API is used to scan data in Cloud Storage and BigQuery.

C. DLP API is used to scan data in Cloud Storage and BigQuery. DLP API is used to scan data in Cloud Storage and BigQuery.

D. DLP API is used to scan data in Cloud Storage and BigQuery. DLP API is used to scan data in Cloud Storage and BigQuery.

Cloud Data Loss Prevention API buckets. Which bucket is used to store data that is not yet classified? Cloud Data Loss Prevention API buckets are used to store data that is not yet classified.

- A. bucket
- B. bucket
- C. CryptoHashConfig
- D. CryptoReplaceFfxFpeConfig

Answer: A (LEAVE A REPLY)

https://cloud.google.com/dlp/docs/concepts-bucketing

NEW QUESTION: 89

Compute Engine instances. Which port is used for HTTPS traffic? Compute Engine instances use port 587 for HTTPS traffic.

- A. port 587
- B. HTTP(S) port 80
- C. TCP port 80
- D. SSL port 443

Answer: D (LEAVE A REPLY)

https://cloud.google.com/load-balancing/docs/ssl/

NEW QUESTION: 90

App Engine instances. Which tool is used to scan for vulnerabilities? App Engine instances use OWASP(Open Web Application Security Project) scanner to scan for vulnerabilities.

- A. scanner
- B. Google Cloud scanner
- C. scanner
- D. scanner

Answer: C (LEAVE A REPLY)

https://cloud.google.com/security-scanner/

NEW QUESTION: 91

Cloud Storage buckets. Which bucket is used to store data that is not yet classified? Cloud Storage buckets are used to store data that is not yet classified.

NEW QUESTION: 98

Which of the following is a security service provided by Google Cloud Platform?

- A. Cloud Data Loss Prevention API
- B. SCM
- C. Cloud Source Repositories
- D. CMEK

Answer: (SHOW ANSWER)

NEW QUESTION: 99

Which of the following is a security service provided by Google Cloud Platform?

- A. Cloud Data Loss Prevention API
- B. VPC
- C. Cloud Source Repositories
- D. VPC

Answer: C (LEAVE A REPLY)

NEW QUESTION: 100

Which of the following is a security service provided by Google Cloud Platform?

- A. Cloud Data Loss Prevention API
- B. VPC
- C. SSL
- D. NAT

Answer: A (LEAVE A REPLY)

URL: https://cloud.google.com/armor/docs/security-policy-concepts

NEW QUESTION: 101

Which Google Cloud Platform service can you use to route traffic to a fleet of VM instances across multiple regions?

Which service can you use to route traffic to a fleet of VM instances across multiple regions?

A. TCP Proxy can route traffic to a fleet of VM instances across multiple regions.

B. Cloud Load Balancing can route traffic to a fleet of VM instances across multiple regions.

C. HTTP(S) Proxy can route traffic to a fleet of VM instances across multiple regions.

D. Cloud CDN can route traffic to a fleet of VM instances across multiple regions.

Answer: (SHOW ANSWER)

<https://cloud.google.com/load-balancing/docs/tcp>

NEW QUESTION: 102

Which VPC firewall rule can you use to allow traffic to a fleet of VM instances across multiple regions? (2 correct answers.)

A. Allow traffic to a fleet of VM instances across multiple regions.

B. Allow traffic to a fleet of VM instances across multiple regions.

C. Allow traffic to a fleet of VM instances across multiple regions.

D. Allow traffic to a fleet of VM instances across multiple regions.

E. Allow traffic to a fleet of VM instances across multiple regions.

Answer: A,B (LEAVE A REPLY)

Answer:

<https://cloud.google.com/vpc/docs/firewalls>

NEW QUESTION: 103

Which Google Cloud Platform service can you use to manage the lifecycle of containers in a Google Kubernetes Engine (GKE) cluster?

Which service can you use to manage the lifecycle of containers in a GKE cluster?

A. Container Registry can manage the lifecycle of containers in a GKE cluster.

B. Cloud Build can manage the lifecycle of containers in a GKE cluster.

C. Cloud Storage can manage the lifecycle of containers in a GKE cluster.

D. Puppet or Chef can manage the lifecycle of containers in a GKE cluster.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 104

Which of the following is a valid URL for a GCP service?
 A. https://cloud.google.com/armor/docs/security-policy-concepts
 B. https://cloud.google.com/armor/docs/security-policy-concepts
 C. https://cloud.google.com/armor/docs/security-policy-concepts
 D. https://cloud.google.com/armor/docs/security-policy-concepts

- A. https://cloud.google.com/armor/docs/security-policy-concepts
- B. https://cloud.google.com/armor/docs/security-policy-concepts
- C. SSL certificate
- D. NAT

Answer: A (LEAVE A REPLY)

0/0

0/0: <https://cloud.google.com/armor/docs/security-policy-concepts>

NEW QUESTION: 105

Which of the following is a valid URL for a GCP service?
 A. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys
 B. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys
 C. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys
 D. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys

- A. Cloud Storage
- B. gsutil
- C. Google Cloud Platform
- D. gsutil

Answer: (SHOW ANSWER)

0/0: <https://cloud.google.com/storage/docs/encryption/customer-supplied-keys>

NEW QUESTION: 106

Which of the following is a valid URL for a GCP service?
 A. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys
 B. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys
 C. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys
 D. https://cloud.google.com/storage/docs/encryption/customer-supplied-keys

Which of the following is a valid URL for a GCP service?

- A. Cloud VPN
- B. Cloud Interconnect
- C. Cloud Interconnect
- D. Cloud VPN

Answer: B (LEAVE A REPLY)

□□:

https://cloud.google.com/solutions/migration-to-google-cloud-building-your-foundation

Professional-Cloud-Security-Engineer □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ Professional-Cloud-Security-Engineer □□! DumpTop □ □□

Professional-Cloud-Security-Engineer □□ □□□ □□□□□□, DumpTop Professional-Cloud-Security-Engineer □□ □□□ □□□□□□□□ □□□ □□□□ □□□. □□□□ □□□ □□□□ □□ DumpTop Professional-Cloud-Security-Engineer □□□ □□□□□. <https://www.dumptop.com/Google/Professional-Cloud-Security-Engineer-dump.html> (320 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 107

VPC □□□□□ □□□ □ □□ □□□ □□□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□□□□ □□□ □□□□ □□
- B. □□ □□□□ □□□ □□□□ □□
- C. □□ □□□□ □□ 25 □□□ □□□□ □□
- D. □□ □□□□ □□ 80 □□□ □□□□ □□
- E. □□ □□□□□ □□□ □□□□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 108

□□□□ Cloud ID□ Microsoft Active Directory □□ □□□ □ SAML □□□□□□ □□□ □□□. Google Cloud □□□ □□□ □□□ □□□ □□□□□ □□□. □□□ □□□□□□ □□□?

- A. □□□ □□□□ □□□□ □□□□ ID □□□□ □□□ □□□ Google □□ □□□□ □□ □□ □□ □□□ □□ □□ □□□ 2□□ □□□ □□□□□.
- B. □□□ □□□□ □□□□ Active Directory □□□ □□□□ □□□ □□□ Google □□ □□□□ □□ □□ □□ SSO(□□ □□□) 2□□ □□□ □□□□□.
- C. □□□ □□□□ □□□□ □□□□ ID □□□□ □□□ □□□ Google □□ □□□□ □□ □□ 2□□ □□□ □□□□□.
- D. □□□ □□□□ □□□□ Active Directory □□□ □□□□ □□□ □□□ Google □□ □□□□ □□ □□ □□ □□□ □□ □□ □□□ □□□□ □□ SSO(□□ □□□) 2□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

PCI □□ □□□ □□ GCP□ □□□□□ □□□. Google□ □□□ □□ □□□ □□□□ □□□.

Which Google Cloud Platform service is used for PCI DSS compliance?

- A. Google Cloud Platform: Cloud Storage
- B. PCI DSS: Cloud Storage
- C. PCI SSC: Cloud Storage
- D. Compute Engine: Cloud Storage

Answer: (SHOW ANSWER)

URL: <https://cloud.google.com/solutions/pci-dss-compliance-in-gcp>

NEW QUESTION: 110

Cloud Data Loss Prevention (DLP) API is used to scan data in Google Cloud Storage, BigQuery, and other services. Which parameter is used to specify the maximum number of rows to scan in a BigQuery table?

- A. rowsLimit
- B. bytesLimitPerFile
- C. rowsLimit
- D. TimespanConfig

Answer: C (LEAVE A REPLY)

NEW QUESTION: 111

Google Cloud Identity and Access Management (IAM) is used to manage access to Google Cloud resources. Which service is used to manage user identities and authentication in Google Cloud?

- A. 1. LDAP
- B. 1. LDAP
- C. 1. LDAP

- 2. GCDS
- 2. GCDS
- 2. GCDS

D. 1. LDAP □□ □□ □ □□ □□□□ □□□ Cloud ID □□□□ □□□□□ LDAP □□ □□□ □□□□□.

2. □□□□ GCDS □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 112

□□□ Compute Engine□□ □□□□□ ERP □□□□ □□ Cloud IAP(Identity-Aware Proxy)□ □□□□□. □□ □□ ERP □□□□ Cloud IAP(Identity-Aware Proxy)□ □□□ □ □□□□□ □□ □□□ □□□□□ □□□.

□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□□?

A. ERP □□□□ HTTP □□□□ □□□□ □□ □□□ □□□ □□□ □ □□□ □□□□ □□.

B. ERP □□□□ HTTP □□□ ID □□□ □□□ □ □□□ □□□□□□.

C. ERP □□□□ HTTP □□□□ x-forwarded-for □□□ □□□□ □□□ □ □□□ □□ □□□.

D. ERP □□□□ HTTP □□□□ JWT □□□ □□□ □ □□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 113

□□□□□□ □□□ A□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□□ VPC□ □□□ B□ □□ mysql Compute Engine □□ □□(VM)□ □□□□ □□□□□□□ □□ □□. □□□ A□ □□□ B□□ □□ □□ Compute Engine VM□ □□□□. □□□□□□ □□□□□□ □□□ □□ □□□□□□□□ mysql □□□□□□ □□ □□□□ □□□□□□ □ □□□□ □□□□.

3306.

□□□ □□□□□□□□□?

A. □□□ A□ □□ □□□□□ □□□ □□□□ □□ "fe-tag"□ □□□□ □□□ B□ □□ □□□□□ □□□ □□□□ □□ "data-tag"□ □□□□□. □□ □□ □□□ □□□□ □ □□□ □□□ □□□□□□. data-tag□ □□□ □□□ Compute Engine VM□□ fe-tag□ □□□ □□□ □□ Compute Engine VM□□.

B. □□ 3306□□ □□□□□□ □□□ □□□ □□□□ mysql Compute Engine VM□ □ □□ □□□ □□□□□ □□□ □□□□ □□ □□□ □□□□□.

C. □□□ A□ □□ □□□□□ □□□ □□□□ □□ "fe-tag"□ □□□ B□ □□ □□□□ □ □□□ □□□□ □□ "data-tag"□ □□□□□. □□ □□ □□□ □□□□ □□ □□□ □□□□□□. fe-tag□ □□□ □□□ Compute Engine VM□□ data-tag□ □□□ □ □□ □□ Compute Engine VM□□.

D. □□□ A□ src IP □□□□ □□ 3306□ mysql Compute Engine VM□ □□□□ "data-tag" □□□□ □□□ □□□□ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

DevOps Google Kubernetes Engine(GKE)
 .

DevOps ?

- A. Puppet Chef
- B. Google GKE
- C.
- D. Container Registry

Answer: B (LEAVE A REPLY)

: <https://cloud.google.com/kubernetes-engine/docs/security-bulletins>

NEW QUESTION: 115

Compute Engine 3
 ?

- A. VM
- B.
- C. SA(SA)
- D.

Answer: (SHOW ANSWER)

Professional-Cloud-Security-Engineer DumpTop
 Professional-Cloud-Security-Engineer ! DumpTop
 Professional-Cloud-Security-Engineer, DumpTop
 Professional-Cloud-Security-Engineer
 . DumpTop Professional-Cloud-Security-Engineer
 . <https://www.dumptop.com/Google/Professional-Cloud-Security-Engineer-dump.html> (320 Q&As Dumps, **30%OFF Special Discount: KrDump**)