


HP.HPE0-V14.v2023-11-07.q135


□□□□:	HPE0-V14
□□□□:	Building HPE Hybrid IT Solutions
□□□:	HP
□□ □□ □□□:	135
□□:	v2023-11-07
# □□ □:	802
# □□ □□□:	1350
https://www.krdump.com/HP.HPE0-V14.v2023-11-07.q135.html	

NEW QUESTION: 1

□□□ □□□ □ □□ □□ □□ iLO5 □□□□□ □□□□□□.



Answer:




NEW QUESTION: 2

□□□ □□□□□□ □□□□□□ □□□□ □□□ □□□□□ □□□ □□□□ □□□?

- A. □□□
- B. VSAN

Answer Area


DAS		Allows access to volumes over FCP and iSCSI protocols
NAS		Ability to share file-based storage across an Ethernet network
Storage Array		Allows shared block level access over a network
		JBOD storage connected to one server using SAS



Answer:

Answer Area

DAS	Storage Array	Allows access to volumes over FCP and iSCSI protocols
NAS	NAS	Ability to share file-based storage across an Ethernet network
Storage Array	Storage Array	Allows shared block level access over a network
	DAS	JBOD storage connected to one server using SAS



□□:

<https://www.excitingip.com/1358/jbod-just-a-bunch-of-disks/> <https://www.enterprisestorageforum.com/storage-networking/nas-vs.-san-differences-and-use-cases.html>


NEW QUESTION: 5

You need to review a warning on a Nimble storage array.

Click on the menu option that displays this information.



Answer:



Reference:

https://infosight.hpe.com/InfoSight/media/cms/active/public/pubs_GUI_Administration_Guide_NOS_50x.whz/axc1501525262696.html

NEW QUESTION: 6

□□□ IP □□□□□ □□□ □□□ □□□□ □□ □□□□ □□□□□□□□ □□□□.
 □□□□ □□□□ □□ □□□ □□□ □□□ □□□□□? (3□□ □□□□□.)

- A. □ □□ □□
- B. □□ □□□
- C. □□□ □□ □□
- D. LLDP □□
- E. MLAG □□
- F. □□ □□□

Answer: A,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 7

□ □□ □□□ □□ □□□ □□ □□ □□□□ □□ □□ □□□□□□□□ □□□ □□□□□.

Answer Area

		HPE 3PAR SSMC
ManagingMonitoring a Single System		HPE OneView Global Dashboard
Managing/Monitoring Multiple Systems		HPE Intelligent Provisioning
		HPE Smart Storage Administrator

Answer:

	ManagingMonitoring a Single System	HPE 3PAR SSMC
ManagingMonitoring a Single System	Managing/Monitoring Multiple Systems	HPE OneView Global Dashboard
Managing/Monitoring Multiple Systems	ManagingMonitoring a Single System	HPE Intelligent Provisioning
	Managing/Monitoring Multiple Systems	HPE Smart Storage Administrator


□□

ANSWER AREA


	ManagingMonitoring a Single System	HPE 3PAR SSMC
ManagingMonitoring a Single System	Managing/Monitoring Multiple Systems	HPE OneView Global Dashboard
Managing/Monitoring Multiple Systems	ManagingMonitoring a Single System	HPE Intelligent Provisioning
	Managing/Monitoring Multiple Systems	HPE Smart Storage Administrator

NEW QUESTION: 8


Match each customer data center architecture to its network topology.



Answer:



Explanation



NEW QUESTION: 9

□□ □□□ 45C(113F) □ □□□ HPE ProLiant DL360 Gen10 □ □□□ □□□□□.

□□ □□ □□□ □□□□□?

A. M.2 □□□ □□□□ □□□□□□ □□

B. Gen10 □□ □□

C. □□□ □ □□

D. 500W □□□ □□ □□□□ PS □□

Answer: **C (LEAVE A REPLY)**

NEW QUESTION: 10

□□□□ □□□ □□ □□□ □□□□. □□□ □□□□□□□□ □ □□ □□□ □□□□ □□ □□□ □□ HPE □□□ □□□□□□□.

□□□ □□□ □□ □□ □□□ □□□ □ □□□ □□□□ HPE □□□ □□□□□□?

A. □□□□ □□□□□□

B. □□□□ □□□

C. □□□ □□ □□□

D. □□□□ □□ □□□□□

Answer: **(SHOW ANSWER)**

NEW QUESTION: 11

□□□ □□ □□ □□ □□□ □□□□□ □□ □□ □□□ □□□ □□ □□□□ □□□□ □□□ □□□□□?

A. □□□ □□□□ □□□

B. □□□□□□

C. □□□ □□□□□

D. □□ □□ □□

Answer: **A (LEAVE A REPLY)**

NEW QUESTION: 12

□□□ □□□ □□ □□ □□□ □□□□.

* 2□ □□□ 10Gb SFP+ □□□

* CAT6a □□ CAT7 □□□□ □□ 1Gb □□ 10Gb □□□ □□□ □□□□ □□.

* 24□□ □□□□ □□

□□ □□ □□□ □□□□ HPE □□□□ □□□□ □□□□ □ □□□ □□ HPE □□□ □□□□□?

A. HPE NinjaSTARS

B. HPE □□□ □□□

C. HPE SAF

D. HPE SPOCK

Answer: B (LEAVE A REPLY)

NEW QUESTION: 13

□□□ □□ □□ □□□□ □□□□□□.

```
<Switch-A>display int Ten-GigabitEthernet 1/0/1 Ten-GigabitEthernet1/0/1 □□ □□: UP □□ □□□□ □□: UP IP □□ □□□ □□: □□  
□ II, □□□□ □□: d894-03fb-793d □□: Ten -GigabitEthernet1/0/1 □□□□□ □□□: 10000000kbps □□□□ □□□□ □□ □□□ □  
□□ □□ □□□, □□ □□□□ □□□ STACK SFP_PLUS 10Gbps □□ □□, □□□ □□ □□ □□ □□□ □□ □□, □□ □□ □□□  
□□ □□ □□ □□ □□ □□□ □□: 10000 □□ □□□ □□ □□ □□□□□□ □□ □□: 100% □□□□□ □□ □□: 100% □□□□  
□ □□ □□: 100% PVID: 1 MDI □□: Automdix □□ □□ □□: □□□ VLAN □□: 10 VLAN □□: 10 □□□ □□ □□□: IEEE 802.1q □  
□ □□ □□: 0 <SNIP>
```

An administrator connected a hypervisor to interface Ten-Gigabit Ethernet1/0/1 in a switch. The administrator created virtual machines in VLAN 10 and 20 on the hypervisor. These VLANs are configured to be tagged on the hypervisor.

The administrator found that all the virtual machines within VLAN 20 can communicate with each other, but not to any resource on VLAN 20 outside the hypervisor.

What must you do to resolve this issue?

A. Configure the interface as an IRF port.

B. Configure the interface as an access port.

C. Configure the PVID of the interface to be VLAN 20.

D. Permit VLAN 20 on the interface.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 14

□□□ SAN□ □□□□ □□□□.

□□□□□ □□ □□□□□ □□□ □□□ □□□ □□□□□? (□ □□□ □□□□□.)

A. □□□ □□□□□□

B. Windows 2016 □□ □□ □□

C. Enterprise Vault □□□ □□□□

D. □□□□□□□ □□□□□

E. □□□ □□□□ □□□□

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 15

□□□ HPE FlexFabric 5940 □□□ □□□□ □□□□ □□□ □□□□□□ □□□□ □□□□.
□ □□□ □□□ □□ □□ □□□ □□□□□□□□.

Answer Area

<input type="text"/>	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
<input type="text"/>	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

Answer:

Answer Area

<input type="text" value="Back to front"/>	<input type="text" value="Back to front"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text" value="Front to back"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Front to back"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Back to front"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

□□

Answer Area

<input type="text" value="Back to front"/>	<input type="text" value="Back to front"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text" value="Front to back"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Front to back"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Back to front"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

NEW QUESTION: 16

□□ □□□□ □□ □□□□ □□□□.

□□ □□ □□ □□□ □□□ □□□ □ □□□□?

A. □□ □□ □ □□ □□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□□.

B. □□ □□□□ □□□□ □□ □□□ □□ □□□ PDU(Power Distribution Unit) 2□□ □□□□□.

C. UPS(□□□□ □□ □□ □□)□ □□ □□□ □□ □□ □□□□ □□□□□.

D. □□□ □□□□ 3□ □□□ □□□ □ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

HPE0-V14 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE0-V14 □□! DumpTop □ □□ **HPE0-V14** □□ □□□ □ □□□□□, DumpTop HPE0-V14 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE0-V14 □□□ □□□□□. <https://www.dumptop.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17

HPE Nimble HF20□ □□□ □□ □□ □□□□ □□□□.

□□□□ □□ □□□ □□□□ □□□?

A. HPE Nimble □□□□□ □□□□ □□□□□ □□ □□□ □□□□.

B. HPE□ □ □□□ HPE Nimble □□□□ □□□ □□ □□□□□.

C. HPE Nimble □□□□□ 3□ □□□ □□□□□.

D. HPE□ □□□ 1200mm□ □□ □□□□□.

Answer: D (LEAVE A REPLY)

□□:

<https://h20195.www2.hpe.com/v2/GetPDF.aspx/a00008274enw.pdf>

NEW QUESTION: 18

□□□ □□□ □□□ □□□ MSA □□□□ □□□□ □□□□□.

□. □□□□ □□ □□ □□□□□ □□□□ □□□.

□□ □□□□ □□□ □□□ □□ □□□ □□□□□?

A. □□ □□□□ SSD

B. SATA □□□□

C. □□□ SSD

D. SAS □□□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

□□□(LR) □□□□□ □□□□ □ □□ □□□□ □□□ □ □□□ □□□ □□□ □□□ □□□□□?

A. □□ □□ □□□(DAC)

B. □□□

Which of the following are included with the HPE ProLiant DL380 Gen10 server? (2 correct answers.)

- A. Chassis Intrusion detection
- B. Certified TPM 2.0
- C. Silicon Root of Trust
- D. Digitally signed firmware
- E. HPE iLO 5

Answer: (SHOW ANSWER)

NEW QUESTION: 22

Which of the following are included with the HPE ProLiant DL380 Gen10 server? (2 correct answers.)

	Answer Area
<input type="checkbox"/> Included with the server	<input type="checkbox"/> Chassis Intrusion detection
<input type="checkbox"/> Needs to be ordered separately	<input type="checkbox"/> Certified TPM 2.0
<input type="checkbox"/>	<input type="checkbox"/> Silicon Root of Trust
<input type="checkbox"/>	<input type="checkbox"/> Digitally signed firmware

Answer:


	Answer Area
<input checked="" type="checkbox"/> Included with the server	<input type="checkbox"/> Needs to be ordered separately
<input checked="" type="checkbox"/> Needs to be ordered separately	<input type="checkbox"/> Needs to be ordered separately
<input type="checkbox"/>	<input type="checkbox"/> Included with the server
<input type="checkbox"/>	<input type="checkbox"/> Included with the server

NEW QUESTION: 23

□□ □□ □□ □□□ □□ □□□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□□.



Answer:



SAN □□□
□□□ □□□□□
□□□ □□□□
□□□ □□

NEW QUESTION: 24

□□□ HPE Nimble HF40 □□□□□ □□ □□ □□□□ 80% □□□ □□□□ □□□□. □□□□ Nimble □□□□ □□□□ □□□□ □□□□ □□□□□. □□□ □□□□ □□□□?

- A. □□□ □□ □□□□ □□ □□□ □□□.
- B. SSD □□□ □□□□□□□□ □□□ □□□□□□□.
- C. InfoSight □ AI □□ □□ □□□ □□ □□□□
- D. □□□ □□ □□□□ □□ □□□ □□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 25

□□□ □□□ □□□ □□ □□ SAN □□□ □□ □□□□ □□□. □□□ □ 8□□ 16Gbps FC □□□□ □□□ 18□□ 8Gbps FC □□□ □□□ □□□□□□.

□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□□□□□?

- A. HPE 8/24 SAN 16 16
- B. HPE StoreFabric SN6010C 48
- C. HPE StoreFabric SN6010C 12
- D. HPE 8/24 SAN 16

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 26

Which HPE storage solution is designed for high performance and low latency in a multi-tier architecture?

- A. HPE StoreEasy
- B. HPE StoreOnce
- C. HPE SimpliVity
- D. HPE Apollo

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 27

Which HPE iLO feature allows you to manage multiple servers from a single console?

- A. iLO Direct Connect
- B. iLO Insight
- C. iLO Insight
- D. iLO Direct Connect

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 28

Which HPE storage solution is designed for high performance and low latency in a multi-tier architecture?

- A. HPE AF1000
- B. HPE CS1000
- C. HPE AF5000
- D. HPE SFA

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 29

Which HPE storage solution is designed for high performance and low latency in a multi-tier architecture?

- A. VTL
- B. S3
- C. NVMe
- D. S3
- E. iSCSI

Answer: [A,B \(LEAVE A REPLY\)](#)

□□: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-c03824941

NEW QUESTION: 30

□ □□□□ □□ □□□ □□□□□□.

Answer Area	
Adapter	Characteristic
FlexLOM	provide RAID configuration using disks internal to the server
FlexFabric	allow choice of network interface on the motherboard
Smart Array	connect to native Fibre Channel SAN with a PCIe adapter
HBA	connect to a Fibre Channel over Ethernet (FCoE) SAN environment with a PCIe adapter

Answer:

Answer Area

Adapter	Characteristic
FlexLOM	Smart Array provide RAID configuration using disks internal to the server
FlexFabric	FlexLOM allow choice of network interface on the motherboard
Smart Array	HBA connect to native Fibre Channel SAN with a PCIe adapter
HBA	FlexFabric connect to a Fibre Channel over Ethernet (FCoE) SAN environment with a PCIe adapter

NEW QUESTION: 31

□ □□ □□□ □□ □□□ □□ □□□□ □□□□□□. □□ 100TB □□□ MSA □□□□ □□□□ □□□□□□. □□□ □□ □ □□ □□ □□□□ □□□□.

□□□□ □□□ □□, □ □□ □□ □□, BOM □□□ □□□ □□ HPE □□□ □□□□□?

- A. HPE SPOCK
- B. HPE NinjaSTARS
- C. HPE □□□□ □□ □□ □□
- D. HPE One □□ □□

Answer: (SHOW ANSWER)

□□/□□: <https://h20195.www2.hp.com/v2/getpdf.aspx/A00015961ENW.pdf?>

HPE0-V14 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE0-V14 □□! DumpTop □ □□ **HPE0-V14** □□ □□□ □ □□□□□, DumpTop HPE0-V14 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE0-V14 □□□ □□□□□. <https://www.dumptop.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

□□□ □□□□□, □□□□ □ □□□ □□ □□ □□□□□ □□□□ IT □□□ □□□ □□□□ □□□ □□□. □□ □□□□ □□□ □□□ □□□□□□?


- A. HPE SimpliVity
- B. HPE StoreOnce
- C. HPE Apollo □□
- D. HPE StoreEasy

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 33

□□□ □□□□□ □□□□ □□□□□ □□□ □□□□ □□□□□□.

Answer Area



Answer:



-
-
- 1-FC
- 2-FC
- 3-TCP/IP

NEW QUESTION: 34

□□□ □□□□□□ □□□□□□ □□□□ □□□ □□□ □□ □□ □□□□ □□□□ □□□□□.

□□□ HPE Nimble □□□□ □□□□ □□□□.


HPE 3PAR □ □□□ □□□□□ HPE Nimble AF40□ □□□□ □ □□□ □□□□□?

- A. □□ □□□ □□ Infosight□□ □□
- B. □□□ □□□ □□□□□ □□ □□□ □□ □□□
- C. 10Gb iSCSI □□
- D. □□□ □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 35

□□□□ □□□□□□.



Server model - HPE ProLiant DL380 Gen10

Storage model - HPE MSA 2040

NEW QUESTION: 37

□□□□ □□□ □□ □□□ □□□□. □□□ □□□□□□□ □ □□ □□□ □□□□ □□ □□□ □□ HPE □□□ □□□□□□. □□□ □□□ □□ □□ □□□ □□□ □ □□□ □□□□ HPE □□□ □□□□□?

- A. □□□ □□ □□□
- B. □□□□ □□ □□□□□
- C. □□□□ □□□
- D. □□□□ □□□□□□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 38

□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□□ □□□□□. □□ DRAM□ □□□ □□ □□ □ □□□, □□□ □ □□□□ □□□ □□ □□ □□ HPE □□□ □□□ □□□ □□□ □□□□□?

- A. □□ □□□
- B. □□ □□ DIMM
- C. □□ □□□□ □□□
- D. □□□ □□□

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 39

□ ProLiant □□□□ □□□□ □□ □□□ □□

ProLiant Solution	Use Case
HPE ProLiant MicroServer Gen10	Dense, racked, multi-server deployments; scales up to handle enterprise workloads
HPE ProLiant ML30 Gen10 Server	Non-racked environments; able to scale large enough to handle enterprise workloads
HPE ProLiant ML350 Gen10 Server	Non-racked environments; limited scale and expandability; single processor; dual power supply
HPE ProLiant DL380 Gen10 Server	Small form factor; optimized for small or home office; quiet operational noise level; low cost

Answer:

ProLiant Solution	Use Case
HPE ProLiant MicroServer Gen10	Dense, racked, multi-server deployments; scales up to handle enterprise workloads
HPE ProLiant ML30 Gen10 Server	Non-racked environments; able to scale large enough to handle enterprise workloads
HPE ProLiant ML350 Gen10 Server	Non-racked environments; limited scale and expandability; single processor; dual power supply
HPE ProLiant DL380 Gen10 Server	Small form factor; optimized for small or home office; quiet operational noise level; low cost

NEW QUESTION: 40

□□□ iSCSI □□□□ □□□□□ □□□□ HPE FlexFabric 5900 □□□ □□□□ □□□□□ Ten-GigabitEthernet 1/0/10□ □□ □□□ □ □□ □□□ □□□□ □□□.

□ □□□ □□□□ □□ CLI□□ □□□ □ □□ □□□ □□□□□?

- A. □□□□ □□□ □□ 1/0/10 □□
- B. □□□□□ □□□ □□□□ □□□□□ Ten-GigabitEthernet 1/0/10
- C. □□ 1/0/10□ □□ □□ □□
- D. □□□□□ Ten-GigabitEthernet 1/0/10 □ □□□

Answer: B (LEAVE A REPLY)

□□

https://techhub.hpe.com/eginfolib/networking/docs/switches/5950/5200-4013a_i2-lan_cr/content/504039110.htm

NEW QUESTION: 41

□□□□ □□□□□□□.

Processor Option Kits (Required Processor)

2nd Generation Intel Xeon-Platinum

HPE DL380 Gen10 Intel Xeon-Platinum 8280M (2.7GHz/28-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8280L (2.7GHz/28-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8276M (2.2GHz/28-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8276L (2.2GHz/28-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260Y (2.4GHz/24-20-16-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260M (2.4GHz/24-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260L (2.4GHz/24-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink


HPE DL380 Gen10 Intel Xeon-Platinum 8256 (3.8GHz/4-core/105W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) FIO Processor Kit

1st Generation Intel Xeon-Platinum

HPE DL380 Gen10 Intel Xeon-Platinum 8180M (2.5GHz/28-core/205W) FIO Processor Kit



□ □□□ □□□□ □□ □□□□ □□□ □ □□ □□ □□□□ □□□□□?

- A. HPE Composer
- B. HPE Oneview □□
- C. ILO □□□ □
- D. ILO □□□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

□□□ HPE FlexFabric 5940 □□□ □□□□ □□□□ □□□ □□□□□□ □□□□ □□□□.
□ □□□ □□□ □□ □□ □□□ □□□□□□□□.

Answer Area

	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

Answer:

Answer Area		
	<input type="text" value="Back to front"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text" value="Front to back"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Front to back"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text" value="Back to front"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

HPE0-V14 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE0-V14 □□! DumpTop □ □□ **HPE0-V14** □□ □□□ □
□□□□□, DumpTop HPE0-V14 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop
HPE0-V14 □□□ □□□□□. <https://www.dumptop.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

A customer needs a new environment to support an ERP system. The sizing information you received shows the following requirements:


3 servers with dual AMD processors, 256GB RAM, and 10Gb network connectivity

10TB of high performance shared storage


Cloud-based performance monitoring and analytics

The customer prefers rack mounted equipment.

Identify the components that will meet the customer requirements, then drag the correct components on the left to their appropriate location in the environment on the right.



Answer:



NEW QUESTION: 48

Read the question, and then refer to the exhibit.

```
display int Ten-GigabitEthernet 1/0/1 Ten-GigabitEthernet1/0/1 0/0/0: UP 0/0/0/0/0: UP IP 0/0/0/0/0: 0/0/0 II, 0/0/0
0/0/0: d894-03fb-793d 0/0/0: Ten-GigabitEthernet1/0/ 1 0/0/0/0/0: 10000000kbps 0/0/0/0/0/0 0/0/0/0/0/0 0/0/0
0/0/0, 0/0/0 0/0/0/0/0 STACK SFP_PLUS 10Gbps 0/0/0/0/0, 0/0/0/0/0/0 0/0/0/0/0/0, 0/0/0/0/0/0 0/0/0
0/0/0 0/0/0/0/0 0/0/0/0/0/0 0/0/0/0/0/0: 10000 0/0/0/0/0/0 0/0/0/0/0/0/0/0/0/0 0/0/0/0/0/0/0/0/0/0: 100% 0/0/0/0/0/0/0/0/0/0: 100% 0/0/0/0/0/0/0/0/0/0: 100% PVID: 1 MDI 0/0/0:
```

Automdix Port link-type: Trunk VLAN Passing: 10 VLAN permitted: 10 Trunk port encapsulation: IEEE 802.1q Port priority: 0 <SNIP> An administrator connected a hypervisor to interface Ten-Gigabit Ethernet1/0/1 in a switch. The administrator created virtual machines in VLAN 10 and 20 on the hypervisor. These VLANs are configured to be tagged on the hypervisor. The administrator found that all the virtual machines within VLAN 20 can communicate with each other, but not to any resource on VLAN 20 outside the hypervisor.

What must you do to resolve this issue?

- A. Configure the interface as an IRF port.
- B. Configure the PVID of the interface to be VLAN 20.
- C. Configure the interface as an access port.
- D. Permit VLAN 20 on the interface.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 49


□□□□ □□ □ □□ □□ □□□□ HPE □□ □□ □□□□□□?

- A. HPE □□□ □□□□ □□□
- B. HPE InfoSight
- C. HPE □□□□ □□□
- D. HPE iLO □□


Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50


Match each customer data center architecture to its network topology.



Answer:



Explanation



NEW QUESTION: 51

Which of the following is a feature of HPE FlexFabric? (Select two.)

ArubaOS-Switch is a feature of HPE FlexFabric.

Optimized L2 Fabric using IRF/VSSX is a feature of HPE FlexFabric.

Optimized L3 Fabric using IRF/VSSX is a feature of HPE FlexFabric.

Spine and leaf L3 ECMP using VXLAN and EVPN is a feature of HPE FlexFabric?

- A. HPE IMC
- B. HPE IMC
- C. HPE OneView
- D. HPE OneView

Answer: B (LEAVE A REPLY)

NEW QUESTION: 52

Which of the following is a feature of HPE StoreOnce?

Qty	Product Description
1	HPE StoreOnce 3620 24TB System
1	HPE StoreOnce Encryption E-LTU
1	HPE 3Y Foundation Care 24x7 SVC
1	HPE StoreOnce 3620 24TB System Support

Which of the following is a feature of HPE StoreOnce? (Select two.)

VEEAM is a feature of HPE StoreOnce.

HPE StoreOnce 3620 is a feature of HPE StoreOnce.

HPE StoreOnce Encryption E-LTU is a feature of HPE StoreOnce.

HPE 3Y Foundation Care 24x7 SVC is a feature of HPE StoreOnce? (2000 is a feature of HPE StoreOnce.)

- A. HPE StoreOnce 3620 24TB System
- B. HPE StoreOnce 3620 24TB System
- C. HPE StoreOnce Gen4 16Gb SFP
- D. HPE StoreOnce Gen4 10/25Gb SFP

E. HPE D3710 □□□□ □□□□

Answer: B,D (LEAVE A REPLY)

□□: <https://www.hpe.com/uk/en/product-catalog/storage/disk-based-backup-systems/pip.specifications.hpe-storeonce-systems.1011014655.html>

NEW QUESTION: 53

□□□ iSCSI □□□□ □□□□□ □□□□ HPE FlexFabric 5900 □□□ □□□□ □□□□□ Ten-GigabitEthernet 1/0/10□ □□ □□□ □ □□ □□□ □□□□ □□□.

□ □□□ □□□□ □□ CLI□□ □□□ □ □□ □□□ □□□□□?

A. □□□□ □□□ □□ 1/0/10 □□

B. □□□□□ □□□ □□□□ □□□□□ Ten-GigabitEthernet 1/0/10

C. □□ 1/0/10□ □□ □□ □□

D. □□□□□ Ten-GigabitEthernet 1/0/10 □ □□□

Answer: (SHOW ANSWER)

https://techhub.hpe.com/eginfolib/networking/docs/switches/5950/5200-4013a_l2-lan_cr/content/504039110.htm

NEW QUESTION: 54

□□□ □□ □□ □□ □□□ □□□□□. □□□□ □□□ □□ □□ □□□ □□□□.

20□□ HPE ProLiant DL360 Gen10 □□□ □□ □□ □.

□ □□□□ 6□□ 10G SFP+ □□□ □□□□.

□ □□□□ □□ iLO □□□ □□□□.

□□□ □ □□ □□□□ □□□□□ □□□□□.

□□□□□ □□□ □□□ □□□□ □□□□□.

□□□ □□ □□□ □□□ □ □□ □□□ □□□ □□□□□?

A. □□□□ □□□□ □□ Aruba 8325 □□□ □□□ 2□

B. 2 x IRF□ □□□ HPE 5945 □□□ □□□

C. □□□ HPE 5945 □□□ □□□ 2□

D. 2 x Aruba 8325 □□□ □□□(VSX □□)

Answer: (SHOW ANSWER)

NEW QUESTION: 55

□□ □□□ □□□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□□?

A. □□ □□

B. □□

C. □ □□□□□

D. □ □□□□□

Answer: A (LEAVE A REPLY)

□□: <https://searchstorage.techtarget.com/definition/data-deduplication>

NEW QUESTION: 56

□□ □ □ □□□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□□□ □□□□□?

- A. RPVST+
- B. LACP
- C. GVRP
- D. 802.1q

Answer: B ([LEAVE A REPLY](#))

□□

[https://support.hpe.com/hpesc/public/docDisplay?docId=c03152924\(LACP](https://support.hpe.com/hpesc/public/docDisplay?docId=c03152924(LACP) □□ □□)

NEW QUESTION: 57

□□□□ □□□ □□□□ □□□ □□□□□□.

Technology	Type
<input type="text"/>	iSCSI
<input type="text"/>	CIFS
<input type="text"/>	SAN
<input type="text"/>	NFS

Answer:

Technology	Type
Block	iSCSI
File	CIFS
Block	SAN
File	NFS

NEW QUESTION: 58

□□ □□□□□□ 239□□ □□□□ □□□□ □□ □□□□ □□□□□□. □□□ 2PB□ □□□□ □□□ □□□ □□ □□ 10Gb
□□□□ □□□□ □□□□□□.

□□ □□ □□□ □□□□□□ □□ □□□□ □□□□ □□□□ □□□□?

- A. HPE Moonshot
- B. HPE MSA
- C. HPE Apollo □□
- D. HPE SimpliVity 380

Answer: (SHOW ANSWER)

□□: <https://h20195.www2.hp.com/v2/GetPDF.aspx/4AA0-6064ENW.pdf>

NEW QUESTION: 59

Nimble □□□□ □□□□ □□ □□□ □□□□ □□□□.


□ □□□ □□□□ □□ □□□ □□□□□□□□.



Answer:



□□



NEW QUESTION: 60

Which of the following protocols is used to aggregate links between two switches?
 A. IRF(Intelligent Resilient Framework)
 B. RSTP(Rapid Spanning Tree Protocol)
 C. LACP(Link Aggregation Control Protocol)
 D. MLAG(Multi-chassis Link Aggregation)

- A. IRF(Intelligent Resilient Framework)
- B. RSTP(Rapid Spanning Tree Protocol)
- C. LACP(Link Aggregation Control Protocol)
- D. MLAG(Multi-chassis Link Aggregation)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which of the following is a feature of the HPE ProLiant iLO 5?
 A. iLO 5
 B. iLO 5
 C. iLO 5
 D. UEFI

- A. iLO 5
- B. iLO 5
- C. iLO 5
- D. UEFI

Answer: ([SHOW ANSWER](#))


HPE0-V14 is a collection of HPE0-V14 dumps. DumpTop is a website that provides HPE0-V14 dumps. HPE0-V14 dumps are available on DumpTop. HPE0-V14 dumps are available on DumpTop. HPE0-V14 dumps are available on DumpTop. <https://www.dumpst.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 62

Which of the following is a feature of the HPE ProLiant iLO 5?
 A. iLO 5
 B. iLO 5
 C. iLO 5
 D. UEFI

Profile		Description
Mission Critical		Maximizes processor speed
Transactional Application Processing		Large number of database operations
General Peak Frequency Compute		Trades performance for reliability

Answer:



□□
 Missing Critical - □□ □□ □□□□□□ □□(□□ □□□ □□) □□□□ □□ □□□□ □□ - □□□□ □□ □□ □□(□□ DB □□ □)
 □□ □□ □□ □□ - □□□□ □□ □□□□

NEW QUESTION: 63

□□□ □□ □□ □□ □□□□ □□□□□□. □□ 2□□ 10-GBASE-T □□□ □□□ □□ 14□□ HPE DL380 □□□ 2□□ 10GBASE-X SFP+ □□□ □□□ □□ 10□□ HPE DL360 □□□ □□ □□□ □□□□□.

They need switch redundancy for each server and want to connect all servers to the same switch stack. The client also needs a 400 Gb backbone connection to the data center core switch from the solution you are creating.

Which architecture meets the customer requirements?

- A. One VSX stack of two Aruba 8320 48-port 1/10GBASE-X SFP+ switches with the following: 14 10GBASE-T transceivers in each switch 10 SFP+ to SFP+ DACs in each switch Two QSFP+ to Quad SFP+ adapters
- B. One IRF stack of two HPE 5945 48-port 1/10GBASE-X SFP+ switches with the following: 14 10GBASE-T transceivers in each switch 10 SFP+ to SFP+ DACs in each switch
- C. One IRF stack of two HPE 5945 2-Slot switches each with the following: One 24-Port SFP28 + 2-Port QSFP28 module One 24-Port 1/10GBASE-T + 2-Port QSFP+ module 10 SFP+ to SFP+ DACs in each switch
- D. One VSX stack of two Aruba 8325 48-port 1/10GBASE-X SFP+ switches with the following: 14 10GBASE-T transceivers in each switch 10 SFP+ to SFP+ DACs in each switch

Answer: B (LEAVE A REPLY)

NEW QUESTION: 64

□□□ ERP □□□□ □□□□ □□ □□□ □□□ □□□□□. □□ □□ □□□ □□ □□ □□□ □□□□□.

* □□ AMD □□□□, 256GB RAM □ 10Gb □□□□ □□□ □□ 3□□ □□

* 10TB□ □□□ □□ □□□□


* □□□□ □□ □□ □□□□ □ □□

□□□ □ □□□ □□□ □□□□□.

□□ □□ □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□□ □□□□□□.

Select and Place:



Answer Area



Answer:

Select and Place:

Answer Area



NEW QUESTION: 65

ProLiant 300 Gen10 Windows .

Windows ?

A. HPE SSA

B.

C. □□□ □□□□ □□□

D. HPE □□□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

□□□□ □□□□□□.

Processor Option Kits (Required Processor)

2nd Generation Intel Xeon-Platinum

HPE DL380 Gen10 Intel Xeon-Platinum 8280M (2.7GHz/28-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8280L (2.7GHz/28-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8276M (2.2GHz/28-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8276L (2.2GHz/28-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260Y (2.4GHz/24-20-16-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260M (2.4GHz/24-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260L (2.4GHz/24-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) FIO Processor Kit

NOTE: Ships with Performance Heatsink


HPE DL380 Gen10 Intel Xeon-Platinum 8256 (3.8GHz/4-core/105W) FIO Processor Kit

NOTE: Ships with Performance Heatsink

HPE DL380 Gen10 Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) FIO Processor Kit

1st Generation Intel Xeon-Platinum

HPE DL380 Gen10 Intel Xeon-Platinum 8180M (2.5GHz/28-core/205W) FIO Processor Kit



Oracle 2 HPE ProLiant DL380 Gen10 Oracle
Oracle

DL380 Gen10

- A. 8256
- B. 8253
- C. 8280M
- D. 8280

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

SNMPv2c

- A. SNMPv2c
- B. SNMPv2c GET
- C. SNMPv2c
- D. SNMPv2c WRITE

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

ProLiant 300 Gen10 Windows

- A. HPE SSA
- B. HPE
- C.
- D.

Answer: ([SHOW ANSWER](#))


:

<https://community.hpe.com/t5/Alliances/Get-HPE-Gen10-Servers-with-Windows-Server-2019-up-and-Running-in/ba-p/7066128#.XnxeVG5RWQ4>

NEW QUESTION: 69

Answer Area


DAS		Allows access to volumes over FCP and iSCSI protocols
NAS		Ability to share file-based storage across an Ethernet network
Storage Array		Allows shared block level access over a network
		JBOD storage connected to one server using SAS



Answer:

Answer Area

DAS	Storage Array	Allows access to volumes over FCP and iSCSI protocols
NAS	NAS	Ability to share file-based storage across an Ethernet network
Storage Array	Storage Array	Allows shared block level access over a network
	DAS	JBOD storage connected to one server using SAS



□□:


<https://www.excitingip.com/1358/jbod-just-a-bunch-of-disks/> <https://www.enterprisestorageforum.com/storage-networking/nas-vs.-san-differences-and-use-cases.html>

NEW QUESTION: 70

Exhibit:

-2vCPU
 -8 GB RAM
 -1 Gb dedicated network
 -50 GB Disk

Which HPE ProLiant Server meets the customer's requirements?



Which HPE ProLiant Server meets the customer's requirements?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B (LEAVE A REPLY)

Explanation

NEW QUESTION: 71

□□ VLAN □□□□□□ □□□□ □□ VMware ESXi □□□ □□□ HPE FlexFabric 5900 □□□ □□□□□ □□□ □□□□□□. Ten-GigabitEthernet 1/0/11 □□ □□ ESXiO1-eth1 □□ □□ □□ □□□ □□ □□□ □□ v1an 50 □□ □□□ □□ v1an 2 port trunk pvid v1an 50 □□ □□□□ VMware ESXi □□□□□ □□ □□ □□ □□□□ □□□ □□□□?

- A. v1an 1□□ □□□□□.
- B. v1an 50□□ □□□□□.
- C. □□□□□
- D. v1an 2□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 72

An administrator deployed a new FlexFabric switch into the environment and wants to collect baseline information from the switch. The administrator wants to be able to use this in case there is any question from support should the administrator open a case.

Which command can the administrator use to collect support information from the switch?

- A. display diagnostic-information
- B. show switch info
- C. show tech all
- D. support save

Answer: D (LEAVE A REPLY)

NEW QUESTION: 73

HPE Nimble HF200 400 40 40 4000 4000.
4000 40 400 4000 4000?

- A. HPE Nimble 40000 40000 400000 40 400 4000.
- B. HPE 4 400 HPE Nimble 40000 400 40 40000.
- C. HPE Nimble 40000 30 400 40000.
- D. HPE 4 400 1200mm 40 40000.

Answer: (SHOW ANSWER)

40: <https://h20195.www2.hpe.com/v2/GetPDF.aspx/a00008274enw.pdf>

NEW QUESTION: 74

400 40 40000 40 400 40 40000 40000 40000. 40000 40000 400, 4 40000 4 400 400 40
40 400.

40 HPE 40000 40000 40 40 400 400000?

- A. HPE StoreEasy
- B. HPE 40
- C. HPE D3000
- D. HPE MSA

Answer: (SHOW ANSWER)

NEW QUESTION: 75

HPE Proliant ML350 Gen 400 400 40000 40000. 40 ROM 40000 40000 40 ROM 40 40000 40000 40
40000. ROM 40000 40000 400.

400 40 40000?

- A. 400 40000 400 400 400 400000.
- B. BIOS 40 40 ROM 400000.
- C. iLO 40000 400
- D. 400 40000 400 4 1 2 400000.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 76

40000 400000.

HPE MSA 2052 SAN Storage


Array	
Access Type	Block
Form Factor	2U, SFF or LFF
Number of controllers per array	2
Number of host ports per array	8
FC host connectivity	8/16Gb
iSCSI host connectivity	1Gb or 10Gb
SAS host connectivity	6/12Gb
Cache, per array	
Max Read cache per array	8TB
Data (read/write) cache + system memory per array	16GB
Pool Capacity (with Large Pool Support)	562 TB (512 TiB)
RAID Levels supported: Virtual mode	RAID 0, 1, 5, 6, 10*Read Cache Only
Enclosures	
Expansion Drive Enclosures	0-7 enclosures
LFF/SFF array/enclosure mixing	Supported
Maximum number of drives per array enclosure	24 SFF/12 LFF
Maximum number of drives per drive enclosure	24 SFF/12 LFF
Drive enclosure interface type	6Gb SAS
Drives	
Maximum total HDDs per array	192 SFF / 96 LFF
Maximum total SSDs per array	192 SFF / 96 LFF
Max raw capacity per array enclosure	76.8 TB SFF / 168TB LFF
Max raw capacity per drive enclosure	76.8 TB SFF / 168TB LFF
Max raw capacity per array	614.4TB SFF / 1344TB LFF

		HPE Modular Smart Array 2050/5... Q1J03A CTD	HPE MSA 2052 SAN Dual Controller SFF Storage	1
		Disk Enclosure. #1 Q1J07A CTD	HPE MSA 2050 SFF Disk Enclosure	3
		Disk Enclosure. #2 Q1J06A CTD	HPE MSA 2050 LFF Disk Enclosure	3


□□□ □□□ □□□□ □□□ MSA 2052 □□□□ □□□ □ □□ □□□□□ □□□□ □□□. □□ □□□ □□□□□□. □□ □□□□
 □ □□ □□□□□ □□□ □ □□□□? (2□ □□)

- A. 12□□ SFF □□□□
- B. 12□□ LFF □□□□
- C. 48 SFF □□□□
- D. 24 LFF □□□□
- E. SFF □□□□ 24□

Answer: [\(SHOW ANSWER\)](#)



Answer:



NEW QUESTION: 83

IT is looking for a converged infrastructure solution that can support a mix of workloads, including virtual machines, containers, and applications. The solution must be able to scale and integrate with existing VMware vCenter and Microsoft Azure Stack environments. The solution must also be able to support a wide range of HPE storage and networking options.

Which HPE solution is the best fit for this scenario?

- A. VMware vCenter and HPE OneView
- B. Microsoft Azure Stack and HPE Proliant
- C. HPE ConvergedSystem 750
- D. HPE Nimble Storage dHCI

Answer: A (LEAVE A REPLY)

NEW QUESTION: 84

□□□ □□□□□□ □□ Windows □□ □□□ □□□ □ □□ HPE □□□□□□□ □□□□□?
(□ □□□ □□□□□.)

A. Lights-Out □□□ □□ □□□□

B. UEFI □□ □□□

C. □□□ □□□□ □□□

D. □□

E. □□□ □□ □□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 85

□□□ □□□□ □□ □ □□□ □□□□ □□□□. R3000 Gen5 UPS□ □□ □□ □□□ □□□□□□.



Answer:



NEW QUESTION: 86

□□□□ □□□ □□□□ □□□ □□□□□□.

Block

File

Answer Area

Technology

...

hp

Type


iSCSI

CIFS


SAN

NFS

Answer:



Answer Area



Type

iSCSI

CIFS

SAN

NFS

-
- = iSCSI
- = CIFS
- = SAN
- = NFS

NEW QUESTION: 87

Which two HPE ProLiant Gen10 server features support automatic updates?
 Which two HPE server features support automatic updates?

- A. iLO 5
- B. iLO 6
- C. Smart Update
- D. OneView

Answer: C (LEAVE A REPLY)

URL: https://www.hpe.com/emea_europe/en/servers/smart-update.html

NEW QUESTION: 88

Which two ProLiant server features support automatic updates?

ProLiant Solution	Use Case
HPE ProLiant MicroServer Gen10	Dense, racked, multi-server deployments; scales up to handle enterprise workloads
HPE ProLiant ML30 Gen10 Server	Non-racked environments; able to scale large enough to handle enterprise workloads
HPE ProLiant ML350 Gen10 Server	Non-racked environments; limited scale and expandability; single processor; dual power supply
HPE ProLiant DL380 Gen10 Server	Small form factor; optimized for small or home office; quiet operational noise level; low cost

Answer:

ProLiant Solution	Use Case
HPE ProLiant DL380 Gen10 Server	Dense, racked, multi-server deployments; scales up to handle enterprise workloads
HPE ProLiant ML350 Gen10 Server	Non-racked environments; able to scale large enough to handle enterprise workloads
HPE ProLiant ML30 Gen10 Server	Non-racked environments; limited scale and expandability; single processor; dual power supply
HPE ProLiant MicroServer Gen10	Small form factor; optimized for small or home office; quiet operational noise level; low cost

□□

4, 3, 2, 1

NEW QUESTION: 89

□□□ HPE ProLiant □□ □ Nimble □□□□□ □□□ VMware □□□ □□□ □□□□. □□□ □□□□□ □□ □□□□ □□□□ □□ Windows VM□ □□□ □□□□.

□□□ □□ □□□ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□□□.

□□ □□□□ □ □□ □□□□ □□ □□□□□ □ □□ □□□□ □□ □□ □□□□ □□□ □□ □□□□ □□ □□□□□?

- A. HPE StoreEasy 1650 □□ □□□□
- B. HPE StoreEver 30750
- C. HPE □□□□ □□ □□ □□□□
- D. HPE StoreEasy 1460 □□□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 90

HPE ProLiant 0000 0000 0000 0000 0000. 0000 00 000000 0000 00 000000 000000 000000.
0 00000 0000 00000 0000?

- A. 0 0 000000 00 0000 00000 00000.
- B. 0000 00 000000 00000 0000 00000 00000.
- C. RAID 0000 000000 RAID 0000 000000.
- D. 00 000000 0000 00 000000 00000 0000 00 000000 000000.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 91

00000 00000000.

```
<Switch-A>display int Ten-GigabitEthernet 1/0/1 Ten-GigabitEthernet1/0/1 Current state: UP  
Line protocol state: UP IP packet frame type: Ethernet II, hardware address: d894-03fb-793d  
Description: Ten-GigabitEthernet1/0/1 Interface Bandwidth: 10000000 kbps Loopback is not  
set Media type is stack wire, port hardware type is STACK_SFP_PLUS 10Gbps-speed mode, full-  
duplex mode Link speed type is autonegotiation, link duplex type is autonegotiation Flow-  
control is not enabled Maximum frame length: 10000 Allow jumbo frames to pass Broadcast  
max-ratio: 100% Multicast max-ratio: 100% Unicast max-ratio: 100% PVID: 1 MDI type:  
Automdix Port link-type: Trunk VLAN Passing: 10, 20 VLAN permitted: 10, 20 Trunk port  
encapsulation: IEEE 802.1q Port priority: 0 <SNIP>
```

00000 00000 Ten-GigabitEthernet1/0/1 00000000 000000000 00000000. 00000 0000000000 VLAN 10 0 200 00
0000 00000000. VLAN 100 0000 0000000 000000 VLAN 200 0000 000000 0000 00000000000 0000000.
00000 VLAN 200 00 00 0000 00 0000 0 0000 000000000 0000 VLAN 200 00 00 000000 0000 0 0000 0000
0000.

0000 0000 0000 0 0000 ERP 000000 000000 00 0000 0000 00000000. 00 0000 0000 0000 00000000.

- A. 00000000 PVID0 VLAN 2000 0000000.
- B. 00000000 IRF 0000 00000000.
- C. 0000000000 VLAN 10 00000000.
- D. 00000000 0000 0000 00000000.

Answer: A (LEAVE A REPLY)

HPE0-V14 00 0000 0000000 00 DumpTop 00 000000 0000 HPE0-V14 00! DumpTop 0 00 **HPE0-V14** 00 0000 0
000000, DumpTop HPE0-V14 00 0000 000000000000 0000 000000000000. 000000 0000 000000 00 DumpTop
HPE0-V14 0000 0000000. <https://www.dumpsttop.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount:**
KrDump)

NEW QUESTION: 92

0000 0000 0 00 00 00 iLO5 0000000 00000000.



Answer:



□□

□□□ - □□□




3-2

1-1

3-3

NEW QUESTION: 93

□□□ □□ □□□ □□ □ □□□□□ □□□□□□.

Component		Speed and Protocol
SFP+		10GbE
QSFP28		12Gb SAS
Mini-SAS HD 4x		100GbE

Answer:

Component	Speed and Protocol
SFP+	10GbE
QSFP28	12Gb SAS
Mini-SAS HD 4x	100GbE

□□

Component	Speed and Protocol
SFP+	10GbE
QSFP28	12Gb SAS
Mini-SAS HD 4x	100GbE

□□:

<https://buy.hpe.com/us/en/options/transceivers/server-transceivers/hpe-sfp-transceivers/p/7263510>

https://itg.buy.hpe.com/emea_europe/en/options/transceivers/server-transceivers/server-transceivers/hpe-qsfp28-transceivers/p/1008789459

NEW QUESTION: 94

□□□ □□□ HPE ProLiant □□□□ □□□□□□.



Answer:



NEW QUESTION: 95

A customer needs a single, dual-processor server for an Enterprise Resource Planning solution for a single office. The customer application uses a mix of HDDs and SSDs and up to 3TB of RAM.

Which HPE Solution should you propose?

- A. HPE Synergy Solution
- B. HPE Apollo 2000 Server
- C. HPE ML350 Gen10
- D. HPE ML110 Gen10

Answer: C (LEAVE A REPLY)

Reference:

<https://h20195.www2.hp.com/V2/GetPDF.aspx/4AA0-8758ENW.pdf>

NEW QUESTION: 96

□□□ □□ □□□ □□ □ □□□□□ □□□□□□.

Component	Speed and Protocol
SFP+	10GbE
QSFP28	12Gb SAS
Mini-SAS HD 4x	100GbE

Answer:

Component	Speed and Protocol
SFP+	10GbE
QSFP28	12Gb SAS
Mini-SAS HD 4x	100GbE

□□:

<https://buy.hp.com/us/en/options/transceivers/server-transceivers/hpe-sfp-transceivers/p/7263510>

https://itg.buy.hp.com/emea_europe/en/options/transceivers/server-transceivers/server-transceivers/hpe-qsfp28-transceivers/p/1008789459

NEW QUESTION: 97

□□□ □□ □□□ □ □□□ □□□□ HPE □□ □□□□ □□□ □□ □□□ □□□□. □□□ □□□□□□□ □ □□ □□□ □□□□ □□ □□□ □□ HPE □□□ □□□□□□.

□□ □□ □□?

A. □□□□ □□□

B. □□□□ □□□□□□

C. □□□ □□ □□□

D. □□□□ □□ □□□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 98

□□□□ □□□□□□.

Qty	Product#	Product Description
1	868703-B21	HPE ProLiant DL380Gen10 8SFF Configure-to-order Server
1	868703-B21 B19	HPE DL380 Gen10 8SFF CTO Server
1	826860-L21	HPE DL380 Gen10 Intel Xeon-Gold 6144 (3.5GHz/8-core/150W) FIO Processor Kit
1	826860-B21	HPE DL380 Gen10 Intel Xeon-Gold 6144 (3.5GHz/8-core/150W) Processor Kit
12	815100-B21	HPE 32GB (1x32GB) Dual Rank x4 DDR4-2666 CAS-19-19-19 Registered Smart Memory Kit
2	870757-B21	HPE 600GB SAS 12G Enterprise 15K SFF(2.5in) SC 3yr Wty Digitally Signed Firmware HDD
2	727055-B21	HPE Ethernet 10Gb 2-port 562SFP+ Adapter
1	P01366-B21	HPE 96W SmartStorage Battery (up to 20 Devices) with 145mm Cable Kit
1	804331-B21	HPE Smart Array P408i-a SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS Modular Controller
2	865408-B21	HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
1	BD505A	HPE iLO Advanced 1-server License umep 3yr Support on iLO Licensed Features
1	P8B31A	HPE OneView w/o iLO including 3yr 24x7 Support 1-server FIO LTU
1	733660-B21	HPE 2U Small Form Factor Easy Install Rail Kit

□□□ 4□□ 10Gb □□□□ □□□□ □□ □□□ □□□□□. □□□ □□□ □□□□ □□□□ □□ □□□□ □□□.

□□□□ BOM□ □□□ □ □□ □□ □□□□ □□ □ □□□ □□□ □□□□ □□□?

A. □□□ □□□□ □□□□□ □□□□

B. □□□□ □□□

C. □□ □□□ □□

D. SSD □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 99

A customer needs to consolidate software, hardware, and backup in a single integrated solution to reduce the cost and complexity of their IT environment Which solution meets the customer needs?

A. HPE Apollo Server

B. HPE StoreEasy

C. HPE SimpliVity

D. HPE StoreOnce

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 100

Which protocol can be used to access a shared directory on a network-attached storage device?

- A. SNMP
- B. SMB
- C. FCP
- D. BGP

Answer: B (LEAVE A REPLY)

They typically provide access to files using network file sharing protocols such as NFS, SMB, or AFP.

NEW QUESTION: 101

□□ □□□ □□□ □□ □□□□□ □□□□ □□□ □□□□ □□□□ □□□ FlexFabric □□□□ □□ □□□ □□ □□□ □□□□ □□□. □□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□□.

Steps **Order**

- 1 - Set the link-aggregation mode within the bridge-aggregation interface
- 2 - Create the bridge-aggregation interface
- 3 - Add the desired physical interfaces to the link-aggregation group
- 4 - Configure the bridge-aggregation interface with the desired VLANs within the bridge-aggregation interface

Answer:

Answer Area

- 3 - Add the desired physical interfaces to the link-aggregation group
- 2 - Configure the bridge-aggregation interface with the desired VLANs within the bridge-aggregation interface.
- 1 - Set the link-aggregation mode within the bridge-aggregation interface.
- 4 - Create the bridge-aggregation interface

- 1 - □□ □□ □□□ □□□ □□□ □□□□□ □□
- 2 - □□□ □□ □□□□□ □□□ □□□ VLAN□□ □□□ □□ □□□□□□ □□□□□.
- 3 - □□□ □□ □□□□□ □□□ □□ □□ □□□ □□□□□.
- 4 - □□□ □□ □□□□□ □□□

NEW QUESTION: 102

□□□ □□ □□□□ □□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□ □□□. □□□ □□□□ □□□ □□□ □□□ □□□□□ □□□□. □□ HPE □□□□ □□□□ □□□ □□ □□□ □□□□□?

- A. □□ CS1000
- B. □□□ AF1000
- C. □□□ AF5000
- D. □□□ SFA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 103

□□□ 5□□ HPE DL380 Gb 2□□ 530SFP □□□ □□□□ □□□ □□□□□. □□□ □□□□ □□□□ □□ □ □□ □□□ □□□ □

□□ □ □□□ 10GbE □□□□ □□□□□□.

□□□ □□ □□□ □□□□□ □□□ □□□□ □□□.

Tor□ □□□□ □□□□ □ □□ □□□ □□□□ □□□?

- A. 3m □□ □□ □□ □□□
- B. 3m OM3 □□□ □□□
- C. 3m OM2 □□□ □□□
- D. 3m Cat 6A □□ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 104

□□ ProLiant Gen10 □□□ □□□ □ □□□□□ □□□ □□□ □□□□ □ □□□ □ □□ □□ □□□ □□□□□?

- A. HPE iLO Amplifier Pack
- B. HPE OneView
- C. Smart Update Manager
- D. Intelligent Provisioning

Answer: ([SHOW ANSWER](#))


Reference: https://support.hpe.com/hpesc/public/docDisplay?docId=a00026391en_us&docLocale=en_US#:~:text=Intelligent%20Provisioning%20is%20a%20single,later%20includes%20HPE%20SMB%20Setup.

NEW QUESTION: 105

Match each characteristic to the correct storage type.

Answer Area


DAS		Allows access to volumes over FCP and iSCSI protocols
NAS		Ability to share file-based storage across an Ethernet network
Storage Array		Allows shared block level access over a network
		JBOD storage connected to one server using SAS



Answer:

Answer Area

DAS	Storage Array	Allows access to volumes over FCP and iSCSI protocols
NAS	NAS	Ability to share file-based storage across an Ethernet network
Storage Array	Storage Array	Allows shared block level access over a network
	DAS	JBOD storage connected to one server using SAS



Reference:

<https://www.excitingip.com/1358/jbod-just-a-bunch-of-disks/> <https://www.enterprisestorageforum.com/storage-networking/nas-vs.-san-differences-and-use-cases.html>

NEW QUESTION: 106

□□□ □□ □□ □□□□ □□□□□□.

□□ 0□, □□ □□ 0□ □□□ □□ 0□ - □□□ □□ □□□ □□□□□ □ □□□□ □□□□□□. Ten-GigabitEthernet 1/0/1 □□□□□

□ □□□□ □□□□□□. □□□□□ □□□ □□ VLAN 10 □ 20□ □□□□ □□□□.

□ □□□□ □□□ □□□□□□. □□ □□ □□□ □□ □□ □□□ □□□□ □□□ □□ □ □ □□□□ □□ □□□□ □□□ □ □□ □□□.

□□□□ □□□□ □□□ □ □ □□□□?

A. □□□□□□□ VLAN 1□ PVID□ □□ □□□□□□.

B. □□□□□□ □□ □□□ □□□□□□ □ □ □□□□□.

C. □□□□□□□ □□□ □□□□□□□□.

D. □□□□□ □□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

HPE0-V14 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE0-V14 □□! DumpTop □ □□ **HPE0-V14** □□ □□□ □ □□□□□, DumpTop HPE0-V14 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE0-V14 □□□ □□□□□. <https://www.dumptop.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 107

□□ □□□ HPE □□□ □□□□□□□. □□□□ □□ □□□ □□□□□.

HPE Tool

- Single Point of Connectivity Knowledge (SPOCK)
- One Config Advanced (OCA)
- Products & Solutions Now (PSNow)
- Ninja Stars
- iQuote

Use Case

- Estimate the power and cooling requirements and weight for a rack of equipment.
- Check compatibility of storage components.
- Download a technical presentation for a DL380 Gen10.

Answer:

HPE Tool	Use Case	
Single Point of Connectivity Knowledge (SPOCK)	Estimate the power and cooling requirements and weight for a rack of equipment.	One Config Advanced (OCA)
One Config Advanced (OCA)	Check compatibility of storage components.	Single Point of Connectivity Knowledge (SPOCK)
Products & Solutions Now (PSNow)	Download a technical presentation for a DL380 Gen10.	Products & Solutions Now (PSNow)
Ninja Stars		
iQuote		

NEW QUESTION: 108

□□□ □□□□ □□□ □□□ □□□□□?

- A. □□□□ □□□□ FCP □□□□ □□□□ □□
- B. □□ VLAN□ □□□□ □□
- C. FCF□ □□□□ □□
- D. □□□□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□

Answer: (SHOW ANSWER)

□□: https://support.hpe.com/hpesc/public/docDisplay?docId=mmr_kc-0102233

NEW QUESTION: 109

RAID 6□ □□□ □□□□□ □□□□ □□□□□ □□ □□□ RAID □□□ □□ □□□ □□□ □□□ □□□□□?

- A. □□□ □□ □□ □□
- B. □□□ □□□ □□□□□ □□
- C. □□□□ □□ □□
- D. □□ □□□ □ □□ □□

Answer: D (LEAVE A REPLY)

NEW QUESTION: 110

□□□□ □□□□□□.

```
efined configuration:
cfg:      zone_cfg_1
         nimble_esx_1_zone
one:      nimble_esx_1_zone
         ESX1; NIMBLE1A
lias:     ESX1 51:40:2e:c0:11:0b:a4:c0
lias:     NIMBLE1A
         56:c9:ce:90:20:50:68:01
```

```
ffective configuration:
cfg:      zone_cfg_1
zone:     nimble_esx_1_zone
         51:40:2e:c0:11:0b:a4:c0
         56:c9:ce:90:20:50:68:01
```

HPE Nimble □□□□□ □□ □□□□□□ □□□ □ ESX1□□ □□ □□□ □□□□□□.
HPE SN3000B □□□ □ □□□ □□ □□□ □□□ □□□□ □□□□□□.
□□ □□□□□ □□□ □ □□□□ □□□□ □□□□ □□□ □□□ □□ □□□□?

- A. ESX1 □ □ □□ □□□□ □□□□□ □□ □ □□□ □□□□.
- B. SN3000B □□□□ □□□□ □□ □□□□□.
- C. □ □□ HPE SN3000B□□ □□□ □□□ □□□□□.
- D. □ HPE SN3000B □□□ □□ ISL□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 111

□□□□ □□ □□ □□□ □□□ □□□□. □□□□ □□ □□ □□□□. □□ □□□ □□ □□□□ □ □□ □□□□□ □□□ □□.

□□□ □□ HPE □□□ □□□□ □□□□?

- A. □□□□□□ BL460c Gen10
- B. □□□□□□ ML110 Gen9
- C. ProLiant ML350 Gen10
- D. □□□□□□ DL360 Gen10

Answer: (SHOW ANSWER)

NEW QUESTION: 112

□□□ □□ □□ □□□ □□□ □□□ □□□□ □□ □□□□□.

□□ HPE Smart Array □□□ □□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□ □□□ □□□□□?

- A. □□□ □□□ □□□
- B. □□ □□□
- C. □□□□□
- D. □□□ □□□ □□ □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 113

□□□ ERP □□□□ □□□□ □□ □□□ □□□ □□□□□. □□ □□ □□□ □□ □□ □□□ □□□□□.

* □□ AMD □□□□, 256GB RAM □ 10Gb □□□□ □□□ □□ 3□□ □□

* 10TB□ □□□ □□ □□□□

* □□□□ □□ □□ □□□□ □ □□

□□□ □ □□□ □□□ □□□□□.

□□ □□ □□□ □□□□ □□ □□□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□□ □□□□□.

Select and Place:


Answer Area

- DL385 Gen10
- DL380 Gen10
- ML110 Gen10
- SN3000B Switch
- FlexFabric 5710 Switch
- OfficeConnect 1850 6XGT Switch
- Nimble AF20, with 10GbE
- MSA2052, with 10GbE
- D3000


Diagram components: Servers, Storage, Network Interconnects

Answer:

Select and Place:



□□



NEW QUESTION: 114

□□□(LR) □□□□□ □□□□ □ □□ □□□□ □□□ □ □□□ □□□ □□□ □□□□□?

A. □□ □□ □□□(DAC)

B. □□□

C. 10 10 100

D. 10 10 100

Answer: C ([LEAVE A REPLY](#))

10 100 10000 500000 10 10(1000 10000) 10 10 10000 100000 1000 10 1000 100000. 10 10
10 10 1000 10000 1000(LR) 1000000000 10 100000 100000.

NEW QUESTION: 115

10000 1 FlexFabric 10000 1000 10000 1000000 10 1000 100000 1000. 10000 10000 1000 1000 10 10
10 1000 10 10 10 1000 1 1000 10000.

10000 100000 10 1000 10000 10 1000 1 10 1000 100000?

A. 10 10 10

B. 10 10

C. 10 10 10

D. 1000 10 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

You are configuring an MSA 2052 for one of your customers in OCA.

Click on either one of the two places on the Bill of Materials screen that will enable you to verify the configuration and get details on any errors.



Save Export Catalog New Delegation

A Customer MSA 2052

This is a single solution configuration.

BOM Details for A Customer MSA 2052

Expand All

Collapse All

	Quantity	Product #	Product Description
+		1 Q1J03A	HPE MSA 2052 SAN D
-		22 J9F49A	HPE MSA 1.8TB 12G S/
≡		22 J9F49A OD1	Factory Integrated
-		3 Q1J06A	HPE MSA 2050 LFF Di
≡		3 Q1J06A OD1	Factory Integrated
-		36 M0S90A	HPE MSA 8TB 12G SA
≡		36 M0S90A OD1	Factory Integrated

Answer:

Advanced **One Config** New Configuration Open Configurations Manage MyLibrary Import Useful Links

Save Export Catalog New Delegation

A Customer MSA 2052

Summary
Components
Layout
Power
BOM
Customer Intent
Services

This is a single solution configuration.
BOM Details for A Customer MSA 2052

Expand All Collapse All

+/-	Quantity	Product #	Product Description
	1	Q1J03A	HPE MSA 2052 SAN I
	22	J9F49A	HPE MSA 1.8TB 12G S
	22	J9F49A 0D1	Factory Integrated
	3	Q1J06A	HPE MSA 2050 LFF D
	3	Q1J06A 0D1	Factory Integrated
	36	M0S90A	HPE MSA 8TB 12G SA
	36	M0S90A 0D1	Factory Integrated

NEW QUESTION: 117

Which of the following is a feature of HPE Nimble Storage FC? (Select two)

- A. HPE InfoSight
- B. HPE InfoSight
- C. HPE Nimble Storage FC
- D. HPE StoreServ FC

Answer: (SHOW ANSWER)

NEW QUESTION: 118

Which of the following is a feature of HPE ProLiant Gen 10? (Select two)

- A. □□□□□
- B. □□□□□
- C. □□□□□
- D. D3000

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 119

□□□□ □□ □□□ □□□ □□□ UID □□□□ □□□ □□□□ □□ □□□□□□□.

□□□ □□□ □□□□□□?

- A. □□□□ □□ □□□ □□□□.
- B. □□□□ □□□□ □□□□ □□□□.
- C. □□□ □□□ □□ □□□ □□□□.
- D. □□□□ □□□□□□□□ POST □□□ □□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 120

□□□ □□ □□ □□ □□□□ □□□ □□□ □□□ □□□ □□□□. □□□ □□□ □□ □□□□□□□□ □□□□ □□ □□ □□□ □□□ □□□.

□□ HPE □□ □□□□ □□□ □□ □□□ □□□□□□?

- A. □□□□□□□ BL
- B. □□□□□□□ DL
- C. □□□□□□□ ML
- D. □□□□□□□ □□□□□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 121

HPE □□□ 100□□ HPE Gen9 □ Gen10 □□ □□□□ □□□ □ □□□□□ □□□□ □□□□□ □□□□ □□□.

□□□ □ □□□ □□□□ □ □□□ □□□ □□□□□ □□ □□□□ □□ HPE □□□□□ □□□ □□□□□□?

- A. HPE OneView □□
- B. HPE □□□ □□□□ □□□□
- C. HPE ProLiant □□ □
- D. HPE iLO □□□ □

Answer: D ([LEAVE A REPLY](#))

HPE0-V14 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE0-V14 □□! DumpTop □ □□ **HPE0-V14** □□ □□□ □□ □□□□□, DumpTop HPE0-V14 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□□□□ □□□ □□□□□ □□□ □□□□□□□□□□. <https://www.dumptop.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 122


□□ VLAN□ □□□□ □□ VMware ESXi □□□ □□□ HPE FlexFabric 5900 □□□ □□□□□ □□□ □□□□□□.
□□□□□ Ten-GigabitEthernet 1/0/11 □□ □□ ESXiOI-eth1 □□ □□ □□ □□□ □□ □□□ □□ vlan 50 □□ □□□ □□ vlan 2 □□
□□□ pvid vlan 50
□□ □□□□ VMware ESXi □□□□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□□?

- A. □□□□□
- B. vlan 2□□ □□□□□.
- C. vlan 50□□ □□□□□.
- D. vlan 1□□ □□□□□.


Answer: C (LEAVE A REPLY)

NEW QUESTION: 123

□□□□ □□□□ □□□ □□ □□□ □□□□□□.



Answer:



NEW QUESTION: 124

A customer wants to install an HPE Proliant server that has a single dual port 10Gb NIC.
Which NIC feature should you introduce to allow each 10Gb port to be seen as four individual adapters in the operating system?

- A. NPAR
- B. RoCE
- C. FCoE
- D. RDMA

Answer: A (LEAVE A REPLY)

Explanation/Reference: <https://h20195.www2.hp.com/V2/getpdf.aspx/c04312719.pdf?ver=12>

NEW QUESTION: 125

□□□ □□□□□□ □□□□□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□□.
□□□ HPE Nimble □□□□ □□□□ □□□□.

NEW QUESTION: 131

□□□ HPE ProLiant □ □□□ □□ □□□ □□□□ □□□□. □□□ □□□ □□ BIOS □□□□ □□□ □□□□□ USB 3.0 □□□□□ □ □□□ □□□□ □□□□. □□□ □□□□□□ □□□□ □□□□.

□□□ □□ □□□?

- A. USB 3.0 □□□ □□□□ □□□□□.
- B. □□ USB 3.0 □□□□ □□□□□.
- C. □□ USB 3.0 □□□□ □□□□□.
- D. USB 3.0 □□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 132

□□□ □□□□ □□□ □□□ □□□□□?

- A. FCF□ □□□□ □□
- B. □□□□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□
- C. □□ VLAN□ □□□□ □□
- D. □□□□ □□□□ FCP □□□□ □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 133

□□□ □□□ □□□□ □□□□ 70□ □□□ □□ □□□□□ □□□□ □□□□ □□ □□ □□□□ □□□ □□□ □□□□□. □□□ □ □□□□ □□□ □□□ VMware ESXi□ □□□□ HPE ProLiant DL360 Gen10 □□□ □□□ □□□□□. □□□ □□ □□ □□□□ □ □□□□ □□□ □□□□ □□□ □□ □□□ □□□□□.

□□ □□ □□□ □□□ □□□ □□ □ □□□ □□□?

- A. HPE MSA 1040
- B. HPE MSA 2052
- C. HPE Nimble AF20
- D. HPE Nimble HF20C

Answer: D ([LEAVE A REPLY](#))

□□/□□:

□□: https://h20628.www2.hp.com/km-ext/kmcsdirect/emr_na-a00050816en_us-5.pdf

NEW QUESTION: 134

□□□ HPE FlexFabric 5940 □□□ □□□□ □□□□ □□□ □□□□□□ □□□□ □□□□. □ □□□ □□□ □□ □□ □□□ □□□□□□□□.

Answer Area



	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

Answer:

Answer Area		
	<input type="text" value="Back to front"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text" value="Front to back"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Front to back"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text" value="Back to front"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

NEW QUESTION: 135

□□□ ESXi □□□ □□ □□□ □□□□ □□□ □□□□ □□□. □□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□ □□ □□ □□□. □□□ □□□ □□□ □□□□ □□□?

- A. Storevirtual VSA
- B. StoreOnce VSA
- C. StoreOnce 3100
- D. MSA 2042

Answer: A ([LEAVE A REPLY](#))

HPE0-V14 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE0-V14 □□! DumpTop □ □□ **HPE0-V14** □□ □□□ □ □□□□□, DumpTop HPE0-V14 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE0-V14 □□□ □□□□□. <https://www.dumptop.com/HP/HPE0-V14-dump.html> (305 Q&As Dumps, **30%OFF Special Discount: KrDump**)