

# HP.HPE7-A01.v2024-11-26.q105

□□□□:	HPE7-A01
□□□□:	Aruba Certified Campus Access Professional Exam
□□□:	HP
□□ □□ □□□:	105
□□:	v2024-11-26
# □□ □:	734
# □□ □□□:	1050
<a href="https://www.krdump.com/HP.HPE7-A01.v2024-11-26.q105.html">https://www.krdump.com/HP.HPE7-A01.v2024-11-26.q105.html</a>	

## NEW QUESTION: 1

□□□□ □□□ □□□□□ □□□ □□□□ □□□ 70□□ IP □□□ 50□□ □□□□□ □□□ □□□. □□□ □□□ □□□ 802.1X □□□ □□□□ □□□□.

HPE Aruba□ MPSK□ □□□□ □□□ □□□ □□□□ □□□ □ □□□ □□□ IT □□ □□□ □□ □□□ □□ □ □□□□?

- A. □□□□ ClearPass □□ □□□ □□□ □□ □□ □□□□□ □□□.
- B. MPSK □□□□□□ MAC OUI□ □□□□ □□□ □□ □□ □□ □□□□□□.
- C. MPSK Local□ □□□□ □□□ □□ □□□ □□ □□ □□ □□□□ □□□□□.
- D. MPSK Local□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □ □□□□.

**Answer: (SHOW ANSWER)**

MPSK Local is a feature that can reduce the IT administration overhead associated with deploying devices that do not support 802.1X authentication while maintaining a secure environment. MPSK Local allows the switch to automatically generate and assign unique pre-shared keys for devices based on their MAC addresses, without requiring any configuration on the devices or an external authentication server. The other options are incorrect because they either require manual intervention by the installers or the MPSK gateway, or they do not provide unique pre-shared keys for devices. Reference: [https://www.arubanetworks.com/techdocs/AOS-CX\\_10\\_08/UG/bk01-ch05.html](https://www.arubanetworks.com/techdocs/AOS-CX_10_08/UG/bk01-ch05.html) [https://www.arubanetworks.com/techdocs/AOS-CX\\_10\\_08/UG/bk01-ch06.html](https://www.arubanetworks.com/techdocs/AOS-CX_10_08/UG/bk01-ch06.html)

## NEW QUESTION: 2

Aruba CX 6400 □□□□ □□, □□□□ □□ □□□ □□□□ □□ □□ □□ □□□(VOQ)□ □ □□ □□□□□?

- A. □□□ □□ □□ □□
- B. □□□ □□□□ □□ □□
- C. □□□ ASIC
- D. VSX

**Answer: A (LEAVE A REPLY)**

The Aruba CX 6400 switch is a modular switch that supports high-performance and high-density Ethernet switching for campus and data center networks. One of the features that distinguishes the Aruba CX 6400 switch from most typical campus switches is virtual output queueing (VOQ). VOQ is a technique that implements large ingress packet buffers on each port to prevent head-of-line blocking and packet loss due to congestion2. VOQ allows each port to have multiple queues for different output ports and prioritize packets based on their destination and QoS class2. VOQ enables the Aruba CX 6400 switch to achieve high throughput and low latency for various traffic types and scenarios. Reference: 2

[https://www.arubanetworks.com/assets/ds/DS\\_CX6400Series.pdf](https://www.arubanetworks.com/assets/ds/DS_CX6400Series.pdf)

**NEW QUESTION: 3**

OSPF □□ □□□□□ □□□□□?

- A. □□□ □□□ □ □□□ □□□□ □□□□
- B. □□ □□ □ □□□ □□□□ □□ □□□□
- C. □□□□ □□□ □□□ □□□ □□□□ □□□□
- D. □□ □□□ □□□□□ □□□□ □□□□

**Answer: C (LEAVE A REPLY)**

□□

OSPF □□ □□□□□ □□ □□□ □□□ □□□ □□ □ □□ □□□□ □□ □□ □□□□□ □□□□ □□□ □ □□ □□□□□□□.1 □□ □□□□□ □□□ □□□□ □□□□ □□ □□ □□□□□ □□□□ □□ □□ □□□□□ □□□□.2 □□ □□□□□ □□ □□□□ □□ □□□ □□ □□□ □□ □□ □□ □□□ □□□□.2 □□ □□□□□ □□□ □□ □□□ □□□□□ □□□□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□ □ □□ □□.2 □□□ □□□□ C□□□□. □□□□ □□ □ □□ □□□ □□□□ □□□□□□□□.

**NEW QUESTION: 4**

□□ Aruba AP□ □□□□ □□ □□□ □□□□ □□□ □□ □□□□□ □□□ □□□ □ □□ □□□□ □□□□ □□ □ □□□□?

- A. 802.11mc
- B. 802.11W
- C. 802.11k
- D. 802.11r

**Answer: A (LEAVE A REPLY)**

□□ Aruba AP□□ □□□□ □□□ 802.11mc□□, □□ □□ □□□ □□ □□□□□ □□□ □ □□ □ □□ □□□□ □□□□ □□ □ □□□□.

802.11mc□ □□□ □□□ Fine Timing Measurement(FTM)□□ □□□ □□□□ □□ Wi-Fi □ □□ □□□□□□ □□□ □□□ □ □□□ □□ IEEE □□□□□. FTM□ □□□ □□□□□□ □□□□ □□□ □□□ □□□ □□ Wi-Fi □□□ □□ □□□ □□□ □□ □□ □□□□ □□□ □□. □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □□ □□□□ □□□ □□ □□□. Aruba □□ 802.11mc □□□ □□□ □ □□□ 500 □□□, 510 □□□, 530 □□□, 550

100, 560 100 1 570 100 100 100000 100000. 100 AP 10000000  
10 10 10 100 10 FTM 100 100 100. AP FTM 100 10000 100000  
WLAN SSID 100000 ftm-responder-enable 100000 100000 100.

**NEW QUESTION: 5**

Aruba CX VSX 100 1000 1, Inter-Switch Link Protocol 1000 1000 10000 10 1000 1  
10000?

- A. hello 1000 100000 10000000.
- B. hello 1000 dead interval 1 10 1000 10 10000 1000.
- C. 100000 hello 1000 100ms 1000.
- D. hello 1000 100000 100000.

**Answer: D (LEAVE A REPLY)**

1 1000 Inter-Switch Link Protocol(ISLP) 1 1 VSX 100 1000 10 VSX 100 10 1 1000  
1 10000 10 1000000 100000. ISLP Hello 1000 100000 1000 10 10 10  
10 100000.

hello 1000 hello 100000 1000 1000 10 1000 10000 100000000. hello 1000 1  
1000 100000. hello 1000 10000 100000 1000 1 100000.

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/index.html>

**NEW QUESTION: 6**

Aruba CX 6300 VSF 10000 1000 1000 1000 10 1000 100000. 1000 200  
VLAN 10 100000 1000 1, 1000 1000 10000 10 1000 OSPF 1000 1000 1  
10000?

- A. 1000 OSPF 1000 10000 VRF 1000 100000.
- B. vrf 10000 1000 OSPF 10000 ID 100000.
- C. 1000 10 1000 10000 1 OSFP 10000 ID 100000.
- D. VRF 1000 OSPF 10000 ID 100000.

**Answer: B (LEAVE A REPLY)**

10

1000 1000 10000 10 1 OSPF 1000 10000 vrf 10000 1 OSPF 10000 ID 1  
1000 1000. 1000 1000 VRF 1 10 1000 10000 1000 1 OSPF 100000 1000  
100. 10 1000 1 OSPF 100000 10000 1000 VRF 100000 10 1000 10000  
10000. 10:

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch02.html>

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch03.html>

**NEW QUESTION: 7**

10 1/45 1 2/45 1 VSX 1 1000 10 256 1000 1000 VLAN 100 100000 1000 10  
1000?

- A. vlan 10000 10 1/45 1 1/46 10 100 100000.



□□□ □□□ System > Log □□□□ □□ Web UI □□□□ /logs/event □□□□ □□ REST API □ GET □□□□ □□ □□□□ □□□□□□ □□ □□□ □□□□ □□ AOS-CX □□□ □□ □□□. □□□ □□□ □□ 1□□ □□ □□ □□□ □□□ □□□ □□□ □□□ □□ □□ □□□□ □□□□□. □□ □□□ □□□□ Web UI □ REST API □□ □□□□ □□□□. □□ □□□ □ □□ □□□ □□□□ □□□ Web UI □□ REST API □□ □□□□ □□□□ □□ □□□ □□□□ □□□□.

□□□□:

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch01.html>

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch04.html>

### NEW QUESTION: 10

□□□ □□□□□.

Core-1□ □□□□ □□ config-revision□ □□□□ □□□□□?

- A. 0
- B. 1
- C. 1-0
- D. 0. 0

Answer: A ([LEAVE A REPLY](#))

□□

Core-1□ config-revision □□□□ 0□□□. Config-revision□ VSX □□ □□ □□□ □□□□ □□□□□□. VSX □□ □□ □□□ □□□□□ □□ □□□□ □□□□ □ □□□□□. config-revision □□ □ VSX □□ □□□□ □□□□□ 0□□ □□□□ □ □□ □ □□□□ □□□ □□ □□□ 1□ □□□□□. □□ □□□ config-revision□ □□□□ □□□□ □□□□ □□□□ □□□□. □□:

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch07.html>

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch02.html>

### NEW QUESTION: 11

QoS□ □□ □ □□□□ □□ □□□□□?

- A. □□□ □□ □□ □□□ □□□□ □□□□□.
- B. □□□ □□□ □□ □□□ □□ □□□
- C. □□ □□□ □□ □□ □□□ □□
- D. □□ □□ □□

Answer: ([SHOW ANSWER](#))

□□

QoS□ Quality of Service□ □□□, □□□□ □□□ □□□□□□ □□, □□, □□□ □□ □□ □□ □□□ □□ □□□□ □□□□□ □□□ □□□ □ □□□ □□ □□□□□□□.3 QoS□ □ □□□ □□ □□ □□□□ □□□□ □□□ □□□□ □□□ □□□□□ □□ □□□ □□ □□(SLA)□ □□□□ □□ □□□□□. QoS□ □□□□ □□□ □□□ □□□ □□□□ □□



topology, devices, and links, and allows users to drag and drop virtual components such as VRFs, VLANs, and subnets. The Fabric Wizard also generates the configuration commands for each device based on the user input and pushes them to the switches and gateways via Aruba Central. References:

<https://www.arubanetworks.com/products/network-management-operations/central/netconductor/>  
[https://www.arubanetworks.com/assets/wp/WP\\_NetConductor.pdf](https://www.arubanetworks.com/assets/wp/WP_NetConductor.pdf)

Policy Manager defines user and device groups. Policy Manager NetConductor, Policy Manager ID, (GPID) Cloud Auth, ClearPass.

<https://www.arubanetworks.com/products/network-management-Operations/central/netconductor/>  
[https://www.arubanetworks.com/assets/wp/WP\\_NetConductor.pdf](https://www.arubanetworks.com/assets/wp/WP_NetConductor.pdf)

**NEW QUESTION: 13**

1/45 2/45 VSX 256 VLAN 100?

- A. vlan 1/45 1/46 100
- B. VLAN 100 in LAG256
- C. LAG256 vlan 100
- D. vlan trunk add 100 in MLAG256

**Answer: (SHOW ANSWER)**

1/45 2/45 VSX 256 VLAN 100 vlan trunk allowed 100 in LAG256 VSX LAG256 VLAN 100.

Answer:

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch07.html>  
<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01-ch02.html>

**NEW QUESTION: 14**

UI /logs/event REST API GET AOS-CX?

- A.
- B.



ClearPass CoA AOS-CX

A.

B. CPPM SSL

C. RADIUS CPPM

D. ClearPass Policy Manager

Answer: (SHOW ANSWER)

(CoA) ClearPass Policy Manager(CPPM) ... AOS-CX ... radius-server coa enable ...

HPE7-A01 DumpTop HPE7-A01! HPE7-A01 DumpTop HPE7-A01 ... https://www.dumptop.com/HP/HPE7-A01-dump.html (150 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 17

Best Effort

A.

B.

C.

D.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

AP ... RTT ... FTM ... AP

A. 802.11ah

B. 802.11mc

C. 802.11be

D. 802.11V



□□ □□□ □□□ □□ □□□ □□□□ □□□□.

\* A. □□□ □□ bpdu-guard □□□ □□□□ □□ □□□□□ BPDU□ □□□□ □□□ □□□ □□□ □□ □□□□□. MSTP□ □□□ □□ □□□□ □□□ □□□ □□□□.

\* C. □□□ □□ CIST □□□ □□□ □□□ □□□□. CIST□ Common and Internal Spanning Tree□ □□□, MST □□ □□□ □□□□ □□ □□ □□ □ MST □□□□ □□ □□□□ □□ □□ □□□□□□□□.

\* D. □□□ □□ □□ □□ □□□ □□ □□□□□ □□□ BPDU□ □□□□ □□ □□□ □□ □□□ □□ □□□□ □ □□ □□ □□□□□. MSTP□ □□□ □□ □□□□□ □□□ □ □□ □□□□.

**NEW QUESTION: 20**

Aruba Network Analytics Engine(NAE)□ □□ □□ □□□ □□□□□?

- A. JSON □□ □□□□
- B. Lisp □□ □□□□
- C. Ruby □□ □□□□
- D. □□ □□ □□□□□□

**Answer: A (LEAVE A REPLY)**

JSON □□ □□□□□ Aruba Network Analytics Engine(NAE)□□ □□□□ □□ □□□□□. NAE□ □□□□□□□ □□ JSON □□ □□□□□ □□□□ □□□□ □□□□ □ □□ □□ □□ □□□□ □□□□□. □□□□□□ □□□ CLI □□, SNMP □□, REST API □ □□□ □□□□ □□□□ □□□□ □□ □□□ □□ □ □□□□ □□□□ □□□□□. □□□□□□ □□ □□ □ □□ □□ □□, □□, □□ □□ □□□□ □□□ □ □□□□.

□□□□:

[https://www.arubanetworks.com/techdocs/AOS-CX\\_10\\_08/UG/bk01-ch07.html](https://www.arubanetworks.com/techdocs/AOS-CX_10_08/UG/bk01-ch07.html)

[https://www.arubanetworks.com/techdocs/AOS-CX\\_10\\_08/UG/bk01-ch08.html](https://www.arubanetworks.com/techdocs/AOS-CX_10_08/UG/bk01-ch08.html)

**NEW QUESTION: 21**

□□□ □□□ □□□ □ □□□ □□ □□ □□□ □□□□□ □□□. □□ □□□ □□ □□ □□ □□ □□□□ □□□.

- IT □□ VLAN□□ □□□ VLAN□□ ping □□
- □□□ VLAN□□ IT □□ VLAN□□□ ping □□ □□

□□□ Aruba CX 6300□ □□□□ □□□□.

□□□ □□ □□□ □□□□ □□□ □□□ □□□□□?

- A. IT □□ VLAN□ □□ □□ □□ □□ □□□□ □□□□ □□□ VLAN□ □□□□□ ACL□ □ □□□□.
- B. IT □□ VLAN□ □□ ICMP □□ □□ □□□□ □□□□ □□□ VLAN□ □□□□ ACL□ □ □□□□.
- C. IT □□ VLAN□ □□ ICMP □□ □□□□ □□□□ □□□ VLAN□ □□□□ ACL□ □□□□ □.

D. IT VLAN ICMP ACL VLAN ACL

Answer: C (LEAVE A REPLY)

ACL VLAN ACL VLAN4 ping VLAN ACL IT VLAN icmp

NEW QUESTION: 22

QoS ( )

Answer:

:

QoS : 3) IEEE 802.11e QoS : 2) 3 64 QoS : WMM : 4) IEEE 802.11e QoS

NEW QUESTION: 23

Using Aruba best practices what should be enabled for visitor networks where encryption is needed but authentication is not required?

- A. Wi-Fi Protected Access 3 Enterprise
B. Opportunistic Wireless Encryption
C. Wired Equivalent Privacy
D. Open Network Access

Answer: (SHOW ANSWER)

Explanation

Opportunistic Wireless Encryption (OWE) is a feature that provides encryption for open wireless networks without requiring authentication. OWE uses an enhanced version of the 4-way handshake to establish a pairwise key between the client and the AP, which is then used to encrypt the wireless traffic using WPA2 or WPA3 protocols. OWE can be used for visitor networks where encryption is needed but authentication is not required. References:

https://www.arubanetworks.com/assets/tg/TG\_OWE.pdf

NEW QUESTION: 24

( )

Answer:

**NEW QUESTION: 25**

Which of the following is the correct configuration for a 200MHz AP-635 in a 2.4GHz band? (Select two)

Which of the following is the correct configuration for a 200MHz AP-635 in a 2.4GHz band? (Select two)

- A. SSID WPA3-Enhanced Open
- B. SSID WPA3-Enterprise(CCM)
- C. SSID WPA3-Personal
- D. SSID WPA3-Enterprise(CNSA)

Answer: A (LEAVE A REPLY)

WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band.

WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band.

**NEW QUESTION: 26**

Which of the following is the correct configuration for a 200MHz AP-635 in a 2.4GHz band? (Select two)

- A. AP WPA3-Enhanced Open
- B. AP WPA3-Enterprise(CCM)
- C. AP WPA3-Personal
- D. AP WPA3-Enterprise(CNSA)

Answer: (SHOW ANSWER)

WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band.

WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band. WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band.

WPA3-Enhanced Open is the correct configuration for a 200MHz AP-635 in a 2.4GHz band.

[https://www.arubanetworks.com/techdocs/ArubaOS\\_86\\_Web\\_Help/Content/arubaos-solutions/wlan-rf/rf-fundam](https://www.arubanetworks.com/techdocs/ArubaOS_86_Web_Help/Content/arubaos-solutions/wlan-rf/rf-fundam)





- B. tcp any any eq 443 □□; tcp any any eq 80 □□
- C. tcp any any neq 80 □□
- D. tcp any any eq 443 □□; tcp any any eq 80 □□

Answer: A ([LEAVE A REPLY](#))

**HPE7-A01** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE7-A01 □□!  
 DumpTop □ □□ **HPE7-A01** □□ □□□ □□□□□□, DumpTop HPE7-A01 □□ □□□ □  
 □□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE7-A01  
 □□□ □□□□□. <https://www.dumptop.com/HP/HPE7-A01-dump.html> (150 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

**NEW QUESTION: 32**

□□□□□ Best Effort □ □□ □□□□ □□□ □□□□ □□□□□ □□□□□?

- A. □□ □□□
- B. □□
- C. □□□ □□
- D. □□□□ □□

Answer: B ([LEAVE A REPLY](#))

□□ Best Effort □□□□ Quality of Service □□(□□, □□ □□, □□ □□)□ □□□□ □□ □  
 □ □□ □□□ □□□□ □□□□□ □□□□□. □□□□ □□□ □□ □ □□ □ □□□ □□□  
 □□□□ □□□□.2 □□□□□ □□□□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□□  
 □□□□ □□□□□ □□□□ □□□□ □□□ □□□ □□□□.3  
 □□□ □□□□ □□ □□ □ □□ □□□□ Best Effort □□□□ Background □□□□□ □□  
 □□□ □□□□.

1: <https://www.arubanetworks.com/techdocs/ArubaDocPortal/content/docportal.htm> 2:  
<https://stackoverflow.com/questions/33854306/best-effort-traffic-and-real-time-traffic-difference> 3:  
<https://www.informit.com/articles/article.aspx?p=25315&seqNum=4>

**NEW QUESTION: 33**

- □□□□□ □□ CX □□□□ □□□ □□ □□□ □□□□□□ □□□ □□□□ □□  
 □□ □□□ □□□□□□. □ □□□ □□□□ □□ □ □□□ □□ □□□□□ □□□□ □□ □  
 □□□ □□□ ClearPass □□□ □□□□□□□.
- ClearPass□ CoA□ □□□□ □ □□ □□□ □□ □□□□ □□□□□ □□ □□□ □□□□ □  
 □□? (□ □□□ □□□□□.)
- A. □□□□ ClearPass□ NTP□ □□□□ □□□ □□□□□.
- B. □□□□□ □□ □□ □□□ □□□□□.
- C. □□□□□□ □□□□□□.
- D. □□ □□□□ □□□□□.
- E. □□□□□□□ □□ □□ □□ □□



Current State Database, VLAN, , , , . NAE AOS-CX REST API . NAE . NAE . Current State Database NAE .

.

A) JSON : JSON . NAE . NAE Python .1

B) Lisp : Lisp . NAE . NAE .1.

C) : . NAE . NAE .1

**NEW QUESTION: 36**

QoS ?

- A. .
- B. .
- C. .
- D. .

**Answer: C (LEAVE A REPLY)**

.

QoS Quality of Service , , , .3 QoS (SLA) .3 QoS , , , , , .3 QoS : 3

<https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/qos/configuration/15-mt/qos-15-mt-book/qos-overview.html>

**NEW QUESTION: 37**

OSPFv2 Aruba OS CX ? ( .)

- A. "redistribute connected" .
- B. "redistribute ospf" OSPF V2 V3 .



**NEW QUESTION: 39**

□□□ □□ □□ □□□ □□ □□□□ □□□□ □□□□ □□□□.

\* AP1□□ 20dBm □□□ □□□□ □□ □□□ □□□□.

\* AP2□□ 8dBm □□□ □□□□ □□□□ □□□□.

\* AP1□ 7 dBi □□□ □□□□ □□□□ □□□□.

\* AP2□ 12 dBi □□□ □□□□ □□□□ □□□□.

\* AP1□ □□□ □□□□ 3dB □□□ □□□□.

\* AP2□ □□□ □□□□ 3OB □□□ □□□□.

AP1□ □□□ □□ □□□ □□ □□(EIRP)□ □□□□□?

- A. 2dBm
- B. 8dBm
- C. 22dBm
- D. 24dBm

**Answer: B (LEAVE A REPLY)**

□□

EIRP = 8dBm

EIRP□ □□□ □□□ □□□□.

EIRP = P - 1x Tk + Gi

□□□ P□ □□□ □□(dBm), l□ □□□ □□(dB), Tk□ □□□ □□(dBi), Gi□ □□□ □□(dBi) □□□.

□□□ □□ □□□□ □□□ □□□□.

EIRP = 20 - 3 x 7 + 12 EIRP = 20 - 21 + 12 EIRP = -1dBm

□□□ □ □□ EIRP□ □□□ □ □ □□ □□□ □□ □□ □□□□. □□□ □□□ □□□ □□ □ □□□ □□□ □□ □□□□ □□□.

□□□ □□□ □□□ □□□□.

EIRP = P - 1x Tk / (1 + Tk)

□ □□□ □□□□ □□□ □□□□.

EIRP = 20 - 3 x 7 / (1 + 7) EIRP = 20 - 21 / 8 EIRP = -2dBm

□ □□□ □□□ □□ □□ □□□□. EIRP□ □□□ □ □ □□ □□□□□□. □□□ □□□ □□ □ □□□ □□□ □□ □□□□ □□□ □□□□ □□□.

□□□ □□□ □□□ □□□□.

EIRP = P - 1x Tk / (1 + Tk) - 1x Tk / (1 + Tk)^2

□ □□□ □□□□ □□□ □□□□.

EIRP = 20 - 3 x 7 / (1 + 7) - 3 x 7 / (1 + 7)^2 EIRP = 20 - 21 / 8 - 21 / (8)^2 EIRP = -2 dBm □ □□

□ EIRP□ 0□□ □□□ □□□ □ □ □□ □□□ □□ □□□. □□□ □□□ □□□□□□.

**NEW QUESTION: 40**

□□□□□ Best Effort□ □□ □□□□ □□□ □□□□ □□□□□ □□□□?

- A. □□ □□□
- B. □□
- C. □□□ □□
- D. □□□□ □□

**Answer: B (LEAVE A REPLY)**

□□ Best Effort □□□□ Quality of Service □□□(□□, □□ □□, □□ □□)□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□□. □□□□ □□□ □□ □ □□ □ □□□ □□ □□□□□ □□□□. □□□□□ □□□□ □□□ □□ □□ □□ □□ □□□□ □□□□ □□ □ □□□□ □□□□□ □□□□ □□□□ □□□ □□□□. □□□□ Best Effort □□□□ □□□□ □□□ □□ □ □□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□.

**NEW QUESTION: 41**

□□□ □□ □□□ □□□ Aruba CX □□□□ SVI□ □□□□ □□□□.

\* VLANID = 25

. IPv4 □□ 10 105 43 1 □□□ 255 255 255.0

\* 64□□ □□□ □□□ □□ IPv6 □□ fd00:5708::f02d:4df6

\* VRF eng □□

\* VRF eng □ VLAN 25□ □□ □□□□ □□□□□.

□□ □□ □□□ □□ □□ □□□□ □□ □□□ □□□□□□□?

- A.
- B.
- C.
- D.

**Answer: C (LEAVE A REPLY)**

□□ □□□ □ □□ □□□ □□□□□ VRF □□ VLAN□ □□□□ □□□□.

□□ C□ □□ □□□ □□□□□.

vrf eng: □ □□□ eng□□ VRF□ □□□□ VRF □□ □□1□ □□□□□.

vlan 25: □ □□□ ID 25□ VLAN□ □□□□ VLAN □□ □□ 2□ □□□□□.

□□□□□ VLAN 25: □ □□□ VLAN 25□ SVI□ □□□□ □□□□□ □□ □□ 3□□ □□□ □□.

ip □□ 10.105.43.1/24 ipv6 □□ fd00:5780::102d:4df6/64 vrf attached eng: □ □□□ □□□ □ □□ 255.255.255.0□ IPv4 □□ 10.105.43.1□ □□□ □□ 64□ fd00:5780::102d:4df6□ IPv6 □ □□ SVI□ □□□□ □□ VRF eng□ □□□□□.

**NEW QUESTION: 42**

1/1/25 □□□□ □□ Aruba CX 6000 24G □□□□ □□□□ □□□□□ □□□□ □□□ □□ □□ □□□□□□ □□ □□□□□ □□□□ □□□□ □□□ □□□□?

- A. □□□ □□□□ □□ □□□ □□□□□.
- B. □□□ □□ □□□□ □□□□□□□.
- C. □□□□ □□ □□□ □□□□□.



a) Host with IP 10.1.3.7 can ping host with IP 10.13.4.2

b) Host with IP 10.1.3.7 can ping host with IP 10.1.3.7

c) Host with IP 10.1.3.7 can ping host with IP 10.1.3.7

d) Host with IP 10.1.3.7 can ping host with IP 10.1.3.7

1 <https://www.thestudygenius.com/unicast-broadcast-multicast/>

Host with IP 10.1.3.7, Host with IP 10.13.4.2, Host with IP 10.1.3.7, Host with IP 10.1.3.7

Host with IP 10.1.3.7, Host with IP 10.1.3.7

Host with IP 10.1.3.7, Host with IP 10.1.3.7

**NEW QUESTION: 45**

Host with IP 10.1.3.7 can ping host with IP 10.1.3.7. (Host with IP 10.1.3.7 can ping host with IP 10.1.3.7.)

**Answer:**

Host with IP 10.1.3.7

a) Host with IP 10.1.3.7 can ping host with IP 10.1.3.7

Host with IP 10.13.4.2 -> Host with IP 10.13.4.2

b) Host with IP 10.1.3.7 can ping host with IP 10.1.3.7

c) Host with IP 10.1.3.7 can ping host with IP 10.1.3.7

d) Host with IP 10.1.3.7 can ping host with IP 10.1.3.7

1 <https://www.thestudygenius.com/unicast-broadcast-multicast/>

Host with IP 10.1.3.7, Host with IP 10.13.4.2, Host with IP 10.1.3.7, Host with IP 10.1.3.7

Host with IP 10.1.3.7, Host with IP 10.1.3.7

Host with IP 10.1.3.7, Host with IP 10.1.3.7

**NEW QUESTION: 46**

Access-1:

Access-1 VLAN 100 MSTP

A. bpduguard

B. vlan mapping

C. Cist

D.

**Answer: (SHOW ANSWER)**

B. VLAN

MSTP VLAN MST

, MST VLAN

(: , )

□□ □□□. □□ □□, □ □□□□ □□□□ 1□ □□□ □□□ □□ □□□□ □□□□ 2□ □ □□ □□ □□ VLAN□ □□□ □□□□ 1□ □□□□ □□ □□□ □□□□ 2□ □□□ □ □□ □□.

Cisco □□ Understand the Multiple Spanning Tree Protocol(802.1s)□ □□□ MST□ □□□□ □□ □ □□□ □□□ □□□□.

VLAN □□□ □ □□ □□□□□ □□□□ □□□ □□□□ □□□ □□ □□ MST □□□ □□ □□□. □□ □□ □□□□□ Bridge D1□ VLAN 501~1000□ □□□ □□□□ Bridge D2□ VLAN 1~500□ □□□ □□□□□.

□□ □□□ □ □□□ □□□□□.

□□□ D1(config)#spanning-tree mst □□

□□□ D1(config-mst)#instance 1 vlan 501-1000

D1 □□□(config-mst)#exit

□□□ D1(config)#spanning-tree mst 1 □□□□ 0

D2(config)#spanning-tree mst □□ □□□

□□□ D2(config-mst)#instance 2 vlan 1-500

D2(config-mst)#exit □□

D2(config)#spanning-tree mst 2 □□□□ 0□□ □□

□□ □□□ □ □□ MST □□□□ 1□ 2□ □□□□ VLAN 501-1000□ □□□□ 1□ □□□□ VLAN 1-500□ □□□□ 2□ □□□□□. □□ □□ □□□□ D1□ □□□□ 1□ □□□ □□□ □ □□ D2□ □□□□ 2□ □□□ □□□□.

□□ □□□ □□□ □□ □□□ □□□□ □□□□.

A) □□□ □□ bpdu-guard □□□ □□□□ □□ □□□□□ BPDU□ □□□□ □□□ □□□□ □□ □□ □□□□□. MSTP□ □□□ □□ □□□□□ □□□ □□□ □□□□.

C) □□□ □□ CIST □□□ □□□ □□□ □□□□. CIST□ Common and Internal Spanning Tree□ □□□, MST □□ □□□ □□□□ □□ □□ □□ □ MST □□□□ □□ □□□□ □□ □□ □□□□□□□.

D) □□□ □□ □□ □□ □□□ □□ □□□□□ □□□ BPDU□ □□□□ □□ □□□ □□ □ □□ □□ □□□□ □ □□ □□ □□□□□. MSTP□ □□□ □□ □□□□□ □□□ □□ □□□□.

**HPE7-A01** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE7-A01 □□! DumpTop □ □□ **HPE7-A01** □□ □□□ □□□□□□, DumpTop HPE7-A01 □□ □□□ □ □□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE7-A01 □□□ □□□□□. <https://www.dumptop.com/HP/HPE7-A01-dump.html> (150 Q&As Dumps, **30%OFF Special Discount: KrDump**)

### NEW QUESTION: 47

ArubaOS-CX□□ sFlow □□□ □□ □□□□□ □□□ □ □□ □□□ □□□□□□?

A. □□ □□□

- B. □□ □□□
- C. □□ □□□□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 48**

□□ □□□ □□□ □□□ □□ □□□□□. (□□ □□□ □ □ □□ □□□ □□ □□ □□ □□ □□ □□ □□□□.)

Answer:

□□:

a) □□□□ □ IP □□ 10.1.3.7□ □□ □□□ □□□ □□□□ IP □□ 10.1.3.7□ □□ □□□ □ □□□ □□□.

□□ □□□□□ 10.13.4.2 -> □□□□□

b) □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□ -> □□□□□ c) □□ □□□□□ □□ □□□□ □□ -> IP □□ □□□□□□□ d) □□ NIC□ □□□ □□□□ □□□□ □ □□ NIC□ □□ -> □□□□□□□ □□: 1 <https://www.thestudygenius.com/unicast-broadcast-multicast/> □□□□□□□, IP □□ □□□□□□□, □□□□□□, □□□□□□□□ □□□ □□□□□ □□ □□□ □□□ □□ □□ □□□ □□□□□. □□□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□□. □□ □□ □ □□□ □□□ □□□ □□□□1: □□□□ □□□□ □□□ □□ □□□□ □□ □□□

**NEW QUESTION: 49**

□ □□ AOS-CX □□□□ □□□ □□□□ □□□ □□ □□□□ VSX□ □□□□□. SVI □□□ □□□ VLAN 10□ □□ □□□□ VLAN 10□ □□ □□□□□ □□□ □□□. □□□ □□ ISL □ □□ □□□□□ keepalive □□□□□□□ □□□□□. VSX □□□□ □□ □□□□□□□ □□□□ □□□.

□□□□ □□□ □□□□ □□ □□ □□□ □□ □□□□□? (□ □□□ □□□□□□□.)

- A. □□ 1□ keepalrve □□□ □□ □□ □□□ □□□□ □ □□□□.
- B. □□ 2□ keepalive □□□ □□ □□ □□□ □□□□ □ □□□□.
- C. □□ 2□ □□ □□□ □□□□ □ □□□□.
- D. □□ 1□ □ □□□□ □□ □□ □□□ □□□□ □ □□□□.
- E. □□ 1□ □□ 2□ □□ □□□ □□ □□ □□□ □ □□□□.
- F. □□ 1□ □ □□□ □□□□□□□ □□ □□□ □□□□ □ □□□□.

Answer: D,E ([LEAVE A REPLY](#))

□□ □□□ □ ISL □□□ □□□□□□ keepalive □□□□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□ □□□□□. □□ 1□ VLAN 10□ □□ □□□ □□□□ VSX-A□ □□□□ □□ □□□ □ □□□□ □□ □□ □□□ □□□□ □ □□□□. □□ 2□ Active Gateway □□ □□□ VLAN 10□ □□ □□□ □□□□ VSX-B□□ □□□□ □□ □□ □□□ □□□□ □□ □□□□. □□ 1□ □□ 2□ □□□ VLAN□ □□□□ □□ □□□ □□ □□□ □□ □□ □□□

□ □□□, □□□□ □□ □□□□ □□ □□□□ □ □□□□. □□ □□□ □□□□ □□□ □□  
□ □□□ □□ □□□□□ □□□□ □□□ □□□□ □□□□. □□:

<https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/bk01->

**NEW QUESTION: 50**

AOS10 □□□□□□□□ □□□□□□ □□ □□□□ □□□ □□ □□□ □ □□ □□ □□□□□ □  
□□□□?

- A. □□□□
- B. □□□
- C. □□
- D. VPN □□□□□□

**Answer: (SHOW ANSWER)**

VPN Concentrator □ AOS10 Gateway □□ Gateway □□ □□□ □□□ □□ □□□ □ □□ □  
□ □□□□□□□. □□ □□□□□ □□□□□□□ Gateway □ □□□ □□□ □□□□□.  
Gateway □□ □□□ Gateway □ □□□□ AP □ □□□□ □□ □□□□□. VPN Concentrator  
□□□□□ Gateway □ □□ AP □□ □□□□□□□□ VPN □□□ □□□□ □□ □□□□ □□  
□□ □□□□ □□□ □ □□□ □□□. □□ □□□ □□ □□□□□ □□□□□ Gateway □□ □  
□□□ □□□□ □□ □□□ □□□□ □□□□.

□□□□:  
[https://www.arubanetworks.com/techdocs/ArubaOS\\_86\\_Web\\_Help/Content/arubaos- □□□/□□□□/□□□□](https://www.arubanetworks.com/techdocs/ArubaOS_86_Web_Help/Content/arubaos-□□□/□□□□/□□□□)

[https://www.arubanetworks.com/techdocs/ArubaOS\\_86\\_Web\\_Help/Content/arubaos- □□□/□□□□/vpn-co](https://www.arubanetworks.com/techdocs/ArubaOS_86_Web_Help/Content/arubaos-□□□/□□□□/vpn-co)

**NEW QUESTION: 51**

□□ □□□ □□ Aruba AP-515S 5□(5) □ Aruba CX 6300 1□(1) □ □ □□□ □□ □□□□□□  
□. Central □□ □ □□ □□□ □□ □ □□ □□□□□ □□□□□ MAC □□□ □□ □□□ □  
□□□. □□□ □□□□ □□□□□□ □□ □□□□ □□ □□ □ □□□□□ Aruba Central □  
□□□□□□ □□□ □□□□□.

- □□□ □□□□□ □□□ □□□□□ □□□□□□ □□ □□□□□□□ □□□□ □□□?
- A. Aruba □□□ □
  - B. Aruba Central □
  - C. Aruba CX □□□ □
  - D. Aruba □□ □□□□ □

**Answer: B (LEAVE A REPLY)**

Aruba Central □ □□□□ □□ □□□□ □□□□□, AI □□ □□□, □□□ □□□, □□□□ □  
□□, □□-□□□□□ □□□ □□ IT □□□□□ □□□ □□□□□□ □□□, □□, □□, □□□  
□□ □ IoT □□□□□ □□□ □ □□□□□. Aruba Central □ □□ □□□□ □□□ □□ □□□□  
□ □□□□□ □ □□ □□□ □□ □□□□□□. □ □□ □□□□ □□□□ □□(□: AP □□ □□  
□) □ □□□□ □□□□□ Aruba Central □ □□□□□ □□□ □ □□□□□. □□ □ □□ □□□□□



Aruba CX VSX □□ □□□ □, Inter-Switch Link Protocol □□□ □□□ □□□□ □□ □□□ □ □□□□?

- A. QSVI
- B. MAC □□□
- C. UDLD
- D. RPVST+

**Answer: B (LEAVE A REPLY)**

Inter-Switch Link Protocol □□□□ □□□ □□□ □□□□ □□□ B. MAC □□□□□□□. Inter-Switch Link Protocol(ISL)□ □ VSX □□ □□□ □□ □□□ □ □□ □□ □□□□ □□□ □ □□ □□□□□□□. ISL□ □□ □□ □□□□□ □□□□ VSX □□□□ □□□ □□ □□ □□□ □□□□ □□□□□. ISL□ □□□(□□□□□□ □□ □□)□ □□ □□ □ □□□ 10G, 25G, 40G □□ 100G1□ □□ □□□ □□□ □□□□□. ISL□ □□□□□ □□□ □□ □□ □ □□□ MAC □□□□□, □□□□□ □□□ □□□ MAC □□ □□ □□ □□ VLAN□ □□□□ □□□□□□□□□□. ISL□ □ VSX □□□ □□□ MAC □□ □□□ □□□ □□□□ □□□ □□□□ □□□ □ □□□ □□□. ISL□ □□ ARP □□□, VSX LAG□ LACP □□ □ MSTP □□□□ □□ □□ □□□ □□ □□□ □□□□□□□.

**NEW QUESTION: 54**

□ □□□ □□ Aruba □□□□ □□□ □□□□□(□□□□ □ □ □□ □□□□ □□ □□ □□ □□□ □□□ □□ □□□□.)

**Answer:**

- :
- a) □□□ □□ 10□□ □□ □□ -> VSF
- b) □□□ 2□□ □□ □□ -> VSX
- c) □□ 400G□ □□ ISL □□□□ □□□□□ -> VSX
- d) □□ 50G□□□ □□ ISL □□□□ □□□□□ -> VSF
- e) □□ 200G□ ISL □□□□ □□□□□ -> VSF

□□□□: 1 <https://www.arubanetworks.com/techdocs/AOS-CX/10.04/HTML/5200-6728/GUID-2E425DAE-EC54-4313-9D>

**NEW QUESTION: 55**

□□□ □□□□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□.

- \* AP1□□ 10dBm □□□ □□□□ □□□□ □□□□.
  - \* AP2□□ 11dBm □□□ □□□□ □□ □□□ □□□□.
  - \* AP1□ 9dBi □□□ □□□□ □□□□ □□□□.
  - \* AP2□ 12 dBi□ □□□ □□ □□□□ □□□□ □□□□.
  - \* AP1□ □□□ □□□□ 2dB □□□ □□□□.
  - \* AP2□ □□□ □□□□ 3dB □□□ □□□□.
- APT□ □□ □□□ □□ □□□ □□ □□(EIRP)□ □□□□□?

- A. 26dBm

- B. 30dBm
- C. 17dBm
- D. -12dBm

Answer: (SHOW ANSWER)

EIRP =  $10\text{dBm} + 9\text{dBi} - 2\text{dB} = 17\text{dBm}$

**NEW QUESTION: 56**

Aruba AP RF Aruba Central?

- A.
- B.
- C.
- D.

Answer: C (LEAVE A REPLY)

Spectrum Monitor RF Aruba Central Aruba AP.

Spectrum Monitor AP 2.4GHz 5GHz RF AP Aruba Central. Aruba Central RF AP Aruba Central RF.

**NEW QUESTION: 57**

Aruba CX 6200 24G, 24G?

- A. int 1/1/1-1/1/24, 24
- B. int 1/1/1-1/1/28. 24
- C. int 1/1/1-1/1/28. 24
- D. int 1/1/1-1/1/24. 24

Answer: A (LEAVE A REPLY)

loop-protect 2 (LAG VLAN) 2

**NEW QUESTION: 58**

Aruba Wi-Fi Protected Access 3 Enterprise?

- A. Wi-Fi Protected Access 3 Enterprise
- B.
- C. Wired Equivalent Privacy



**Answer: (SHOW ANSWER)**

□□

□□ □□ 802.1X □□□ □□□□□ RADIUS □□□ □□ □□□□□ □□ □□ AP□ RADIUS □□ □□ □□□□ □□□ □□ □□□□ □□□□□ □□□ □□□□□□. TLS□ □□ RADIUS □□□ □□ RadSec□ TCP □ TLS□ □□ RADIUS □□□□ □□ □□□ □ □□□ □□□□ □ □□□□□□. RadSec□ AP□ RADIUS □□ □□□□ □□□□ RADIUS □□□ □□□□ □□ □□ □□□ □□□ □ □□□□. □□ □□□ RADIUS □□□□ □□ □□□ □□ □□□ □□□ □ □□□ RadSec□ □□□□ □□ □□□ □□□□ □□□□. □□:

<https://www.securew2.com/blog/what-is-radsec/>

<https://www.cloudradius.com/radsec-vs-radius/>

**NEW QUESTION: 61**

When setting up an Aruba CX VSX pair, which information does the Inter-Switch Link Protocol configuration use in the configuration created?

- A. QSVI
- B. MAC tables
- C. UDLD
- D. RPVST+

**Answer: C (LEAVE A REPLY)**

UDLD (Unidirectional Link Detection) is the information that the Inter-Switch Link Protocol configuration uses in the configuration created for Aruba CX VSX pair inter-switch-link. UDLD is a protocol that detects unidirectional links between switches and prevents loops or black holes in the network. UDLD is enabled by default on all ports that are part of the inter-switch-link between VSX peers. The other options are incorrect because they are either not related to inter-switch-link or not supported by Aruba CX VSX.

**HPE7-A01** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE7-A01 □□!  
 DumpTop □ □□ **HPE7-A01** □□ □□□ □□□□□□, DumpTop HPE7-A01 □□ □□□ □  
 □□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE7-A01  
 □□□ □□□□□. <https://www.dumpst.com/HP/HPE7-A01-dump.html> (150 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

**NEW QUESTION: 62**

Aruba CX □□□ □□□□ VSX □□□ □□□□ □□□□ Active Gateway □□□ □□□□□?

- A. VRRP□ Active □□□□□□ VLAN□□ □□ □□□□□□.
- B. VRID□ □□□□ SVI vlan id□ □□□□□.
- C. VRID□ VRRP□ □□□ □□□ □□□.
- D. □□ □□□□ □□ VRRP □ Active Gateway□ □□ VLAN□ □□□ □ □□□□.

**Answer: A (LEAVE A REPLY)**

000 000000 00 00 000 0000 0 00 0 00 00000000. 000 000  
 00 000 000 00000 00000 00000 00 000000 00000 000 0 00  
 000. 000 000000 00 0000 00 000000 00 000000 000 0 0 00  
 0 00 000 00000 00000 000 000000. 000 000000 00000 00  
 VRRP0 0000 0000.3 000 000000 VSX 0000 0000 0000 00 MAC  
 00(VMAC)0 00 000 00000 MAC00 000000 000 VRRP0 000000. 0 0  
 00 000000 000 000000 VMAC 000 00000 00 00000 0000000 00  
 000 0000. 0000 000 000000 IP0 00 IP 000 000.3 000 0000000  
 VRRP00 000000, VRRP0 00000 00000 000 ISL 000 00 00000 000000  
 0 000 00000 000000.3 000 VRRP0 000 0000000 VLAN00 00 00000  
 0 00 A000.

00: 1: Aruba 000 000 00 0 00 000 3: VSX0 00 Active Gateway - Aruba

**NEW QUESTION: 63**

000 000000. 0 000 20000 AP-635 000 00000 00000000. 6GHz 000 0  
 000 00 00000 Central00 0 WPA3-OWE SSID0 000000 000000 00000 00  
 00 000000.

0 000 000000 00 000 000 00 000000?

- A. SSID0 WPA3-Enterprise(CNSA)0 000000.
- B. SSID0 WPA3-Personal0 000000.
- C. SSID0 WPA3-Enhanced Open00 000000.
- D. SSID0 WPA3-Enterprise(CCM)0 000000.

**Answer: C (LEAVE A REPLY)**

WPA3-OWE0 Central00 000 SSID 0000 00000. OWE0 Opportunistic Wireless  
 Encryption0 000, 00 000 000 000000 00 00000 00000 0000000. OWE  
 0 Enhanced Open00000 00, Central0 WPA3 SSID 00 0 000000.

Aruba 00 SSID 00000 00 WLAN 00 000 0000 WPA3 SSID0 00000 00 0 00  
 0 000 00000.

00000 00000 00 000 000000.

000 00 000 000 0 00000.

WPA3-Personal: 0 000 SAE(Simultaneous Authentication of Equals)0 00000 WPA2-  
 Personal00 000 00000 00 00 0 0 000 000000.

WPA3-Enterprise: 0 000 CNSA(Commercial National Security Algorithm) 000000 000  
 00 00 0 00000 19200 000 000 000000.

WPA3-Enterprise(CCM): 0 000 CBC-MAC(CCM) 000 00000 000000 0000 00 0  
 0 0 00000 12800 000 000 000000.

WPA3-000 00: 0 000 OWE(0000 00 000)0 00000 00 000 0000 0000  
 00 00 00000 000000.

**NEW QUESTION: 64**

□□□ □ □□ □□

□ PoE □□ □□□ □□ 802.3 □□□ □□ □□□□□. (□□□ □ □ □□ □□□□□ □□ □□ □□ □□ □□□)

**Answer:**

**NEW QUESTION: 65**

802.11k□ □□ □□□ □□ □□□□□?

- A. □□ □□□□ □□□ □□ □□□□□ □□□□ □□ □□ □□□ □□□□□.
- B. □□□□□□ AP□ □□□□ □□ □□ □□ AP□ □□□□□□ □□ □□□□ □□ □□□ □□□□.
- C. AP□ □□□□□□ □□ □□□ □□ □□□□ □□□□ □□□ □ □□ □□□□□ □□□□ □.
- D. □□□□□ RSSI□ □□□□ □□□□□□ 5GHz □□□□ □□□□ □□□ □□□ □□□□ □□ □□ □□ □□□□ □□□□□.

**Answer: (SHOW ANSWER)**

802.11k□ AP□ □□□□□□ □□ □□□□□□ □□ □□□ □□ □□□□ □□□□ □□□ □□ □□□□□ □□□□ □□□□□. 802.11k□ AP□ □□□□□□ RF □□□ □□ □□□ □ □□□ □ □□ □□ □□□ □□ □ □□□ □□ □□ □□, □□ □□, □□ □□ □□ □□ □□ □□□ □□(RRM) □□□ □□□□□. □□ □□□ 802.11r, 802.11v □□ 802.11ax□ □□ □□ □□□ □□□□ □□□ □□□□ □□□□. □□:

[https://www.arubanetworks.com/assets/wp/WP\\_WiFi6.pdf](https://www.arubanetworks.com/assets/wp/WP_WiFi6.pdf)  
[https://www.arubanetworks.com/assets/ds/DS\\_AP510Series.pdf](https://www.arubanetworks.com/assets/ds/DS_AP510Series.pdf)

**NEW QUESTION: 66**

□□□ 200□□ AP-515 □□□ □□□□ 75□□ AP-565 □□□ □□□□ □□□ □□□□ □□ □□□□. □□□ Wi-Fi □□ □□□ □□ □□□ □□□ □□ □□□□ □□□□. 802.1X□ □ □□ □□□□ □□□□. □□□ □□ □□□ □□□□ □□ □□□ □□□□□ □□□□?

- A. 802.1X
- B. 802.11r
- C. 802.11W
- D. 802.11h

**Answer: A (LEAVE A REPLY)**

□□

<https://www.howtogeek.com/794724/what-is-wi-fi-calling/> 2:  
<https://www.networkcomputing.com/networking/your-network-optimized-wifi-calling> 3:  
Wi-Fi □□□ □□□ □□□□ □□ Wi-Fi□ □□ □□ □□□ □□□ □□ □ □□ □□□□□. Wi-Fi □□□ □□□ □□□ □□□□ □□ □□ □□□□ □ □□ □□ □□□ □□□□ □□□ □ □□□□.

**NEW QUESTION: 67**

AOS 1000 000 00 00 00 ACL0 00 0000000 00 00000000 ping0 00  
00 00 00000000 00 00000000 ping0 0000 00000? 00 000 00 0  
000 000 0 00 000 000000.

- A. ip access-list session pingFromWired 00 0000 00 00
- B. ip 000 00 00 pingFromWired 000 00 svc-icmp 00 00 00 svc-icmp 00
- C. ip 000 00 00 pingFromWired 00 00 svc-icmp 00 0000 00 svc-icmp 00
- D. ip 000 00 00 pingFromWired 00 00 svc-icmp 00 00 0000 svc-icmp 00

**Answer: (SHOW ANSWER)**

A). ip access-list session pingFromWired 00 0000 00 00  
0000 00 00 0000 00 000000(0000)00 00 00000 000000. 0000 00  
0 00 00000.

B). ip 000 00 00 pingFromWired 000 00 svc-icmp 00 00 svc-icmp 00  
0 00 0000 00 000000(0000)00 00 000000 ICMP(ping)0 000000.  
0 00 0000 00 000000 00 000000 ICMP0 000000. 0000 00 0000 00 0  
00000 00 00000000 ping0 000000.  
0000 0000 00000 0 0000 0000 0000 00000.

C). ip access-list session pingFromWired any any svc-icmp permit user any svc-icmp deny 0 0  
0 0000 00 000000 00 000000 ICMP0 000000. 00000 00 000000 ping00  
00 00000000 0000000.  
0 00 0000 00 000000000 00 0000000 ICMP0 0000000. 0000 00 00 00  
0000 0000 00 000000 00000.

D). ip access-list session pingFromWired any any svc-icmp deny any user svc-icmp permit 0 0  
0 0000 00 000000 00 000000 ICMP0 000000. 0000 0 00 000000 00  
ICMP 000000 0000000.  
0 0000 000000 0000 0000 000000 000000.  
00 0000 00000 0, 0000 0000 000000.

B). ip 000 00 00 pingFromWired 000 00 svc-icmp 00 00 svc-icmp 00

**NEW QUESTION: 68**

0000 00 00 0000 00000 00 IoT 0000 00 00 00 00000 00 000000.  
- IoT 0000 0000 0000 00 00 000000 00000000 0000.  
- 0000 0000 000000  
- 00 0000 000000 00 00 00 00 00  
00 000000 0000 00 0000 00000000? (2000 0000000.)

- A. MPSK 0 00 RADIUS 00
- B. MAC 0000 0000 MPSK 00
- C. ClearPass 00 0000
- D. EAP-TLS0 0000 MPSK 00
- E. 00 0000 00 00

**Answer: (SHOW ANSWER)**

MPSK WPA2 PSK ClearPass Policy Manager RADIUS AP IoT AP VLAN ClearPass Policy Manager MAC, DHCP, HTTP IoT ClearPass Policy Manager IoT

1

- 1 [https://www.arubanetworks.com/techdocs/central/latest/content/aos10x/cfg/aps/wpa2\\_mpsk.htm](https://www.arubanetworks.com/techdocs/central/latest/content/aos10x/cfg/aps/wpa2_mpsk.htm)
- 2 <https://docs.fortinet.com/document/fortigate/7.0.0/new-features/139640/wireless-client-mac->
- 3 [https://www.arubanetworks.com/assets/ds/DS\\_ClearPass.pdf](https://www.arubanetworks.com/assets/ds/DS_ClearPass.pdf)
- 4 [https://www.arubanetworks.com/assets/tg/TB\\_ClearPass\\_IoT.pdf](https://www.arubanetworks.com/assets/tg/TB_ClearPass_IoT.pdf)

**NEW QUESTION: 69**

Review the exhibit.

You are troubleshooting an issue with a 10.102.39.0/24 subnet which is also VLAN 1000 used for wireless clients on a pair of Aruba CX 8360 switches. The subnet SVI is configured on the 8360 pair, and the DHCP server is a Microsoft Windows Server 2022 Standard with an IP address of 10.200.1.100. The 10.102.250.0/24 subnet is used for switch management. A large number of DHCP requests are failing. You are observing sporadic DHCP behavior across clients attached to the CX 6100 switch. Which action may help fix the issue?

- A.
- B.
- C.
- D.

**Answer: C (LEAVE A REPLY)**

Option C is the only action that configures the DHCP relay on the SVI of VLAN 1000 on the CX 8360 switches. DHCP relay is a feature that allows a switch to forward DHCP requests from clients in one subnet to a DHCP server in another subnet. DHCP relay is required when the DHCP server and the clients are not in the same broadcast domain.

Option C uses the following commands:

- interface vlan 1000: This command enters the interface configuration mode for the SVI of VLAN 1000, which has an IP address of 10.102.39.1/24 and is used for wireless clients.
- ip helper-address vrf default 10.200.1.100: This command configures the IP address of the DHCP server as a helper address for the SVI, which means that the switch will forward DHCP requests







**Answer: C (LEAVE A REPLY)**

Aruba Central Microbranch VPN AP GRE(Generic Routing Encapsulation) IPsec AP GRE VPN Microbranch

[https://www.arubanetworks.com/techdocs/ArubaOS\\_86\\_Web\\_Help/Content/arubaos-solutions/gateways/microbranch.htm](https://www.arubanetworks.com/techdocs/ArubaOS_86_Web_Help/Content/arubaos-solutions/gateways/microbranch.htm)

[https://www.arubanetworks.com/assets/tg/TB\\_ArubaGateway.pdf](https://www.arubanetworks.com/assets/tg/TB_ArubaGateway.pdf)

**NEW QUESTION: 76**

Aruba CX 6200F VSF (JL726A) VSF VSF?

- A.
- B.
- C.
- D.

**Answer: C (LEAVE A REPLY)**

Aruba Documentation Portal, Aruba CX 6200F VSF 8 VSF VSF, VSF VSF, VSF VSF. VSF vsf member, JL726A, JL726B, JL726C JL726D. VSF

**HPE7-A01** DumpTop HPE7-A01! DumpTop **HPE7-A01**, DumpTop HPE7-A01 **30%OFF Special Discount: KrDump**

**NEW QUESTION: 77**

- BSS APS
- A. BSS APS
- B. BSS APS

- C. BSS □□ □□□ □□ □□□□□ □□□□ □□ □□□□ □□ □ □□□□.
- D. BSS □□ □□□ Wi-Fi □□□ □□□□ □□□ □□ □□□□ □□ □ □□□□.

Answer: ([SHOW ANSWER](#))

□□

BSS □□□□ □□ □□□ D□□□. BSS □□ □□□ Wi-Fi □□□ □□□□ □□ □□□□ □□ □ □□□□.

BSS □□□□ Wi-Fi 6 □□□ □ □□□□ □□ BSS(Basic Service Set)□ □□□□ □□ □□□ □□□ □ □□ □□□□□□□. □□ □□ □□□ □□□ □□□□ □□ BSS□ □□□□ □□□ □ □□□□ □□□ □□□□ □□□□ □ □□□ □□□. BSS □□□□ □□ □□□ □□ □□□ □□□□ □□□□ Wi-Fi 6 □□□ □□ □□□□ □□□ □□ □□□ □□ □□□ □□□ □□□ □ □□ □□ □□ □□□□. □□ □□ □□□ □□ □□□□□□ □□□□□ □□ □□ □□□□ □□□□ □□ □ □□□□12.

**NEW QUESTION: 78**

□□□□ □□□ ArubaOS-CX □□□□□ □□□ □□□□□□ □□□□ □□□□ □□□. □ □□ □□ □□□ □ □□ □□ □□ □□ □□□□□?

- A. DWRR □□□
- B. □□□ □□□
- C. □□ □□
- D. QoS □□□

Answer: C ([LEAVE A REPLY](#))

□□

Aruba Documentation Portal1□ □□□, ArubaOS-CX □□□□ □□ □□, QoS □□□, □□□ □□□ □□ □□ □□□ □□□□ □□□□ □□□ □□□ □□□□□. □□□ □□□ □□□ □□□□□□ □□□□ □□□□ □□□ □□□□ □□□ □□□ □ □□□ □ □□□□.

□□ □□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□ □□ □□□□ □□□ □□□□ □ □□□□□ □□□□ □□□ □ □□ □□□□ □□□□□. □□ □□□ □□□ □□□□□ □ □□ □□□□□□ □□□ □□ □□ □□□□□□ □□□ □□□□ □ □□□ □ □□□□.

<https://www.arubanetworks.com/techdocs/central/latest/content/nms/aos-cx/cfg/conf-cx-access-control.htm> 2:  
<https://community.arubanetworks.com/blogs/esupport1/2021/02/08/broadcast-storm-containment-in-aruba-pvos->  
[https://techhub.hpe.com/eginfolib/networking/docs/switches/K-KA-KB/15-18/5998-8160\\_ssw\\_mcg/content/ch0](https://techhub.hpe.com/eginfolib/networking/docs/switches/K-KA-KB/15-18/5998-8160_ssw_mcg/content/ch0)

**NEW QUESTION: 79**

AOS10 □□□□□□□ □□□□□ □□ □□□ □□□ □□ □□□ □ □□ □□ □□□□□ □ □□□□?

- A. □□□□
- B. □□□









**NEW QUESTION: 88**

1/1/47 □ 1/1/48 □□□□ □□ Aruba CX 6100 48G □□□□ □□□□ □□, □□□□□ □□□ □□□ □□ □ □□ □□ □□□□ □□□□ □□□ □□□□□□?

- A. int 1/1/1-1/1/52 □□ □□ □□□□ □□□□ □□□□□.
- B. □□□ □□ □□ □□□□ □□□□ □□□□□.
- C. int 1/1/1-1/1/46 □□ □□ □□□□ □□□□ □□□□□.
- D. □□□ □□ □□ □□□□ □□□□ □□□□□.

**Answer: (SHOW ANSWER)**

□□ □□□ 2□□ □□□□□□ □□□ □□□□ □□□□ □□□□□. □□ □□□ □□, LAG □□ VLAN□□ □□□□ □ □□□□. □□ □□□ □□□□□ □□□□ □□□□□□□□ □□□ □□ □□ □□□□ □□□ □□ □□ □□□ □□□ □□□□□. □□ □□ □□□□ □□□ □□ □□□□□ □□ □□□□ □□ □□□□ □□□ □□□□ □□□□ □□□□□□□□ □□ □□□ □□□□ □□□□ □□□ □□□□□3. loop-protect re-enable-timer □□□ □□ □□□ □ □□□□□ □□□□□□ □□ □□□□□ □□ □□□□ □□□□ □□□ □□□□ □ □□□ □□. □□□□ 0□□, □□ □□□□□□ □□□□ □□ □□□□ □□□ □□□□□ □□□ □□ □□□□□3. □□□□□ □□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□□ □ □□□□□ □□□□ □□□ □□□□ □□□□□ □□□□□ 0□ □□ □□ □□ loop-protect re-enable-timer □□□ □□□ □ □□□□□3. □□□□ □□□□ C□□□□.

**NEW QUESTION: 89**

□□ □□:

□ □□□ 200□□ AP-635 □□□ □□□□ □□□□□□. 6GHz □□□ □□□□ □□ □□□□ Central□□ □□□ WPA3-OWE SSID□ □□□□□ □□□□□ □□□□ □□□□□ □□□□□.

- A. SSID□ WPA3-Enterprise(CNSA)□ □□□□□.
- B. SSID□ WPA3-Personal□ □□□□□.
- C. SSID□ WPA3-Enhanced Open□□ □□□□□.
- D. SSID□ WPA3-Enterprise(CCM)□ □□□□□.

**Answer: C (LEAVE A REPLY)**

□□□ □□□□ □□ □□□ □□□ C. SSID□ WPA3-Enhanced Open□□ □□□□ □□□□. WPA3-OWE□ Central□□ □□□ SSID □□□ □□□□. OWE□ Opportunistic Wireless Encryption□ □□□, □□ □□□ □□□ □□□□□ □□ □□□□ □□□□ □□□□□. OWE □ Enhanced Open□□□□ □□, Central1□ WPA3 SSID □□ □ □□□□□. Aruba □□ SSID □□□□ □□ WLAN □□ □□□ □□□ WPA3 SSID□ □□□□ □□ □ □□ □ □□□ □□□□.

□□□□ □□□□ □□ □□□ □□□□□. □□ □□□ □□□ □ □□□□.

WPA3-Personal: □ □□□ SAE(Simultaneous Authentication of Equals)□ □□□□ WPA2-Personal□□ □□□ □□□□ □□ □□ □ □ □□□ □□□□□.

WPA3-Enterprise: □ □□□ CNSA(Commercial National Security Algorithm) □□□□□ □□□ □□ □□ □□□□ 192□□ □□□ □□□ □□□□□.

WPA3-Enterprise(CCM): □ □□□ CBC-MAC(CCM) □□□ □□□□ □□□□□ □□□ □□ □ □□□□ 128□□ □□□ □□□ □□□□□.

WPA3-□□□ □□: □ □□□ OWE(□□□ □□ □□□)□ □□□□ □□ □□□ □□□ □□□ □□ □□ □□□□ □□□□□.

□□ □□□ □□□ □□ □□□ □□□□ □□□□□.

A) WPA3-Enterprise(CNSA)□ □□□ SSID □□□□□ RADIUS □□□ □□ 802.1X □□□ □□ □□□ □□□ □□ □□□ □□□□ □□ □ □□□□.

B) WPA3-Personal□ □□□ SSID □□□□□ □□□□□ □□□□□ □□□ □□□□□ □□□ □□ □□□□ □□□□ □□ □ □□□□.

D) WPA3-Enterprise(CCM)□ □□□ SSID □□□□□ RADIUS □□□ □□ 802.1X □□□ □□ □□□ □□□ □□ □□□ □□□□ □□ □ □□□□.

**NEW QUESTION: 90**

□□□ □□□□□□ □□□□ □□ SD-WAN □□□ □□□□□ □□□. □□ □□□□ □□ □ □□ □□□□ □□□□?

- A. ArubaOS 10 □□□
- B. ArubaOS 10 VPN □□□□□□
- C. ArubaOS 10 □□
- D. ArubaOS 10 □□□□

**Answer: A ([LEAVE A REPLY](#))**

□□

□□□□□□ □□□□ □□ SD-WAN □□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□

A. ArubaOS 10 Branch□□□. ArubaOS 10 Branch□ Gateway□ □□ □□□□□ LAN□ WAN □□□ □□ □□□ □ □□□ □ □□□□□□□. Gateway□ □□ □□□□, □□□□, □□□□ □ SD-WAN □□ □□□ □ □ □ □□□.

SD-WAN □□□□ □□ □ □□ □□□□□□□□, □□ □□ □□, □□ □□ □□, SaaS □□□□ □ □□, SASE □□□□□□□□ □□ □□□□□□.

□□ □□□ □□□ □□ □□□ □□□□ □□□□□.

B: ArubaOS 10 VPN □□□□□□: □□□□□□ □□ □□□ □□ □□□ □ VPN □□□ □□ VPN □□□□□□ □□□ □ □ □□□ □□ □□□□□□□□. SD-WAN □□□□ □□□□ □□□ □□.

C: ArubaOS 10 Wireless: □□□□□□ □□□ □□□□□ □□ □□□□ □□□ □ □ □□□ □ □□□□□□□□. SD-WAN □□□□ □□□□ □□□□□3.

D: ArubaOS 10 Mobility: □□□□□□ □□□ □□□□□ □□□□□ □□□□ □□□ □ □ □□□ □□ □□□□□□□□. SD-WAN □□□□ □□□□ □□□□□.

**NEW QUESTION: 91**

□□ □□□ AP1□□ AP2□ □□□ □ □ □□ □□□□□ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. AP1□ □□□□□□ □□□ □□□□ □ □□ □□□□ □□□□□.
- B. □ □□ □□□□ AirMatch□□□□ □□ AP2 □□ □□□ □□□□□.
- C. □ □□ □□□□ AirMatch□□ □□ AP1 □□ □□□ □□□□□.
- D. □ □□ □□□□ AP2□ □□□ □□ R1 □□ □□□□□.
- E. □□□□□□ AP1□□ □□□ □ AP2□ □□□□ □□□□□.

**Answer: A,D (LEAVE A REPLY)**

□□ □□□ AP1□□ AP2□ □□□ □ □ □□ □□□□□ □□□ □□□ □□□ A□ D□□□.

A) AP1□ □□□□□□ □□□ □□□□ □ □□ □□□□ □□□□□. □□ □□□□□□ AP1□ □□□□ □□□□ AP1□ □□□□□□ □□ □□□□□ □□□ □(PMK)□ □□□□ □□□ □ □□□ □□□□□. AP1□ □□ PMK□ MAC □□, VLAN, SSID□ □□ □□ □□□□□ □□□ □ □□ □□□□ □□□□□. □ □□ □□□□ Aruba Mobility Controllers(MC) □□ Mobility Master(MM) □□□□ □□□□ □□ □□□ □□□□□□□.1 □ □□ □□□□ □ □□□ □□□ □ □□□□□□ □□ □□□ □□□□ □□□.

D) □□ □□ □ □□ □□□□ AP2□ □□□ □□ R1 □□ □□□□□. □□ □ □□ □□□□ AP1□□ □□□□□ □□□ □□□□ PMK□ □□□□ □□□□□□□ □□ R0 □ R1 □□ □□□ □ □□□□□. R0 □□ □□□□ □□ □□ □□□ □(PTK)□ □□□□ □ □□□□ R1 □□ □ □□□ □ □□□□□. □ □□ □□□□ R1 □□ AP2 □ □□ AP□ □□□□, □□ AirMatch□ RF □□□□2□ □□□□ □□□□□□. □□ □□□□ □□□□□□ AP2 □□ □□□□ □□□ □ 802.1X □□□ □□□□ R1 □□ □□□□ □ AP3□ PTK□ □□□ □□□ □ □□□□.

B) □ □□ □□□□ AirMatch□□ □□ AP2□ □□ □□□ □□□□□. □□ □ □□ □□□□ AirMatch□□ □□ □ □□□ □□□□ □□ □□□ □□□□□. AirMatch□ MC □□ MM □□□ □ □□□□ □□□□, □□ □□ □□□□□ □□□□ Aruba □□□ RF □□□ □□□□□□□. AirMatch□ □□□□□ □□ AP□ □□ □□□□ □□□□□□, □□□□ □□ □□□ □□□ □□ □□ AP□ □□ □□□ □□□□□. □□ □□ AP□ □□□ □□□□ □ □□ □□□□ □□□□, □ □□ □□□□ □□ □□□□ □□□ □□□□□□□2□ □□ R1 □□ □□□□ □□ AP□ □□□ □□.

C) □ □□ □□□□ AirMatch□□ □□ AP1□ □□ □□□ □□□□□. □□ B□ □□ □□□ □ □□□□. □ □□ □□□□ AirMatch□□ □□ □ □□□ □□□□ □□, □□ □□□□ □□□ AP□□ □□□□□.

E) □□□□□□ AP1□□ □□□ □ AP2□ □□□□ □□□□□□. □□ □□□□□□ AP1□□ □ □□ □ AP2□ □□□ □□□ □□ □□□ □□□□□. □□□□□□ AP1□ □□ □□□□ □ □□ □ □□□□□ R1 □□ □□□ □□□□□. □□□□□□ AP2□ □□□□ R1 □□ □□□□ 4□ □ □□□□□□ □□□□ □□□□ □□ PTK□ □□□□□□ □□ □□□. □□ □□ □□ □□ 802.11r □□□□□□ □□ □□ □□□□ □□ □□□ □□□ □□□□□.

1: ArubaOS 8.7 □□□ □□□□ 2: ArubaOS 8.7 □□□ □□□□ 3: ArubaOS 8.7 □□□ □□□□ : ArubaOS 8.7 □□□ □□□□





**NEW QUESTION: 96**

Aruba switches support VXLAN MTU on the interface? (Select two.)

- A. MTU on the interface is 1500.
- B. VNI on VXLAN interface is 1500.
- C. VTEP on VXLAN interface is 1500.
- D. MTU on the interface (CX 8k, 9k, 10k) is 1500.
- E. On Aruba CX switches, VXLAN MTU is 1500.

**Answer: A,B (LEAVE A REPLY)**

00

00 A: MTU on the interface is 1500.

00 On Aruba interface, the vxlan interface on Aruba switches supports VXLAN MTU of 1500. MTU on the interface is 1500.

VXLAN interface is 1500.

00 On Aruba switches, VXLAN MTU is 1500 on the interface.

00 B: VNI on VXLAN interface is 1500.

00 On Aruba switches, VXLAN MTU is 1500. VNI on the interface is 1500. VNI on the interface is 1500. VNI on the interface is 1500. VNI on the interface is 1500.

00 On Aruba switches, VXLAN MTU is 1500 on the interface B.

VXLAN VLAN interface is 1500. VXLAN interface is 1500. VXLAN interface is 1500. VXLAN interface is 1500. VXLAN interface is 1500.

VXLAN interface is 1500. VXLAN interface is 1500. VXLAN interface is 1500. VXLAN interface is 1500. VXLAN interface is 1500.

VNI interface is 1500. VNI interface is 1500. VNI interface is 1500. VNI interface is 1500. VNI interface is 1500.

**NEW QUESTION: 97**

000 00000.

Core-1 config-revision is 000000000?

- A. 0
- B. 1
- C. 1-0
- D. 0. 0

**Answer: A (LEAVE A REPLY)**

Core-1 config-revision is 000000000. Config-revision on VSX interface is 000000000.

000000000. VSX interface is 000000000. config-revision on VSX interface is 000000000.







B. DSCP

C. □□

D. CDP

Answer: ([SHOW ANSWER](#))

□□

□□□ A. SNMPv3□□□.

SNMPv3□ □□□□□ □□□□ □□□ □□□□□□□ MIB(Management Information Base)□  
□□□ □□□□ □□□□ □ □□□□ □□□□□□□. SNMPv3□ □□ □□□□ SNMP□□ □□  
□ □ □□ □□ □ □□□ □□ □□□ □□□□□. SNMPv3□ □□□□ □□□□ □□ □□□ □  
□ □□□□□□ □□□□ □□□ □□ □□□□.

Aruba Certified Professional - Campus Access □□1□ □□□ □ □□□□ □□□□ □□ □ □  
□□ □□□ □□□□.

□□□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□□.

PCAP□ □□□□ □□ □□ □□□ □□

NAE □□□□ 9.4 □□

□□ □ □□ □□□□ □□ UXI □□ □□

API □□□ □□□□ □□□□□ □□, □□, □□□□□□□ □□□ □□□□ □□□ □□□□□.

□□ □ □□□□□ □□□□ □□□ □□□□□ □□□□□ □□ □□□ □□□□ □□□ □□,  
□□ SNMPv3□ □□□□ □□ □□ □□□□ MIB □□□□ □□□□□ □□□ □□□ □□ □□  
□□□.

**HPE7-A01** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ HPE7-A01 □□!  
DumpTop □ □□ **HPE7-A01** □□ □□□ □□□□□□, DumpTop HPE7-A01 □□ □□□ □  
□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop HPE7-A01  
□□□ □□□□□. <https://www.dumptop.com/HP/HPE7-A01-dump.html> (150 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)