

Huawei.H12-811_V1.0.v2023-05-19.q357

□□□□:	H12-811_V1.0
□□□□:	HCIA-Datacom V1.0
□□□:	Huawei
□□ □□ □□□:	357
□□:	v2023-05-19
# □□ □:	2552
# □□ □□□:	3570
https://www.krdump.com/Huawei.H12-811_V1.0.v2023-05-19.q357.html	

NEW QUESTION: 1

PPP □□ □□ □□□ □□ □□□ □□□ □□ □□□ □□□□□□□□()

- A. NCP □□□ □□□ □ PPP □□□ □□ □□□ □□□□ □□ □□□ □□□□□.
- B. □□ □□□□ PPP □□□ LCP □□□□ □□□ □□□□□. □□ □□□□ □□ □□ □□ MRU, □□ □□ □□ □□ □ □□ □□□ □□□□□.
- C. □□□□ □□□□ PPP □□□ NCP □□□ □□□□□. NCP □□□ □□ □□□□ □ □□□□□ □□□□ □□□□□. E.PPP □□□ □□□ □ □□□ □□□ □□□□□.
- D. Dead □□□ □□ □□ □□ □□ □□□□□ □□□. □□ □□□□ □□ □□□ □□ □□□ □□□□□□□ □□□□ Dead □□□□ □□ □□ □□□ □□ □□□ □□□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

OSPF □□□□□ □□□□ □□□ LSAs □□□□ □□ □□ □□□ □□□ □□□□□?

- A. LSACK
- B. LSR
- C. LSU
- D. □□□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□ 2 ACLs □□ □□□ □□□□□? ()

- A. 3000-3999
- B. 2000-2999
- C. 6000~6031
- D. 4000~4999

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which of the following is not a Huawei network management tool?

- A. NETCONF
- B. RESTful
- C. AAA
- D. SNMP

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of the following commands is used to configure a port to allow all VLANs to pass traffic?

- A. GigabitEthernet(0/0/1) # undo port trunk Allow-pass vlan all
- B. GigabitEthernet(0/0/1) # VLAN1 # undo port trunk Allow-pass vlan 2 to 4094
- C. GigabitEthernet0/0/1 # VLAN1 # undo port trunk Allow-pass vlan 2 to 4094
- D. GigabitEthernet0/0/1 # undo port trunk Allow-pass vlan 2 to 4094

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which of the following commands is used to configure a port to allow all VLANs to pass traffic?

- A. undo port trunk Allow-pass vlan all
- B. undo port trunk Allow-pass vlan 2 to 4094
- C. IP address configuration
- D. VLAN configuration

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following is the correct MAC address for a host with IP address 11.0.12.1?

- A. MAC-D.11.0.12.1
- B. MAC-D.10.0.12.2
- C. MAC-B.11.0.12.1
- D. MAC-C.11.0.12.1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following is the correct command to ping a host with IP address 10.10.10.10?

ping 10.10.10.10 (True/False)

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

□ □□□□ □□□ □□ □□ □□□ □□□□□. □□ □□□ □□□□□□□□. () (□□ □ □□)

- A. □□□ B□ G0/0/2 □□□ □□□. Eth-Trunk □□□ □□□ UP□□□.
- B. □□□ B□ G0/0/1 □□□ □□□. Eth-Trunk □□□ □□□ UP□□□.
- C. □□□ B□ G0/0/1 □ G0/0/2 □□□ □□ Efh-Trunk □□□ □□□ UP□□□.
- D. □□□ B□ G0/0/1 □ G0/0/2 □□□ □□□. Eth-Trunk □□□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 15

Open □□ □□ □□□ □□□□ WLAN □□ □□□ □□□□□? ()

- A. WPA
- B. WPA2-PSK
- C. WPA2-802.IX
- D. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

FIT AP□ □□□ □□□□ □□ FIT AP□ □□ AC□ IP □□□ □□□ □□□. □□ □ FITAP□ AC□ IP □□□ □□ □□□ □□□□ □□ □□? ()

- A. □□ □□
- B. DHCP □□ □□
- C. AP□□□□ □□ □□ □□
- D. □□□□□ □□

Answer: A ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.
https://www.dumpstom.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 17

□□ □□□ □□□ □ □□□□ □□ STP □□□□□ □□□□□□□□. □□□□□ □ □ □□□□□ □□□ □□ □□□ □□□□□. □□ □□□ □□□ □□□□□□□?

- A. SWA□ G0/0/3 □□□ □□□ □□□□ □□□□□□.

□□ □□□ □□ □□ □□□□ □□□□□ □□□ □ □□□□. □□ □ □□□ □□□ □ □□□□?

- A. SwA□ G0/0/3□ 1□□ MAC □□□ □□□□□□.
- B. swB□ G0/0/3□ 2□□ MAC □□□ □□□□□□.
- C. sWA□ G0/0/3□ 3□□ MAC □□□ □□□□□□.
- D. swA□ G0/0/3□ 2□□ MAC □□□ □□□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□ □□□ □□□ □□□□□□ □□□ A□ □□□ B□ □□ □ □□□ □□□□ □□□ □ □□ □□□ □□ □ □□□□□□?

- A. RTA: ip □□-□□ 0.0.0.0 0.0.0.0 11.0.12.2 RTB:: ip □□-□□ 0.0.0.0 0.0.0.0 11.0.12.1
- B. RTA: ip □□-□□ 10.0.12.5 255.255.255.252 11.0.12.1 RTB:: ip □□-□□ 10.0.12.1 255.255.255.252 11.0.12.2
- C. RTA: ip □□-□□ 0.0.0.0 0.0.0.0 11.0.12.1 RTB:: ip □□-□□ 0.0.0.0 0.0.0.0 11.0.12.2
- D. RTA: ip □□-□□ 10.0.12.5 255.255.255.252 11.0.12.2 RTB:: ip □□-□□ 10.0.12.1 255.255.255.252 11.0.12.1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Huawei ARG3 □□□ □□□□□ AAA□ □□□□ □□ □□□ □□□□□? (*)

- A. RADIUS □□ □□ □ □□
- B. HWTACACS □□
- C. □□ □□
- D. □□□□ □□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

AC. CAPWAP □□ □□□ □□□□ □□ □□□□ FIT AP□ □□□□□. ()

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□ □□□ □□□□□ □□□□ □□ SNMPv1 □□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□? ()

- A. □□
- B. Get-Next □□
- C. □□
- D. □□ □□

Answer: C ([LEAVE A REPLY](#))

D. 172.16.1.253

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which of the following is the correct MAC address for the interface Eth0/0/2?

A. 0000 00 0000 0000 Eth0/0/2 MAC address 0000 00 0000 0000 0000.

B. 0000 00 0000 0000 Eth0/0/3 MAC address 0000 00 0000 0000.

C. 00 MAC address 5489-9811-0b490000 MAC address

0000 0000 5489-989d-1d3000 Eth0/0/2 MAC address 0000 0000

D. 00 MAC address 5489-9885-18a80000 MAC address

0000 0000 5489-989d-1d3000 Eth0/0/1 MAC address 0000 0000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which of the following is the correct IP address for the interface Eth0/0/25?

A. 192.168.176.0/25

B. 192.168.176.48/29

C. 192.168.176.96/27

D. 192.168.176.160/27

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which of the following is the correct interface for the LACP configuration?

A. G0/0/1

B. G0/0/3

C. G0/0/0

D. G0/0/2

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which of the following is the correct command to configure the cost of the interface?

A. cost 10000000 (Cost) 10000000

B. cost 6000000

- C. 00 000 00 00 0 000 1-255000.
- D. 00 000 00 000 000 000 000 00000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 40

DHCP DISCOVER 0000 00 000 00000? ()

- A. 000000 DHCP 000 00 00 00
- B. DHCP 000 000 00 000 0000 DHCP DISCOVER 0000 0000 0 0 0000.
- C. REQUEST 0000 00 000 00 00
- D. 000000 00 000 000000 000 000000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

1/128 IPv6 000 000000()

- A. 00
- B. 0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

000 000 000 00 R2200 0000 000000 00 000 000000. 000 00.

- A. 000 000 000 0 000 000 000 0 0000.
- B. 00 00 00 000 00000 00
- C. 000 000 000 0 000 000 "startup system software <startup-software-name>" 0000 000 0 0000.
- D. 0 00 000 00000 000 000 ar2220-v200r00300spc200.cc000.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

00 0 000 000 000000 000 00 00?

- A. 00 0000
- B. 00 0000 00
- C. 000 0000 00 00
- D. 00 00 000

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

00 0 OSPF 00000 HELLO 000 00000 00 000?

- A. HelloInterval
- B. 0000 000

C. □□

D. □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

AC□□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□?

A. □□□ □□ □□□□ □□□

B. □□□ □□ capwap □□□

C. □□□ □□ □□

D. □□□ □□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

VLAN □□□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □ □□□□. □ □□
□□□ □□□ □□□□□? ()

A. 0-63

B. 0-7

C. 0-3

D. 0-15

Answer: ([SHOW ANSWER](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ H12-811_V1.0 □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 47

SNMP □□□□□ □□ □□□□ □□ □□?

A. SNMP □□□□□ □□□ □□□□ □□ □□□ □□□ □□□□□.

B. SNMP□ UDP□ □□ □□ □□□□□ □□□□□.

C. SNMP□ ICMP□ □□□□ □□ □□□□□ □□□□□.

D. SNMP □□□□□ □□□□□□ □□□□ □□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

B. `am9topm5 08:00 ~ 17:00 # acl 2003 5`

#

C. `am9topm5 08:00 ~ 17:00 # acl 2001 5`

D. `am9topm5 07:00 ~ 18:00 # acl 2002 5`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

OSPF DR BDR ? (*)

A. NBMA

B. NBMA

C. NBMA

D. NBMA

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 54

Wi-Fi IEEE802.11 ? ()

A. 802.11ax

B. 802.11au

C. 802.11ac

D. 802.11at

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 55

A B ? ()

A. B

B. B

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

A B HTTP ?

B A FTP ? () ()

A. `acl 3000`

`5`

`tcp`

`100.0.13.0 0.0.0.255 100.0.12.0.0.0.255`

`eq www`

#

```
ACL 3001
5 tcp 100.0.12.0 0.0.0.255 100.0.13.0.0.255
eq ftp
#
GigabitEthernet0/0/1
ACL 3000
#
GigabitEthernet0/0/2
ACL 3001
```

B. acl 3000

```
5
eq ftp
#
ACL 3001
5 100.0.13.0 0.0.0.255 eq ftp
#
GigabitEthernet0/0/1
ACL 3000
#
GigabitEthernet0/0/2
ACL 3001
```

C. acl 3000

```
5
tcp 100.0.13.0 0.0.0.255 100.0.12.0.0.255
eq www
#
ACL 3001
5 tcp 100.0.12.0 0.0.0.255 100.0.13.0.0.255
eq ftp
#
GigabitEthernet0/0/1
ACL 3000
#
```

GigabitEthernet0/0/2

ACL 3001

#

D. acl 3000

5 tcp 100.0.12.0 0.0.0.255 eq www

5 tcp 100.0.13.0 0.0.0.255 eq ftp

#

GigabitEthernet0/0/1

ACL 3000

#

GigabitEthernet0/0/2

ACL 3001

#

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

VRP

?

A. Ctrl+U

B.

C.

D. Ctrl+P

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

STA AP .

A.

B.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

1

. ()

A.

B.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

0SPF RTA .

()

A. RTA. RTB OSPF .

IPv6 2031:0000:720C:0000:0000:09E0:839A:130B 0000 00 0 000 000
00000? ()

- A. 2031:0:720C:0:0:9E0:839A:130B
- B. 2031:0:720C:0:0:9E:839A:130B
- C. 2031:0:720C:-9E0:839A:130B
- D. 2031:720C:9E0:839A:130B

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

00 000 00 0000 000 000 A0 000 B0 000 VLAN0 0000.
10 0 VL.AN 20, 00. 000 00 00 00 0000 000000. PVID0 00 100 20
000. 00 0 000 000 000000?

- A. 000 A0 000 B0 00 00 VLAN0 000 00 00 0 0000.
- B. 000 00 0000 00 000 0000 000 0 VLAN TAG0 0000 00
- C. 000 A0 000 B0 00 0 0000.
- D. 000 A0 ARP 000 000 B0 000 0 0000.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 66

0000 00000 00 00 00000 0000 0000. 0 00 000 0000
00 0000 00 0 00000 00 00000 00 000 0000 0000?

- A. 00 000
- B. DHCP
- C. NAT
- D. STP

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 67

00 0 0000 CPU 0000 00 0 000 0 00 000 00000?

- A. 00000 00000
- B. CPU 000 00
- C. 00000 000
- D. CPU 00 00

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

000 000 000 000 00 00 00 0 000 00?

- A. 000 000 000 000 0000 00 0 0000.
- B. 000 000 000 0000 00 0000 00 0 0000.
- C. 000 000 000 00 0000 00 0 0000.
- D. 000 000 000 0000 00 0000 00 0 0000.

B. 128

Answer: (SHOW ANSWER)

NEW QUESTION: 74

IPv6 1000 0 0000 00 0000 000000?

A. 64

B. 128

C. 96

D. 32

Answer: B (LEAVE A REPLY)

NEW QUESTION: 75

00 0000 0000 0000. 0000 A0 00000000 0000 0000 0000 B0 00 00000 ARP 0000 0000 0000. 00 0 0000 0000 000000? () (0000 0 0) 00 0000 00 000000 00000.

A. 00000 00 G0/0/1000 0000 ARP0 0000000 0000 A0 0000 B0 0000 0 00000.

B. 0000 P 0000 10.0.12.1(0 0000 11.0.12.10 0000)0 0000 A0 00 0000 0 00 0000 B0 0000 0 00000.

C. 0000 P 0000 10.0.12.10 0000 B0 00 0000 0000 0000 A0 0000 0 00 00.

D. 0000 A0 0000 B0 0000000 0000 0 00000.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 76

00 0000 00 00000000 0000 A0 Telnet0 00 0000 A0 00000000. 00 00 00 000000000 FTP0 00 0000 B0 00 0000 00000. 00 0000 A0 0 0 00 TCP 0000 00000? () (00 00 00)

A. 1

B. 4

C. 3

D. 2

Answer: C (LEAVE A REPLY)

H12-811_V1.0 00 0000 0000000 00 DumpTop 00 00000 0000 H12-811_V1.0 00! DumpTop 0 00 H12-811_V1.0 00 0000 00000000, DumpTop H12-811_V1.0 00 0000 000000000000 0000 0000000000. 00 00 0000 000000 00 DumpTop H12-811_V1.0 0000 0000000.

NEW QUESTION: 77

□□ IPv6 □□□ □□□ □□□ □□□ □□□□□? ()

- A. 32
- B. 64
- C. 40
- D. 48

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 78

□□ □□ □□□□□ □□ □□□ □□□ ()□□□.

- A. □ □□□ □□ □□ □□□ 0-1023□□□.
- B. TCP □□ □□□ 3□□ □□□□□□□ TCP □□ □□□□ 4□□ □□□□□□ □□□ □□.
- C. UDP□ □□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□ □□□ □ □□□□ □ □□□□.
- D. UDP□ STNOACK □□□□ □□□□ □□ □□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

□□□ □□ □□□ □□□□ □□ □□ □ □□□ □□ □□□□□? (*)

- A. □□□ □□□□ □□□ □□□□ □□□□□.
- B. □□□ □□□□ □□ □□□□ □□□ □□□□□.
- C. □□□ □□□□ IP □□□ □□□ □□□ □□□□□.
- D. □□□ □□□□ □□ □ □□□ □□□□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

□□ □□ 10.0.0.24/29□ □□ □□□ □□□□ □□□ □ □□□□? (*)

- A. 10.0.0.26/30
- B. 10.0.0.28/30
- C. 10.0.0.23/30
- D. 10.0.0.24/30

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 81

□□ □□ □ CoThe □□□□ st□ □□□□□ □□□ □ □□ □□ □□□□□? (*)

- A. □□ □□
- B. □ □

- C. □□□
- D. □□□ □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 82

□□ □ □□ □□□ □□ □□□□ DHCP□□ □□□ □ □□ □□□□ □□□□□ □□□ □□? (*)

- A. IP □□
- B. □□ □□ □□
- C. □□□□□ □□
- D. DNS □□

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 83

PPP □□ □□□□ □□ □□□□□ □□□ □□□ □□□ □□□□□ □□□ □□ □□□□ □□ □□□ □□□□□ □□□□□ □□□□□? ()

- A. □□-Ack
- B. □□-Nak
- C. □□-□□
- D. □□-□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

VRP □□□□□□□ delete vrpcfg.zip □□□ □□□□ □□□ □□□□□□. □□□ □□□ □□□□□ □□□□□ □□□ □□□ □□□. ()

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

□□ □□□ □□□□□ □□ □□□ □□□□□?

- A. □□□□ □□□ □□ □□
- B. □□ □□□ □□□□□ □□
- C. IP □□ □□
- D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

□□ □ □□ □□□ □□□ □□ 10.1.1.0□ □□ □□□ RIA□ □□□ □ □□ □□□ □□ □ □ □□□□.

A. □□

B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

OSPF □□ □□□ □□□□ □□□ □□□□□?

A. □□

B. □□□

C. □□□

D. □□ □

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 88

□□ □□□□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□□?

A. □ □□□□ BDR□□□.

B. □ □□□ □□□□□□ DR □□ □□□ 10□□□.

C. □□□□ □□□ ID□ 10.0.1.1□□□.

D. □ □□□□□□ □□ □□ 1□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

Trunki □□□□ □□ □□□ □□□□ □□□□ □□□ □□□□□? ()

A. VLAN ID□ □□. □ □□□ PVID□ □□ □□ PVID□ □□□□□□. □□□

B. VLAN ID□ □□. Jingkou□ PVID□ □□□ TAG□ □□□ □□□□□.

C. VLAN ID□ □□. □□□ PVID□ □□□□ □□ □□□ □□□ □ □□ VLAN ID□ Tag
□ □□□□ □□□□ □□

D. VLAN ID□ □□□ PVID□ □□ □□ □□□ □□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 90

□□□ □□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□□?

A. □□ □□□ IP □□□ 200.0.12.1□□□.

B. □□ □□□ IP □□□ 200.0.12.1□□□.

C. □□ □□□ IP □□□ 200.0.12.1□□□.

D. □□□□ □□ Radius □□□ □□ IP □□□ 200.0.12.2□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

□□□ □□ □□ 1□ □□ □□□□□ □□ □□□ □□□ □□ □□□□. □ □□□ □□
□□ □□ □□ □ □□□ □□ □□□□□?

□□□□□ □□ □□□ □□□□. □□ □□□ □□□□? () (□□□ □□)

- A. □□□ A□ □□□ c□ □□□ □□ □□ □ □□□□.
- B. □□ □□□□ □□ □□ □ □□□□.
- C. □□□ B□ □□□ C□ □□□ □□ □□ □ □□□□.
- D. □□□ A□ □□□ B□ □□ □ □□□□.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 96

□□□□□ SNMPv2C□ □□□□ □□□□ □□□□□. □□□□□ □□□□ □□ □□□ □ □□ □□□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□□□□? ()

- A. 17
- B. 6
- C. 161
- D. 162

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 97

□□□ 2 □□□ □□□□ □□□□ □□□ □□□ □□□□ ()□ □□ MAC □□ □□□□ □□□ □□□□□.

- A. □□ MAC □□
- B. □□ IP □□
- C. □□ MAC □□
- D. □□ IP □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 98

□□□□ Te1net□ □□ □□□□ □□□□□ □□□□ □ □□□□ □□□□□□ IP □□ □ □□□ □ □□□ □□□□□□. □□□□ □□□ □□□ ()

- A. □□ □□□ □□ □□□□
- B. SNMP □□□□ □□ fiveMistake
- C. □□ □□□ □□ □□ □□ □□
- D. □□□□ □□□□ Telnet □□□ □□□□□□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

□□□□ □□ □□□ □□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□ □□□? () □□□□□ GigabitEthernet0/0/1 □□ □□ □□ □□□ □□ □□□ pviD.vlan 200 □□ □□□ □□-□□□ vlan100#

- A. □□ □□□ Trunk □□□□□.
- B. □ □□□ VLAN TAG200□ □□□□ □□□ □□□□ □□ □ □□□□.

C. `interface Ethernet0/0/1` `undo vlan tag 200` `undo`

D. `interface Ethernet0/0/1` `vlan tag 100` `undo` `vlan tag 100` `undo`

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 100

Which command is used to configure the AAA authentication on a Huawei switch?

A. NETCONF

B. AAA

C. RESTful

D. `aaa`

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 101

Which command is used to configure the VLAN TAG on a Huawei switch?

A. 30

B. 40

C. 20

D. 10

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 102

Which command is used to configure the FAT AP on a Huawei switch?

A. FAT AP. `interface Ethernet0/0/1` `undo` `vlan tag 100` `undo`

B. `interface Ethernet0/0/1` `ac` `interface Ethernet0/0/1` `undo` `vlan tag 100` `undo`

C. `interface Ethernet0/0/1` `undo` `vlan tag 100` `undo`

D. FIT AP. `interface Ethernet0/0/1` `undo` `vlan tag 100` `undo`, `interface Ethernet0/0/1` `undo` `vlan tag 100` `undo`

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 103

Which command is used to configure the Telnet lib read_very_eager on a Huawei switch?

A. `lib`

B. `lib`

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 104

NEW QUESTION: 113

Which command is used to configure a VLAN on a switch?

- A. `switch(config)# vlan`
- B. `switch(config)# vlan j`
- C. `switch(config)# vlan`
- D. `switch(config)# vlan`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 114

Which command is used to unreserve a configuration file?

- A. `/unreserveD.config.zip`
- B. `config.zip`
- C. `/force config.zip`
- D. `config.zip`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 115

Which command is used to show the MAC address of a VLAN?

- A. `show mac`
- B. `MAC`
- C. `IP`
- D. `VLAN`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

STP is used to prevent loops in a network. Which command is used to show the STP configuration?

- A. `show`
- B. `show`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

OSPF is used to route traffic in a network. Which command is used to show the OSPF configuration? (*)

- A. `show`
- B. `show`
- C. `show`
- D. `show`

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 118

IPv6 □□ □□□ □□ □□ □□ □ □□□ □□ □□□□□? (*)

- A. IPv6□ □□ □□□ □□ □□□ □□□□□.
- B. IPv6 □□□ □□□□□ □□□ □ □□□□.
- C. IPv6 □□□ □□ □□ □□□□ □□ □□□ □□□□□.
- D. IPv6□ □□ □□□ □□ DHCPv6□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 119

ARP □□□□□ □□ □□□□ □□□ □□□□ □□□ □□ □□□□□?

- A. □□□□ MAC □□□ UUID □□□ ARP □□□□□ □□ □□ □ □□□□.
- B. □□□□ □□□ ARP □□□ ARP □□□□□ □□□□ □□ □ □□□□.
- C. ARP □□□□□ □□□ □□□□ □□□□ □□□.
- D. ARP □□□□□ PPP □□ □ HDLC □□□□ □□□ □□□□□.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 120

192.168.1.127/25□ () □□()□ □□□□□.

- A. □□
- B. □□□
- C. □□□□□
- D. □□□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 121

□□□ □□ □□□□ □□□□ SWA□ SWB□ VLAN2□ □□□□□. □ □□□□ □□□ □ □□□□ □□□ □□□ □□□ □□□□□. VLAN2□ □□□□□. SWA□ G0/0/1 □ SWB□ G0/0/2□ Trunki □□□ □□□□□. □□ VLAN□ □□□ □ □□□□. □ □□□ □□ □□□□ □□□ □□□□□? () (□□ □□ □□)

- A. SWC□□ G0/0/1□ TEunk □□□ □□□□ VLAN2□ □□□□□ □□
- B. SWC□□ G0/0/1□ □□□ □□□ □□□□ VLAN2□ □□□□□ □□□□□. G0/0/2 □ □□□ □□□ □□□□□. PVID□ 2□□□□.
- C. SWC□ VLAN2□ □□□□□ G0/0/1 □ G0/0/2□ □□□ □□□ □□□□□ VLAN2□ □□ □□□ □□□□□.
- D. SWC□□ BLAN2□ □□□□□ □□ □□□.

Answer: (SHOW ANSWER)

DumpTop H12-811_V1.0 00 000 000000000 000 00000000. 00
00 000 0000 00 DumpTop H12-811_V1.0 000 000000.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 122

000 000 0000. 00 0 000 A0 0000 0000 0 000 000 B0 00
00 0 000 00 000 0 00 000 00000? (ABCD) (000 00)

A. acl 00 2000

00 5 00 00 100.0.13.0.0.0.0.255

Rule10 00 00100.0.12.0.0.0.0.255#

00000 GigabitEthernet0/0/3

000 00 00000 ACL 2000

#

B. acl 00 2000

00 5 00 00 100.0.12.0.0.0.0.255 00 10 00 00 100.0.13.0.0.0.0.255

#

00000 GigabitEthernet0/0/3

000 00 00000 ACL 2000

#

C. acl 00 2000

00 5 00 00 100.0.13.0.0.0.0.255

00 10 00

#

00000 GigabitEthernet0/0/3

000 00 00000 ACL 2000

#

D. acl 00 2000

00 5 00 00100.0.12.0.0.0.0.25500 10 00

#

00000 GigabitEthernet0/0/3

000 00 00000 ACL 2000

#

Answer: (SHOW ANSWER)

NEW QUESTION: 123

AR2200 0000 00 000 0000 000. 00 0 000 000 00000?

A. 000 00 000

B. AR2200 0000 00 000000.

C. 00 00 000

C. LSA

D. □□

Answer: (SHOW ANSWER)

NEW QUESTION: 134

□□ □ RA□ □□ □□□□□.

IPv6□ RS□ □□□□? ()

A. □. □□ □□□ □□□ □□□□□ □ □□□□□.

B. RS□ □□ □□□□ □□□ □□□□ □ □□□□□.

C. RS□ □□ □□□□ □□□ □□□□ □ □□□□□.

D. RA. □□ □□□ □□□ □□□□ □ □□

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 135

□□ □□□ □□□ □□□□□ □□ □□□□ □□□ OSPF□ □□□□ □ □□□ □□□

□□. □ □□□□□□ □□ □□□□ DR□□□□? () (□□ □□ □□)

A. □□□ C

B. □□□ D

C. □□□ B

D. □□□ A

Answer: (SHOW ANSWER)

NEW QUESTION: 136

□□ MAC □□ □ □□□ □□□□ □□□ MAC □□□ □□□ □ □□ □□?

A. 01-02-03-04-05-06

B. 02-03-04-05-06-07

C. 03-04-05-06-07-08

D. 00-02-03-04-05-06

Answer: A,C (LEAVE A REPLY)

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ H12-811_V1.0 □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 137

Traceroute to 10.10.10.10 over the link between R1 and R2. The output shows the following hops:

- A. 2
- B. 1
- C. 6
- D. 17

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 138

Which of the following is a valid IPv6 address? (*)

- A. IPv6 address with DHCPv6.
- B. IPv6 address with link-local.
- C. IPv6 address with global.
- D. IPv6 address with multicast.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 139

SWA MAC address is 0000-0000-0000. SWB MAC address is 0000-0000-0000. SWC MAC address is 0000-0000-0000. SWD MAC address is 0000-0000-0000. Which of the following is the correct MAC address for SWA? (*) (0000-0000-0000)

- A. MAC-A G0/0/1
MAC-B G0/0/1
MAC-C G0/0/3
- B. MAC-A G0/0/1
MAC-B G0/0/2
MAC-C G0/0/3
- C. MAC-A G0/0/1
MAC-B G0/0/2
MAC-C G0/0/1
- D. MAC-A G0/0/2
MAC-B G0/0/2
MAC-C G0/0/3

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 140

Which of the following is a valid IPv6 address? (*)

- A. [::1]
- B. [::]

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 141

□□ □□□□ MAC □□ □□□□ □□□ □□ □□□□. □□□□ □□ Eth0/0/2□□ □
□ MAC□ 5489-985-18a8□ □□□ □□□□ □□□□ □□ □□ □□ □ □□□ □□ □
□□□□?

- A. □ □□□ □□□ □□
- B. □ □□□ □□□□ □□□ □□□□□.
- C. Eth0/0/2 □□□□ □ □□□ □□□□ □□□□□.
- D. □□ Eth0/0/1□□ □ □□□ □□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 147

□□□□□ □□□ □□□ □ □□□□ □□ □□□ □□ □□ □□□□ □□□ □□□□□
□ □□□□□. □□□ □□□ □□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□□?
()*

- A. □□□□ □□□ □□□□□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□ □□
□.
- B. □□□□ □□□□ □□□ □□□□ □ □□□ ACL□ □□□□ □□□.
- C. □□□□ AAA□ □□□□ □□□. □□□ □□□□□ □□□□ □□□□ □□□□ □□
- D. □□□□ □□□□ □□ □□□□ □□ □□□ □□□□□ □□□.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 148

□□ □ □□ □□□□ MAC □□□ □□ □□□□ □□ □□? ()

- A. □. □□ 5489-989d-1d30□ □□□□ □□□□ □□□□□.
- B. □□□□ □□ □□□ □ □□ MAC □□□ □□ □□□□ □□□.
- C. □. □□ 5489-9811-0b49□ □□□□ □□□□ □□□□□.
- D. □. □□ 5489-9885-18a8□ □□□□ □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 149

RSTP □□□□□ P/A □□□□□ □□□□ □□□□ □□□ □□□ Forwarding □□□ □
□□ □□□ □□ □□□ □□ □□□ □□□□□? . ForwarD.Del ay □□ □□

- A. □□ □□ □□ □□ □□
- B. □□□ □□□□□ □□ □□□□ □□□ □□□ □□□□□.
- C. □□ □□
- D. ForwardD.Del ay □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 150

OSPF □□□□□ □□□□ □□□ □ □□ □□□□ □ □□□□ □□ □□□□□ □□□
□□?

- A. □□□ ID

- B. □□□ □□ □□
- C. □□ ID
- D. □□□ □□ □□

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 151

CAPWAP □□□□□ AC □□ □□ □□□ □□□□□. □□□ Ap. CAPWAP □□□□□ □□ □□ □□ □ □□□ □□ □□□□□? ()

- A. AP□ □□□□ □□□ □□□□ CAPWAP□ □□□□□ AC□ □□□ □ □□□□.
- B. CAPWAP □□□ □□□□ □□ FIT Ap□ □□□□□□ □□□□ □□□□ AC□ □□ □ □ □□□□.
- C. CAPWAP□ TCP □□ □□□ □□ □□ □□□□□□□□.
- D. AP□ □□□ □□□ □□ CAPWAP□ □□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□□,
 DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□□ □□□ □□□□□□□□□. □□
 □□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□□ □□□□□□.

https://www.dumpspot.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 152

□□□ □□□ □□□□ □□/□□□ 0x8100□ □□ □□ □□ □ □□□ □□ □□□□□□?

- A. □ □□□ □□□□ □□ □□□ UDP □□□ □□□ □□□.
- B. □ □□□ □□□□ □□ □□□ IP □□□ □□□ □□□.
- C. □ □□□ □□□□ VLAN TAG□ □□□□ □□□.
- D. □ □□□ □□□□ □□ □□□ TCP □□□ □□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 153

□□ □□□ □□□ □□□□. □□□ A□ Easy IP□ □□ □□□□ □□□□ □□ □□□
 □, □□□ A□ G0/0/3 □□□□□□□ □□□□ □□ ACL□ □□ □ □□□□□□? () (□□
 □□ □□)

- A. acl □□ 2000 □□ 5 □□ □□ 10.0.12.1.0.0.0.0#
- B. acl □□ 2000 □□ 5 □□ □□ 10.0.13.0.0.0.0.255#
- C. acl □□ 2000 □□ 5 □□ □□ 10.0.13.1.0.0.0.0
- D. acl □□ 2000 □□ 5 □□ □□ 10.0.12.0.0.0.0.255#

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 154

PPPoE □□□ CHAP □□□ □□□ □ □□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 155

□□ IEEE802.11 □□ □ □□□ □□ 2.4GHz □□□ □□□ □□□□ □□ □□□□□?

- A. 802.11a
- B. 802.11g
- C. 802.11n
- D. 802.11ax

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 156

VRP □□ □□□□□ mkdirtest □□□ □□□□ □□□□ test□□ □□□□□ □□□□

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 157

□□□□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□

- A. □□□□ □ □□ □□ □□□ □□□□ □□□.
- B. □□□□ □□ □□ □□□ □□ □□ □□□ □□ □□ □□ □□□□ □□ □□ □□ □ □□□ □□□.
- C. □□□□ □□ □□ □□□ □□ □□ □□□ □□ □□ □□ □□□ □□ □□□□ □□ □.
- D. □□□□ □ □□ □□ □□□ □□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 158

□□□ □□□□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□□□ □□ □□□□ □ □□ □□□□□ □□□□ VLAN 10□□ □□□□ □□□□□ □□□. □□ □ VLAN□ □□□□ □ □□□□ □□ □□□ □□□□□?

- A. □□□ □□□□ LAN □□
- B. □□□□ □□□□ VLAN □□

C. MAC 0000 0000 LAN 00

D. 00000 00 VLAN 00

Answer: (SHOW ANSWER)

NEW QUESTION: 159

UDP 00 0000 0000 0000 00 00 6()

A. 00

B. 00

Answer: B (LEAVE A REPLY)

NEW QUESTION: 160

000 000 00 0000 00 00 0000 0000 00 ()000.

A. GigabitEthernet0/0/1 0 VIAN1 000 00000 0000.

B. GigabitEthernet0/0/1 000 000 000 000000 00 "undo port trunk allow-pass vlan all" 000 00000 000.

C. GigabitEthernet0/0/1 0 VIAN1 0 000000 000000.

D. GigabitEthernet/0/1 000 000 000 000000 00 00 000 00000 00 0.

"00 0000 00-00 vlan 2 4094 00 00

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 161

00 00 00 0 0000 0000 0000 0000 00 00 000000? ()

A. 00 00 00

B. 00 00 hwtacacs

C. 00 00 hwtacacs

D. 00 00 00

Answer: D (LEAVE A REPLY)

NEW QUESTION: 162

00 0000 MAC 00 00000 0000 00 00000. 00000 00 Eth0/0/200 0 0 MAC 5489-9811-0b49 0000 00000 00000 00 00 00 0 0000 00 0 00000? ()

A. Eth0/0/2 00000 0 0000 00000 000000.

B. Eth0/0/3 00000 0 0000 00000 000000.

C. 0 0000 0000 00

D. 0 0000 00000 0000 000000.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 163

□□ □□□ □□ □□ □□□□ □□□□□ □□□ □ □□□□. SWA MAC □□□ □□ □□ □□ □□□ □□□□□?

- A. MAC-A G0/0/1 MAC-B G0/0/1 MAC-C G0/0/3
- B. MAC-A G0/0/1 MAC-B G0/0/2 MAC-C G0/0/3
- C. MAC-A G0/0/2 MAC-B G0/0/2 MAC-C G0/0/3
- D. MAC-A G0/0/1 MAC-B G0/0/2 MAC-C G0/0/1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 164

□□□ □□. 4□□ □□□ □□ \$TP□ □□□□ □□□□□. □□□ □□□□□ □□□□□ □□□□□. □□□ C□ GO/0/2 □□□ □□□□ □ □□□ □□ □□ BPDU□ □□ □ □ □ □□ □□□□□ □□□ □□□ □□□ □□□ □□□□ □ □□□ □□□□□? () (□□ □□ □□)

- A. □ 3□
- B. □ 15□
- C. □ 30□
- D. □ 50□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 165

□□ □□□ □□□ □□□□□□ □□□ A□ □□□ B□ ping□□□ □□□□ □□□ □ □□ □□□ □□□□□? ()

- A. RTA:ip □□ □□ 0.0.0.0 0.0.0.0 11.0.12.1
RTB:ip □□ □□ 0.0.0.0 0.0.0.0 11.0.12.2
- B. RTA:ip route-static 0.0.0.0 0.0.0.0 11.0.12.2
RTB:ip route-static 0.0.0.0 0.0.0.0 11.0.12.1
- C. RTA:ip route-static 10.0.12.5 255.255.255.252 11.0.12.2
RTB: route-static 10.0.12.1 255.255.255.252 11.0.12.1
- D. RTA:ip route-static 10.0.12.5 255.255.255.252 11.0.12.1
RTB:ip route-static 10.0.12.1 255.255.255.252 11.0.12.2

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 166

NAPT□ TCP, UDP □□ IP □□□ □□□□ □□□ □□ □□ □□ □□□□ IP □□□ □ □□□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

H12-811_V1.0 题库 题库 题库 题库 题库 DumpTop 题库 题库 题库 题库
H12-811_V1.0 题库! DumpTop 题库 题库 H12-811_V1.0 题库 题库 题库 题库 题库,
DumpTop H12-811_V1.0 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库. 题库
题库 题库 题库 题库 题库 DumpTop H12-811_V1.0 题库 题库 题库 题库.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 167

题库 题库 IPv6 题库 题库 题库 题库 题库 题库 题库? (*)

- A. 题库 题库 题库 题库
- B. 题库 题库 题库
- C. 题库 题库 题库
- D. 题库 题库 题库

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 168

MPLS 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库.
题库. ()

- A. 题库
- B. 题库

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 169

题库 题库 题库 WLAN 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库.

- A. 题库
- B. 题库
- C. 题库
- D. 题库

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 170

题库 题库 题库 题库 题库 题库 A 题库 B 题库 题库 题库 题库 题库 题库 题库 题库
题库 题库 题库 题库 题库?

- A. acl 题库 2000 题库 5 题库 题库 100.0.12.0 0.0.0.255 # 题库 题库 GigabitEthernet0/0/2
题库 题库 题库 题库 acl 2000
- B. acl number2000 题库 5 题库 题库 100.0.12.0 0.0.0.255 # 题库 题库
GigabitEthernet0/0/1 题库 题库 题库 题库 acl 2000 #
- C. acl number2000 题库 5 题库 题库 100.0.12.0 0.0.0.255 # 题库 题库
GigabitEthernet0/0/3 题库 题库 题库 题库 acl 2000 #

D. acl number 2000 5 100.0.12.0 0.0.0.255 #
GigabitEthernet 0/0/1 acl 2000 #

Answer: (SHOW ANSWER)

NEW QUESTION: 171

10.0.12.2/24. Which command is used to configure ARP inspection on the interface?

- A. `ip arp inspection enable` on GigabitEthernet 0/0/0.20
- B. `ip arp inspection enable` on GigabitEthernet 0/0/0.20 with `arp broadcast enable`
- C. `ip arp inspection enable` on GigabitEthernet 0/0/0.10 with `arp broadcast enable`
- D. `ip arp inspection enable` on GigabitEthernet 0/0/0.10 with `arp broadcast enable`

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 172

Which protocol is used for IPv6 stateless autoconfiguration?

- A. ICMPv6
- B. IGMPv6
- C. UDPv6
- D. TCPv6

Answer: A (LEAVE A REPLY)

NEW QUESTION: 173

What is the default DHCP lease time in minutes?

- A. 1
- B. 0.5
- C. 0.875
- D. 0.25

Answer: B (LEAVE A REPLY)

NEW QUESTION: 174

Which protocol is used for STP?

- A. IP
- B. ID
- C. ID
- D. MAC
- E. ID

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 175

□□□□ □□ □□□□ □□ □□ □□? ()

- A. □□□□ □□□ □□□ □□□ □□□ □ □□□□.
- B. □□□□ □□ □□(PC. □□)□ □□ □□□□ □□□ □□□□ □□□ □ □□□□.
- C. □□□□ □□□□□ □□□ □□ □□□□ □□□□□.
- D. □□□□ □□□□□ □□□□□ □□□□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 176

As (□□ □□ □□)

- A. □□□ A
- B. □□□ B
- C. □□□ C
- D. □□□ D

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 177

□□ □□□□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□□? ()
(□□□ □□)

- A. □□□ GE0/0/1 □□□ VLAN20 □□□ □□□□ □□ □ VLAN TAG□ □□□□ □□ □□.
- B. □□□ GE0/0/1 □□□ VLAN10 □□□ □□□□ □□ □ VLAN TAG□ □□□□ □□ □□.
- C. □□□□ GE0/0/2 □□□ VLAN20 □□□ □□□□ □□ □ VLAN TAG□ □□□□□.
- D. □□□□ □□□□ 4□□ VLAN□ □□□□□□.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 178

A1 ternate □□□□□□ RSTP□ □□ □□□ □□□ □□□□ □□□ □ □□□ BPDU□
□□, □□ □ □□□ □ □□□□()

- A. □□
- B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 179

DHCP □□□ □□□□□ □□□□□□ □□□□ □□ □□□□ DHCP □□□□ □□□
□□□ □□□□ □□□□ □□□ □□ □□□□□□. □□□ □□□ □□□□□□?

- B. 18□□
- C. 24□□
- D. 12□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 188

IPv6 RA □ RS □□□□ □□ □□ □□ □ □□□ □□ □□□□□?

- A. RS□ □□ □□□□ □□□ □□□□ □ □□□□□.
- B. RS□ □□ □□□□ □□□ □□□□ □ □□□□□.
- C. RA□ □□ □□□□ □□□ □□□□ □ □□□□□.
- D. RA□ □□ □□□□ □□□ □□□□ □□ □□□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 189

□□ □□ VLAN□ □□□ □□□□□? ()

- A. □□□ □□□□ □□□□ □□ □ □□□ □□□ □□ VLAN ID □□
- B. □□□□ □□□ IP □□□ □□ □□□ □□□□ AVLAN □□□ □□□□□□.
- C. □□□ □□ □ VLAN□ □□□□ □□ □□
- D. □□□□ □□□□ VLAN□ □□□□□ □

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 190

□□□ □□ □□□□□ □□ □□ □□□ □□ □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□. Preference□ □□□ Cost □□ □□□ □□ □□□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 191

SR(Segment Routing)□ □□ □□□ □□□ □□ □□□ □ □□□□. □□□□□ □□□ □□□□□ □□□ □ □□□ □□□ □□□□ □□ SegmentRouting □□□ □□□□ □□ □. □□□□ □□□□ □□ □□□ □□□□□?

- A. SR(□□□□ □□□)□ IP □□□□□ □□□□□ □□ □□□ □□□□□ □□□□. □□ □□ □□ □□□
- B. □□□ □□□□□ □□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□ □□□ □□□ □□□□□.
- C. □□ □□□□(□: IGP)□ □□□□ □□ □□□□□ □□□□ □□□□ □□□ □ □□ □□.
- D. □□ □□□ □□□ □□□□ □□□□□ □□ □□ □□□□□□ □□ □□□□ □□□ □□□ □ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

H12-811_V1.0 00 000 00000 00 DumpTop 00 0000 000
H12-811_V1.0 00! DumpTop 0 00 H12-811_V1.0 00 000 000000,
DumpTop H12-811_V1.0 00 000 000000000 000 00000000. 00
00 000 0000 00 DumpTop H12-811_V1.0 000 00000.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 197

00 000 00 00 0000 000000 000 0 0000. MAC 000 SWB0
MAC 00 0000 00 000 000 000000? () (00 00 00)

A. MAC-A GO/0/3

MAC-B GO/0/3

MAC-C GO/0/1

B. MAC-A GO/0/1

MAC-B GO/0/1

MAC-C GO/0/3

C. MAC-A GO/0/2

MAC-B GO/0/2

MAC-C GO/0/3

D. MAC-A GO/0/1

MAC-B GO/0/2

MAC-C GO/0/3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 198

00 0000 00 000 000 00 0000. 00 0 000 000 000000? ()
(000 00)

A. 0000 Router ID 10.0.2.2000.

B. 0 0000 DR000.

C. 0000 000 ID 10.0.1.1000.

D. 0 0000 00000 000 10.0.12.2000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 199

00 000 00 0 000 2 ACL 000 00 000000?

A. 00 10 00 12-0000 arp

B. 00 15 00 vlan-id 100

C. 00 20 00 00-mac 0203-0405-0607B

D. 00 25 00 00 192.168.1.1 0.0.0.0

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 200

RTA and RTB are connected via their GigabitEthernet0/0/1 interfaces. RTA is configured with the following commands:

```
RTA# configure terminal
RTA(config)# interface GigabitEthernet0/0/1
RTA(config-if)# ip address 10.0.12.1 24
RTA(config-if)# no shutdown
```

- A. RTA. VLAN 20 is configured on interface GigabitEthernet0/0/1.
- B. RTA. VLAN 20 is configured on interface GigabitEthernet0/0/1.
- C. RTA. GigabitEthernet0/0/1 is configured with IP address 10.0.12.1.
- D. RTA. VLAN 20 is configured on interface GigabitEthernet0/0/1.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 201

RTA is configured with the following commands:

- A. A Ethernet0/0/0 interface is configured with IP address 10.0.12.255.
- B. Ethernet0/0/0 interface IP address is 10.0.12.1/24.
- C. Ethernet0/0/0 interface MTU is 1480.
- D. Ethernet0/0/0 interface is configured with IP address 10.0.12.1.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 202

IP packets with TTL 1 are sent from RTA to RTB.

- A. TTL 1 packets are received by RTB.
- B. IP packets with TTL 1 are received by RTB.
- C. TTL 1 packets are received by RTB.
- D. P packets with TTL 1 are received by RTB.

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 203

RTA is configured with the following commands:

- A. 20
- B. 10
- C. 30
- D. 0

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 204

□□□□ □□□ □□ □□□□□ □□□ □□□□□□. □□□ □□□□ DHCP □□□ □
□□ □□ □□□ □□□□□ □□□. □□ □ □□ □□□ □□□□ □□□? () (□□ □□
□□) ip pool pooll netyork10.10.10.0ask255.255.255.0 gateway-list 10.10.10.1

- A. □□□ 0□ 10□
- B. □□ 24
- C. DHCP □□ □□□
- D. □□ 0

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 205

□□ □ PPPoE □□□□□□ □□ □□□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- A. □□ □□ □□
- B. pppoe-client □□ □□ □□
- C. pppoe-client □□ □□ □□
- D. IP □□□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 206

□□ □□□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□□? () (□
□□ □□)

- A. □□□ □□ □ □□ □□□ □□□□□ □□□□ □□□□.
- B. □ □□□ VRP □□ □□□ CRP5□□□□.
- C. □□ □□□ Huawei□□□□.
- D. □□□ 1□ □□ □□□□□□□□.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 207

VRP □□ □□□□□ □□□□□ □□□ □□ □□□□□ □□□ □□□□ □□□ □□□
□□?

- A. □□□□□ □□
- B. □□□□□ □□□
- C. □□□ □□
- D. ip □□□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 208

□ □ pwd. VRP □□ □□□□ dir □□□ □□ □□□□□ □□ □□□ □ □ □□□□. ()

- A. □
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 209

□□□ 2 □□□□□□ □□□ □□□□ □□□□□□ □□□ □□□ □ □□□□.

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 210

□□ □□□ □□ □□ □□□ □ □□ □□□ □□□□□?

- A. SWC□ G0/0/1
- B. SWA□ G0/0/3
- C. SWB□ G0/0/3
- D. SWC□ G0/0/2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 211

□□□□ □□ □□□□□ IPv4 □□□□□ □□□□ □□ □□□□ □□ □□□ □□□□
□□ □□□? ()

- A. □□ IPv4 □□
- B. TTL
- C. □□□ □□
- D. □□ IPv4 □□

Answer: C ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ H12-811_V1.0 □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 212

ACL □□□ □□□□□*

- A. □□□ 2 ACL
- B. □□□ □□ ACL
- C. □□ ACL
- D. □□ ACL

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 213

Router1 and Router2 are connected via their GigabitEthernet0/0/24 interfaces. Router1 is configured with the following command: `ip route 10.1.1.0 24 10.1.1.1`. Router2 is configured with the following command: `ip route 10.1.1.0 24 10.1.1.2`. What is the result of this configuration? (Choose two.)

- A. The two routers will not be able to communicate.
- B. The two routers will be able to communicate.
- C. Router1 will be the default gateway for Router2.
- D. Router2 will be the default gateway for Router1.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 214

Which of the following is a function of the Management Information Base (MIB)? (Choose two.)

- A. Store configuration data
- B. Store performance data

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 215

Which of the following is a valid OSPF Hello packet interval? (Choose two.)

- A. 20s
- B. 40s
- C. 30s
- D. 10s

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 216

Which of the following is a valid STP priority? (Choose two.)

- A. 10000
- B. 4096
- C. 2048
- D. 1024

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 217

Which of the following is a valid IP address for a host? (Choose two.)

- A. 10.1.1.1
- B. 10.1.1.1/24
- C. 10.1.1.1/30

- B. □□□□□ □□□
- C. □□□ □□
- D. ip interfacebrief □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 231

□□ □□□ □□□ □□□ □□□□□□ □□ □□□□ STP □□□□□ □□□□ □□□
 □. □□□□□ □□□□ □□ □□□ □ BPDU □□ □□□ □□□ □□□□□□.
 SWD □□ BPDU□ □□ □□□ □□□ □ □ □□□□□.

- A. SWD
- B. SWA
- C. SWB
- D. SWC

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 232

IEEE802.1Q□□ □□□ VLAN □□□ □□□ VLAN ID□□ □ □□□ □□□□?

- A. 10
- B. 6
- C. 12
- D. 8

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 233

STA□ AP□ □□ SSID □□ □□□ □□ □□ □□ □ AP□ □□ □□□□ SSID □□□
 □□□□□ □□□□ □ □□□□ □□□□ □□□□□□?

- A. □□□
- B. □□□□□
- C. □□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 234

Internet□ □□□□□ □□ □□ □□□□□ □□□□ □□□□. □ □□ □□□ □□□□
 □□ □□ □ □□□□□ □□ □□□□□ □□□□ □□□□ □□ □□□ □□□□□? (*)

- A. NAT
- B. STP
- C. DHCP
- D. □□ □□

Answer: A,D ([LEAVE A REPLY](#))

□□ IP □□□□ MPLS □□□ □□ □□ □□ □□□□ □□□□ □□□ □ □□□ □ □□
□□? ()

- A. 4
- B. 16
- C. 8
- D. 32

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 249

□□□ □□ □□□ A□ □□□ B□ single-arm □□□□ □□ Inter-VLAN □□□□ □□□□
□ □□□. RTA□ G0/0/1.1 □□□□□□□□ □□ □□□ □□ □□□□?()(□□ □□ □□)

- A. dot1q □□ □□□ 20
- B. dot1q □□ □□□ 30
- C. dot1q □□ □□□ 1
- D. dot1q □□ □□□ 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 250

□□ □□□ □□□□□ □□ □□□ □□□□ □□□ □ □□□□.

- A. □
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 251

□□ □□□□ MAC □□ □□□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□
□? () (□□ □□ □□)

- A. MAC □□ 5489-9811-0b49□ □□□□ □□□□ □□□□□.
- B. □□□□ □□ □□□ □ □□ MAC □□□ □□ □□□□ □□□. MAC □□
5489-9885-18a8□ □□□□ □□□□ □□□□□.
- C. MAC □□ 5489-989d-1d30□ □□□□ □□□□ □□□□□.
- D. MAC □□ 5489-9885-18a8□ □□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 252

UDP□□ □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 253

□□□ □ □□□ □□□ □□□ □□□ □□ □□□□ □□ □□□ □□□ □□□
□□ □□□□□. □□□□ □□□ □□ □□□? ()

A. □ □□□□ □□ □□□ □□□ □ □□□ □□ □□ IP □□□ □□□□□.

B. □ □□□□ □□□ □□□ □ □□ □□ □□ □□□ □□□□ □□□.

C. AAA□□ 3□□ □□□ □□□ □□ □□□ □□□□□. □□

D. Telnet□□ □□□ □□□ □□ □□□ AAA□□ □□□.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 267

□□ □ □□□ □□□ □□□□□? ()

A. □□□□ □□□□ □□□□ □□□□□.

B. □□□□ □□□□ □□□□ □□□□□.

C. □□□□ □□ □□□□ □□

D. □□□□ □□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 268

□□ □□□ □□ □□□ 2 □□□□□□□ □□ □ □□□ □□□ □□ □□□ □ □□ □□
□□□ □□□□□?

A. STP

B. UDP

C. VRRP

D. ARP

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 269

ARP□ □□ □□□□ □□

A. □□□ □□

B. □□□ □□ □□

C. □□ □□

D. □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 270

□□ □□□ □ □□□□ □□□□ DHCP □□□□□□ □□□□ □□ □□ □□□□ □□
□□? ()

A. 1

B. 0.5

C. 0.875

D. 0.25

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 271

□□□□□ □□□□ □□□ 10.1.1.0/30□ □□ □□□□□□ □□□ □□□□□? ()

- A. 10.1.1.4
- B. 10.1.1.1
- C. 10.1.1.3
- D. 10.1.1.2

Answer: C (LEAVE A REPLY)

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.
https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 272

□□□□ □□□ □□ □□□□ □□□□□ □□□□ DHCP □□□ □ □□ □□ □□□ □
□□□□ □□□. □□ □ □□□□ □□ □□□ Ip pool pool1 network 10□□□□.

- A. dhcp □□ □□□
- B. □□□ 0□ 10□
- C. □□ 24
- D. □□ 0

Answer: B (LEAVE A REPLY)

NEW QUESTION: 273

□□ □ IPv6□ □□□ OSPF □□□ □□□□□?

- A. OSPFv1
- B. OSPFv4
- C. OSPFv2
- D. OSPFv3

Answer: D (LEAVE A REPLY)

NEW QUESTION: 274

□□□ □□□ □□□ □□□ □□ □□ □□□ □□□□□()

- A. □ □□□□□ □□□ □□□ □□□ □□□□.
- B. □□ □□□□ □□□ □□□ □□□ □□□□ □□□.
- C. □□□ □□□ □□ BPDUs □□□ □□□ □□□□ □□□□□ □□□ □ □□□□.
- D. □□ □□□□ □□□ □□□ □□□□ □□□.

- B. 400
- C. 200
- D. 600

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 289

□□ □□ □□□□ □□□□ AP□□ □□ □□ □□□□ □□□□ □□□□ □□ □□ □
 □□□ □ □□ □□?

- A. WAP
- B. VT
- C. VAP
- D. VAC

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 290

□□□□ □□ □□□ □□□□ □□□ □□ □□ □□□□ □□ □□□□□.

- A. □
- B. □□

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 291

□□ □□□□ MAC □□ □□□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□
 □? () (□□ □□ □□)

<Huawei>□ □□ □□

□□ 0□ MAC □□ □□□:

MAC □□ VLAN/PEVLAN CEVLAN □□ □□ LSP/LSR-ID

VSI/SI MAC-□□

5489 9811 0b49 1 Eth0/0/3 □□ 0/

□□□ □□ 0□ □ □□ □□ =1

□□ 0□ MAC □□ □□□:

MAC □□ VLAN/ PEVLAN CEVLAN □□ □□ LSP/LSR-ID

VSI/SI MAC-□□

5489-989d-1d30 1 Eth0/0/1 □□ 0/-

5489-9885-18a8 1 Eth0/0/2 □□ 0/-

□□□ □□ 0□ □ □□ □□ =2

- A. MAC □□ 5489-9885-18a8□ □□□□ □□□□ □□□□□.
- B. MAC □□ 5489-9811-0b49□ □□□□ □□□□ □□□□□.
- C. □□□□ □□ □□□ □ □□ MAC □□□ □□ □□□□ □□□.
- D. MAC □□ 5489-989d-1d30□ □□□□ □□□□ □□□□□.

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 292

OSPF □□□□□ □□□

- A. MAC □□ □□
- B. □□ □□□ □□
- C. ARP □□ □□
- D. □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 293

□□□□ Telnet□ □□ Huawei □□□□ □□□□ □ □□□ □□ □□□□ □□□□□ □
□□□ □ □□□ □□ □ □□□ □□□ □□□□□? (*)

- A. AR2200 □□□□ Te1net □□□□ □□□□□□□□□□.
- B. □□□ □□□ □□□ □□□□□□□□□□.
- C. □□□ □□□ □□□ □□ □□□ 0□□ □□□□□□□□.
- D. □□□ □□□ □□□ □□□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 294

LCP □□□□ □□ □□ □ □□ □□□□□ □□□ □□□□ □ □□□□ □□□□□ □
□ □ □□□□□?

- A. PAP
- B. CHAP
- C. MRU
- D. □□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 295

□□□ admin□□ □□□ Huawei(@123)□□□ telnetlib□ □□□□ □ □□□ □□□□□
□□□ □□□ □□□ □□□□. ()

- A. telnetlib.□□(10.1.1.0)
- B. telnetlib.□□ 10.1.1.0, 23, □□□@123)
- C. telnetlib.Telnet(10.1.1.0, 23, □□□, Huawei@123)
- D. telnetlib.Telnet(10.1.1.0, □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 296

□□□ □□□□□ □□□ □□ □□□□□ □□ □□ □□□ □□□ □□□□. □ □□□
□□□□□?

- A. □□□ □□ □□□
- B. □□ □□□
- C. □□ □□ □□□

D. □□ □□ □□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 297

□□□ □□. OSPF □□□□ □ □□ □□. □□ □ □□□ □□□ □□□□□? () (□□ □ □□)

A. R1□ □□□□□ □□□□ □□□ □□ □□□□□□ □□□□ □□□□ □□ □□□ 10□□ □□□□ □ R1□ R2□ □□□□ □□ □□□ □□□ □ □□□□.

B. R1□ □□□□□ □□□□ □□□ □□ □□□□□□ □□□□ □□□□ □ R1□ R2□ □□□□ □□ □□□ □□□ □ □□□□.

C. □□□□□ DR □□ □□ □□ □ □□ □□□ R1□ R2□□ DR□ □ □□□□ □ □□ □□.

D. R1□ R2□ □□□□ OSPF □□ □□□ □□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 298

□□□ □□□□□□ STP □□□□□ □□□ ID□ □□□ □□□□. □□ □ □□ □□□ □ □ □□□ ID□ □□□□□? ()

A. 3276800-01-02-03-04-CC

B. 3276800-01-02-03-04-AA

C. 409600-01-02-03-04-DD

D. 3276800-01-02-03-04-BB

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 299

□□ □□□□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□□? () (□□□ □□)

A. □ □□□ □□□□□□ DR □□ □□□ 10□□□□.

B. □ □□□□ BDR□□□□.

C. □□□□ □□□ ID□ 10.0.1.1□□□□.

D. □ □□□□□□ □□ □□ 1□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 300

□□□□ □□ □□□ □□□ □□□□. □□ □ □□□ □□□ □□□□□? ()

A. □□ □□□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□.

B. □□ □□□□ □□ □□□ D □□ □□□ □□□□ □□ □□□ □□□□□.

C. □□ VRP □□ □□□ □□ □□□ □□□□ VRP □□□ □□□□□.

D. VRP usedVersiondocument□□□ □□ □□□ □□□□ VRP □□□ □□□□.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 301

Which of the following is a valid SNMP community string? ()

- A. public
- B. private

Answer: A ([LEAVE A REPLY](#))

H12-811_V1.0 PDF Dumps PDF Dumps DumpTop PDF Dumps PDF Dumps
H12-811_V1.0 PDF! DumpTop PDF Dumps **H12-811_V1.0** PDF Dumps PDF Dumps,
DumpTop H12-811_V1.0 PDF Dumps PDF Dumps PDF Dumps PDF Dumps. PDF
PDF Dumps PDF Dumps PDF Dumps DumpTop H12-811_V1.0 PDF Dumps PDF Dumps.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 302

Which of the following is a valid UDP port number? ()

- A. 1024
- B. 1025

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 303

Which of the following is a valid VLAN ID? ()

- A. 1024
- B. 1025
- C. 1026
- D. 1027

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 304

Which of the following is a valid ACL rule? ()

- A. rule 10 permit ip 20.1.1.0 0.0.0.255 20.1.1.0 0.0.0.255
- B. rule 10 permit ip 20.1.1.0 0.0.0.255 20.1.1.0 0.0.0.255
- C. rule 10 permit ip 20.1.1.0 0.0.0.255 20.1.1.0 0.0.0.255
- D. rule 10 permit ip 20.1.1.0 0.0.0.255 20.1.1.0 0.0.0.255

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 305

□□□□ □□□□ G0/0/0 □□□□□□□ P □□□ □□□□□ □□□. □□ □□ □ □□
□ □□?

- A. 192.168.10.112/30
- B. 127.3.1.4/28
- C. 145.4.2.55/26
- D. 237.6.1.2/24

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 306

AAA. □□ □ □□□□ □□ □□? ()

- A. □□
- B. □□
- C. □□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 307

□□□ □□ □□□□ □□ □□□□□ STP□ □□□□□. □□ □ □□ □□□ □□ □□
□ □□□□□? () (□□ □□ □□)

- A. □□□ A□ □□ G0/0/2
- B. □□□ G0/0/1 □□
- C. HUB□ G0/0/2 □□
- D. □□□ A□ □□ G0/0/1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 308

IPv6 □□ □□□ □□ □□ □□ □ □□□ □□ □□□□□? (*)

- A. IPv6 □□□ □□ □□□ □□ □□□ □□□□□.
- B. IPv6 □□□ □□□□□ □□□ □ □□□□.
- C. IPv6□ □□ □□□ □□ □□□ □□□□□.
- D. IPv6□ □□ □□□ □□ DHCPv6□ □□□□□.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 309

□□□□□ □□□□ □□□ 192.168.1.0□ □□. □□□ □□□□□□ □□□
192.168.1.255□□ □□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 310

□□ □□ □□□ □□ □□□□□()

- A. □□□ □□ □□□ □□ □□□ 3□□ □□□□ □□□□ sinus□ □□□□□.
- B. □□□ □□□□ □□ □□□ □□ □□□ 3□□ □□
- C. □□□□ □□□□ □□ □□□ □□ □□□ 3□□ □□
- D. □□□□ □□ □□□ 3□□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 311

□□□□ □□□□ □□□ □□□□ TracertRoute □□□ □□□ □ □□□□ □□ □□□
□□□□ IPv4 □□□ Protocol □□ □□?

- A. 6
- B. 1
- C. 2
- D. 17

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 312

□□ □ □□□ □ □□□□□ □□□ □□□ □□□□□?

- A. □□ □□ □□□, □□□ □□ □□□ □□
- B. □□□ □□□ □□ Link Aggregation □□ □□
- C. □□ □□ □
- D. □□ □□ □□□ □□□□□ □□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 313

AC□ CAPWAP □□□ □□□□ □□ □□ □□ □□ □□ □□□□□□ □□□□ □□□
□ □□□□.

- A. □□
- B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 314

Q0□ □□□ □ □□ Pv6 □□ □□□ □□□ □□□□□? ()

- A. □□ □□
- B. □□□ □□
- C. □□
- D. □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 315

□□ □□□ □□□□□□ □□□□ □□ 0SPF □□□□□ □□□□ □□□ □□□□□?
()

- A. □□
- B. □□□
- C. □□□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 316

□□□□ □□□ □□□ □□□□ SNMP □□□□ □□□ □□□□□?

- A. SNMPv3
- B. SNMPv2
- C. SNMPv1
- D. SNMPv2c

Answer: A ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□□,
 DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
 □□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 317

vty □□ □□□ □□□ □□□□ □□□ □□□ □□ □□□ □□ 3□□ □□□□□. ()
 [Huawei]user-interface vty 0 14 Huavei-ul-vtyo-14acl 200o □□□□ Huawei-ui-vtyo-14J□
 □□ □□ □□ 3 [Huavei-ui-vtyo-14]authentication-node passworD.□□□ □□□ □□□
 □□□(□□ □□ 16): □□□

- A. □□
- B. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 318

□□□□ □□ □□□ □ □□ VLAN □□ □□□ □□ □□□□□? ()

- A. □□ □□ □□
- B. IP □□□ □□
- C. □□ □□ □□
- D. MAC □□. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 319

□□ □ AAA□ □□□□ □□ □□? ()

- A. □□)
- B. □□
- C. □□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 320

OSPF □□□□□ □□□□ □□□□ □□□ □□□□□?

- A. □□□□
- B. □□□ □ □□□
- C. □□□□□□
- D. □□□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 321

NAS □□□ □□ □□□ □□□ □□□□ □□□□ □□□. □ □□□□ □□□□ □□□
□□□□ □□□ □□□□ □□ □□□□ □□□ □□□□□. ()

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 322

RSTP□□ Discarding □□□ □□□ □□□ □□□ □□□□□ □□□□□. □□□ MAC □
□ □□□□ □□□□ □□□ □□□ □□□□ □□ □□□ □ □□□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 323

TCP □□□□□ □□□ □□□□ □□□ □□ □ 3□□ □□□□□ □□□□□ □□□□
□ TCP□ □□□□ □□□ □□□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 324

□□ STP □□□□ □□ □□□ □□ □□□ □ □□ □□□□ □□□ C-set BPDU□ □□
□□ □□ □□□□□? ()

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 325

LAN□ □□ □□□□ IP □□□ 192.168.1.1/30□ □□ □□ IP □□ □ □□□□ IP □□□
□□ □□□ □□□□ IP □□□ □□□□□? (*)

- A. 192.168.1.1
- B. 192.168.1.2/30
- C. 255.255.255.255
- D. 192.168.1.2/24

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 326

□□ □□□ □□□□ STA.
□□□□ □□ □□□ □□□ □□□□□. □□ □□□ □ □□ □□□ □□□□ □ □□□
□ □□□□ □□□□□? ()

- A. □□
- B. □□
- C. □□□□
- D. □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 327

□□□□ □□ ACL□ □□ □□□ □□□□. □□ □□ source192.168.2.0.0.0.255 □□
172.16.10.20.0.0.0 □□ □□ □ □□□ □□ □□□□□? ()

- A. P□ 192.168.2.1□□ □□ P□ 172.16.10.2□ source□□ TCP □□□ □ □□□□ □□
□□□.
- B. □□ IP□ 172.16.10.2□□□. □□ IP□ 192.168.2.1□ □□ TCP □□□ □ □□□ □□
□□□.
- C. sourceIP□ 172.16.10.2□□ □□□ IP□ 192.168.2.0□ □□ TCP □□□ □ □□□ □
□□□□.
- D. □□ IP□ 192.168.2.1□□ □□ IP□ 172.16.10.1□ □□ TCP □□□ □ □□□ □□□
□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 328

□□□□ □□□□ □□□□□□ □□□ □□□□ □□□□□ □□ MAC □□□ 01-00-5E-A0-B1-C3□□□. MAC□ □□ □□□ □□. □□□ ()□□□.

- A. □□□□□ MAC□□□□. □□
- B. □□□□□ MAC□□□□. □□
- C. □□ MAC□□□□. □□
- D. □□□□□□ MAC□□□□. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 329

□□□ □□ □□ □□□ □□ □□ □□ □□□ □□□□ □□ □□□ □□□□□□().

- A. □□ □□□ □□ □□ □□ □□□ 3000-4000□□□.
- B. □□□□□ □□ □□□□ □□□ □□ □□□ 1000-2000□□□.
- C. □ □□ □□ □□□ □□ □□□ □□ □□□ 4000-4999□□□.
- D. □□ □□□ □□ □□ □□ □□□ 1000-2999□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 330

Huawei □□ □□ □□□ □□□□ □□ □□□ □□□□ □ □□□□□()

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 331

OSPF DD □□ □ LSA□ □□ □□ □□ □ □□□ □□ □□□□□□().

- A. DD □□□□ LSA□ □□ □□□ □□□ □□ □□□□.
- B. LSA□ □□□ LSA□ □□□□ □□□ □ □□□□.
- C. LSA □□□ LSA□ □□ □□□ □□□□.
- D. DD □□□□ LSA □□ □□□ □□□□□.

Answer: B,C,D ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.
https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 332

□□□ □□□□ 2□ □□□ □□□ □□□□ □□□□ □□ □□ □□□□ □□□ □□□
□□□□ □ □□□□. ()

A. □□

B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 333

Huawei AR G3 □□□ □□□□□ AAA□ □□ □□ □□□ □□□□□?

A. □□

B. □□

C. HWTACACS

D. 802.1x

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 334

□□□ R1 □□□ □□□□ □□ □□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□
□□□?

A. □□□□ □□ □□□□□ 11.0.0.0/8□ □□□ □□□□□.

B. □□ □□□□□ 12.0.0.0/8□ □□□ □□□ □□□□□ Ethernet0/0/0 □□□□□□□ □
□□□□.

C. □□ □□□□□ 11.0.0.0/8□ □□□ □□□ □□□□□ Gigabitethernet0/0/0 □□□□□
□□ □□□□□.

D. □□□□ □□ □□□□□ 12.0.0.0/8□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 335

SPF □□ 0□ vP □□ □□ OView□ □□□□ □□□ □□□□□? (*)

A. (□□□) ospf areA.0

B. (Huawei-ospf-1) areA.0 □□□

C. (Huawei-ospf-1) areA.0

D. (Huawei-ospf-1) areA.0.0.0.0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 336

□□ □□□□□ □□□□□. 0SPF□ 4□□ □□□□□ □□□□□. □□□ □□ □□□
□. □□□ □□□□ □□□□. OSPF□ □ □□ □□ □□□ □□ □□ □□□ DR□ □□
BDR□ □□□□ □□□□□. ()(□ □□ □□)

A. □□

B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 337

OSPF □□□□ DR□ □□ □□□□ □□ □□? ()

- A. Router ID, □□ □□□□ DR□ □□□□ □□ □□
- B. □□□□□ □□ □□□ 0□□□ □□□□□□□ DR□ □ □ □□□□.
- C. DR □□□ □□□□□□□.
- D. DR□ □□□□□□□ □□ □□□ □□ □□ □□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 338

□□ □□□ □□ □□□□ DHCP□ □□□□ IP □□□□ □□□□ □□ □□□ □□□□□?

()*

- A. IP □□ □□□ □□ □□
- B. □□□□ □□ □□□□ □□□
- C. □□ □□(□: DNS)□ □□□□ □□□□ DHCP □□□□ □□□□ □□□ □□ □□□ □□□□□.
- D. IP □□ □□ □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 339

□□ IEEE802.11 □□ □ □□□□□ 24GHz □□□ □□□ □□□□ □□ □□□□□? ()

- A. 802.11n
- B. 802.11ax
- C. 802.11a
- D. 802.11g

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 340

WLAN□ AP□□ VAP□ □□□ □□ □□ MAC □□□ □□□□□?

- A. BSS
- B. ESS
- C. SSID
- D. BSSID

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 341

□□ IEEE802.11 □□ □ 2.4GH □ 5GH □□□ □□□□□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□□?

- A. 802.11g
- B. 802.11ax
- C. 802.11ac
- D. 802.11n

D. LACP □□□□ □□ 4□□ □□ □□□ □□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ H12-811_V1.0 □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 347

TCP/IP □□□ □□□□ □□ □□□ □□□□□?

- A. □□□□□□ □□
- B. □□□□□□ □□□
- C. □□ □□
- D. □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 348

□□ □□□ □□□□ □ □□ □□□ □□□□□ □□□□□?

- A. BGP
- B. □□
- C. □□
- D. OSPF

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 349

DNS □□□□□ □□ □□□□ ()

- A. □□ □□
- B. DNS
- C. □□ □□□
- D. □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 350

□□ □□□ □□□ □□□□. □□□□ ARP □□□ □□□□. □□ □ □□□ □□□ □□
□□□?)(□□□ □□)

- A. □□□ A 10.0.12.2MAC-C□ ARP □□□ □□ □□□ □□□ □ □□□□.
- B. □□ □□ 11.0.12.1 MAC-B□ □□□ A□ ARP □□□ □□□□□.

□□□□ □□□ OSPF □□□□ □□□ □□ □□□□. □□□□ RTA□ □□□ RTB, RTC, RTD □□□□ □□ ABR □□□□□.

A. □□

B. □

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 356

Eth-Trunk □□ □□ □□ □□ □□□□ □□ □ □□□□.

A. □□

B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 357

□□ □□□ □□□ □□ □□□ □□□□ □□□□ □□ □□ □□□ □□□ □□□□. ()

A. □□

B. □□

Answer: A ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)