

Huawei.H12-811_V1.0.v2024-05-20.q232

□□□□:	H12-811_V1.0
□□□□:	HCIA-Datcom V1.0
□□□:	Huawei
□□ □□ □□□:	232
□□:	v2024-05-20
# □□ □:	1411
# □□ □□□:	2320
https://www.krdump.com/Huawei.H12-811_V1.0.v2024-05-20.q232.html	

NEW QUESTION: 1

□□□□ □□□ 0\$PF □□□□ □□□ □□□□ □□□□. □□□□ RTA.□ □□□ □□ □□ RTB.RTC□□□. □□□ RTD. ABR □□□□□□. () (RTA) ip □□-static.10.1.1.02412.1.1.1 □□(RTA) ip □□-static. 10. 2. 2. 02413. 1. 1. 1.

A. □□

B. □

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

ifoneLength/Type = 0X8100□ □□□ □□□□ □□ □□□□□□□. □□ □ □□□ □□ □□□□□? ()

A. □ □□□ □□□□ □□ □□□□ IP □□□ □□□□ □□□.

B. □ □□□ □□□□ □□ □□□□□ UDP □□□ □□□ □□□.

C. □ □□□ □□□□ VLAN □□□ □□□□ □□□.

D. □ □□□ □□□□ □□ □□□□ TCP □□□ □□□ □□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □ □□ □□□ HWTACACS □□□□ □□□□ □□□ □□□□□? ()

A. □□ □□ hwtacacs

B. □□ □□ □□

C. □□ □□ hwtacacs

D. □□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□□ □□ □□□ ACL□ Telnet□ □□□□□. □□ □ □□□ □□□ □□□□□□?

- A. IP 172.16.105.3 Telnet
- B. IP 172.16.105.4 Telnet
- C. IP 172.16.105.5 Telnet
- D. IP 172.16.105.6 Telnet

Answer: D (LEAVE A REPLY)

NEW QUESTION: 5

QUESTION: Which of the following is not a valid IP address? ()

- A. 192.168.1.1
- B. 192.168.1.0

Answer: B (LEAVE A REPLY)

NEW QUESTION: 6

QUESTION: Which of the following is not a valid IP address? ()

- A. 192.168.1.1
- B. 192.168.1.0
- C. 192.168.1.255
- D. 192.168.1.254

Answer: D (LEAVE A REPLY)

NEW QUESTION: 7

QUESTION: Which of the following is not a valid IP address? () () () ()

```

interface GigabitEthernet0/0/2
port hybrid pvid vlan 100
port hybrid tagged vlan 100
port hybrid untagged vlan 200
  
```

- A. VLAN 200 is not a valid VLAN ID
- B. VLAN TAG 100 is not a valid VLAN TAG
- C. ...
- D. VLAN 100 is not a valid VLAN ID

Answer: D (LEAVE A REPLY)


NEW QUESTION: 8

QUESTION: Which of the following is not a valid IP address? () () () ()

- A. ...
- B. ...
- C. ...
- D. ...

□□□ A□ G0/0/1 □□□□□ □□ □□□ □□□ □□□□□. □□ □ □□□ □□□ □
□□□□? () (□□□ □□)

```
#
acl number 3000
 rule 5 deny 17
 rule 10 deny 89
 rule 15 deny 6
#
interface GigabitEthernet0/0/1
 traffic-filter inbound acl 3000
#
```



HUAWEI

- A. □ □□□□□□ □□ □□□□ OSPF □□ □□□ □□□ □ □□□□.
- B. □□□□□□ □□□ FTP □□□ □□□□ □□□□.
- C. □ □□□□□□ □□□ SNMP □□□ □□□□ □□□□.
- D. □ □□□□□□ ICMP □□□ □□□□ □□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 14

□□□□ □□□ □ □□□□□ □□ □□□ □□□□ □□, □□□ □□ □□□ Eth-Trunk
□ □□□□ □□□□ □□□□ □□□□ □ □□□□.

- A. □□
- B. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

OSPF □□□□ DR□ □□ □□ □ □□□ □□ □□□□□? ()

- A. □□□□□ □□□□□ 0□□ □□□□□□□ DR□ □ □ □□□□.
- B. DR□ □□□□□□ □□□□□ □□ □□ □□□□ □□□.
- C. □□□ ID, □□ □□□ DR□ □□□□□ □□ □ □□□□.
- D. DR □□□ □□□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□□□□ SNMP □□□□□□ □□□□ □□□□□ NMS□ □□ □□□□ □□□ □ □
□ □□ □□□ □□□□□?

- A. 163
- B. 162
- C. 161
- D. 164

Answer: B ([LEAVE A REPLY](#))

H12-811_V1.0 题库 题库 题库 题库 题库 DumpTop 题库 题库 题库 题库
H12-811_V1.0 题库! DumpTop 题库 题库 H12-811_V1.0 题库 题库 题库 题库 题库,
DumpTop H12-811_V1.0 题库 题库 题库 题库 题库 题库 题库 题库 题库. 题库
题库 题库 题库 题库 题库 DumpTop H12-811_V1.0 题库 题库 题库 题库.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 17

VRP 题库 题库 题库 题库 题库, 题库 题库, 题库 题库, 题库 题库 题库 题库
题库 题库. 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库
题库 题库 题库 题库?

- A. 题库 题库
- B. 题库 题库
- C. 题库 题库 题库
- D. 题库 题库

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

题库 题库 题库 题库 题库 题库 A 题库 B 题库 题库 题库 题库 题库
题库 题库 题库 题库 题库?

- A. acl number2000 题库 5 题库 题库 100.0.12.0 0.0.0.255 # 题库 题库
GigabitEthernet0/0/1 题库 题库 题库 题库 acl 2000 #
- B. acl 题库 2000 题库 5 题库 题库 100.0.12.0 0.0.0.255 # 题库 题库 GigabitEthernet0/0/2
题库 题库 题库 题库 acl 2000
- C. acl nubert2000 题库 5 题库 题库 100.0.12.0 0.0.0.255 # 题库 题库
GigabitEthernet0/0/1 题库 题库 题库 题库 acl 2000 #
- D. acl number2000 题库 5 题库 题库 100.0.12.0 0.0.0.255 # 题库 题库
GigabitEthernet0/0/3 题库 题库 题库 题库 acl 2000 #

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 19

Wi-Fi6 题库 题库 IEEE802.11 题库 题库 题库?

- A. 802.11au
- B. 802.11at
- C. 802.11ax
- D. 802.11ac

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

题库 题库 题库 题库 VLAN 题库 题库 题库 题库 题库? ()

B. RTA. □□□ C□ □□□□□ □□(200.10.10.3)□ □□□□□. □□□ C□ □□ □□□ □□ □□□□ □ □□□□.

C. □□ □□□□ □□ □□□□ □□□ □□□ □□ □□□□□ □□□□ □ □□□.

D. HostC.□□ □□□□ □□□ □□□ □ □□□ □□ □□□□□ □□□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□□ □□□ □□□ □□□ □□ □□ □□□ □□□□□.

A. □ □□□□□ □□□ □□□ □□□ □□□□.

B. □□ □□□□ □□□ □□□ □□□□ □□□.

C. □□□ □□□ □□ BPDU □□□ □□□ □□□□ □□□□□ □□□ □ □□□□.

D. □□ □□□□ □□□ □□□ □□□ □□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

□□□□ □□ □□□ □□ □□ □□□ □□□ □□□□□. □□□ □ □□□□ VLAN□ □□ □□□ □□□□ VLAN TAG□ □□□□□? ()□□□□□ GigabitEtherneto/0/1 □□ □hybrid.taggerD.vlan 2 ~ 3 100 □□ hybrid. □□ □□D. VLAN 4 6#

A. 1, 2, 3, 4,6, 100

B. 1, 2,3, 100

C. 2,3, 4, 6, 100

D. 2, 3, 100

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

RSTP □□□□□ □□ □□□ □□ □□ □□ □ □□□ □□ □□□□□? ()

A. □□ □□□ RSTP □□□ □□□□□.

B. □□ □□□ □□□ □□ BPDU □□□ □□□□□.

C. □□□ □ □□ □□ □□□ □□ □□□ □□□□ □□□.

D. □□ □□□ □□□□□□ □□ □□□ □□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

□□ □ □□ □□ □□□ □□□ RIA□ □□□ □ □□□□.

□□□ □□ 10.1.1.1.0□ □□ □□□ □□ □ □□ □□□□□.

A. □

B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

FIT AP 认证 认证 认证 FIT AP AC IP 认证 认证 认证. 认证 认证
 FIT AP AC IP 认证 认证 认证 认证 认证 认证 认证?

- A. 认证 认证
- B. DHCP 认证
- C. AP 认证 认证 认证 认证
- D. 认证 认证 认证

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

认证 认证 认证 认证 认证 0SPF 4 认证 认证 认证. 认证 认证 认证
 认证 a 认证. 认证 认证 认证. SPF 认证 认证 认证 认证 认证 认证
 认证 认证 DR 认证 BDR 认证.)(认证 认证)



- A. 认证
- B. 认证

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

认证 认证 认证 认证 认证 ARP 认证 认证 认证 A 认证 B 认证 认证
 认证.
 认证 认证 认证 MAC 认证 IP 认证 认证?)(认证 认证)



- A. MAC-C,11.0.12.1
- B. MAC-B,11.0.12.1
- C. MAC-A,11.0.12.1
- D. MAC-C,10.0.12.2

Answer: ([SHOW ANSWER](#))

PPP□ □□□ □□ □□ □□□□□ □□□□ □□□□□□□□□ □□ □ □□ □□ □□□
□□□□□□ □□□□ □□ □□□ □□□ □ □□□□□. ()

A. □□

B. □

Answer: (SHOW ANSWER)

NEW QUESTION: 37

□□ □□□□ MAC □□ □□□□ □□□ □□ □□□□. □□ □ □□□ □□□ □□□□
□? () (□□ □□ □□)



A. MAC □□ 5489-989d-1d30□ □□□□ □□□□ □□□□□□.

B. MAC □□ 5489-9885-18a8□ □□□□ □□□□ □□□□□□.

C. □□□□ □□ □□□ □ □□ MAC □□□ □□ □□□□ □□□. MAC □□
5489-9885-18a8□ □□□□ □□□□ □□□□□□.

D. MAC □□ 5489-9811-0b49□ □□□□ □□□□ □□□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 38

□□ □ □□ □□□□ MAC □□□ □□ □□□ □□□ □□□□□? ()

A. □. □□ 5489-989d-1d30□ □□□□ □□□□ □□□□□□.

B. □. □□ 5489-9885-18a8□ □□□□ □□□□ □□□□□□.

C. □. □□ 5489-9811-0b49□ □□□□ □□□□ □□□□□□.

D. □□□□ □□ □□□ □ □□ MAC □□□ □□ □□□□ □□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 39

WLAN□ AP□ □□ VAP□ □□□ □□ □□ MAC □□□ □□□□□□?

A. BSSID

B. SSID


C. ESS

D. BSS

Answer: A (LEAVE A REPLY)

NEW QUESTION: 40

□□ □□□ □□□ □ □□□□ □□ STP □□□□□ □□□□□□□□. □□ □□ □□□
□□ □□□ □□□? ()



- A. STB G0/0/2 C
- B. STA G0/0/2
- C. STB G0/0/3
- D. STA G0/0/3

Answer: (SHOW ANSWER)

NEW QUESTION: 41

Which of the following is a Telnet command to configure a Huawei AR2200 to connect to a Te1net server? (*)

- A. AR2200 telnet Te1net
- B. AR2200 telnet Te1net
- C. AR2200 telnet Te1net
- D. AR2200 telnet Te1net

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 42

Which of the following is a correct configuration for a Huawei AR2200 to connect to a Te1net server?

- A. AR2200 GE0/0/2 VLAN20
- B. AR2200 GE0/0/2 4 VLAN
- C. AR2200 GE0/0/1 VLAN10
- D. AR2200 GE0/0/1 VLAN20

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 43

Which of the following is a Huawei command to configure a RESTful API?

- A. RESTful
- B. AAA
- C. NETCONF
- D. RESTful

Answer: (SHOW ANSWER)


NEW QUESTION: 44

Which of the following is a correct configuration for a Huawei AR2200 to connect to a Te1net server?

- A. AR2200

NEW QUESTION: 53

□□ □□□ □□□ □□□□□ □□ □□□□ □□□ OSPF□ □□□□ □ □□□ □□□
□□. □ □□□□□□ DR□ □□ □□□□□□? () (□□ □□ □□)



- A. □□□ A
- B. □□□ B
- C. □□□ D
- D. □□□ C

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

IEEE802.11n□ □□ □□□□ □□□□□? ()

- A. 2.5GHz
- B. 5GHz
- C. 6GHz
- D. 2.4GHz

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

Telnet □□□□□□ □□□□ □□ □□ □□ □□□ □□□□□?

- A. 24
- B. 23
- C. 21
- D. 22

Answer: (SHOW ANSWER)

NEW QUESTION: 56

Huawei Tracert □□ □□□ □□□ □□ □□□ □□□□ □ □□□□□.

- A. □□
- B. □

Answer: B ([LEAVE A REPLY](#))

D. GigabitEthernet(□□ 0/0/2□ pVID□ 10□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 65

□□ □□□ □□ □□ □□ □ □□□ □□ □□□□□?

A. □□□ □□□□□ □□ □□□ □□□□ 0.0.0.0□ □□ □□ □□□ □□□□□(□□□ □ 0.0.0.0□□□).

B. □□ □□□□ □□□ □□□□□ □□ □□□ □□□ □□□.

C. □□□□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □ □□ □□ □□□ □ □□ □□□ □□□□□.

D. □□ □□□ □□□□ □□□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

□□□□ □□□□ □□ □□□ □□□ □□□ □□□ □□□□ □□□. OpenFlow □□□□ □□ □□□ □□□ □□□ □□□ □□□□ □□□. □□ □ □□ □□ □□ □ □ □ □□□□□? (*)

A. □□□ □□□□ □□ □□□ □□□□ MA□ □□□ □□□□□ □□□□□C.Address □ IP □□

B. □□ □□□□ □□ □□□□ □□□□. □□□□ □□□ □□□ □□ □□□□ □□ □ □□□□.

C. □□ □□□□ □□ □□□ □□ □□□□ □□□□□ □□□ □□ □ □□□□ □□□ □□ □□□□.

D. □□□ □□□□ □□□ □□□□ □□□□. □□□□ □□ □□□ □□□□ □□□ □ □ □□□□.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□□ □□□ □□□□ □□□ □□□ □□□ □□□□□ □□ □□ Eth □□□□ □□ □ □ □□ □□□ □□□□□?

A. □□□□□□ □□ □□□ □□□□ □□ □□

B. □□ □□ □□ □□

C. □□□ □□ □□□□ □□□□□□ □□□□ □ □□ □□

D. □□ □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

□□ □□□ □□ □□□□□ □□□□ □□□□□. □□ □ Link Aggregation □□□ □□ □ □□ □□□□ □□ □□□ □ □□?

A. □□ □□ □□

- B. □□□ □□
- C. □□□ □□
- D. □□□ □□

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 69

□□□□ NEV □□□ □□□□□. □□□□ □□□ □□ □□ □□ □ □□□ □□ □□□ □□? (*)

- A. □□□: □□ □□ □□□ □□ □□□ □□□□ □□□□□□□□ □□ □□□ □□.
- B. □□□□: □□ □□ □□□ □□ □□□ □□□□ □□□ □□□ □ □□□□.
- C. □□□□ □□□: □□ □□□ □□□□□ □□□□ □□ □□□ □□ □□ □□□□□ □□ □ □□□□.
- D. □□□ □□□ □□□ □□ □□ □□□ □□ □□□□ □□□□□.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 70


□□ □□□□ □□□ □□ □□□ □□□ □□□□□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□□ □□ □□□ □□□□□ □□ □□□□. □□□□ □□□ □□□ □□□□ □□□□.

- A. □□ □□□□
- B. □□ □□
- C. □□□ □□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

□□ □□□ □□□ □□□□□□□ 0\$PF □□ □□□ □□□□ □□□□. □□□ B□ □ □□ C□ □□ □□□ □□□□□?



- A.
- B.
- C.
- D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Which of the following is not a valid adjacency segment? ()

- A. 10.0.0.0/24
- B. 10.0.0.0/24
- C. 10.0.0.0/24
- D. Adjacency Segment 10.0.0.0/24

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

Which of the following is not a valid adjacency segment? ()

- A. 10.0.0.0/24
- B. 10.0.0.0/24
- C. 10.0.0.0/24
- D. 10.0.0.0/24

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 74

Hybrid VLANs are used to connect different VLANs. ()

- A. Hybrid VLANs are used to connect different VLANs.

D. `show ip arp` command on SWA to verify the ARP table.

Answer: (SHOW ANSWER)

NEW QUESTION: 84

Three switches (SWA, SWB, and SWC) are connected in a triangle topology. SWA is connected to SWB and SWC. SWB is connected to SWC. The network is running OSPF. Which interface on SWC is the DR?



- A. SWC G0/0/1
- B. SWB G0/0/1
- C. SWA G0/0/3
- D. SWC G0/0/2

Answer: (SHOW ANSWER)

NEW QUESTION: 85

Two routers (RTA and RTB) are connected via their serial interfaces. The network is running OSPF. Which command on RTA is used to verify the OSPF neighbor relationship?

- A. `show ip ospf neighbor`
- B. `show ip ospf interface`
- C. `show ip ospf dr`
- D. `show ip ospf id`

Answer: (SHOW ANSWER)

NEW QUESTION: 86

A network administrator is configuring OSPF on a router. The network is running OSPF. The administrator wants to configure the router to advertise the network 10.0.0.0/8. Which command should be used?

- A. 20
- B. 70
- C. 100
- D. 60

Answer: (SHOW ANSWER)

NEW QUESTION: 87

□□□□ STP □□□□□□ □□ □□□□ □□ □□ □□□ 0□□□ □□□.

A. □□

B. □

Answer: (SHOW ANSWER)

NEW QUESTION: 88

□□ □□□ □□□□. □□ □□□□ □□□□□ □□□ □ □□□□. □□ □ □□□ □□
□ □□□□□? () (□□□ □□)



A. SWA □ G0/0/3 □ 3 □□ Mac □□□ □□□□□□.

B. SWB □ G0/0/3 □ 2 □□ Mac □□□ □□□□□□.

C. SWA □ G0/0/3 □ 1 □□ Mac □□□ □□□□□□.

D. SWA □ G0/0/3 □ 2 □□ Mac □□□ □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 89

DHCP DISCOVER □□□□ □□ □□□ □□□□□? ()

A. □□□□□□ □□ □□□ □□□□□ □□□ □□□□□.

B. DHCP □□□ □□□ □□ □□□ □□□□ DHCP DISCOVER □□□□ □□□□ □ □□□□.

C. REQUEST □□□□ □□ □□□ □□ □□

D. □□□□□□ DHCP □□□ □□ □ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 90

IPv6 □□□ □□ □□ □□□ □□□ □□□□□. ()

A. □□

B. □

Answer: B (LEAVE A REPLY)

NEW QUESTION: 91

1/128 □ IPv6 □□□ □□□□□□. ()

A. □□

Answer: (SHOW ANSWER)

NEW QUESTION: 94

ARP 数据包 的 长度 是 多少?

A. ARP 数据包 的 长度 是 28 字节。

数据包 的 长度 是 28 字节。 ARP 数据包 的 长度 是 28 字节。

B. ARP 数据包 的 长度 是 42 字节。

C. ARP 数据包 的 长度 是 54 字节。

Answer: (SHOW ANSWER)

NEW QUESTION: 95

在 一个 网络 中， 有 两个 主机 A 和 B， 它们 的 IP 地址 分别是 10.1.12.1/24 和 10.1.12.2/24。 它们 的 MAC 地址 分别是 MAC-A 和 MAC-B。 它们 通过 一个 华为 交换机 连接。 交换机 的 配置 如下：



A. 在 交换机 上 配置 命令 `GigabitEthernet0/1 PVID 20`。

B. 在 交换机 上 配置 命令 `VLANTAG 10`。

C. 在 主机 A 上 配置 命令 `ping -c 1 10.1.12.2`。

D. 在 主机 B 上 配置 命令 `ping -c 1 10.1.12.1`。

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 96

FTP 数据包 的 长度 是 多少?

A. 22

B. 21

C. 24

D. 23

Answer: B (LEAVE A REPLY)

NEW QUESTION: 97

IP 数据包 的 TTL 是 多少?

- A. IP TTL 1 .
- B. TTL .
- C. IP TTL 1 .
- D. TTL .

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 98

IPv6 ? (*)

- A. IPv6 DHCPv6 .
- B. IPv6 .
- C. IPv6 .
- D. IPv6 .

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 99

VLAN .
 ? ()

- A. 0-15
- B. 0-63
- C. 0-7
- D. 0-3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

IPv6 ? (*)

- A.
- B.
- C.
- D.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 101

.

- A.
- B.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

DHCP DHCP
 . ?

- A. DHCP .

H12-811_V1.0 题库 题库 题库 题库 题库 DumpTop 题库 题库 题库 题库
H12-811_V1.0 题库! DumpTop 题库 题库 H12-811_V1.0 题库 题库 题库 题库 题库,
DumpTop H12-811_V1.0 题库 题库 题库 题库 题库 题库 题库 题库 题库. 题库
题库 题库 题库 题库 题库 DumpTop H12-811_V1.0 题库 题库 题库 题库.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 107

题库 题库 题库 题库 题库 题库 题库 题库 题库 题库 Eth-Trunk 题库 题库
题库 题库 题库 题库 题库?

- A. 题库 题库 题库 题库 题库 题库 题库 题库
- B. 题库 题库 题库 题库
- C. 题库 题库 题库 题库
- D. 题库 题库 题库 题库 题库 题库 题库 题库

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 108

题库 题库 题库 题库 题库 题库 题库. 题库 题库 DHCP 题库 题库 题库
题库 题库 题库 题库. 题库 题库 题库 题库 题库? () (题库 题库 题库)

```
ip pool pool1
network 10.10.10.0 mask 255.255.255.0
gateway-list 10.10.10.1
```

- A. 题库
- B. 题库 24
- C. DHCP 题库 题库
- D. 题库 0 题库 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

SNMPv1 题库 题库 题库 题库 题库 题库 题库 题库 题库 题库
题库 题库 题库 题库 题库 题库 题库 题库 题库 题库?

- A. 题库 题库
- B. 题库-题库 题库
- C. 题库-题库
- D. 题库

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 110


AAA. 题库 题库 题库 题库 题库 题库 题库? ()

- A. 题库

Answer: D (LEAVE A REPLY)

NEW QUESTION: 115

□□ □□□ □□□□□□ □□□ A□ □□□ B□ ping□□□ □□□□ □□ □□□ □□ □□ □□□? ()



- A. RTA:ip □□ □□ 10.0.12.5 255.255.255.252 11.0.12.1
RTB:ip □□ □□ 10.0.12.1 255.255.255.252 11.0.12.2
- B. RTA:ip □□ □□ 10.0.12.5 255.255.255.252 11.0.12.2
RTB: □□-□□10.0.12.1255.255.255.252 11.0.12.1
- C. RTA:ip □□ □□ 0.0.0.0 0.0.0.0 11.0.12.1
RTB:ip □□-□□ 0.0.0.0 0.0.0.0 11.0.12.2
- D. RTA:ip □□ □□ 0.0.0.0 0.0.0.0 11.0.12.2
RTB:ip □□ □□ 0.0.0.0 0.0.0.0 11.0.12.1

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 116

AP□ □□□ □□□□□□□ □□ AC□□ □□□ □□□□.

- A. AC □□
- B. SFTP □□
- C. FTP □□
- D. TFTP □□

Answer: (SHOW ANSWER)

NEW QUESTION: 117

□□□ □□□ □□□□ □□/□□□ 0x8100□□□□ □□ □ □□□ □□□ □□□□□?

- A. □ □□□ □□□□ □□ □□□□□ UDP □□□ □□□ □□□.
- B. □ □□□ □□□□ VLAN □□□ □□□□ □□□.
- C. □ □□□ □□□□ □□ □□□ IP □□□ □□□ □□□.
- D. □ □□□ □□□□ □□ □□□□ TCP □□□ □□□ □□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 118

UDP□ □□ □□□□ □□□ □□□□ □□ □□ 6()□□□.

- A. □
- B. □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 119

□□ □□□ □□ □□ □□□□□? () (□□□ □□)



- A. □□ □□ 10.0.12.5 MAC-B □ □□□ A □ ARP □□□ □□□□□.
- B. □□□ A □ □□□ B □ ping □ □ □□□□.
- C. □□□ A □ □□□ B □ □□□□□□ □□□ □□□□□.
- D. □□□ A □ □□□ B □ □□□ MAC □□□ □□ □ □□□□.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 120

□ □□ □□□□ □□□ □□ □□ □□□ □□□□□. □□ □□□ □□□□□□□□. () (□ □ □□ □□)



- A. □□□ B □ G0/0/2 □□□ □□□. Eth-Trunk □□□ □□□ UP□□□.
- B. □□□ B □ G0/0/1 □□□ □□□. Eth-Trunk □□□ □□□ UP□□□.
- C. □□□ B □□ G0/0/1 □ G0/0/2 □□□ □□□. Eth-Trunk □□□ □□ □□□□□.
- D. □□□ B □□ G0/0/1 □ G0/0/2 □□□ □□ Efh-Trunk □□□ □□□ UP□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 121

□□□ □□□ □□□ VLANTAG □ PVID□ □□□□ □□□ □□□□ □□ □ VLANTAG □ □□□□ □□□□ □□□. ()

- A. □□
- B. □

Answer: A (LEAVE A REPLY)

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ H12-811_V1.0 □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 122

□□ □ □□□□ □□ □□ □□ □ □□□ □□ □□□□□? ()

A. □□□ □□ □□□□ □□□ □□□ □□□ □□□ □□□□□.

B. □□□□ □□ □□□□□□ □□□□ □□□.

C. VLAN□ □□□ □□□ □□

D. □□□□□ □□□□ □□□ □□□ □□□ □□□ □□ AN □□□□ □□□ □□ □□□□□.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 123

□□ □□□□ \$TA□ □□□□□□. □□ □□ □□□□ □□□ □□□ □□□. □□ □ STA □ SSID □□□ □□□□□□ □□ □□ □□□□ □□□□ □□□□□□? ()

A. □□

B. □□

C. □□□

D. □□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 124

□□□□ □□□ □□□ □□ □ □□ □□□ □□□□□? (*)

A. □□ □□□

B. □□ □□

C. □□ □□□

D. □□ □□□

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 125

Prefix Segment□ □□ □□ □□ □ □□□ □□ □□□□□? ()

A. Prefix Segment□ □□□□□□□ □□ □□ □□□□ □□□□ □ □□□□□(Prefix).

B. □□□ □□□□□ □□□□□ □□□□ □□□□ IGP □□□□□ □□ □□ □□□□ □□□ □□□□□.

C. □□□ Segment□ □□□□ □□□□ □□□.

D. □□□ □□□□□ IGP□ □□ □□□□ □□□ □ □□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 126

□□□ □□ R1□ ping 10.1.1.2 □□□□ □□□□ LSW1□ LSW2□□□ □□□ VLAN 10 □ □□□ □□□□ □□□□. ()(□ □□ □□)



A. □

B.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 127

? (*)

A.

B.

C.

D.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 128

Huawei AAA
 ()

A.

B.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 129

. BDR ? () (
)



A. A

B. B

C. BDR

D. C

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 130

As()

- B. □□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□ AC□ □□ □□□□□.
- C. □□□ □□□ □□
- D. AP □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 134

□□ □□□ □□ □□ □□□ □□□□□?

- A. □□□ A□ □□□ B□ IP □□ □□□□ □□□ □□□ □□□ A□ □□□ B□ □□□ □□□□□.
- B. □□□ A□ □□□ B□ □□□□□□□ □□□ □□□□□□.
- C. □□□ A□ □□□ B□ ping□ □□ □□□□□.
- D. □□□ A□ □□□ B□ □□□□ □□□□ □□□ □□□□ □□□ A□ □□□ B□ □□ □□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 135

□□□□□ STP □□□□□ □□ □□ □□□ □□ □□□□□?

- A. 5
- B. 20
- C. 10
- D. 15

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

□□ IEEE802.11 □□ □□ □□□ □□ 2.4GHz □□□ □□□ □□□□ □□ □□□□□□?

- A. 802.11n
- B. 802.11a
- C. 802.11ax
- D. 802.11g

Answer: D ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 H12-811_V1.0 □□! DumpTop □□□ **H12-811_V1.0** □□ □□□ □□□□□□□,
 DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□
 □□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 137

Which IEEE 802.11 standard supports 24GHz channels? ()

- A. 802.11ax
- B. 802.11a
- C. 802.11n
- D. 802.11g

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 138

OSPF uses which LSA type to advertise a default route? ()*

- A. LSA type 1 LSA
- B. DD LSA
- C. LSA type 3 LSA
- D. DD LSA

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 139

Which command is used to configure a default route on a router? ()

Which command is used to configure a default route on a router? ()

- A. ip route 0.0.0.0 0.0.0.0
- B. ip default route 0.0.0.0 0.0.0.0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 140

Which command is used to configure a default route on a router? ()

```

#
interface GigabitEthernet0/0/1
 port link-type trunk
 port trunk pvid vlan 10
 port trunk allow-pass vlan 10 20 30 40
#

```

- A. 20
- B. 10
- C. 40
- D. 30

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 141

Telnetlib Python Telnet Python

- A. Python
- B. Telnet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 142

Huawei ARG3 配置 VRP Ping -i 配置 ()

- A. 配置 IP
- B. 配置
- C. 配置 IP
- D. 配置

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 143

配置 RIA 配置

```
[RTA]ip route-static 10.1.1.0 24 12.1.1.1 permanent
[RTA]ip route-static 10.1.1.0 24 13.1.1.1
```

- A. 配置
- B. 配置

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 144

STA. 配置 Beacom 配置 ()

- A. 配置
- B. 配置

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 145

配置 Eth-Trunk 配置

- A. 配置
- B. 配置
- C. 配置
- D. 配置

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 146

配置

- A. 配置
- B. 配置

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 147

□□□□ □□□ □□ □□□□ □□□□□□, □□□□ DHCP □□□ □ □□ □□ □□□□ □□□□ □□□. □□ □ □□□□ □□ □□□ Ip pool pool1 network 10□□□□.

- A. DHCP □□ □□□
- B. □□ 0
- C. □□□ 0□ 10□
- D. □□ 24

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 148

IPv6 □□ □□□ □□ □□ □□ □ □□□ □□ □□□□□? (*)

- A. IPv6□ □□ □□□ □□ □□□ □□□□□.
- B. IPv6□ □□ □□□ □□ DHCPv6□ □□□□□.
- C. IPv6 □□□ □□□□□ □□□ □ □□□□.
- D. IPv6 □□□ □□ □□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 149

□□ □ OSPF □□□□□□ □□ □□□ □□□□? (*)

- A. □□□ □□ □□□ □□□
- B. □□□ □□□□
- C. □□□ □□ □□□ □□□□□.
- D. □□ □□ □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 150

□□□□ □□□ □□ □□□□ □□□□□□. □□ □□ □□□□ □□□□ G1/0/0 □□□□ □□□ □□□□□. DHCP□ □□ □□ □□□ IP □□□ □□ □ □□□? () (□□ □□ □ □)

```
[Router] ip pool pool1
[Router-ip-pool-pool1] network 10.10.10.0 mask 255.255.255.0
[Router-ip-pool-pool1] gateway-list 10.10.10.1
[Router-ip-pool-pool1] quit
[Router] ip pool pool2
[Router-ip-pool-pool2] network 10.20.20.0 mask 255.255.255.0
[Router-ip-pool-pool2] gateway-list 10.20.20.1
[Router-ip-pool-pool2] quit
[Router] interface gigabitEthernet 1/0/0
[Router-GigabitEthernet1/0/0] ip address 10.10.10.1 24
[Router-GigabitEthernet1/0/0] select global
```

- A. □□□□ □□ IP □□□ 10.10.10.0/24 □□□□□ □□□□.
- B. □□□□ □□ IP □□□ 10.10.10.0/24 □□□□□ □□ □□ □□, 10.20.20.0/24 □□ □□□ □□ □□ □□□□.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 154


PPP □□ □□□ PAP□ □□□ □ □□ □ □□ □□□□□? (*)

- A. □□ □□□□ □□ □□□ □□□ □□ □□□□ □□□ □□ □□□□□ □□□□ □.
- B. PPP□ □□ □□□ CHAP□ □□□□□.
- C. □□□ □□□□ □□ □□□□□ □□□ □□□ □□ □ □□□□□ □□□□□.
- D. □□ □□□ □□□ □□□□□□ □□□ □□ □□ □□□ □□□ PPP□ □□□□□.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 155

□□ □□□ □□□ □□□ □□□□□? () (□□□ □□)



- g0/0/1
- g0/0/2
- □□□□□ pvid vlan 20
- □□□□□ pvid vlan 10
- □□□□□ □□□ □□□□□ □□ VLAN 10 20
- □□□□□ □□□ □□□□□ □□ VLAN 10 20
- A. □ □□ □□□ □□□□□ VLAN □□□ □□□□□ □□ □□□□□.
- B. □□□ G0/0/1 □□□ pvid□ 20□□□.
- C. □□□ A(PC3)□ □□□ B(PC4)□ ping□ □ □□□□.
- D. □□□ A(PC3)□ □□□ B(PC4)□ □□ ping□ □ □□□□.

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 156

□□□ 2 □□□□□□□ □□□ □□□□□ □□□□□□ □□□ □□□ □ □□□□□.

- A. □
- B. □□

NEW QUESTION: 166

2.4GHz □□□ □□□□ □□ □□□ 14□ □□□ □□□□ □□ □□□ □□□□. ()

A. □

B. □□

Answer: B ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 H12-811_V1.0 □□! DumpTop □ □□ H12-811_V1.0 □□ □□□ □□□□□□□,
 DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
 □□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□□ □□□□□□.
https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 167

□□ □□□ □□ SWA□ MAC □□ □□□□ □□□ □□□□. □□□□ □□□ A□ MAC
□□□ □□□□ □□□□.

□□ □ □□□□ □□ □□□□□?

A. HOSTA□ □□□ □□□□ □□□ □□□□□.

B. □□□□ G0/0/1 □□□ ACCESS □□□ □□□□□□□.

C. □□□□ G0/0/1 □□□ MAC □□ □□□ □□□□□□□□.

D. SWA□ □□□ A□ □□ VLAN□ MAC □□ □□ □□□ □□□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 168

□□ □ IPv6 □□□ □□□□ □□ □□ □□□ □□□□□?

A. □□□□□ □□

B. □□□□□□ □□

C. □□□□□ □□

D. □□□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 169

□□□ 2 □□□ □□□□ □□ □□ □□□ □□□□ □□□□().

A. MAC□ □□□ □ □□□□. □□

B. □□□ 2 □□□ □□□□ □□□ □□ □□□□□ □□□□□.

C. □□□ □□□□ Layer 2 □□ □□□ □□ □□□□□.

D. □□□ □□□□ □□ 3 □□□ □□ □□□ □ □□□□ □□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 170

□□ □ OSPF □□□□□ He1lo □□□ □□□□ □□ □□□ □□□□□? ()

- A. HelloInterval
- B. □□□ □□
- C. □□
- D. □□□□ □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 171

IPv4 □□□ TTL □□□ □□ □□□ □□□ □□□□? ()

- A. TTL □□ □□□ 0-255□□□.
- B. □□□□ 3□□ □□□ □□□ □□□. TL □□□ 1□ □ □
- C. □□□ □□□ □□□ □ TL □□ □□□□ □□□ □□□ □□□□ □□ □□□ □ □□□□.
- D. TTL □ □□□ 8□□□□□□.

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 172

□□ □ □□□ □□□□ □□□□ □□□ □□□□□? (*)

- A. □□/□□□
- B. □□□□
- C. □□□□□
- D. □□□□
- E. □□

Answer: A,B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 173

□□□□ □□ □□ □□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□.

- A. □□□□ □□ □□ □□□ □□ □□ □□□ □□ □□ □□ □□□□ □□ □□ □□ □ □□□ □□□.
- B. □□□□ □ □□ □□ □□□ □□□□ □□□.
- C. □□□□ □ □□ □□ □□□ □□□□ □□□.
- D. □□□□ □□ □□ □□□ □□ □□ □□□ □□ □□ □□ □□□ □□ □□□□ □□ □□□□ □ □□□ □ □□ □□ □□□ □□□□ □□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 174

□□□□ □□ □□□□□□ □□□□ □□□□□□ □□□□ □□□□□□ P □□□ □□□□ □□□□. □□ □ □ □□ □□□ □□□ □ □□ □□□ □□□□□□? ()

B. □. □□ □□□

C. ARP □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 179

□□□□□ □□ □□□□□□ 0SPF HELLO □□□ □□□ □□□ □□□ □□□? ()

A. 20□

B. 10□

C. 30□

D. 40□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 180

Link Aggregation □□□ □□□□ □ □□ □□□□ □□ □□□ □ □ □□ □□□ □□ □ □□□□ □□□□ □□□□?

A. □□ □□ □□□ □□□□□ □□□

B. □□ □□ □□□ □□□ □□□ □□□

C. □□ □□ □□□ □□□ □□□ □□ □□□□□.

D. □□ □□ □□□ □□□ □□□ □□□ □ □□ □□□ □□□□□.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 181

□□ □ □□□ □□□□□ □□□ □□□□□? ()

A. FF02:1

B. □□□:FCFF:FEEF:FEC

C. 2001::12:1

D. FF:02:2E0:FCFF:FEEF:FEC

Answer: C ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ H12-811_V1.0 □□ □□□ □□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 182

□□□□ □□□□ □□□□□. □□□□ □□ □□ □□ □□□ □□□□□? ()

A. □□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 187

□□□□□ □□□□ □□□ 192.168.1.0□ □□. □□□ □□□□□□ □□□
192.168.1.255□□ □□□.

- A. □□
- B. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 188

OSPF□ hello □□□□ □□□ ()□□.

- A. LSA □□ □□□□
- B. □□ □□ □□
- C. □□□ LSDB □□□
- D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 189

□□□ □□□□□ □□□ □ □□ □ □□ □□ □□ IP □□□ □□□□ □□□ □□□ □
□□□□?

- A. 30
- B. 16
- C. 24
- D. 32

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 190

Eth-Trunk □□ □□ □□ □□ □□□ □□□□ □□ □ □□□□()

- A. □
- B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 191

VLANIF □□□□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □
□□□□?

2 □□ □□□ 3 □□□□?

- A. □□ MAC
- B. □□ □□
- C. □□ IP
- D. □□ MAC

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 192

MPLS Labe1 □□□□ □□ □□ □□ □ □□□ □□ □□□□□? ()

- A. □□□□ □□□ □□ □□ □□ □□□ FEC□ □□□□ □□□□ □ □□□□□.
- B. □□□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□□□ □□□□.
- C. □□□ □□ □□□ □□ □□□□□□□. □□□ □□□ □□ □
- D. □□□□ □□□□ □□□ □□ □□ □□□ □□□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 193

□□□□ NFV□ □□□□□. □□□□ □□□ □□ □□ □□ □ □□□ □□ □□□□□?

- A. □□□□ □□□: □□ □□□ □□□□□ □□□□ □□ □□□ □□ □□ □□□□□ □□ □ □□□□.
- B. □□□: □□ □□ □□□ □□ □□□ □□□□ □□□□□□□□ □□ □□□□ □□□ □□.
- C. □□: □□□ □□□ □□□ □□ □□ □□□ □□ □□□□□.
- D. □□□: □□ □□□ □□□□ □□ □□ □□□ □□□ □□□ □ □□□□.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 194

□□ □ 0SPF □□□□□ □□□ □□□□ □□□□□?

- A. LSA
- B. □□□□□
- C. LSU
- D. LSR

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 195

OSPF □□□□□ □□□ □□□□□? (*)

- A. □□ □□ □□
- B. OSPF□ □□ □□ □□□ □□ □□ □□□ □□□□□.
- C. OSPF□ CIDR(□□ □□ □□□ □ □□□)□ □□□□□.
- D. OSPF□ □□□ □□□ □□□□□.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 196

□□□□ □□□□ 192.168.176.0/25 □□□□ □□□□□ IP □□□ □□□□□ □□□ □ □□□ □□□□. □□ □□□ □□□ □□□□ 20□□ □□□□ □□□□ □□ □□ □□ □□ □ □□□ □□□ □□ □ □□□ □□ □□□□□ □□□□□?

- A. 192.168.176.160/27
- B. 192.168.176.96/27

Answer: (SHOW ANSWER)

NEW QUESTION: 200

□□□□ STP □□□□ □□ □□□ □□□□ D□□ □□□□ □ □□ 30□□ □□□ □.

□□ □□□. ()

A. □□

B. □

Answer: B (LEAVE A REPLY)

NEW QUESTION: 201

□□□ □□□ □□□ RTA□ G0/0/0 □ G0/0/1 □□□□□□ □ □□ □□ □□ □□□□ □□□□□ □□□□□. RTA□ □ □ □□□□□ □□□□□□□□□. □□□ A□ □□□ C □ □□□□ □□□ □□ O□ MAC □□□□ □□ □□ ARP □□□ □□ □□□? () (□□ □ □ □□)



A. □□

B. □□□ C

C. RTA□ G0/0/0 □□□□□

D. RTA□ G0/0/1 □□□□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 202

□□ □□□□ STP □□□□ □□ □□□ □□□□□□. □□ □□ □ □□□ □□ □□ □□□? () (□□ □□ □□)

[□□□] □□□□□ stp □□□□□ □□□ 0/0/1

-----[CIST □□□ □□][□□ STP]-----

CIST □□□: 32768.4c1f-cc46-4618

□□ □□Hello 4□ MaxAge 20□ FwDly 15□ MaxHop 20

□□ □□: Hello 2□ MaxAge 20□ FwDly 15□ MaxHop 20

CIST □□/ERPC:0.4c1f-ccf7-3214/200000

CIST RegRoot/IRPC: 32768.4c1f-cc46-4d18/0

A. □□ □□□ 20□□□□□.

B. □□□□ □□ □□□□ □□□□□.

- C. BPDUs 2 .
- D. BPDUs MaxAge 20 .

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 203

QoS ipv6 ? ()

- A.
- B.
- C. Traffic.Class
- D. Payload.Length

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 204

BDR ? () ()



- A. BDR
- B. A
- C. C
- D. B

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 205

RSTP P/A Forwarding ? ()

- A.
- B. ForwarD.Delay .
- C.
- D. .

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 206

Which IPv6 address is a link-local address?

- A. FE80::
- B. RA
- C. NS
- D. RS

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 207

Which interface configuration command is used to configure a switch port as a STP root guard?

- A. interface A G0/0/2 root
- B. interface A G0/0/1 root
- C. interface G0/0/2 root
- D. interface G0/0/1 root

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 208

Which IP address is the default gateway for a host with IP address 150.25.0.0 and subnet mask 255.255.224.0?

- A. 150.25.2.24
- B. 150.15.3.30
- C. 150.25.1.255
- D. 150.25.0.0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 209

Which IPv6 address is a solicited node address?

- A. FF02:1:FF20:19
- B. FF02:1:FE08:AB
- C. FF02:FF08:AB
- D. FF02:1:FF08:AB

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 210

Which command is used to configure a switch port as a SHMP root guard?

- A. interface A G0/0/2 root
- B. interface A G0/0/1 root
- C. interface G0/0/2 root
- D. interface G0/0/1 root

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 211

Which of the following is not a DHCP option? (Select three.)

- A. IP address
- B. Subnet mask
- C. Default gateway
- D. DNS server

Answer: A,B,D ([LEAVE A REPLY](#))

H12-811_V1.0 PDF Dumps PDF Dumps DumpTop PDF Dumps PDF Dumps
H12-811_V1.0 PDF! DumpTop PDF Dumps **H12-811_V1.0** PDF Dumps PDF Dumps,
DumpTop H12-811_V1.0 PDF Dumps PDF Dumps PDF Dumps PDF Dumps. PDF
PDF Dumps PDF Dumps PDF Dumps DumpTop H12-811_V1.0 PDF Dumps PDF Dumps.
https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 212

Which of the following is not a valid SSID? (Select three.)

- A. abc
- B. abc123
- C. abc_
- D. abc.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 213

Which of the following is not a valid SNMP community string? (Select three.)

- A. abc
- B. abc.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 214

Which of the following is not a valid ACL? (Select three.)

NEW QUESTION: 218

□□□ □□□ □□□□□□□. □□ □ □□□ A□ □□□□ □□□□ □ □□□ □□□ B
□ □□□□ □□□□ □ □□□ □□ □□□ □ □□ □□□ □□□□□? (ABCD) (□□□
□□)

A. ACL □□ 2000

□□ 5 □□ □□ 100.0.13.0.0.0.0.255

□□ 10 □□

#

□□□□□ GigabitEthernet0/0/3

□□□ □□ □□□□□ ACL 2000

#

B. ACL □□ 2000

□□ 5 □□ □□ 100.0.13.0.0.0.0.255

□□ 10 □□ □□ 100.0.12.0.0.0.0.255#

□□□□□ GigabitEthernet0/0/3

□□□ □□ □□□□□ ACL 2000

#

C. ACL □□ 2000

□□ 5 □□ □□ 100.0.12.0.0.0.0.255 □□ 10 □□

#

□□□□□ GigabitEthernet0/0/3

□□□ □□ □□□□□ ACL 2000

#

D. ACL □□ 2000

□□ 5 □□ □□ 100.0.12.0.0.0.0.255 □□ 10 □□ □□ 100.0.13.0.0.0.0.255

#

□□□□□ GigabitEthernet0/0/3

□□□ □□ □□□□□ ACL 2000

#

Answer: (SHOW ANSWER)

NEW QUESTION: 219

DHCP □□ □□□□ □□□□□□□□ □□□□□.

A. □□

B. □

Answer: B (LEAVE A REPLY)

NEW QUESTION: 220

□□ □□ VLAN□ □□□ □□□□□?

A. □□□ □□□□ □□□□ □□ □ □□□ □□□ □□ VLAN ID□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 226

□□ IPv6 □□ □ □□□□□ □□□ □□□□□? ()

- A. FC00:2E0:FCFF:FEEF:FEC
- B. FF02::2E0:FCFF:FEEF:FEC
- C. 2000::2E0:FCFF:FEEF:FEC
- D. FE80:2E0:FCFF:FEEF:FEC

Answer: B ([LEAVE A REPLY](#))

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 227

□□□ □□ □□□□□□□□. □□ □ □□□ A□ □□□ B□ HTTP □□□□ □□□□ □
□□□ □□ □□□ □ □□ □□□ □□□□□□?

□□□ B□ □□□ A□ FTP □□□□ □□□□ □ □□□□? () (□□□□ □□)



A. ACL □□ 3000

□□

5

TCP □□ 100.0.13.0 0.0.0.255 □□ 100.0.12.0.0.0.255 □□

□□□ eq www

#

Acl □□ 3001

```
□□
5 □□ tcp □□ 100.0.12.0 0.0.0.255 □□ 100.0.13.0.0.0.255
□□ EQ FTP
```

```
#
□□□□□ GigabitEthernet0/0/1
□□□ □□ □□□□ ACL 3000
```

```
#
□□□□□ GigabitEthernet0/0/2
□□□ □□ □□□□ ACL 3001
```

B. ACL □□ 3000

```
□□
```

```
5
```

```
□□□□
```

```
□
```

```
□□
```

```
#
```

```
Acl □□ 3001
```

```
□□
```

```
5 □□ □□ □□ 100.0.13.0 0.0.0.255 □□ □□ eq ftp □□
```

```
#
```

```
□□□□□ GigabitEthernet0/0/1
□□□ □□ □□□□ ACL 3000
```

```
#
```

```
□□□□□ GigabitEthernet0/0/2
□□□ □□ □□□□ ACL 3001
```

```
#
```

C. ACL □□ 3000

```
□□ 5 □□ tcp □□ 100.0.12.0 0.0.0.255 □□ □□ eq www □□ □□
```

```
5 □□ tcp □□ 100.0.13.0 0.0.0.255 □□-□□ eq ftp □□
```

```
#
```

```
□□□□□ GigabitEthernet0/0/1
□□□ □□ □□□□ ACL 3000
```

```
#
```

```
□□□□□ GigabitEthernet0/0/2
□□□ □□ □□□□ ACL 3001
```

```
#
```

D. ACL □□ 3000

```
□□
```

```
5
```

```
TCP □□ 100.0.13.0 0.0.0.255 □□ 100.0.12.0.0.0.255 □□
```

```
□□□ eq www
```

```
#
Acl 3001
5 tcp 100.0.12.0 0.0.0.255 100.0.13.0 0.0.255
EQ FTP
```

```
#
GigabitEthernet0/0/1
ACL 3000
```

```
#
GigabitEthernet0/0/2
ACL 3001
```


Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 228

Two switches are connected via their GigabitEthernet0/0/24 interfaces. Both switches are in the same VLAN. The PVID of the GigabitEthernet0/0/24 interface on both switches is 10. Which of the following statements are true?

- A. Both switches can ping each other.
- B. Both switches can ping each other.
- C. Both switches can ping each other.
- D. Both switches can ping each other.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 229

OSPF is configured on a switch. The priority of the switch is 10.

- A. 10
- B. 60
- C. 0
- D. 100

Answer: A (LEAVE A REPLY)

NEW QUESTION: 230

Two switches are connected via their GigabitEthernet0/0/24 interfaces. Both switches are in the same VLAN. The PVID of the GigabitEthernet0/0/24 interface on both switches is 10. Which of the following statements are true?

- A. Both switches can ping each other.
- B. Both switches can ping each other.
- C. Both switches can ping each other.
- D. Both switches can ping each other.

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 231

□□ □□□ □□ □□ □□□□ □□□□□ □□□ □□□□□. □□ □ □□□ □□□ □□□□□?

- A. sWA□ G0/0/3□ 3□□ MAC □□□ □□□□□□.
- B. swA□ G0/0/3□ 2□□ MAC □□□ □□□□□□.
- C. SwA□ G0/0/3□ MAC □□ 1□□ □□□□□□.
- D. swB□ G0/0/3□ 2□□ MAC □□□ □□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 232

AC□ AP □□ □□□ □□□ □□ CAPTAP □□ □□ □□□ □□□□□.

- A. □□
- B. □

Answer: A (LEAVE A REPLY)

H12-811_V1.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-811_V1.0 □□! DumpTop □ □□ **H12-811_V1.0** □□ □□□ □□□□□□,
DumpTop H12-811_V1.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H12-811_V1.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-811_V1.0-dump.html (352 Q&As Dumps,

30%OFF Special Discount: KrDump)