

Huawei.H12-831_V1.0-ENU.v2023-05-29.q189

□□□□:	H12-831_V1.0-ENU
□□□□:	HCIP-Datcom-Advanced Routing & Switching Technology V1.0
□□□:	Huawei
□□ □□ □□□:	189
□□:	v2023-05-29
# □□ □:	1218
# □□ □□□:	1890
https://www.krdump.com/Huawei.H12-831_V1.0-ENU.v2023-05-29.q189.html	

NEW QUESTION: 1

□□ □□□ □□□□ OSPF□□ □□, □□□ □□□ □□□□ □ □ □□ □□□ □□□ □□□ □□ □□□□.

□□□□ □□ □□□ □□□ □ □□□□?

- A. □□□ □□□ □□ □□
- B. □□ □□ □□ □□
- C. □□□ □□□ □□□ □□ □□
- D. □□□ □□□□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□□ □ MPLS VPN □□□□□□ □□□ □□□ □□ □□□□□ □□□□ □□□ □ □ □□ MPLS □□□□ □□□□□□.

□□□, □□ □□□□ 2□□□ □□□□ □□ □□□□□. □□□ □□ □□□ □□□□.

- A. □□□□□ □□□ □□□ □ □□□ □□□□ □□ □□ □□□□ □□□□.
- B. MPLS VPN□□ □□□□ LDP □□□□□□ □□ □□□□□□ □□□□ □□□□□□. □□ □□ □□ □□□ □□ □□□ □□□ □ MP-BGPO □□ □□□□□□.
- C. □□□ □□□□ PE□□ □□□□□□□ □□□ □□ VPN□□□□ □□□□ □□□□□□.
- D. M PLS VPN□□ □□□ □□ □□□□ □□□□□, □□ □□ □□□□ □□ □□□□ □□□□ □□□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□ □□ □□ □□□□ OSPF□ □□□□□□. □□ □ □□□ □□□ □□□□□□?

- A. R2WillIR1GeneratedRouter LSAforward toR3
- B. area1 □ area0□ R2□ □□□ LSA□ □□□□□□.
- C. R2WillIR3GeneratedRouter LSAforward toR1

D. □□□□ □□□ □□□ □□□□□□ □□ □□□ □ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

MPLS□ □□ □□□□ □□□ □□□□□□ □□□. MPLS□ □□□ □□□ □□□□ □□ □ □ □□ □□ □□□□□? (□□ □□)

A. □□□□ MIPLS □□□□ □□□ □□ □□□□ □□ □□□ □□□□. □, □□ □□□□ □□ □□ □□□ □ □□□□.

B. MPLS□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□□.

C. MPLS □□□□□ LDPO □□ □□□ □□□ □□ □□□□□ □□□□.

D. □□□□ □□□ □□□ □□□ □□□□ □□ □□□□, □□□ □□ FEC□ □□□□ □□□ □□ □□□□□.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

□□□□ □□□ □□□□ □□ IPv4 □ IPv6 □□□□□ □□ □□□□ IS-IS□ □□□□ □□□ □□ □□ □□□ □□□□□. IS-IS □□□ □□□□□ □□□□ □□ □□ □□□□□□ □□ □□ □□. IS-IS □□□□ □□ □□ □□ □□ □□ □□ □□□□□?

A. IS-IS to support PV6 to add TLV carry Pv6 Address □□

B. N LPID □ IS-IS □□□□ □□ IPv6 an added TLV

C. IS-IS use TLV □□□ IS-IS □ □□ □□□, □□□ □ □□□□ □□□ □□□□ □□□□□.

D. for IS-IS □□□ □□□ □□□□□ □□□ □□□ □□□ □□□□ TLV □□

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□ QinQ □ □□□□ □□□ □□ □□ □□ □□ □□□ □□□ □□□ □ □□□□.

A. □□

B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

□□ □□□ □ AS200 □ □□□ □□ AS300 □□□□ BGP □□□ □□□ □□□□ □ □□ □ □□□□□?

A. _[200 300]_

B. ^200|^300

C. 200\$|300\$

D. _(200 300)_

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

VRRP □□ □□□ □□ □□ □□ □□□ □□□ □ □□ □ □□□ □□□ □□□□□?

- A. `□□ □□ □□□VRRP□□ □□□□ □□□ □□□ □□□VLAN□ □□□ □□`
- B. `□□□□□□ □□□□ □□□IP□□□□ □□□ □□□□ □□□□□ □□□ □□`
- C. `virtualIPs□ VRRPgroup□ □□□ □□□□ □□□□ □□□.`
- D. `interfaceVRRPGroupID□ □□□□ □□□□ □□□.`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

□□ □□□ □□□ □□□□□□ SWA□ SWC □□ □□ LDP □□□ □□□□□□. □□ □□ □□ □□□□

- A. TCP □□□ □□□□□ □□ □□ □□□ □□□□ □□□.
- B. □□ □□□ □□□ □□ □□□ slsr-id□ □□□□ □□□.
- C. □□□ equivalentlsr-id□ □□□ □□□ □□□□□.
- D. □□□ □□□ □□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

R3□ R1 □□□ IS-IS □□□ □□□□ □□□□□. □ □□□ □□□ □□□ □□□ □□□ □□ □□□□?

- A. R3□ R1□ □□□ ID□ □□□
- B. R3, R1 IIR □□ □□□
- C. R3□ R1□ IS-Level□ □□□□ □□
- D. R3□ R1 □□□ □□ □□ □□□□□□ □□ □□□ □□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

□□ □ PE□□ BGP VPNv4 □□□ □ BGP □□ □□□□ □□□ □□□ □□ □ □□□ □ □□ □□□ □□□□□?

- A. `vpn4 bgp □□□ □□□ □□`
- B. `bgp □□□ □□□ □□ □□□ vpn4 □□`
- C. `bgp vpn4 □□□ □□□ □□`
- D. `bgp □□□ □□□ ipv4-family vpn4 □□`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

□ □□□□□ □□□□ □□□□ □□ IPv6□ □□□□□□□. IPv6 □□□□□□ □□ □□ □ □□ □□□ □□□□ □□ OSPFV3□ □□□□ □□□□□□ 4□□ □□□□ □□□□□. □□□ □□ □□□□□ R2□ LSDB□ □□□□ Link-LSA □ □□□ □□□□□. LSA□ □□ □□□ □□□□ □□ □□ □ □□□ □□ □□□□□? (□□ □□)

- A. LSA□ □□□ □□□□ R2
- B. R2 □□□□□ GE0/0/0□ IPv6 □□ □□□□□ 2001:2343: 23: :/64□□□.

□□□□ □ □□ □□□□ □□□□ IPv6 □□□□ □□□□ BGP4+□ □□□□ □□□ □□
□□ □□ □□□ □□□□□□□□□□.

□□□□□ □□□ □□□□□ □□□ □□ □□□□. □ □□ □□ IPv6 □□ □□□ □□□□ □
□ □□ □ □□□ □□?

A. □□□□ □□□□ MP_REACH_NLRI □□□ □□□□ □□□ □□□ □□□ □ □□
□ □□□□□.

B. BGP4+□ Update □□□□ □□ Peer□ □□□ □□□ □□□□.

C. □□□ □ Next_Hop □□□ IPv6 □□□ □□□□□ □□□□ □□□.

D. □□□ □ AS_Path □ □□ □□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

0SPFV2□ IPv4 □□□□□□ □□□□ IGPO□□□. 0SPFvV3□ IPv6 □□□□□□ □□□□
ICPO□□ OSPFV3 □ OSPFV2□ □□ □□□ .Hall□ □□□□ □□□□□. □□□, DD □□□,
LSU □□□, LSU □□ □ SAck □□. 0SPFV3 □□□ □□ □□ □□ □ □□□ □□ □□□□□?

A. 0SPFV3ofHello□□□□ □□□ □□□□□□ □□□□□.IPv6□□ □□□ □□

B. 0SPFv3□□ □□□ □□ □□□ □□□□ □□□ □□ □□

C. OSPFv3useIPv6□□□□□ □□FFO2::5heheFFO2:.6sendOSPFv3message

D. OSPFV3□□ □□ □□□ □□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□ □□
□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

□□ □□□□ CE(Multi-VPN-Instance CE, MCE)□ □□ □□ □□ □ □□□ □□?

A. □□□ MCE□ □□□□□□ VPN □□□□□ □□□ □□ □□□□ □□ □□□□ □ □□□
□.

B. MCE □□□□ □□ □□ VPN□ □□ □□□ □□□ □ □□ □□□□ □□□□ □□□ □□□
□□□ □□□□□ □□□.

C. □□ □□ VPIN □□□□ □□ □□□ □□□□□ MCE□ PE □□□ □□ □□ □□□ □□□
□□□ □□□.

D. MCE □□□ □□ □□□ BGPIMPLS IP VPN □□□□□□□□ □□ VPN □□□□□ □□□
□ □ □□□□ □□□□ □□□ □□ □□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

□□□□ □□□ A□ A, CL□ □□□□ □□□□ 4□□ □□□ □□ 1□ 3.57□ □□□□□□ □
□□. □□□□ □□□ A□□ □□□ □ □□ A, CL □□□ □□□□ □□□ □□□□□□.

A. 2

B. 1

C. 4

NEW QUESTION: 28

□ □□□□ □□□ □ □□□□
<ipv6 □□□ □□□ □□□□ □□ □□Tuozhen
□□ □□□ □□□ . IS
□□ □□□ 6
ISIS □□□ □□□ □□ : < □□ >
□□ □□□ 6

- A. R1ofGigabitEthernetOD/1□ □□□□□□ □IS-IS IPv6
- B. R1noIS-ISofIPv6□□□
- C. R1have6stripIS-ISofIPv6□□□
- D. R1□□□ □□□ □□□ □□-□ □□□□.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 29

□□ □ □□ MAC □□□ □□□ □ □□ □□ □□ □□□□ □□ □□ □□□□□?
A. □□
B. □□
C. □□
D. □□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 30

OSPF□ □□□ LSA□□ □□ □□□ □□ □□□ □□□□ □□□□? (□□ □□)
A. □□□
B. □□□□
C. □□□
D. P-2-P

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 31

MPLS□□ □□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□□.
A. MPLS□□ □□□□ □ □□□ 4bytes(32bits)
B. □□□, PPP □□□ □□ □□ □□□ L2 □□□ □□□ □□□ 'shim*□ □□□□. yesVLAN tagTime, □□□ □□□ MPLShead□ VLAN □□ □□
C. labelS □□:lbit□□ □□□□ □□□ □ □□ □□□□□ □□□□ □ □□□□ □□ 1□ □ □ □□□□ □□□□ □□□□□.
D. □□□□TTL□□□□IPgroupedTTL(Time To Live.,time-to-live)□ □□□ □□□□ □□ □□ □ □□□□.

Answer: A,D (LEAVE A REPLY)

H12-831_V1.0-ENU https://www.dumptop.com/Huawei/H12-831_V1.0-ENU-dump.html (158 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

Which of the following is not a valid R4 configuration? (Choose two.)

- A. 2
- B. 0
- C. 3
- D. 1

Answer: C (LEAVE A REPLY)

NEW QUESTION: 33

Which of the following is not a valid R3 configuration? (Choose two.)

- A. R3andR1ofIS-IS
- B. R3R1
- C. R3andR1ofIHL
- D. R3andR1ofSystem

Answer: C (LEAVE A REPLY)

NEW QUESTION: 34

Which of the following is not a valid R3 configuration? (Choose two.)

- A. R3
- B. R3R1
- C. R3andR1ofIHL
- D. R3andR1ofSystem

Answer:

NEW QUESTION: 35

Which of the following is not a valid R3 configuration? (Choose two.)

- A. R3 Level-2
- B. R3 Level-1
- C. R3 Level-1-2
- D. R3

Answer: (SHOW ANSWER)

NEW QUESTION: 36

Which of the following is a valid OSPF Domain ID? (Choose two.)
A. 10.10.10.10
B. 10.10.10.10.10

- A. 10.10
- B. 10.10

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which of the following is a valid IPv6 BGP4+ neighbor address? (Choose two.)
A. 2001:db8::2345:l:l
B. 2001:db8::2345:l:l

- A. 2001:db8::2345:l:l
- B. 2001:db8::2345:l:l
- C. 2001:db8::2345:l:l

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which of the following is a valid NSR/NSF command? (Choose two.)

- A. NSR NSF
- B. NSR NSF
- C. NSF
- D. NSF

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which of the following is a valid IS-IS command? (Choose two.)

- A. isis
- B. isis
- C. isis
- D. isis

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

Which of the following is a valid IBGP command? (Choose two.)
A. AS-
B. AS-
C. ID
D. k

- A. AS-
B. AS-
C. ID
D. k

Answer: A ([LEAVE A REPLY](#))

1. □□ □□
2. □□□ □□ □□
3. □□□ □□
4. □□□□ □□

NEW QUESTION: 58

□□□□□ □□□ □□ □□□ □ □□ □□□ □□ MA, C □□ □ □□ □□ □□□□□?

- A. □□□MA, □□□□
- B. □□□ staticMA, C address
- C. □□□ MA, □□□□
- D. □□ DynamicsMA, C 1W

Answer: D (LEAVE A REPLY)

NEW QUESTION: 59

□□ □ PE □□ □□□□ BGP VPNv4 □□ □ BGP □□ □□□□ □□□ □□ □□□ □□ □ □□□ □ □□ □□□□□?

- A. bgp □□□ □□□ ipv4-family vpnv4 □□
- B. bgp □□□ □□□ □□ □□□ vpnv4 □□
- C. bgp vpnv4 □□□ □□□ □□
- D. vpnv4 bgp □□□ □□□ □□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 60

MPLS/BGP IP VPN□ □□□ □ BGP□ □□□□ PE-CE □□ □□□ □□□ □□□□ □□ □□ □□ □□ □□□ □□□ □□□□□?

- A. CE □□□□□ □□ BGP AS □□ □□ □□□ □□□□□ □□□ □□□ □□□ □ □□□, □□ BGP SoD□ □□ VPN □□□□□ □□□ □□□ □□□□ □ □□□ □ □□□□.
- B. PE□ CE□ BGP□ □□□□ □□□ □□□ □□□ □ □ VPN □□□□ □□ □□□□ □□□ □□ AS □□□ □□□□ □□ AS □□ □□ □□□ □□□ □ □□□□. □□□ AS □□. □□□ □ AS □□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□□ AS □□
- C. BGP□ □□□□ PE□ CE □□ □□□ □□□ □□□□ □□ PE□□ BGP □□□ □□□ □□ □ □□□ □□□□.
- D. Hub&Spoke □□□□□□ Hub-CE □ Hub-PE□ IG□□ □□□□ □□ Spoke-PE □ Spoke-CE □ EBGP□ □□□□ □ □□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 61

IS-IS □□□□ LSP □□□□ □□□□ □□□ □□□□□?

- A. □ □□ IS-IS□□□ □□□ □□□□□ □□□ □□□□□□.
- B. □□ □□ □□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 65

BGP ORF 可以配置哪些路由? (多选)
BGP 路由过滤可以配置哪些路由? (多选)

- A. IP 地址
- B. 前缀
- C. A, CL
- D. 路由

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

NSR 和 NSF 的区别是什么? (多选)

- A. NSF 是主备倒换, NSR 是热备倒换。
- B. NSR 是主备倒换, NSF 是热备倒换。
- C. NSF 是主备倒换, NSR 是热备倒换。
- D. NSR 和 NSF 都是主备倒换。

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

CLI 命令中, 哪些命令可以查看路由表? (多选)

- A. show ip route
- B. show ip routing-table
- C. show ip route-table
- D. show ip route-table detail

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

OSPFv3 的 Link-LSA 包含哪些信息? (多选)

- A. 链路 ID、链路成本、链路类型。
- B. originatingNetwork-LSAOptions、链路 ID、链路成本、链路类型。
- C. 链路 ID、链路成本、链路类型、链路网络地址。
- D. 链路 ID、链路成本、链路类型、链路网络地址、链路网络掩码。

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 69

OSPF 的邻居关系建立过程中, 哪些消息是必须的? (多选)

- A. Hello、DD、LSR、LSU、LSAck。
- B. Hello、DD、LSR、LSU。

- C. 1000 100 10 10 10 1000 10 10
- D. 10 100 1000 10 1000 1000 100 100 1000 10

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 70

(1000 1 10 10) 10 1000 100 10000 10 R2 10 100 100 100 10
 100. R1 AS_Path 100 100 [100 200 300 400]100 10000. BGP 100 R2 10
 100. R1 100 AS_Path 1000 AS 100 1000 1000 1000 10 10 10
 10000 100000. R2 10 10000 10 route^policy AS-PATH 10 10 10 if-
 match as-path-filter BGP 10 10 AS-PATH 10 10 20 ip as-path-filter BGP 10 A[A2]00
 400 100_
 10 10 AS-PATH 10 10 10 if-match ip-prefix BGP
 as-path 1000 10
 ip ip-prefix BGP 10 10.0.0.0 24

- A. 300-A 400-C 100-B 200-D
- B. 300-A 400-B 100-C 200-D
- C. 300-B 400-A 100-C 200-D
- D. 300-C 400-A 100-B 200-D

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

- 1000 100 10. 10000 10 100 1000 1000?
- A. 100 1000
- B. 100 10
- C. 10000 10
- D. 100 100 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

VLAN 100 10 10 10 10 10 10000?

- A. 10 VLAN10 100 100000 1000 10000. 1 10 1000 100 1 10000
 VLANIF10000
- B. OneSuper-VLAN 10 10 100 Sub-VLAN 1000 1 10000.
- C. 100000 10000 10000 10 10 VLAN
- D. Super-VLANOnly 100 100000 1000 3VLANIF1000000 1000 1 10000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

□□□□□ □□ PE1□ PE2□ □□□ CE□ OSPF□ □□ □□□ □□□ □□□□, PE1
□ PE2□□ □□□ DomainID□ □□□□. PE2□ BGP□□ OSPF□ □□□ □□□ □ □□ □□
□ SA□ CE2□ □□□ □ □□□□? (□□ □□)

- A. Type5 LSA
- B. Type1 LSA
- C. Type7 LSA
- D. Type3 LSA

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

BGP4+□ □ IPv6 □□□ □□□□ □□ □□□□□ □□ □□□ □□□□□?

- A. □ □□ □□: MP_REACH_NLRI
- B. □ □□ □□: MP_UNREACH_NLRI
- C. □ □□ □□: IPv6_REACH_NLRI
- D. IPv6 NLRI □□□ □□□ IPv6 NLRI □□□□ □□□□ □□□ NLRI □□□ IPv6_NLR

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 75

SSH □□□□ □□ □□□ □□□ □□ □□□□ □□ □□□ □□□□□. □□ □□ □ □□□ □
□□□ □□□ □□□□ □ □□ □□□□ □□ □□ □ □□ □□□ □□□□□? (□□ □□)

- A. □□ □□□ □□□□□□ □□□□ SSH□ □□□□ □□□ □□ □□□□□ □ □□□ □□
□□□□ □□□.
- B. □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□□□
□□□□□□.
- C. □□□□ □□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□□□
□□□□□□.
- D. □□□□ □□ □□□ □□ □□ □□□ □□□□ □□□□ □□□□ □□□ □□□□□□ □
□□□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 76

□□□ □□ □□□□□ MPLS LSP□ □□□□ □□□ □□□ SWA□ SWB □□□ LDP □□□
□□□□ □□□□.

- A. □□□□ □□□
- B. □□ □□□□ □□□□ □□MPLS
- C. portMPLS□□ □□□□ □□ □□
- D. □ □□mpls lsr-id□ □□□□ □□□□ □ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 81

Which OSPFv3 LSA type is used to advertise a link-local address?

- A. Inter-Area-Router-LSA
- B. Inter-Area-Prefix-LSA
- C. Intra-Area-Prefix-LSA
- D. Intra-Area-Router-LSA

Answer: (SHOW ANSWER)

NEW QUESTION: 82

OSPFv2 IPv4 uses a single DR/BDR election process. OSPFv3 IPv6 uses a separate DR/BDR election process for each IPv6 address. OSPFv3 uses a separate DR/BDR election process for each IPv6 address. OSPFv3 uses a separate DR/BDR election process for each IPv6 address.

- A. OSPFv3 uses a separate DR/BDR election process for each IPv6 address.
- B. OSPFv3 uses a separate DR/BDR election process for each IPv6 address. The DR/BDR election process for IPv6 is independent of the DR/BDR election process for IPv4.
- C. OSPFv3 uses a separate DR/BDR election process for each IPv6 address. The DR/BDR election process for IPv6 is independent of the DR/BDR election process for IPv4.
- D. OSPFv3 uses a separate DR/BDR election process for each IPv6 address. The DR/BDR election process for IPv6 is independent of the DR/BDR election process for IPv4.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 83

Which MAC address is used by OSPFv3 to advertise a link-local address?

- A. 01:00:5E:00:00:00
- B. 01:00:5E:00:00:01
- C. 01:00:5E:00:00:02
- D. 01:00:5E:00:00:03

Answer: C (LEAVE A REPLY)

NEW QUESTION: 84

PE1 and PE2 are connected via a link. PE1 has a LoopBackD interface with IP address 192.168.1.0/24. PE2 has a LoopBackD interface with IP address 192.168.1.0/24. PE1 and PE2 are connected via a link. PE1 has a LoopBackD interface with IP address 192.168.1.0/24. PE2 has a LoopBackD interface with IP address 192.168.1.0/24.

Answer:

4

NEW QUESTION: 85

- B. LSP MP-BGP, RSVP-TE, LDP 在 MPLS 网络中用于建立 LSP 的协议。
- C. LSP 的建立依赖于 RSVP-TE 和 LDP 协议。
- D. LSP 的建立依赖于 RSVP-TE 和 LDP 协议。LSP 的建立依赖于 RSVP-TE 和 LDP 协议。

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 90

在 BGP 路由表中，BGP 路由的下一跳地址是什么？

- A. 本地 ID
- B. AS 号
- C. 邻居 IP
- D. 下一跳 IP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

BGP/MPLS IPVPN 中，用于建立 LSP 的协议是什么？

- A. LDP 和 RSVP-TE
- B. BGP/MPLS IPVPN 中，用于建立 LSP 的协议是 RSVP-TE。
- C. LDP 和 BGP
- D. PE 和 CE 之间使用 IPv4 地址。

Answer: B ([LEAVE A REPLY](#))

H12-831_V1.0-ENU 华为认证考试资料 DumpTop 提供 H12-831_V1.0-ENU 题库! DumpTop 提供 **H12-831_V1.0-ENU** 题库资料, DumpTop H12-831_V1.0-ENU 题库资料, 题库资料, 题库资料. https://www.dumptop.com/Huawei/H12-831_V1.0-ENU-dump.html (158 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 92

MPLS 网络中，用于建立 LSP 的协议是什么？

- A. MPLS 网络中，用于建立 LSP 的协议是 RSVP-TE。
- B. LDP 和 RSVP-TE
- C. LDP 和 BGP
- D. MPLS 网络中，用于建立 LSP 的协议是 LDP。

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 93

□□ □ □□ □□□□□ □□ □□□ □□□ □ □ □□ □□□ □□□□□? (□□ □□)

- A. □□□□□ □□□□□
- B. □□□ □□□□ □□ □□
- C. □□ □□ □□
- D. □□□□ □□

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 94

IS-IS □□□□□□ □□ □□□ □□□□ □□□ □□□□□?

- A. isis □□ □□
- B. isis □□
- C. isis □□□ □□□□□
- D. □□□□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

□□□ □□□ □, □□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□ □□□□ □□ □□ □□□. □□ Huawei Technologies Co., Ltd. □ □□ □□□ □□□□ □□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 96

MPLS□ □□□□□ □□□□ □□□□ □□ □□□□□ IP□ □□ FEC□ □□□□ □□□ LSR □ IP □□□ □□□□ □□□□ □□□. □□□ □□□ FEC□ □□□ □□ □□□ □□□□ □□ □□.

- A. □□
- B. □

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 97

□ □□□□ □□□ □□ □□□ □□□ □□□ □□□□.

[Huawei]dhcp □□□

[Huawei]□□□□□ Vlanif 100 [Huawei-Vlanif 100]dhcp □□ □□□

- A. YoujizhiDHCPYuegen □□ □ mouthDHCP relayByK□ □□□□□ □□□□□□ □□□ DHCP

B. VANIF100□□□□□□ □□□DHCP □□□ □□ □□□ □□□ DHCP □□□□ □□□□□.

- C. `dhcp month dhcp server dhcp`
- D. `VLAN100 dhcp dhcpgroup`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

- `system-IDforee8a0c2.baf2`
- A. `Level-1-2 system-IDforee8c.a0c2.baf2`
- B. `R4 -`
- C. `R4 -2`

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 99

- `OSPFv3 Link-LSA`
- A. `Network-LSA`
- B. `Tiandikou`
- C. `ID`
- D.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

-
- A.
- B.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 101

-
- A.
- B.
- C.
- D.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 102

- `VLAN MA, C MA, C`
- A.

- B. □□□□□ □□
- C. □□□ □□□
- D. MA, □□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 103

R1□ □□ □□□ □□□ □□. R1□ OSPF□ □□ □□□□ □□ □□?

ospf 1 □□□ ID 172.16.1 J

□□ 0.0.0.0

□□□□ 10.1.12.1 0.0.0.0

□□□□ 10.1.13.1 0.0.0.0

□□□□ 172.16.1 0.0.0.0

- A. R1□□ □□□ □□□ □ □□□□.
- B. R1□□ □□□□□-1-2
- C. R1□□ □□□□□-1
- D. R1□□ □□□□□-2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

□□□ □□ STP□ □□□□□ □□□ □□□ □□□□□ □□□ □□□□. □□ □□ □ □□□
□ □ □□ □□?

- A. MA, C□□ □□□ □□□
- B. equipmentCPUOccupancy□ □□ □□□□.
- C. □□□ □□ □□□ □□□□□.
- D. Hostreceive □□ □□□□□□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 105

□□ □□□ □□□ □□□□ □□ IPv4□ IPv6 □□□□□ □□ □□□□ □□□□ □□ □□□
□□ IS-IS□ □□□□□□. IS-IS □□□ □□□□□ □□□□ □□ □□ □□□□□□ □□ □□
□□□.

IS-IS □□□□ □□□□ □□ □□ □ □□□ □□ □□□□□? (□□ □□)

- A. IS-IS□ □□ □ □□□ □□□□□ □ TLV□ □□□□ □□□.
- B. NLPID□ IPv6□ □□□□ IS-IS□ □□□ TLV□□□□.
- C. IS-IS□ PV6□ □□□□ □□ Pv6 □□ □□□ □□□□ □□ TLV□ □□□□ □□□.
- D. IS-IS□ TLV □□□ □□□□ □□□□ □□□□□ IS-IS□ □□ □□□□ □□ □□□□ □□
□□.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 106

BGP □□□ □□□ □□□ □□ □ □□□ □□□ □ □□□□.

A. □□

B. □□

Answer: A ([LEAVE A REPLY](#))

H12-831_V1.0-ENU □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H12-831_V1.0-ENU □□! DumpTop □ □□ **H12-831_V1.0-ENU** □□ □□□ □□□□□□,
DumpTop H12-831_V1.0-ENU □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□
□ □□□ □□□□ □□ DumpTop H12-831_V1.0-ENU □□□ □□□□□.

https://www.dumptop.com/Huawei/H12-831_V1.0-ENU-dump.html (158 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 107

□□□ □□ □□□□ □□ □□□□□□ OSPF□ □□□□□□. □□□□ □□□□ IP □□□ □
□□ Loopback 0 □□□ IP □□□□□. R1, R2, R3EJLoopbacD□ □□ 1□, R4□ Loopbackd D
□ □□ D□, R5□ Loopback D□ □□ 2□ □□□□□. □□ □□ □ □□ ping□ □ □□ □□□?

A. 10.0.2.2 □ 10.0.5.5

B. 10.0.3.3 □ 10.0.5.5

C. 10.0.4.4 □ 10.0.2.2

D. 10.0.2.2 □ 10.0.3.3

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 108

MPLS□□ Forwarding Equivalence Class(FEC-Fowarding Equivalence Class) □□□ □□□□
FEC□ □□ □ □□ □□□□ □□□ □ □□□□?

A. □□□ □□(□□□□ □□)

B. □□ □□□□(Application Protocol)

C. □□ □□(Destination Address)

D. sFragment □□□(Fragment office)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 109

R3□ R1 □□□ IS-IS □□ □□□ □□□□ □□□□□. □ □□□ □□□ □□□ □□□ □□□
□□□□□?

A. R3andR1□□ □□ □□□□□□□ □□ □□□MSTP □□ □□□ □□□ □ display current-
configuration □□□ □□□□

B. R3andR1oflIH □□ □□

C. R3andR1ofSystem IDrepeat

D. R3andR1ofl5-□□ □□□

NEW QUESTION: 114

□□ □□ □□□ OSPFv3□ Hello □□□□ □□ IPv6 □□□ □□ □□□ IPv6 □□□□□?

- A. □□-□□ □□
- B. □□□ □□ □□
- C. □□□ □□□□□ □□
- D. IPv6□□□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 115

□ □□□□ □□□ □ □□□□

- A. R1have2individuallS-ISNeighbor
- B. GE0/0/1□ R1□ □□□ □□ 2 □□□ □□□ □□□□.
- C. GE0/0/0□ R1□ □□□ □□ 2 □□□ □□□ □□□□.
- D. R1□ LSDB□ □□ 2□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

EGP □□□ □□ □□□□ BCP □□□□ □□□ □□□□ □□ □□□ □ □□□□. BCP □□□
MD5 □□□ □□□ □□□□ □□ □ □□□□. □□ BGP □□□ □ BCGP □□□ □□ □□□
□□□□ □□ □□□□□? ((□□ □□)

- A. □□
- B. □□
- C. □□□□
- D. □□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

□ □□□ □□□, □□□

- A. system-IDforee8c.a0c2.baf2□□□ □□-□ □□'
- B. R4□□□ □□□□2
- C. R4□ □□-□□ □□□□.
- D. □□□ Level-1-2□ system-IDforee8c.a0c2.baf2□□□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 118

VLAN □□ MAC □□ □□□□ □□ □□□ □□□ □ MAC □□ □□□□□ □□□□ □□□ □
□ □□□□□□ □□□ □□□ □ □□□□.

- A. □□ □□□
- B. □□ □□□

□□□□ □□□ A□ ACL□ □□□□ □□ □□□ □□□ □□□□□□ □□□. □□ □□□ □□
□ □□□ ACL □□□ □□□□ □□□ □□□□□? (□□□) acl □□ 2000 □□ 10 □□ □□
10.0.0.0 0.0.6.0

- A. 10.0.0.0/24
- B. 10.0.1.0/24:
- C. 10.0.0.1/32
- D. 10.0.2.0/24

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 123

□□□□□ □□ Client1□ Client2□ □□□ RR1□ RR2□ □□□□□ □□□ □□, RR1□ RR2
□ □□□ □□□□□□ R□ 10□□ □□□ □□□□□. B, CP□ □□□ □□□ □□□□□.
Neighbor □□□ □□□□□□□□. □□ Client2□ BGP □□□ □□□□ □ □□ □□□ □□□ □
□□□?

- A. 15
- B. 10
- C. 20
- D. 0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 124

OSPFv2 □□□ □□□ □□□□ OSPFv3 □□□ □□□ □□□ □□□ □□□□□?

- A. IPV6 □□ □□
- B. □□ ID
- C. IPV6 □□□ ID
- D. □□□□ ID

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 125

□□ □ □□□ VLAN LAN□ □□ □□□□ □□ □□□□ □□□ □□□ □□□□□?

- A. □□□□□□ □□□□□□ □□□□□□ □□□ □□□□□□ □□□□□□□□.
- B. □□□□ □□□ □□□ □□□□ □□MA, Caddress □□□
- C. □□□□ □□ □□□ □□□
- D. switchMA, Caddress □□ □□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 126

OSPF□ BFD □□□ □□□?

- A. BFD □□□ □□ □□□ OSPF □□ □□ □□□□ □□ □□□ □□□ □□□ □ □□□□.

NEW QUESTION: 135

BGP 100 100 10000 BGP 10000 100 10000 100 1000 1 10000. BGP 1000 ID5 1000 1000 10000 100 1 10000. 100 BGP 100 1 BGPKeychain 100 1000 100 100 100000?

- A. 100
- B. 100
- C. 100000
- D. 10000

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 136

1000 100 10000 OSPF 10000 Area2 1000 100 100000. 1 1000 1000 LSA 1 1000 100 ID 100000000.

Type1 LSA , Type2 LSA , Type3 LSA Type1 LSA , Type2 LSA , Types LSA , Type5 LSA Type1 LSA , Type2 LSA , Type3 LSA , Type4 LSA , Type5 LSA

Answer:

H12-831_V1.0-ENU 100 1000 100000 100 DumpTop 100 10000 1000
H12-831_V1.0-ENU 100! DumpTop 1 100 **H12-831_V1.0-ENU** 100 1000 1000000,
DumpTop H12-831_V1.0-ENU 100 1000 1000000000 1000 1000000000. 1000
1 1000 100000 100 DumpTop H12-831_V1.0-ENU 1000 1000000.
https://www.dumptop.com/Huawei/H12-831_V1.0-ENU-dump.html (158 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 137

10000 1000 A 1 ACL 10000 10000 400 1000 100 1, 3.5 1 70 10000000 1 100. 10000 1000 A 1 1000 1 100 ACL 1000 10000 1000?

- A. 3
- B. 4
- C. 1
- D. 2

Answer: C (LEAVE A REPLY)

NEW QUESTION: 138

10000 100000 1 10000 1000 1000 10000 100 100 100 1 10000 1 1 100 100()

- A. 1000 100 100 1000 1000 100 100
- B. 10000 100 1000 1000 100 100
- C. 10000 100 10000 1000 1000 100 100 100

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 143

□□ □□ □□□ □□□□ □□□ □□□□ □□ □□ □ □□□□□?

- A. □□□ □□ □□ □□□□□ □□
- B. □□□□ □□
- C. □□ □□
- D. □□ □□ □□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 144

IEIF□ □□□ □□□□□□IEIF□ OSPF□ □□□ □□□□ □□□□ OSPF□ □□□IPv6 □□
□□□ □□□ □ □□□ □□□ □□□□□ OSPFv3□□□□ □□ OSPFv3□ OSPFv2□ □□□□
□.

- A. □□
- B. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 145

□□□ MA, C □□, □□□□ □□□ MA□ □□ C □□□ □□□□ □□□ □□□□ □□ □□□
□□□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 146

MUX VLAN□ □□ □□ □□ □ □□□ □□ □□□□□? (□□ □□)

- A. □□□ □□ VLAN□ □ VLAN□ □□□□□□ □□□.
- B. □ VLAN□ MUX VLAI□ □□ VLAN□ □□□ □ □□□□.
- C. □ □□ VLAN□ □ VLAN□ □□□□□□ □□□.
- D. □□□ VLAN□ MUX VLAN□ □□ VLAN□ □□□ □ □□□□.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 147

□ □□□ □□□ □□□ □□□ □ □□□□□?
<□□□> □□□ ID 10.0.12J □□: 0.0.0.0 □□: □□□ Lsid: 10.0.12 J Adv rtr: 10.0.12.1 Ls □□:
312 Len: 36 □□: A, BR E
\seq#:80000013
1 checksum : 0xc61c
I □□ □: 1
1 * □□ ID: 10.0.12.2

LDP □□□□ LDP □□□□□ □□□□ LSR □□ □□□□□. LDP □□□□ □□□ □□ 4□□ □□□□ □□ □ □□□□. □□ □ LDP □□□□ □□□ □□ □□?

- A. □□□□□
- B. □□ □□ □□□
- C. □□
- D. □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 162

R1□ ping -a IO.I.LI 10.5.16.2 □□□□ □□□□□□. □ □□□ □□□ □□□□□?

- A. □□□□ □□IP□□□□10.1.1.1□□□□.
- B. pingpackage sourceAddress isR1any direct interface address of
- C. ping□□□□ □□I□□□□10.1.1.1□10.5.16.2
- D. pingpackage sourceIFPaddress isR1direction10.5.16.2theoptimalIPTheoutgoing interface address of the route, and is not 10.1.1.1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 163

MPLS VPN □□□□□□ □□□ □□□ □□ □□□□□ □□□ □ □□□□□□. □ □□□□□ MPLS □□□□□ □□□□□□□.

- □ □□□ □□ □□□ □□ □□□□ □□ □□? (□□ □□)
- A. Egress PE □□□ □□ □□□□□ □□ □□□ □□□ □□ VPN□□ □□□□□ □□□□□.
- B. □ □□ □ □□□ □□□ □□□ □□ □□□□□ 3
- C. Egress PE □□□ □□□ □□□□□ □□ IP □□□ □□□□□□.
- D. □ □□ □ □□□□□ □□ □□□□□ □□□ □ □□□□ Egress PE □□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 164

□□□ □ □□ □□ □□□□□□. IS-Is □□□□□ □□□□□□ □□ □□□□□ □□ □□□ □□□□ □□□□. □□□ □□□ IS-IS □□□ □□□□□ □□□□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 165

□ □□□ □□□ R4 □□□□□ IS-IS□ □□ □□□ IPv6 □□□□ □□□ □□ □□□□□ □□ □□?

- A. R4□□ 2□□ □□ □□ IS-IS □□ □□□□ □□□□□.
- B. R4□□ 1□□ IS-IS □□ □□□□ □□□□□.
- C. R4□□ 2□□ □□ IS-IS □□ □□□□ □□□□□.

- B. availableM LAN□□ □□
- C. □□ □□ □□□ □□
- D. □□□□□□ □□□ □□ Sub-VLAN □□ □□

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 171

□□ □ BGP □□ □□□ □□□ □□ □□□ □□□□□?

- A. BGP□□
- B. BGProute □□□
- C. BGP GSTM
- D. ebgp □□ □

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 172

□□□ □□ STP□ □□□□□ □□□ □□□ □□□□□□ □□□ □□□□□□. □□ □ □□ □□□ □□□ □ □□□□□? (□□ □□)

- A. □□□ □□ □□□ □□□□.
- B. □□□□□ □□ □□ □□□□□□□ □□□ □ □□□□.
- C. MAC □□ □□□ □□□
- D. □□ CPU □□□□ □□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 173

□□□□□ □□ □□□ IS-IS □□□ □□□ □ □□□ □□□□□ □□□ □□□ IS-IS □□□ □ □□ □□ □□□ □□□□□?

- A. IS-IS □□□ □□□□ □□
- B. □□□□ □□ □□ IS-IS □□□ □□□□ □□□□ □□□□.
- C. □□□□ □□ □□ IS-IS □□□ □□□□ □□□□ □□
- D. □□□□□ □□ □□ IS-IS □□□ □□□□ □□□□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 174

MPLS □□ TTL□ □□ □□ □□ □ □□□ □□ □□□□□?

- A. copyIPTTL□□ □□□□ □□□ □□MPLSDomainLSRP□□□□ □□□ □□□ □
- B. □□□ □□ □□ □□□ □□□ □ □□□□.
- C. □□ □□ □□TTL□ □□, tracecert□ MPLSDomainLSR □□□ □ □ □□□□.
- D. TTL□ □□□ MPLST□ □ □□ □□□□ □□□□□. □□□ IP□□□□ □□□□□ □□□ □MPLS□ □□□□ □□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 187

BGP4+ MP_REA, CH_NLRI 16 or 32 bits, 16 or 32 bits, 16 or 32 bits?

- A. 16 bits, 16 bits, 16 or 32 bits.
- B. NLRI field carry IPv6 Routing 16 or 32 bits
- C. 16 or 32 bits, 16 or 32 bits, 16 or 32 bits.
- D. AFI(16 or 32) bits, 2, 16 IPv6

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 188

MPLS LSR Ingress LSR, Transit LSR, Egress LSR. FEC Ingress LSR, Transit LSR, Egress LSR. LSR FEC Ingress LSR, Transit LSR, Egress LSR.

- A.
- B.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 189

BGP/MPLS IPVPN 2000, 2000, 2000?

- A. BGP/MPLS IP VPN 2000, 2000, 2000
- B. LDP 2000, 2000, 2000
- C. MP-BGP 2000, 2000, 2000
- D. PE CE 2000, 2000, 2000

Answer: A ([LEAVE A REPLY](#))

H12-831_V1.0-ENU DumpTop H12-831_V1.0-ENU! DumpTop H12-831_V1.0-ENU DumpTop H12-831_V1.0-ENU DumpTop H12-831_V1.0-ENU

https://www.dumptop.com/Huawei/H12-831_V1.0-ENU-dump.html (158 Q&As Dumps,

30%OFF Special Discount: KrDump)