

Huawei.H13-311_V3.0.v2023-08-28.q132

□□□□:	H13-311_V3.0
□□□□:	HCIA-AI V3.0 Exam
□□□:	Huawei
□□ □□ □□□:	132
□□:	v2023-08-28
# □□ □:	1295
# □□ □□□:	1320
https://www.krdump.com/Huawei.H13-311_V3.0.v2023-08-28.q132.html	

NEW QUESTION: 1

Principal Component Analysis (PCA) is a statistical method. A set of variables that may be related to each other is transformed into a set of linearly related variables by orthogonal transformation. The converted set of variables is called the principal component.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□ □□□□ □□ □□□ □□□□□?

- A. LSTM
- B. □□
- C. GRU
- D. RNN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

Python□ □□□ □□□□□ □□ □□□□ □□□ □□□□ □□ □□□□□ □□(□: if □□ □□ □□ □□□□□ □□□□□□ □□ □□)□ □□□□ □ □□□ □□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□□ □□ □□□ □□ □□ □□ □ □□□ □□?

- A. □□ □□□ □□□ □□□ □□□ □ □□□□.
- B. □□□□□□□□ □□□□ □ □□□□ □□ □□□ □□□ □□ □□□□□ □□□.

NEW QUESTION: 15

□□□ □□□ □□□ □□□□ □□□□ □□ □□ □□□□□.

A. □

B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□□ □□□ □□□ □□□□ □□□□ □□ □□ □□□□□.

A. □□

B. □

Answer: A ([LEAVE A REPLY](#))

H13-311_V3.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H13-311_V3.0 □□! DumpTop □ □□ **H13-311_V3.0** □□ □□□ □□□□□□,
DumpTop H13-311_V3.0 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H13-311_V3.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H13-311_V3.0-dump.html (370 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 17

□□ □□□ □□ "□□□□ □□, □□□ □□ □ □□ □□□ □□"□ □□ □□□□□ □ □
□□□□. □ □□ □□□ □□, □□ □□, □□ □□ □□□□ □□ □□□ □□□□□ □
□□ □□ □□□ □□□ □□□ □□□ □□□ □□□□□. □□□ □□□ □□□□ □□,
□□ □□ □ □□□ □□□□□ □□□□ □□. □□□ □□□ □□□ □□□ □□□□□.

A. □□

B. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

□□□ 5*5□ 32*32 □□□ □□ □□□□ □□□ □□ □□□ 1□□□. □□□□ □□, □
□ □□□ □□□ □□□ □□□□.

A. 23*23

B. 28*28

C. 28*23

D. 29*29

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

□□ □ □ □□ □□ □□□□□□ □□□ □□ □□ □□□□□?

- A.
- B.
- C. CNTK
- D. MX \square

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which of the following environments does not support to install the T11nsorFlow?

- A. Docker
- B. Mac OS
- C. Linux
- D. OpenStack

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Python \square $\square\square$ $\square\square\square$ $\square\square$ $\square\square\square\square$ $\square\square$ $\square\square$?

- A. $\square\square\square\square$ $\square\square\square$ $\square\square\square\square$ $\square\square\square\square\square$ $1\square\square$ $\square\square\square\square\square$.
- B. $\square\square\square\square\square$ $\square\square$ $\square\square\square\square$ $\square\square\square\square\square$ $-1\square\square$ $\square\square\square\square\square$.
- C. $\square\square\square\square$ $\square\square\square$ $\square\square\square\square$ $\square\square\square\square\square$ $0\square\square$ $\square\square\square\square\square$.
- D. $\square\square\square\square\square$ $\square\square$ $\square\square\square\square$ $\square\square\square\square\square$ $0\square\square$ $\square\square\square\square\square$.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 22

$\square\square$ $\square\square\square\square$ $\square\square$ $\square\square\square$ $\square\square\square$ $\square\square\square\square$ \square $\square\square\square\square\square$.
 $\square\square$ $\square\square\square$ $\square\square$ $\square\square$ $\square\square$ $\square\square\square$ () $\square\square\square$ $\square\square\square\square$ $\square\square\square\square\square$ $\square\square\square\square$?

- A. 3
- B. 4
- C. 2
- D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Python $\square\square$ $\square\square$ $\square\square\square$ $\square\square\square\square\square$ $\square\square\square\square$ $\square\square\square$ $\square\square\square\square\square$ math $\square\square\square$ cmath $\square\square$
 \square $\square\square\square\square$.

- A. $\square\square$
- B. $\square\square$

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

$\square\square$ $\square\square\square$ $\square\square$ $\square\square$ $\square\square\square$ $\square\square\square\square$?

- A. \square $\square\square\square$ $\square\square$ $\square\square\square$ \square $\square\square\square\square\square$.

B. □□ □□

C. □ □□□ □□ □□□ □□ □□□□□□.

D. □ □□□ □□ □□□ □□ □□ □□□□□ □□ □□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

□□ □ □□□□ □□ □□ □□□□□ □ □□□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□?

A. □□ □□ □ □□□ □□□

B. □□□□ □□

C. □□ □□□□□

D. □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

□□ □□□(RNN)□ □□ □□□ □□□ □□□□□?

A. □□□□ □□ □□□□□ □□ RNN□ □□□□□ □□□ □ □□□□.

B. □□□ □□ □□□ □□ □□□ □□□□.

C. □□□ □□□□ □□□□ □ □□□ □ □□□□.

D. □□ □□ □□□ □□□□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

□□ □□□ □□□ □□□□□?

A. □□□□ mterd1sc1pl1nary □ □□ d1sc1phnes

B. □□□ □ □□□

C. □□□ □□□

D. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

□□ □ MindSpore □□ □□□ □□ □□ □□□□□?

A. □□

B. □□

C. □□

D. nn

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

□□ □□□□□ □□□ □□ □□ □□□?

A. □□□

- B. □□□
- C. □□ □□
- D. □□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

□□ RNN □□□ □□ □□ □□□ □□□□.

- A. □□□ □□ □□□ □□□□.
- B. □□ □□ □ □□□ □□□ □□ □□□ □□ □□□□.
- C. □□□ □□ □□□ □□□□.
- D. □□□ □ □□ □□□ □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□□□ □□ □□□□ □□ □□ □□?

- A. □□□ □□□□□ □□ □ □□ □□(□□□□ □□, □□□ □□□□)□ □□□□ □□ □ □□ □□□□ □□□ □□ □□□□ □□□□□.
- B. □□□ □□□ □□ □□□ □□ □□ □□ □□□ □□□□□ □□□□.
- C. □□□ □□□□□ □□ □□□ □□□ □□□ □□□ □□□□ □□□□.
- D. □□□ □□□□□ □□□□□□ □□□□ □□ □□ □□□□ □□ □□□□□ □□□ □.

Answer: B ([LEAVE A REPLY](#))

H13-311_V3.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
 H13-311_V3.0 □□! DumpTop □ □□ **H13-311_V3.0** □□ □□□ □□□□□□□,
 DumpTop H13-311_V3.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
 □□ □□□ □□□□ □□ DumpTop H13-311_V3.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H13-311_V3.0-dump.html (370 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 32

□□□□ □□□ □□ □□□□□ □□ □□ □□ □□□ 20-30 Wan□ □ □□□□ □□□
 □ □□□□. □□□ 30-40 □ ", □□□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□ □□□ □□ □□□ A□ □□ □□□□.

|1 2 3|

A = |4 5 6|

|7 8 9|

A. 24

B. -24

C. 0

D. 18

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 34

□□□ □□□ □□ □□□ □□ □□□□ □□ □□ □□?

A. □□□ □□□ □ □□ □□ □□□ □ □□□□.

B. □□ □□□ □□□ □□□□ □□ □□□□□.

C. □□ □□□ □□ □□□□□□□□ □□□□□ □□□□ □ □□□□.

D. □□□ □□□□ □□□ □□ □□□ def□□ □□ □□□□□.

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 35

Python□ □□ □□□ □□□□□? (□□ □□)

A. int(□□□)

B. □□□(□□□□)

C. long(□ □□□)

D. float(□□ □□□ □□)

Answer: [A,B,C,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 36

□ □□□ □□ □□□ □□□ □□□□ □□ □□□□□ □□□□.

A. □

B. □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 37

□□□□ □□ □□ □□□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□□□.

□□ □□□ □□□□□□. □□□ □□□ □□□□.

A. L2 □□□

B. □□

C. L1 □□□

D. □□□ □□□□□

Answer: [A,B,C \(LEAVE A REPLY\)](#)

NEW QUESTION: 38

□□ □□□□□ □□□□, □□□ □□□□□ □□□□ □ □□ □□□□□ □□□□□ □
□ □□□□□ □□□□□□□. □□□ □□□ □□□ □□ □□□□□□□□.

- A. □□ □□□□□ □□□□□ □□ □□□ □□□ □□ □□□□□.
- B. □□ □□□ □□□□□ □□ □□ □□□ □□□ □ □□□□□.
- C. □□ □□□ □□□□ □□ □ □□ Stochastic Gradient □□□□
- D. □□□ □□□ □□□□□ □□ □□□ □□□□ □□ □ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 39

X, Y □□ □□□□□□. C □ □□□□□□. □□□ □□□ □□□ □□ □□ □□ □ □□□
□□ □□□□□□?

- A. $E(XY) = E(X)E\{Y}$
- B. $E(C) = CA$. □□(C) = C
- C. $E(CX) = CE(X)$
- D. $E(X+Y) = E(X)+E\{Y}$

Answer: A (LEAVE A REPLY)

NEW QUESTION: 40

□□ □□□ estimator □□□ keras □ □□□□. □□□ □□□?

- A. □□
- B. □□
- C. □□ □□
- D. □□

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 41

What is incorrect about the following description of the distribution function, distribution law, and density function of random variables?

- A. distribution function describes the law of random variables
- B. discrete random variables have no distribution function
- C. The distribution law can only describe the law of the value of discrete random variables
- D. the density function can only describe the value of continuous random variables

Answer: B (LEAVE A REPLY)

NEW QUESTION: 42

Tensorflow □ □□ □□□ □□□□□? (□□ □□)

- A. □□□ □□
- B. □□□ □□
- C. D1stnbuted □□

NEW QUESTION: 47

TensorFlow `tf.nn.conv2d` 的 `padding` 参数可以设置为 `'VALID'` 或 `'SAME'`。

- A. `'VALID'`
- B. `'SAME'`
- C. `'VALID'` 和 `'SAME'`
- D. `'VALID'` 和 `'SAME'` 以及 `'ASYNCHRONOUS'`

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 48

TensorFlow2.0 中，`tf.nn.conv2d` 的 `padding` 参数可以设置为 `'VALID'` 或 `'SAME'`。

- A. `'VALID'`
- B. `'SAME'`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

TensorFlow 中，`tf.nn.conv2d` 的 `padding` 参数可以设置为 `'VALID'` 或 `'SAME'`。

- A. `'VALID'` 和 `'SAME'`
- B. `'VALID'` 和 `'SAME'` 以及 `'ASYNCHRONOUS'`
- C. `'VALID'` 和 `'SAME'`
- D. `'VALID'` 和 `'SAME'` 以及 `'ASYNCHRONOUS'`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

TensorFlow 中，`tf.nn.conv2d` 的 `padding` 参数可以设置为 `'VALID'` 或 `'SAME'`。

- A. `'VALID'`
- B. `'SAME'`
- C. `'VALID'` 和 `'SAME'`
- D. `'VALID'` 和 `'SAME'`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

TensorFlow 中，`tf.nn.conv2d` 的 `padding` 参数可以设置为 `'VALID'` 或 `'SAME'`。

- A. `'VALID'`
- B. `'SAME'`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

□□ □□ □ TensorFlow2.0□ □□□□. □□□□ □□□□ □□□ □□□□.

- A. ^
- B. //
- C. @
- D. □

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

TensorFlow□ □□□□□ □□□□□ □□□□□?

- A. □□ □□
- B. □□□□
- C. □□ □□
- D. □□□ □□□ □□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

TensorFlow□□ □□□□ □□ □ □□ □□□ □□□ □□□□□.

- A. □
- B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

PyTorch □□ □□ □□□ Python3□ □□ Python2□ □□□□□?

- A. □
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□ □□ □ □□□□ □□□ □□□ □□ □□□□ □□ □□ □□, □□□ □□□?

- A. □□ □□□ □□□ □□□ □□□□ □□□□ □□□□
- B. □□ □□□ □□□ □□ □□□ □□□□□.
- C. □□ □□□□ □□□ □□□ □□□□ □□ □□
- D. □□ □□□□ □□ □□□ □□□□□.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

The continue statement in the Python language is used to jump out of this loop and then continue to execute the next round of statements.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

□□□ □□□□□□ □□□ □□□ □□□. □□□ □□□□ □□□□ □□□ □□□ □□
□□ □□ □□□ □□□ □□□ □□ □□□□ □□□□ □□ □□□ □□. □ □□ □□□
□□□?

- A. □□□ □□□
- B. □□ □□
- C. □□□
- D. □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

□□□□□ □□□□ □□ □□□ □□□□□?

- A. □□ □□□□□ □□ □□□□
- B. □□ □□ □□
- C. □□□□□ □□ □□□□
- D. □□ □□ □□□□
- E. □□□□□ □□ □□□□

Answer: A,B,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 69

□□□ □□(PCA)□ □□□ □□□□□. □□ □□□ □□ □□ □□□ □□ □ □□ □□
□□□ □□ □□ □□ □□□□ □□□□□. □□□ □□ □□□ □□□□□□ □□□.

- A. □□
- B. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

HUAWEI CLOUD □□□□ □□□□ □□ □□ □□□□ □□ □ □□ □□□ □□□□ □
□ □□ □□□□□?

- A. □□□
- B. □□□ □□□□□
- C. □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

Regarding backpropagation, the following statement is wrong?

- A. □□□□ □□□ □□□□□ □□ □□□□□ □□ □□□□.
- B. □□□□ □□□□□ □□□□□□ □□□ □ □□□□.
- C. □□□□ □□□ □□□ □□□□□.
- D. □□□□ □□□□ □□□□□□ □□ □□□□ □□ □□□ □□□□□ □□□ □ □□
□□.

H13-311_V3.0 00 000 00000 00 DumpTop 00 0000 000
H13-311_V3.0 00! DumpTop 0 00 H13-311_V3.0 00 000 000000,
DumpTop H13-311_V3.0 00 000 000000000 000 00000000. 00
00 000 0000 00 DumpTop H13-311_V3.0 000 00000.
https://www.dumptop.com/Huawei/H13-311_V3.0-dump.html (370 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 77

- 00 00000 000 000 000 00 0000 00 00000 000000?
- A. 0
 - B. 1
 - C. 0.5
 - D. -1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

- L1 with L2 Regularization is a method commonly used in traditional machine learning to reduce generalization errors. The following is about the two. The right way is:
- A. L1 with L2 Regularization can be used for feature selection
 - B. L2 Regularization can do feature selection
 - C. L1 Regularization can do feature selection
 - D. L1 with L2 Regularization cannot be used for feature selection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

- 000 000 00 0000 00 00 00?
- A. 00 00 00000 000 000 00000.
 - B. 000 000 000 K-00 0000 0 SVM 0000
 - C. 0000 00 00000 "00"0 0000 *00*0 0000 0000.
 - D. 00 00

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

- 000 00 000 00 000 000 00000? (00 00}
- A. 00000 00 00 000 000.
 - B. 000 000 def 0000 0000 0 00 00 000 000 000.
 - C. return00 000 0000 000 00000.
 - D. 00 000 0000 0000 00000 00000(00}

Answer: ([SHOW ANSWER](#))

D. □□□ □□□ □□□

Answer: A,C ([LEAVE A REPLY](#))

H13-311_V3.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H13-311_V3.0 □□! DumpTop □ □□ H13-311_V3.0 □□ □□□ □□□□□□,
DumpTop H13-311_V3.0 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H13-311_V3.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H13-311_V3.0-dump.html (370 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 92

□□□□ □□□□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□. □□ □ □□ □
□□ □□□□□ □□ □□□□□ □□□□ □□□ □□□□□?

A. □□ □□

B. □□□

C. □□

D. □□□□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 93

Neural network research belongs to which of the following schools?

A. neither

B. symbolism

C. behaviorism

D. connectionism

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 94

3□ □□ □□ □□ □ □□□ □□ □□□?

A. □□□□□□

B. □□

C. □□□

D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

Which of the following statements about passport recognition services are correct?

A. confidence Confidence information of related fields. The greater the confidence, the higher the reliability of the corresponding field identified this time. In a statistical sense, the greater the confidence, the higher the accuracy

B. passport_number Representative passport number

C. nationality Nationality of representative holder

D. country_code Country code representing the country where the passport was issued

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 96

□□ □□ □ Python □□ □□□□ □□□ □□□□□?

A. □□

B. □□□

C. □□□

D. □□□□

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 97

TensorFlow□ □□ TPU □□□□ □□□□ □□□□□.

A. □

B. □□

Answer: A (LEAVE A REPLY)

NEW QUESTION: 98

Atlas 300 (3000) □□□ □□□ □□□□ □□□ □□□ □□□ □ □□ □□□ □□□□ □□□□
□?

A. 1spci grep'atlas'

B. 1spci | grep'd100'

C. 1spci | grep'npu'

D. □□□□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 99

Python □□□ □□ □□□□ □□□ □ □□□□? (□□ □□)

A. □□□□

B. □ □□ □□□

C. □□□□□

D. □ □□ □□□

Answer: (SHOW ANSWER)

NEW QUESTION: 100

Which of the following is not the difference between Python 2 and Python 3?

Artificial intelligence is a new technical science that studies and develops theories, methods and application systems for simulating, extending and extending human intelligence. It is one of the core research areas of machine learning.

- A. True
- B. False

Answer: **B (LEAVE A REPLY)**

NEW QUESTION: 106

□□ A□ □□ □□ □□□□ □□□ □□□ A□ □□□□ □□□. □□ □□□ □□□ □□
□ □□□□□? (□□ □□)

- A. (AB} T = AT +BT
- B. (!EA) T = !EAT
- C. (□□) T = A
- D. (A+ 8) T = AT +BT

Answer: **(SHOW ANSWER)**

H13-311_V3.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H13-311_V3.0 □□! DumpTop □ □□ **H13-311_V3.0** □□ □□□ □□□□□□□,
DumpTop H13-311_V3.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H13-311_V3.0 □□□ □□□□□.

https://www.dumptop.com/Huawei/H13-311_V3.0-dump.html (370 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 107

TensorFlow □□□□□□ Windows □□□□ □□□□ □□□□.

- A. □□
- B. □□

Answer: **B (LEAVE A REPLY)**

NEW QUESTION: 108

□□□□ □□□□ □□ □□□□ □□ □□? (□□ □□)

- A. □□□□ □□□□□ □□□ □□□□ 0
- B. □□□□ □□□□□ □□□ □□□□ 1□□
- C. □□□□□ □□□□□ □□□ □□□□ 0□□□.
- D. □□□□□ □□□□□ □□□ □□□□ -1□□□.

Answer: **(SHOW ANSWER)**

NEW QUESTION: 109

Python □□□□ break □□ □□ □□□□□ □□□□□?

NEW QUESTION: 114

□□□□□ □□□□□□□□□□ □□□ □ □□ □□□ □□□□□ □□□□□ □□□□□
□ □□ 0□□ □ □□□□.

- A. □□
- B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 115

TensorFlow□ Google□□ □□□□ □□□ 2□□ □□ □□ □□ □□□□□□.

- A. □□□□□□
- B. □□□□
- C. □□□□
- D. PaleyFunction

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 116

KNN □□□□□ □□ □□ k □ □□□ □□□□□?

- A. K Value□ □□□□□□□
- B. K □□ □□□ □□□ □□□□□ □□□□.
- C. K □□ □□□ □□□ □□□□ □□□□□
- D. can k Value is set to 0

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 117

TensorFlow2□ □□□□ □□. 0 of keras □□□□□□ □□□□ □□□ □ □□□□ □□
□□□ □□□. □□ □ □□□ □□ □□□□ □□ □□□ □□□□□□?

- A. □□
- B. □□□
- C. □□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 118

SVM □□□□□ □□□□ □□ □□□ □□□□□?

- A. Sigmiod □□ □□
- B. □□ □□ □□
- C. □□ □□
- D. □□□□ □□ □□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 119

X□ Y□ □□ □□□□ C□ □□□□□. □□ □□□ □□ □□□ □□ □□□□ □□ □□ □□?

- A. $D(XY)=D(X)D(Y)$
- B. $D(X+Y)=D(X)+D(Y)$
- C. $D(CX)=C \cdot C \cdot D(X)$
- D. $D(C)=0$

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 120

□□ model.fit(mnist.train.inimage,mnist.train.labels.epochs=5)in of epochs □□□□ □□?

- A. □□ □□□ □□□ 5□ □□□□□□.
- B. □□ □□ □□□ 5□□□ □□□□.
- C. □□ □□ □□□ 6□ □□□ □□□□.
- D. □□ □□ □□□ 5□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

□□ □ TensorFlow □□□□□□ □□□ □□ □□ □□□□□?

- A. tf.nn
- B. tf.□□□
- C. tf.contrib
- D. tf.layers

Answer: B ([LEAVE A REPLY](#))

H13-311_V3.0 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□
H13-311_V3.0 □□! DumpTop □ □□ H13-311_V3.0 □□ □□□ □□□□□□□,
DumpTop H13-311_V3.0 □□ □□□ □□□□□□□□□ □□□ □□□□□□□□. □□
□□ □□□ □□□□ □□ DumpTop H13-311_V3.0 □□□ □□□□□.

https://www.dumpstope.com/Huawei/H13-311_V3.0-dump.html (370 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 122

Which of the following does not belong to long-term memory LSTM (long Short*Term Memory) network architecture?

- A. Forget the door
- B. Input door
- C. Memory door
- D. Output door

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 123

HUAWEI HiAI □□□□ □□□ □□□□ □□□ □□□□□?

- A. □□□□□□
- B. □□□□□ □□□□
- C. □□□ □□□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 124

In which year did Huawei formally provide services as a cloud service, and cooperate with more partners to provide richer artificial intelligence practices?

- A. 2017
- B. 2013
- C. 2015
- D. 2002

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 125

AI □□ □□□□ □□□□□□□□ □□□ □□□ □□ □□ □ □□□□?

- A. GPU
- B. □□ □□
- C. □□
- D. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

Python □□□ "{"□ □□ □□□□□. □□ □□□□ □□ □□ □□□ □□□□□.

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 127

□□ □ □□□ □□□(CNN)□ □□□ □□ □□□□□? (□□ □□)

- A. □□□
- B. VGG□
- C. □□□
- D. □□□□

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 128

