

Huawei.H13-831.v2022-09-28.q99

□□□□:	H13-831
□□□□:	HCIE-Cloud Service Solutions Architect V1.0
□□□:	Huawei
□□ □□ □□□:	99
□□:	v2022-09-28
# □□ □:	1061
# □□ □□□:	990
https://www.krdump.com/Huawei.H13-831.v2022-09-28.q99.html	

NEW QUESTION: 1

□□ □ HUAWEI CLOUD BMS □□□□ □□□ □□□ □□□□□ □□□□□?

- A. GPU □□□ □□□
- B. □□□ □□□□□□
- C. □□ □□□ □□ □□
- D. SAP HANA □□□□ □□□□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

□□□□ 3□□ □□□ □□□□ □□ □□ □□ □□ □□□ □□ □□ □ □□ □ □□□
□□ □□□?

- A. 60
- B. 75
- C. 70
- D. 80

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□□□□ HUAWEI CLOUD OMS□ □□□□ □□ □□□□□ □□□□□□□ □ □□□
□□□ □□□ □□ □□□□□□ □□□ □□ □□ □□ □□□□ □ □□□□ □□□□
□□ □□□□□ □□□□□? (□□ □□)

- A. □□/□□ □□□ □□□ □□□□ □□□□.
- B. □□/□□ □□□□□□ □□□ ND5 □□ □□□□.
- C. □□/□□ □□□ □□□ □□□ □□□□ □□□□.
- D. □□ □□□ □□□ □□ □□□ □□ □□□ □□□ □□ □□□□ □□□□□.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which two MySQL storage engines support full-text search? (Choose two)

- A. InnoDB
- B. MyISAM
- C. MEMORY
- D. NDB

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which two IAM policies can be used to grant permissions to a user? (Choose two)

- A. inline
- B. managed

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Edge computing is a distributed computing paradigm that allows data processing to occur closer to the source of data. Which two are benefits of edge computing? (Choose two)

- A. reduced latency
- B. increased bandwidth
- C. reduced bandwidth

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which two HUAWEI CLOUD ELB features can be used to protect ECS instances from DDoS attacks? (Choose two)

Layer 4 (UDP/TCP) load balancing is supported by ELB. Which two are features of Layer 4 load balancing? (Choose two)

- A. ECS instances can be added to a load balancing group.
- B. Layer 4 load balancing supports cross-region load balancing.
- C. ECS instances can be added to a load balancing group across regions.
- D. ECS instances can be added to a load balancing group across availability zones.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which two VPC features can be used to control traffic between VPCs? (Choose two)

- A. HUAWEI CLOUD VPC ACL
- B. HUAWEI CLOUD VPC ACL
- C. HUAWEI CLOUD VPC ACL
- D. HUAWEI CLOUD VPC ACL

Answer: B ([LEAVE A REPLY](#))

D. Kata □□□□□ □□□ □□ □□□ □□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 13

□□□□ □□□□□□ □□□□□ □□□ □ □□ □ □□□ □□□ □□□ □□ □ □□
□□□ □□□□□? (□□ □□)

A. □□ □□ □□□□ □□ □□ □□□, □□□ □□□□ □□ □ □□□□ □□□ □□□
□ □□□.

B. □□□□□□□ □□□□ □□ □□□ □□□ □□□□ □□ □□□□□□ □□ □□ □
□ □□□□ □□□ □□□□□.

C. □□□□□□□□ □□ □□□ □□ □□□□ □□□□ □□□.

D. □□□□□□□ □□□ □ □□ □□□□ □□ □□□□ □□□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 14

HUAWEI CLOUD Application Operation and Maintenance Management AOM□ □□ □□
□□□□ □□ □ □□□□ □□ □□□□ □□□ □ □□ □□□ □□□□□ □□□□□?
(□□ □□)

A. □□□

B. ETCD

C. MySQL

D. □□□□□□

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 15

HDFS□ □□□ □ □□□ □□□ □□ □□ □□ □ □□ □□? (□□ □□)

A. □□□□□□ NameNode □□□ □ □□ □□, □□ □□ □□ □□(DataNode□□ □□
□□, □□□ □□ □ □□)□ □□□□□.

B. NameNode□ □□□ □□□□□. HDFS □□ □□ □ □□□ □□ □□ □□ □□□ □
□□□□.

C. DataNode□ □□ □□□□ □□□□ □□□□ □□□□□. □□□ □□□ □□ □ □□
□ □□□□ □□□□ □□□ NameNode□ □□□□□.

D. □□ NameNode□ NameNode□ □□□□ □□ □□□ □□□□□. □□ □□□.

NameNode□ □□□□ □ □□□ □ □□□□. □□□ Secondary NameNode□

NameNode□ □□ □□□ □□□□.

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 16

Loader□ MRS □□□□ □□□□ □□□ □□□□□ □□□ □□ □□□ MRS □□□□
□□ □□ □□□□□ □□□ □□□□□ □□□□□.

A. □□

□□□□ Huawei Cloud CCI □□□□ □□□□ □□□□ DevOps □□□ □□
□ □□□□□ □□ □□□ □□□□?

- A. □□□□ □□ □ □□□ □□□□□ □□□□□□.
- B. □□□ □ □□□□ □ □□□ □□□□□.
- C. □□□ □□□ □□ □□□□□□ □□□ □ □□□□.
- D. Docker □□□□□□ □□□□ Kata Container□ □□ □□ □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 21

□□ □ Huawei Cloud MRS □□□□ Spark □□ □□□ □□□□ □□□□ □□□□
□? (□□ □□)

- A. □□□ □□
- B. □□□ □□, □□ □ □□
- C. □□□□
- D. □□□ □□□ □□□□

Answer: [A,B,C,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 22

□□□□ HUAWEI CLOUD DRS□ □□□□ MySQL □□□□□□□ MySQL□ RDS□ □
□□□□□□ □ □□□ □ □□ □□□□ □□□ □□□□□? (□□ □□)

- A. ELB
- B. □□□ □□□□
- C. □□ □□□□
- D. VPN

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 23

□□ □ HUAWEI CLOUD Application Operation and Maintenance Management AOM□ □
□□ □ □□ □□□ □□□□□? (□□ □□)

- A. □□□□□□ □□□□
- B. □□□□ □□□□
- C. □□ □□
- D. □□□ □□□□

Answer: [A,B,C,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 24

□□□ □□□□□□□ □□□ □□ □□ □□□ □□□□ □□□□□□□ □□□ □□ □
□□ □□□□ □□□□□□□□ □□□□□.

□□□ □□□□ □□□ SDK□ □□ □□□□□. □□ □□□□□□ □□□ □□□□□□
□□ □□□ □□□□□? (□□ □□)

- A. □□ □□□□ □□□ □□ □□□ □□□ □□ □□ □□□□□.

- B. 1000 100
- C. 10000 100 1000 10000 1000 1000 100
- D. 1 1000

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

10000 Huawei RDS 10000 MySQL 100000000 MySQL RDS 1000000
 100 100 1000 100 10000 1000 1000000? (100 100)

- A. 100 100000
- B. ELB
- C. VPN
- D. 1000 10000

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

100 VPC 100 SNAT 1000 100 100 ECS(100000 EIP) 100 VPC 100 1000 100 100
 10000 10000 100 100 1000 100000, 10000 1000 100 1000 100 100(100
 100 0.0.0.0 /0) 100000. , 100 100 SNAT 10000 1000 ECS1000. 100 EIP
 VPC 100 ECS 1000000 1000 1000?

- A. ECS 10000 1000 10000 SNAT 10000 EIP 10000 1000 1000.
- B. ECS SNAT 1000 ECS 100 1000000 1000000 100 1000 1000000.
- C. 10000 10000 ECS 100 1000000 100000 1000000.
- D. ECS 100000 EIP 100 100 1000000 100000 1000000.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

100 100 Huawei Cloud CCE Cloud Container Engine 100000 100000 10000 100000
 100? (100 100)

- A. 100000 100
- B. 100 100 100000
- C. GPU 100000 100000
- D. Windows 100000 100000

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Huawei Cloud RDS 100000 10000000000 100 100 10000 100 100 100 100 100
 1000000? (100 100)

- A. 100000 100 10000 100 100 10000 100 1000000 100000 10000 1000000.
- B. RDS 10000000000 10000 100 10000 10000 100 1000000 10000 10000 1000000.

Which of the following is not a Huawei ARM CPU?
A. Hi1822
B. Kunpeng920
C. Ascend310
D. Ascend910

- A. Hi1822
- B. Kunpeng920
- C. Ascend310
- D. Ascend910

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 33

Which of the following is not a REST API? (Multiple choice)

- A. GET /v1.0/instances
- B. POST /v1.0/instances (REST API)
- C. PUT /v1.0/instances
- D. DELETE /v1.0/instances

Answer: A,B,C,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 34

When users use the "Site Monitoring" function of HUAWEI CLOUD CES, which of the following monitoring types can be used? (Multiple choice)

- A. TCP
- B. PING
- C. HTTP or HTTPS
- D. SSH

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 35

Which of the following is not a Huawei Cloud CDN service? (Multiple choice)

- A. Cloud CDN
- B. Cloud CDN
- C. Cloud CDN
- D. Cloud CDN

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 36

Two VPCs are created in the same region. VPC1 is in a private subnet and VPC2 is in a public subnet. VPC1 is connected to a private IP address space and VPC2 is connected to a public IP address space. VPC1 and VPC2 are connected to each other. What is the best way to connect the two VPCs? (Select two)

- A. Create a VPC peering connection between the two VPCs.
- B. Create a transit gateway and connect both VPCs to it.
- C. Create a VPC endpoint for each VPC and connect them to each other.
- D. Create a VPN connection between the two VPCs.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 37

Kubernetes uses which protocol to communicate between nodes?

- A. Kubernetes uses TCP and UDP to communicate between nodes.
- B. Kubernetes uses gRPC, which is based on HTTP/2, to communicate between nodes.
- C. Kubernetes uses SSH to communicate between nodes.
- D. Kubernetes uses DNS to communicate between nodes.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 38

ServiceStage is used to deploy applications to DevCloud. Which of the following is not a supported deployment target?

- A. ARM architecture.
- B. x86 architecture.
- C. ARM architecture with GPU.
- D. Maven architecture.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 39

Two VPCs are created in the same region. VPC1(CIDR: 192.168.0.0/16) has two subnets: SubnetA(192.168.1.0/24), SubnetB(192.168.10.0/24), and SubnetC(192.168.100.0/24). VPC2(CIDR: 192.168.0.0/16) has two subnets: SubnetX(192.168.100.0/24), SubnetY(192.168.100.0/24). What is the best way to connect the two VPCs?

NEW QUESTION: 42

HUAWEI CLOUD 120Mbit/s CC Huawei Cloud

Huawei Cloud

- A.
B.
C.
D. - Enterprise Edition.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 43

HUAWEI CLOUD ELB ECS Layer 4 Layer 7

- A.
B.
C.
D. ELB

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 44

- A. Rdis
B. Spark Streaming F1ink
C. CPU
D.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 45

HUAWEI CLOUD Huawei Cloud

- A.
B.
C. ECS Performance Bidding

D. □□ □□□□□ □□□ □□□ □□ □□□ □□ □□□□□ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

□□□ Huawei Cloud □ □□ □□ □□□ □□□□□□. □□□ □□□ □□□ □□ Cc □ □□ □□□ □□ □□ □ □□ □□ □□□ □□ □□□□□ □□□□□.

□□ 1: □□□ □□, 5□ □□□ 3□□ □□□□ □□□□, 3□□ □□□□ 1□□ □□□ □ □□□□ □ □□□□.

□□ 2: □ □□, □□ □□□□ 1□□ □□□□ 30□ □□ □□□□ □□□, 30□□ □□□ □ □□ □□□ □□□□□.

□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □ □□ DDOS□ □□□ □□□□□?

A. □□ □□ 2: (□□, □□□□ □□ /□□*) + (□□ □□ □□: □□□ □□ □□) + (□□ □ □: □□-□□ □□)

B. □□ □□ 1: (□□: □□□ □□/□□*) + (□□ □□ □□: □□□ □□ □□) + (□□ □ □: □□-□□ □□)

C. □□ □□ 2: (□□: □□□ □□/ 1login.php) + (□□ □□ □□: IP □□ □□) + (□□ □ □, □□)

D. □□ □□ 1: (□□, □□□ □□ /login.php) + (□□ □□ □□: IP □□ □□) + (□□ □ □: □□)

Answer: ([SHOW ANSWER](#))

H13-831 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ H13-831 □□! DumpTop □ □□ **H13-831** □□ □□□ □□□□□□, DumpTop H13-831 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop H13-831 □□□ □□□□□. <https://www.dumptop.com/Huawei/H13-831-dump.html> (268 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47

PFX is a personal certificate saved in binary format. Generally appear in windows Server. When a user wants to upload a certificate in this format to a Huawei ELB instance, which of the following operations is correct?

A. ELB □□ □□□□ PFX □□□ □□□□ □□□□ □□□□. □□ P7B □□□□□ □□ □ □□□□. □□□□

B. ELB□ PFX □□□ □□□□ □□□□ □□□□. □□ DER □□□□□ □□□ □ □□ □□. □□ □□□

C. Elastic Load Balancing ELB□ PFX □□□ □□□□ □□□□□□. □□ □□□□ □□□ □□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

Which API endpoint is used to create a new item for a customer?

- A. POST /cats/ {customerId}/items
- B. /cats/ {customerId}/items/ {id}
- C. PUT /cats/{customerId } /items
- D. GET /cats/ {customerId}/items.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 64

HUAWEI CLOUD AOM provides a set of metrics to monitor the performance of a service. Which metric is used to measure the number of requests per second (RPS) for a service?

- A. RequestRate (RPS)
- B. RequestCount
- C. RequestRate (saturation)
- D. RequestRate (latency)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

Which of the following is a valid command to check the status of a service?

- A. curl -s http://localhost:8080/health
- B. curl -s http://localhost:8080/status
- C. curl -s http://localhost:8080/info
- D. curl -s http://localhost:8080/ready

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

HUAWEI CLOUD SMS provides a set of APIs to send and receive SMS messages. Which API is used to send a text message to a phone number?

- A. SendTextMessage
- B. SendImageMessage
- C. SendVoiceMessage
- D. SendSMSMessage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

NEW QUESTION: 70

□□□□ □□□ □□□□□□□□ □□□ □□□□□□ □□□ □□□ □□□ □□ □□□
□□□□ □□ □□□□□ □□□□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□
□ □ □□□ □□ □□□□.

- A. □
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

□□ □□□ □□□□□ □□ □□□ □□□□ □□□ □□□ VPC□ □□□ □□□.

- A. □□
- B. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

□□ □□□□ □□□□ □□ □□ □□ □ □□ □ □□ □□□ □□ □□ □□ □□□□
□?

CSE□ □□□ □□ □□□ □□ □□□□□ □□□ □□□□.

yaml □□□□<□□□□<□□□□□<□□□□□

- A. □□□ □□
- B. □□ □□
- C. microservice.yaml □□
- D. □□□□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□ □□□ □□□ HUAWEI CLOUD OBS□ □□ □□□ □□□ □□□□ □□□ □□□
ECS □□□□(□□□ □□□ □□)□ OBS□ □□□ □□□□□ □□□.

□□□ □□□ □□ □□□ □□□ □□ □□□ OBS □□□ □□□□ □□□□□ □□□□
□ □□. □□ □ □□□□ □□□□ □□□ □□□ □□ OBS □□□ □□□ □□□□□ □
□□□ □ □□ □□□ □□□□□?

- A. ECS □□□□□ OBS□ □□ DNS □□□ □□□ □□□□ □□ □□□□ □□ □□□
□□□.
- B. ECS □□□□□ OBS VPC□ □□ □□□ □□□ □□ □□ □□□□ □□ □□□□□
□.
- C. ECS □□□□□ OBS □□ □□□□ IP□ □□ □□ □□□□ □□ □□□□□□.
- D. ECS □□□□□ CDN□ □□ □□□ □□ □□□ OBS □□ □□□□ □□□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

□ □□□ □□□□ □□ □□ □□□□□□ □□ □□ □□□ □□□ □□□□ □□ □□ □□ □□□□ □ □□□□□.

□□ HUAWEI CLOUD □ □□□ □□□□ □□ □□ □□ □ SQL □□□ □□□□ □ □ □□ □ □□ □□ □□□□□?

- A. □□□
- B. □□□ SQL
- C. □□□
- D. □□□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

Huawei Cloud DDS □□□□ □□ □□□□□ □□ □□ □□ □ □□ □□? (□□ □□)

- A. Huawei Cloud DDS□ □□ □□□ □□□□ □□□ □ □□□ □□□□ □□□ □ □□ □□□□ □□□ □□□□□.
- B. Huawei Cloud DDS□ □□ □□□ □□□□ □□ □□ □□□ □□□□ □ □□□ □ □□□□.
- C. Huawei DDS□ □□ □□□□ □□ □ □□ □□□ □□□□ □ □□□ □ □□□□.
- D. Huawei Cloud DDS□ □□ □□□□ □□ □□□ □□ □□□ □□□ □□□ □□□□ □ □□□ □ □□□□.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 76

□□□ Huawei Cloud□□ ECS □□□□ □□□□□. □□ □□□ □□□□ □□□□ □□ □□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□ □□□□ □□ □ □□□□□ □□□□ Huawei Cloud □□□□ □□□□□?

- A. □□□□ □□□ □□□□ □□□ CBS
- B. □□□□ □□ □□ □□□ SDRS
- C. □□□□ □□ □□□ □□ VBS
- D. □□□□ □□ □□ CSBS

Answer: B ([LEAVE A REPLY](#))

H13-831 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ H13-831 □□! DumpTop □ □□ **H13-831** □□ □□□ □□□□□□, DumpTop H13-831 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop H13-831 □□□ □□□□□. <https://www.dumptop.com/Huawei/H13-831-dump.html> (268 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 77

□□□□ □□□ BMS □□□□ □□□□ □□□ □□ □□□□□ □□□ □ □□□□.

NEW QUESTION: 82

□□□□ Huawei Cloud RDS □□ □□□□□□ □□□ □□□□ Redis □□□□ □□□□ □□□□ □□□□ Redis □□ □□ □□□□ □□□□□□? (□□ □□)

- A. □□
- B. ~□
- C. rdb
- D. □□

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 83

□□□ Huawei Cloud ELB □□□□□ □□□□ □□ □□□□ □□□□ □□□□□. □□ □ □□ □□□ ECS □□□□□□ □□□□ □□ □□□ □□□□ □□□. CentOS□ □□ □□□ □□□□ □□□ Windows□□ □□□□□ □□ □□ □□□□□ □□□□□□□ □ □□□□. CentOS□ □□□□ □□□ ELB □□□□□ □□□ □□□□ □□□□.

- A. □□
- B. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

□□ □ HUAWEI CLOUD RDS □□□□□ "Cloud DBA" □□□ □□ □□ □□□□□?

- A. □□□□□□ □□□□ □□
- B. □□□□□□ □□ □□ □□
- C. □□□□□□ □□ □□
- D. □□□□□□□ □□ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

HUAWEI CLOUD Application Operation and Maintenance Management AOM□ □□□ □ □□ □ □□□ □□□ □□□□ □ □□□ □□□□ □□□ □ □□□□.

- A. □□
- B. □

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

□□□□ Huawei Cloud Log Service LTS□ □□□ □ □□ □□□ □□□□ □□□ □□□ □ □□□□□ □□□□ □□□ □□ □□ □□□□ OBS □□□ □□□□ □□□ □□□ □ □□□□.

LTS □□□□ □□□□□ □□□□ □□ □□□□ □□□ □□ □□□□□?

- A. 1□
- B. 1□□
- C. 30□

D. 7

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 87

DRS 实例部署在哪个区域？
(单选)

A. MySQL 实例部署在 RDS 实例所在 VPC 子网，DRS 实例部署在 VPC 子网。

B. DRS 实例部署在 MonoDB 实例所在子网。

C. DRS 实例部署在 Huawei 实例所在 VPN 子网。

D. DRS 实例部署在 HUAWEI CLOUD 实例所在 IP 子网。

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

MySQL 实例部署在哪个区域？
(单选)

A. 实例所在子网

B. 实例所在子网

C. 实例所在子网

D. 实例所在子网

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

华为云 ECS 实例部署在哪个区域，实例所在子网？
ECS 实例部署在哪个区域，实例所在子网？
(单选)

A. centos 7.4 实例部署在 BCS 实例所在子网，实例所在子网为 esizefs 子网。

B. Windows 实例部署在 ECS 实例所在子网，实例所在子网为 D 子网。

C. Windows 实例部署在 ECS 实例所在子网，实例所在子网为 new simple volume 子网。

D. Cento7.4 实例部署在 ecS 实例所在子网，实例所在子网为 dreut-f 子网，实例所在子网为 irane 子网，实例所在子网为 isze28 子网。

Answer: A,B ([LEAVE A REPLY](#))

- C. PostgreSQL 数据库 支持 事务 一致性 隔离 级别。
- D. PostgreSQL 数据库 支持 事务 一致性 隔离 级别。

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 94

- PostgreSQL 数据库 支持 事务 一致性 隔离 级别? (选择 两个)
- A. PostgreSQL 数据库 支持 Oracle 数据库 支持 事务 一致性 隔离 级别。
 - B. PostgreSQL 数据库 支持 事务 一致性 隔离 级别。
 - C. PostgreSQL 数据库 支持 SQL 数据库 支持 JSON 数据库 支持 XML 数据库 支持 事务 一致性 隔离 级别。
 - D. PostgreSQL 数据库 支持 事务 一致性 隔离 级别。

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 95

- Huawei Cloud ELB 支持 事务 一致性 隔离 级别 支持 ECS 数据库 支持 事务 一致性 隔离 级别。 选择 两个 "事务 一致性 隔离 级别" 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别?
- A. 支持 事务 一致性 隔离 级别 Elastic Cloud 支持 ECS 数据库 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。
 - B. 支持 事务 一致性 隔离 级别 ECS 数据库 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。
 - C. 支持 Elastic Cloud Server ECS 数据库 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。
 - D. 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 ECS 数据库 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 96

- HUAWEI CLOUD AOM 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。 AOM 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。 选择 两个 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别? (选择 两个)
- A. 支持 事务 一致性 隔离 级别 AOM 支持 事务 一致性 隔离 级别 "事务 一致性 隔离 级别" 支持 事务 一致性 隔离 级别。
 - B. a kubernetes of P0D correspond AOM business model of "service".
 - C. ELB 支持 事务 一致性 隔离 级别 AOM 支持 事务 一致性 隔离 级别 "事务 一致性 隔离 级别" 支持 事务 一致性 隔离 级别。
 - D. Corresponding to the "instance" in the AOM business model for a microservice.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 97

- HUAWEI CLOUD ECS 支持 事务 一致性 隔离 级别。 ECS 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。 ECS 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别。 选择 两个 支持 事务 一致性 隔离 级别 支持 事务 一致性 隔离 级别? (选择 两个)
- A. 支持 事务 一致性 隔离 级别 SFS 支持 事务 一致性 隔离 级别。 支持 事务 一致性 隔离 级别 VPC 支持 事务 一致性 隔离 级别。

- B. obsfs 000 00 OBS 00 00 0000 Linux 0000 0000000 OBS 000 0 00000 00000.
- C. 0000 00000 EVS 000 00
- D. SFS Turbo 00 0000 00000. VPC P2P 00 000 00. 0000 0000 0 0 000 VPC0 00000 000 VPC0 00 000 0 000 000.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

Which of the following scenarios describes the X- axis horizontal expansion capability of the AKF expansion cube? (Multiple choice)

- A. 000 000 000 00 000 000000 00000 00 000 00000 000 0. 000 00 000 00 000, 000, 00 0 00 000 00 000000 000 00000.
- B. In order to ensure the reliability of data, a financial company deploys the database in a master-backup mode to achieve high reliability of the database.
- C. An e-commerce application runs multiple instances during peak business periods and uses clusters to load balance front-end traffic.
- D. The number of passenger visits to a ride-hailing application increased, and the passenger services in the ride-hailing application were separated independently and expanded on demand.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 99

0 000 CSE0 SDK0 00000 0000000 0000000000 000000. Huawei Cloud CSE0 0000000000 000000 00 0 00 000 0000 0 0000 0? (00 00)

- A. pom 0000 tcse-solution service-engine0 00 00000 000000.
- B. microservice.yaml 000 00000 AK/SK 0 0000 000000.
- C. 00000 00000 00 00000 0000 00 0 00 0000 000000. .yaml 00.
- D. 000000000000 0000 00 0000 000000. .yaml 00.

Answer: A,B,D ([LEAVE A REPLY](#))

H13-831 00 0000 0000000 00 DumpTop 00 00000 0000 H13-831 00! DumpTop 0 00 **H13-831** 00 0000 0000000, DumpTop H13-831 00 0000 00000000000 0000 0000000000. 00000 0000 00000 00 DumpTop H13-831 0000 000000. <https://www.dumpstop.com/Huawei/H13-831-dump.html> (268 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)