

IBM.C1000-091.v2022-02-25.q32

□□□□:	C1000-091
□□□□:	IBM Cloud Pak for Automation v19.0.3 Administration
□□□:	IBM
□□ □□ □□□:	32
□□:	v2022-02-25
# □□ □:	825
# □□ □□□:	320
https://www.krdump.com/IBM.C1000-091.v2022-02-25.q32.html	

NEW QUESTION: 1

□□ □□ □□□□ □□□ □ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□□?

- A. □□
- B. □□
- C. □□
- D. □□□

Answer: C ([LEAVE A REPLY](#))

□□
<https://kubernetes.io/docs/concepts/storage/persistent-volumes/>

NEW QUESTION: 2

Rule Designer□ OpenShift□□ □□ □□ Decision Server □ Decision Center □□□□□ □□□□ □□□ □ □□□□ □□ □□
□□ □□ TLS □□□ □□□□ □□□.
Rule Designer□ □ □□□ □□□□ SSL □□□ □□□ □□□□ □□□?

- A. WebSphere IOO.xml □□
- B. Decision Center □□ □□
- C. eclipse.ini □□
- D. Decision Server swagger □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Business Automation Application Engine□ □□□□ □□ □□ □□□□□ □□□□ □□□?

- A. □□□ □□ □□□
- B. □□□□□□ □□ □□□□
- C. □□□□ □□□ □□□
- D. □□□□ □□□ □□□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

□□ □□□□ Business Automation Studio□ □□□□□ □□□□ □□ □□□□ □□□ □□□□ □□□?

- A. Business Automation Studio□ □□□□ □□□ □□□□□□□ □□□□□.
- B. TLS(□□ □□ □□) □□□□ Business Automation Studio□ □□□ □□ □□□□□.
- C. □□□□ Business Automation Studio□ □□□ □□□ □□□□□.
- D. □□□□ Kubernetes □□ □□□ □□ □□□□□ □□□.

Answer: B ([LEAVE A REPLY](#))

□□

https://www.ibm.com/support/knowledgecenter/SSYHZ8_20.0.x/com.ibm.dba.install/op_topics/tsk_basconfig_t

NEW QUESTION: 5

□□□□ Kibana □□□□□ □□□□ □ □□□ □□□ □□ □ □□□ □□□ IBM Cloud Pak for Automation □□□□□ □□□ □□□?

- A. IBM □□□ □□□ □□□
- B. IBM FileNet □□□ □□□
- C. IBM □□□□ □□□ □□□ □□□
- D. IBM □□□□ □□□ □□□□

Answer: A ([LEAVE A REPLY](#))

□□

<https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=AN&subtype=CA&htmlfid=897/ENUS219-477>

NEW QUESTION: 6

□□□□ □ □□□□□ □□□ □ □□□ □□□□□ □□ □□□ □□□□ □□□?

- A. oc connect -u <□□□ □□> -p <□□□□>
- B. oc connect <□□□ □□□□ □□ URL>
- C. oc ssh <□□□ □□□□ □□ URL> -u <□□□ □□> -p <□□□□>
- D. oc □□□ <□□□ □□□□ □□ URL>

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

□□□□□ □□□ □□ IBM Automation Digital Worker□ □□ □□□ □□□ □□ □□□ □□□□?

- A. □□□ □□□□ □□ □□□□
- B. □□□ □□ □□□□
- C. ADW□ secret.yaml □□
- D. □□□ □□ □□□(CR) □□□□

Answer: ([SHOW ANSWER](#))

□□

https://www.ibm.com/support/knowledgecenter/SSYHZ8_20.0.x/com.ibm.dba.managing/op_topics/tsk_adw_pre

NEW QUESTION: 8

Which of the following is a supported authentication method for IBM Key Protect?

- A. OWASP SAMM v2.0
- B. IBM Key Protect
- C. OAuth 2.0
- D. IBM App ID

Answer: (SHOW ANSWER)

Which of the following is a supported authentication method for IBM Key Protect?

https://www.ibm.com/support/knowledgecenter/SS8JB4/com.ibm.wbpm.main.doc/topics/enabling_ums.html

NEW QUESTION: 9

Which of the following is a supported authentication method for IBM Key Protect?

- A. IBM Key Protect
- B. IBM Key Protect
- C. IBM Key Protect
- D. IBM Key Protect


Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

oc get pods -n db2

NAME	READY	STATUS	RESTARTS	AGE
test-pod	0/1	Init:ImagePullBackOff	0	2m45s

Which of the following is a supported authentication method for IBM Key Protect?



- A. A
- B. B
- C. C
- D. D

Answer: C (LEAVE A REPLY)

NEW QUESTION: 11

Which of the following is a supported authentication method for IBM Key Protect?

Answer: (SHOW ANSWER)

NEW QUESTION: 14

Which of the following is a valid OpenShift command to view the logs of a pod?

- A. `oc logs -f pod-name`
- B. `oc logs pod-name`
- C. `oc logs -l pod-name`
- D. Kibana

Answer: B (LEAVE A REPLY)

OC:

<https://docs.openshift.com/container-platform/4.4/logging/cluster-logging.html>

NEW QUESTION: 15

Which of the following are valid OpenShift commands to view the logs of a pod?

- A. `oc logs -f pod-name`
- B. `oc logs pod-name`
- C. `oc logs -l pod-name`
- D. `oc logs pod-name`
- E. `oc logs -f pod-name`

Answer: A,E (LEAVE A REPLY)

OC:


https://docs.openshift.com/container-platform/3.6/dev_guide/service_accounts.html#:~:text=A%20default%20se

NEW QUESTION: 16

Which of the following is a valid OpenShift command to view the logs of a pod?

NAME	READY	STATUS	RESTARTS	AGE
test-pod	0/1	Init:ImagePullBackOff	0	2m45s

Which of the following is a valid OpenShift command to view the logs of a pod?



- A. `oc describe pods test-pod -n db2`
- B. `oc debug pods test-pod -n db2`
- C. `oc exec -it pods test-pod -n db2 -- bash`
- D. `oc logs pods test-pod -n db2`

Answer: D (LEAVE A REPLY)

C1000-091                                 

NEW QUESTION: 17

OpenShift Container Platform ☐☐☐ ☐☐ ☐☐ ☐☐☐☐☐☐

- A.** Fluentd, Solr, Grafana
B. Fluentd, Elasticsearch, Kibana
C. collectd, Elasticsearch, Graphite
D. Logstash, Log fusion, Grafana

Answer: B (LEAVE A REPLY)

□ □ :

<https://docs.openshift.com/container-platform/4.5/logging/cluster-logging.html> □□□□ □□□ □□ □□ □□□ □□□ □□□□. □□□□ - □□□□□□ □□□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□□□□. □□ □□□ Fluentd□□□. □□ □□□ - □□□ □□□□ □□□□. □□ □□□ Elasticsearch□□□. □□ Elasticsearch □□ □□□□ □□□□□ □□□ □□ □□ □□□□ □□□ □ □□□□. □□ □□ □□□□ □□ □□□ □□ □□□ □ □□□□□□□□□. □□□□ - □□, □□□, □□ □□ □□ □ □□□ □ □□ UI □□ □□□□□□. □□ □□□ Kibana□□□.

NEW QUESTION: 18

□□□□ Business Automation Studio□ □□□□ □□ □□ □□□□□ □□□□ □□□□?

- A.** □□□ □□□□□ □□□
- B.** □□□ □□ □□□
- C.** □□ □□ □□ □□□
- D.** □□□□ □□□ □□□

Answer: C (LEAVE A REPLY)

NEW QUESTION: 19

□□□ □□ □□□□ □ □□ □□ □□ DB □□□ □□ dc ums-datasource □□□ □□□ □□□ □□□□□?

- server1.db2.company.com on port 50443
- server2.db2.company.com on port 51443

- C. Liberty □□□□ □□ □□□ □□□□□□□□.
- D. Decision Center□□ □□ □□□ □□□□□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 23

Business Automation Content Analyzer□ □□□ □□□ □□□ □□ □□ □□□□□ □□□□□ □□□ □□□□ □□□?

- A. Kube □□□
- B. □□□□□□□
- C. □□ □□
- D. □□

Answer: C (LEAVE A REPLY)

□□:

https://www.ibm.com/support/knowledgecenter/SSYHZ8_19.0.x/com.ibm.dba.install/k8s_topics/tsk_prepare_bacak8s_storage.html

NEW QUESTION: 24

□□ □□ □□□□ □□□ □ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□ □□□□□?

- A. □□
- B. □□
- C. □□
- D. □□□

Answer: (SHOW ANSWER)

□□

<https://kubernetes.io/docs/concepts/storage/persistent-volumes/>

NEW QUESTION: 25

OpenShift Container Platform □□□ □□ □□ □□□ □□□□□?

- A. Fluentd, Solr, Grafana
- B. Fluentd, Elasticsearch, Kibana
- C. collectd, Elasticsearch, Graphite
- D. Logstash, Log fusion, Grafana

Answer: B (LEAVE A REPLY)

□□:

<https://docs.openshift.com/container-platform/4.5/logging/cluster-logging.html> □□□□ □□□ □□ □□ □□□ □□□ □□□□. □□□□ - □□□□□□□ □□□ □□□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□□□□. □□ □□□□ Fluentd□□□□. □□ □□□□ - □□□□ □□□□□ □□□□□. □□ □□□□ Elasticsearch□□□□. □□ Elasticsearch □□ □□□□ □□□□□ □□□□ □□ □□ □□□□ □□□□ □ □□□□□. □□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□□□□□□□□□. □□□□ - □□, □□□□, □□ □□ □□ □ □□□□ □ □□□ □ □□□□□□□□. □□ □□□□ Kibana□□□□.

NEW QUESTION: 26

IBM Cloud Pak for Automation□ □□□□ □□ □□□□ □ □□ □□□ □□□ □□□□?

- A. □□ □□(http://dockerhub.com/)

B. □□□(<http://github.com>)

C. Red Hat (https://quay.io/)

D. FixCentral(<https://www.ibm.com/support/fixcentral/>)

Answer: B (LEAVE A REPLY)

NEW QUESTION: 27

Business Automation Studio ☐☐☐ ☐☐☐ ☐ ☐☐ REST API ☐ ☐☐☐ ☐☐ ☐☐☐☐☐☐ ☐☐ ☐☐☐ ☐ ☐☐☐ ☐.

REST API □ □□□ □□ □ □□□ □ □□ □□□ □□□□□?

A. oc get

B. ☐ ☐

C. ☐

D. kubernetes

Answer: C (LEAVE A REPLY)

NEW QUESTION: 28

☐☐☐☐ IBM Business Automation Navigator ☐ IBM Filenet Content Manager ☐☐☐☐ ☐☐☐☐☐

□□□ □□□ □□ □□□ □□□ YAML □□□□ □□□□ □□□ □□□ □□□□ □□ LDAP □□□□□ □□□□ □ □□□
 □ □□ LDAP □□ □□□ □□□□□?

A. IBM Business Automation Navigator □ IBM Filenet Content Manager□ □□ □□□(□□ □ □□)□ □□ ecm_configuration
□□□ □□□□□□.

B. IBM Business Automation Navigator ☐ **IBM FileNet Content Manager** ☐ ☐ ☐ ☐ (☐ ☐ ☐ ☐) ☐ ☐ ☐
ext_ldap_configuration ☐ ☐ ☐ ☐ ☐ ☐.

C. Cloud Pak □□ □□□ □□ □□□(□□ □ □□)□ □□ ldap_configuration □□□ □□□□□.

D. `ldap_configuration` `ext_ldap_conf`

Answer: B (LEAVE A REPLY)

□ □ :

https://www.ibm.com/support/knowledgecenter/SSYHZ8_19.0.x/com.ibm.dba.ref/k8s_topics/ref_k8s_ldap.html

NEW QUESTION: 29

☐☐☐☐ IBM Business Automation Navigator ☐ IBM Filenet Content Manager ☐☐☐☐ ☐☐☐☐☐

□□□ □□□ □□ □□□ □□□ YAML □□□□ □□□□ □□□ □□□ □□□□ □□ LDAP □□□□□ □□□□ □ □□□
 □ □□ LDAP □□ □□□ □□□□□?

A. IBM Business Automation Navigator □ IBM Filenet Content Manager□ □□ □□□(□□ □ □□)□ □□ ecm_configuration
□□□ □□□□□□.

B. IBM Business Automation Navigator ☐ **IBM Filenet Content Manager** ☐ ☐ ☐ ☐ (☐ ☐ ☐ ☐) ☐ ☐ ☐
ext ldap configuration ☐ ☐ ☐ ☐ ☐ ☐.

C. Cloud Pak □□ □□□ □□ □□□(□□ □ □□)□ □□ ldap_configuration □□□ □□□□□.

D. ☐ ☐ ☐ ☐ ☐ ☐ ldap configuration ☐ ☐ ☐ ☐ ☐ ☐ ☐ ext ldap conf ☐ ☐ ☐ ☐ ☐ ☐.

Answer: B ([LEAVE A REPLY](#))

□ □ :

NEW QUESTION: 30

Automation Workstream Services□ □□□ □□□ □□ □□ □□□ □□□□□?

- A. □□□□ □□□ □□□
- B. □□□□ □□□ □□□□□
- C. □□□□ □□□ □□□□
- D. □□□□ □□□ □□□□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 31

Flink □□□ □□□ HDFS□ □□□□ □□ □□□□ □□□□ □□□□□. □□□□ □□□□□□. □□ □□ □ □□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□ □□□□□□ □□□ □ □□ □□ □□□□□. □□ □□ □□□□ □□□ □□□ □ □□□ □□□ □ □□□□?

- A. oc □□ -since=3h <□ □□□>-bai-flink ta3kmanager-<id>
- B. oc □□□□ □□
- C. oc □□ <my-release>-bai flink t jskmanager-<id>
- D. □□ -t systemOut.log

Answer: A ([LEAVE A REPLY](#))

□□

C1000-091 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ C1000-091 □□! DumpTop □ □□ C1000-091 □□ □□□ □□□□□□, DumpTop C1000-091 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□□ DumpTop C1000-091 □□□ □□□□□. <https://www.dumptop.com/IBM/C1000-091-dump.html> (60 Q&As Dumps, 30%OFF Special Discount: **KrDump**)

NEW QUESTION: 32

OCP □□□□□□ □□□ □□□□ □□□□□ □□ □□□ □□□□ □□□?

- A. oc get □□
- B. oc □□□□ □□
- C. oc □□
- D. oc □□ □□ □□□□

Answer: ([SHOW ANSWER](#))

C1000-091 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ C1000-091 □□! DumpTop □ □□ C1000-091 □□ □□□ □□□□□□, DumpTop C1000-091 □□ □□□ □□□□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□

□□ DumpTop C1000-091 □□□ □□□□□. <https://www.dumptop.com/IBM/C1000-091-dump.html> (**60** Q&As Dumps,
30%OFF Special Discount: **KrDump**)