ITSpecialist.INF-306.v2026-11-12.q25

□□□□:	INF-306
□□□□:	HTML5 Application Development
□□□:	IT Specialist
□□ □□ □□□:	25
□□:	v2026-11-12
# □□ □:	111
# □□ □□□:	250
https://www.krdump.com/ITSpecialist.INF-306.v2026-11-12.q25.html	

NEW QUESTION: 1
□□ □□□□ □□□□ □□□□ □□□□□. □ □□□ □□□□□□ □□□□ □□□□.
01 < !DOCTYPE html >
02 < html >
03 < □□ >
04 < □□□ >
05
10 < /style >
11 < /head >
12 < □□ >
13 <svg height="500" width="500">
14 < □□ >
15 <□□ id="f2" x="0" y="0" width="200%" height="200%">
16 < feOffset result=" offOut" in=" SourceGraphic" dx=" 20" dy=" 20" / >
17 < feGaussianBlur result= " blurOut " in= " offOut " stdDeviation= " 10 " / >
18 < feBlend in= " SourceGraphic " in2= " blurOut " mode= " normal " / >
19 < /filter >
20 < /defs >
21 <text x="10" y="100" style="fill:red;">□□□□ □□!</text>
22 □□□□□. □□□□□ □□□□□ □□□ SVG□ □□□□ □□□□.
23 < /svg >
24 < /body >
25 < /html >
□□ □□□□ SVG □□ □□□ □□□□ □□□□. □□□□ □□□ □□□ SVG □□ □□□ □□□□ □□□.
5□□ □□ □□ CSS □□□ □□□□ □□□?
A. □□□ { □□: 48px □□□ □□; □□: #blur;}
B. □□□ { □□: url(" #f2 "); □□ □□: 50pt; □□: □□□;}

C. □□□ { □□: 48px □□□ □□; □□□: □□ □□;}
D. □□□ { □□: 48px □□□ □□; □□: url(□□);}
Answer: (SHOW ANSWER)
□□□ CSS□ □□ B□□□. SVG □□□ □□□ id="f2"□ <defs> □□□ □□□□ □□ □□□□□.
CSS□□ SVG □□□ □□□□□ filter □□□ □□□ ID □□□□ □□□□ URL □□□□ □□ □□□ □□□□ □□□. □: filter: url(" #f2 ");. text □□□□ SVG□ <text> □□□ □□ □□ □□□, □ □□□ □□□ □□ □□□ □□□ □□□ □□□□ "Blur Me!"□ □□□□□. □□ □□□ <feOffset> □ <feGaussianBlur>□ □□□□□.
> □ <feBlend>□ □□□□ □□□ □□□ □□□ □□□□. □□ A□ `filter: #blur;`□ □□□ □□ □□ □□□ □□□ □□ □□ ID□ □□□□ □□□□ □□□□□□□. □□ C□ `fill` □ □□ □□□ □□ □□□ □□□ □□□□ `blur`□ □□□ □□□ □□ □□□□ □□□□□□□. □□ D□ `url(blur)`□ □□□□□, □□ □□□ f2 □□□ □□□□ □□ □□ ID □□ □ □□□□□. □□ □□/□□: SVG □□, <filter>, □□ ID, CSS `filter: url(#id)`, SVG <text> □□□□.

NEW QUESTION: 2
□□ □□□ □□ □□□□ □□□ □□□ □□□ □□□ □□□□□. □ □□□ □□□□□□.
01 < □□ >
02
03 <□□□□>
04 var groceries = [];
05 var dairy = [" □□ " , " □□ " , " □□ " , " □□□□□ "];
06 var beverages = [" □□ " , " □ " , " □□□□ " , " □□ "];
07 var fruits = ["□□" , "□□□" , "□□" , "□□□" , "□□"];
08 var vegetables = [" □□□□ " , " □□ " , " □□ " , " □□□ " , " □□□ "];
09 var meats = [" Beef " , " Chicken " , " Pork "];
10
11 □□ addVegetables() {
12 □□□ = □□□.concat(vegetables);
13 }
14
15 □□ addFruits() {
16□□ □□□ = □□□.concat(□□);
17 }
18
19 □□ addOther() {
20 □□□.push(meats[1]);
21 □□□.push(dairy[3]);
22 }
23
24 □□.shift();
25 addVegetables();
26
27 □□□.shift();
28 addFruits();
29

30□□ □□□□ □();
31 □□□.shift();
32
33 addOther();
34 document.getElementById(" list ").innerHTML = □□□;
□□□ □□□□□ groseries □□□ □□□ □ □ □□□ □□□□□ □□ □□□ □□□□□ □□□.
□□□ □□□□ □ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.
□□: □□□ □□□ □□ □□□ □□ □□□.

How many items are in the groceries array

when a breakpoint is set at line 26?

- 4
- 5
- 6
- 8

How many items are in the groceries array

when a breakpoint is set at line 29?

- 4
- 5
- 6
- 8

How many items are in the groceries array


when a breakpoint is set at line 32?

- 4
- 5
- 6
- 8

krdump.com

KrDump

Answer:



krdump.com

□□:

26□□ □ □□□□: 5

29□□ □ □□□□: 8

32□□ □ □□□□: 6

grose □□□ □□□ □□ □□□□. 24□□ □□□ fruits.shift()□ □□□□ fruits □□□□ "Apples"□ □□□□□.
□□□ □□ □□□ □ □ □□□, □□□ □□□□ □□□□ □□□□ □□□□. 25□□ □□□ addVegetables()□ □□□□, □ □□□ groceries = groceries.concat(vegetables);□ □□ □□□. vegetables□□ □□ □□ □□□ □□□□ 26□□ □□□ groceries□□ 5□□ □□□ □□□□. 27□□ □□□ groceries.shift()□ □□□□ groceries□□ □ □□ □□□ □□ □□ □□□ 4□□ □□□□□. 28□□ □□□ addFruits()□ □□□□ □□ □ □□ □□□ □□□□ □□ □□□ 8□□ □□□□□. □□□ 29□□ □□ □□ 8□□□. 30□□ □□□ groceries.pop()□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.
7. 31□□ □□ groceries.shift()□ □□□□ □ □□ □□□ □□□□ □□□ 6□□ □□□□. □□□ 32□□ □□ □□□ □□□□.
6. 32□□ □□ □□□□□ 33□□ □□ addOther() □□□ □□ □□□□ □□□□□. □□ □□/□□:
□□□□□□ □□, □□□ □□□, concat(), shift(), pop(), push(), □□ □□ □□ □□.

NEW QUESTION: 3
□□ □□□ □□□□ □□□.



□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.

```
fieldset>
  <legend>Fundraising Campaign</legend>
  <label>Fundraising Campaign</label>
  <fieldset>Fundraising Campaign</fieldset>

  <label for="donate" class="label">Monthly Donations:</label>

  <progress id="donate" value="30" max="100">
  </progress>
  <input id="donate" type="text">
  <meter id="amount" value="30" max="100">
  </meter>

  <label for="amount" class="label">Choose your donation amount:</label>
  <input                    name="amount" id="amount">
        list="donateAmount"
        type="submit"
        value="donateAmount"

  <datalist id="donateAmount">
     <option value="5 per month">
     <option value="20 per month">
     <option value="75 per year">
  </datalist>
/fieldset>
div style="text-align:center;">
  <button type="Submit">Submit</button>
  <button type="Reset">Reset</button>
/div>
```

krdump.com

Answer:

```
<fieldset>
    [                                                    ▾]
    <legend>Fundraising Campaign</legend>
    <label>Fundraising Campaign</label>
    <fieldset>Fundraising Campaign</fieldset>

    <label for="donate" class="label">Monthly Donations:</label>
    [                                                    ▾]
    <progress id="donate" value="30" max="100">
    </progress>
    <input id="donate" type="text">
    <meter id="amount" value="30" max="100">
    </meter>

    <label for="amount" class="label">Choose your donation amount:</label>
    <input [                                             ▾] name="amount" id="amount">
            list="donateAmount"
            type="submit"
            value="donateAmount"

    <datalist id="donateAmount">
        <option value="5 per month">
        <option value="20 per month">
        <option value="75 per year">
    </datalist>
</fieldset>
<div style="text-align:center;">
    <button type="Submit">Submit</button>
    <button type="Reset">Reset</button>
</div>
```

□□:

□ □□ □□: < □□ > □□ □□□ </ □□ >

□ □□ □□: <progress id="donate" value="30" max="100"></progress> □ □□ □□: list="donateAmount"

NEW QUESTION: 4

□□ □□ □□□ □□□□ □□□□ □□□□ □□□.


* 1□□□ 6□□ □□□ □□ □□□ □□□□□ □□□□□.
* □□□ □□ □□ 5□□ □□ □□□□□ □□□□□.
* □ □□□ □ □□□ 15px□ □□□ □□□□□.
* □ □□□ □ □□□ 10px □□□ □□□□□.

□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.



krdump.com

Answer:



□□:

□□: □□□;

□□□ □□□ □: □□(6, 1fr);

□□□ □□□ □: 50px 50px 150px 150px 100px;

□□□ □□: 10px 15px;

□□□ □□□ □□□ `display: grid;`□ □□□□, □□ □□□ CSS □□□ □□□□□ □□□□. □□□ □□ 6□□ □□ □□□□□ □□□□□ `grid-template-columns` □□□ □□□ □, □□ □□□□ □□ `repeat(6, 1fr)`□□□. `repeat()` □□□ □□□□ 1fr□ 6□ □□□□ □□□□ □□ □□□ □ □□□, 1fr□ □ □□ □□ □□□ □□□ □□□ □□□ □□□ □ □□□□. 5□□ □ □□□ `grid-template-rows` □□□ □□□□ □□□□□ □□□□ □□, 50px, 50px, 150px, 150px, 100px□ □□ □□□ □□ □□□□ □□□. □□□ □□ □□ □ □□ □□□ 5□□ □□ □□□□□. □□□ □□□□□ `grid-gap: 10px 15px;`□ □□ □□□□ □□□ □ □□□□.
□ □□ □□ □ □□□ □□□□ □ □ □□□ 10px□ □□□ □□, □ □□ □□ □ □□□ □□□□ □ □ □□□ 15px□ □□□ □□□. □□ □□/□□: CSS Grid □□□□, □□□ □ □□ □□, grid-template-columns, grid-template-rows, repeat(), □□ □□, □□□ □□.

NEW QUESTION: 5
□□□ □□□ □□□□ □□ □□□ □□ □□ □ □□□ □□ □□□□□ □□ □□□ □□□□ □□□□. □□ □□ □□ □□□ □□□□ □□□?
A. □□□
B. □□□
C. □□
D. □□□
Answer: (SHOW ANSWER)
□□□ □□ □□ □□□ □□(static)□□□. CSS□□ `position: static`□ □□□ □□ □□ □□ □□□□□. □□□□ □□ □□□ □□□ □□□ □□□□ □□□ □□□□□. □, □□ □ □□□ □□ □□□□ □□ □□□□ □□□ □□□ □□□□ □□ □ □□ □□ □□ □□ □□□□□. MDN□□□ □□ □□ □□□ `top`, `right`, `bottom`, `left` □ `z-index` □□□ □□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□□□□. □□ □□□ □□ □□□ □□ □□ □□□ □□ □□ □□ □□□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□□. `absolute`□ □□□ □□□□ □□□□ □□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□□□.
`fixed`□ □□□□ □□ □□□□ □□ □□□ □□□□ □□□□ □□□□ □□□ □□□□□. `sticky`□ □□□□ □□□□ □□□□□ □□ □□□□ □□□ □□□ □□□ □□ □□ □ □□□□ □□□ □□□□□. □□/□□: CSS □□□□, □□□□ □□ □□, □□ □□□□, □□□ □□□ □□□□.

NEW QUESTION: 6
□□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□□. □ □□□ □ □, □□ □ □□ □□ □□□□ □□ □ □□□□.
□□: □□□ □□ □□□ □□ □□□ □□ □□□.

Attributes

maxlength	multiple
pattern	placeholder
required	

Descriptions

Provides a way to set a regular expression that the value must match	Attribute
Provides a way to set default text that displays until focus is placed in an element	Attribute
Provides a way to set form elements as mandatory	Attribute
Provides a way to allow more than one file or email address in a single input	Attribute

KrDump.com

Answer:



□□:

`pattern` # □□ □□□□ □□ □□ □□□□ □□□□ □□□ □□□□□. `placeholder` # □□□ □□□□ □□□ □□□ □□□□ □□ □□□□ □□□□ □□□ □□□□□. `required` # □ □□□ □□ □□□□ □□□□ □□□ □□□□□. `multiple` # □□ □□□□ □□ □□□□ □□□ □□□ □□□ □ □□□ □□□□ □□□ □□□□□. □□□ □□ □□□ □□ HTML5 □ □□□ □□ □ `input` □□ □□□ □□□□ □□□. `pattern` □□□ □□ □□□□□ □□□□ □□ □□ □□ □□□□ □□ □□ □□□□ □□□□□. □□□ □□ □□□□, □□ □□, □□□□ □□ □□ □□□ □□ □□□□ □□ □□□□ □□ □□□□□. `placeholder` □□□ □□ □□ □□□ □□ □□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□ □□ □□ □□□□ □ □□□ □□□. `required` □□□ □ □□□□ □□ □□□□ □□□□. □□□ □□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□□□. `multiple` □□□ □□□□ □□ □□□□ □□ □□ □□□ □ □□□□. □□ □□□□ □□ □□□ □□□□□□□ □□ □□□ □□□ □□□ □ □□ `input type="file"` □ `input type="email"`□ □□ □□□□ □□□□□. maxlength □□□ □□ □□□ □□ □□ □□ □□□□□, □□□ □□ □ □□ □□ □□ □□ □□□ □□□□ □□□□ □□□ □□ □□□ □ □□□□ □□□□. □□ □□/□□: HTML5 □ □□, □□ □□ □□□ □□, □□, □□□□□□, □□, □□, □□ □□□ □□.

NEW QUESTION: 7

JSON □□ □□□ □□□ □□ □□, □□, □□□ □□□□ □□□□□ □□□□ □□□□.

□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.

□□: □□□ □□□ □□□ □□ □□□ □□ □□□.

```
<script>
[                                                    ▼]
    var xhr = xmlhttp.onreadystatechange;
    var xhr = new XMLHttpRequest();
    var xhr = xhttp.responseXML;
    var xhr = setRequestHeader();
xhr.onload = function() {
    [                                                ▼]
        if(xhr.status===200){
        if(xhr.status===403){
        if(xhr.status===404){
        if(xhr.status===500){
        [                                            ▼]
            responseObject = xhr.responseText;
            responseObject =
            JSON.parse(xhr.responseText);
            responseObject = xhr.responseXML;
        var display = '';
        for (var i = 0; i < responseObject.menu.length; i++) {
          display += '<p>Entree: ' + responseObject.menu[i].Entree + '<br>';
          display += 'Price: ' + responseObject.menu[i].Price + '<br>';
          display += 'Description: ' + responseObject.menu[i].Description + '</p>';
          display += '<hr>';
        }
        document.getElementById('content').innerHTML = display;
    }
};
xhr.open('GET', 'menu.json', true);
xhr.send(null);
</script>
```

KrDump
krdump.com

Answer:



□□:

□ □□ □□□□: var xhr = new XMLHttpRequest();

□ □□ □□□□: if(xhr.status===200){

□ □□ □□□□: responseObject = JSON.parse(xhr.responseText);

□□□□□ □□ XMLHttpRequest □□□ □□□□ □□□, □□□ □ □□ □□□ `var xhr = new XMLHttpRequest();`□□□. □ □□□ menu.json □□□ □□ □□□ □□□ □□□□ □. □□□ □□□□ `onload` □□□ □□□□□. □□□ □□□ □□□□ □□ □□□□□ □□□, □□□ □□ □□□ `if(xhr.status===200){;`□□□. HTTP □□ □□ 200□ □□□ □ □□□□ □□□□□ □□□□□.

□□ □□ 403, 404 □ 500□ □□ □□ □□, □□□ □□ □ □□ □□□ □□□□□ □□□□ JSON □□□ □□□□ □□□□. JSON □□□ XHR□ □□ □□ □□□□ □□□□□. `responseText`□ JSON □□□□□ `JSON.parse(xhr.responseText)`□ □□□□ JavaScript □□□ □□□□ □□□. □□□ □□□□ □□ □□□ `responseObject.menu[i].Entree`, `Price`, `Description`□ □□□□ □□ □□□ □□□ □ □□□□. □□ □□□ XML□ □□ JSON □□□□□ `responseXML`□ □□□□ □□□□.

NEW QUESTION: 8

krdump.com
KrDump

□□□□ □□□□□ □□□□□ □□□□ □□□ □□□ □□□□. □□□□ □□□□ □□ □□ □□ 111-444-7777 □□□ □□□□ □□□□ □□□ □□□□□ □□□. □□ □□□ □ □□□□ □□□?

A. < □□ □□="tel" □□="phone" □□ □□="12" □□ >

B. < input type="tel" name="phone" pattern="[0-9]{3}[0-9]{3}[0-9]{4}">

C. < □□ □□="tel" □□="phone" □□="[1]{3}-[4]{3}-[7]{4}" □□ >

D. < □□ □□="tel" □□="phone" □□="[0-9]{3}-[0-9]{3}-[0-9]{4}" □□ >

Answer: (SHOW ANSWER)

□□□ □□□□ □□ D□□□. `type="tel"` □□ □□□ □□□□ □□□ □□□□□, □□□□ □□□ □□□□□ □□□□ □□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□□. MDN□ □□□ `tel` □□□ □□□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□□ □□□□□ □□□□. □□□ □□□ □□□ □□□□ □□ `pattern` □□□ □□□□□. □□ □□□ `[0-9]{3}-[0-9]{3}-[0-9]{4}`□ □ □□ □□, □□□, □ □□ □□, □ □□ □□□, □ □□ □□□ □□□□□ □□, 111-444-7777□ □□ □□□ □□□ □□□□ □□□. MDN□ `pattern` □□□ □□ □□ □□□ □□□ □□ □□ □□ □□□□ □□ □□ □□□□□ □□□□□. □□ □□□ □□ □□□ □ □□ □□□ `required` □□□ □□□ □□. MDN□ □□□ `required`□ □□□□ □□□ □□□□ □□ □□ □□□□ □□ □□□□□. □□ A□ □□ □□□ □□□□. □□ B□ □□□ □□□ □□□ `required` □□□ □□ □□.

□□ C□ □□ □□□ □□□□□□□. □□ □□/□□: HTML5 □□□ □□, tel, □□, □□, □□ □□□.

NEW QUESTION: 9

□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□ CSS □□□ □□□□□?

A. □□□□□

B. □□

C. □□□□□

D. □□

Answer: B (LEAVE A REPLY)

□□□ □□□ clear□□□. CSS □□□□□□ float□ □□□ □□□□ □□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□□□ □ □□□ □□□□□□ □□□. clear □□□ □□□ □□ □□ float□ □□ □□ □□□ □ □□□ □□□ □□□ □□□□ □□□□ □□□□□.

MDN□□□ `clear` □□□ □□ □□ □□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□□. □□□□ □□□□ `left`, `right`, `both`, `none`□ □□□, □□□□ □□ □□ □□ □□ □□□ □□□ □□□ □□□ □ □□□□. `display` □□□ □□□ □□ □□(□: `block`, `inline`, `flex`, `grid`)□ □□□□□. `float` □□□ □□□ □□□ □□□□, □□ □□□ □□□ □□ □□ □□□□ □□ □□□ □□□□. `position` □□□ □□ □□ □□(□: `static`, `relative`, `absolute`, `fixed`, `sticky`)□ □□□□□. □□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□□ □□□□ □□□ `clear`□□□□. □□ □□/□□: CSS □□□, □□□ □□, □□□ □□ □□, □□□□ □□ □□.

NEW QUESTION: 10

□□□ □□ □□□ □□□□□□ □□□□ □□□.

□□□□


□□

□□

□□□

□□□

□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□□.



krdump.com

Answer:

```
<input list="vehicles" id="vehicle">
<[ ▼ ] id = " [ ▼ ]">
```

First drop-down options

- ul
- li
- ol
- select
- datalist

Second drop-down options

- vehicle
- vehicles

```
      <option value="Motorcycle"/>
      <option value="Truck"/>
      <option value="Boat"/>
      <option value="Car"/>
      <option value="Bicycle"/>
```

[▼]

Third drop-down options

-
-
-
- </select>
- </datalist>

□□:

□ □□ □□□□: □□□ □□

□ □□ □□□□ □□: □□

□ □□ □□□□: < /datalist >

KrDump
krdump.com

□□□ □□□ <datalist>□□□. □□□□□□ □□□□ □□□ □ □□□□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□□□ □□□□□. <input> □□□ list="vehicles"□ □□ □□□, ID□ □□□ vehicles□ <datalist> □□□ □□□□□ □□□. ID□ vehicle□ □□ □□□□. vehicle□ □□ □□ □□ □□□ □□□□□ list □□□□ □□□□ □□ □□□□ □ □ □□□□□. <option>
`<datalist>` □□□ □□□□, □□, □□, □□□, □□□□ □□ □□ □□ □□□□□. `ul`, `ol`, `li`□ □□ □□□ □□□□□ □□ □□□ □□□□ □□□□. `select`□ □□□□ □□ □□□□ □□□ □□□□□, □□□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□□. □□ □□□ □□ `datalist` □□□ □□□□ □□□ □□ □□□ `</datalist>`□□□.

NEW QUESTION: 11
□□□ □□ □□□ CSS □□□□□ □□□□□? □ □□ □□□□□.
A. □□: □□□□(25%)
B. □□: □□ □□□(16px 24px 24px □□)
C. □□: □□(25□)
D. □□: □□□□□(16px 16px 16px □□□)
Answer: A,D (LEAVE A REPLY)
□□□ □□ □□□ `filter: opacity(25%)`□ `filter: drop-shadow(16px 16px 16px red)`□□□. CSS `filter` □□□ □□□ □□□ □□□ □□□□, □□□□□ □□, □□, □□ □□, □□ □, □□□□ □□ □□□ □□□ □□□ □□□□□. `opacity(25%)`□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□ □□□ □□□□□ □□□ □□ □□□□□. `drop-shadow(16px 16px 16px red)` □□ □□□□, `drop-shadow()`□ CSS □□ □□□□ MDN□ □□□ □ □ □□ □ □□ □□ □□ □□□ □□ □□ □□□□ □□□□□. `box-shadow(...)`□ □ □□□□ □□□□ □□□□. `box-shadow`□ □□ □□□ □□ □□□□ CSS □□□□, MDN□□□ `drop-shadow()`□ `box-shadow` □□□ □□□□ □□□□□. `blur(25deg)`□ □□□□ □□□□. `blur`□ □□ □(□)□ □□ □□□ □□ □□ □□ □□□□ □□□□□. □□ □□/□□: CSS filter □□, □□□ □□, □□□□ □□, □□□ □□, □ □□ □□ □□ □□.

NEW QUESTION: 12
□□□ □□□ □□□□ □□□□ □ □□□ □□□□.
A. □□□ □□□ □ □□□□ □□□ □□□□□□.
B. □□□ □□□ □□□ □ □□□□ □□□□□.
C. □□□ □□□ □□□□ □□□ □□/□□□□□□□□ □□ □□ □□ CSS □□□ □□□ □ □□□□.
D. □□□ □□□ JavaScript □□□ □□□□ □□□ □ □□□□.
Answer: (SHOW ANSWER)
□□□ □□□ □□□ □ □□□□ □□□□, □□□ □□ □□, □□ □□ □□ □□□□□□□□ □□ □□ □□ CSS □□□ □□□ □ □□□ □□□. MDN□□□ □□□ □□□ □□ □ □□□ □□ □□ □□□ □□(□□, □□, □□□, □□ □□)□ □□ □□□□ □□□□ CSS □□□□□□ □□□□□. □□ □□□ □□□□ □□ □□□, HTML □□□ □□□□ □ □□ □□□, □□□, □□□, □□□□ □□□□□□ □□ □□□ □□□□□ □□□ □ □□□□. □□□□□□□□ □□□□ □□□□ □□□□, MDN□□□ □□□ □□□ □□□ □ □□ □□□□ □□□ □□□ □□□ □□ □□□□ □□□ □□□□□ □□□□□. A□ □□□ □□□ □□□ □□ □□□□ □ □□□□ □□□□□□ □□□□ □□ □□□ □□□ □ □□□ □□□□□ □□ □□□□. □□□ □□□ □□□□ □□□□□ □□□□ □ □□□ □ □ □□□, □□ □□□ □□ □□□ □□□□. D□ □□□ □□□ □□□ CSS □□□□□ JavaScript □□□ □□□□□ □□□□ □□□□ □□ □□□ □□ □□□□. □□ □□
□□: □□□ □□□, CSS □□□ □□, □□□ □□, □□□□□□□, □□□ □□□□ □□.

NEW QUESTION: 13
□ □□□□ □□□□□□. □□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□ □□□□□.
□□ □□□ □ □□□ □□□ □□□□□□ □□ □□□ □□□ □□□ □□□□□.
□□: □□□ □□□ □□ □□□ □□ □□□.



Answer:



□□:
□□□□ □□ # □□ □□ # □ □□□
#
□□ □□□□ # □ □□
□□□ □□□□□□ □□ □□□□ □□□ □□□□ □□□□ □□□□□. □□□□ □□ □□ □□□□ □ □□, □□ □□, □□□ □□□□ □ □□□ □ □□□ □□□□ □□□ □□ □□ □□□. □□□□ □□□□ □□ □□□□□□ □□□□, □□ □□ □□□ □□ □□□□□. □ □□□□□ □□□ □□□□ □□□□□ □□ HTML, CSS, JavaScript, □□, API □ □ □□□ □□□□□. □□ □□□ □ □□□□ □□ □□□□ □□□□ □□□.
□□□□ □□ □□ □□□□ □□□□, □□ □□□ □□□□, □□□ □□□ □□□ □□□□, □□□ □□ □ □□ □□□ □□□ □□□ □□□□□. □□□□ □□□□ □□ □□□□ □□ □□□ □□□□□ □□□□ □□□ □ □□□ □□□. □□□ □□ □□□ □□ □□□□□□, □□□ □□ □□, □□□, □□ □ □□□ □□□ □□□□ □□, □□ □□, □□□□ □ □□□□□. □□/□□: □□□□□□ □□□□ □□, □□ □□, □□, □□□, □□, □□ □□.

NEW QUESTION: 14
□□□ □□□ □□□ □□□ □□□□ □□□□ □□□□□ □□□□ □□□□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □□□?
A. □□□□: □□;
B. □□□□: □□;
C. □□□□: □□□;
D. □□□□□: □□□;
Answer: B (LEAVE A REPLY)

□□□ □□□ `overflow: auto;`□□□. □□ □□□ □□□□□. □□□□ □□□ □□□ □□ □□□□□ □□, □□□ □□□ □□, □□□ □□□□ □□□ □□□ □□□□ □□□.
`overflow: auto`□ □□□ □□□ □□□ □□□ □□ □□□, □□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□□□ □ □ □□ □□ □□□ □□ □□□□□. □□□ □□ □ □□ □□□ □□ □□□ □ □□□□ □□ □□ □□ □□□ □□□ □□□ □□□□ □□ □□□□ □□□ □ □□□□. `overflow: hidden`□ □□□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□ □□□□ □□□ □ □□ □ □ □□ □□□ □□□□□.
`overflow: visible`□ □□ □□□□ □□ □□□ □□□ □□□□ □□□ □□ □□□□ □□□ □□ □□□ □□□□□ □□□□ □□□□. `overflow: scroll`□ □□□□□ □□□ □□□ □□□□. □□□□ □□ □□□□ □□□ □□□ □□□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□□ □□□□ □□□□□. □□ □□/□□: CSS □□□□, □□□ □□□□, □□□ □□, □□□ □□□, □□□□ □□.

NEW QUESTION: 15
□□ □□□□□□ □□ □□□ □□ num□ □□ □□ □□□□□?
var num = localStorage.length;
A. □□ □□□□□ □□ □□□ □□□ □
B. □□□□ □□ □□
C. □□ □□□□ □□□ □□
D. □□ □□□□ □□ □+□ □□ □□
Answer: (SHOW ANSWER)
num□ □□□ □□ localStorage□ □□ □□□ □+□ □□ □□□□□. localStorage □□□ □ □□□□□ Storage □□□□□□ □□□□, □□ □□□□ □□ □□□ □□□ □/□ □□ □□ □□□□ □□□□□. length □□□ □□ □□□□ □□ Storage □□□ □□□ □□□ □□□ □□□ □□□□, □□□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□. MDN □ Storage □□ □□□□□ length□ □□□ □□□ □□□ □□□ □□□□□ □□□□□ □□□□ □□□, □□□ □□ localStorage□ □ □□ □□□ □□□ □ localStorage.length□ 3□ □□□□□. □□□ □□ □□□ □□□ □□□ □□ □ □□□ num□ 5□ □□, □□□ □□□ num□ 0□ □□□□. □□ A□ length□ □□ □□ □□□ □□□□ □ □ □□□□ □ □□□□□. □□ B□ □ □□□□□ □□□ □□□□. □□ C□ □□□□□ □□ □□□ □□ □□□ length □□□ □□□□□ □□□□□□□. □□ □□/□□: □ □□□□ API, localStorage, Storage.length, □+□ □□□, □□□□□□ □□.

NEW QUESTION: 16
□□ □□□ □□□ □□□□□□.
<form action="process.js" method="get">
<label for="secretcode">□□ □□</label>
<input type="text" name="secretcode"
□□= " [a-zA-Z]{4}-[0-9] {2}-[0-9]{4}-[a-zA-Z] {4} "
□□□□□□="□□□□">
<input type="submit" value="Submit">
< /form >
□□□□ □□□ □□ □□ □□□ □□□ □□□ □□□□□?
A. Kgyn-23-3978-Uhj6
B. y7Ts-A3-4876-ASFr
C. AGbe-23h-234-HBG6
D. kukX-34-4938-WJDF
Answer: D (LEAVE A REPLY)
□□□ D□□□. □□ □□□ □□ □□□ [a-zA-Z]{4}-[0-9] {2}-[0-9]{4}-[a-zA-Z] {4}□ □□□ □□□ □□□ □□□□ □□□□□. □ □□ □□□ [a-zA-Z]{4}□ □□□ □ □□ □□□ □ □□ □□□□□. □ □□ □□□ [0-9] {2}□ □□□ □ □□ □□□ □□□□□. □ □□ □□□ [0-9] {4}□ □□□ □ □□ □□□ □□□□□.

{4}□ □□□ □ □□ □□□ □□□□□. □□□ □□□ [a-zA-Z] {4}□ □□□ □ □□ □□□ □□□ □□□□□. □ □□ □□□□ □□□□ □□□ □□□. □□ D, kukX-34-4938-WJDF□ □□ □□□ □□□□□.
kukX□ □ □□□□, 34□ □ □□ □□□□, 4938□ □ □□ □□□□, WJDF□ □ □□□□□. A□ □□□ Uhj6□ □□□ □□ □□□ □□□ □□□□ □□□□ □□□□□. B□ □□ □ y7Ts□ □ □□ □□□ □□□ □□□□ □□ A3□ □ □□ □□□ □□□□ □□□□□. C□ □□□ 23h□ □□□ □□□□ □ □□ □□ □□□ □□□□□ □□□□□.
□□ □□/□□: HTML5 □□ □□□ □□, □□ □□, □□ □□□, □ □□ □□ □□□ □□.

INF-306 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ INF-306 □□! DumpTop □ □□ **INF-306** □□ □□□ □□□□□□, DumpTop INF-306 □□ □□□ □□□□ □□□□ □□□ □□□□□□□**.** □□□□ □□□ □□□□ □□ DumpTop INF-306 □□□ □□□□□. https://www.dumptop.com/IT-Specialist/INF-306-dump.html (**70** Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 17
□□ □□ □□□ □□□ 80%□ □□□ 8px □□□□ □□ □□□□ □□□□ □□□□□?
A. □□: □□(80%) □□□(8px 8px □□□);
B. □□: □□(20%) □□ □□□(8px 8px □□□);
C. □□: □□□□(80%) □□ □□□(8px 8px □□□);
D. □□: □□□□(20%) □□□(8px 8px □□□);
Answer: D (LEAVE A REPLY)
□□□ □□□ D: filter: opacity(20%) drop-shadow(8px 8px blue);□□□. □□ □□□ □□□ □□□□ 80% □□□□ □□□ 20%□ □□□□□ □□□ □□□. CSS filter □□□ □□□ □ □□□ □□□ □□□ □□□□□, □□□□ □□□□ □□ □ □□□ □□□ □□ □□□ □□□ □□□□□.
`opacity()` □□ □□□ `filter` □□□ □□□□, 100% □□□ □□ □□□□ □□□ □ □□□□ □□□□. `drop-shadow()` □□ □□ □□□ CSS □□ □□□□ □□ □□□□ □□□ □□□ □□□□□. □□ A□ □□□□ □□ □□□ □□□□□. □□ B□ □□□ □□□□□ `box-shadow()`□ □□ □□□ □□ □□□□□ □□□□□. □□ C□ `opacity(80%)`□ □ □□□□, □□ □□□□ 80%□ □□ □□□□□ □□□□, `filter` □□□ `box-shadow()` □□□ □□ □□□□□. □□ □□
/□□: CSS □□ □□, opacity(), drop-shadow(), □□□ □□, □□□.

NEW QUESTION: 18
□□□ □□ □□□ □□□□ □□□□□ □□□ □□□□□. □□□ □□□□□ □□□□ □ □□ □□□□ □□□□ □□□?
A. □□□ □□□ □ □□□ □□□ □□ □□□□ □□ □□□□□.
B. .grid-container { display: grid; grid-template-areas: " □□ □□ □□ □□ □□ □□
" " □□ □□□ □□□ □□□ □□□ □□□ " " □□ □□□ □□□ □□□ □□□ □□□ " ; grid-gap: 10px; background-color: orange; padding: 10px;}
C. □□□ □□□ □ □□□ □□□ □□ □□□□ □□ □□□□□.
D. □□□ □□□ □□ □□□ □□□ □□ □□□ □ □□ □□□ □□□□□.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 19
CSS3□□ 2D □□□ □□□□ □□□ □□□□□? □ □□□ □□□□□.
A. □□()
B. □□□()
C. □□()
D. skew()

E. □□()
Answer: C,D (LEAVE A REPLY)
□□□ 2D □□ □□□ `matrix()`□ `skew()`□□□. CSS □□□ `transform` □□□ □□ □□□□, □ □□□ 2□□ □□ 3□□ □□□□ □□□ □□, □□, □□/□□, □□□□ □□ □ □ □□□ □□□ □□□ □ □□ □□ □□□ □□□□□. MDN□□□ `<transform-function>` □□□ □□□ □□□ □□□ □□□ 2□□ □□ 3□□ □□□□ □□□ □ □□ □□□ □ □□□□ □□□□□.
`matrix()` □□□ □□□ 2□□ □□ □□□ □□□□□ □□□ □□□ □□ □□ □□□ □□□ □ □□ □□□□□. `skew()` □□ □□ 2□□ □□□ □□ □□□ □□□□□ □□□□ □. `move()`□ CSS □□ □□□ □□□□. □□ □□ □□□ `translate()`□□□. `scroll()`□ □□ □□□ □□□□. □□□□ `overflow` □ `scroll` API□ □□ □□□□□. `zoom()`□ CSS3 2D □□ □□□ □□□□. □□ □□/□□: CSS3 □□, `transform` □□, 2D □□ □□, `matrix()`, `skew()`.

NEW QUESTION: 20
□□ □ □□ □□ □ □□□□□□ □□□□ □□□□ □□ □□□□□? □ □□ □□□□□.
A. var □□ = (a);
B. □□: function() { ... }
C. this.Score = function() { ... }
D. var a = Score();
Answer: B,C (LEAVE A REPLY)
□□□ B□ C□□□. □ □□ □□ □□□ □□ □□□□□ □□□ □□□□ □□□, □□ JavaScript□□ □□□□ □□□□ □ □□□□ □□□□□. MDN□□□ □□□□ □□□ □□ □ □□□ □□□□□. □□ □□ □□□□ □□□ □□□ □□□ □ □□□ □ □□□ □□□□□. B□□ `Score: function() { ... }`□ □□ □□□ □□□ □□□ □□□□□. □ □□□ JavaScript□□ □□□ □□ □□, □□□□□, □□ □□ □□ □□□□ □□□ □□□ □□□ □ □□□□□ □□□□□. C□□ `this.Score = function() { ... }`□ □□ □□ □□□□□ □ □□ □□□□ □□ □□□ □□ □□□ □ □□ □□□□ □□□□ □□□□□. A□ □□□□ □□□□ □□ □□□□. □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□, `function` □□□□ □□□ □□□ □□□□ □□□□.
□□ D□ Score() □□□ □□□□ □ □□□□ a□ □□□□□. □, □□□□ □□□□ □□ □□□ □□□□ □□□□.
□□ □□/□□: JavaScript □□□ □□ □□□, □□ □□, □□ □□□, □□ □□□ □□□, □□□□ □□□.

NEW QUESTION: 21
□□ □□□□ □ □□□□ □□□ □ □□ □□ □□□ □□□□□ flexbox□ □□□□ □□□. □□□ □□□□ □□ □ □□□ □□□□□ flex-direction□ □□ □□ □□□□ □□□?
A. □
B. □ □□
C. □
D. □ □□
Answer: D (LEAVE A REPLY)
□□□ □□ `column-reverse`□□□. `flex-direction` □□□ □□□ □□□□□ □□□ □□□□ □□□ □□□ □□, □□ □□ □□ □□□□ □□□□ □□□ □□□□□. `column`□ □□□ □□□□ □□□□ □□□□ □□□ □□ □□□□□ □□□□. □□ □□□ □□ □ □□□□ □□□□ □□ `column` □□□□□ □ □□□ □□□ □□□ □□□, □□□□□ □□□ □□□ □□□□□. `column-reverse`□ □□ □□□ □□□□□ □□□ □□□ □□□□□□ □□ □□□□ □□□□ □□ □□□ □□□ □□ □□ □□□ □□□ □□□□□. □□□ □□ □□ □□□ □□□ `order` □□□ □□□□ □□□ □□ □□□ □□□ □ □□□□. `row`□ `row-reverse`□ □□ □□□ □□ □□ □□□□□ □□□ □□□ □□□□ □ □□□. □□□ □□□ DOM □□□ □□ □ □□□□ □□□ □□□ □□ □□□□□ □□□□ □□□, □ □□ □□□□□□□ □□ □□□ □□ □□□□ □ □□ □□□□ `column-reverse` □□ □□□□□. □□/□□: CSS flexbox, flex-direction, □□, □ □□□□, □□□ □□□ □□.

NEW QUESTION: 22
□ □□□□ □□□ □□□ □□□□□.

□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□□.
□□: □□□ □□□ □□□ □□ □□□ □□ □□□.




Answer:



□□:
□ □□ □□□□ □□/□□□□ □□□□ □□□ □□□, □□ □□□(100%) CSS □□□ □□□□□□ □□□□□. □□□ □□□ □□□ □□□ □□□ □□□□ □□ □ □ □□ □□ □ □□ □□□ □□□□□. □ □□ □□□□ □□□□ □□□ □□□ □□□□□ □□ □□□ □□□ □□□□, □□ □□□□(30%) □□□ □□□□□. □□□□(30%)□ □□□□ □ □ □□□□ □□□ □□□□□ 30%□ □□□□□. □ □□ □□□□ □□ □□ □□□ □□ □□□□ □□□□ □□□ □□□□□, □□□ □□□ □□□ □□(8px)□□□. (8px 10px black). □□ □ □□ 8px □□ □□ □ □□ □□□ □□□□ □□□□, 10px□ □□ □□□ □□□□, black□ □□□ □□□ □□□□□. saturate(100%)□ □□□ □□ □□□ □ □□□□ □□ □□ □□ □□□ □□□ □□□□. grayscale(100%)□ □□□ □□□ □□□□ □□ □□□□ □□□□, □□ □□□ □□□ □□□□ □□□□. □□ □□/□□: CSS filter □□, □□□ □□, sepia(), opacity(), drop-shadow(), CSS□ □□□ □□□ □□.

NEW QUESTION: 23
□ □□□□□ □□□□ CSS□ □□□□ □□□.



□□□ □□□ □□□□□ □□□□□□.
□ □□□□ □□□□ □□□ □□□ □□□□ □□□□ □□□□□.
□□: □□□ □□□ □□□ □□ □□□ □□ □□□.

```
<head>
    <title>Team Building</title>
    <style>
        .grid-container {
            [                    ▾]
                display: grid;
                display: block;
                display: flex;
            [                    ▾]
                grid-template-columns: auto auto auto
                auto;
                grid-template-columns: auto auto;
                grid-template-rows: auto auto auto auto;
            [                    ▾]
                grid-gap: 10px;
                grid-gap: 0px;
                padding: 20px;
            background-color: #336699;
            padding: 10px;
        }
        .grid-container > div {
            background-color: rgba(255, 255, 255, 0.9);
            text-align: center;
            padding: 20px;
            font-size: 16pt;
        }
    </style>
</head>
```

Answer:

KrDump
krdump.com

```
<head>
    <title>Team Building</title>
    <style>
        .grid-container {
            [ ▾ ]
            display: grid;
            display: block;
            display: flex;

            [ ▾ ]
            grid-template-columns: auto auto auto
            auto;
            grid-template-columns: auto auto;
            grid-template-rows: auto auto auto auto;

            [ ▾ ]
            grid-gap: 10px;
            grid-gap: 0px;
            padding: 20px;

            background-color: #336699;
            padding: 10px;
        }
        .grid-container > div {
            background-color: rgba(255, 255, 255, 0.9);
            text-align: center;
            padding: 20px;
            font-size: 16pt;
        }
    </style>
</head>
```

krdump.com
KrDump

□□:

□ □□ □□: □□: □□□;

□ □□ □□: grid-template-columns: auto auto auto auto;

□ □□ □□: □□□ □□: 10px;

□□□ □□□□□ 8□□ □□□ □□□ □□□ 4□ □□ 2□ □□□ □□□ CSS □□□ □□□□□□□. □ □□ □□ □□□ `display: grid;`□, `.grid-container` □□□ □□□ □□□□ □ □□□□. □ □□ □□□ `grid-template-columns: auto auto auto auto;`□, □ □□ □□□ 4□□ □□(□ □□ □□□ □□, □□, □□, □□, □ □□ □□□ □□, □□, □□□, □□ □)□ □□□□ 4□□ □□ □□□□□. □ □□ □□□ `grid-gap: 10px;`□, □ □□ □□□ □□□ □□□ □□□ □□□□ □□□ □ □□□ □□□ □□□□. □□□□ □□□ □□□□. `#336699;`□ □□□ □□□□ □□□ □□□, `padding: 10px;`□ □□□□ □□□ □□□□□ □□□ □□□□□. □□ □□□ `.grid-container > div`□ □ □□□ □□□ □□ □□, □□ □ □□□ □□□, □□ □ □ □ □□ □□□ □□□□ □□□□ □□□□□.

NEW QUESTION: 24
`ctx` □□□ HTML5 □□□ □□□ □□□□□□□. □□ HTML □□□□ □□□ □□□□?
ctx.arc(x, y, r, 0, Math.PI, true);
A. □ □□□ □□ □□□ □□□□ □
B. □□□ □□□ □□□□
C. □□□ □□□ □
D. □□□ □□□□□ □□
Answer: (SHOW ANSWER)
□ □□□ □□□ □□□ □□□ □□□□. Canvas 2D API□ arc() □□□□ □□ □□□ □□□ □□□□□. □□ □□□□□ □□□ x, y, □□□, □□ □□, □ □□, □□□ □□□ □□ □□□□□□. □ □□□□□ x□ y□ □□□ □□□ □□□□, r□ □□□□ □□□□□. □□ □□□ 0□□□□□, □ □□□ Math.PI □□□□□□. Math.PI□ π/2□ □□□□□. 180□□ □, □□□ □□□ □□ □□□ □□□□. □□□ □□□ `true`□ □□□ □□□□□ □□□□ □□ □□□ □□ □□□ □□□□ □□ □□□□ □□□□□. □□□ □□ □□□ □□□ □□□□ □□□□□. □ □□ □□□ □□□ □□□ □□□ □□□□ □□□ □□ □ □□□ □□□ □□□ □□□, □□□□ □□□□ □□□ □□□ □□□□. □□, □□□ □□ □□□ □□ □□□□. □□ □□/□□: □□□ 2D □□□□, `arc()` □□□, □□□, □□ □□, □ □ □ □□□.

NEW QUESTION: 25
Pet □□□□ □□□ □□ □□□□□.
□□□ Pet {
□□□(□□, □□) {
this.name = name;
this.breed = breed;
this.show = function() {
var text = " < p > □□□□□ □□□ " + name + " □□□. □□□□□ □□□ " + breed + " □□□. </ p > " ; return text;
};
}
}
Pet □□□□□ Dog □□□□ □□□□□ □□□.
□ □□□□ □□□□ □□□ □□□ □□□□ □□□ □□□□□.
□□: □□□ □□□ □□□ □□ □□□ □□ □□□.



Answer:



□□:

□ □□ □□: class Dog extends Pet {

□ □□ □□: super(□□, □□);

JavaScript □□□□□ □□ □□□□ □□□□ □□□ □□□ `extends`□□□. □□□ □□ □□□□ `class Dog extends Pet {`□ □□ □□□□ □□□. □□□ □□ `Dog`□ `Pet`□ □ □ □□□□ □□, `Dog` □□□□□ □□ □□□□ □□□□□ □□□ □□(□: `name`, `breed`, `show()` □□)□ □□□□ □ □□□□. □□ □□□□ □□□ □□□□□ `this`□ □□ □□ □□ `super()`□ □□□□ □□□. `super(name, breed);`□ □□ □□□□ `Pet`□ □□□□ □□□□ □□□□ `name`□ `breed` □□□ □□□□□ □ □□□ □□ □□□□□. `Pet(name, breed);`□ □□□ □□□□ □□ □□□□ □□□ □ □□□□ □□□□ □□□□. `Pet.constructor(name, breed);` □□ □□ □□□□□ □□ □□□□ □□□□ □□□□

□□□□ □□□□. `super()`□ □□□ □□□ `Dog` □□□□ `price`, `gender`□ □□ □□ □□□ □□□ □□□ □□□□ □□□ □ □□□□. □□ □□/□□: JavaScript □□□, □□, `extends`, □□ □□□ □□□, `super()`, □□□ □□ □□□ □□.

INF-306 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ INF-306 □□! DumpTop □ □□ **INF-306** □□ □□□ □□□□□□, DumpTop INF-306 □□ □□□ □□□□ □□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop INF-306 □□□ □□□□□. https://www.dumptop.com/IT-Specialist/INF-306-dump.html (**70** Q&As Dumps, **30%OFF** **Special Discount:** **KrDump**)