

# Juniper.JN0-103.v2022-02-17.q111

□□□□:	JN0-103
□□□□:	Junos, Associate (JNCIA-Junos)
□□□:	Juniper
□□ □□ □□□:	111
□□:	v2022-02-17
# □□ □:	1437
# □□ □□□:	1110
<a href="https://www.krdump.com/Juniper.JN0-103.v2022-02-17.q111.html">https://www.krdump.com/Juniper.JN0-103.v2022-02-17.q111.html</a>	

## NEW QUESTION: 1

□□ □□ □□□ □ □□ □□ □□□□□? (2□□ □□□□□.)

- A. □□ □□□□□ □ □□□□□□ □□□□ □□ □□□□□□□ □□□ SCP □□□□□□□.
- B. □ □□□□□□ □□□□ □□ □□□□ □□ □□□□□□ □□□ SFTP □□□□□□□.
- C. □□□□ □□□ □□□□□□ □□□ SCP □□□□□□□.
- D. □□ □□□□□ □□□ □□□□□□ □□□□ □□□ SFTP □□□□□□□.

Answer: A,D ([LEAVE A REPLY](#))

## NEW QUESTION: 2

□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. □□ □□
- B. □□ □□□
- C. □□ □□
- D. □□ □□

Answer: B ([LEAVE A REPLY](#))

## NEW QUESTION: 3

□□ □□□ /var/home/lab □□□□□ □□□ □□□ □□□□□?

- A. lab@router# □□ ?
- B. [edit]
- C. lab@router> □□ □□  
lab@router> □□ □□
- D. lab@router> ls

Answer: B ([LEAVE A REPLY](#))

## NEW QUESTION: 4

□□□□ □□□ □□ □□□ □□□□□□□.

```

{edit policy-options}
user@router# show
policy-statement Policy-One {
  term term-One{
    from {
      route-filter 172.35.0.0/16 orlonger;
    }
    then accept;
  }
}

```

Which IP addresses are accepted by the policy?

A. 172.35.0.0/16 and 172.36.0.0/16

B. 172.35.0.0/16 and 172.35.0.0/16

C. 172.35.0.0/16 and 172.35.0.0/16

D. 172.35.0.0/16 and 172.35.0.0/16

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

Which:

```

[edit snmp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}

trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}

trap-group my-second-trap-group
  targets {
    10.21.15.181;
  }
}

```

- □□ □□□□ □□ □□?
- A. □□□ 10.21.15.16□□ □□□□□.
  - B. □□□ 10.21.15.16□□ □□□□□.
  - C. □□□ 10.21.15.180□□ □□□□□.
  - D. □□□ 10.21.15.180□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

txp0 □□□□□□ □□ SSH □□□ □□□□ Junos □□□ □□□□□□. □□ □□□□ □□ □□ □□□□□□ □□□ □ □□ □□ □□□□□□ □□□□. □□□□ □□□ □□□ □□□□□□ □□□□?

- A. □□□□ □□□□ □□□□ □□ □□□□.
- B. □□□ □□□ □□
- C. □□□ □□□ □□□ □□□□.
- D. □□□ □□□□□□□ SSH □□ □□

Answer: B ([LEAVE A REPLY](#))




- A. `clear system reboot` `clear system commit`
- B. `count` `clear system reboot` `clear system commit`
- C. `clear system reboot` `clear system commit`
- D. `clear system reboot` `clear system commit`

Answer: (SHOW ANSWER)

**NEW QUESTION: 11**

Junos:



- A. `clear system reboot` `clear system commit`
- B. `clear system commit` `clear system reboot`
- C. `clear system reboot` `clear system commit`
- D. `clear system reboot` `clear system commit`

Answer: A (LEAVE A REPLY)

**NEW QUESTION: 12**

Junos `clear system reboot` `clear system commit` `clear system reboot` `clear system commit`? `clear system reboot` `clear system commit`

- A. `clear system reboot` `clear system commit`
- B. `clear system reboot` `clear system commit` `clear system reboot` `clear system commit`
- C. `clear system reboot` `clear system commit` `clear system reboot` `clear system commit` `clear system reboot` `clear system commit`
- D. `clear system reboot` `clear system commit` `clear system reboot` `clear system commit`

Answer: B,D (LEAVE A REPLY)

**NEW QUESTION: 13**

Junos:

Junos `clear system reboot` `clear system commit`. `clear system reboot` `clear system commit` `clear system reboot` `clear system commit`? `clear system reboot` `clear system commit`

- A. Junos `clear system reboot` `clear system commit`
- B. Junos `clear system reboot` `clear system commit` `clear system reboot` `clear system commit`
- C. Junos `clear system reboot` `clear system commit` `clear system reboot` `clear system commit`





**NEW QUESTION: 20**

Specific System Log Message Information	
Name	CHASSISD_TERM_SIGNAL
Message	Received SIGTERM request, shutting down
Help	chassisd received termination signal
Desc	The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing.
Type	Event: This message reports an event, not an error
Sev	Info
Facility	LOG_DAEMON
Platforms Supported	Common Junos

□□□ □□□□ □ □□□ □□□□ □□□□ □□□ □□□□□?

- A. □□□ □□□□ □□
- B. □□□ □□ □□
- C. □□□ □□ □□
- D. □□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 21**

Junos CLI□□ □□□ □□ □□□□ □ □□□ □ □□ □□ □□□□□?

- A. □□□□□
- B. Ctrl+Z
- C. □□□ □□□
- D. □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 22**

□□□ □□□□□ □□□ □□□□ Junos OS□ □□□ □□ □□ □□□□□ □□□ □□□□ □?

- A. Junos OS□ □ □□ □□□ □□□□□ □□□□□.
- B. □ □□□□□ □□ □□ □□□ □□□□ □□□□□.
- C. □ □□□ □□□□□ □□ □□□□□ □□□□□.
- D. Junos OS□ □□ □□□□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 23**

□□□ □□ □□□□ □ □□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. Esc
- B. Spacebar
- C. Tab
- D. End

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 24**

□□ □□□ □□□□□.

```

user@router> show route forwarding-table
Routing table: default.inet
Internet:
Enabled protocols: Bridging,
Destination      Type  RtRef  Next hop      Type  Index  NhRef  Netif
default          perm  0      0              rjct  36     1
0.0.0.0/32       perm  0      0              dsod  34     1
10.5.0.0/16      user  0      10.102.70.254 ucst  355    18  fxp0.0
10.10.0.0/16     user  0      10.102.70.254 ucst  355    18  fxp0.0
10.12.14.0/24    intf  0      0              rslv  589    1   ge-2/0/0.0
10.12.14.0/32    dest  0      10.12.14.0     recv  587    1   ge-2/0/0.0
10.12.14.254/32 intf  0      10.12.14.254  locl  588    2
10.12.14.254/32 dest  0      10.12.14.254  locl  588    2
10.12.14.255/32 dest  0      10.12.14.255  bcst  586    1   ge-2/0/0.0
10.13.10.0/23   user  0      10.102.70.254 ucst  355    18  fxp0.0
10.84.0.0/16    user  0      10.102.70.254 ucst  355    18  fxp0.0
10.102.70.0/24  intf  0      0              rslv  354    1   fxp0.0
224.0.0.0/4      perm  0      0              mdsc  35     1
224.0.0.1/32    perm  0      224.0.0.1     mcst  31     2
224.0.0.5/32    user  0      224.0.0.5     mcst  31     2
255.255.255.255/32 perm  0      0              bcst  32     1
    
```


□□□ □□□□ □□□ □□□ 172.17.0.1□ □□□ □□□ □□□?

- A. □□□ □□ □□□ □□□ □□ □□□ □□□□□.
- B. □□□ □□ □□□□□ □□ □□□ □□□□□.
- C. □□□ □□□□ □□□□□.
- D. □□□ □□□□ ICMP network unreachable □□□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 25**

□□□ □□□□,





B. □□□ □□□ □□□ □□□ □□□□□ □ □□ □□□□ □□□□ □□□ □□□□□.

C. □□□ □□□□□ □□□ □□ □□□ □□□ □□ □□ □□□□ □□□□ □□□ □□□□  
□.

D. □□□ □□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □ □□ □□□  
□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 30**

□□ □□□ □□□□□.

\*\*\*□□□ □□□□\*\*\*

□□□□ □□□ □□□ □□□□ □□□ □□□□□?

A. □□ □□ □□

B. □□ □□ □□

C. □□ □□□□ □□

D. □□ □□ □□□ □□

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

□□□ □□□□,

```

[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {

```

ping □□□ □□ □□□□ □□ □□□□□□ □□□ □□□□ □□□ □□□?

- A. Ping □□□ □□□□□.
- B. ICMP □□□□ □□□□ □□□□□.
- C. ping □□□ □□□□ □□□□□.
- D. ICMP □□□ □ □□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

**JN0-103** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!  
 DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□, DumpTop JN0-103 □□ □□□ □□□  
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□

□□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,  
30%OFF Special Discount: **KrDump**)

**NEW QUESTION: 32**

□□ □□□ □□ □□□□ □□□□□ □ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□ □.)

- A. □□ 2
- B. □□ 1
- C. □□
- D. □□ 0

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 33**

□□□ □□□□□ □□□ □□□□ Junos OS□ □□□ □□ □□ □□□□□ □□□ □□□□ □?

- A. Junos OS□ □ □□ □□□ □□□□□ □□□□□.
- B. □ □□□ □□□□□ □□ □□□□□ □□□□□.
- C. □ □□□□□ □□□ □□ □□□ □□□□ □□□□□.
- D. Junos OS□ □□ □□□□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

<http://juniper-basic.blogspot.com/2017/02/juniper-basic.html>

Junos OS □□□ □□ □□□□□ □□□□□ □□□□□. □ □□□□□ □□ □□□ □□□ □ □□□□. □ □□□□□ □□□ □□ □□□ □□□□ □□□□□ □ □□□□□ □□ □□□□ □ □□ □□□ □ □□□□. □□ □□□□□ □□□□□□ □□ □□□□ □□□ □□□□ □□□□. □□□ □□□ □□□ □□ □□□ □□□ □□□□□ □□□ □□□ □□□ □ □□□□. Junos OS□ □□□ □□□□ □□□□ □□□□ □□□ □ □□ □□□ □□□□ □ □□□□□. □□□ □□□□□ □□□□□. Junos □□□ □□ □□ □□□□□ □□□□ □□□□ □□□ □□□ □□□□ □□□.

**NEW QUESTION: 34**

□□□ □□ □□□□ □ □□□□ □ □□ □ □□□ □□□□□? (2□□ □□□□□.)

- A. □
- B. □□□□□
- C. □
- D. Esc

Answer: A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 35**

□□ □□□ □□□□□.

\*\*\*□□□ □□□□\*\*\*

□□□ □□□□ □□□ □□ □□□ □□□ □□□□□?

A. □□□□ □□ □□

B. □□ □□ □□

C. □□□

D. □□ □□□

Answer: A ([LEAVE A REPLY](#))

### NEW QUESTION: 36

□□ □□□ □ □□ □□ □□ □□□ □□□□. □□□ □□□ □□□□ □□ □□□ □ □□□□  
□ □□ □□□□ □□□. □ □□□ □□□□□ □□ □□□ □□□□ □□□?

A. □□ □□

B. □□ □□□

C. □□ 0

D. □□ □□ □□□

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 37

□□□ □□□□,

```
user@router> show route forwarding-table  
routing table: inet  
internet:  
Destination Type RtRef next hop Type Index NhRef Netif  
default user 0 0:32.51.07.89.2 ucst 520 ge-0/0/0.0  
default perm 0 rjct 36 1  
0.0.0.0/32 perm 0 dscd 34 1  
10.21.0.0/16 user 0 192.168.10.100 ucast 535 3 ge-0/0/2.0  
10.21.14.0/24 user 0 192.168.11.100 ucast 528 3 ge-0/0/1.0  
10.21.14.10/30 user 0 192.168.12.100 ucast 530 3 ge-0/0/3.0  
10.21.14.16 □□□□ □□□□ □□ □□ □□ □ □□□□□□ □□□□□?
```

A. ge-0/0/0.0

B. ge-0/0/2.0

C. ge-0/0/1.0

D. ge-0/0/3.0

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 38

Junos □□□ □□□ □□ □□□ □□□□□?

A. □□□ □□ □□ □□

B. □□□ □□ □□

C. □□□ □□ □□

D. □□ fpc □□□□ □□

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

□□□□:

```
[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-1;
  }
  term reject-others {
    then {
      reject;
    }
  }
}
}
```

10.10.10.4□□ □□□□ □□□ □□ □□□□ □□ □□?

- A. □□□□ □□
- B. □□□□ □□□□ □□□□□.
- C. □□□□ □□□□ □□□□□.
- D. □□□□ □□□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

172.31.17.0/24□ □□□ □□□□ BGP □□□ □□ OSPF □□□ □□□□ □□□ □ □ □□□  
□. □□□ □□, □ □□□ □□□ □□□□□?

\*\*\*□□□ □□□□\*\*\*

- A. 172.31.17.0/24 BGP □□□ □□□ □□□□□□ □□□□□□□.
- B. 172.31.17.0/24 BGP□ □ □□ □□ □□ □□□ □□□□.
- C. 172.31.17.0/24 BGP □□□ □□□ □□ □□ □□ □□□□.
- D. 172.31.17.0/24 □□□ □□□ BGP □□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

□□□ □□□□,

\*\*\*□□□ □□□□\*\*\*

□□□ □□□ □□□?

- A. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.
- B. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.
- C. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.
- D. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 42**

□□□□ □□□□□□□□ □□□ □□□□ □□□ □□ IP □□□ □□□□□□. □□□ □□□□ □□□□ □□□□ □□□ □□□□ IP □□□ □□□□□□ □□□. □ □□□ □□□□ □□ □□ □ □□□□ □□□□□□□□?

- A. □□
- B. □□
- C. □□
- D. □□

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 43**

clear □□□ □□□□ □ □□□ □□ □□□ □□ □□□ □□□□ □□□□□?

- A. □□□
- B. □□ □□
- C. □□□□
- D. □□□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 44**

"□□ □□□ □□□" □□□ □□□□□. □ □□□□□□ □□□ □□□ □□□□□?

- A. □□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□□□□ □□□□□.
- B. □□ □□□ □□□ □□□□ □□ □□ □□ □□□ □□ □□□□□ □□□□□.
- C. □□ □□□ □□□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□□□□.
- D. □□ □□□ □□□□ □□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 45**

□□□□ Junos□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□□ □□ □□, □□□ □□ □ □□□ API□ □□□□□□□□ □□□□□ □□□□ □□ □□ □□□.
- B. □□□ □□□□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□□ □□□□□.



```
[edit firewall family inet]
user@router# show
```

```
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
```

```
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}
```

```
[edit interfaces lo0]
user@router# show
```

```
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}
```

```
[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```

ping □□□ □□ □□□□ □□ □□□□□ □□□ □□□□ □□□ □□□?

- A. ping □□□ □□□□ □□□□□.
- B. Ping □□□ □□□□□.
- C. ICMP □□□ □ □□ □□□□ □□□□□.
- D. ICMP □□□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 50**


□□□□ Junos□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□ □□□□□ □□□ □□□ □□□ □□□□□ □□□□ □□□ □□□□□□□□.
- B. □□□ □□□ □□□ □□□ □□□ □ □□ □□□□ □□□□□□□□.
- C. □□□□□ □□ □□, □□□ □□ □ □□□ API□ □□□□□□□□ □□□□□ □□□□ □□ □□ □□□.
- D. Junos VM□ □□□□□ □□□□□□ □□ □□ □□ □□□□□□□□ □□□ □ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 51**

□□□□:



- □□ □□□□?
- A. □□□ 10.21.15.180□□ □□□□□.
- B. □□□ 10.21.15.16□□ □□□□□.
- C. □□□ 10.21.15.180□□ □□□□□.
- D. □□□ 10.21.15.16□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 52**

□□ □□□ □□□□□.

Item	Version	Part number	Serial number	Description
Chassis			EBE7ABF9EA61	VSRX
Midplane	REV 08	750-058562	4229D770	VSRX
Pseudo CB 0				
Routing Engine 0		BUILTIN	BUILTIN	VSRX-S
FPC 0	REV 07	611-049549	RL3714040884	FPC
PIC 0		BUILTIN	BUILTIN	VSRX DPKD GE

A. □□ fpc □□

B. □□ □□□ □□ □□

C. □□ □□ □□

D. □□ □□□□ □□

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 53**

"show log messages | match "□□ | □□ | □□" □□□ error, kernel □ panic □□□□ □□ □□ □□ □□ □□ □□□□□?"

A. □□ □□□□□ □ □□ □□□ □□□ □ □□ □□□ □□□ □□□ □□ □□□□ □□□□ □.

B. □□ □□□□□ □ □□ □□□ □□□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□□.

C. □□ □□□□□ □ □□ □□□ □□□ □ □□ □□□ □□□□ □□□□ □□□ □□□ □□ □□□□□.

D. □□ □□□□□ □ □□ □□□ □□□□ □□ □□□ □□□ □□ □□□□ □□□□□.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 54**

□□□ □□□□,

user@router> show route protocol static

inet.0: 7 destinations, 8 routes (7 active, 0 holddown, 0 hidden)  
+ = Active Route, - = Last Active, \* = Both

```

192.168.47.0/24 * [Static/5] 02:02:03
    > to 172.16.1.2 via ge-1/2/0.0
    [Static/25] 01:58:21
    > to 192.168.2.2 via fe-1/2/1.2

```

192.168.47.0/24 □ □□ □□□ □□ □□ □□□□□□?

□ □□ □□

A. 192.168.47.0/24 □ □□□ □ □□ □□ □□ □ □ □□□□.

- B. 192.168.47.0/24
- C. 192.168.47.0/24
- D. 192.168.47.0/24

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 55**

SRX Junos OS

- A.
- B.
- C.
- D.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 56**

```

user@router>
*** System shutdown message from user@router ***
System going down at 08:28
The system will be powered down in 10 minutes for maintenance.
user@router>

```

- A. 0command
- B. clear system commitcommand
- C. 0command
- D. clear system reboot

Answer: C ([LEAVE A REPLY](#))


**NEW QUESTION: 57**

- A. ICMP
- B. OSPF
- C. IP
- D. TTL(time-to-time)

Answer: A,D ([LEAVE A REPLY](#))

**NEW QUESTION: 58**

□□□ □□□□,



□ □□□□□ □□ □□ □□□ □□□□□ □□□□□?

- A. IGMPv3
- B. □□
- C. OSPFv2
- D. □

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 59**

□□□ □□□□ □□□ syslog□ □□□□□ □□□□□□□□ □□□. □ □□□ □□□□ □□ □ □□ □□□□□?

- A. □□ □□□ □□ | □□ □□ □□
- B. □□□ □□□□□ fxp0.0 □□□□
- C. □□ □□□ □□
- D. □□□ □□ □□□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 60**

□□□□:

```

Juniper
[edit routing-options]
user@router# show
rib inet6.0 {
  static {
    route 3001::/10 next-hop 3001::1;
  }
}

```

□□□□ □□ □□□ □□□ □□□□□□?

- A. □□ □□ □
- B. □□ □□□□□
- C. □□□□ □□ □□
- D. □□□ □□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 61**

□□ □□:

```
user@router> monitor traffic interface et-0/0/1.0 matching arp count 10
```

□□ □□ □□ □□□□ □ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□?

- A. □□□□ □□
- B. □□□□□ □□
- C. □□□
- D. ASCII □□

Answer: C ([LEAVE A REPLY](#))

**JN0-103** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!  
 DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□, DumpTop JN0-103 □□ □□□ □□□  
 □□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□  
 □□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

**NEW QUESTION: 62**

□□□□□ □□ □□□□□ traceoption □□□ □□□□□?

- A. /var/home/
- B. /var/db/
- C. /var/log/
- D. /var/tmp/

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 63**

19.1R1□□ □□□□□□ □□ □□□ □□ □□□ □□□□□ □□ □□□□. □□ □□□□ □  
 □ □ □□ □□□□□ □□□ □□□□ □□□? □ □□ □□

- A. 19.3R2
- B. 19.1R3
- C. 19.1R1-S2
- D. 19.3R1-S1

Answer: B,C ([LEAVE A REPLY](#))

□□

R □□□ : □□ □□ □ □□ □□ □□

19.1R1 ==> 19.1R2□ □□ □□□ □□□□□□. 19.1R1 ==> 19.2R2□ □□□ □□□ □□□□  
□□.

**NEW QUESTION: 64**

□□□□:

```
... Hit [Enter] to boot immediately, or space bar for command prompt. <user presses Spacebar> Type '?' for a
list of commands, 'help' for more detailed help. loader> boot -s
... Enter full pathname of shell or 'recovery' for root password recovery or RETURN for / bin/sh: recovery
```

□□ □□, □□□?

- A. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.
- B. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.
- C. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.
- D. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 65**

□□□ Junos □□□ □□□□□. □□ □□□□ □□□□ □□ □□□ □□□□.

- A. RE□ □□ □□ □□ □□ □□□□ □□□□ □□□□□.
- B. PFE□ □□□ □□ □□ □□ □□□□ □□□ □□□□□.
- C. RE□ □□□ □□ □□ □□ □□□□ □□□ □□□□□.
- D. PFE□ □□ □□ □□ □□ □□□□ □□□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 66**

□□□□ Junos□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□□ □□□ □□□, □□□ □□ □ □□□ API□ □□□□□□□□ □□□□□□ □□□ □□□.
- B. □□□ □□□ □□□ □□□ □□□ □ □□ □□□□ □□□□□□□□.
- C. Junos VM□ □□□□□□ □□□□□□ □□ □□ □□ □□□□□□□□ □□□ □ □□□□.
- D. □□□ □□□□□□ □□□ □□□ □□□ □□□□□□ □□□□ □□□ □□□□□□□□.

Answer: A,D ([LEAVE A REPLY](#))

**NEW QUESTION: 67**

□□ □□□ □□□□□.

□□□□ □□□ □□□□□ □□□□□ □□□□□□ xe-0/0/3□ □□□□□ 1G□ □□□□□ □□□.

□ □□□ □□□□□ □□□ □□□□□□?



```
[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-L;
  }
  term reject-others {
    then {
      reject;
    }
  }
}
}
```

10.10.10.4 □□ □□□□ □□□ □□ □□□□ □□ □□?

- A. □□□□ □□□□ □□□□□.
- B. □□□□ □□□□□.
- C. □□□□ □□□□ □□□□□.
- D. □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 70**

□□□ □□□□ 172.16.10.1/24 IP □□□ 172.16.100.1/24 IP □□□ □□□□ □□□ □□□□ □?

- A. □□□□□ ge-0/0/2 unit 0 family inet □□ 172.16.10.1/24□ □□ 172.16.100.1/24□ □□
- B. □□□□□ ge-0/0/2 □□ 0 □□□ inet □□ 172.16.100.1/24 □□
- C. □□□□□ ge-0/0/2 unit 0 family inet □□ 172.16.10.1/24□ □□□ □□□ □□□□. 172.16.100.1/24
- D. □□ □□ □□□□□ ge-0/0/2 unit 0 family inet □□ 172.16.10.1/24 □□ 172.16.100.1/24

Answer: ([SHOW ANSWER](#))

[https://www.juniper.net/documentation/en\\_US/junos/topics/reference/command-summary/rename.html](https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/rename.html)

**NEW QUESTION: 71**

monitor traffic □□□ □□ □□□□□ □□ □□□□ □□□□□?

- A. □□

- B. □□ □□
- C. netstat
- D. tcpdump

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 72**

orlongerroute-filter □□ □□□ □□ □□□□ □□ □□?

- A. □□□ □□ □□□ □□□ □□□□ □□□ □□□□ □□ □□ □□□ □□ □□ □□□□.
- B. □□□ □□□□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□.
- C. □□□ □□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□.
- D. □□□ □□□ □□□ □□□ □□□□□ □ □□ □□□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 73**

□□ □□□ □□□ □□□□ □ □□ □□□□ □□□□□? (2□□ □□□□□.)

- A. □□ □□□ □□□ □□□ □□
- B. □□□ □□□□□□ □□□□ □□□□□ □□□□□.
- C. □□□ □□□□ □□□□ □□
- D. □□□□□ □□□□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 74**

□□ □ PFE □□□ □□ □□□□ □□ □□?

- A. PFE□ □□□ 2 □ □□□ 3 □□ □□□□ □□□ □□□□ □□□□□.
- B. PFE□ □□□□ □□□□ □□ □□□ □□□□□.
- C. PFE□ □□□ 2 □ □□□ 3 □□ □□□□ □□ □□□□ □□□□□.
- D. PFE□ CLI □ Jweb□ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 75**

□□□ □□□□,

Specific System Log Message information

Name	CHASSISD_TERM_SIGNAL
Message	Received SIGTERM request, shutting down
Help	chassisd received termination signal
Desc	The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing.
Type	Event: This message reports an event, not an error
Sev	Info
Facility	LOG_DAEMON
Platforms Supported	Common Junos

□ □□□ □□□□ □□□□□ □□□ □□□□□?

A. □□□ □□□□ □□

B. □□□ □□ □□

C. □□□ □□ □□

D. □□□ □□ □□

Answer: (SHOW ANSWER)

NEW QUESTION: 76

□□ □□ □□□ □□□ □□□□□?

A. □□□ □□□□ □□ □□□ □□□□.

B. □□□ □□□□ □□ □□□ □□□ □□□□□.

C. □□ □□□ □□□□ □□□ □□□□□.

D. □□□ □□ □□□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□□.

Answer: C (LEAVE A REPLY)

**JN0-103** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!  
 DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□, DumpTop JN0-103 □□ □□□ □□□  
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□  
 □□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

NEW QUESTION: 77

□□ □□□ □□□□□.

```
[edit system ntp]
user@router# show
server 172.25.11.254;
```

□□□ □□□□ □□ □□□□ □□□ NTP □□□ □□□□□ □□□ □□□□□?

A. [edit system ntp] □□□□ net trust-key <key-value> □□ □□□ □□□□ □□□ NTP □□□

□ □□ □□ □□□□□.



```

user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0      * [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.6.1 via ge-0/0/0.0
                to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
0.210.0.0/16  * [Static/5] 1w0d 20:17:39
                > to 172.25.11.254 via fxp0.0
172.18.6.0/30 * [Direct/0] 00:00:30
                > via ge-0/0/0.0
172.18.6.2/32 * [Local/0] 00:00:30
                Local via ge-0/0/0.0
172.31.16.0/24 * [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:28, localpref 100
                AS path: 802 5512 3318 65000 I, validation-state: unverified
                > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32 * [OSPF/10] 00:00:25, metric 1
                > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28 * [BGP/170] 00:00:24, localpref 100, from 172.18.6.1
                AS path: 65000 I, validation-state: unverified
                to 172.18.6.1 via ge-0/0/0.0
                > to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
24.0.0.5/32   * [OSPF/10] 00:01:11, metric 1
                MultiPath
                □□□□ □□□ □□ 192.168.80.98 □ □□□ □□□ □□ □□ □□□□□□?

```



- A. 172.18.6.1
- B. 192.168.11.2
- C. 172.18.7.1
- D. 172.25.11.254

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 80**

□□□□:

```

Juniper
[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-1;
  }
  term reject-others {
    then {
      reject;
    }
  }
}
}

```

10.10.10.4 □□ □□□□ □□□ □□ □□□□ □□ □□?

- A. □□□□ □□□□ □□□□□.
- B. □□□□ □□□□ □□□□□.
- C. □□□□ □□□
- D. □□□□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 81**

□□□ □□□□□□ □□□□ □ □□□□□□□ □□□□□? (2□□ □□□□□.)

- A. ge-2/0/2.0
- B. et-5/0/0
- C. xe-1/1/1
- D. ae1.1

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 82**

□□ □□□ □□□□□□.

```

user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0          *[BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.6.1 via ge-0/0/0.0
                   to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
10.210.0.0/16     *[Static/5] 1w0d 20:17:39
                   > to 172.25.11.254 via fxp0.0
172.18.6.0/30     *[Direct/0] 00:00:30
                   > via ge-0/0/0.0
172.18.6.2/32     *[Local/0] 00:00:30
                   Local via ge-0/0/0.0
172.31.16.0/24    *[BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:28, localpref 100
                   AS path: 802 5512 3318 65000 I, validation-state: unverified
                   > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32    *[OSPF/10] 00:00:25, metric 1
                   > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28  *[BGP/170] 00:00:24, localpref 100, from 172.18.6.1
                   AS path: 65000 I, validation-state: unverified
                   to 172.18.6.1 via ge-0/0/0.0
                   > to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
24.0.0.5/32      *[OSPF/10] 00:01:11, metric 1
                   MultiPath

```



□□□□ □□□ □□ 192.168.80.98□ □□□ □□□ □□ □□ □□□□□□?

- A. 172.18.7.1
- B. 172.25.11.254
- C. 172.18.6.1
- D. 192.168.11.2

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 83**

□□□□:  
 \*\*\*□□□ □□□□\*\*\*  
 □□ □□ □□□□?

- A. □□□ 10.21.15.180□□ □□□□□.
- B. □□□ 10.21.15.16□□ □□□□□.
- C. □□□ 10.21.15.180□□ □□□□□.
- D. 10.21.15.16□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 84**

□□□□ □□□ □□□ □□□ □□□ □□□□□?



```

[edit snmp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}
trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}
trap-group my-second-trap-group {
  targets {
    10.21.15.181;
  }
}

```

Which two IP addresses are configured as traps?

- A. 10.21.15.180 and 10.21.15.181
- B. 10.21.15.180 and 10.21.15.182
- C. 10.21.15.16 and 10.21.15.180
- D. 10.21.15.16 and 10.21.15.181

Answer: D ([LEAVE A REPLY](#))

#### NEW QUESTION: 88

Scenario:

```

{master:0}[edit routing-instances]
root@switch# top set interfaces xe-0/0/39.0 family ethernet-switching

```


Which two actions are performed by the configuration?

- A. □□□□ □□□ □□□ □□□ □□□□□□.
- B. □□□ □□□ ; □□□ □□□ □□□□ □□□□□□□□ □□□ top □□ □□□ □□□.
- C. top□ up □□□□ □□□ □□□□□.
- D. top□ □□□□ □□ □□ □□□ □□ □□□ □□□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 89**

□□□□:



172.31.17.0/24 □ □□□ □□□□ BGP □□□ □□ OSPF □□□ □□□□ □□□ □ □ □□□ □.

□ □□□ □□□ □□□□□?

- A. 172.31.17.0/24 BGP □ □ □□ □□ □□ □□□□.
- B. 172.31.17.0/24 BGP □□□ □□□ □□ □□ □□ □□□□.
- C. 172.31.17.0/24 □□□ □□□ BGP □□□ □□□□.
- D. 172.31.17.0/24 BGP □□□ □□□ □□□□□□ □□□□□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 90**

show route forwarding-table □□□ □□□ □□□ □□□□□?

- A. □□□ □□□ □□□ □□□
- B. □□ □□□ □□ □□□ □□□
- C. □□□ □□□ □□□ □□□□ □□ □□□ □□

D. □□□ □□□ □□□ □□□□ □□□□□□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 91**

□□□□ □□ □□□□ □ □□□□ □□ □□□□ □□ □□□ □□□ □□□□□? Junos □□ □□

- A. □□□ □ □□□ □□□□□ junos□□□.
- B. □□□□ □□□ □□□ Amnesiac□□□.
- C. □□□□ □□□ □ □□ □□ □□□ □□□□□.
- D. □□□□ □□□□ □□□□□ □□□ □□ □□□ □□□ □ □□□□.

Answer: B ([LEAVE A REPLY](#))

**JN0-103** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!  
DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□, DumpTop JN0-103 □□ □□□ □□□  
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□□  
□□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

**NEW QUESTION: 92**

```
inet.0: 5 destinations, 5 routes (5 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
10.210.0.0/16      *[Static/5] 1w0d 20:17:39
                  > to 172.25.11.254 via fxp0.0
172.18.6.0/30     *[Direct/0] 00:00:30
                  > via ge-0/0/0.0
172.31.20.0/24   *[BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.6.1 via ge-0/0/0.0
                  to 172.18.7.1 via ge-0/0/1.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.7.1 via ge-0/0/1.0
172.31.17.0/24   *[OSPF/150] 00:00:25, metric 1
                  > to 192.168.11.2 via ge-0/0/4.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.6.1 via ge-0/0/0.0
                  to 172.18.7.1 via ge-0/0/1.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.7.1 via ge-0/0/1.0
```

172.31.17.0/24 □ □□□ □□□□ BGP □□□ □□ OSPF □□□ □□□□ □□□ □ □ □□□ □.

□□□□ □□□□ □ □□□ □□□ □□□□□?

- A. 172.31.17.0/24 BGP □□□ □□□ □□□□□□ □□□□□□□.
- B. 172.31.17.0/24 BGP □□□ □□ □□ □□□ □ □□□□.
- C. 172.31.17.0/24 BGP □□□ □□□ □□ □□ □□ □□□□.
- D. 172.31.17.0/24 □□□ □□□ BGP □□□ □□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 93**

□□ □ □□ □□□ □□ □□ □□ □□□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□ □□.)

- A. □□□□□ □□ □□□□ □□□□ □□ □□□□.
- B. □□ □□□□ □□□□□ □□□□ □□□□.
- C. □□ □ □□ □□□□□ □□ □□□□ □□□□□.
- D. □□ □ □□ □□□□□ □□ □□□□ □□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 94**

□□ □□ □□□ □ □□ □□ □□□□□? (2□□ □□□□□.)

- A. □□ □□□□□ □□□ □□□□□□□ □□□□ □□□ SFTP □□□□□□□.
- B. □ □□□□□□□ □□□□ □□ □□□□ □□ □□□□□□ □□□ SFTP □□□□□□□.
- C. □□□□ □□□ □□□□□□ □□□□ SCP □□□□□□□.
- D. □□ □□□□□ □ □□□□□□ □□□□ □□ □□□□□□□ □□□ SCP □□□□□□□.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 95**

Junos OS □ □□ □□□ □□ □□□□ □□ □□?(2□ □□)

- A. □□ □□□ □□□□□ □□□□□ □□□ □□□ □□□□ □□ □□□□.
- B. □□ □□□ □□ □□□ □□ □□□□ □□ □□□ □□□□ □□□□□.
- C. □□ □□□□ □□ □□ □□□□ □□□ □□□.
- D. □□ □□□ [□□□□ □□□□ □□] □□□□ □□□□□.

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 96**

□□ □□□ □□□□□□.  
 \*\*\*□□□ □□□□\*\*\*

□□□□ □□□ □□ □□□ BGP □□□□ □□□□□□□. 10.1.1.0/24 □□□□□□□ □□ □□ □□□ □□□□ □□□ □□□□□□. □□□ □□□□□ □□ □□□ □□□ □□□□?

- A. [□□ □□ □□ □□ my-policy □□] user@router# □□ 2□ □□ 1□ □□
- B. [□□-□□ □□-□□ my-policy □□] user@router# □□ 2□ □□ 0□□ □□
- C. [□□ □□ □□ □□ my-policy □□] user@router# □□ 1 □□ □□ 2 □□
- D. [□□ □□ □□ □□ my-policy □□] user@router# □□ 1□ □□ 3□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 97**

fxp0 □□□□□□ □□ SSH □□□□ □□□□ Junos □□□□ □□□□ □□□□. □□ □□□□□□  
□ □□ □□ □□ □□□□ □□□□ □□ □□□□. □□ □□□□□□□□ fxp0 □□□□□□ □□  
□ □ □□□ □□ □□□ □□□□□□.  
□ □□□□□□□ □□□□ □□□□ □□□□ □□□□□□□□□□□□?

- A. □□□□ □□□□ □□□□ □□□□.
- B. □□□□ □□□□□□□□ SSH □□□□ □□□□□□.
- C. □□□□ □□□□ □□□□□□.
- D. □□□□□ □□□□□ □□□□□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 98**

□□□□ □□□□□,

```
[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```



ping □□□ □□ □□□□ □□ □□□□□ □□□ □□□□ □□□ □□□?

- A. ICMP □□□□ □□□□ □□□□□.
- B. ICMP □□□ □ □□ □□□□ □□□□□.
- C. ping □□□ □□□□ □□□□□.
- D. Ping □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 99**

Junos □□□ □□ □□ □□□□ □□□ □□□ □□□□ □□ □□□□. □ □□□□□□□ □□ □□ □□ □□□□ □□ □□□□□□?

- A. □□□
- B. □□ □□
- C. □□□
- D. □□□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 100**

□□ □□□ □□□□□.

```
{edit policy-options}
user@router# show
policy-statement Policy-One {
  term term-One{
    from {
      route-filter 172.35.0.0/16 orlonger;
    }
    then accept;
  }
}
```



- □□□ □□ □□□ □□□□□□.
- □□□□□□□ term-One□ □□ IP □□□ □□□□□?
- A. 172.35.0.0/16 □□□□□ □□□ IP □□□□□ □□□□□ □□□ IP □□□ □□□□.
- 172.35.0.0/16 □□□□ □□.
- B. 172.35.0.0/16 □□□□□ □□□ IP □□ □□□□□.
- C. 172.35.0.0/16 □□□□□ □□□ IP □□□ 172.35.0.0/16 □□□□□ □□□□ □□ IP □□.
- D. 172.35.0.0/16 □□□□□ □□□ IP □□□ 172.35.0.0/16 □ 172.36.0.0/16 □□□□ □□ IP □□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 101**



```

[edit snmp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}
trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}
trap-group my-second-trap-group {
  targets {
    10.21.15.181;
  }
}

```

krdump.com



- □□ □□□□ □□ □□?
- A. □□□ 10.21.15.180□□ □□□□□.
  - B. □□□ 10.21.15.16□□ □□□□□.
  - C. 10.21.15.16□□ □□□ □□□□□.
  - D. □□□ 10.21.15.180□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 104**

- □□□ □□□ □□□□ □ □□ □□□□ □□□□□? (2□□ □□□□□.)
- A. □□□ □□□□ □□□□ □□
  - B. □□□□□ □□□□ □□
  - C. □□ □□□ □□□ □□□□ □□□□□.

D. □□□ □□□□□□ □□□□ □□□□□ □□□□□.

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 105**

Junos □□□ □□□□ □ □□□ □□□□□ 40□□ □□□□□ □□□□□□ □□□ □□□□ □□□□?

- A. □□□ □□□□□□ □□ □□□ □□□□□.
- B. □□ □□□□ set cli screen-length 40 □□□ □□□□□.
- C. □□□ □□□□□ □ □□□ □□□□□.
- D. □□ □□□□ set cli screen-length 40 □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 106**

show route forwarding-table □□□ □□□ □□□ □□□□□?

- A. □□□ □□□ □□□ □□□□ □□□□□□
- B. □□□ □□□ □□□ □□□□ □□ □□□ □□
- C. □□□ □□□ □□□ □□□
- D. □□ □□□ □□□ □□□ □□□

Answer: ([SHOW ANSWER](#))

**JN0-103** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!  
 DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□, DumpTop JN0-103 □□ □□□ □□□  
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□  
 □□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

**NEW QUESTION: 107**

□□ □□□ □□□□□.

```

user@router> show chassis routing-engine
Routing Engine status:
  Temperature                0 degrees C / 32 degrees F
  CPU temperature             0 degrees C / 32 degrees F
  Total memory                931 MB Max 270 MB used ( 29 percent)
  Memory utilization          28 percent
  5 sec CPU utilization:
    User                      1 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       98 percent
  1 min CPU utilization:
    User                      0 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       99 percent
  5 min CPU utilization:
    User                      0 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       99 percent
  15 min CPU utilization:
    User                      0 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       99 percent
  Model                      VSRX-S
  Serial ID                   BUILTIN
  Start time                  2020-01-16 15:21:32 UTC
  Uptime                      12 days, 4 hours, 33 minutes, 7 seconds
  Last reboot reason          0x4000:VJUNOS reboot

```

Which two statements are true? (Choose two.)

- A. CPU temperature is 28 degrees Celsius.
- B. CPU temperature is 1 degree Celsius.
- C. 15 min CPU utilization is 99 percent.
- D. CPU temperature is 72 degrees Fahrenheit.

Answer: A,B (LEAVE A REPLY)

**NEW QUESTION: 108**

Which two statements are true regarding RADIUS and TACACS+? (Choose two.)

- A. RADIUS uses a single protocol for authentication, authorization, and accounting.
- B. RADIUS uses a single protocol for authentication, authorization, and accounting.
- C. RADIUS uses a single protocol for authentication, authorization, and accounting.
- D. RADIUS uses a single protocol for authentication, authorization, and accounting.

Answer: B (LEAVE A REPLY)

□□ □□□ □□ □□□ □□□□ □□□□. □□ □□□□ RADIUS □ TACAS□□□ □□□ □  
□ □□ □□□□ □□ □□□ □□□□□. □ □□ RADIUS □ TACAS□ □□□ □□□□□ □□  
□□□ □□□ □□□ □□□□.

**NEW QUESTION: 109**

□□□ □□□□,

```
[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```

ping □□□ □□ □□□□ □□ □□□□□ □□□ □□□□ □□□ □□□?

- A. ICMP □□□□ □□□□ □□□□□.
- B. ICMP □□□ □ □□ □□□□ □□□□□.
- C. ping □□□ □□□□ □□□□□.
- D. Ping □□□ □□□□□.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 110**

