

Juniper.JN0-103.v2022-09-10.q109

□□□□:	JN0-103
□□□□:	Junos, Associate (JNCIA-Junos)
□□□:	Juniper
□□ □□ □□□:	109
□□:	v2022-09-10
# □□ □:	1493
# □□ □□□:	1090
https://www.krdump.com/Juniper.JN0-103.v2022-09-10.q109.html	

NEW QUESTION: 1

user@router> show route

inet.0: 1222 destinations, 1525 routes (1222 active, 0 holddown, 0 hidden)
 + = Active Route, - = Last Active, * = Both

```

0.0.0.0/0          *[Static/5] 1w2d 22:59:01
                   > to 10.10.10.1 via fxp0.0
10.10.10.0/25     *[Direct/0] 1w2d 22:59:01
                   > via fxp0.0
                   [Direct/0] 1w2d 22:58:57
                   > via fxp0.0
10.10.10.7/32     *[Local/0] 1w2d 22:59:01
                   Local via fxp0.0
10.10.10.9/32     *[Local/0] 1w2d 22:58:57
                   Local via fxp0.0
10.200.200.0/23   *[Direct/0] 1w2d 22:30:24
                   > via xe-0/0/3.100
  
```

□□□ □□□□ □□□ □□ □□□ □□□ □□□□□?

- A. □□□□ □□ □□
- B. □□ □□□
- C. □□□
- D. □□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□ □□□□ □□ □□□□ □□ □□? (2□ □□)

- A. □□□ □□□□□ □□□□ □□□ □□□ □□ □□ □□□□ □□□□□.
- B. □□ □□□□ □□□□ □□□ □□ □□□ □□□□ □□□□ □□ □□□□ □ □□□□.
- C. □□ □□□ □□□□□ □□□□ □□□ □□□ □□□□□.
- D. □□ □□□□ □□ □□□□□ □ □□ □□ □□□□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□□□:

```
[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-1;
  }
  term reject-others {
    then {
      reject;
    }
  }
}
}
```

10.10.10.4□□ □□□□ □□□ □□ □□□□ □□ □□?

- A. □□□□ □□□
- B. □□□□ □□ □ □□□
- C. □□□□ □□
- D. □□□□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

OSPF □□□ □□ □□ □□ □□ □□□ □□□□□?

- A. 100
- B. 5
- C. 150
- D. 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

□□ □□□ □ □□ □□ □□□□□? (2□□ □□□□□.)

- A. □ □□□□□□□ □□□□ □□ □□□□ □□ □□□□□□ □□□ SFTP □□□

- B. 172.18.6.1
- C. 172.25.11.254
- D. 192.168.11.2

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 8

□□□□ □□ □□ □□□ □□□□ □□□□ □□□□?

- A. /var/db/
- B. /var/home/
- C. /var/tmp/
- D. /var/log/

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 9

Junos □□□ SNMP □□□ □□□□ □ □□□ □□ □□□ □□□□□?

- A. snmp □□ □□ v2 □□
- B. snmp □□□□ □□ □□□ □□ □□□□ □□
- C. snmp □□□□ □□ □□
- D. snmp □□ □□ □□ □□ v1 □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 10

□□□ □□□□ □□ □ □□ □□□ □□□□ □□□□ □□□□? (2□□ □□□□□.)

- A. □□□
- B. □□
- C. □□□
- D. □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 11

□□ □□□ □□□□□.
□□□□ □□□ □□□□ □□□□ □□□□□ xe-0/0/3□ □□□□ 1G□ □□□□ □□□.
□ □□□ □□□□ □□□ □□□□□?


```

{edit policy-options}
user@router# show
policy-statement Policy-One {
  term term-One{
    from {
      route-filter 172.35.0.0/16 orlonger;
    }
    then accept;
  }
}

```

Which IP addresses are accepted by the policy?

A. 172.35.0.0/16 and 172.36.0.0/16

B. 172.35.0.0/16 and 172.35.0.0/16

C. 172.35.0.0/16 and 172.35.0.0/16

D. 172.35.0.0/16 and 172.35.0.0/16

Answer: (SHOW ANSWER)

172.35.0.0/16 and 172.35.0.0/16

172.35.0.0/16 and 172.35.0.0/16

172.35.0.0/16:

NEW QUESTION: 14

```

user@router> show chassis routing-engine
Routing Engine status:
  Temperature           0 degrees C / 32 degrees F
  CPU temperature       0 degrees C / 32 degrees F
  Total memory          931 MB Max 270 MB used ( 29 percent)
  Memory utilization    28 percent
  5 sec CPU utilization:
    User                1 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                98 percent
  1 min CPU utilization:
    User                0 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                99 percent
  5 min CPU utilization:
    User                0 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                99 percent
  15 min CPU utilization:
    User                0 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                99 percent
  Model                 VSRX-S
  Serial ID             BUILTIN
  Start time            2020-01-16 15:21:32 UTC
  Uptime                12 days, 4 hours, 33 minutes, 7 seconds
  Last reboot reason    0x4000:VJUNOS reboot
  Load averages:       1 minute   5 minute   15 minute
                       0.74         0.37       0.29

```

□□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. CPU □□ □□□□ 1%□□□.
- B. □□□ □□□□ 72%□□□.
- C. 15□ CPU □□ □□□ 99%□□□.
- D. □□□ □□□□ 28%□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 15

Junos □□□□□ □□□□ □□□ □□□ □ □□□ □□□ □□□ □□ □□□□□ □□□□ □ □□□□?

- A. □□ □□
- B. □□□
- C. □□ □□
- D. layer2-□□

Answer: (SHOW ANSWER)

NEW QUESTION: 16

□□□□ □□□ □□ □□□□ □□□□□ Junos □□□ □□ □ □□ □□□ □□□ □□□? □ □□ □□

- A. □□ □□□ □□ □□ □□□ □□□ □□□ □□□.
- B. □□ □□□ □□ □□□ □□□ □□□ □□□ □□□.
- C. □□□□ □□ □□□ □□□□□ □□□□□ □□□ □□□ □□□ □□□.
- D. □□□ □□□ □□□ □□□ □□□.

Answer: A,B ([LEAVE A REPLY](#))

JN0-103 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□! DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□, DumpTop JN0-103 □□ □□□ □□□ □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□ □□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

□□□ □□□□ □□□ syslog□ □□□□□ □□□□□□□□ □□□. □ □□□ □□□□ □□ □ □□ □□□□□?

- A. □□□ □□ □□□
- B. □□ □□□ □□
- C. □□□ □□□□□ fxp0.0 □□□□
- D. □□ □□□ □□ | □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

□□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□?

- A. □□ □□□□ □□□ □□□□□.
- B. □□□ □□□□□□□.
- C. □□□ □□ □□□ □□□□.
- D. □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

□□ □□□ /var/home/tab □□□□□ □□□ □□□ □□□□□?

- A. lab@router> ls
- B. lab@router> □□ □□
- C. [□□] lab@router# □□ ?
- D. lab@router> □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

□□□ □□□□ □□□ □□ □□□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□ □□□
- C. □□□□ □□ □□
- D. □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□ □□□ □□□□□.

```
user@router> show chassis routing-engine
Routing Engine status:
  Temperature                0 degrees C / 32 degrees F
  CPU temperature             0 degrees C / 32 degrees F
  Total memory                931 MB Max 270 MB used ( 29 percent)
  Memory utilization          28 percent
  5 sec CPU utilization:
    User                      1 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       98 percent
  1 min CPU utilization:
    User                       0 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       99 percent
  5 min CPU utilization:
    User                       0 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       99 percent
  15 min CPU utilization:
    User                       0 percent
    Background                 0 percent
    Kernel                     1 percent
    Interrupt                  0 percent
    Idle                       99 percent
  Model                       VSRX-S
  Serial ID                   BUILTIN
  Start time                   2020-01-16 15:21:32 UTC
  Uptime                       12 days, 4 hours, 33 minutes, 7 seconds
  Last reboot reason           0x4000:VJUNOS reboot
```

□□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. 15□ CPU □□ □□□ 99%□□□.
- B. CPU □□ □□□□ 1%□□□.
- C. □□□ □□□□ 28%□□□.

Which of the following is a valid IPv4 address?

- A. 172.35.0.0/16
- B. 172.35.0.0/16
- C. 172.35.0.0/16
- D. 172.35.0.0/16

Answer: C (LEAVE A REPLY)

NEW QUESTION: 28

Which of the following is a valid IPv4 address? (2 correct answers.)

- A. NFX
- B. ACX
- C. MX
- D. SRX

Answer: (SHOW ANSWER)

NEW QUESTION: 29

Which of the following is a valid IPv4 address?

- A.
- B.
- C.
- D.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 30

Junos OS supports which of the following protocols for remote management?

- A. HTTPS
- B.
- C. RDP
- D. SSH

Answer: D (LEAVE A REPLY)

NEW QUESTION: 31

```
[edit]
user@router# show system authentication-order
authentication-order [ radius tacplus ];
```

- A.

- B. □□□□□ □□ □□ □□□ □□ □□□□ □□□□ □□□□.
- C. □□□□□ □□ □□ □□□ □□ □□□□ □□□□□.
- D. □□□□ □□□ □□□ □□□□ □□□ □□□ □□□ □□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

□□
 □□ □□□ □□ □□□ □□□□ □□□□. □□ □□□□ RADIUS □ TACAS□□□ □□□ □
 □ □□ □□□□ □□ □□□ □□□□□. □ □□ RADIUS □ TACAS□ □□□ □□□□□ □□
 □□□ □□□ □□□ □□□□.

JN0-103 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!
 DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□□, DumpTop JN0-103 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□□ □□ DumpTop JN0-103 □□□
 □□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 32

- □□□□ □□ □□□ □□□□□?
- A. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.
 - B. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.
 - C. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.
 - D. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

□□□□ □□□ □□□ □□□□ □□□ □□□□□□?

Fan speed	Yellow alarm (degrees C)		Red alarm (degrees C)		Fire Shutdown (degrees C)		(degrees C)
	Normal	High	Normal	Bad fan	Normal	Bad fan	
Chassis default	48	54	65	55	75	65	100
Routing Engine 0	55	85	95	95	105	100	108

- A. □□ □□ □□
- B. □□ □□ □□
- C. □□ □□□□ □□
- D. □□ □□ □□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34


□□□□ □□□□□□□□ □□□ □□□□ □□□ □□ IP □□□□ □□□□□□. □□□□ □□□□
□□□□ □□□□ □□□ □□□ IP □□□□ □□□□□□ □□□. □ □□□ □□□□ □□ □□ □
□□□□ □□□□□□□□□□?

- A. □□
- B. □□
- C. □□
- D. □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

□□□□:



- □□, □□□□?
- A. □□□ □□ □□□□□□□ □□ □□□ □□□ □□□□□□.
 - B. □□□ □ □□□□□□□ □□ □□□ □□□ □□□□□□.
 - C. □□□ □□ □□□□□□□ □□ □□□ □□□ □□□□□□.
 - D. □□□ □ □□□□□□□ □□ □□□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

□ □□ □□ □□□ □□□ □□□□□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□ □□□
- B. □□
- C. MTU
- D. □□ □□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□□□□ □□□ □□ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□
- B. □□
- C. □□
- D. □□□

Answer: ([SHOW ANSWER](#))

□□

□□□□□ RPF□□ □□ □□□ □□□ □□□ □ □□ □□□ □□□□□. □□□□ □□ □□□
□□. □, □□ □□□□□□□ □□□ □□□□□□ □□ □□□ □□ □□□ □□ □□□ □□□□ □
□□□ □□□ □□□□□□.

https://www.juniper.net/documentation/en_US/junos/topics/topic-map/l3-vpns-unicast-reverse-path.html#:~:text

NEW QUESTION: 38

□□□ □□□□ □□□ syslog□ □□□□□ □□□□□□□ □□□. □ □□□ □□□□ □□ □□ □□□□□?

- A. □□□ □□□□□ fxp0.0 □□□□
- B. □□□ □□ □□□
- C. □□ □□□ □□ | □□ □□ □□
- D. □□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

□□□ □□□□,
□□□ □□□□
□□ □□□ 172.16.10.1/24 IP □□□
172.6.100.1/24 IP □□?

- A. □□□□□ □□ ge-0/0/2 unit 0 family inet address 172.16.100.1/24
- B. □□□□□ ge-0/0/2 unit 0 family inet □□ 172.16.10.1/24□ □□ 172.16.100.1/24□ □□
- C. □□□□□ ge-0/0/2 unit 0 family inet □□ 172.16.10.1/24□ □□ 172.16.100.1/24□ □□ □□
- D. 172.16.100.1/24 □□ □□ □□□□□ ge-0/0/2 unit 0 family inet □□ 172.16.10.1/24 □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□ □□□ /var/home/lab □□□□□ □□□ □□□ □□□□□?
A. lab@router> □□ □□
B. lab@router> □□ □□
C. [□□]
D. lab@router# □□ ?
lab@router> ls

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

□□□□□ □□□ □□□ □□□□ □□□ □□□□ □□□□□?
A. □□□.0
B. Inet.3
C. Inet.2
D. Inet.1

Answer: D ([LEAVE A REPLY](#))


```
[edit system ntp]
user@router# show
server 172.25.11.254;
```

Which of the following is the correct configuration to set the boot-server to 172.25.11.254?

- A. [edit system ntp] set boot-server 172.25.11.254
- B. [edit system ntp] set trusted-key <key-value>
- C. [edit system ntp] set trusted-key <key-value>
- D. set date ntp operational

Answer: C (LEAVE A REPLY)

NEW QUESTION: 46

Which of the following is the correct OS for Junos?

- A. NetBSD
- B. FreeBSD
- C. OpenBSD
- D. OpenBSD

Answer: B,C (LEAVE A REPLY)

0/0:

JN0-103 DumpTop Juniper JN0-103! DumpTop Juniper JN0-103, DumpTop Juniper JN0-103, DumpTop Juniper JN0-103. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 47



Which of the following is the correct configuration to set the IP address to 172.16.100.1/24?

- A. [edit interfaces ge-0/0/2 unit 0 family inet] address 172.16.100.1/24
- B. [edit interfaces ge-0/0/2 unit 0 family inet] address 172.16.10.1/24
- C. [edit interfaces ge-0/0/2 unit 0 family inet] address 172.16.10.1/24
- D. [edit interfaces ge-0/0/2 unit 0 family inet] address 172.16.100.1/24

B. `172.16.100.1/24`

C. `ge-0/0/2 unit 0 family inet 172.16.10.1/24`

D. `172.16.100.1/24`

`ge-0/0/2 0 inet 172.16.10.1/24`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

Junos OS `set system syslog` command? (2 answers)

A. `set system syslog file`

B. `set system syslog [file]`

C. `set system syslog [file] [format]`

D. `set system syslog [file] [format] [options]`

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

`10.10.10.4` is the IP address of the host. What is the correct command to ping it?

A. `ping 10.10.10.4`

B. `ping -c 1 10.10.10.4`

C. `ping -s 64 10.10.10.4`

D. `ping -P 1 10.10.10.4`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

`set system zeroize` command is used to zeroize the device. What is the correct command to zeroize the device?

`set system zeroize`

A. `set system zeroize`

B. `set system zeroize [options]`

C. `set system zeroize [options] [options]`

D. `set system zeroize [options] [options] [options]`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

`/var/home/lab` directory is not present on the router. What is the correct command to create it?

A. `lab@router> ls`

B. `[]`

C. `lab@router# [] ?`


D. `lab@router> [] []`

`lab@router> [] []`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

□□ □□□ □□□□□.



□□□□ Junos □□□ □□□□ □□□□□. □□□ RADIUS □□□ □□□ □ □□□□.
 □□□□ □□□□ □ □□□□□□ Junos □□□ □□ □□□ □□□□□?

- A. Junos □□□ RADIUS □□ □□□ □□□□□.
- B. Junos □□□ □□□ □□□ □□□ 30□□□ □□□□□□.
- C. Junos □□□ □□□ RADIUS □□□ □□ □□□□ □□□□□.
- D. Junos □□□ □□ □□ □□□□□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

□□□□ Junos □□□ □□□□ □□□□□ RADIUS □□□ □□□ □ □□□□.

```
[edit]
user@router# show system authentication-order
authentication-order [ radius password ];
```

□□□□ □□□□ □ □□□□□□ Junos □□□ □□ □□□ □□□□□?

- A. Junos □□□ RADIUS □□ □□□ □□□□□.
- B. Junos □□□ □□ □□ □□□□□□□□ □□□□□.
- C. Junos □□□ □□□ □□□ □□□ 30□□□ □□□□□□.
- D. Junos □□□ □□□ RADIUS □□□ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

□□/□□: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/junos-os-authentication-order.html

NEW QUESTION: 54

```
user@router> monitor traffic interface et-0/0/1.0 matching arp count 10
```

□□□ □□□□ □□ □□ □□ □□□□ □ □□ □□□ □□ □□□ □□□□ □□ □□□□□?

- A. □□□□ □□
- B. ASCII □□
- C. □□□□□ □□
- D. □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□ □□□ zeroize □□□ □□□□□. □ □□□□□□ □□□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□□ □□□ □□□□ □□□ □□ □□□ □□□□□.
- B. □□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□□□□ □□□□□.
- C. □□ □□□ □□□ □□□□ □□ □□ □□ □□□ □□ □□□□□ □□□□□.
- D. □□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

□□□ □□□□□□ □□□□ □ □□ □□□□□□ □□□□□? (2□□ □□□□□.)

- A. et-3/0/0:0.501
- B. ge-0/0/0
- C. xe-10/2/1
- D. et-7/1/4.0

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 57

□ □ □□ □□ □□ □□□ □□ □□□□ □□ □□?

- A. □□□ □□□□□ □ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□.
- B. □□□ □□□□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□□.
- C. □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□□ □□□ □□□□.
- D. □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □ □□□ □□□ □□ □□ □□□ □ □□□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

□□□ □□□ □□ □□□ □□□ □□□□□?

- A. □□□□ □□□ □□□□ □□□□□.
- B. □□□□ □□□ □□ □□□ □□□□□.
- C. □□□□ □□□ □□□□ □□□ □□□□□.
- D. □□□□ □□□ □□□□ ICMP □□□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 59

□□ □□□ □□ □□□□ □□□□□ □ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□ □.)

- A. □□
- B. □□ 1
- C. □□ 0
- D. □□ 2

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 60

□□□ Junos □□□ □□□□□. □□ □□□□ □□□□ □□ □□□ □□□□. □□□ □□□ □□□□□?

- A. PFE□ □□ □□ □□ □□ □□□□ □□□□ □□□□□.
- B. PFE□ □□□ □□ □□ □□ □□□□ □□□ □□□□□.
- C. RE□ □□□ □□ □□ □□ □□□□ □□□ □□□□□.
- D. RE□ □□ □□ □□ □□ □□□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

□□□□□ □□ □□□ □□□□□ □□□ □ □□ □□ □□ □□ □ □□□□□?

- A. 75
- B. 100
- C. 50
- D. 25

Answer: C ([LEAVE A REPLY](#))

JN0-103 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!
DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□, DumpTop JN0-103 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□
□□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 62

□□□ □□□□,

```
[edit firewall family inet]
user@router# show
```



```
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
```

```
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}
```

```
[edit interfaces lo0]
user@router# show
unit 0 {
```

```
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}
```

```
[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```

ping □□□ □□ □□□□ □□ □□□□□ □□□ □□□□ □□□ □□□?

- A. ping □□□ □□□□ □□□□□.
- B. Ping □□□ □□□□□.
- C. ICMP □□□□ □□□□ □□□□□.
- D. ICMP □□□ □ □□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

□□ □□□□ Junos □□□□ □□□ □□□□ □□ □□□□ □□ □□□ □□□ □ □□ □□ □□ □□□□□?

- A. □□ □□□□ □□□ □□ □□□ □□□ □□□□□.
- B. □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□□.
- C. □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□ □□□.
- D. □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□ □□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 64

□□□ □□□□,
□□□ □□□□

□□ □□ □□ □□□□ □ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□?

- A. □□□□ □□
- B. ASCII □□
- C. □□□
- D. □□□□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

□□□ □□□□,

```
user@router> show route forwarding-table
routing table: inet
internet:
Destination Type RtRef next hop Type Index NhRef Netif
default user 0 0:32.51.07.89.2 ucast 520 ge-0/0/0.0
default perm 0 rjct 36 1
0.0.0.0/32 perm 0 dscd 34 1
10.21.0.0/16 user 0 192.168.10.100 ucast 535 3 ge-0/0/2.0
10.21.14.0/24 user 0 192.168.11.100 ucast 528 3 ge-0/0/1.0
10.21.14.10/30 user 0 192.168.12.100 ucast 530 3 ge-0/0/3.0
10.21.14.16 □□□□ □□□□ □□ □□ □□ □ □□□□□□ □□□□□?
```

- A. ge-0/0/2.0
- B. ge-0/0/1.0
- C. ge-0/0/0.0
- D. ge-0/0/3.0

- A. 172.18.7.1
- B. 172.18.6.1
- C. 192.168.11.2
- D. 172.25.11.254

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

Which two Junos CLI commands can be used to verify the configuration of a policy statement? (Choose two.)

- A. show policy-options
- B. show policy-statement
- C. show configuration
- D. show policy

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which two statements are true? (Choose two.)

```

{edit policy-options}
user@router# show
policy-statement Policy-One {
  term term-One{
    from {
      route-filter 172.35.0.0/16 orlonger;
    }
    then accept;
  }
}
  
```

- A. The route-filter command is used to filter routes based on the destination IP address.
- B. The route-filter command is used to filter routes based on the source IP address.
- C. The route-filter command is used to filter routes based on the destination IP address and the source IP address.
- D. The route-filter command is used to filter routes based on the destination IP address and the destination prefix length.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 70

Which two SRX CLI commands can be used to verify the configuration of a policy statement? (Choose two.)

NEW QUESTION: 74

□□ □□□ □□□□□.

```
[edit system ntp]
user@router# show
server 172.25.11.254;
```

□□□ □□□□ □□ □□□□ □□□ NTP □□□ □□□□□ □□□ □□□□□?

- A. [edit system ntp] □□□□ set boot-server 172.25.11.254 □□ □□□ □□□□□ NTP □□□ □□□□□.
- B. □□□□ □□□□□□□.
- C. [edit system ntp] □□□□ net trust-key <key-value> □□ □□□ □□□□□ □□□ NTP □□□ □□□ □□ □□□□□.
- D. set date ntp □□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 75

□□□ □□□□,

```
user@router> show route protocol static
```

```
inet.0: 7 destinations, 8 routes (7 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
192.168.47.0/24 * [Static/5] 02:02:03
    NETWORKS > to 172.16.1.2 via ge-1/2/0.0
    [Static/25] 01:58:21
    > to 192.168.2.2 via fe-1/2/1.2
```

192.168.47.0/24 □ □□ □□□ □□ □□ □□□ □□□□□?

□ □□ □□

- A. 192.168.47.0/24 □ □□ □ □□ □□ □□□ □□□□.
- B. 192.168.47.0/24 □ □□ □□ □□ □□□ □□□□.
- C. 192.168.47.0/24 □ □□□ □ □□ □□ □□ □ □ □□□□.
- D. 192.168.47.0/24 □ □□□ □ □□ □□ □□ □□ □□□□.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 76

□□□□:

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

□□□ □□□□

□□□ □□ □□□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□□
- C. □□ □□□
- D. □□□□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

□□ □□□ □□□ □,

□□□ □□ □□ □□ [tacplus]

□ □□ □□ □ □□ □□? (2□□ □□□□□.)

- A. TACACS+ □□□ □□□ □ □□ □□□ □□□ □□/□□□□□ □□□□ □□ □□ □□□□ □□□□□□□ □□□□□.
- B. TACACS+ □□□ □□□ □ □□ □□ □□□□ □□□ □□□□ □ □□□□.
- C. TACACS+ □□□ □□□ □ □□ □□□ □□□ □□/□□□□□ □□□□ □□ □□□□ □□ □□□□□ □ □□□□.
- D. TACACS+ □□□ □□□ □ □□ □□ □□ □□□ □□□□□□□ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 91

□□□□ Junos□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. Junos VM□ □□□□□ □□□□□ □□ □□ □□ □□□□□□□ □□□ □ □□□□.
- B. □□□ □□□ □□□ □□□ □□□ □ □□ □□□□ □□□□□□□.
- C. □□□ □□□□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□□ □□□□□.
- D. □□□□□ □□ □□, □□□ □□ □ □□□ API□ □□□□□□□□ □□□□□ □□□□ □□ □□ □□□.

Answer: A,D ([LEAVE A REPLY](#))

JN0-103 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-103 □□!
DumpTop □ □□ **JN0-103** □□ □□□ □□□□□□□, DumpTop JN0-103 □□ □□□ □□□
□□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop JN0-103 □□□
□□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 92

□□□ □□□□,

```
[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```

ping □□□ □□ □□□□ □□ □□□□□□ □□□ □□□□□ □□□ □□□□?

- A. Ping □□□ □□□□□.
- B. ICMP □□□□ □□□□ □□□□□.
- C. ping □□□ □□□□ □□□□□.
- D. ICMP □□□ □ □□ □□□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 93

□□□ □□□□ □□□ syslog□ □□□□□ □□□□□□□□ □□□. □ □□□ □□□□ □□ □□ □□□□□?

- A. □□ □□□ □□ | □□ □□ 1
- B. □□□ □□□□□ fxp0.0 □□□□

□□□□□ IP □□□ □□□□ □□ □□ □□□□ □□□□ □□□□□?

- A. ip6
- B. inet4
- C. □□
- D. □□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 97

□□□□ □□ □□□□ □ □□□□ □□ □□□□ □□ □□□ □□□ □□□□□? Junos □□ □□

- A. □□□□ □□□□ □□□□□ □□□ □□ □□□ □□□ □ □□□□.
- B. □□□ □ □□□ □□□□□ junos□□□.
- C. □□□□ □□□ □ □□ □□ □□□ □□□□□.
- D. □□□□ □□□ □□□ Amnesiac□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

□□□ □□□□□ □□□ □□□□ Junos OS□ □□□ □□ □□ □□□□□ □□□ □□□□ □?

- A. Junos OS□ □ □□ □□□ □□□□□ □□□□□.
- B. □ □□□ □□□□□ □□ □□□□□ □□□□□.
- C. □ □□□□□ □□□ □□ □□□ □□□□ □□□□□.
- D. Junos OS□ □□ □□□□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

<http://juniper-basic.blogspot.com/2017/02/juniper-basic.html>

Junos OS □□□ □□ □□□□□ □□□□□ □□□□□. □ □□□□□ □□ □□□ □□□ □ □□□□. □ □□□□□ □□□ □□ □□□ □□□□ □□□□□ □ □□□□□ □□ □□□□ □ □□ □□□ □ □□□□. □□ □□□□□ □□□□□□ □□ □□□□ □□□ □□□□ □□ □□□□. □□□ □□□ □□□ □□ □□□ □□□ □□□□□ □□□ □□□ □□□ □ □□□□. Junos OS□ □□□ □□□□ □□□□ □□□□ □□□ □ □□ □□□ □□□□ □ □□□□□. □□□ □□□□□ □□□□□. Junos □□□□ □□ □□ □□□□□ □□□□□ FreeBSD UNIX □□ □□□ □□□□ □□□.

NEW QUESTION: 99

□□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□ 0
- C. □□ □□
- D. □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

□□ □□□ □□□□□.

```
(edit)
user@router# show firewall policer policer1
if-exceeding [
    bandwidth-limit 1g;
    burst-size-limit 100k;
]
then discard;
```

□□□□ □□□ □□□□ □□□□ □□□□□ xe-0/0/3□ □□□□ 1G□ □□□□ □□□.
□ □□□ □□□□ □□□ □□□□□?

A)

```
(edit)
user@router# show interfaces xe-0/0/3
unit 0 {
    bandwidth 1g;
    family inet {
        address 1.1.1.1/24;
    }
}
```

B)

C)

```
(edit)
user@router# show interfaces xe-0/0/3
unit 0 {
    accounting-profile policer1;
    family inet {
        address 1.1.1.1/24;
    }
}
```

- A. □□
- B. □□
- C. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

□□□□ Junos□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□ □□□ □□□ □□□ □□□ □ □□ □□□□ □□□□□□□□.
- B. □□□□□ □□ □□, □□□ □□ □ □□□ API□ □□□□□□□□ □□□□□ □□□□ □□ □□ □□□.
- C. □□ □□□ □□ □□□ □□□□□ □□□ □□□ □□□ □□□□□□ □□□□□□□□.
- D. Junos VM□ □□□□□ □□□□□□ □□ □□ □□ □□□□□□□□ □□□ □ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 102

CLI □□□ □□□ □□□□ □□ □□□ □□ □ □□□□? (2□□ □□□□□.)

- A. □□□ □
- B. Junos □□ □□□
- C. □□ □□□ □□ □□ □□□□ □□ □□
- D. traceoption □□□ □□

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 103

Junos □□□ □□ □□ □□□□□ □□ □□□ □□ □□ □ □□ □□□ □□□□□?

- A. □□
- B. □□□ □□
- C. □□
- D. □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 104

□□□ □□(RE)□□ □□□□ □ □□ □□□ □□□□ □□□□□? (2□□ □□□□□.)

- A. IP □□ □□□ □□ IP □□
- B. TTL(time-to-time) □□ □□□
- C. ICMP □□□ □□□ □ □□ □□□
- D. OSPF □□□□ □□□

Answer: B,C ([LEAVE A REPLY](#))

□□/□□:

NEW QUESTION: 105

□□ □□□ □□ Junos□ □□ □ □□ OS □□□ □□□□ □□□? (2□□ □□□□□.)

- A. □□BSD
- B. NetBSD
- C. □□□
- D. FreeBSD

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 106

□□ □□ □□□ □□□□ □ □□□□ □□□ □□□□□?

- A. □□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□□

□□□□□. <https://www.dumptop.com/Juniper/JN0-103-dump.html> (141 Q&As Dumps,
30%OFF Special Discount: **KrDump**)