

Juniper.JN0-104.v2023-03-30.q177

□□□□:	JN0-104
□□□□:	Junos, Associate (JNCIA-Junos)
□□□:	Juniper
□□ □□ □□□:	177
□□:	v2023-03-30
# □□ □:	1810
# □□ □□□:	1770
https://www.krdump.com/Juniper.JN0-104.v2023-03-30.q177.html	

NEW QUESTION: 1

□□ /24 □□□□□ □□ □□ 12□□ □□□□ □□□□ □□ 12□□ □□□□□ □□□□ □□ □.

□□ □□□□ □□□□ □□□□□?

A. /29

B. /27

C. /28

D. /26

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

PFEB □□ □□ □□□□ □□□□ □□□ □□□ □□□□□?

A. PFEB □□□□ □□□ □□□□ □□□□□.

B. PFEB RE□□ □□□□ □□□ □□□□ □□□□□.

C. PFEB □□ □□□ □□□□ □□□□ □□ □□□ □□□□□.

D. PFEB RE□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

□□□□ □□□□ □□□ □□□□□?

A. □□□□ □□ □ □□ □□□□ □ □□□□□.

B. IP □□□ □□□□ □ □□ □□ □□□□ □ □□□□□.

C. □□ □□ □□ IP □□□ □□□□ □ □□□□□.

D. IP □□□ □□ □□□□□ □□□□ □□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

show route forwarding-table □□□ □□ □□□ □□□□□?

A. □□, □□□ □□ □□ □□□ □□ □□□ □

B. RE□ □□□ □□□ □□□

C. □□ □□□□ □□□ □□□ □□□□□

D. □□□ □□□ □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

11100101□ 10□□ □□□ □□□□ □□ □□□□□?

A. 5

B. 229

C. 93

D. 177

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

SRX □□□ □□□ □□ □□□ □□□□ □□□□.

□□□□ □□□ □□□□ □□ □□□ □□□□ □□□?

A. □□□ □□

B. □□ □□□□□

C. □□ □□

D. □□□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□□:


```
[edit]
user@router# show system authentication-order
authentication-order [ radius tacplus ];
```



Which two statements are true?

- A. RADIUS and TACACS+ are configured in the authentication-order statement.
- B. RADIUS and TACACS+ are configured in the authentication-order statement.
- C. RADIUS and TACACS+ are configured in the authentication-order statement.
- D. RADIUS and TACACS+ are configured in the authentication-order statement.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which two statements are true?

```

user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0      * [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.6.1 via ge-0/0/0.0
                > to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
10.210.0.0/16  * [Static/5] 1w0d 20:17:39
                > to 172.25.11.254 via fxp0.0
172.18.6.0/30  * [Direct/0] 00:00:30
                > via ge-0/0/0.0
172.18.6.2/32  * [Local/0] 00:00:30
                Local via ge-0/0/0.0
172.31.16.0/24 * [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:28, localpref 100
                AS path: 802 5512 3318 65000 I, validation-state: unverified
                > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32 * [OSPF/10] 00:00:25, metric 1
                > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28 * [BGP/170] 00:00:24, localpref 100, from 172.18.6.1
                AS path: 65000 I, validation-state: unverified
                > to 172.18.6.1 via ge-0/0/0.0
                > to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
224.0.0.5/32  * [OSPF/10] 00:01:11, metric 1
                MultiRecv

```

□□□□ □□□ □□ 192.168.80.98 □ □□□ □□□ □□ □□□□□?

- A. 172.18.6.1
- B. 172.25.11.254
- C. 172.18.7.1
- D. 192.168.11.2

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

You recently uploaded a new software package to your Junos and you want to ensure that the file uploaded successfully by verifying the file size. In this scenario, which command should you use?

- A. file show encoding
- B. file checksum shal
- C. file list detail
- D. file compare

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

□□□□:

```
... Hit [Enter] to boot immediately, or space bar for command prompt. <user presses Spacebar> Type '?' for a
list of commands, 'help' for more detailed help. loader> boot -s
... Enter full pathname of shell or 'recovery' for root password recovery or RETURN for / bin/sh: recovery
```

□□ □□, □□□?

- A. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.
- B. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.
- C. □□□ □□ □□□□□□ □□ □□□ □□□ □□□□□.
- D. □□□ □ □□□□□□ □□ □□□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

□□ □ IPv4 □ IPv6□ □□ □□□□ □□ □□ □□? (2□ □□)

- A. IPv6□ □□ □□ □□□□ □□ □□□ □□
- B. □□ □□□□ IPv4□ □□ MTU□ □□□□□.
- C. □□ □□□□ IPv6□ □□ MTU□ □□□□□.
- D. IPv4□ □□ □□ □□□□ □□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

OSPF□ □□□□ □ □□ □□□ □□□□□? (3□ □□)

- A. OSPF□ □□ □□ □□ □□□ □□ □□□□ □□□.
- B. OSPF□ □□□ □□□□ □□□□ □□□□ □□ □□□ □□□□□.
- C. OSPF□ □□ □□ IGP□□□□.
- D. OSPF□ □□ □□ □□□□□ □□□□ □□□ □□□ □□□□□.
- E. OSPF□ □ □□□□ □□ □□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

□□□□ □□□□□, □□□□ □□ □ □□□□□ □□□□□□ □□□ □□□ □ □□ Junos
□□□ □□□□□?

- A. □□
- B. □□□□
- C. □□
- D. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

□□□ □□□□□ □□, □□, □□, □□ □ CoS □□ □□□□ □□□ □□ □□ □□ □□□ □
□□ □ □□□□?

- A. □□□□□ □□

- B.** ☐☐☐☐☐ ☐☐ ☐☐
- C.** ☐☐☐☐ ☐☐☐☐☐ ☐☐
- D.** ☐☐ ☐☐☐☐☐ ☐☐

Answer: C (LEAVE A REPLY)

JN0-104         DumpTop      JN0-104  !

DumpTop   **JN0-104**      , DumpTop JN0-104                 

NEW QUESTION: 17

□□□ □□□□□ □□□□ □□□ □□□□ □□□□ □□ BA □□□□ □□ □□□□□?

- A.** □□□□ □□□□ □□ □□□ □□□ □
- B.** □□□ □□□□ □□□ □□□□ □□□□ □□
- C.** □□□□ □□□□ □□□ □
- D.** □□□□ □□□□ □□□ □

Answer: (SHOW ANSWER)

NEW QUESTION: 18

Which command do you use to create a routing policy that accepts all routes?

- A.** Set policy-options policy-statement policyABC term match-all from all then accept and then apply to all interfaces
- B.** Set policy-options policy-statement policyABC term match-all then accept and then apply to all interfaces
- C.** Set routing-options policy-statement policyABC term match-all from all then accept and then apply to all interfaces
- D.** Set routing-options policy-statement policyABC term match-all then accept and then apply to all interfaces

Answer: (SHOW ANSWER)

NEW QUESTION: 19

□□ □ □□□ □□ □□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A.** □□ □□ □□□□ □□□.
- B.** □□□ □□□□□ ECMP □□□ □□□□□.
- C.** □□ □□□ □□ □□□□ □□□□ □□ □□□ □□□□□.
- D.** □□ □□□□ □□□□ □□□.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 20

□ □ □ □ □ □ □ □ □ □ .

Item	Version	Part number	Serial number	Description
Chassis			EBE7ABF9EA61	VSRX
Midplane	REV 08	750-058562	4229D770	VSRX
Pseudo CB 0				
Routing Engine 0		BUILTIN	BUILTIN	VSRX-S
FPC 0	REV 07	611-049549	RL3714040884	FPC
PIC 0		BUILTIN	BUILTIN	VSRX DPDK GE

□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□□□?

- A. □□ fpc □□
- B. □□ □□□□ □□
- C. □□ □□ □□
- D. □□ □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

□□□ □□□ □□ □□□□ □□□ □□□□ □ □□□□ □□□□ □□□□□?

- A. □□ □□□
- B. □□□ □□□
- C. □□□□ □□□
- D. □□□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

□□ □□ □□□ □ □□ □□ □□□□□? (2□□ □□□□□.)

- A. □□ □□□□□ □ □□□□□□ □□□□ □□ □□□□□□□ □□□ SCP □□□□□□□.
- B. □□□□ □□□ □□□□□□ □□□ SCP □□□□□□□.
- C. □□ □□□□□ □□□ □□□□□□ □□□□ □□□ SFTP □□□□□□□.
- D. □ □□□□□□□ □□□□ □□ □□□□ □□ □□□□□□ □□□ SFTP □□□□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

□□ □ □ □□□ IP □□□□□□ □□□□ □□ □□ □□□ □□□□□? (2□ □□)

- A. □□□□ □□□ □□□ 2 □□□□□□ □□□□ □□□ □□□.
- B. □□□□ □□□ □□□ 3 □□□□□□ □□□□ □□□ □□□.
- C. □□ □ □□ □□
- D. □□□□ Layer 3 □□□□ □□ □□□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

□□ □□□ □ □□ □□□ □□□□□ ge-0/0/0 □□ 1□□ OSPF□ □□□□ □□□.

□ □ □□ □□ □□□ □□□□? (2□ □□)

- A. [□□] user@router# □□□□ ospf □□ 0 □□□□□□ ge-0/0/0.1 □□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?


```
[edit policy-options]
user@router# show
prefix-list rfc1918 {
    10.0.0.0/8;
    172.16.0.0/12;
    192.168.0.0/16;
}
policy-statement BGP-import-policy {
    term term-1 {
        from {
            route-filter 172.16.0.0/12 orlonger;
            route-filter 10.10.0.0/16 orlonger;
        }
        then accept;
    }
    term term-2 {
        from {
            prefix-list-filter rfc1918 orlonger reject;
        }
    }
}
}
```

JUNIPER
NETWORKS

□□□□ □□□ □□□ BGP □□□ □□□□ □□□□ □□□□□□. □ □□□□□□ □□□□
192.168.30.48/32 □□□ □□□□ □□□ □□□?

- A. term-2□ □□□□ □□□□□.
- B. □□□ □ □□ □□-2□ □□
- C. 1□□□ □ □□□ □□□□□.
- D. □□ BGP □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30





□□ □ UDP(□□□□ □□□□□ □□□□)□ □□□□ □ □□ □□□ □□□□□? (3□□ □□
□□□.)

- A. UDP □□ □□□ DNS □ VoIP□ □□□□□.
- B. UDP□ □□ □□ □□□□□□□.
- C. UDP□ □□□ □□ □□□ □□□□□.
- D. UDP□ □□ □□ □ □□ □□ □□□□□ □□□□□.

Answer: A,C,E (LEAVE A REPLY)

□□□□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□□□?

- A.** ☐☐☐ ☐☐ ☐☐ ☐☐ 10.1.1.1/32 ☐☐ ☐☐
- B.** ☐☐☐ ☐☐ ☐☐ ☐☐ 10.1.1.1/32 no-retain ☐☐
- C.** ☐☐☐ ☐☐ ☐☐ ☐☐ 10.1.1.1/32 ☐☐ ☐ ☐
- D.** ☐☐☐ ☐☐ ☐☐ ☐☐ 10.1.1.1/32 ☐☐ ☐☐

JN0-104  DumpTop  **JN0-104** !
DumpTop  **JN0-104** , DumpTop JN0-104 
 .   DumpTop JN0-104 
. <https://www.dumptop.com/Juniper/JN0-104-dump.html> (**145** Q&As Dumps,
30%OFF Special Discount: **KrDump**)

172.27.0.0/28 ☐☐☐☐☐☐ ☐☐☐ ☐ ☐☐ ☐☐☐☐ ☐☐☐☐?

- A.** 14
B. 28
C. 30
D. 6

Answer: (SHOW ANSWER)

commit sync □□□ □□□□ □□ □□□ □□ □□□□ □□□□□. commit □□□ □□□□ □
□ □□□ □□ □□□□ □□□□□.

□□□ □□□ □□□□ □□□ □□□□ □□ □□ □ □□□ □□ □□□□□?

A. □□□□ commit sync □□□ □□□ □ □□□ commit □□□ □□□ □ □□□□.

B. □□□□ □□□ □□□ □ □□□□.

C. □□□□ commit □□□ □□□ □ □□□ commit sync □□□ □□□ □ □□□□.

D. □□□□ □ □□(□□ □□□ □ □□)□ □□ □□□ □ □□□□.

Answer: A (LEAVE A REPLY)

□□ □□□ □□□ □□ □□ □□ □□□ □□?

```
□□ □□ 0.0.0.0/0 □□□ □□ □ 172.30.25.1 □□ □□ 7 □□ □ 172.30.25.5
```

- A. 172.30.25.1 .

- B.** □□ □ 172.30.25.1□ □□ □□□□ □□□□□.
- C.** □□ □ 172.30.25.5□ □□ □□ □□□□ □□□□□ □□□ □□□□.
- D.** □□ □ 172.30.25.1□ □□ □□ □□□□ □□□□□ □□□ □□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

□□ □ Junos OS□ □□ □□□□ □□ □□ □□?

- A.** Junos OS can send log messages to syslog servers.
- B.** Junos OS can send log messages to a local file.
- C.** Junos OS can send log messages to PFE.
- D.** Junos OS can send log messages to the user console.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 36

66.96.130.0/24 □□□□□ □□□□□□ □□ □□ 60□□ □□□□□ □□□□ □□□.
□ □□ □□□ □□□□ □□□□ □□□□ □□□□□?

- A. /29**
B. /30
C. /28
D. /27

Answer: B (LEAVE A REPLY)

NEW QUESTION: 37

□□ □□□ □□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A.** Layer 2 □□□ □□□ □□
- B.** □□□ □□□□ □□□□ □□□ □□□
- C.** TTL□ 0□ □□□□ ICMP □□ □□ □□□□ □□□□.
- D.** □□, □□□ □□□ □ □□□ □□□(CoS) □□

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 38

□□□□ □□ □□□□ □□□ □□□ □□□ □□ □□□ □□□ □□□□ □□□ SecurityTeam
 □ □□□ □□□□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** ☐☐☐ syslog ☐☐☐ SecurityTeam ☐☐ ☐☐☐
- B.** ☐☐☐ syslog ☐☐☐ SecurityTeam ☐☐☐ ☐☐☐
- C.** ☐☐☐ syslog ☐☐☐ SecurityTeam ☐☐☐ ☐☐☐
- D.** ☐☐☐ ☐☐☐ ☐☐☐ SecurityTeam ☐☐ ☐☐ ☐☐ ☐☐

Answer: A (LEAVE A REPLY)

NEW QUESTION: 39

IPv6 □□□ □ □□ □□□ □□□□□?

- A. IPv6□ □□□ □□ □□ □□□□ □□ □ □□ NAT□ □□□□ □□□□□.
- B. IPv6□ □□ □□ □□□ □□□□ IPv4□□ □□□□□ □□□□□.
- C. IPv6□ □□□ □□□ □□□□ □□□□ □ IP □□□ □□□□□.
- D. IPv6□ IPv4□ □□□ □□ □□□□□ □□□ □□□□ □ □□ □□□ □□□ □□□□□.
- E. IPv6□ □□□□ □□ □□ □□□ □□ □□ □□□ □□□□ □□ □□□□□ □□□□.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 40

□□□□□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□ Junos □□□□□ □□ □□□ □□□□?

- A. □□□□ □□□□ □ □□□□ □□□□.
- B. □□□□ □□□□ □□□□.
- C. □□ □□□ □□ □□ □□□□ □□ □□□□□□.
- D. □□□□ □□ □ □□ □□ □ □□□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

□□□ □□□□ 10.21.14.16 □□□□ □□□□ □□ □□ □□ □ □□□□□□ □□□□□?

```
user@router> show route forwarding-table
```

```
routing table: inet
```

```
Internet:
```

Destination	Type	RtRef	next hop	Type	Index	NhRef	Netif
-------------	------	-------	----------	------	-------	-------	-------

default	user	0	0:32.51.07.89.2	ucst	520		ge-0/0/0.0
---------	------	---	-----------------	------	-----	--	------------

default	perm	0	rjct	36	1		
---------	------	---	------	----	---	--	--

0.0.0.0/32	perm	0	dscd	34	1		
------------	------	---	------	----	---	--	--

10.21.0.0/16	user	0	192.168.10.100	ucast	535	3	ge-0/0/2.0
--------------	------	---	----------------	-------	-----	---	------------

10.21.14.0/24	user	0	192.168.11.100	ucast	528	3	ge-0/0/1.0
---------------	------	---	----------------	-------	-----	---	------------

10.21.14.10/30	user	0	192.168.12.100	ucast	530	3	ge-0/0/3.0
----------------	------	---	----------------	-------	-----	---	------------

A. ge-0/0/2.0

B. ge-0/0/3.0

C. ge-0/0/1.0

D. ge-0/0/0.0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 42

□□□ □□□□ □□□□ □□ □□□ □□□□□?

A. □□ □□

B. □□□ □□□ □□

D. ☐ ☐ ☐ ☐

NEW QUESTION: 43

A. ☐☐☐ ☐☐☐ ☐☐ ☐☐

B. ☐☐☐ ☐☐☐ ☐☐☐

C. ☐☐☐ ☐ ☐☐☐☐☐☐ ☐☐☐☐☐

D. ☐☐ ☐☐ ☐☐

E. ☐☐ ☐☐ ☐☐☐

NEW QUESTION: 44

A. 200.10.10.64

B. 200.10.10.63

C. 200.10.10.62

NEW QUESTION: 45

A. Junos ☐☐☐ **FreeBSD** **UNIX** ☐☐ ☐☐☐☐ ☐☐.

B. Junos ☐☐☐ **GNU Zebra** ☐☐ ☐☐☐☐☐☐.

C. Junos □□□ □□ □□ □□□ □□□□ □□ □□□□.

D. Junos **Solaris** .

NEW QUESTION: 46

A. ☐

B. X

C. ☐

D. ☐

E. Z

Answer: B,C,D (LEAVE A REPLY)

JN0-104         DumpTop      JN0-104  !

DumpTop   **JN0-104**                               

NEW QUESTION: 47

□□ □ Junos □□□□□ □□□ □□□□ □□ □□□□ □□ □□ □□?

- A.** □□ □□□□ □□□□.
- B.** □□□ □□□ □□ □□□ □□□□ □□ □ □□□□.
- C.** □□ □□□ □□□□□ □□□□□ □□□□□□□.
- D.** □□ □□□ □□□□ □□ □□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

```

□□□□ 10.0.19.0/24 □□□□ □□□ ping□ □ □□□□.
□□□ □□□□ □□ □□□□ □□□□ □□□ □□□ □□□□□.
user@router# □ □□□□□ □□□ □□
□□□□□ □□□ □□ □□□ □□
fe-0/0/0 □□
fe-0/0/0.0 upinet 10.0.39.2/24
□□
mps
fe-0/0/1 □□

```

- fe-0/0/1.0 upinet 10.0.18.2/24
fe-0/0/1.5 ☐☐☐ inet 10.0.19.2/24
☐☐☐ ☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐?
- A.** delete interface fe-0/0/1.5 disable ☐☐☐ ☐☐☐☐.
- B.** ☐☐☐ ☐☐☐☐ ☐☐☐☐.
- C.** activate ☐☐☐☐☐ fe-0/0/1.5 ☐☐☐ ☐☐☐☐.
- D.** IP ☐☐☐ ☐☐☐☐☐.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 49

□□□□□ MX1-PE1 BGP □□□ □□ □□□ □□□□ □ □□ □□□ □□□□□?
(2□□ □□□□□.)

- A.** user@router> □□ □□ | □□ □□ | MX1-PE1 □□
- B.** user@router> □□ □□ | dispalv □□ | MX1-PE1 □□
- C.** user@router# □ □□ | □□□□□ □□ | MX1-PE1 □□
- D.** user@router# □ | □□□□□ □□ | MX1-PE1 □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

□□□ □□□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□□ □□□ □□□ □□ □□□ □□ □□□□.
- B. □□□ □□□□ □□□□ □□ □□□ □□□ □□□□□.
- C. □□□ □□ □□□ □□□□ □□□□.
- D. □□□□ □□ □□□ □□□□ □□□□ □ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

□□□ □□□ □□ □□ □□□ □□ □□□□ □□□□ □□□□□? (3□ □□)

- A. □□
- B. □□□ □□
- C. □□□
- D. □□
- E. □□

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 52

□□ □□ □ □□ Junos □□□ □□ □□□□□.

□□□ □□□□ □□□□□□ □□ □ □□□ □□□□ □□□? (2□□ □□□□□.)

- A. □□ □□□ □□□□ □□□ □□□□□.
- B. root □□□□ □□□□ □□ □□□□□□.
- C. SSH □□□ □□□□ □□□ □□□□□.
- D. □□□ root□ □□□□ root123□□ □□□□□□.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 53

Junos OS□ □□□ □□ □□□□ □□ □□?

- A. □□□□ □□□ RE □□ □□□□□ PFE □□ □□□□□ □□□ □□□□□□ □ □□□□□.
- B. □□□□ □□□ □□□□ □□□ □□□□ □□□□□ □ □□□□□.
- C. □□□□ □□□ □□ □□□ □□□□ □□□ □□□□□ □ □□□□□.
- D. □□□□ □□□ □□□ □□□□ □□□ □□□ □□□□□ □ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 54

10100101□ □□□□ □□□□ □□ □□□□□?

- A. 165
- B. 127
- C. 4

D. 75

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 55

□□□ □□□ □□□□□ □□□ □□□ □□□ □□□□ □□□ □ □□ □□□ □□□□□?

A. □□ □□

B. □□ □□

C. □□ □□

D. □□□□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

192.168.100.0/22 □□□□□ □□□□□□□.

□□ □□□ □□□□ □ □□□□?

A. 1022

B. 1024

C. 510

D. 512

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

Junos OS□ "X" □□□□ □□□□□?

A. □□ □□ □□□

B. □□ □□ □□□

C. □□ □□ □□□

D. □□ □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 58

□□ □□ □□□ □□□□ □□□ □□□□ □□□.

□ □□□□□□ □ □□□ □□□□ □□□ □□□□□?

A. {□□□:0} [□□]

user@router# □□ □□

B. {□□□:0}

user@router> □□ □□

C. {□□□:0}

user@router> □□ □□□□□ □□

D. {□□□:0} [□□]

user@routert □□ □□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

```
user@router# save current.conf
```

□□ □□□ □□□ □ □□ □□□□ □□□ current.conf□ □□□□ □□□□?

- A.** /□□/
- B.** /var/tmp/
- C.** /var/home/user/
- D.** /var/config/saved/

Answer: C (LEAVE A REPLY)

NEW QUESTION: 60

□□ □□□ zeroize □□□ □□□□□.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** □□ □□□ □□□ □□□□ □□ □□ □□ □□□ □□ □□□□□ □□□□□.
- B.** □□ □□□ □□□□ □□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□□□.
- C.** □□ □□□ □□□ □□□□ □□ □□ □□□ □□ □□□□□ □□□□□.
- D.** □□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

96.6.231.148 □ □ □ □ □ □ □ □ □ □ □ □ ?

- A.** 10101000 11001000 10101001 10101001
B. 01100100 00100101 11100100 10010111
C. 01100000 00000110 11100111 10010100
D. 01010000 00010110 11010101 10100110

Answer: C (LEAVE A REPLY)

JN0-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-104 □□!
 DumpTop □ □□ **JN0-104** □□ □□□ □□□□□□, DumpTop JN0-104 □□ □□□ □□□
 □□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-104 □□□
 □□□□□. <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps,
30%OFF Special Discount: KrDump)

NEW QUESTION: 62

□□ □□□□ Junos □□□□ □□□□ □□□□ □□.

□□□□ □□ □□□ □□□ □ □□ □□□ □□□□□?

- A.** □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□ □□ □□ □□□□.
- B.** □□□□ □□ □□□ □□□□ □□ □□□□ □□ □□□□ □□□□□.
- C.** □□ □□□□ □□□ □□ □□□ □□□ □□□□□.
- D.** □□□□ □□ □□□ □□□□ □□ □□ □□□□ □□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

□□□□:

Item	Version	Part number	Serial number	Description
Chassis			EBE7ABF9EA61	VSRX
Midplane	REV_08	750-058562	4229D770	VSRX
Pseudo CB 0				
Routing Engine 0		BUILTIN	BUILTIN	VSRX-S
FPC 0	REV 07	611-049549	RL3714040884	FPC
PTC 0		BUILTIN	BUILTIN	VSRX DPDK G

□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□□□?

- A. □□ □□ □□
- B. □□ □□□□ □□
- C. □□ fpc □□
- D. □□ □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

□□□ □□□ □□□□ □ □□ □□□ □□□□□?

- A. □□□ □□□ □□ □□□ □□□□□ □□□□ □□□□ □□ □□□ □□□□ □ □□□□
- .
- B. □□□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□□ □□□ □□□□.
- C. □□ □ □□□ □□□ □□□ □□□□□ □□□ □ □□□□.
- D. □□□ □□□ □□□□ □□□ □□□□□ □□ □□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

□□ □□ □□ □□□□□ □□□ □ □□□ □□□□□?

- A. □□□ □□□□□□.
- B. □□□ □□□ □□□□□□.
- C. □□ □□□□□ □□□□□.
- D. □□ □□ □□□ □□□□□.
- E. □□ □□□ □□□□□□.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 66

□□□□□ □□ □□ □□□□□ □□□□ □□□ □□□□□?

- A. >
- B. \$
- C. #
- D. %

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

□□ □ □□ CLI □□□ □□□□ □□ □□ □□ □□ □□ □□ □ □□□? (2□□ □□□□ □.)

- A. $\square\square$
B. CD
C. $\square\square$
D. $\square\square$

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 68

□□□□ □□ □□□ □□□ □ □□□□ OSI □□□ □□□ □□□□□?

- A.** ☐☐☐ 4
B. ☐☐☐ 3
C. ☐☐☐ 2
D. ☐☐☐ 5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

□□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□?

- A.** □□ □□□□ □□□ □□□□□.
- B.** □□□ □□□□□□□.
- C.** □□□ □□□□□.
- D.** □□□ □□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐

- A. ☐ ☐
- B. ☐
- C. ☐ ☐
- D. ☐ ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Click the Exhibit button

Exhibit							
user@router> show route forwarding-table							
Routing table: default.inet							
Internet:							
Destination	Type	RtRef	Next hop	Type	Index	WhRef	Netif
default	user	0	0:17:cb:4a:ea:1	ucst	520	3	ge-0/0/0.0
default	perm	0		rjet	36	1	
0.0.0.0/32	perm	0		dsd	34	1	
172.19.0.0/16	user	0	200.1.4.100	ucst	535	3	ge-0/0/3.0
172.19.52.0/24	user	0	200.1.2.100	ucst	529	3	ge-0/0/1.0
172.19.52.16/28	user	0	200.1.3.100	ucst	534	3	ge-0/0/2.0

What is the next-hop interface for traffic destined to 172.19.52.101 as shown in the exhibit?

- A. ge-0/0/3.0
- B. ge-0/0/0.0
- C. ge-0/0/2.0
- D. ge-0/0/1.0

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 72

□□ □□□ ping □□□ □□ □ □□ □ □□□□ □□ □□ □□?

- A. □□ □□ □□□□□ Control-C □ □□□□ □□□□ □□□.
- B. □□ □□ □□□ ping □□□ □□□□ □□□.
- C. □□ □□ □□□□□ Control-Z □ □□□□ □□□□ □□□.
- D. Junos OS□ □□□□□ 5□□ □□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 73

□□ □ Junos □□□ traceoptions□ □□ □□□□ □□ □□ □□? (2□ □□)

- A. □□ □□□ □ □□ □□□ □□□□□ □□□□□.
- B. □□ □□□ □□□□ □ □□ □□□ □□□ □□□ □ □□□□.
- C. □□ □□□ □□□□ □□□ □□□ □□□□.
- D. show log <filename> □□□ □□□□ □□ □□□ □□□ □ □ □□□□.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 74

□□ □ □□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □□□? (2□ □□)

- A. □□□□
- B. □□ □□□
- C. □□□
- D. □□ □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 75

C. □□ 11, □□ 1, FPC 0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 79

□□□□□□ □□□□ □□□□ □□ □□□□ □□ □□?

- A. □□□ □□ □□ □□□ □□ □□□ □ □□□ □□□ □ □□□□.
- B. □□□□□□□ □□□□ □□□ □□□ □□□□□.
- C. □□□□□□□ □□□ □□□□ □□□□□.
- D. □□□ □□ □□□□ □□□□ □□□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 80

SSH□ Telnet□ □□ □□□□ □□ □□?

- A. Telnet□□ SSH □□□□ □□□□□ □□□□□ □□ □□□□.
- B. SSH □□□□ □□□□□ □□□□□ □□□ Telnet□ □□□□ □□□.
- C. Telnet □□□□ □□□□□ □□□□□ □□□ SSH□ □□□□ □□□.
- D. SSH □ Telnet □□□□ □□ □□□□□ □□□□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 81

□□ □□□ □□□ □□ □□□ □□□ □ □□□□□?

- A. □□□□ □□ □□
- B. □□ □□ □□
- C. □□□ □□ □□
- D. □□□ □□ □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 82

□□ □ □□□□ □□ MX1-PE1 BGP □□□ □□ □□□ □□□□ □□□ □□□□□? (2□ □ □)

- A. user@router> □□ □□ | □□□□□ □□ | MX1-PE1 □□
- B. user@router# □ □□ | □□□□□ □□ | MX1-PE1 □□
- C. user@router# □ | □□□□□ □□ | MX1-PE1 □□
- D. user@router> □□ □□ | □□ □□ | MX1-PE1 □□

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 83

□□□ □□□□ □□ □□□ □□ □□□ □ □□ □□□□ □□□□□? (2□□ □□□□□.)

[□□□□□]

user@router# □ | □□□□

[□□ □□□□ ospf □□ 0.0.0.0]

- □□□□□ ge-0/0/0.0 {

$$- \square\square\square\square\square\square;$$

- }

[□□ □□□□ ospf]

□□ 0.0.0.0 { ... }

$$+ \square\square 0.0.0.1 \{$$

+ □□□□□ ge-0/0/0.0;

 $+$ $\}$

A. ge-0/0/0 □□□□□□ □□ □□□ □□□□□□□□.

B. □□ □□□ □□ 1□ □□□□□□□□.

C. □□ □□□ □□ 0□ □□□□□□□.

D. ge-0/0/0 □□□□□□ □□ □□□ □□□□□□□□.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 84

□□ □ □□□□ □□ □□□□ □□ □□ □□?

A. □□□ □□□ □□□□ □□□ □□□□ □□ □□□.

B. □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ RE□ □□□ □□□ □□□□□.

C. Ingress ☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ **Egress** ☐☐☐ ☐☐☐☐☐.

D. ICMP □□□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

□□ □ test□□ □□□ □□□ □□ □□□□ □ □ □□□□ □□ □□□ □□□□□?

A. ☐☐ ☐☐☐ ☐☐

B. ☐☐ ☐☐☐ ☐☐

C. ☐☐☐ ☐☐

D. ☐☐☐ ☐☐ ☐☐☐

Answer: D (LEAVE A REPLY)

NEW QUESTION: 86

[illegible]

A. ☐☐ ☐☐☐ ☐☐☐☐ ☐☐

B. ☐☐ ☐☐ ☐☐☐ ☐☐☐☐

C. ☐☐☐ ☐☐☐☐☐ ☐☐


D. ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐

Answer: (SHOW ANSWER)

NEW QUESTION: 87

□□□ □□ IP □□□ 20.2.2.1□□ □□ □□□ 10.1.1.1□□□.

```
term 1 {  
    from {  
        source-address {  
            0.0.0.0/0;  
        }  
        destination-address {  
            10.1.0.0/16;  
        }  
    }  
    then {  
        log;  
        reject;  
    }  
}  
term 2 {  
    from {  
        destination-address {  
            10.1.1.0/24;  
        }  
    }  
    then accept;  
}  
term 3 {  
    from {  
        source-address {  
            20.2.0.0/16;  
        }  
        destination-address {  
            10.1.0.0/16;  
            10.1.1.1/32 except;  
        }  
    }  
    then accept;  
}  
term 4 {  
    from {  
        source-address {  
            20.2.2.1/32;  
        }  
        destination-address {  
            10.1.1.1/32;  
        }  
    }  
}
```



□□□□ □□□ □□□ □□□ □□□□ □ □□□ □□□□ □□□□ □□□ □□ □□ □□
□ □□□□□ □□□?

- A. 1□ □□ 4□□ □□
- B. 3□ □□ 4□□ □□
- C. □□ 4□ □□ 1□ □□ □□
- D. □□ 1□ □□ 5□ □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

□□□ □□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□□□ □□□ □□ □□□□□□□ □□□ □□□□ □□□□ □ □□□□□.
- B. □□□□ □□□ □□ □□□□□□□ □□□□ □□□□ □□□□ □ □□□□□.
- C. An export policy determines the routes in the local routing table that are advertised to peers.
- D. An import policy is used to control routes that are accepted by the local routing table.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 89

IS-IS□ DIS □□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□□□ □□□ □□ □□ □□□ □□ MAC □□□ □□ □□ □□□□ □□□□□.
- B. □□□□□ □□ □□ □□□□ DIS□ □□□□□.
- C. □□□□□ □□ □□ □□□□ DIS□ □□
- D. □□□□ □□□ □□ □□ □□□ □□ MAC □□□ □□ □□ □□□□ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 90

□□□□ □□□□□ □□□□□□□□□? (3□ □□)

- A. TFTP
- B. SSH
- C. □□
- D. DHCP
- E. DNS

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 91

□□□□ □□□ □□□□□ ge-0/0/0□□ □□□□ □□□□ □□□ □□□□□?

A. user@host> □□□ ge-0/0/0

B. user@host# □□□□□ ge-0/0/0 □□ 0 □□□ □□

C. user@host> □□□□□ ge-0/0/0 □□□ □□

D. user@host# □□□□□ ge-0/0/0 gigether-options □□□ □□

Answer: D ([LEAVE A REPLY](#))

JN0-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-104 □□!
DumpTop □ □□ **JN0-104** □□ □□□ □□□□□□, DumpTop JN0-104 □□ □□□ □□□
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-104 □□□
□□□□□. <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps,
30%OFF Special Discount: **KrDump**)

NEW QUESTION: 92

Junos□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□□□?

A. □□ □□

B. □□ □□

C. □□ □□ □

D. □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

□□□□□ ge-0/0/0.0□□ "ge"□ □□□ □□□□□?

A. GRE

B. □□□□ □□□

C. FastEthernet

D. □□ □□□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 94

□□ □□ □□ □□□ □□ □□□□ □□ □□?

A. IBGP□ EBGP□□ □□□□.

B. □□□ □□□□ □□□□.

C. OSPF AS □□□ OSPF □□□□ □□□□.

D. RIP□ RIPng□□ □□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

Junos OS□ □□□ □□□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□□□ □□ □□□ □□□ □ □□□ □□□□□ □□□.
- B. □ □□□ □□□□ □□ □□□ □□ □□□□ □□□□□.
- C. □ □□□□ □□ □□ □□□ □□□□ □□□□ □□□.
- D. □□ □□□ □□□□□ □□□□□ □□□ □ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION 32

NEW QUESTION: 96

- NEW SOLUTION**
- A.** ☐ ☐ ☐ ☐
- B.** ☐ ☐
- C.** ☐ ☐ ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐ ☐

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 97

□□□ □ □□ □ □□□ □□□□ □ □□ □□□□ □□□□□? (2□□ □□□□□.)

- A.** SRX ☐☐☐
- B.** MX ☐☐☐
- C.** NFX ☐☐☐
- D.** ACX ☐☐☐

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 98

□□□□ □ □□□ □□□ □□□ □□ □□□□ □□ □□?

- A. □□□□ □□□ □□□ □□□□□ □□ □□□□□.
- B. □□□□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□□.
- C. □□□ □□□ □□□ □□□□ □□□ □□□□□.
- D. □□□□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□ □□□ □□□□□.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 99

What are two Junos processes?

- A. SNMP daemon (snmpd)**
B. OSPF SPF daemon (ospfd)
C. Routing protocols daemon (rpd)
D. BGP daemon (bgpd)

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 100

□□ □ □□□ □□□ □□ □□□ □□□□□?

- A. ☐ ☐
- B. ☐ ☐

C. ☐☐

D. ☐☐

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which two parameters are considered action modifiers in the firewall filters then statement?

(Choose two.)

A. counter

B. reject

C. next term

D. policer

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 102

☐☐ Junos ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐?

A. Junos ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

B. ☐☐ Juniper ☐☐ ☐☐ Junos ☐☐ ☐☐ ☐☐.

C. Junos ☐☐ ☐☐ ☐☐ ☐☐ ☐☐.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 103

☐☐ ☐☐ ge-0/0/9.0 ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐?

☐☐ ☐☐ {

ge-0/0/8 {

☐☐ 0 {

☐☐ ☐☐ {

☐☐ 192.168.1.1/24;

}}}

ge-0/0/9 {

☐☐ 0 {

☐☐ ☐☐ {

☐☐ 192.168.10.1/24;

}}}

}

A. [☐☐☐☐ ge-0/0/9 ☐☐ 0 ☐☐] user@router# ☐☐ ☐☐ inet ☐☐ /24 ☐☐

B. [☐☐ ☐☐ ge-0/0/9 ☐☐ 0] user@router# ☐☐ ☐☐ inet address-secondary /24

C. [☐☐☐☐ ☐☐ ge-0/0/9 ☐☐ 0] user@router# ☐☐ ☐☐ inet ☐☐ /24

D. [☐☐ ☐☐ ge-0/0/9 ☐☐ 0] user@router# set family inet secondary-address /24

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 104

□□ □□ □□ □□ □□ □□□ □ □□ □ □□ CLI □□□ □□□□□? (2□□ □□□□□.)

A. □□

B. □□

C. □□

D. CD

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 105

19.1R1□□ □□□□□□ □□ □□□ □□ □□□ □□□□□ □□□ □□□.

□ □□□□ □□ □ □□ □□□□□ □□□ □□□□ □□□? (2□□ □□□□□.)

A. 19.3R1-S1

B. 19.1R1-S2

C. 19.3R2

D. 19.1R3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

□□□ Junos□ □ □□□□□ □□□□ □□□□□□ □□ □□□ □□□□ □□□ □□□□□

□□□□□□□ □□□□□ □□□. □ □□□□□□□ □□ □□□ □□□□ □□□?

A. □□ □ □□□

B. □□ □□ □□ □□

C. □□ □□

D. □□ □□□ sha 1

Answer: B ([LEAVE A REPLY](#))

JN0-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-104 □□!

DumpTop □ □□ **JN0-104** □□ □□□ □□□□□□, DumpTop JN0-104 □□ □□□ □□□

□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-104 □□□

□□□□□. <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps,

30%OFF Special Discount: **KrDump**)

NEW QUESTION: 107

□□ □□□ □□□□□.

```
[edit]
user@router# show firewall policer policer1
if-exceeding {
    bandwidth-limit 1g;
    burst-size-limit 100k;
}
then discard;
```

Which two statements are true regarding the configuration of the policer on the interface xe-0/0/3? (Choose two.)

- A. [edit]
user@router# show interfaces xe-0/0/3
unit 0 {
 accounting-profile policer1;
 family inet {
 address 1.1.1.1/23;
 }
}
- B. [edit]
user@router# show interfaces xe-0/0/3
unit 0 {
 family inet {
 policer {
 input policer1;
 }
 address 1.1.1.1/23;
 }
}
- C. [edit]
user@router# show interfaces xe-0/0/3
accounting-profile policer1;
unit 0 {
 family inet {
 address 1.1.1.1/23;
 }
}
- D. [edit]
user@router# show interfaces xe-0/0/3
unit 0 {
 bandwidth 1g;
 family inet {
 address 1.1.1.1/23;
 }
}

A. ☐ D

B. ☐ A

C. ☐ C

D. ☐ B

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 108

TCP uses a sliding window to manage the flow of data. What is the maximum number of segments that can be in flight at any one time?

A. ☐ 1

B. ☐ 2

C. ☐ ☐ ☐ ☐

D. ☐ ☐ ☐

E. EXP □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

□□ □ □□□□ □□ □□□□ □□□□ □ □□□ □□□□□? (2□□ □□□□□.)

A. ☐☐☐ ☐☐

B. ☐ ☐ ☐ ☐

C. ☐ ☐

D. AS ☐☐

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 110

□□□ IP □□□ -192.168.100.60□□ □□□□ □□□□ -255.255.255.224(□□ /27)□□ □□
□□□.

□□ □□ □ □□□ □□□□ □□□ □□□□ □□□ □□□□ □□ □□□□□?

A. 192.168.100.48

B. 192.168.100.32

C. 192.168.100.16

D. 192.168.100.0

Answer: B (LEAVE A REPLY)

NEW QUESTION: 111

[illegible]

A. ☐

B. ☐ ☐ ☐ ☐

C. ☐ ☐ ☐ ☐

D. ☐ ☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 112

```

user@router> show route
inet.0: 1222 destinations, 1525 routes (1222 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

0.0.0.0/0          *[Static/5] 1w2d 22:59:01
                   > to 10.10.10.1 via fxp0.0
10.10.10.0/25      *[Direct/0] 1w2d 22:59:01
                   > via fxp0.0
                   [Direct/0] 1w2d 22:58:57
                   > via fxp0.0
10.10.10.7/32      *[Local/0] 1w2d 22:59:01
                   Local via fxp0.0
10.10.10.9/32      *[Local/0] 1w2d 22:58:57
                   Local via fxp0.0
10.200.200.0/23    *[Direct/0] 1w2d 22:30:24
                   > via xe-0/0/3.100

```

□□□ □□□□ □□□ □□ □□□ □□□ □□□□□?

- A. □□ □□ □□
- B. □□ □□□
- C. □□□
- D. □□□□ □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 113

□□□□:

JUNIPER NETWORKS

```
[edit firewall family inet]
user@router# show
filter input-filter {
    term count-packets {
        from {
            source-address {
                10.10.10.0/24;
            }
        }
        then count building-1;
    }
    term reject-others {
        then {
            reject;
        }
    }
}
}
```

10.10.10.4 □□ □□□□ □□□ □□ □□□□ □□ □□?

- A. □□□□ □□□
- B. □□□□ □□
- C. □□□□ □□□□ □□□□□.
- D. □□□□ □□□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 114

96 □ □□ □□□ □□□□ □□ □□□□□?

- A. 01100000
- B. 11010100
- C. 11010000
- D. 11101010

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 115

Junos □□□□□ □□ □□□ ICMP TTL(Time-to-Live) □□ □□□□ □□□□□?

- A. □□ □□
- B. □□ □□□□□

C. □□□ □□

D. □□ □□□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 116

□□□ □□ □□□□ □□ □□?

A. □□□ □□□ 9□ □□ □□ □□□□□.

B. □□□ □□ □□□□□ □□□□ □□□□□□.

C. □□□ BFD□ □□ □□□ □□□□□ □□□□□.

D. □□ 1□□ □□□ □□□ □□□ □□□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 117

show route □□□ □□□ □□□□ □□ □□□□ *□ □□□ □□□□□?

user@host> □□ 192.168.0.0/12 □□

inet.0: □□□ 10□, □□ 10□(□□ 9□, □□□□ 0□, □□ 1□)

+ = □□ □□, - = □□□ □□, * = □ □

192.168.0.0/12 *[□□/5] 2w4d 12:54:27

> fxp0.0□ □□ 192.168.167.254□

A. □□□ □□ □□□□□.

B. □□□ □□ □□□ □□□□□ □□□□ □□□□□□□.

C. □□□ □□ □□□□ □□□ □□ □□□□□.

D. □□□ □□ □□□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 118

□□ □□□ □□□□□ □□ □□□□ □□ □□? (3□□ □□□□□.)

A. □□ □□□□□.

B. Dijkstra □□□□□.

C. □□ □□□ □□□□□.

D. □□ □□ □□□□ □□ □□ □□□ □□□ □□□□□.

E. □□ □ □□□ □□□□□□.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 119

□□□□:

```

edit config
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}

trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}

trap-group my-second-trap-group
  targets {
    10.21.15.181;
  }
}

```

□□□ □□ □□□□ □□ □□?

- A. 10.21.15.180□□ □□□ □□□□□.
- B. □□□ 10.21.15.16□□ □□□□□.
- C. □□□ 10.21.15.180□□ □□□□□.
- D. □□□ 10.21.15.16□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 120

□□ □□ □□□□?

- A. □□□ □□□ □□□□ □□□□ □ □□□ □□ □□□ □□ □□ □ □□ □□□ □□□□□.
- B. □□ □□□ □□□□ □□□□ □ □□□ □□ □□□ □□ □□ □ □□ □□□ □□□□□.
- C. □□ □□□ □□□ 2□ □□□□□. IP □□□ □□□□ □□□□.
- D. □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

□□□ □□ □□ □□□□ □□□ □□□□ □□□ □□□□□?

- A. □□ 1
- B. □□□ □□ □□
- C. □□ □□ □□□ □□
- D. □□ 1 □□

Answer: A ([LEAVE A REPLY](#))

JN0-104         DumpTop      JN0-104  !

DumpTop   **JN0-104**                                

NEW QUESTION: 122

□□□ □□□□ □□ □□ □□□ □□□□ □□□□ □ □□□ □ □□ □□□ □□□□□?

- A.** ☐☐ ☐☐☐☐
- B.** ☐☐ ☐☐☐
- C.** ☐☐ ☐☐
- D.** ☐☐ ☐☐

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 123

□ □ □ □ □ □ □ □ □ □ .



□□□□ □□□ OSPF □□□ 10.10.10.0/24 IP □□□ □□ □□ □□□ □□□ □□□□.

☐ ☐☐☐ ☐☐☐☐☐ ☐☐ ☐☐☐☐☐☐

- A.** ☐ ☐ ☐ ☐ no-readvertise ☐ ☐ ☐ ☐ ☐.
- B.** OSPF ☐ ☐ ☐ ☐ ☐ 4 ☐ ☐ ☐ ☐ ☐.
- C.** OSPF ☐ ☐ ☐ ☐ 0 ☐ ☐ ☐ ☐
- D.** ☐ ☐ ☐ ☐ ☐ ☐ ☐ 0 ☐ ☐ ☐ ☐

Answer: (SHOW ANSWER)



□□□□ Junos □□□ □□□□ □□□□□. □□□ RADIUS □□□ □□□ □ □□□□.
 □□□□ □□□□ □ □□□□□□ Junos □□□ □□ □□□ □□□□□?

- A.** Junos □□□ □□□ □□□ □□□ 30□□□ □□□□□□.
- B.** Junos □□□ □□□ RADIUS □□□ □□ □□□□ □□□□□□.
- C.** Junos □□□ RADIUS □□ □□□ □□□□□□.
- D.** Junos □□□ □□ □□ □□□□□□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

□□□ □□□□ RADIUS □ TACACS+ □□ □□□□ □□ □□□ □□□□ □□□□ □□□ □
□□ □□ □□□□ □□□ □□□□□?

[edit]

```
user@router# show system authentication-order
authentication-order [ radius tacplus ];
```

- A. □□□□□ □□ □□ □□□ □□ □□□□ □□□□ □□□□.
- B. □□□□□ □□ □□ □□□ □□ □□□□ □□□□□.
- C. □□□□□ □□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□ □□□□□□.
- D. □□□□□ □□ □□ □□□ □□ □□□□ □□□□□.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 126

OSI □□□ □□ □□□□ □□ □□□ □□□□□?

- A.** □□□□ □□
- B.** □□□ □□ □□
- C.** □□ □□
- D.** □□ □□

Answer: B (LEAVE A REPLY)

NEW QUESTION: 127

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ?

- A.** ☐☐☐☐☐ fe-0/0/0 ☐☐ ☐☐
- B.** ☐☐☐☐☐ fe-0/0/0 health-info ☐☐
- C.** ☐☐☐☐☐ fe-0/0/0 ☐☐ ☐☐
- D.** ☐☐☐☐☐ fe-0/0/0 ☐☐ ☐☐

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 128

207□ □□ □□□□ □□□□ □□ □□□□□?

- A.** 11010101
B. 11010111
C. 11101011
D. 11001111

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 129

□□ 192.168.1.0/24 □□□□□ □□ □□ 12□□ □□□□ □□□□ □□ 12□□ □□□□□ □
□□□ □□□.

□□ □□□□ □□□□ □□□□□?

A. /27

B. /26


C. /28

D. /29

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 130

□□□ □□□□ Area 2□ Area 0□ □□□□ OSPF □□□ □□□□□?



A. □□ □□

B. □□□□□□ □□□

C. □□ □□

D. □□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 131

□□□ □□□ □□□ □□ □□□□ □□ □□?

□□ □□(ttyu0)

□□□:

- A. □□□ □□ Junos OS□ □□ □□□□ □□□□□□□□□□.
- B. Junos OS□ □□□□ □□□ □□□□ □□□□□.
- C. □□ □□ □□□ □□□□ □□ □□□□.
- D. □□□ □□□□ □□□□□□ □□□ □ □□ □□□□ □□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 132

□□ □ □□□ □□□□□ MAC □□□ □□□□□?

- A. 7a:a2:ad:00:6a:6f
- B. 6a:00:01:14:f5:b0
- C. 01:00:5e:28:15:95
- D. 0e:bc:32:a3:4b:7

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 133

□□□□□ □□ □□□ □□ □□ □□□ □□□ □□ □□□ □□□□□□□□□?

- A. □□□ □□□□ □□ □□□□□ □□
- B. □□ □□□□ □□ □□□□□ □□ □□
- C. □□ □□□□□ □□ □□ □□ □□
- D. □□ □□□□□ □□ I display set

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 134

Which statement about the forwarding table is correct?

- A. It is available on both the RE and the PFE.
- B. It is only available on the RE
- C. It is only available on the PFE
- D. It contains all known routes including IPv6-

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 135

show □□□ □□□ □□□□□ | □□ 1□ □□□□□□□□□?

- A. □ □□ □□ □□ □□□ □□ □□ □□ □□
- B. □ □□ □□ □□ □□□ □□ □□□ □□
- C. □□ □□ □□□ □□ □□ □□ □□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

□□ □ □□□□ □□□ □□□ □□ □□□□ □□ □□ □□?

-----□□□□-----

□□ □□(ttyu0)

□□□:

-----□□□□-----

A. □□ □□□□ □□□□□□□.

B. □□□ □□ Junos□ □□ □□□□ □□□□□□□□□□.

C. Junos □□ □□□ □□□□ □□□□ □□□□□.

D. □□ □□ □□□ □□□□ □□ □□□□.

Answer: D ([LEAVE A REPLY](#))

JN0-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-104 □□!

DumpTop □ □□ **JN0-104** □□ □□□ □□□□□□, DumpTop JN0-104 □□ □□□ □□□
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-104 □□□
□□□□□. <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps,

30%OFF Special Discount: KrDump)

NEW QUESTION: 137

At which hierarchy would you configure a static MAC address for interface ge-0/0/0?

A. [edit interfaces ge-0/0/0 unit 0 family inet]

B. [edit interfaces ge-0/0/0]

C. [edit interfaces ge-0/0/0 unit 0 family inet address 172.25.11.2/24]

D. [edit interfaces ge-0/0/0 unit 0]

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 138

□□□ □□□□ □ CoS □□□□ □□ □□□ □□□□□?

- □□□□ -

[□□□ □□□ inet □□ COS-CLASSIFIER □□]

user@router# □

□□ □□□ {

□□ {

□□ □□ {

192.168.200.0/25;

}

□□□ □□ {

100.100.100.1/32;

}

}

□ □□□ {

□□□ □ □□ □□□;

```

□□□□;
}
}
ALL-OTHER-TRAFFIC □□ {
□□ □□ □□□□□.
}
[□□□□□ ge-0/0/1 □□]
user@router# □
□□ 0 {
□□□□ {
□□ {
□□ COS-CLASSIFIER;
}
□□ 192.168.200.1/24;
}
}
- □□□□ -

```

- A. □□ □□
- B. □□
- C. □□□ □□
- D. □□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 139

- □ □□□□□□ □□□ □□ □□ □□□ □□□ □□□□□?
- A. > □□□□□ fe-0/0/0 □□ □□
 - B. > □□□□□ fe-0/0/0 health-info □□
 - C. > □□□□□ fe-0/0/0 □□ □□
 - D. > □□□□□ fe-0/0/0 □□ □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 140

- □□□ □ □□ □□ □□ □□□ □□□□. □□□ □□□ □□□□ □□ □□□ □ □□□□
- □□ □□□□ □□□. □ □□□ □□□□□ □□ □□□ □□□□ □□□?
- A. □□ 0
 - B. □□ □□□
 - C. □□ □□
 - D. □□ □□ □□□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 141

□□ □□:

```
user@router> monitor traffic interface et-0/0/1.0 matching arp count 10  
□□ □□ □□ □□□□ □ □□ □□□ □□ □□□ □□□□ □□□□□ □□□□□?
```

A. □□□

B. □□□□ □□


C. ASCII □□

D. □□□□□ □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 142

□□□ □□□□□.



□ □□□□□□ □□ □□ □□□ □□□□□ □□□□□?

A. OSPFv2

B. □

C. □□

D. IGMPv3

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 143

□□ □ Juniper □□□□□ □□ □□□□□□ □□□□ □□□ □□□ □□□□□? (2□ □□)

A. □ □

B. □□

C. □□□

D. □□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 144

□□□ □□□□□ ge-0/0/0.0□ /25 □□ 192.168.1.1/24□ □□□□□□.

□□ □ □ □□□ □□□□ □ □□□ □ □□ □□□□ □□□□□? (2□ □□)

- A. `[edit] ge-0/0/0.0 user@router# set inet 192.168.1.1/24 192.168.1.1/25`
- B. `[edit] ge-0/0/0.0 user@router# set inet 192.168.1.1/24`
`user@router# set inet 192.168.1.1/25`
- C. `[edit] ge-0/0/0.0 user@router# set inet 192.168.1.1/24 192.168.1.1/25`
- D. `[edit] user@router# set ge-0/0/0.0 inet 192.168.1.1/24 192.168.1.1/25`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 145

Which two statements are true? (2 correct)

- A. Junos uses a single configuration database.
- B. Junos uses a single configuration database.
- C. Junos uses a single configuration database.
- D. Junos uses a single configuration database.

Answer: (SHOW ANSWER)

NEW QUESTION: 146

Which two statements are true? (2 correct)

- A. `<edit>`
- B. `<edit>`
- C. `<edit>`
- D. `<edit>`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 147

Junos uses syslog to log system events. Which directory is the default location for the log files?

- A. `/var/home/`
- B. `/var/tmp/`
- C. `/var/db/`
- D. `/var/log/`

Answer: (SHOW ANSWER)

NEW QUESTION: 148

Which two statements are true? (2 correct)

- A. Junos uses a single configuration database.
- B. Junos uses a single configuration database.
- C. Junos uses a single configuration database.
- D. Junos uses a single configuration database.

NEW QUESTION: 153

□□□ 172.0.46.0/24 □ □□□ □□□□□ □□□. □□ □ □□□□ 10.0.4.2/30 □□□. □□□ □□□□ □□ □□□□□□ □□ □□□ □□□□□□□□.

□□ □□□ □□ □□□ □□□□□ □□□□□ □□□ □□□ □□□.


□ □□ □□□ □□□□ □□□ □□□□□?

- A. □□□ □□ □□ □□ 172.0.46.0/24 □□ □ 10.0.4.2/30 □□□ □□ □□
- B. □□□ □□ □□ □□ 172.0.46.0/24 □□ □ 10.0.4.2/30 no-resolve □□
- C. □□□ □□ □□ □□ 172.0.46.0/24 next-hop 10.0.4.2/30 no-readvertise □□
- D. □□□ □□ □□ □□ 172.0.46.0/24 □□ □ 10.0.4.2/30 □□

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 154

□□ □□□ □□□□□.




static route □□□□ □□□ □□ □□ □□□□ □□ □□□□ □□ □□□□.

□□□ □□□□ □□ □□□ □□□□□ □□□ □□□ □□□□ □□□?

- A. □□
- B. □□ □□
- C. □□
- D. □□

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 155



□□ □□□ □□□□□.

□□□ 1□ □□□ C□ ping□ □□ □□□ □□□□□.

□□□□ □□□ □□□ □ ping □□□ □□ □□□ □□□□ □□ □□□□□ □□□□ □□□□ □□□□ □□□□?

A. □□□ A

B. □□□ C

C. □□□ B

D. □□□ D

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 156

□□ □□□ □□□□ SONET □□□□ □□□ □□□□□(3□ □□).

A. □□

B. □□

C. □□

D. □□□□

E. □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 157

□□□□□ ge-1/0/5□ □□ □□ □□□□ □ □ □□ □□□ □□□□□?

A. □□□□□ ge-1/0/5 □□ □□

B. □□□□□ ge-1/0/5 □□□ □□

C. □□□ □□□□□ ge-1/0/5 □□□□

Answer: C (LEAVE A REPLY)

□□ □□ □□□□ Junos □□□ □□□□□□ □ □□□□ □□□ □□□□□□?

B. ☐ ☐ ☐

D. ☐ ☐ ☐

Answer: A (LEAVE A REPLY)

[illegible]

B. ☐☐☐ ☐☐ ☐☐ 172.0.46.0/24 ☐☐ ☐☐ 10.0.4.2/30 ☐☐

C. ☐☐☐ ☐☐ ☐☐ ☐☐ 172.0.46.0/24 ☐☐ ☐ 10.0.4.2/30 ☐☐☐ ☐☐ ☐☐

D. ☐☐☐ ☐☐ ☐☐ ☐☐ 172.0.46.0/24 ☐☐ ☐ 10.0.4.2/30 no-resolve ☐☐

Answer: B (LEAVE A REPLY)

□□ □ □□□ □□□□□ □□ □ □□ □□□ □□ □ □□ □□□ □□□□□? (3□□ □□□ □□.)

B. □□

C. ☐ ☐ ☐

D. ☐ ☐ ☐ ☐

E. □□□

Answer: A,D,E (LEAVE A REPLY)

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐?

A Junos □□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□□□.

B. □□□□ □□□ □□□□□ junos□□□.

C. Amnesiac .

D. □□□□ □□□ □ □□ □□ □□□ □□□□□.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 162

□□ □ Junos □□□ □□□ □□□ □□□□ □□□ □□□□□?

- A. user@host> □□□ □□ □□ 199708290900.00
- B. user@host# □□ □□ 199708290900.00
- C. user@host> □□ □□ 199708290900.00
- D. user@host# □□□ □□ □□ 199708290900.00

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 163

□□ □□ □□□ □□□ □□□□□?

- A. □□ □□□ □□□□ □□□ □□□□□.
- B. □□□ □□□□ □□ □□□ □□□ □□□□□.
- C. □□□ □□□□ □□ □□□ □□□□.
- D. □□□ □□ □□□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 164

□□ □□□ □□□□□.

```
user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0          *[BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.6.1 via ge-0/0/0.0
                   > to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
10.210.0.0/16      *[Static/5] 1w0d 20:17:39
                   > to 172.25.11.254 via fxp0.0
172.18.6.0/30      *[Direct/0] 00:00:30
                   > via ge-0/0/0.0
172.18.6.2/32      *[Local/0] 00:00:30
                   Local via ge-0/0/0.0
172.31.16.0/24     *[BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:28, localpref 100
                   AS path: 802 5512 3318 65000 I, validation-state: unverified
                   > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32     *[OSPF/10] 00:00:25, metric 1
                   > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28    *[BGP/170] 00:00:24, localpref 100, from 172.18.6.1
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.6.1 via ge-0/0/0.0
                   > to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
224.0.0.5/32      *[OSPF/10] 00:01:11, metric 1
                   MultiRecv
```

□□□□ □□□ □□ 192.168.80.98 □ □□□ □□□ □□ □□ □□□□□?

- A. 172.25.11.254

C. □□□ □□□ □□□

D. □□ -s

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 174

□□ □ □□□ □□□ □□ □□□□ □□ □□? (3□ □□)

A. □□□□ □□□ □□□ □□□ □□□□.

B. □□□ □□□□ □□ □□□□□□.

C. □□□ then □□ □□□□□□□□.

D. from □□ □□□□ □□□□□□.

E. □□ □□□ from □□□ □□□ □ □□□□□.

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 175

□□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□ □□□ □ □□ □ □□ □□□
□□□□□?

A. Ctrl + w

B. Ctrl + B

C. Ctrl + a

D. Ctrl + u

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 176

□ □ □□□ □□ □□ □□□ □□ □□□□ □□ □□?

A. □□□ □□□ □□□ □□□ □□□□□ □□□ □□ □□ □□□□ □□□□ □□□ □□□ □□□ □□□.

B. □□□ □□□ □□□ □□□ □□□□□ □ □□ □□□□ □□□□ □□□ □□□□□.

C. □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □ □□□ □□□ □□ □□ □□□□ □□□□ □□□ □□□□□.

D. □□□ □□ □□□ □□□ □□□□ □□□ □□□□□ □□□ □□ □□□ □□□ □□ □□ □□□□ □□□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 177

□□□□ □□□ □□ □□□ BGP □□□□ □□□□□□□□. 10.1.1.0/24 □□□□□□ □□ □□ □□□ □□□□ □□□ □□□□□□. □□□ □□□□□ □□ □□□ □□□ □□□□?

□□□ □□□□

A. [□□ □□ □□ □□ my-policy □□]

user@router# □□ 1 □□ □□ 2 □□

B. [□□ □□ □□ □□ my-policy □□]

user@router# 2□□ 1□□□ □□

C. [my-policy 1 3 0]
user@router# 1 3 0
D. [my-policy 2 0]
user@router# 2 0

Answer: D ([LEAVE A REPLY](#))

JN0-104 DumpTop Juniper JN0-104!
DumpTop **JN0-104**, DumpTop JN0-104
DumpTop JN0-104
DumpTop JN0-104
<https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps,
30%OFF Special Discount: **KrDump**)