

Juniper.JN0-104.v2023-10-30.q109

□□□□:	JN0-104
□□□□:	Junos, Associate (JNCIA-Junos)
□□□:	Juniper
□□ □□ □□□:	109
□□:	v2023-10-30
# □□ □:	1053
# □□ □□□:	1090
https://www.krdump.com/Juniper.JN0-104.v2023-10-30.q109.html	

NEW QUESTION: 1

Junos OS □□□□ □□ □□□ □□□□ □□ □□□□□ □□ □□□ □□□□□. □□ □□□ □□□□□ □□□□ □ □□ □□□ □□ □□□ □□□□ □□□.

□ □□□□□□ □ □□□ □□□□ □□ □□ □□ □□□□□ □□□□□?

- A. □□ □□
- B. □□□□ □□
- C. □□□□ □□
- D. □□□□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

□□□ Junos□ □□□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. Junos VM□ □□□□ □□□□□ □□ □□ □□ □□□□□□□ □□□ □ □□□□.
- B. □□□ □□□ □□□ □□□ □□□ □ □□ □□□□ □□□□□□□.
- C. □□□ □□□□□ □□□ □□□ □□ □□□ □□ □□□ □□□□□ □□□□□.
- D. □ □□□□□ □□□ □□□, □□□□ □□ □ □□□ API □□□□□□ □□ □□□□□ □□□□ □□□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

□□ □□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□□ □□□
- B. □□□
- C. □□ □□
- D. □□ □□□

Answer: B,C ([LEAVE A REPLY](#))

TCP□ □□□ □□□□ □□□□ □□ □□□□□.

NEW QUESTION: 4

□□□ □□□ □ □□ □□□ □□□□□□ □□ □□□ □□□□ □□□?

A. □□

B. □□

C. □□ □□ □□□

D. □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

□□□ □□ □□□ □□□ □ □□□ □□□□□ □□□□ □□ □□□ □□□□□?

A. yyyymmdd_HHMMSS_host-name_juniper.conf.gz

B. □□□ □□_juniper.conf_yyyymmdd_HHMMSS

C. yyyymmdd_HHMMSS_host-name_juniper.conf

D. □□□ □□_juniper.conf.gz_yyyymmdd_HHMMSS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

□□□ □□□□ Junos □□□□ □□□□□? (□ □□□ □□□□□.)

A. M □□□

B. EX □□□

C. T □□□

D. MX □□□

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

□□□ Junos □□□ □□□□□. □□ □□□□ □□□□ □□ □□□ □□□□. □□□ □□□ □□□□□?

A. PFE□ □□□ □□□ □ □□ □□ □□□□ □□□ □□□□□.

B. RE□ □□□ □□□ □ □□ □□ □□□□ □□□ □□□□□.

C. PFE□ □□□ □□□ □ □□ □□ □□□□ □□□ □□□□□.

D. RE□ □□□ □□□ □ □□ □□ □□□□ □□□ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

□□ □□□ □□□□□.

```

user@router# run show route 100.0.0.0/30
inet.0: 16 destinations, 18 routes (16 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
100.0.0.1/32      *[Local/0] lw0d 22:10:15
                  > Local via xe-3/0/0:0.0
100.0.0.0/30     *[Direct/0] lw0d 22:10:15
                  > via xe-3/0/0:0.0

user@router# run monitor traffic interface xe-3/0/0:0 no-resolve matching "src 100.0.0.2"
verbose output suppressed, use <detail> or <extensive> for full protocol decode
Address resolution is OFF.
Listening on xe-3/0/0:0.0, capture size 96 bytes
^C
0 packets received by filter
0 packets dropped by kernel
    
```

- IP 100.0.0.2 0000 0000 000000 000000 000 0 0 0000.
 0000 00 000 0000?
 A. 000 layer2-headers 00000 00000 000.
 B. src 100.0.0.2 00 00 00 dst 100.0.0.2 00 000 00000 000.
 C. 000 00 000000 00000 000.
 D. 100.0.0.2 000 00000 00 0000000.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 9
 00 000 000000.

```
[edit protocols ospf]
user@router# show
traceoptions {
  file ospf-trace size 64k files 5 no-world-readable;
  flag event detail;
  flag error detail;
}
area 0.0.0.0 {
  interface ge-0/0/0.0;
  interface ge-0/0/1.0;
```

□□□□ □□□ □□□ □□ □□□□ □□ □□?

- A. ospf-trace □□□ 64KB □□ □□□ □□□□ □□□ □□□ □ □□□ □□□□□.
- B. ospf-trace □□□ 5□□ □□□ □□□□ □□ □□ □□□ □□□□□.
- C. ospf-trace □□□ □□□ □□ □□ □□ □□□ □□□□ □□□□□.
- D. ospf-trace □ □ □□ □□□□□ □□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

□□ □ □□ □□ □□□□□ □□ □□□ □□ □□□□□?

- A. □□ □□ □□ □□□ □□□□□ □□□□ □□□□ Enter □□ □□□ □□□.
- B. □□ □□□ □□□ □□□□□ Enter □□ □□□ □□□.
- C. □□ □□□ □□□ □□□.
- D. □□ □□□ □□□ □□□ □□□ □ □□□□.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

MTU □□□ □□□□ □ □□□□ □ □□ ping □□ □□□□□ □□□□□? (□ □□□ □□□□□.)

- A. ping <□□□> □□□ □ □
- B. □ <□□> □□
- C. ping <□□□> □□ □□
- D. ping <□□□> □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

□□ □□□ □□□□,

D.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

```
outing table: default.inet
nternet:
nabled protocols: Bridging,
estination      Type  RtRef  Next hop      Type  Index  NhRef  Netif
efault          perm   0      0              rjct   36     1
.0.0.0/32       perm   0      0              dscd   34     1
0.5.0.0/16      user   0      10.102.70.254 ucst   355    18    fxp0.0
0.10.0.0/16     user   0      10.102.70.254 ucst   355    18    fxp0.0
0.12.14.0/24    intf   0      0              rslv   589    1     ge-2/0/0.
0.12.14.0/32    dest   0      10.12.14.0     recv   587    1     ge-2/0/0.
0.12.14.254/32 intf   0      10.12.14.254  locl   588    2
0.12.14.254/32 dest   0      10.12.14.254  locl   588    2
0.12.14.255/32 dest   0      10.12.14.255  bcst   586    1     ge-2/0/0.
0.13.10.0/23   user   0      10.102.70.254 ucst   355    18    fxp0.0
0.84.0.0/16     user   0      10.102.70.254 ucst   355    18    fxp0.0
0.102.70.0/24  intf   0      0              rslv   354    1     fxp0.0
24.0.0.0/4      perm   0      0              ndsc   35     1
24.0.0.1/32    perm   0      224.0.0.1     mcst   31     2
24.0.0.5/32    user   0      224.0.0.5     mcst   31     2
55.055.055.055/30 --- ^
```

172.17.0.1 ?

- A. .
- B. .
- C. ICMP .
- D. .

Answer: C ([LEAVE A REPLY](#))

JN0-104 DumpTop JN0-104 ! DumpTop **JN0-104**
, DumpTop JN0-104 . DumpTop JN0-104
 . <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 17

txp0 SSH Junos .
 . ?

- A. .

C. 00

D. 00 0

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

00 0 00 IP 000 000000?

A. 172.33.194.30

B. 12.0.0.1

C. 172.20.14.36

D. 168.172.19.39

E. 192.168.24.43

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

000 000 00 000 000 000000?

A. 0000 000 0000 000 000000.

B. 0000 0000 000 000000.

C. 0000 000 0000 ICMP 0000 0000.

D. 0000 000 00 000 000000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 23

000 0000 0 ci 000 000000. 0 000 000 000?

A. 00 000 000 0 00000.

B. 00 000 000 0 00000.

C. 00 00 000 000 0 00000.

D. 000000 000 000 0 00000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

00 0000 Junos 0000 000 00000 00.

0000 00 000 000 00 00 000 000000?

A. 0000 00 00 000 00000 00 00000 00 00000 000000.

B. 0000 00 000 00000 00 00000 00 000 00 00 00000.

C. 0000 00 000 00000 00000 00 00000 00 000.

D. 00 00000 000 00 0000 000 000000.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

00 0 000 000000 0 000000 00000 00 00 00 000 000000?

A. 00


```

Junos OS: 1223 destinations, 1525 routes (1223 active, 0 holdflows, 0 hidden)
* = Active Route, - = Last Active, * = Both

0.0.0.0/0      *{Static/5} 1w2d 22:59:01
                > to 10.10.10.1 via fxp0.0
10.10.10.0/25 *{Direct/0} 1w2d 22:59:01
                > via fxp0.0
                {Direct/0} 1w2d 22:58:57
                > via fxp0.0
10.10.10.7/32 *{Local/0} 1w2d 22:59:01
                Local via fxp0.0
10.10.10.9/32 *{Local/0} 1w2d 22:58:57
                Local via fxp0.0
10.200.200.0/23 *{Direct/0} 1w2d 22:30:24
                > via xe-0/0/3.100

```

□□□ □□ □□□ □□□ □□□□□?

- A. □□□□ □□ □□
- B. □□□
- C. □□ □□□
- D. □□□ □□ □□

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

□□ □ Junos OS □□ □□□□ □□ □□ □□?

- A. Junos □□□ GNU Zebra □□ □□□ □□□□ □□□.
- B. Junos □□□ FreeBSD UNIX □□ □□□ □□□□ □□□.
- C. Junos □□□ Solaris □□ □□□ □□□□ □□□.
- D. Junos □□□ □□ □□ □□□ □□□□ □□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

□□ □□□ □□□□□.



```
user@router> show interfaces | no-more
```



□□□□ □□□□ no-more □□□□□ □□□□ □□□ □□□ □□□□□ □□□ □□□?

- A. □□□ □□ □□ □□□□□.
- B. □□□ □□□ □□□ □□□□□.
- C. □□□ XML □□□□ □□□□□.
- D. □□□ □□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))

JN0-104 □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-104 □□! DumpTop □ □□ **JN0-104** □□ □□□ □□□□ □□, DumpTop JN0-104 □□ □□□ □□□□□□□□ □□□ □□□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-104 □□ □□□□□□. <https://www.dumpst.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps, **30%OFF Special Discount: KrDump**)

NEW QUESTION: 32

- □□□(CoS)□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)
- A. CoS□ □□ □□□□□ □□□ □□□□ □ □□□□.
 - B. CoS□ □□□□ □□□□ □□□□ □ □□□□.
 - C. CoS□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □ □□□□.
 - D. CoS□ □□□ □□□ □□□ □ □□□□.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

- □□□□ □□□ □□□□□?
- A. IP □□□ □□ □□ □□□□ □□□□ □ □□□□□.
 - B. IP □□□ □□ □□□□□ □□□□ □□ □□□□□.
 - C. □□□□□□□□ □□ □ □□ □□□□ □ □□□□□.
 - D. IP □□□ □□□□ □ □□ □□ □□□□ □ □□□□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

- □□ □□□ □□□□ □□□ □□□□ □□□.
- □□□□□□ □ □□□ □□□□ □□□ □□□□□?
- A. {□□□:0}
 - user@router> □□ □□□□□ □□
 - B. {□□□:0}
 - user@router> □□ □□
 - C. {□□□:0} [□□]
 - user@router □□ □□□□□ □□
 - D. {□□□:0} [□□]
 - user@router# □□ □□

Answer: D ([LEAVE A REPLY](#))

{master:0} [□□] user@router# □□ □□

□ □□□ Junos □□□□ □□ □□ □□□ □□□□ □ □□□□□. "□□ □□" □□□ □□ □□ □□□ □□□ □□□ □□ □□□
□ □□□ □□□□□. □□ □□ □□□ □□□ □ □□□ □□□ □□□ □□□ □ □□ □□□ □□□□□. "rollback" □□□□ □□ □□□
□□□ □□□ □□□□ "rescue" □□□□ □□ □□ □□□ □□□ □□ □□□□□.
□ □□□ □□ □□□ □□□□□ □□ □□□ □□□ □□□□□ "[edit]"□ □□□□□.

NEW QUESTION: 35

□□□ □□ □□□ □□ □□□□ □□ □□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□ □□ □□ □□□□ □□ □□ □□□□ □□□ □□□□□.
- B. □□□ □□□ □□ □□ □□□□ □□□ □ □□□□.
- C. □□ □□ □□ □□ □□□□ □□ □□ □□□□ □□□ □□□□□.
- D. □□□ □□□ □□ □□ □□□□ □□□ □ □□□□.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 36

□□□□ 2bfc:0000:0000:beef:0217:cbff:0000:5c85 IPv6 □□□ □□□□ □□□.

□ □□□□□□ □□□ □ □□□ □□□□□? (3□□ □□□□□.)

- A. 2bfc:0:0:□□□:0217:cbff:0:5c85
- B. 2BFC::□□□:217:CBFF::5C85
- C. 2BFCnBEEF:0217:CBFF:0:5C85
- D. 2bfc:0:□□□:0217:cbff:0:5c85
- E. 2bfc::□□□:217:cbff:0:5c85

Answer: **A,C,E** ([LEAVE A REPLY](#))

NEW QUESTION: 37

□□□ □□□□ Junos□□ □□□□ □□□ □□ □□□ □□□□□?

- A. CHAP
- B. □□
- C. TACACS+
- D. □□ □□□ □□□□□□

Answer: **D** ([LEAVE A REPLY](#))

NEW QUESTION: 38

Junos □□□□□ □□□□□ □□□□□ □□ □ □□ Junos □□□□□ □□ □ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□ □□□□□ □□
- B. □□□ □□ □□(ASIC)
- C. □□□ □□ □□□□□(fxp0)
- D. □□ □ □□□ □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 39

□□ □□□ □□□□□.

NEW QUESTION: 43

□□ □ □□ □ □□ □□□□□□ □□□□ □ □□□ □ □□ □□□ □□□□□? (3□ □□)

A. □□

B. □□

C. □□

D. □□□□

E. □□□□

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 44

□□□ □□ IP □□□ 20.2.2.1□□ □□ □□□ 10.1.1.1□□□.

```

term 1 {
  from {
    source-address {
      0.0.0.0/0;
    }
    destination-address {
      10.1.0.0/16;
    }
  }
  then {
    log;
    reject;
  }
}
term 2 {
  from {
    destination-address {
      10.1.1.0/24;
    }
  }
  then accept;
}
term 3 {
  from {
    source-address {
      20.2.0.0/16;
    }
    destination-address {
      10.1.0.0/16;
      10.1.1.1/32 except;
    }
  }
  then accept;
}
term 4 {
  from {
    source-address {
      20.2.2.1/32;
    }
    destination-address {
      10.1.1.1/32;
    }
  }
  then {
    count my-counter;
    discard;
  }
}

```

□□□□ □□□ □□□ □□□ □□□□ □ □□□ □□□□ □□□□□ □□□ □□ □□ □□ □□□ □□□□□ □□□?

A. □□ 1□ □□ 5□ □□ □□□

- B. 1 4
- C. 3 4
- D. 4 1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

ge-0/0/2 802.1Q 802.1Q ?

- A. [ge-0/0/2 I00]user@router# set dot1q
- B. [ge-0/0/2 I00 I00]user@router# vlan-tagging
- C. [ge-0/0/2 I00]user@router# set family vlan-tagging
- D. [edit interface ge-0/0/2]user@router# set vlan-tagging

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Junos 802.1Q ?

802.1Q ?

- A. 802.1Q
- B. 802.1Q
- C. 802.1Q
- D. 802.1Q

Answer: D ([LEAVE A REPLY](#))

JN0-104 802.1Q ? DumpTop 802.1Q ? JN0-104 ! DumpTop 802.1Q **JN0-104** 802.1Q ?
 802.1Q, DumpTop JN0-104 802.1Q ? 802.1Q ? 802.1Q ? 802.1Q ? 802.1Q ? 802.1Q ? 802.1Q ? 802.1Q ?
 802.1Q ? <https://www.dumpst.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 47

802.1Q ?

- A. 802.1Q
- B. 802.1Q
- C. 802.1Q
- D. 802.1Q

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

802.1Q ?

-- 802.1Q --

user@router> 802.1Q

^^

NEW QUESTION: 51

□□ □□□ □□□□□.

Item	Version	Part number	Serial number	Description
Chassis			EBE7ABF9EA61	VSRX
Midplane	REV 08	750-058562	4229D770	VSRX
Pseudo CB 0				
Routing Engine 0		BUILTIN	BUILTIN	VSRX-S
FPC 0	REV 07	611-049549	RL3714040884	FPC
PIC 0		BUILTIN	BUILTIN	VSRX DPDK GE

□□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□□□□□?

- A. □□ □□□□ □□
- B. □□ □□ □□
- C. □□ □□□□ □□ □□
- D. □□ fpc □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

□□□ □□□ □□□ □□□ □□□ □□ □□ □□□ □ □ □□□□.

□ □□□ □□□ □□□ □ □□□□?

- A. □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□□□.
- B. □□ □□□ □□□□ □□ □□ □□□ □□□□□□.
- C. □□□ □□□□ □□□□□ □□□ count □□□□□ □□□□□□.
- D. □□ □□□ □□□□ □□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 53

□□ □□ □□



```
user@router# show protocols isis | display set
set protocols isis traceoptions file is-is-logs.log
set protocols isis traceoptions flag hello
set protocols isis traceoptions flag packets
set protocols isis traceoptions flag normal
set protocols isis level 1 disable
set protocols isis interface ge-0/0/0.0 point-to-point
```

IS-IS □□□ □□□□ □□ □□□ □□□□ □□□□. □□□ □□□ □□□ □□ □□□ □□□□ □□□□.

- A. □□□□ □□ isis traceoptions □□□ □□□□□ □□□□


```

user@router> show rip statistics
RIPv2 info: port 320; holddown 120s.
rta learned rta held down rpkts dropped rpkts dropped
      0      0      0      0

fe-1/2/0.1: 0 routes learned; 0 routes advertised; timeout 180s; update
interval 30s
Counter
-----
Updates Sent                2469
Triggered Updates Sent      0
Responses Sent              0
Bad Messages                0
RIPv1 Updates Received      0
RIPv1 Bad Route Entries     0
RIPv1 Updates Ignored       0
RIPv2 Updates Received     1675
RIPv2 Bad Route Entries     0
RIPv2 Updates Ignored       0
Authentication Failures     0
RIP Requests Received       0
RIP Requests Ignored        0
use
  
```

Which of the following is the correct output of the show rip statistics command?

- A. 2469 updates sent, 0 triggered updates sent, 0 responses sent, 0 bad messages, 0 RIPv1 updates received, 0 RIPv1 bad route entries, 0 RIPv1 updates ignored, 1675 RIPv2 updates received, 0 RIPv2 bad route entries, 0 RIPv2 updates ignored, 0 authentication failures, 0 RIP requests received, 0 RIP requests ignored.
- B. 2469 updates sent, 0 triggered updates sent, 0 responses sent, 0 bad messages, 0 RIPv1 updates received, 0 RIPv1 bad route entries, 0 RIPv1 updates ignored, 1675 RIPv2 updates received, 0 RIPv2 bad route entries, 0 RIPv2 updates ignored, 0 authentication failures, 0 RIP requests received, 0 RIP requests ignored.
- C. 2469 updates sent, 0 triggered updates sent, 0 responses sent, 0 bad messages, 0 RIPv1 updates received, 0 RIPv1 bad route entries, 0 RIPv1 updates ignored, 1675 RIPv2 updates received, 0 RIPv2 bad route entries, 0 RIPv2 updates ignored, 0 authentication failures, 11 RIP requests received, 2 RIP requests ignored.
- D. 2469 updates sent, 0 triggered updates sent, 0 responses sent, 0 bad messages, 0 RIPv1 updates received, 0 RIPv1 bad route entries, 0 RIPv1 updates ignored, 1675 RIPv2 updates received, 0 RIPv2 bad route entries, 0 RIPv2 updates ignored, 0 authentication failures, 11 RIP requests received, 2 RIP requests ignored.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 58

Junos system shutdown message from user@router

```

user@router>
*** System shutdown message from user@router ***

System going down at 08:28

The system will be powered down in 10 minutes for maintenance.

user@router>
  
```

Which of the following is the correct output of the show system shutdown command?

- A. System going down at 08:28
- B. clear system reboot 10 minutes
- C. clear system commit 10 minutes
- D. 0 minutes for maintenance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

72.36.142.14/11

- A. 72.64.0.0
- B. 72.16.0.0

C. 72.32.0.0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 60

□□ □ UDP□ □□□ □□□□□? (2□ □□)

A. □□□ □□□

B. 3□□ □□□□□


C. □□□ □□ □□

D. □□ □□□□ □□

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 61

□□ □□□ □□□□□.



```
user@router> show configuration interfaces ge-0/0/1.0
family inet {
  filter {
    input input-ff;
  }
  address 10.10.102.1/24;
}
user@router> show configuration firewall filter input-ff
term t1 {
  then {
    reject;
  }
}
```

□□ □□□ □□□□□.

□□□□ □□□□ ge-0/0/1.0 □□□□□□□□ □□□ □□□□ □□ □□□ □□□ □□□□□□?

A. □□ □□□□ □□□□ UDP □□□□ □□□ □□ □□□□□.

B. □□ □□□□ □□□□ ICMP □□□ □□□ □□ □□□□□.

C. □□ □□□□ □□□□□.

D. □□ □□□□ □□□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

B. □□□ □

C. □□ □□

D. □□ □□□ □□

Answer: C (LEAVE A REPLY)

□□: □□ □□ □□ | Junos OS | □□□ □□□□

"□□ □□ □□

...

configure □□□ □□□□ □□

...

configure □□□ □□□□ CLI □□ □□□ □□□□□.

□□ □□□□ □□ □□□ □□ □□ □□□□ □□□□ □□□□ □ □□□ □□□ □□□□ □□ □□□ □□□□□.

user@host> □□

□□ □□ □□

□□ □□ □□□:

2018-05-13 01:03:27 EDT □□ □□ □□□ p3(pid 1088) □□

[□□□□□ □□ so-3/0/0 unit 0 family inet]

□□□ □□□□□□ □□□□ □□□□□.


[□□□□]

□□□@□□□#

..."

NEW QUESTION: 67

□□ □□□ □□□□□.



□□ □□□ □□□□□.

□□□□ □□□ □□□ Junos OS □ □□□□ □□□□ □□□□ □□□ □□□?

A. RE □□ □□ □□□ □□□ □□ PFE □ □□□□□□□.

NEW QUESTION: 71

□□ □□□ □□□□□.

```
[edit]
user@router# show system authentication-order
authentication-order [ radius password ];
```

□□□□ Junos □□□ □□□□ □□□□□. □□□ RADIUS □□□ □□□ □ □□□□.

□□□□ □□□□ □ □□□□□□ Junos □□□ □□ □□□ □□□□□?

A. Junos □□□ □□□ RADIUS □□□ □□ □□□□ □□□□□.

B. Junos □□□ RADIUS □□ □□□ □□□□□.

C. Junos □□□ □□□ □□□ □□□ 30□□□ □□□□□□.

D. Junos □□□ □□ □□ □□□□□□□ □□□□□.

Answer: (SHOW ANSWER)

NEW QUESTION: 72

user@router> show route

```
inet.0: 1222 destinations, 1525 routes (1222 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
```

```
0.0.0.0/0          *[Static/5] 1w2d 22:59:01
                  > to 10.10.10.1 via fxp0.0
```

```
10.10.10.0/25     *[Direct/0] 1w2d 22:59:01
                  > via fxp0.0
                  [Direct/0] 1w2d 22:58:57
                  > via fxp0.0
```

```
10.10.10.7/32    *[Local/0] 1w2d 22:59:01
                  Local via fxp0.0
```

```
10.10.10.9/32    *[Local/0] 1w2d 22:58:57
                  Local via fxp0.0
```

```
10.200.200.0/28  *[Direct/0] 1w2d 22:30:24
                  via xe-0/0/3.100
```

□□□ □□ □□□ □□□ □□□□□?

A. □□□

B. □□ □□□

C. □□□□ □□ □□

D. □□ □□ □□

Answer: (SHOW ANSWER)

□□

<https://www.juniper.net/documentation/us/en/software/junos/bgp/topics/ref/command/show-route.html#show-rou> Juniper Open Learning, Routing Fundamentals □ □□ 9□ [□□ /□□ □□ □□]. □□□□ □□□□□ □□□ □□ □□□ □□□ □□□□ '□□'□□□□. RIP = □, OSPF = □□. □□□□ □□□□□ □□□□□.

user@host> □□ □□

```
inet.0: 11□ □□□, 12□ □□(11□ □□, 0 □□, 0 □□)
```

```
+ = □□ □□, - = □□□ □□, * = □□
```

```
1:65500:1:10.0.0.20/240
```

*[MVPN/70] 19:53:41, 1 2 1

1 1

1:65500:1:10.0.0.40/240

*[BGP/170] 19:53:29, localpref 100, 10.0.0.30 1 1

AS 1 1: I

> It-0/3/0.24 1 1 10.0.24.4 1, 1 1 1 1 toD

[BGP/170] 19:53:26, localpref 100, 10.0.0.33 1 1

AS 1 1: I

> It-0/3/0.24 1 1 10.0.24.4 1, 1 1 1 1 toD

1 1 1 1 -> 1 1 1 1

metric 1 localpref 1 1 1 1 1 1 1 1

NEW QUESTION: 73

1 1 1 1 1 1 1 1 1 1 1 1?

A. 1 1 1 1 1 1 1 1 1 1 1 1.

B. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1.

C. 1 1 1 1 1 1 1 1 1 1 1 1.

D. 1 1 1 1 1 1 1 1 1 1 1 1.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 74

1 1 1 1 1 1 1 1 1 1 1 1?

A. 1 1 1 1 1 1 1 1 1 1.

B. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1.

C. 1 1 1 1 1 1 1 1 1 1 1 1.

D. 1 1 BGP 1 1 1 1 1 1.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 75

1 1 1 1 1 1 1 1 1 1 1 1?

A. 1.

B. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1.

C. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1.

D. 1.

Answer: [A,B \(LEAVE A REPLY\)](#)

NEW QUESTION: 76

1 1 1 1:

```

[edit smp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}
trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}
trap-group my-second-trap-group {
  targets {
    10.21.15.181;
  }
}

```

Which of the following is the correct configuration for the first trap group?

- A. 10.21.15.180/32
- B. 10.21.15.16/32
- C. 10.21.15.180/32
- D. 10.21.15.16/32

Answer: D (LEAVE A REPLY)

JN0-104 questions and answers dump. DumpTop JN0-104! DumpTop JN0-104 questions and answers dump. DumpTop JN0-104 questions and answers dump. DumpTop JN0-104 questions and answers dump. DumpTop JN0-104 questions and answers dump. <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps, 30%OFF Special Discount: KrDump)

NEW QUESTION: 77

Which of the following is the correct configuration for the first trap group? 172.17.23.10/30



```
[edit]
user@router# show interfaces
ge-0/0/2 {
  unit 0 {
    family inet {
      address 172.17.23.10/30;
    }
  }
}
```

Which two commands can be used to change the IP address of the interface ge-0/0/2.0 to 172.17.23.9/30? (2 correct)

- A. `[edit] user@router# delete ge-0/0/2.0 family inet address 172.17.23.10/30` and `[edit] user@router# set ge-0/0/2.0 family inet address 172.17.23.9/30`
- B. `[edit] user@router# delete ge-0/0/2.0 family inet address 172.17.23.10/30` and `[edit] user@router# set ge-0/0/2.0 family inet address 172.17.23.9/30`
- C. `[edit] user@router# set ge-0/0/2.0 family inet address 172.17.23.9`
- D. `[edit] user@router# delete ge-0/0/2.0 family inet address 172.17.23.10`

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 78

Which two commands can be used to display the MAC address of the interface ge-0/0/2.0?

- A. `show interfaces ge-0/0/2.0`
- B. `show interfaces ge-0/0/2.0 mac-address`
- C. `show interfaces ge-0/0/2.0 address`
- D. `show interfaces ge-0/0/2.0 mac`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

Which two commands can be used to display the configuration of the interface ge-0/0/2.0?

- A. `show interfaces ge-0/0/2.0`
- B. `Ctrl + C`
- C. `Ctrl + B`
- D. `Ctrl + U`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 80

Which two commands can be used to display the configuration of the interface ge-0/0/2.0?

NEW QUESTION: 86

□□□□ SRX □□□ □□□ □□□□□□. □□□ □□□□ Junos OS□□ □□ □□□ □□□ □ □□□ □□□□□□.
□□ □□ □□□ □□□□ □□□□?

- A. □□ □□
- B. □□ □□
- C. □□□ □□
- D. □□/□□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 87

□□ □□□ □□□□ □□□ □ □□ □□□ □□□□□□? (2□ □□)

- A. □□ □□
- B. □□□ □□□□ □□□□
- C. □□□ □□
- D. □□□ □□

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 88

□□□□□ ge-0/2/3□ □□ □□□ PIC □□ □□ □□□ □□□□□?

- A. 4
- B. 3
- C. 0
- D. 2

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 89

□□□ □ □□ □□ □□ □□□ □□ □□□□ □□□□ 172.19.0.0/16□ □□ □□ □□□□□ □□□□□□.
□ □□□□□□□ □□ □□□ □□□□ □□□□□□ □□□□□□?

- A. □□□□ □□ □□ □□
- B. □□ □□ □□ □□ □□ □□□□ □□□□ □□
- C. IP □□□ □□ □□ □□ □□□ □□□□ □□
- D. IP □□□ □□ □□ □□ □□□ □□□□ □□

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 90

□□ □ □□□□ □□□ □□□ □□ □□□ □□ □□□□□□? (2□ □□)

- A. □□□ □□□□ □□□□ □□□ □□□ □ □□□□□.
- B. □□ □□□ □□ □□□ □□□ □ □□□□□.
- C. □□□□ □□□ □□ □□□ □□□ □ □□□□□.
- D. □□□□ □□□ □□□□□□□ □□ □□□ □ □□□□□.

NEW QUESTION: 95

□□□ □□□ □□ □□□ □□ □ □□□ □□□□□? (□ □□□ □□□□□.)

- A. □□□□ □□□ □□ □□□□□□□□ □□□□ □□□□ □□□□ □ □□□□□.
- B. □□□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□ □□□□□.
- C. □□□□ □□□ □□ □□□ □□□□□ □□□□ □□□ □□□□ □ □□□□□.
- D. □□□□ □□□ □□ □□□□□□□□ □□□ □□□□ □□□□ □ □□□□□.

Answer: B,C (LEAVE A REPLY)

□□: □□□ □□ □□ | Junos OS | □□□ □□□□

"□□□ □□ □□

...

□□ □□□□ □ □□□□

□□□□ □ □□□□□□□ □ □□□ □□□ □□□□□ □□□ □□□ □□ □□□ □□□□ □□□ □□□□□.

* □□□ □□□ □□□ □□□□□□ □□□ □□□ □□□□ □□□ □ □□□ □□□ □□□□ □□□□□.

* □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□ □□ □ □□□ □□□□□ □□□ □□□□□.

..."

NEW QUESTION: 96

□□□ □□□ 10.1.1.0/24 □□□□ □□ □□□ □□□ □□□□□ □□ □□ □□□ □□□□□□□□. □ □□□□ □□□ □□□ □□□□ □□□□

□□ □ □ □□□ □□□ □□ □□□ □□□□ □□ □□ □□ □□□□□? (2□ □□)

- A. 10.1.1.0/24 □□□ □□□ □□□ □□□□□.
- B. 10.1.1.0/24 □□□ □□□ □□□ □□□□□.
- C. 10.1.1.0/24 □□□ □□□ □□□ □□□□ □□□□.
- D. 10.1.1.0/24 □□□ □□□ □□□ □□□□□.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 97

□□□□□ MX1-PE1 BGP □□□ □□ □□□ □□□□ □ □□ □□□ □□□□□? (□ □□□ □□□□□.)

- A. user@router# □ □□ | □□□□□ □□ | MX1-PE1 □□
- B. user@router> □□ □□ | □□ □□ | MX1-PE1 □□
- C. user@router# □□ | □□□□□ □□ | MX1-PE1 □□
- D. user@router> □□ □□ | □□□□□ □□ | MX1-PE1 □□

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 98

□□□□ BGP □□□ □□□□□ □□□□□ □□□□ □□□ □□□ □□□□ □□□□.

- A. □□□ □□□ BGP□ □□□ □□□□ □□□□ □□□□ □□□□.
- B. □□□ □□□ BGP□ □□□ □□□□ □□ □□□□ □□□□.
- C. □□□□□ □□□ □□□ BGP□ □□□ □□□□ □□ □□□□ □□□□.

D. □□ □□□ BGP□ □□□ □□□□ □□ □□□□ □□□□.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 99

255.255.192.0□ □□□ □□□□ □□□□ CIDR □□□□ □□□□□?

A. /20

B. /17

C. /18

D. /19

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

□□□ □□□□□□ □□□□ □ □□□□□□ □□□□□? □ □□□ □□

A. Xe-10/2/1

B. Et-3/0/0:0.501

C. Ge-0/0/0

D. Et-7/1/4:0

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 101

NTP □□ □□□□ □□ □□ □ □□ □□ □□□□□? (2□ □□)

A. □□ □□□ □□□□ □□□□.

B. □□□ □□□□□ □□ □□□ □ □□□□□.

C. Junos□ NTP □□□ □□□□□, □□ □ □□ □□□ □□□□□.

D. Junos OS□ □□ □□ □□□□ □□□□ □□□.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

□□□ □□□□□ so-0/0/0.0□ 1.1.1.1/30 □□ 1.1.1.1/32□ □□□□□□.

□ □□□ □□□□ □ □□□ □ □□ □ □□ □□□□ □□□□□? (□ □□□ □□□□□.)

A. [□□□□□ □□ so-0/0/0.0] user@router# □□□ inet □□ 1.1.1.1/32□ 1.1.1.1/30□□ □□

B. [□□□□□ □□ so-0/0/0.0] user@router# □□ inet □□ □□ user@router# □□ inet □□ □□ 1.1.1.1/30

C. [□□□□□ □□ so-0/0/0.0] user@router# rename family inet □□ 1.1.1.1/32□ □□ 1.1.1.1/30□□ □□

D. [□□] user@router# □□□□□ so-0/0/0.0 □□□ inet □□ 1.1.1.1/32□ □□ 1.1.1.1/30□□ □□

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 103

□□□ □□□ □□□ □□□ □□: set system authentication-order [tacplus].

□□ □ □□□ □□□□? (□ □□□ □□□□□.)

A. TACACS+ □□□ □□□ □ □□□ □□ □□□□□□□ □□□□□.

B. TACACS+ □□□ □□□ □ □□ □□ □□□□ □□□ □□□□ □ □□□□.

C. TACACS+ □□□ □□□ □ □□ □□□ □□□ □□/□□□□□ □□□□ □□ □□ □□□□ □□□□□□□ □□□□□.

D. TACACS+ □□□ □□□ □ □□ □□□ □□□ □□/□□□ □□□□ □□ □□□□ □□□ □□□□ □ □□□□.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 104

□□ □□□ □□□□□.



□□□□ □□□□ □□□□ □□ □□?

A. □□□ RADIUS □ TACACS+□ □□□□ □□ □□ □□ □□□□□□□ □□□□ □□□ □□□□□.

B. □□□ □□ □□□□□□□ □□□□ □□□ □□□□ □□□□.

C. □□□ RADIUS□ TACACS+□ □□□ □□□□ □□□ □□□□□.

D. □□□ □□□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□□□.

Answer: ([SHOW ANSWER](#))

<https://www.juniper.net/documentation/us/en/software/junos/user-access/topics/topic-map/junos-os-authentication-order.html>

NEW QUESTION: 105

□□ CLI □□□ □□ □□ □□□ □□□□□?

A. □□

B. □□

C. □□ □□

D. □□

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 106

□□ □□ □□□□ □□ □□□□ □ □□ □□□ □□□□□?

A. □□□ □□□ □□□

B. □□□ □□ □□ □□

C. □□ -s

D. □□

Answer: C,D ([LEAVE A REPLY](#))

JN0-104 <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)

NEW QUESTION: 107

Which Juniper authentication order is correct? (2 correct)

- A. RADIUS, TACACS+
- B. TACACS+, RADIUS
- C. RADIUS, TACACS+
- D. TACACS+, RADIUS

Answer: (SHOW ANSWER)

NEW QUESTION: 108

```
[edit]
user@router# show system authentication-order
authentication-order [ radius tacplus ];
```

Which authentication order is correct? (2 correct)

- A. RADIUS, TACACS+
- B. TACACS+, RADIUS
- C. RADIUS, TACACS+
- D. TACACS+, RADIUS

Answer: (SHOW ANSWER)

Which authentication order is correct? (2 correct)

NEW QUESTION: 109

Which Junos authentication order is correct? (2 correct)

- A. RADIUS, TACACS+
- B. TACACS+, RADIUS
- C. RADIUS, TACACS+
- D. TACACS+, RADIUS

Answer: (SHOW ANSWER)

JN0-104 <https://www.dumptop.com/Juniper/JN0-104-dump.html> (145 Q&As Dumps, **30%OFF** Special Discount: **KrDump**)