

# Juniper.JN0-334.v2023-01-13.q89

□□□□:	JN0-334
□□□□:	Security, Specialist (JNCIS-SEC)
□□□:	Juniper
□□ □□ □□□:	89
□□:	v2023-01-13
# □□ □:	1532
# □□ □□□:	890
<a href="https://www.krdump.com/Juniper.JN0-334.v2023-01-13.q89.html">https://www.krdump.com/Juniper.JN0-334.v2023-01-13.q89.html</a>	

## NEW QUESTION: 1

□□□ □□ TCP □□ 5080□□ □□ □□□□□ □□□ REST API□ □□ □□□□ □□□□ host-inbound-traffic □□ □□ □□□□□ □□□□□?

- A. □□ □□□
- B. http
- C. □□
- D. xnm-□□ □□□

Answer: A ([LEAVE A REPLY](#))

## NEW QUESTION: 2

SRX □□□ □□□ □□ □□□ □□ □□□□ □□□□□? (2□□ □□□□□.)

- A. □□□ □□□□
- B. MAC □□
- C. □□
- D. □□

Answer: A,C ([LEAVE A REPLY](#))

## NEW QUESTION: 3

□□ □ Juniper Secure Analytics□□ □□□ □□□□ □□□ □□□□ □ □□ □□□ □□□□ □? (2□ □□)

- A. Junos Space Security Director□□ □□□ □□□ □□ JSA □□ □□□□ □□□□□.
- B. □□□ □□□□ □□□ □□□ □ □□□ □□ □□ □□ □ □□□ □□□□□.
- C. □□□ □□□□ □. JSA□ JSA □□□□□ □□□□ □□ □□□ □ □□□□.
- D. □□□ □□□□ □. JSA□ □□ □□ □□□ □□ □□□□ □□□□ □□□ □ □□□□.

Answer: B,C ([LEAVE A REPLY](#))

## NEW QUESTION: 4

□□ □□ □□□ □□□□ □□□ □□□ □□□□□ □□ □□□□ □□□□ □□□□?

- A. ALD
- B. □□
- C. SSL □□□
- D. IPS

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 5**

□□ □□□ □□□□□.



□□□ □□□ □□ □ □□ □□□ □□□□ SRX □□ □□□□□ □□□□ □□□□. □□□□ □□□□ □ □□ □□□ □□□□ □□□ □□□□□?

- A) 

```
set groups node$ interfaces fxp0 unit 0 family inet address 10.200.0.254/24 master-only
```
- B) 

```
set apply-groups node0
set apply-groups node1
```
- C) 

```
set apply-groups ${node}
```
- D) 

```
set groups node0 interfaces fxp0 unit 0 family inet address 10.200.0.254/24 master-only
set groups node1 interfaces fxp0 unit 0 family inet address 10.200.0.254/24 master-only
```

- A. □□ A
- B. □□ B
- C. □□ C
- D. □□ D

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

□□□□ Junos □□□□□□ □□□ □□□ □□□□ □□□□. □ □□□□□□ □□□□□ □□□□ □□□ □□□ □□□□□□□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□ IP □□
- B. □□□ □□
- C. □□ □□
- D. □□ IP □□

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

□□ □□□□ □□□□□□ □□ □□□ □□□ □□□□ □ □□□□ □□□□□ □□□□. □ □□□ SRX □□□ □□□□ HTTP □□□□ □□□□ □□ □□□ □□□ □□□□ □□□ □□□□□. □□ □□□ □□□ □ □ □□□□ □ □□□□ □□□□ □ □□□ □□□ □□ □□ □□ □□□□ □□ □□□□ □ □□□□ □ □□□ □ □ □□□□. □□ □□□ □□□ □□ □□□□□ □□□.

- □□□ □□□□ □□ SRX □□□ □□□□ □□ □□□ □□□□□□?
- A. □□□ □□ □□ policy-rematch □□□□□ □□□ □□□□ □□ □□□ □□□□□.
- B. □□ □□□ □ □□□ commit full □□□ □□□□□.
- C. set security flow tcp-session rst-invalidate-session □□□ □□□ □□□□ □□ □□□ □□□ □□.
- D. □□ □□ tcp-session strict-syn-check □□□ □□□ □□□□ □□ □□□ □□□□□.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 8**

□□ □□□ □□□□□.

Exhibit X

## Create Threat Prevention Policy ?

**Name** \* ?

**Description**

**Profiles**

Include C&C profile in policy

Include infected host profile in policy  
Select an action to apply to infected hosts

**Actions**

Include malware profile in policy

**HTTP File Download** ?

Select a file scanning device profile and threat score range to apply to HTTP and HTTPS traffic.


Which of the following is a valid configuration for the HTTP File Download profile?

- A.  Include infected host profile in policy. Select an action to apply to infected hosts. .  Include malware profile in policy.
- B.  Include C&C profile in policy.  Include infected host profile in policy. Select an action to apply to infected hosts. .  Include malware profile in policy.
- C.  Include infected host profile in policy. Select an action to apply to infected hosts. .  Include malware profile in policy.
- D.  Include malware profile in policy. .  Include infected host profile in policy. Select an action to apply to infected hosts.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 9**

Which of the following is a valid configuration for the HTTP File Download profile?



SRX-1 is configured as a Policy Enforcer. Which two interfaces are connected to SRX-1? (2 correct answers.)

- A. QFX-2
- B. SRX-1
- C. QFX-1
- D. QFX-3

Answer: B,D (LEAVE A REPLY)

QFX-1:

**NEW QUESTION: 10**

SRX-1 is configured as a Policy Enforcer. Which two interfaces are connected to SRX-1? (2 correct answers.)

- A. QFX-2
- B. SRX-1
- C. syslog
- D. QFX-3

Answer: A,C (LEAVE A REPLY)

**NEW QUESTION: 11**

SRX-1 is configured as a Policy Enforcer. Which two interfaces are connected to SRX-1? (2 correct answers.)

- A. QFX-2
- B. SRX-1
- C. QFX-3

D. `ge-0/0/1` together-options redundant-parent reth1

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 12**

CPU `options` `options` `options` `options` `options` `options` `options` `options`?

- A. BSD `options` `options`
- B. `options`
- C. `options` `options` `options`
- D. `options`

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 13**

vSRX `options` vCPU `options` `options` `options`.

`options` `options` `options` vCPU `options` `options`?

- A. `options` `options` `options` vCPU 1, Junos `options` `options` 1, `options` vCPU `options` `options` `options`.
- B. Junos `options` `options` 1 `options` `options` vCPU `options` `options` `options` `options` `options` vCPU `options` `options`.
- C. vCPU Junos `options` `options` `options` `options` `options` `options` `options` `options`.
- D. `options` vCPU 1 `options` `options` `options` `options` `options` `options` vCPU Junos `options` `options` `options`.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 14**

`options` `options` `options` `options` `options` `options` `options` `options` NAT `options` `options` `options` `options`.

`options` `options` `options` `options` `options`?

- A. `options` `options` `options` `options` `options` `options` NAT `options` `options`.
- B. `options` NAT `options` `options` `options` `options` `options` `options` `options`.
- C. `options` `options` ARP `options` `options` IP `options` `options` `options` NAT `options` `options`.
- D. `options` no-translation `options` `options` `options` IP `options` `options` `options` `options` NAT `options` `options`.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 15**

`options` `options` IPS `options` `options` `options` `options` `options`. `options` `options` `options` `options` `options` `options` `options`.

`options` `options` `options` `options` `options` `options` `options` `options`? (2 `options` `options`.)

- A. `options` `options`
- B. `options` `options`
- C. `options` IP `options`
- D. `options` IP `options`

Answer: A,D ([LEAVE A REPLY](#))

**NEW QUESTION: 16**

Sky ATP □□ □□□ □□ □□□ □□□□ □ □□ □□□□□ □□□□□? (2□□ □□□□□.)

- A. POP3
- B. MAPI
- C. IMAP
- D. SMTP

**Answer: C,D ([LEAVE A REPLY](#))**

□□

**JN0-334** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-334 □□!  
DumpTop □ □□ **JN0-334** □□ □□□ □□□□□□, DumpTop JN0-334 □□ □□□ □□□  
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-334 □□□  
□□□□□. <https://www.dumptop.com/Juniper/JN0-334-dump.html> (93 Q&As Dumps,  
**30%OFF** Special Discount: **KrDump**)

**NEW QUESTION: 17**

□□□ □□ □ □□ □□ □□□ □□□□ □ □□□ □□□? (3□□ □□□□□.)

- A. SQL □□□
- B. □□ □□
- C. ICMP □□□
- D. SYN □□□
- E. NTP □□

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 18**

□□ □□□ □□□□□.

```

user@host# show security nat
static {
    rule-set rsl {
        from zone untrust;
        rule rl {
            match {
                destination-address 1.1.1.200/32;
            }
            then {
                static-nat prefix 192.168.1.200/32;
            }
        }
    }
}
proxy-arp {
    interface ge-0/0/0.0 {
        address {
            1.1.1.200/32;
        }
    }
}
}

```

- □□□□ □□□ ARP□ □□□ □□□□□?
- A. □□□ □□ □□□ □□ ARP□ □□ □□ □□□□
- B. □□ □□□□□□ □□□ □□ □□□ □□ ARP
- C. □□ □□□□□□ ARP□ □□□ □□ □□
- D. □□□ □□ □□□ □□ ARP□ □□ □□ □□□□

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

□□□ □□ □□□ □□□□ □□□ □□□□ □□ SRX □□□ □□□ □□□□ □ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□ IP □□
- B. □□□□
- C. □□ MAC □□
- D. □□□ □□

Answer: A,B ([LEAVE A REPLY](#))

**NEW QUESTION: 20**


JATP□ □ □□ □□ □□□□□? (3□□ □□□□□.)

- A. □□□
- B. □□
- C. □□
- D. □□
- E. □□□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 21**

□□ □□□ □□□□□.



Which of the following is the correct configuration for the SRX300 to allow Host A and Host B to access the Internet?

- A. Configure Host B to Untrust Zone and Host A to Trust Zone.
- B. Configure Host A to Untrust Zone and Host B to Trust Zone.
- C. Configure Host A and Host B to Untrust Zone.
- D. Configure Host A and Host B to Trust Zone.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 22**

Which of the following is the correct configuration for the SRX300 to allow Host A and Host B to access the Internet?

- A. Sky ATP SMTP
- B. Sky ATP IMAP
- C. Sky ATP MAPI
- D. Sky ATP POP3

Answer: A ([LEAVE A REPLY](#))



```

Exhibit
user@srx> show log messages | match RT_FLOW_SESSION
<14>1 2019-06-03T00:36:41.130z vSRX-1 RT_FLOW - RT_FLOW_SESSION_CREATE
[junos@2636.1.1.1.2.129 source-address="172.18.2.1" source-port= "49970"
Destination-address= "10.10.101.10" destination-port= "21" connection-tag= "0"
service-name= "junos-ftp" nat-source-address= "172.18.2.1" nat-source-port= "49970"
nat-destination-address= "10.10.101.10" nat-destination-port= "21"
nat-connection-tag= "0" src nat-rule-type= "N/A" src-nat-rule-name= "N/A"
dst-nat-rule-type= "N/A" dst-nat-rule-name= "N/A" protocol-id= "6"
policy-name= "untrust-to-trust(global)" source-zone-name= "untrust"
destination-zone-name= "trust" session-id-32= "19321" username= "N/A" roles= "N/A"
packet-incoming-interface="ge-0/0/3.0" application="UNKNOWN"
nested-application= "UNKNOWN" encrypted= "UNKNOWN" application-category="N/A"
application-sub-category="N/A" application-risk= "-1"] session created
172.18.2.1/
49979->10.10.101.10/21 0x0 junos-ftp 172.18.2.1/49970->10.10.101.10/21 0x0 N/A
N/A N/A
N/A 6 untrust-to-trust(global) untrust trust 19321 N/A(N/A) ge-0/0/3.0 UNKNOWN
UNKNOWN
UNKNOWN N/A N/A -1

```

□□□□ □□□ □□□ □□ □□□□ □□□□□?

- A. sd-syslog
- B. □□□ □□
- C. □□□□
- D. □□

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 28**

□□ □ trust□□ □□ □□□ □□□ □□ IP □□□□ SRX □□□ □□□ □□ SSH □□□□ □□□ □□□ □□□□□?

- A. □□ □□ junos-host□□ □□ □□ □□□□ □□ □□□ □□□□□.
- B. □□ □□ □□□□ □□ □□ junos-host□ □□ □□□ □□□□□.
- C. SSH□ □□□□□ host-inbound-traffic □□□ □□□□ □□□□□.
- D. □□ □□ □□□□□ □□□ □□□ □□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 29**

AppSecure□ AppTrack □□□ □□□□ □□□ □□□□□?

- A. AppTrack □□□ □□ □□□□□□□ □□□□ □□□□ □□□□ □□□ □□□□□.
- B. AppTrack □□□ □□□□□□□ □□□□ □□□ □□□□ □□ □□□ □□□□□.
- C. AppTrack □□□ □□□□ □□□□ □□□□ □□□□□□□ □□□□□.
- D. AppTrack □□□ □□□□□□ □□□□□□ □□□ □□ □□□□ □□ □□□ □□□□□.

Answer: D ([LEAVE A REPLY](#))





## Create Threat Prevention Policy ?

Name\* ?

Description



### Profiles

- Include C&C profile in policy
- Include infected host profile in policy  
Select an action to apply to infected hosts.

Actions  ▼

- Include malware profile in policy

HTTP File Download ?

Select a file scanning device profile and threat score range to apply to HTTP and HTTPS traffic.

- A. HTTP traffic is scanned by the SRX device.
- B. HTTP traffic is scanned by the SRX device.
- C. HTTP traffic is scanned by the SRX device.
- D. HTTP traffic is scanned by the SRX device.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 36

- Which of the following is a Microsoft Windows Server 2012 role service?
- A. Microsoft Windows Server 2012 File Services
  - B. Microsoft Active Directory Certificate Services

- C. Microsoft Exchange Server □□□ □□
- D. Microsoft Active Directory □□ □□

Answer: B,C ([LEAVE A REPLY](#))

□□/□□:

**NEW QUESTION: 37**

□□ □□ SSP □□□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□ □□ SSL □□□□ □□ □ □□ □□□□ □□□□□.
- B. □□ □□ SSL □□□□ SSL □□□ □□□□□□ □□□.
- C. □□ □□ SSL □□□□ □□□□□□ □□□□ □□ □□□ □□□.

[https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-ssl-proxy.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-ssl-proxy.html)

- D. □□ □□ SSL □□□□ □□ □□□□ □□□□□.

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 38**

Sky ATP□ □□□□ □□□□□ □□□□ □□□ □□ □□□ □□ □□□□□ □□□ □□ □□ □□ □□□.

- A. □□□□□ □□ Sky ATP □□ □□□ □□ □□ □□□ □□□□□.
- B. □□□ SRX □□□ □□ □□ □□□ □□
- C. □□□□ □□ Sky ATP □□ □□□□□□ □□□□□.
- D. □□□□ □□ Sky ATP □□ □□ □□□ □□

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

□□ □ □□ □□□ □□□ □□□□ □□ □□□□□?

- A. □□ □□□ □□ □□□ □□ □□□ □□□□□.
- B. □□ □□□ □□ □□□ □□□□ □□□□ □□ □□□ □□□□□□ □□□□□.
- C. □□ □□□ □□□□ □□□□□ □□ □□□□ □□□□□ □□□□□.
- D. □□ □□□ □□□ □□ □□□□ □□□□□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

Juniper Identity Management Service(JIMS)□ □□□□ □ □□ □□□ □□□□□? (2□□ □□ □□□.)

- A. JIMS□ □□ □ □□ JIMS □□ □□ Active Directory □□ □□□ □□□□□□.
- B. JIMS□ Active Directory □□□□□ □□ □□ □□□□□□□ □□□□ □□ □□□□□.
- C. JIMS□ Active Directory □□ □□□ SRX □□□ □□□□□ □□□ □□□□□.
- D. JIMS□ Active Directory □□ □□□ □□□ □ □□ Active Directory □□□ □□□□□ □□ □□□.

[https://www.juniper.net/documentation/en\\_US/junos/topics/reference/configuration-statement/services-user-identification-identity-management-connection-primary.html](https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/services-user-identification-identity-management-connection-primary.html)

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 41**

JIMS □□□ □□□ □□□□□□ □□□□ □□ SRX □□□□□ □□□ □□□□ □□□□. □  
SRX □□□□□ □□□□□ □□ □□ □□□ □□ □□□ □□ □□ SRX □□□□□ □□ □□  
□□ □□□ □□□□ □□□.  
□ □□□ □□□□ □ □□□□ JIMS □□□ □□□ □□□□□?

- A. JIMS □□□□□ □□□
- B. JIMS □□□
- C. JIMS □□□
- D. JIMS □□□□□ □□□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 42**

□□ □□ □□□□ □□ NAT□ □□□□□□. □□ □□ □□ □□□ □□ □□□ IP □□□ □□  
NAT □□□ □□ □□□□ □□□□□ □□□□ □□□.  
□ □□ □□□ □□□□ NAT □□ □□□ □□□□□?

- A. □□ □□ □□ □□
- B. □□ □□
- C. □□ □□ □
- D. □□ □□ □□

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 43**

□□□ □□□□□ AppSecure □□□□ □□□ □ □□ □□□ □□□□□? (3□□ □□□□□.)

- A. AppQoE
- B. APBR
- C. □□ □□□□□□ □□□
- D. □QoS
- E. □□□□

Answer: ([SHOW ANSWER](#))

□□:  
[https://www.juniper.net/documentation/en\\_US/junos/information-products/pathway-pages/security/security-application-identification.pdf](https://www.juniper.net/documentation/en_US/junos/information-products/pathway-pages/security/security-application-identification.pdf)

**NEW QUESTION: 44**

cSRX□ □□ □ □□ □□ □□□ □□□□□? (2□□ □□□□□.)

- A. □□□□
- B. □□□
- C. □□□□ □□□
- D. UCLI





- A. sd-syslog
- B. □□□□
- C. □□□ □□
- D. □□

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 51**


SRX5800 □□ □□□□□□ □□□□□□ □□□□□□ □□□ □ node1□ □□ □□□□ node0  
 □ □□ □□□□ □ □ □□□□. □□□□ □□□ □□ node0□ □□ □□□□ □□□.  
 □ □□□□□□□ □□□□ □□□ □□□□□□ □□ □□□□ □□□□ □□□?

- A. □□ □□ □□□□ □□ □□ □□□ □□ 0 □□ 0
- B. □□ □□ □□□□ □□ □□ □□□□□□ 0 □□ 1
- C. □□ □□□□ □□ □□ □□□ □□ 254 □□ 0 □□
- D. □□ □□ □□□□ □□ □□ □□□□□□ 254 □□ 1

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 52**

□□□□.



□□□ □□□□ Policy Enforcer□ □□ □□ □□□□ □□□□ □□□□ □ □□ □□□ □  
 □□□□? (2□ □□)

- A. SRX-1
- B. QFX-1

C. 0-1

D. 0-2

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 53**

00 000 00000.

```
user@host> show chassis cluster status redundancy-group 1
Cluster: 1, Redundancy-Group: 1
Device name      Priority      Status      Preempt  Manual  failover
node0            0            Secondary   No       No
node1            200         Primary     No       No
```

00 0 0000 000 000 0000 0 00 000 00000? (200 00000.)

A. 00 00 000 00 10 00 0000 0000 0000.

B. 00 10 000 00 10 00 0000 0000 0000.

C. 00 00 10 000 00 00000000.

D. 00 00 10 00 000 00000000.

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 54**

00 000 00000.



- C. □□ IP □□□ reth IP □□□ □□ □□□□ □□□ □□□.
- D. □□□ □□□ □□ □□□ □□□ □□□□ □□ □□ □□□.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 55**

□□ □□□□□□□ □□□ □ □□□ □□□□□ □□□. □ □□□ □□□□□ □□ □□□□□  
□□□□ □□□?

- A. □□□□
- B. JSA
- C. □□ □□□
- D. □□ □□□

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 56**

□□ □ □□ □□□□ □□□□ □ □□ □□□ □□□□□? (3□□ □□□□□.)

- A. □□ □□□□ □□ □□ □□ □□□ □□□□□.
- B. □□ □□□□ □□□□□ □□ □□□□ □□□□□.
- C. □□ □□□□ NATO PAT□ □□□□□.
- D. □□ □□□□ □□□, □□ □ □□□□ □□□□□.
- E. □□ □□□□ □□ □□□ □□ □□□ □□□□□.

Answer: A,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 57**

□□ □□□ □□□ □ □□ □□ □□□ □□□□ □□ □□ □□□□ □□□ □□□□ □□□□  
□□□□ □□ □□□□□ □□□□□?

- A. □□ □□□ □□ □□
- B. □□ □□□□
- C. □□ □□□□
- D. □□ □□□

Answer: ([SHOW ANSWER](#))

□□

**NEW QUESTION: 58**

□□ □□□ □□□□□.

```
[edit security flow]
user@srx# show
aging {
    early-ageout 10;
    low-watermark 80;
    high-watermark 95;
```



krdump.com

Which two statements are correct? (Choose two.)

- A. The low watermark is 80% of the early ageout.
- B. The high watermark is 10% of the early ageout.
- C. The high watermark is 10% of the low watermark.
- D. The high watermark is 95% of the early ageout.

Answer: C,D (LEAVE A REPLY)

**NEW QUESTION: 59**

Which two Juniper Secure Analytics components are used to collect and analyze security data? (Choose two.)

- A. Junos Space Security Director
- B. Junos Space Security Analytics
- C. Junos Space Security Director JSA
- D. Junos Space Security Director JSA

Answer: A,B (LEAVE A REPLY)

**NEW QUESTION: 60**

Amazon Web Services(AWS) Virtual Private Cloud(VPC) vSRX is used to protect traffic between VPCs. Which two statements are correct? (Choose two.)

- A. IPsec is used to protect traffic between VPCs vSRX.
- B. MPLS LSP is used to protect traffic between VPCs.





**NEW QUESTION: 66**

Which ALG (Application Layer Gateway) is used to support SIP (Session Initiation Protocol)? (2 points)

- A. ALG for SIP
- B. ALG for Security Director
- C. ALG for TCP
- D. ALG for FTP

Answer: (SHOW ANSWER)

**NEW QUESTION: 67**

Which NAT type is used in the diagram?



Which NAT type is used in the diagram? (2 points)

Which NAT type is used in the diagram? (2 points)

- A. NAT-T
- B. Static NAT
- C. Dynamic NAT
- D. Port NAT

Answer: C,D (LEAVE A REPLY)

**NEW QUESTION: 68**

Which SRX feature is used to support JIMS (Juniper Instant Messaging Service)? (2 points)

- A. SRX uses JIMS IP (VIP) for JIMS.
- B. SRX uses JIMS IP for JIMS.
- C. SRX uses JIMS IP for JIMS.
- D. JIMS uses JIMS IP for JIMS.

Answer: B,D (LEAVE A REPLY)

**NEW QUESTION: 69**

Juniper Secure Analytics        
 ?

- A.
- B.
- C.
- D.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 70**

vSRX         ? (3  )

- A. eth0
- B.
- C. SR-IOV
- D. VMXNET 3
- E. fxp0

Answer: C,D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 71**

SRX      ? (2  )

- A. vSRX       -
- B. cSRX      .
- C. vSRX
- D. cSRX      .

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 72**

? (2  )

- A.
- B.
- C.
- D.

Answer: A,D ([LEAVE A REPLY](#))

**NEW QUESTION: 73**


SSL     ? (2  )

- A.   SSL    .
- B.   SSL  SSL   .
- C.   SSL     .
- D.   SSL      .

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 74**

□□ □□□ □□□□□.



JIMS □□□□ □□ □□□ □□□□□ SRX □□□ □□□ □□□□□□. □□□ SRX□ □□ □ □□ □□□□ □□□□.

□□□ □□□□ □□□ □□□ □□□□□□□□□□?

A. JIMS □□□ □□□ □□□ □□□□□ SRX □□□ □□□ □□□ □□□□□.

B. HTTP□ □□□□ JIMS □□□ □□□□□□ SRX □□□ □□□□□.

□□□ JIMS □□□ □□□ □ □□□ □□□ □□□□. □□□ □ □□□ □□□□ JIMS□ □□ □ □□□ □□□□ □□□.). □□□ □□□ □□□□ □□□ □□ □□□ □□□□ □ □□ □□ □□ □□□□. □□□ □□□□□.

([https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-user-auth-configure-jims.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-auth-configure-jims.html))

C. JIMS □□□ □□□ □□□□□□□ □□□□□ SRX □□□ □□□□□□□ □□□□□.

D. JIMS □□□ IP □□ □□□□□

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 75**

ICMP □ UDP □□□□□ □□ □□ □□ □□ □□ □□ □□□□□?


A. 30□

- B. 60
- C. 5
- D. 30

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 76**

□□ □□□ □□□□□.



□□□ □□□ □□□ □□ □□□□ □□ □□? (2□□ □□□□□.)

- A. □□ □□□□ 80% □□□ □□□□ □□□□ □□□□□□□□.
- B. 10□ □□ □□□ □□□ □□ □□□□□□ □□□ □□□□□□.
- C. □□ □□□ □□□ 95%□ □□□□ □□□□ □□□□ □□□□□□□□.
- D. 10□□□ □□ □□□ □□□ □□ □□□□□□ □□□ □□□□□□.

Answer: ([SHOW ANSWER](#))

**JN0-334** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-334 □□!  
 DumpTop □ □□ **JN0-334** □□ □□□ □□□□□□□, DumpTop JN0-334 □□ □□□ □□□  
 □□□□□ □□□ □□□□□□□□. □□□□□ □□□ □□□□ □□ DumpTop JN0-334 □□□  
 □□□□□. <https://www.dumptop.com/Juniper/JN0-334-dump.html> (93 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)

**NEW QUESTION: 77**

SRX □□□ □□□□ IPS□ □□□□ □ □□ □□□ □□ □□□ □□□□□? (2□□ □□□□  
 □.)

- A. □□□□ □□ □□ □□
- B. □□ □□ □□



- C. pp0
- D. □□

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 80**

□□ □□□□□□ reth LAG □□□□□□ □□□□□ □□□.  
□ □□□ □□□□□ □□ □□ □□□□□ □□□ □□□□□ □□□?

- A. swfab
- B. RSTP
- C. LLDP
- D. 802.3ad

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 81**

□□ □□□□□□□ □□□ □ □□□ □□□□□ □□□.  
□ □□□ □□□□□ □□ □□□□ □□□□ □□□?

- A. □□ □□□
- B. JSA
- C. □□ □□□
- D. □□□□

Answer: ([SHOW ANSWER](#))

□□/□□:

**NEW QUESTION: 82**

□□□□□ IPsec □□□ □□□□ □□□□. □□□ IPsec □□□ NAT□ □□□ SRX □□□ □  
□□ □□□□□. IPsec □□□ □□□ □□□□□ □□□□ □□□.  
□ □□□□□□ □□□ □□□ □□□□□?

- A. □□ □□ □□ □□□□ □□□.
- B. Persistent NAT□ □□□□□ □□□.
- C. NAT-T□ □□□□□□ □□□.
- D. □□ NAT□ □□□□ □□□.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 83**

IPsec □□□ □□□□ □ □□□□ 1□□ IKE □□ □□ □□ □ □□ □□□ □□□□□? (2□□  
□□□□□.)

- A. □□□ □□
- B. □□ □□
- C. □□ □□
- D. □□ □□

Answer: A,C ([LEAVE A REPLY](#))





- □□□□ □□□□□ 172.16.128.50□ □□□ □□□ □□□□ □□□ □□□?  
HTTP□ □□□□ 192.168.150.3?
- A. □□□□□□ □□□ □□□ □□ □□□□□.
  - B. □□□□□□ □□ p1□ □□ □□□□□.
  - C. □□□□□□ □□ p2□ □□□□□.
  - D. □□□□□□ □□ p3□□ □□□□□.

**Answer: B ([LEAVE A REPLY](#))**

**JN0-334** □□ □□□ □□□□□ □□ DumpTop □□ □□□□ □□□ JN0-334 □□!  
DumpTop □ □□ **JN0-334** □□ □□□ □□□□□□, DumpTop JN0-334 □□ □□□ □□□  
□□□□□ □□□ □□□□□□□. □□□□ □□□ □□□□ □□ DumpTop JN0-334 □□□  
□□□□□. <https://www.dumptop.com/Juniper/JN0-334-dump.html> (93 Q&As Dumps,  
**30%OFF Special Discount: KrDump**)